



Prices effective February 3, 2025

Published March 2025

Renew™ Sit-to-Stand Tables

Introduction	page 2
Renew™ Sit-to-Stand Tables	3
Adjustable-Height Tables	5
Sit-to-Stand Table Bases	47
Ambit™ Shroud	51
Ambit Storage	57
Power and Data Support	59
Screens	70
Indices	101
By Name	101
By Number	103
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 3, 2025, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Adjustable-Height Tables

Sit-to-Stand Table Bases

Ambit™ Shroud

Ambit™ Storage


Power and Data Support

Screens



Rectangle Table with C-Foot

DU6ACE
DU6ACS
DU6ACT



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.

For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):


- Painted (P) top finishes: CL, LU

- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Table with C-Foot *continued*

Specification Information		
Step 1.		
DU6AC ☐		
Step 2. Edge		
S.	squared-edge	☐
T.	thin-edge	☐
E.	eased-edge	☐
Step 3. Depth		
24	24" deep (23" surface size)	☐
30	30" deep (29" surface size)	☐
Step 4. Width		
<i>For 24" deep (23" surface size) (24)</i>		
36	36" wide (34" surface size)	☐
42	42" wide (40" surface size)	☐
48	48" wide (46" surface size)	☐
54	54" wide (52" surface size)	☐
60	60" wide (58" surface size)	☐
66	66" wide (64" surface size)	☐
72	72" wide (70" surface size)	☐
84	84" wide (82" surface size)	☐
<i>For 30" deep (29" surface size) (30)</i>		
36	36" wide (34" surface size)	☐
42	42" wide (40" surface size)	☐
48	48" wide (46" surface size)	☐
54	54" wide (52" surface size)	☐
60	60" wide (58" surface size)	☐
66	66" wide (64" surface size)	☐
72	72" wide (70" surface size)	☐
84	84" wide (82" surface size)	☐

Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
J	thermally-fused laminate top/thermoplastic edge with MicrobeCare™ ☐
K	thermally-fused laminate top/universal edge with MicrobeCare™ ☐
M	thermally-fused laminate top/thermoplastic edge ☐
T	thermally-fused laminate top/universal edge ☐
L	high-pressure laminate top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
U	high-pressure laminate/universal edge ☐
A	high-pressure laminate top/thermoplastic edge with MicrobeCare™ ☐
C	high-pressure laminate top/universal edge with MicrobeCare™ ☐
<i>For thin-edge (T.)</i>	
L	high-pressure laminate top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
A	high-pressure laminate top/thermoplastic edge with MicrobeCare™ ☐
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge ☐
Step 6. Height Adjustment	
C	crank sit-to-stand ☐
K	crank seated ☐
E	electric standard range ☐
D	electric extended range ☐

Prices for Steps 1-6.		JC	JK	JE	JD	KC	KK
DU6ACS. 24	36	\$3028	3028	3725	4397	3028	3028
	42	\$3087	3087	3906	4467	3087	3087
	48	\$3158	3158	4030	4520	3158	3158
	54	\$3218	3218	4108	4608	3218	3218
	60	\$3279	3279	4223	4610	3279	3279
	66	\$3340	3340	4222	4699	3340	3340
	72	\$3404	3404	4390	4790	3404	3404
	84	\$3482	3482	4485	4802	3482	3482

Rectangle Table with C-Foot *continued*

30 36	\$3203	3117	4124	4470	3117	3117
42	\$3263	3175	4170	4511	3175	3175
48	\$3248	3248	4226	4562	3248	3248
54	\$3309	3309	4308	4649	3309	3309
60	\$3376	3376	4313	4710	3376	3376
66	\$3531	3436	4480	4801	3436	3436
72	\$3600	3502	4480	4893	3502	3502
84	\$3583	3583	4665	5001	3583	3583
	KE	KD	MC	MK	ME	MD
DU6ACS. 24 36	\$3796	4397	2943	2943	3642	4312
42	\$3906	4467	3000	3000	3822	4381
48	\$4030	4520	3060	3060	3932	4421
54	\$4108	4608	3120	3120	4009	4509
60	\$4223	4610	3179	3179	4126	4512
66	\$4303	4699	3243	3243	4124	4603
72	\$4390	4790	3307	3307	4290	4691
84	\$4485	4895	3372	3372	4374	4691
30 36	\$4124	4470	3119	3032	4039	4386
42	\$4170	4511	3178	3089	4084	4425
48	\$4226	4562	3150	3150	4129	4465
54	\$4308	4649	3211	3211	4211	4552
60	\$4396	4710	3277	3277	4214	4612
66	\$4480	4801	3433	3339	4381	4703
72	\$4565	4893	3505	3404	4381	4795
84	\$4665	5001	3471	3471	4554	4891
	TC	TK	TE	TD	LC	LK
DU6ACS. 24 36	\$2943	2943	3712	4312	2987	2987
42	\$3000	3000	3822	4381	3046	3046
48	\$3060	3060	3932	4421	3106	3106
54	\$3120	3120	4009	4509	3168	3168
60	\$3179	3179	4126	4512	3229	3229
66	\$3243	3243	4206	4603	3292	3292
72	\$3307	3307	4290	4691	3357	3357
84	\$3372	3372	4374	4785	3422	3422
30 36	\$3032	3032	4039	4386	3167	3078
42	\$3089	3089	4084	4425	3227	3137
48	\$3150	3150	4129	4465	3198	3198
54	\$3211	3211	4211	4552	3260	3260
60	\$3277	3277	4298	4612	3326	3326
66	\$3339	3339	4381	4703	3486	3389
72	\$3404	3404	4468	4795	3558	3456
84	\$3471	3471	4554	4891	3523	3523

	LE	LD	WC	WK	WE	WD
DU6ACS. 24 36	\$3697	4378	3345	3345	4238	4789
42	\$3881	4447	3413	3413	4368	4866
48	\$3992	4489	3480	3480	4495	4912
54	\$4071	4577	3549	3549	4587	5015
60	\$4188	4581	3621	3621	4722	5018
66	\$4186	4672	3692	3692	4818	5122
72	\$4355	4762	3767	3767	4912	5225
84	\$4440	4762	3843	3843	5010	5334
30 36	\$4101	4452	3447	3447	4622	4870
42	\$4146	4493	3516	3516	4672	4915
48	\$4192	4532	3585	3585	4726	4966
54	\$4276	4621	3657	3657	4822	5067
60	\$4279	4681	3733	3733	4918	5135
66	\$4447	4775	3806	3806	5018	5243
72	\$4447	4867	3883	3883	5119	5348
84	\$4623	4965	3959	3959	5221	5458
	PC	PK	PE	PD	UC	UK
DU6ACS. 24 36	\$3181	3181	4031	4702	2987	2987
42	\$3241	3241	4151	4778	3046	3046
48	\$3309	3309	4272	4822	3106	3106
54	\$3376	3376	4361	4919	3168	3168
60	\$3443	3443	4491	4922	3229	3229
66	\$3510	3510	4576	5021	3292	3292
72	\$3583	3583	4670	5122	3357	3357
84	\$3653	3653	4765	5222	3422	3422
30 36	\$3280	3280	4394	4781	3078	3078
42	\$3344	3344	4441	4825	3137	3137
48	\$3409	3409	4493	4867	3198	3198
54	\$3479	3479	4582	4966	3260	3260
60	\$3547	3547	4677	5032	3326	3326
66	\$3617	3617	4770	5134	3389	3389
72	\$3689	3689	4865	5237	3456	3456
84	\$3764	3764	4963	5342	3523	3523
	UE	UD	AC	AK	AE	AD
DU6ACS. 24 36	\$3768	4378	3074	3074	3782	4462
42	\$3881	4447	3135	3135	3966	4535
48	\$3992	4489	3206	3206	4092	4589
54	\$4071	4577	3268	3268	4171	4677
60	\$4188	4581	3328	3328	4288	4679
66	\$4271	4672	3390	3390	4287	4770
72	\$4355	4762	3456	3456	4456	4862
84	\$4440	4857	3534	3534	4553	4874

Renew™ Adjustable-Height Tables

Rectangle Table with C-Foot *continued*

Renew™ Adjustable-Height Tables

30	36	\$4101	4452	3252	3165	4186	4538
42		\$4146	4493	3312	3222	4233	4580
48		\$4192	4532	3298	3298	4290	4631
54		\$4276	4621	3359	3359	4374	4720
60		\$4363	4681	3426	3426	4379	4781
66		\$4447	4775	3585	3488	4548	4873
72		\$4536	4867	3656	3556	4548	4967
84		\$4623	4965	3636	3636	4736	5076

			CC	CK	CE	CD
DU6ACS. 24	36		\$3059	3059	3835	4441
	42		\$3119	3119	3946	4512
	48		\$3190	3190	4071	4566
	54		\$3251	3251	4150	4654
	60		\$3312	3312	4267	4656
	66		\$3374	3374	4346	4747
	72		\$3439	3439	4435	4838
	84		\$3517	3517	4530	4944

30	36		\$3149	3149	4166	4515
42			\$3207	3207	4212	4557
48			\$3281	3281	4269	4609
54			\$3343	3343	4352	4696
60			\$3410	3410	4440	4757
66			\$3471	3471	4525	4850
72			\$3539	3539	4612	4942
84			\$3619	3619	4713	5052

		TC	TK	TE	TD	LC	LK
DU6ACT. 24	36	—	—	—	—	\$3259	3259
	42	—	—	—	—	\$3319	3319
	48	—	—	—	—	\$3388	3388
	54	—	—	—	—	\$3456	3456
	60	—	—	—	—	\$3526	3526
	66	—	—	—	—	\$3594	3594
	72	—	—	—	—	\$3667	3667
	84	—	—	—	—	\$3740	3740

30	36	—	—	—	—	\$3358	3358
42		—	—	—	—	\$3421	3421
48		—	—	—	—	\$3492	3492
54		—	—	—	—	\$3562	3562
60		—	—	—	—	\$3632	3632
66		—	—	—	—	\$3705	3705
72		—	—	—	—	\$3778	3778
84		—	—	—	—	\$3856	3856

		LE	LD	WC	WK	WE	WD
DU6ACT. 24	36	\$4126	4815	3758	3758	4512	5200
	42	\$4253	4895	3833	3833	4655	5292
	48	\$4253	4937	3910	3910	4661	5342
	54	\$4463	5035	3989	3989	4898	5454
	60	\$4599	5039	4068	4068	5054	5462
	66	\$4691	5142	4151	4151	5159	5576
	72	\$4782	5094	4234	4234	5267	5695
	84	\$4880	5347	4315	4315	5376	5816

30	36	\$4497	4898	3873	3873	4942	5296
	42	\$4419	4941	3953	3953	4997	5345
	48	\$4602	4989	4031	4031	5057	5402
	54	\$4694	5089	4110	4110	5162	5515
	60	\$4652	5154	4191	4191	5275	5589
	66	\$4886	5258	4276	4276	5386	5711
	72	\$4839	5361	4363	4363	5342	5831
	84	\$5083	5468	4448	4448	5612	5954

		PC	PK	PE	PD	UC	UK
DU6ACT. 24	36	\$3444	3444	4338	4948	—	—
	42	\$3519	3519	4477	5035	—	—
	48	\$3589	3589	4611	5082	—	—
	54	\$3663	3663	4711	5194	—	—
	60	\$3737	3737	4853	5196	—	—
	66	\$3817	3817	4953	5307	—	—
	72	\$3893	3893	5056	5418	—	—
	84	\$3975	3975	5161	5534	—	—

30	36	\$3553	3553	4746	5040	—	—
	42	\$3627	3627	4801	5088	—	—
	48	\$3702	3702	4857	5138	—	—
	54	\$3779	3779	4959	5247	—	—
	60	\$3855	3855	4921	5321	—	—
	66	\$3936	3936	5170	5434	—	—
	72	\$4019	4019	5279	5548	—	—
	84	\$4099	4099	5386	5668	—	—

		UE	UD	AC	AK	AE	AD
DU6ACT. 24	36	—	—	\$3346	3346	4213	4903
	42	—	—	\$3406	3406	4339	4981
	48	—	—	\$3487	3487	4354	5038
	54	—	—	\$3557	3557	4563	5135
	60	—	—	\$3626	3626	4699	5139
	66	—	—	\$3694	3694	4790	5241
	72	—	—	\$3766	3766	4882	5195
	84	—	—	\$3856	3856	4992	5462

Rectangle Table with C-Foot *continued*

	30	36	—	—	\$3446	3446	4586	4985
		42	—	—	\$3508	3508	4507	5028
		48	—	—	\$3591	3591	4701	5089
		54	—	—	\$3662	3662	4794	5188
		60	—	—	\$3732	3732	4752	5253
		66	—	—	\$3804	3804	4986	5358
		72	—	—	\$3877	3877	4940	5459
		84	—	—	\$3968	3968	5196	5581
			PC	PK	PE	PD	UC	UK
DU6ACE.	24	36	\$3422	3422	4300	4961	—	—
		42	\$3495	3495	4440	5050	—	—
		48	\$3566	3566	4576	5099	—	—
		54	\$3639	3639	4670	5207	—	—
		60	\$3717	3717	4818	5210	—	—
		66	\$3792	3792	4917	5321	—	—
		72	\$3872	3872	5022	5431	—	—
		84	\$3952	3952	5124	5548	—	—
	30	36	\$3530	3530	4711	5053	—	—
		42	\$3604	3604	4763	5101	—	—
		48	\$3680	3680	4820	5151	—	—
		54	\$3755	3755	4780	5259	—	—
		60	\$3834	3834	4885	5332	—	—
		66	\$3914	3914	5132	5447	—	—
		72	\$3995	3995	5241	5561	—	—
		84	\$4079	4079	5349	5680	—	—

Step 7. Hidden Power Access

For electric extended range (D)

NNP	no power access	A	+	\$0
------------	-----------------	----------	---	-----

For crank sit-to-stand (C) or crank seated (K)

NNP	no power access	A	+	\$0
PLA	leg access	A	+	\$299

For electric standard range (E)

NNP	no power access	A	+	\$0
PLA	leg access	A	+	\$299

Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

SUD	simple up down	A	+	\$0
SRM	digital read out with memory	A	+	\$160

Switch Option/Crank Location/Crank Handle Finish

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), or 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

TPW	top crank, white handle	A	+	\$0
TPG	top crank, graphite handle	A	+	\$0
FRT	front crank, black handle	A	+	\$40

Switch Option/Crank Location/Crank Handle Finish

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

TPW	top crank, white handle	A	+	\$0
TPG	top crank, graphite handle	A	+	\$0

Step 9.

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut	A	+	\$85
40	dark brown walnut	A	+	\$85
A2	white ash	A	+	\$85
CHD	noble cherry	A	+	\$85
ET	clear on ash	A	+	\$85
EU	oak on ash	A	+	\$85
EV	walnut on ash	A	+	\$85
EW	medium matte walnut	A	+	\$85
OU	walnut	A	+	\$85
UL	natural maple	A	+	\$85
WHN	natural white oak	A	+	\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	A	+	\$0
91	white (CP)	A	+	\$0
LU	soft white	A	+	\$0

Rectangle Table with C-Foot *continued*

Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
UBK	ultra black (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
HF	inner tone light	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBQ	white twill	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0

Rectangle Table with C-Foot *continued*

Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)

125	natural maple (CP) [A]	+\$0
126	natural cherry (CP) [A]	+\$0
127	walnut (CP) [A]	+\$0
139	light ash (CP) [A]	+\$0
140	warm ash (CP) [A]	+\$0
G1	graphite (CP) [A]	+\$0
UBK	ultra black (CP) [A]	+\$0
76	light brown walnut [A]	+\$0
8Q	folkstone grey (CP) [A]	+\$0
91	white (CP) [A]	+\$0
98	studio white (CP) [A]	+\$0
CL	cool grey neutral [A]	+\$0
HF	inner tone light [A]	+\$0
HP	light anigre [A]	+\$0
LBA	clear on ash (CP) [A]	+\$0
LBR	phantom ecru [A]	+\$0
LBS	phantom cocoa [A]	+\$0
LBU	medium matte walnut (CP) [A]	+\$0
LBV	warm grey teak [A]	+\$0
LBB	oak on ash (CP) [A]	+\$0
LBC	walnut on ash (CP) [A]	+\$0
LBF	neutral twill [A]	+\$0
LBJ	graphite twill [A]	+\$0
LBQ	white twill [A]	+\$0
LU	soft white [A]	+\$0
WL	warm stone (CP) [A]	+\$0
WN	warm grey neutral [A]	+\$0

For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

PLY	plywood edge [A]	+\$50
-----	------------------	-------

Step 11. Leg/Foot Finish

Metallic Paint

611	beige mist metallic (CP) [A]	+\$0
613	silver (CP) [A]	+\$0
CN	metallic champagne leg with metallic champagne foot [A]	+\$0
MS	metallic silver leg with metallic silver foot [A]	+\$0
SNA	satin aluminum [A]	+\$30
SNB	satin bronze [A]	+\$30
SNC	satin carbon [A]	+\$30

Sand Texture Paint

BK	black leg with black foot [A]	+\$0
LFL	black leg with polished aluminum foot [A]	+\$0
UBK	ultra black (CP) [A]	+\$0

Smooth Paint

G1	graphite (CP) [A]	+\$0
8Q	folkstone grey leg with folkstone grey foot (CP) [A]	+\$0
91	white leg with white foot (CP) [A]	+\$0
98	studio white leg with studio white foot (CP) [A]	+\$0
G2	graphite satin leg with graphite satin foot [A]	+\$0
WL	warm stone leg with sandstone foot (CP) [A]	+\$0
WN	warm grey neutral leg with warm grey neutral foot [A]	+\$0
LFF	white leg with polished aluminum foot (CP) [A]	+\$160
LFG	warm grey neutral leg with polished aluminum foot [A]	+\$160
LFH	graphite satin leg with polished aluminum foot [A]	+\$160
LFJ	metallic silver leg with polished aluminum foot [A]	+\$160
LFK	studio white leg with polished aluminum foot (CP) [A]	+\$160

Polished Aluminum

LFM	satin carbon leg with polished aluminum foot [A]	+\$190
LFX	satin aluminum with polished aluminum foot [A]	+\$190
LFZ	satin bronze with polished aluminum foot [A]	+\$190

Step 12. Cord Cover/Cable Management

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PSC	simple cable [A]	+\$0
-----	------------------	------

Rectangle Table with C-Foot *continued*

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299

Step 13. Power Access Cutout

For 24" deep (23" surface size) (24) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with simple cable (PSC)

NNN	no cutout ☐	+\$0
------------	------------------------------------	------

For 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), or 42" wide (40" surface size) (42) with simple cable (PSC)

NNN	no cutout ☐	+\$0
------------	------------------------------------	------

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48) with simple cable (PSC), or high density cable trough (PHD)

NNN	no cutout ☐	+\$0
------------	------------------------------------	------

For 30" deep (29" surface size) (30) with 54" wide (52" surface size) (54) with high density cable trough (PHD)

NNN	no cutout ☐	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

For 30" deep (29" surface size) (30) with 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with simple cable (PSC)

NNN	no cutout ☐	+\$0
------------	------------------------------------	------


For 30" deep (29" surface size) (30) with 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with high density cable trough (PHD)

CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
LAC	left cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
NNN	no cutout ☐	+\$0

Step 14. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Rectangle Counterbalance Table with DU6ACG C-Foot



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Glides have 1/2" leveling range.

Shipped knocked down.

Floor to top-of-surface height adjustment range is 27"-46". A nonpowered gas-assisted counterbalance mechanism provides smooth operation throughout the entire height range.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.

For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):


- Painted (P) top finishes: CL, LU

- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Counterbalance Table with C-Foot *continued*

Specification Information						
Step 1.						
DU6ACG ☐						
Step 2. Edge						
S.	squared-edge ☐					
T.	thin-edge ☐					
E.	eased-edge ☐					
Step 3. Depth						
24	24" deep ☐					
30	30" deep ☐					
Step 4. Width						
For 24" deep (24)						
48	48" wide ☐					
60	60" wide ☐					
72	72" wide ☐					
For 30" deep (30)						
48	48" wide ☐					
60	60" wide ☐					
72	72" wide ☐					
Step 5. Surface Material						
For squared-edge (S.)						
L	high-pressure laminate top/thermoplastic edge ☐					
W	veneer top/veneer edge ☐					
P	painted Formcoat® top/edge ☐					
U	high-pressure laminate/universal edge ☐					
For thin-edge (T.)						
L	high-pressure laminate top/thermoplastic edge ☐					
W	veneer top/veneer edge ☐					
P	painted Formcoat® top/edge ☐					
For eased-edge (E.)						
P	painted Formcoat® top/edge ☐					
Prices for Steps 1-5.						
		48L	48W	48P	48U	60L 60W
DU6ACG S.	24	\$4665	5302	4800	4606	4898 5622
	30	\$4736	5439	4922	4720	5015 5755
	T. 24	\$5021	5823	5272	—	5320 6171
	30	\$5150	5973	5408	—	5450 6322

E.	24	—	—	\$5221	—	—	—	
	30	—	—	\$5354	—	—	—	
		60P	60U	72L	72W	72P	72U	
DU6ACG S.	24	\$5088	4882	5211	5980	5413	5192	
	30	\$5203	4995	5330	6114	5535	5308	
T.	24	\$5588	—	5662	6569	5944	—	
	30	\$5721	—	5789	6714	6080	—	
E.	24	\$5534	—	—	—	5888	—	
	30	\$5668	—	—	—	6020	—	
Step 6. Cord Cover/Cable Management								
PSC	simple cable	☐						+ \$0
Step 7.								
Top Finish								
For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)								
125	natural maple (CP)	☐						+ \$0
126	natural cherry (CP)	☐						+ \$0
127	walnut (CP)	☐						+ \$0
139	light ash (CP)	☐						+ \$0
140	warm ash (CP)	☐						+ \$0
UBK	ultra black (CP)	☐						+ \$0
76	light brown walnut	☐						+ \$0
8Q	folkstone grey (CP)	☐						+ \$0
91	white (CP)	☐						+ \$0
98	studio white (CP)	☐						+ \$0
CL	cool grey neutral	☐						+ \$0
HF	inner tone light	☐						+ \$0
HP	light anigre	☐						+ \$0
LBA	clear on ash (CP)	☐						+ \$0
LBR	phantom ecru	☐						+ \$0
LBS	phantom cocoa	☐						+ \$0
LBU	medium matte walnut (CP)	☐						+ \$0
LBV	warm grey teak	☐						+ \$0
LBB	oak on ash (CP)	☐						+ \$0
LBC	walnut on ash (CP)	☐						+ \$0
LBF	neutral twill	☐						+ \$0
LBJ	graphite twill	☐						+ \$0
LBQ	white twill	☐						+ \$0
LU	soft white	☐						+ \$0
WL	warm stone (CP)	☐						+ \$0
WN	warm grey neutral	☐						+ \$0

Rectangle Counterbalance Table with C-Foot *continued*

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
CHD	noble cherry ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
EW	medium matte walnut ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
WHN	natural white oak ☐	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
LU	soft white ☐	+\$0

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

For high-pressure laminate/universal edge (U)

PLY	plywood edge ☐	+\$50
------------	---------------------------------------	-------

Step 9. Leg/Foot Finish

Metallic Paint

613	silver (CP) ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0

Sand Texture Paint

UBK	ultra black (CP) ☐	+\$0
------------	---	------

Smooth Paint

G1	graphite (CP) ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0


Rectangle Counterbalance Table with
C-Foot *continued*

Renew™ Adjustable-Height Tables

Step 10. Casters/Glides		
57	glides ☐ A	+\$0

Rectangle Table with T-Foot

DU6ATE
DU6ATS
DU6ATT



Product Information

Description

This rectangular height-adjustable table has a T-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Table with T-Foot *continued*

Specification Information		
Step 1.		
DU6AT ☐		
Step 2. Edge		
S.	squared-edge	☐
T.	thin-edge	☐
E.	eased-edge	☐
Step 3. Depth		
30	30" deep (29" surface size)	☐
36	36" deep (35" surface size)	☐
Step 4. Width		
<i>For 30" deep (29" surface size) (30)</i>		
36	36" wide (34" surface size)	☐
42	42" wide (40" surface size)	☐
48	48" wide (46" surface size)	☐
54	54" wide (52" surface size)	☐
60	60" wide (58" surface size)	☐
66	66" wide (64" surface size)	☐
72	72" wide (70" surface size)	☐
84	84" wide (82" surface size)	☐
<i>For 36" deep (35" surface size) (36)</i>		
42	42" wide (40" surface size)	☐
48	48" wide (46" surface size)	☐
54	54" wide (52" surface size)	☐
60	60" wide (58" surface size)	☐
66	66" wide (64" surface size)	☐
72	72" wide (70" surface size)	☐
84	84" wide (82" surface size)	☐

Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
J	thermally-fused laminate top/thermoplastic edge with MicrobeCare™ ☐
K	thermally-fused laminate top/universal edge with MicrobeCare™ ☐
M	thermally-fused laminate top/thermoplastic edge ☐
T	thermally-fused laminate top/universal edge ☐
L	high-pressure laminate top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
U	high-pressure laminate/universal edge ☐
A	high-pressure laminate top/thermoplastic edge with MicrobeCare™ ☐
C	high-pressure laminate top/universal edge with MicrobeCare™ ☐
<i>For thin-edge (T.)</i>	
L	high-pressure laminate top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
A	high-pressure laminate top/thermoplastic edge with MicrobeCare™ ☐
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge ☐
Step 6. Height Adjustment	
C	crank sit-to-stand ☐
K	crank seated ☐
E	electric standard range ☐
D	electric extended range ☐

Prices for Steps 1-6.							
		JC	JK	JE	JD	KC	KK
DU6ATS. 30	36	\$3117	3117	4124	4471	3117	3117
	42	\$3175	3175	4170	4511	3175	3175
	48	\$3249	3249	4227	4562	3249	3249
	54	\$3309	3309	4308	4650	3309	3309
	60	\$3376	3376	4396	4711	3376	3376
	66	\$3437	3437	4481	4801	3437	3437
	72	\$3502	3502	4481	4894	3502	3502
	84	\$3583	3583	4666	5001	3583	3583

Rectangle Table with T-Foot *continued*

36	42	\$3265	3265	4291	4598	3265	3265
48		\$3340	3340	4351	4703	3340	3340
54		\$3405	3405	4435	4793	3405	3405
60		\$3470	3470	4525	4887	3470	3470
66		\$3534	3534	4612	4980	3534	3534
72		\$3601	3601	4701	5078	3601	3601
84		\$3686	3686	4803	5091	3686	3686
		KE	KD	MC	MK	ME	MD
DU6ATS.	30 36	\$4124	4471	3033	3033	4040	4386
	42	\$4170	4511	3089	3089	4085	4426
	48	\$4227	4562	3150	3150	4129	4466
	54	\$4308	4650	3212	3212	4212	4552
	60	\$4396	4711	3278	3278	4299	4612
	66	\$4481	4801	3339	3339	4381	4705
	72	\$4565	4894	3405	3405	4381	4795
	84	\$4666	5001	3472	3472	4554	4892
36	42	\$4291	4598	3180	3180	4207	4514
48		\$4351	4703	3244	3244	4253	4606
54		\$4435	4793	3307	3307	4338	4696
60		\$4525	4887	3372	3372	4428	4789
66		\$4612	4980	3437	3437	4514	4883
72		\$4701	5078	3505	3505	4605	4980
84		\$4803	5187	3573	3573	4693	4980
		TC	TK	TE	TD	LC	LK
DU6ATS.	30 36	\$3033	3033	4040	4386	3078	3078
	42	\$3089	3089	4085	4426	3137	3137
	48	\$3150	3150	4129	4466	3198	3198
	54	\$3212	3212	4212	4552	3260	3260
	60	\$3278	3278	4299	4612	3326	3326
	66	\$3339	3339	4381	4705	3389	3389
	72	\$3405	3405	4469	4795	3456	3456
	84	\$3472	3472	4554	4892	3523	3523
36	42	\$3180	3180	4207	4514	3229	3229
48		\$3244	3244	4253	4606	3292	3292
54		\$3307	3307	4338	4696	3357	3357
60		\$3372	3372	4428	4789	3422	3422
66		\$3437	3437	4514	4883	3488	3488
72		\$3505	3505	4605	4980	3558	3558
84		\$3573	3573	4693	5077	3626	3626

		LE	LD	WC	WK	WE	WD
DU6ATS.	30 36	\$4101	4452	3651	3651	4489	5327
	42	\$4146	4493	3723	3723	4624	5373
	48	\$4192	4532	3796	3796	5006	5428
	54	\$4276	4621	3874	3874	5103	5535
	60	\$4363	4681	3951	3951	5209	5607
	66	\$4447	4775	4031	4031	5313	5718
	72	\$4447	4867	4109	4109	5421	5834
	84	\$4623	4965	4195	4195	5531	5950
36	42	\$4271	4583	3834	3834	4834	5486
	48	\$4317	4675	3912	3912	5149	5598
	54	\$4404	4766	3993	3993	5255	5708
	60	\$4495	4861	4068	4068	5325	5822
	66	\$4583	4956	4150	4150	5464	5938
	72	\$4674	5055	4232	4232	5604	6058
	84	\$4763	5055	4318	4318	5744	6176
		PC	PK	PE	PD	UC	UK
DU6ATS.	30 36	\$3280	3280	4031	4781	3078	3078
	42	\$3344	3344	4150	4825	3137	3137
	48	\$3409	3409	4493	4867	3198	3198
	54	\$3479	3479	4582	4966	3260	3260
	60	\$3547	3547	4677	5032	3326	3326
	66	\$3617	3617	4770	5134	3389	3389
	72	\$3689	3689	4865	5237	3456	3456
	84	\$3764	3764	4963	5342	3523	3523
36	42	\$3443	3443	4412	4927	3229	3229
	48	\$3512	3512	4640	5024	3292	3292
	54	\$3583	3583	4781	5124	3357	3357
	60	\$3653	3653	4929	5229	3422	3422
	66	\$3726	3726	5026	5329	3488	3488
	72	\$3800	3800	5135	5438	3558	3558
	84	\$3876	3876	5222	5547	3626	3626
		UE	UD	AC	AK	AE	AD
DU6ATS.	30 36	\$4101	4452	3165	3165	4186	4538
	42	\$4146	4493	3222	3222	4233	4580
	48	\$4192	4532	3298	3298	4290	4631
	54	\$4276	4621	3359	3359	4374	4720
	60	\$4363	4681	3426	3426	4461	4781
	66	\$4447	4775	3488	3488	4548	4873
	72	\$4536	4867	3556	3556	4548	4967
	84	\$4623	4965	3636	3636	4736	5076

Renew™ Adjustable-Height Tables

	36	42	\$4271	4583	3313	3313	4355	4667
		48	\$4317	4675	3390	3390	4417	4774
		54	\$4404	4766	3456	3456	4502	4865
		60	\$4495	4861	3521	3521	4594	4960
		66	\$4583	4956	3588	3588	4681	5055
		72	\$4674	5055	3656	3656	4771	5155
		84	\$4763	5154	3740	3740	4875	5167
					CC	CK	CE	CD
DU6ATS.	30	36			\$3149	3149	4166	4515
		42			\$3207	3207	4212	4557
		48			\$3281	3281	4269	4609
		54			\$3343	3343	4352	4696
		60			\$3410	3410	4440	4757
		66			\$3471	3471	4525	4850
		72			\$3539	3539	4612	4942
		84			\$3619	3619	4713	5052
	36	42			\$3296	3296	4334	4645
		48			\$3374	3374	4396	4750
		54			\$3439	3439	4479	4841
		60			\$3504	3504	4572	4935
		66			\$3570	3570	4658	5030
		72			\$3637	3637	4748	5129
		84			\$3722	3722	4852	5239
			TC	TK	TE	TD	LC	LK
DU6ATT.	30	36	—	—	—	—	\$3263	3263
		42	—	—	—	—	\$3324	3324
		48	—	—	—	—	\$3492	3392
		54	—	—	—	—	\$3460	3460
		60	—	—	—	—	\$3527	3527
		66	—	—	—	—	\$3600	3600
		72	—	—	—	—	\$3670	3670
		84	—	—	—	—	\$3746	3746
	36	42	—	—	—	—	\$3428	3428
		48	—	—	—	—	\$3493	3493
		54	—	—	—	—	\$3565	3565
		60	—	—	—	—	\$3635	3635
		66	—	—	—	—	\$3708	3708
		72	—	—	—	—	\$3780	3780
		84	—	—	—	—	\$3858	3858

			LE	LD	WC	WK	WE	WD
DU6ATT.	30	36	\$4009	4759	3985	3985	4898	5815
		42	\$4129	4802	4063	4063	5050	5865
		48	\$4602	4845	4147	4147	5464	5923
		54	\$4558	4941	4231	4231	5572	6041
		60	\$4789	5006	4312	4312	5688	6118
		66	\$4746	5107	4400	4400	5800	6241
		72	\$4985	5361	4487	4487	6092	6368
		84	\$4936	5312	4578	4578	6034	6495
	36	42	\$4319	4900	4184	4184	5409	5987
		48	\$4690	4999	4270	4270	5813	6109
		54	\$4810	5100	4355	4355	5882	6232
		60	\$4881	5198	4442	4442	6061	6354
		66	\$4967	5305	4531	4531	6166	6484
		72	\$5074	5569	4620	4620	6237	6610
		84	\$5164	5519	4713	4713	6379	6744
			PC	PK	PE	PD	UC	UK
DU6ATT.	30	36	\$3576	3576	4397	5221	—	—
		42	\$3649	3649	4530	5266	—	—
		48	\$3723	3723	4905	5319	—	—
		54	\$3797	3797	5001	5422	—	—
		60	\$3872	3872	5106	5494	—	—
		66	\$3948	3948	5207	5602	—	—
		72	\$4028	4028	5312	5714	—	—
		84	\$4106	4106	5417	5828	—	—
	36	42	\$3756	3756	4987	5378	—	—
		48	\$3832	3832	5212	5485	—	—
		54	\$3911	3911	5346	5591	—	—
		60	\$3989	3989	5472	5874	—	—
		66	\$4068	4068	5582	5819	—	—
		72	\$4151	4151	5693	5936	—	—
		84	\$4230	4230	5804	6054	—	—
			UE	UD	AC	AK	AE	AD
DU6ATT.	30	36	—	—	\$3333	3333	4075	4821
		42	—	—	\$3396	3396	4195	4864
		48	—	—	\$3574	3476	4678	4919
		54	—	—	\$3543	3543	4634	5018
		60	—	—	\$3610	3610	4864	5081
		66	—	—	\$3680	3680	4821	5182
		72	—	—	\$3753	3753	5059	5433
		84	—	—	\$3839	3839	5026	5399

Rectangle Table with T-Foot *continued*

	36	42	—	—	\$3496	3496	4383	4963
		48	—	—	\$3575	3575	4765	5074
		54	—	—	\$3646	3646	4884	5172
		60	—	—	\$3717	3717	4956	5272
		66	—	—	\$3790	3790	5042	5376
		72	—	—	\$3861	3861	5148	5640
		84	—	—	\$3952	3952	5252	5604
			PC	PK	PE	PD	UC	UK
DU6ATE.	30	36	\$3567	3567	4746	4997	—	—
		42	\$3640	3640	4801	5047	—	—
		48	\$3719	3719	4857	5099	—	—
		54	\$3793	3793	4959	5207	—	—
		60	\$3872	3872	5065	5280	—	—
		66	\$3952	3952	5024	5391	—	—
		72	\$4031	4031	5279	5508	—	—
		84	\$4118	4118	5386	5624	—	—
	36	42	\$3754	3754	4987	5158	—	—
		48	\$3832	3832	5061	5269	—	—
		54	\$3911	3911	5137	5383	—	—
		60	\$3993	3993	5247	5497	—	—
		66	\$4071	4071	5358	5615	—	—
		72	\$4158	4158	5472	5736	—	—
		84	\$4242	4242	5582	5856	—	—

Step 7. Hidden Power Access

For crank sit-to-stand (C) or crank seated (K)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

For electric extended range (D)

NNP	no power access	A	+\$0
------------	-----------------	---	------

For electric standard range (E)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

SUD	simple up down	A	+\$0
SRM	digital read out with memory	A	+\$160

Switch Option/Crank Location/Crank Handle Finish

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

TPW	top crank, white handle	A	+\$0
TPG	top crank, graphite handle	A	+\$0
FRT	front crank, black handle	A	+\$40

Switch Option/Crank Location/Crank Handle Finish

For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

TPW	top crank, white handle	A	+\$0
TPG	top crank, graphite handle	A	+\$0

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
CHD	noble cherry ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
EW	medium matte walnut ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
WHN	natural white oak ☐	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
LU	soft white ☐	+\$0

Rectangle Table with T-Foot *continued*

Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

PLY	plywood edge ☐	+\$50
-----	---------------------------------------	-------

Step 11. Leg/Foot Finish

Metallic Paint

613	silver (CP) ☐	+\$0
CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNA	satin aluminum ☐	+\$30
SNB	satin bronze ☐	+\$30
SNC	satin carbon ☐	+\$30

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0
UBK	ultra black (CP) ☐	+\$0

Smooth Paint

G1	graphite (CP) ☐	+\$0
8Q	folkstone grey leg with folkstone grey foot (CP) ☐	+\$0
91	white leg with white foot (CP) ☐	+\$0
98	studio white leg with studio white foot (CP) ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	warm stone leg with sandstone foot (CP) ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot (CP) ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot (CP) ☐	+\$160

Polished Aluminum

LFM	satin carbon leg with polished aluminum foot ☐	+\$190
LFX	satin aluminum with polished aluminum foot ☐	+\$190
LFZ	satin bronze with polished aluminum foot ☐	+\$190

Step 12. Cord Cover/Cable Management

For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), or 42" wide (40" surface size) (42)

PSC	simple cable ☐	+\$0
-----	---------------------------------------	------

For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PHD	high density cable trough ☐	+\$299
PSC	simple cable ☐	+\$0

Step 13. Power Access Cutout

For 36" wide (34" surface size) (36) or 42" wide (40" surface size) (42)

NNN	no cutout ☐	+\$0
-----	------------------------------------	------

Renew™ Adjustable-Height Tables


For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
LAC	left cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 14. Casters/Glides		
57	glides ☐	+\$0

Oval Table with T-Foot

DU6DTE
DU6DTS
DU6DTT



Product Information

Description

This oval height-adjustable table has a T-leg configuration for maximum access on all sides of the surface, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Specification Information							
Step 1.							
DU6DT ☐							
Step 2. Edge							
S.	squared-edge ☐						
T.	thin-edge ☐						
E.	eased-edge ☐						
Step 3. Depth							
30	30" deep ☐						
36	36" deep ☐						
42	42" deep ☐						
Step 4. Width							
60	60" wide ☐						
72	72" wide ☐						
84	84" wide ☐						
Step 5. Surface Material							
For squared-edge (S.)							
M	thermally-fused laminate top/thermoplastic edge ☐						
L	high-pressure laminate top/thermoplastic edge ☐						
W	veneer top/veneer edge ☐						
P	painted Formcoat® top/edge ☐						
For thin-edge (T.)							
L	high-pressure laminate top/thermoplastic edge ☐						
W	veneer top/veneer edge ☐						
P	painted Formcoat® top/edge ☐						
For eased-edge (E.)							
P	painted Formcoat® top/edge ☐						
Step 6. Height Adjustment							
C	crank sit-to-stand ☐						
K	crank seated ☐						
E	electric standard range ☐						
D	electric extended range ☐						
Prices for Steps 1-6.							
		MC	MK	ME	MD	LC	LK
DU6DTS.	30 60	\$3414	3414	3951	4338	3465	3465
	72	\$3484	3484	3953	4426	3535	3535
	84	\$3555	3555	4111	4516	3609	3609

	36 60	\$3624	3558	4197	4606	3679	3612
	72	\$3697	3630	4282	4701	3754	3685
	84	\$3770	3702	4367	4795	3827	3759
	42 60	\$3843	3776	4455	4891	3901	3833
	72	\$3951	3884	4580	5029	4010	3941
	84	\$4059	3991	4708	5170	4119	4050
		LE	LD	WC	WK	WE	WD
DU6DTS.	30 60	\$4010	4404	3957	3957	4767	5337
	72	\$4012	4493	4203	4203	4959	5445
	84	\$4174	4585	4289	4289	5058	5554
	36 60	\$4260	4675	4376	4376	5161	5669
	72	\$4346	4771	4466	4466	5269	5783
	84	\$4433	4867	4553	4553	5374	5899
	42 60	\$4522	4964	4645	4645	5481	6019
	72	\$4649	5105	4777	4777	5634	6186
	84	\$4778	5248	4909	4909	5794	6361
		PC	PK	PE	PD		
DU6DTS.	30 60	\$3730	3730	4401	4833		
	72	\$3805	3805	4489	4928		
	84	\$3883	3883	4581	5032		
	36 60	\$3962	3962	4674	5134		
	72	\$4042	4042	4767	5238		
	84	\$4123	4123	4865	5343		
	42 60	\$4207	4207	4960	5448		
	72	\$4324	4324	5099	5601		
	84	\$4444	4444	5246	5760		
		MC	MK	ME	MD	LC	LK
DU6DTT.	30 60	—	—	—	—	\$3702	3702
	72	—	—	—	—	\$3776	3776
	84	—	—	—	—	\$3856	3856
	36 60	—	—	—	—	\$3933	3933
	72	—	—	—	—	\$4014	4014
	84	—	—	—	—	\$4095	4095
	42 60	—	—	—	—	\$4174	4174
	72	—	—	—	—	\$4295	4295
	84	—	—	—	—	\$4416	4416
		LE	LD	WC	WK	WE	WD
DU6DTT.	30 60	\$4325	4796	4702	4702	5775	6338
	72	\$4414	4897	4994	4994	5834	6470
	84	\$4549	4996	5094	5094	6012	6601
	36 60	\$4642	5100	5200	5200	6134	6736
	72	\$4735	5198	5303	5303	6259	6875
	84	\$4829	5302	5411	5411	6384	7012

Oval Table with T-Foot *continued*

	42	60	\$4927	5412	5520	5520	6512 7149
		72	\$5063	5560	5677	5677	6694 7352
		84	\$5209	5717	5833	5833	6885 7561
				PC	PK	PE	PD
DU6DTT.	30	60		\$4063	4063	4791	5261
		72		\$4145	4145	4890	5369
		84		\$4230	4230	4988	5479
	36	60		\$4315	4315	5090	5591
		72		\$4403	4403	5195	5705
		84		\$4491	4491	5300	5819
	42	60		\$4585	4585	5404	5933
		72		\$4710	4710	5557	6102
		84		\$4844	4844	5714	6275
				PC	PK	PE	PD
DU6DTE.	30	60		\$4141	4141	4883	5362
		72		\$4227	4227	4984	5473
		84		\$4311	4311	5086	5586
	36	60		\$4400	4400	5189	5699
		72		\$4488	4488	5297	5814
		84		\$4577	4577	5402	5931
	42	60		\$4672	4672	5509	6048
		72		\$4802	4802	5665	6221
		84		\$4938	4938	5825	6397

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

For electric extended range (D)

NNP	no power access	A	+\$0
-----	-----------------	---	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down	A	+\$0
SRM	digital read out with memory	A	+\$160

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
UBK	ultra black (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
HF	inner tone light	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBQ	white twill	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
CHD	noble cherry ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
EW	medium matte walnut ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
WHN	natural white oak ☐	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
LU	soft white ☐	+\$0

Step 10. Edge Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)</i>		
125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 11. Crank Handle Finish		
<i>For crank sit-to-stand (C) or crank seated (K)</i>		
91	white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0

Step 12. Leg/Foot Finish		
Metallic Paint		
613	silver (CP) ☐	+\$0
CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNA	satin aluminum ☐	+\$30
SNB	satin bronze ☐	+\$30
SNC	satin carbon ☐	+\$30

Oval Table with T-Foot *continued*

Sand Texture Paint		
BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0
UBK	ultra black (CP) ☐	+\$0

Smooth Paint		
8Q	folkstone grey leg with folkstone grey foot (CP) ☐	+\$0
91	white leg with white foot (CP) ☐	+\$0
98	studio white leg with studio white foot (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
LFF	white leg with polished aluminum foot (CP) ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot (CP) ☐	+\$160
WL	warm stone leg with sandstone foot (CP) ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFM	satin carbon leg with polished aluminum foot ☐	+\$190
LFX	satin aluminum with polished aluminum foot ☐	+\$190
LFZ	satin bronze with polished aluminum foot ☐	+\$190

Step 13. Cord Cover/Cable Management

PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299

Step 14. Power Access Cutout

For simple cable (PSC)

NNN	no cutout ☐	+\$0
------------	------------------------------------	------

For high density cable trough (PHD)


NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 15. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

90° Extended Corner Table with C-Foot

DU6ECE
DU6ECS
DU6ECT



Product Information

Description

This height-adjustable 90° extended corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. It will be on the extended side of the corner. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.

For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):



- Painted (P) top finishes: CL, LU

- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



90° Extended Corner Table with C-Foot *continued*

Specification Information	
Step 1.	
DU6EC	☐
Step 2. Edge	
S.	squared-edge ☐
T.	thin-edge ☐
E.	eased-edge ☐
Step 3. Depth	
24	24" deep (23" surface size) ☐
30	30" deep (29" surface size) ☐
Step 4. Width	
4260	42" wide left x 60" wide right (40" x 58" surface size) ☐
4272	42" wide left x 72" wide right (40" x 70" surface size) ☐
4860	48" wide left x 60" wide right (46" x 58" surface size) ☐
4872	48" wide left x 72" wide right (46" x 70" surface size) ☐
5454	54" wide left x 54" wide right (52" x 52" surface size) ☐
6042	60" wide left x 42" wide right (58" x 40" surface size) ☐
6048	60" wide left x 48" wide right (58" x 46" surface size) ☐
6060	60" wide left x 60" wide right (58" x 58" surface size) ☐
7242	72" wide left x 42" wide right (70" x 40" surface size) ☐
7248	72" wide left x 48" wide right (70" x 46" surface size) ☐
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
M	thermally-fused laminate top/thermoplastic edge ☐
L	high-pressure laminate top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
<i>For thin-edge (T.)</i>	
L	high-pressure laminate top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge ☐
Step 6. Height Adjustment	
C	crank sit-to-stand ☐
K	crank seated ☐
E	electric standard range ☐
D	electric extended range ☐

Prices for Steps 1-6.							
		MC	MK	ME	MD	LC	LK
DU6ECS. 24	4260	\$5109	5109	6692	7156	5187	5187
	4272	\$5201	5201	6816	7287	5279	5279
	4860	\$5289	5292	6941	7426	5369	5372
	4872	\$5383	5386	7068	7563	5465	5468
	5454	\$5273	5273	7048	7076	5353	5353
	6042	\$5109	5109	6692	7156	5187	5187
	6048	\$5289	5292	6941	7426	5369	5372
	6060	\$5367	5371	7181	7214	5448	5452
	7242	\$5201	5201	6816	7287	5279	5279
	7248	\$5383	5386	7068	7563	5465	5468
30	4260	\$5483	5483	6899	7453	5567	5567
	4272	\$5582	5582	7031	7600	5667	5667
	4860	\$5679	5679	7165	7740	5765	5765
	4872	\$5783	5783	7304	7892	5870	5870
	5454	\$5306	5306	7502	7715	5386	5386
	6042	\$5483	5483	6899	7453	5567	5567
	6048	\$5679	5679	7165	7740	5765	5765
	6060	\$5397	5401	7643	7861	5478	5482
	7242	\$5582	5582	7031	7600	5667	5667
	7248	\$5783	5783	7304	7892	5870	5870
		LE	LD	WC	WK	WE	WD
DU6ECS. 24	4260	\$6794	7264	6362	6362	7927	7898
	4272	\$6919	7398	6491	6491	8100	8092
	4860	\$7046	7538	6619	6619	8266	8282
	4872	\$7174	7677	6752	6752	8445	8469
	5454	\$7154	7184	5686	5686	7172	8244
	6042	\$6794	7264	6362	6362	7927	7898
	6048	\$7046	7538	6619	6619	8266	8282
	6060	\$7290	7323	5804	5804	7466	8434
	7242	\$6919	7398	6491	6491	8093	8092
	7248	\$7174	7677	6752	6752	8445	8469
30	4260	\$7004	7565	6886	6886	7939	7939
	4272	\$7137	7715	7024	7024	8124	8143
	4860	\$7273	7857	7166	7166	8316	8349
	4872	\$7415	8013	7307	7307	8509	8551
	5454	\$7616	7833	7162	7162	8316	8383
	6042	\$7004	7565	6886	6886	7939	7939
	6048	\$7273	7857	7166	7166	8316	8349
	6060	\$7758	7980	7503	7503	8602	8598
	7242	\$7137	7715	7024	7024	8124	8143
	7248	\$7415	8013	7307	7307	8509	8551

90° Extended Corner Table with
C-Foot *continued*

Renew™ Adjustable-Height Tables

		PC	PK	PE	PD
DU6ECS. 24	4260	\$5763	5763	7445	7712
	4272	\$5876	5876	7596	7883
	4860	\$5994	5994	7758	8055
	4872	\$6114	6114	7919	8231
	5454	\$5352	5352	7039	7783
	6042	\$5763	5763	7445	7712
	6048	\$5994	5994	7758	8055
	6060	\$5460	5460	7182	7933
	7242	\$5876	5851	7596	7883
	7248	\$6114	6114	7919	8231
30	4260	\$6236	6236	7516	7742
	4272	\$6360	6360	7688	7922
	4860	\$6486	6486	7858	8111
	4872	\$6617	6617	8026	8303
	5454	\$5383	5383	7324	7007
	6042	\$6236	6236	7516	7742
	6048	\$6486	6486	7858	8111
	6060	\$5495	5495	7492	8646
	7242	\$6360	6360	7688	7922
	7248	\$6617	6617	8026	8303

		MC	MK	ME	MD	LC	LK
DU6ECT. 24	4260	—	—	—	—	\$5787	5787
	4272	—	—	—	—	\$5891	5891
	4860	—	—	—	—	\$5997	5997
	4872	—	—	—	—	\$6105	6105
	5454	—	—	—	—	\$5977	5977
	6042	—	—	—	—	\$5787	5787
	6048	—	—	—	—	\$5997	5997
	6060	—	—	—	—	\$6085	6085
	7242	—	—	—	—	\$5891	5891
	7248	—	—	—	—	\$6105	6105
30	4260	—	—	—	—	\$5918	5918
	4272	—	—	—	—	\$6029	6029
	4860	—	—	—	—	\$6148	6148
	4872	—	—	—	—	\$6262	6262
	5454	—	—	—	—	\$5714	5714
	6042	—	—	—	—	\$5918	5918
	6048	—	—	—	—	\$6148	6148
	6060	—	—	—	—	\$5824	5824
	7242	—	—	—	—	\$6029	6029
	7248	—	—	—	—	\$6262	6262

		LE	LD	WC	WK	WE	WD
DU6ECT. 24	4260	\$7229	7590	6526	6526	8352	8628
	4272	\$7360	7735	6671	6671	8535	8827
	4860	\$7495	7881	6816	6816	8722	9034
	4872	\$7635	8031	6964	6964	8914	9242
	5454	\$8016	7919	5759	5759	8029	8430
	6042	\$7229	7590	6526	6526	8352	8628
	6048	\$7495	7881	6816	6816	8722	9034
	6060	\$8166	8072	5891	5891	8211	8630
	7242	\$7360	7735	6671	6671	8535	8827
	7248	\$7635	8031	6964	6964	8914	9242
30	4260	\$7477	7828	6640	6640	8390	8667
	4272	\$7621	7979	6791	6791	8592	8886
	4860	\$7767	8142	6951	6951	8793	9106
	4872	\$7918	8301	7115	7115	8999	9332
	5454	\$8575	8573	7543	7543	8875	8823
	6042	\$7477	7828	6640	6640	8390	8667
	6048	\$7767	8142	6951	6951	8793	9106
	6060	\$8746	8747	8063	8063	9170	9304
	7242	\$7621	7979	6791	6791	8592	8886
	7248	\$7918	8301	7115	7115	8999	9332

		PC	PK	PE	PD
DU6ECT. 24	4260	\$5889	5889	7890	8144
	4272	\$6018	6018	8055	8325
	4860	\$6152	6152	8223	8512
	4872	\$6288	6288	8399	8702
	5454	\$5425	5425	7911	8572
	6042	\$5889	5889	7890	8144
	6048	\$6152	6152	8223	8512
	6060	\$5548	5548	8084	8738
	7242	\$6018	6018	8055	8325
	7248	\$6288	6288	8399	8702
30	4260	\$5962	5962	7921	8210
	4272	\$6102	6102	8103	8408
	4860	\$6245	6245	8286	8606
	4872	\$6391	6391	8472	8811
	5454	\$4995	4995	8220	7947
	6042	\$5962	5962	7921	8210
	6048	\$6245	6245	8286	8606
	6060	\$5122	5122	8412	8142
	7242	\$6102	6102	8103	8408
	7248	\$6391	6391	8472	8811

90° Extended Corner Table with
C-Foot *continued*

	PC	PK	PE	PD
DU6ECE. 24 4260	\$5616	5616	7527	7773
4272	\$5744	5744	7688	7945
4860	\$5870	5870	7848	8121
4872	\$5999	5999	8015	8303
5454	\$5176	5176	7550	7226
6042	\$5616	5616	7527	7773
6048	\$5870	5870	7848	8121
6060	\$5294	5294	7713	7388
7242	\$5744	5744	7688	7945
7248	\$5999	5999	8015	8303
30 4260	\$5688	5688	7558	7835
4272	\$5822	5822	7731	8021
4860	\$5959	5959	7908	8211
4872	\$6100	6100	8085	8408
5454	\$4767	4767	7845	7584
6042	\$5688	5688	7558	7835
6048	\$5959	5959	7908	8211
6060	\$4885	4885	8027	7769
7242	\$5822	5822	7731	8021
7248	\$6100	6100	8085	8408

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access ☐	+\$0
PLA	leg access ☐	+\$299

For electric extended range (D)

NNP	no power access ☐	+\$0
------------	--	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down ☐	+\$0
SRM	digital read out with memory ☐	+\$160

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0

90° Extended Corner Table with C-Foot *continued*

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
CHD	noble cherry ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
EW	medium matte walnut ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
WHN	natural white oak ☐	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
LU	soft white ☐	+\$0

Step 10. Edge Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)</i>		
125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 11. Crank Handle Finish		
<i>For crank sit-to-stand (C) or crank seated (K)</i>		
91	white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0

Step 12. Leg/Foot Finish		
Metallic Paint		
611	beige mist metallic (CP) ☐	+\$0
613	silver (CP) ☐	+\$0
CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNA	satin aluminum ☐	+\$30
SNB	satin bronze ☐	+\$30
SNC	satin carbon ☐	+\$30

90° Extended Corner Table with C-Foot *continued*

Sand Texture Paint		
BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0
UBK	ultra black (CP) ☐	+\$0

Smooth Paint		
8Q	folkstone grey leg with folkstone grey foot (CP) ☐	+\$0
91	white leg with white foot (CP) ☐	+\$0
98	studio white leg with studio white foot (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
LFF	white leg with polished aluminum foot (CP) ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot (CP) ☐	+\$160
WL	warm stone leg with sandstone foot (CP) ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0

Polished Aluminum		
LFM	satin carbon leg with polished aluminum foot ☐	+\$190
LFX	satin aluminum with polished aluminum foot ☐	+\$190
LFZ	satin bronze with polished aluminum foot ☐	+\$190

Step 13. Cord Cover/Cable Management

<i>For 24" deep (23" surface size) (24)</i>		
PSC	simple cable ☐	+\$0

<i>For 30" deep (29" surface size) (30)</i>		
PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299

Step 14. Power Access Cutout

<i>For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with simple cable (PSC)</i>		
NNN	no cutout ☐	+\$0

For 30" deep (29" surface size) (30) with 42" wide left x 60" wide right (40" x 58" surface size) (4260), 42" wide left x 72" wide right (40" x 70" surface size) (4272), 48" wide left x 60" wide right (46" x 58" surface size) (4860), 48" wide left x 72" wide right (46" x 70" surface size) (4872), 60" wide left x 42" wide right (58" x 40" surface size) (6042), 60" wide left x 48" wide right (58" x 46" surface size) (6048), or 72" wide left x 42" wide right (70" x 40" surface size) (7242), or 72" wide left x 48" wide right (70" x 46" surface size) (7248) with high density cable trough (PHD)

NNN	no cutout ☐	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

For 30" deep (29" surface size) (30) with 54" wide left x 54" wide right (52" x 52" surface size) (5454), or 60" wide left x 60" wide right (58" x 58" surface size) (6060) with high density cable trough (PHD)


NNN	no cutout ☐	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 15. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

90° Corner Table with C-Foot

DU6FCE
DU6FCS
DU6FCT



Product Information

Description

This height-adjustable 90° corner table has a C-Leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.



For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



90° Corner Table with C-Foot *continued*
Specification Information
Step 1.
DU6FC ☐
Step 2. Edge
S. squared-edge ☐
T. thin-edge ☐
E. eased-edge ☐
Step 3. Depth
24 24" deep (23" surface size) ☐
30 30" deep (29" surface size) ☐
Step 4. Width
42 42" wide (40" surface size) ☐
48 48" wide (46" surface size) ☐
Step 5. Surface Material
For squared-edge (S.)
M thermally-fused laminate top/thermoplastic edge ☐
L high-pressure laminate top/thermoplastic edge ☐
W veneer top/veneer edge ☐
P painted Formcoat® top/edge ☐
For thin-edge (T.)
L high-pressure laminate top/thermoplastic edge ☐
W veneer top/veneer edge ☐
P painted Formcoat® top/edge ☐
For eased-edge (E.)
P painted Formcoat® top/edge ☐
Step 6. Height Adjustment
C crank sit-to-stand ☐
K crank seated ☐
E electric standard range ☐
D electric extended range ☐
Prices for Steps 1-6.

		MC	MK	ME	MD	LC	LK
DU6FCS.	24 42	\$3275	3275	4044	4554	3324	3324
	48	\$3342	3342	4126	4643	3392	3392
	30 42	\$3289	3289	4234	4685	3340	3340
	48	\$3356	3356	4321	4777	3407	3407

		LE	LD	WC	WK	WE	WD
DU6FCS.	24 42	\$4106	4623	3969	3969	4731	5083
	48	\$4188	4714	4048	4048	4826	5193
	30 42	\$4299	4756	3990	3990	4960	5240
	48	\$4387	4849	4070	4070	5063	5353

		PC	PK	PE	PD
DU6FCS.	24 42	\$3717	3717	4407	4843
	48	\$3793	3793	4500	4945
	30 42	\$3736	3736	4625	4986
	48	\$3810	3810	4720	5095

		MC	MK	ME	MD	LC	LK
DU6FCT.	24 42	—	—	—	—	\$3675	3675
	48	—	—	—	—	\$3749	3749
	30 42	—	—	—	—	\$3692	3692
	48	—	—	—	—	\$3768	3768

		LE	LD	WC	WK	WE	WD
DU6FCT.	24 42	\$4537	4798	3801	3801	4737	5210
	48	\$4628	4898	3885	3885	4844	5329
	30 42	\$4751	4941	3822	3822	4990	5378
	48	\$4847	5050	3907	3907	5099	5501

		PC	PK	PE	PD
DU6FCT.	24 42	\$3763	3763	4588	5016
	48	\$3843	3843	4685	5128
	30 42	\$3783	3783	4825	5179
	48	\$3866	3866	4933	5299

		PC	PK	PE	PD
DU6FCE.	24 42	\$3725	3725	4539	4964
	48	\$3805	3805	4640	5078
	30 42	\$3747	3747	4778	5130
	48	\$3828	3828	4883	5246

Step 7. Hidden Power Access
For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access ☐	+\$0
PLA	leg access ☐	+\$299

For electric extended range (D)

NNP	no power access ☐	+\$0
------------	--	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down ☐	+\$0
SRM	digital read out with memory ☐	+\$160

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0
ZZ	open line high-pressure laminate (nonstandard) ☐	+\$200

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
CHD	noble cherry ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
EW	medium matte walnut ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
WHN	natural white oak ☐	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
LU	soft white ☐	+\$0

Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

613	silver (CP) ☐	+\$0
CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNA	satin aluminum ☐	+\$30
SNB	satin bronze ☐	+\$30
SNC	satin carbon ☐	+\$30

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0
UBK	ultra black (CP) ☐	+\$0

Smooth Paint

G1	graphite (CP) ☐	+\$0
8Q	folkstone grey leg with folkstone grey foot (CP) ☐	+\$0
91	white leg with white foot (CP) ☐	+\$0
98	studio white leg with studio white foot (CP) ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	warm stone leg with sandstone foot (CP) ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot (CP) ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot (CP) ☐	+\$160

Polished Aluminum

LFM	satin carbon leg with polished aluminum foot ☐	+\$190
LFX	satin aluminum with polished aluminum foot ☐	+\$190
LFZ	satin bronze with polished aluminum foot ☐	+\$190

Step 13. Cord Cover/Cable Management

PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299

Step 14. Power Access Cutout


NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 15. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

120° Corner Table with C-Foot

DU6GCE
DU6GCS
DU6GCT



Product Information

Description

This height-adjustable 120° corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.

For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):



- Painted (P) top finishes: CL, LU

- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



120° Corner Table with C-Foot

continued

Specification Information

Step 1.

DU6GC ☐

Step 2. Edge

S. squared-edge ☐

T. thin-edge ☐

E. eased-edge ☐

Step 3. Depth

24 24" deep (23" surface size) ☐

30 30" deep (29" surface size) ☐

Step 4. Width

42 42" wide (40" surface size) ☐

48 48" wide (46" surface size) ☐

Step 5. Surface Material

For squared-edge (S.)

M thermally-fused laminate top/thermoplastic edge ☐

L high-pressure laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For thin-edge (T.)

L high-pressure laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For eased-edge (E.)

P painted Formcoat® top/edge ☐

Step 6. Height Adjustment

C crank sit-to-stand ☐

K crank seated ☐

E electric standard range ☐

D electric extended range ☐

Prices for Steps 1-6.

	MC	MK	ME	MD	LC	LK
DU6GCS. 24 42	\$3679	3679	4615	4937	3697	3697
48	\$3753	3753	4709	5034	3771	3771
30 42	\$3857	3857	4792	5236	3876	3876
48	\$3927	3927	4884	5336	3946	3946

	LE	LD	WC	WK	WE	WD
DU6GCS. 24 42	\$4639	4962	4617	4617	5505	5743
48	\$4732	5060	4710	4710	5627	5873
30 42	\$4816	5263	4790	4790	5682	6088
48	\$4908	5363	4883	4883	5805	6222

	PC	PK	PE	PD
DU6GCS. 24 42	\$4154	4154	5216	5575
48	\$4236	4236	5318	5684
30 42	\$4336	4336	5400	5897
48	\$4421	4421	5505	6015

	MC	MK	ME	MD	LC	LK
DU6GCT. 24 42	—	—	—	—	\$4105	4105
48	—	—	—	—	\$4191	4191
30 42	—	—	—	—	\$4283	4283
48	—	—	—	—	\$4367	4367

	LE	LD	WC	WK	WE	WD
DU6GCT. 24 42	\$4806	5135	4851	4851	5801	6023
48	\$4909	5246	4954	4954	5937	6170
30 42	\$4985	5453	5027	5027	5979	6389
48	\$5088	5568	5127	5127	6115	6539

	PC	PK	PE	PD
DU6GCT. 24 42	\$3998	3998	4966	5451
48	\$4089	4089	5084	5575
30 42	\$4185	3978	5153	5794
48	\$4277	4068	5270	5922

	PC	PK	PE	PD
DU6GCE. 24 42	\$3979	3979	4945	5423
48	\$4071	4071	5058	5547
30 42	\$4165	3959	5130	5767
48	\$4256	4047	5245	5894

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access ☐	+\$0
PLA	leg access ☐	+\$299

For electric extended range (D)

NNP	no power access ☐	+\$0
------------	--	------

120° Corner Table with C-Foot

continued

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down ☐	+\$0
SRM	digital read out with memory ☐	+\$160

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0
ZZ	open line high-pressure laminate (nonstandard) ☐	+\$200

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
CHD	noble cherry ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
EW	medium matte walnut ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
WHN	natural white oak ☐	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
LU	soft white ☐	+\$0

120° Corner Table with C-Foot

continued

Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

613	silver (CP) ☐	+\$0
CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNA	satin aluminum ☐	+\$30
SNB	satin bronze ☐	+\$30
SNC	satin carbon ☐	+\$30

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0
UBK	ultra black (CP) ☐	+\$0

Smooth Paint

G1	graphite (CP) ☐	+\$0
8Q	folkstone grey leg with folkstone grey foot (CP) ☐	+\$0
91	white leg with white foot (CP) ☐	+\$0
98	studio white leg with studio white foot (CP) ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	warm stone leg with sandstone foot (CP) ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot (CP) ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot (CP) ☐	+\$160

Polished Aluminum

LFM	satin carbon leg with polished aluminum foot ☐	+\$190
LFX	satin aluminum with polished aluminum foot ☐	+\$190
LFZ	satin bronze with polished aluminum foot ☐	+\$190

Step 13. Cord Cover/Cable Management

PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299

Step 14. Power Access Cutout


NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 15. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Height Adjustable Rectangular Worksurface

DU6WS.



Product Information

Description

This rectangular work surface attaches to a height adjustable base to create a height adjustable table. It has a 1¼"-thick laminate top with thermoplastic edge or laminate top with a thermoplastic backed plywood edge.

Notes

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.


MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Order 2-leg table base kit (DU7A.) separately.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazard.

Dimensions



Specification Information

Step 1.

DU6W

Step 2. Edge

S. squared-edge

Step 3. Depth

24 24" deep (23" surface size)

30 30" deep (29" surface size) ☐ A

Step 4. Width

48 48" wide (46" surface size)

54 54" wide (52" surface size) ☐ A60 60" wide (58" surface size) ☐ A66 66" wide (64" surface size) ☐ A72 72" wide (70" surface size) ☐ A

Step 5. Surface Material

For squared-edge (S.)

J thermally-fused laminate top/thermoplastic edge with MicrobeCare™

K thermally-fused laminate top/universal edge with MicrobeCare™

M thermally-fused laminate top/thermoplastic edge

T thermally-fused laminate top/universal edge

L high-pressure laminate top/thermoplastic edge

U high-pressure laminate/universal edge ☐ AA high-pressure laminate top/thermoplastic edge with MicrobeCare™ ☐ AC high-pressure laminate top/universal edge with MicrobeCare™ ☐ A

Prices for Steps 1-5.

		J	K	M	T	L	U
DU6WS.	24 48	\$398	387	308	297	332	320
	54	\$463	448	371	358	400	386
	60	\$497	479	406	391	438	422
	66	\$555	535	464	445	501	480
	72	\$583	588	494	498	533	537
	30 48	\$486	489	395	398	426	429
	54	\$566	589	476	499	513	538
	60	\$608	608	520	520	561	561
	66	\$683	688	593	597	639	644
	72	\$757	769	667	678	719	732

Height Adjustable Rectangular Worksurface *continued*

	A	C
DU6WS. 24 48	\$429	418
54	\$499	483
60	\$536	518
66	\$598	577
72	\$630	634
30 48	\$524	527
54	\$610	635
60	\$657	657
66	\$737	742
72	\$816	830
Step 6. Base Type		
V pre-drilled holes for V1 base		+\$0

Step 7. Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut ☐ A	+\$99
8Q	folkstone grey (CP) ☐ A	+\$0
91	white (CP) ☐ A	+\$0
98	studio white (CP) ☐ A	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light ☐ A	+\$0
HP	light anigre ☐ A	+\$0
LBA	clear on ash (CP) ☐ A	+\$0
LBB	oak on ash (CP) ☐ A	+\$0
LBC	walnut on ash (CP) ☐ A	+\$0
LBF	neutral twill ☐ A	+\$0
LBJ	graphite twill ☐ A	+\$0
LBQ	white twill ☐ A	+\$0
LBR	phantom ecru ☐ A	+\$0
LBS	phantom cocoa ☐ A	+\$0
LBU	medium matte walnut (CP) ☐ A	+\$0
LBV	warm grey teak ☐ A	+\$0
LU	soft white ☐ A	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP) ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Height Adjustable Rectangular Worksurface *continued*

Step 8. Edge Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut ☐ A	+\$0
8Q	folkstone grey (CP) ☐ A	+\$0
91	white (CP) ☐ A	+\$0
98	studio white (CP) ☐ A	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light ☐ A	+\$0
HP	light anigre ☐ A	+\$0
LBA	clear on ash (CP) ☐ A	+\$0
LBR	phantom ecru ☐ A	+\$0
LBS	phantom cocoa ☐ A	+\$0
LBU	medium matte walnut (CP) ☐ A	+\$0
LBV	warm grey teak ☐ A	+\$0
LBB	oak on ash (CP) ☐ A	+\$0
LBC	walnut on ash (CP) ☐ A	+\$0
LBF	neutral twill ☐ A	+\$0
LBJ	graphite twill ☐ A	+\$0
LBQ	white twill ☐ A	+\$0
LU	soft white ☐ A	+\$0
WL	warm stone (CP) ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0

For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)


PLY	plywood edge ☐ A	+\$50
-----	---	-------

Step 9. Cutout Option

NNN	no cutout	+\$0
-----	-----------	------

Table Base Kit - 3 Legs

DU7F.



Product Information

Description


This independent 3-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of power access and switch type.

Notes

Order work surface stiffener (FV696.) separately.

See Renew™ Sit-to-Stand Tables planning guide for design information.

Dimensions



Specification Information

Step 1.

DU7F. ☐

Step 2. Mechanism

E electric standard range ☐

D electric extended range ☐

Step 3. Depth

24 24" deep (23" actual) ☐

30 30" deep (29" actual) ☐

Step 4. Foot Type

C C foot ☐

Prices for Steps 1-4.

		C
DU7F.	E 24	\$5789
	30	\$5789
	D 24	\$6168
	30	\$6168

Step 5. Hidden Power Access

For electric standard range (E)

NNP no power access ☐ +\$0

PLA leg access ☐ +\$299

For electric extended range (D)

NNP no power access ☐ +\$0

Step 6. Switch Option

SUD simple up down ☐ +\$0

SRM digital read out with memory ☐ +\$160

Step 7. Leg/Foot Finish

Metallic Paint

611 beige mist metallic (CP) ☐ +\$0

613 silver (CP) ☐ +\$0

CN metallic champagne leg with metallic champagne foot ☐ +\$0

MS metallic silver leg with metallic silver foot ☐ +\$0

SNA satin aluminum ☐ +\$30

SNB satin bronze ☐ +\$30

SNC satin carbon ☐ +\$30

Table Base Kit - 3 Legs *continued*

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0
UBK	ultra black (CP) ☐	+\$0

Smooth Paint

G1	graphite (CP) ☐	+\$0
8Q	folkstone grey leg with folkstone grey foot (CP) ☐	+\$0
91	white leg with white foot (CP) ☐	+\$0
98	studio white leg with studio white foot (CP) ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	warm stone leg with sandstone foot (CP) ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot (CP) ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot (CP) ☐	+\$160

Polished Aluminum


LFM	satin carbon leg with polished aluminum foot ☐	+\$190
LFX	satin aluminum with polished aluminum foot ☐	+\$190
LFZ	satin bronze with polished aluminum foot ☐	+\$190

Step 8. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Table Base Kit - 2 Legs

DU7A.



Product Information

Description

This independent 2-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of foot type, power access and switch type.


Notes

Order work surface stiffener (FV696.) separately.

See Renew™ Sit-to-Stand Tables planning guide for design information.

To use 2-leg base kit on work surfaces 72" wide and wider, order motor extension cable service part U1B7600 separately.

Dimensions



Specification Information

Step 1.

DU7A. ☐

Step 2. Mechanism

E electric standard range ☐

D electric extended range ☐

Step 3. Depth

24 24" deep (23" actual) ☐

30 30" deep (29" actual) ☐

Step 4. Foot Type

For 24" deep (23" actual) (24)

C C foot ☐

For 30" deep (29" actual) (30)

T T foot ☐

C C foot ☐

Prices for Steps 1-4.

		T	C
DU7A.	E 24	—	\$3591
	30	\$3591	3591
	D 24	—	\$4029
	30	\$4029	4029

Step 5. Hidden Power Access

For electric standard range (E)

NNP no power access ☐ +\$0

PLA leg access ☐ +\$299

For electric extended range (D)

NNP no power access ☐ +\$0

Step 6. Switch Option

SUD simple up down ☐ +\$0

SRM digital read out with memory ☐ +\$160

Table Base Kit - 2 Legs *continued*

Step 7. Leg/Foot Finish

Metallic Paint

611	beige mist metallic (CP) ☐	+\$0
613	silver (CP) ☐	+\$0
CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNA	satin aluminum ☐	+\$30
SNB	satin bronze ☐	+\$30
SNC	satin carbon ☐	+\$30

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0
UBK	ultra black (CP) ☐	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot (CP) ☐	+\$0
91	white leg with white foot (CP) ☐	+\$0
98	studio white leg with studio white foot (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
LFF	white leg with polished aluminum foot (CP) ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot (CP) ☐	+\$160
WL	warm stone leg with sandstone foot (CP) ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0

Polished Aluminum


LFM	satin carbon leg with polished aluminum foot ☐	+\$190
LFX	satin aluminum with polished aluminum foot ☐	+\$190
LFZ	satin bronze with polished aluminum foot ☐	+\$190

Step 8. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Ambit™ Height Adjustable Table Leg Shroud

DV8SM.
DV8SN.
DV8SR.



Product Information

Description

This shroud stands on the floor and replaces the foot of the table. Shroud is available in all-metal, metal wrapper with laminate exterior panel, or metal wrapper with veneer exterior panel. A shroud can be added to one or both legs of a C-leg height-adjustable table. An optional tool rail can be specified.

Notes

Optional tool rail is not retrofittable.

Shroud is retrofittable to existing height-adjustable tables.

Distance between top of shroud and bottom of standard height-adjustable table range is 3.94".

Shroud not compatible with extended range height-adjustable tables.

Cable knockout at top-rear of shroud has bezel available in 3 colors.


Cord cutout at bottom-rear of shroud can route up to 4 cords.

Order optional accessories together or separately:

- Bag hook (YT700.)
- Accessory shelf (YT715.)
- Vertical cable manager (DU16.)

See planning guide for additional information.

Dimensions



Specification Information

Step 1.

DV8S

Step 2. Table Type

- M.** Motia®
N. Nevi
R. Renew™

Step 3. Leg Type

- C** C-leg

Step 4. Depth

- 24** 24" deep (23" surface size)
30 30" deep (29" surface size)

Step 5. Mechanism

- E** electric standard range

Step 6. Shroud Location

- L** left
R right

Step 7. Shroud Option Left

For left (L)

- SL** high-pressure laminate panel + metal wrapper
SM all metal
SW veneer panel + metal wrapper

For right (R)

- SL** high-pressure laminate panel + metal wrapper
SM all metal
SW veneer panel + metal wrapper

Prices for Steps 1-7.

		ELSL	ELSM	ELSW	ERSL	ERSM	ERSW
DV8SM. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228
DV8SN. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228
DV8SR. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228

Ambit™ Height Adjustable Table Leg Shroud *continued*

Ambit™ Shroud

Step 8. Shroud Finish Left - Metal Wrapper

Metallic Paint

For all metal (SM)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For all metal (SM)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
G1	graphite (CP)	+\$0
OLF	olive	+\$20
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Laminate

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer panel + metal wrapper (SW)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
OU	walnut	+\$0
UL	natural maple	+\$0

Ambit™ Height Adjustable Table Leg Shroud *continued*

Step 9. Edge Finish Left

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 10. Shroud Finish Left

For high-pressure laminate panel + metal wrapper (SL) or veneer panel + metal wrapper (SW)

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Step 11. Shroud Cable Management Bezel Left

For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
UBK	ultra black (CP)	+\$0

Step 12. Shroud Finish Right - Metal Wrapper

Metallic Paint

For all metal (SM)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For all metal (SM)

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Ambit™ Height Adjustable Table Leg Shroud *continued*

Ambit™ Shroud

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer panel + metal wrapper (SW)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
OU	walnut	+\$0
UL	natural maple	+\$0

Step 13. Edge Finish Right

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 14. Shroud Finish Right

For high-pressure laminate panel + metal wrapper (SL) or veneer panel + metal wrapper (SW)

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Ambit™ Height Adjustable Table Leg Shroud *continued*

Sand Texture Paint		
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Step 15. Shroud Cable Management Bezel Right

For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
UBK	ultra black (CP)	+\$0

Step 16. Tool Rail Left

For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

1	none	+\$0
2	Ubi work tool attached	+\$95

Step 17. Accessory Options Left

For 30" deep (29" surface size) (30) with left (L) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
C	YT716 - document holder	+\$0
F	YT715 - sm. shelf with canyon liner	+\$138
G	YT715 - sm. shelf with pesto liner	+\$138
H	YT715 - sm. shelf with bayou liner	+\$138
I	YT715 - sm. shelf with greystone liner	+\$138
J	YT715 - sm. shelf with charcoal liner	+\$138
E	YT715 - large accessory shelf - no liner	+\$187
K	YT715 - lg. shelf with canyon liner	+\$297
L	YT715 - lg. shelf with pesto liner	+\$297
M	YT715 - lg. shelf with bayou liner	+\$297
N	YT715 - lg. shelf with greystone liner	+\$297
O	YT715 - lg. shelf with charcoal liner	+\$297

For 24" deep (23" surface size) (24) with left (L) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
F	YT715 - sm. shelf with canyon liner	+\$138

Step 18. Accessory Options Left Finish

For YT700 - bag hook (B), YT715 - small accessory shelf - no liner (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)

613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 19. Tool Rail Right

For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

1	none	+\$0
2	Ubi work tool attached	+\$95

Ambit™ Height Adjustable Table Leg Shroud *continued*

Ambit™ Shroud

Step 20. Accessory Options Right

For 30" deep (29" surface size) (30) with right (R) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
C	YT716 - document holder	+\$0
F	YT715 - sm. shelf with canyon liner	+\$138
G	YT715 - sm. shelf with pesto liner	+\$138
H	YT715 - sm. shelf with bayou liner	+\$138
I	YT715 - sm. shelf with greystone liner	+\$138
J	YT715 - sm. shelf with charcoal liner	+\$138
E	YT715 - large accessory shelf - no liner	+\$187
K	YT715 - lg. shelf with canyon liner	+\$297
L	YT715 - lg. shelf with pesto liner	+\$297
M	YT715 - lg. shelf with bayou liner	+\$297
N	YT715 - lg. shelf with greystone liner	+\$297
O	YT715 - lg. shelf with charcoal liner	+\$297

For 24" deep (23" surface size) (24) with right (R) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
F	YT715 - sm. shelf with canyon liner	+\$138

Step 21. Accessory Options Right Finish

For YT700 - bag hook (B), YT715 - small accessory shelf - no liner (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)

613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 22. Vertical Cable Management

1	none	+\$0
3	shroud attached	+\$156


Step 23. Vertical Cable Management Attachment

For shroud attached (3)

2	workspace connected	+\$0
3	horizontal cable trough connected	+\$0

Step 24. Vertical Cable Management Finish

UBK	ultra black (CP)	+\$0
BK	black	+\$0
SY	silver grey	+\$0



Product Information

Description

This suspended storage is painted metal and comes in 3 configurations: small, large open, and large closed. Options include a lock, and handed door opening on the large closed unit.

Notes


Suspended units must be mounted on inside of table leg.

Small and large open units are not handed. Lock is always on right side.


Suspended storage is designed to mount to the underside of 30"-deep, C-leg, standard range, height-adjustable tables.

See planning guide for additional information and for other height-adjustable table mounting capabilities.


Dimensions



Large suspended storage



Open suspended storage




Small suspended storage

Specification Information	
Step 1.	
IH200.	
Step 2. Storage Type	
C	large suspended storage, lock
K	small suspended storage, lock
L	large suspended storage, no lock
S	small suspended storage, no lock
Step 3. Configuration	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
S	standard
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
L	drawer, door hinged left
P	drawer, open
R	drawer, door hinged right
Step 4. Depth	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
13	13" deep
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
16	16" deep
Step 5. Width	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
10	10" wide
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
10	10-1/4" wide
Step 6. Top Drawer Accessory	
N	none
Step 7. Bottom Accessory	
N	none

Prices for Steps 1-7.			
		1310NN	1610NN
IH200.	C		
	L	—	\$1108
	P	—	\$853
	R	—	\$1108
	K	\$586	—
	S		
	L	—	\$1053
	P	—	\$796
	R	—	\$1053
	S	\$531	—
Step 8. Finish			
611	beige mist metallic (CP)		+\$0
613	silver (CP)		+\$0
SNA	satin aluminum		+\$30
SNB	satin bronze		+\$30
SNC	satin carbon		+\$30
8Q	folkstone grey (CP)		+\$0
91	white (CP)		+\$0
98	studio white (CP)		+\$0
BK	black		+\$0
DB3	glacier		+\$20
DN2	nightfall		+\$20
DR1	canyon		+\$20
G1	graphite (CP)		+\$0
OLF	olive		+\$20
UBK	ultra black (CP)		+\$0
WL	warm stone (CP)		+\$0
WN	warm grey neutral		+\$0
Step 9. Door Pull Finish			
<i>For drawer, door hinged left (L) or drawer, door hinged right (R)</i>			
8Q	folkstone grey (CP)		+\$0
98	studio white (CP)		+\$0
BK	black		+\$0
UBK	ultra black (CP)		+\$0
Step 10. Lock			
<i>For large suspended storage, lock (C) or small suspended storage, lock (K)</i>			
KA	keyed alike		+\$0
KC	keyed differently, chrome		+\$0
KD	keyed differently, black		+\$0
<i>For large suspended storage, no lock (L) or small suspended storage, no lock (S)</i>			
NL	no lock		+\$0

Logic G1000 Grommet Mounted Electrical Distributor

Y1425.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.


IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.

Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.


USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts. Refer to Renew Sit-to-Stand Tables planning guide for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.


Dimensions




2 simplex receptacles with 1 powered USB A/C combo (H)




4 simplex receptacles with 1 powered USB A/C combo (I)



5 simplex receptacles with 1 powered USB A/C combo (J)



3 simplex receptacles (E)



5 simplex receptacles (F)

Logic G1000 Grommet Mounted Electrical Distributor *continued*

Specification Information

Step 1.

Y1425.

Step 2. Configuration

H	2 simplex receptacles, 1 powered USB A/C Combo
I	4 simplex receptacles, 1 powered USB A/C Combo
E	3 simplex receptacles
F	5 simplex receptacles

Step 3. Power Type

A	power cord with plug end
C	IEC connector for Renew Tables

Step 4. Cord/Conduit Length

For power cord with plug end (A)

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

For IEC connector for Renew Tables (C)

03	3' cord/conduit
-----------	-----------------


Prices for Steps 1-4.

			03	06	10	20
Y1425.	H	A	\$900	900	914	929
		C	\$914	—	—	—
	I	A	\$1042	1042	1059	1074
		C	\$1059	—	—	—
	E	A	\$693	693	706	718
		C	\$706	—	—	—
	F	A	\$836	836	851	867
		C	\$851	—	—	—

Step 5. Finish

613	silver (CP)					+\$0
91	white (CP)	A				+\$0
98	studio white (CP)	A				+\$0
BK	black	A				+\$0
G1	graphite (CP)	A				+\$0
UBK	ultra black (CP)					+\$0

Logic C1000 Universal Clamp Mount Distributor Y1423.



Product Information

Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes


Clamp mounts on worksurfaces 1"1/4" thick.

Faceplate color matches unit color.


Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.


Dimensions




2 simplex receptacles with 1 powered USB A/C combo (H)




4 simplex receptacles with 1 powered USB A/C combo (I)



5 simplex receptacles with 1 powered USB A/C combo (J)



3 simplex receptacles (E)



5 simplex receptacles (F)

Logic C1000 Universal Clamp Mount
Distributor *continued*

Renew™ Power and Data Support

Specification Information

Step 1.

Y1423.

Step 2. Configuration	
H	2 simplex receptacles, 1 powered USB A/C Combo
I	4 simplex receptacles, 1 powered USB A/C Combo
E	3 simplex receptacles
F	5 simplex receptacles

Step 3. Power Type	
A	power cord with plug end


Step 4. Cord/Conduit Length	
03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit

Prices for Steps 1-4.				
		03	06	10
Y1423.	H A	\$633	633	648
	I A	\$761	761	773
	E A	\$425	425	440
	F A	\$555	555	567


Step 5. Finish		
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP) A	+\$0
98	studio white (CP) A	+\$0
BK	black A	+\$0
G1	graphite (CP) A	+\$0

Logic G1200 Grommet Pass Thru

Y1420.




Product Information
Description
This Logic Power Access Solutions™ grommet mounted metal enclosure provides access to cords kept beneath the surface. The unit has an integrated cord keeper.
Notes
Unit size is based on the grommet mounted electrical distributor (Y1425.) with simplex receptacles.
Dimensions




Specification Information
Step 1.
Y1420.
Step 2. Configuration
T three outlet opening
V five outlet opening
Prices for Steps 1-2.
Y1420. T \$303
V \$333
Step 3. Finish
613 silver (CP) +\$0
UBK ultra black (CP) +\$0
91 white (CP) [A] +\$0
98 studio white (CP) [A] +\$0
BK black [A] +\$0
G1 graphite (CP) [A] +\$0

Renew™ Power and Data Support




Product Information
Description
This Logic Power Access Solutions™ stand-alone cable management tray mounts to the underside of most surfaces. It can be used with a Logic unit for cord storage, or used alone with cords routed through the back side of the unit. Tray drops down and holds cords in place while working and can be easily stowed back in place.
Dimensions




Specification Information
Step 1.
Y1424.
Step 2. Size
17 17" wide tray
Prices for Steps 1-2.
Y1424. 17 \$333
Step 3. Finish
613 silver (CP) +\$0
SNA satin aluminum +\$0
SNB satin bronze +\$0
SNC satin carbon +\$0
UBK ultra black (CP) +\$0
91 white (CP) ☐ A +\$0
98 studio white (CP) ☐ A +\$0
BK black ☐ A +\$0
G1 graphite (CP) ☐ A +\$0

External Cable Manager

DU11B.
DU11S.




Product Information
Description
This cable manager seamlessly routes cables from the central trough of height adjustable benching (Renew™ Link or Nevi™ Link) up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.
Dimensions



Specification Information
Step 1.
DU11
Step 2. Attachment
B. high density trough attachment
S. worksurface attachment
Prices for Steps 1-2.
DU11B.
DU11S.
Step 3. Finish
Price Category 4
Price Category 5

Renew™ Power and Data Support



Product Information


Description

This sensor kit provides an additional system failsafe mechanism for Renew™ tables and Renew Link by detecting possible obstructions and/or unsafe conditions in the travel path of the table. Kit comes with 1 or 2 sensors depending on table width. Renew table and Renew Link bench remain UL Listed with sensor installed.

Notes

Warning: Despite this sensor being in place, there may still be a risk of pinching in exceptional cases, as it is not only the control unit, but also the interaction between the mechanical and electronic systems that is responsible for responding to obstructions. Herman Miller cannot therefore eliminate this residual risk completely or accept any liability.
Be sure to maintain a clear path within the envelope of the height adjustable table.
See Renew Link planning guide for design information.

Dimensions




Renew™ Obstruction Sensor Kit

continued

Specification Information	
Step 1.	
DUSG	A
Step 2. Table Width	
1.	60 inches and under A
2.	over 60 inches A
Prices for Steps 1-2.	
DUSG1.	\$146
DUSG2.	\$182

Height-Adjustable Vertical Cable Manager

DU15B.
DU15S.




Product Information

Description

This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.

Dimensions



Specification Information

Step 1.

DU15 A

Step 2. Attachment

- B. cable tray attachment A
- S. worksurface attachment A

Step 3. Table Mechanism

- D electric extended range
- E electric standard range

Prices for Steps 1-3.

DU15B. D	\$169
E	\$169


DU15S. D	\$176
E	\$176

Step 4. Finish


613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
BK	black	+\$0
91	white (CP)	+\$0

Easy Access Height-Adjustable Vertical Cable Manager

DU16B.
DU16S.



Product Information
Description This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.
Dimensions




Specification Information		
Step 1.		
DU16 ☐		
Step 2. Attachment		
B.	cable tray attachment	☐
S.	worksurface attachment	☐
Step 3. Table Mechanism		
D	electric extended range	☐
E	electric standard range	☐
Prices for Steps 1-3.		
DU16B. D		\$206
	E	\$206
DU16S. D		\$206
	E	\$206
Step 4. Mesh Finish		
UBK	ultra black (CP)	☐ +\$0
BK	black	☐ +\$0
SY	silver grey	☐ +\$0
Step 5. Cable Cover Finish		
Metallic Paint		
613	silver (CP)	☐ +\$0
Sand Texture Paint		
UBK	ultra black (CP)	☐ +\$0
91	white (CP)	☐ +\$0
98	studio white (CP)	☐ +\$0
BK	black	☐ +\$0
G1	graphite (CP)	☐ +\$0

Renew™ Power and Data Support

Pari Screen, Height Adjustable
Tables

Y1116.



Product Information
Description This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.
Notes Privacy and modesty panel actual width is 2" less than specified width. Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface. Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface. Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface. Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface. Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface. Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface. Screens 54" wide and wider include an additional 1"-wide center mounting bracket. Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface. Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite. Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment. Attachment bracket finish is painted graphite. Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

- 24—0.88
- 30—1.07
- 36—1.26
- 42—1.45
- 48—1.64
- 54—1.83
- 60—2.02
- 66—2.21
- 72—2.39

For heights C/D/E/F:

- 24—1.76
- 30—2.14
- 36—2.52
- 42—2.90
- 48—3.28
- 54—3.65
- 60—4.03
- 66—4.41
- 72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Pari Screen, Height Adjustable Tables *continued*

Specification Information

Step 1.

Y1116. ☐ A

Step 2. Height

- A privacy (42" high) ☐ A
- B privacy & modesty (42" high/10" below surface) ☐ A
- C privacy (46" high) ☐ A
- D privacy & modesty (46" high/10" below surface) ☐ A
- E privacy (53" high) ☐ A
- F privacy & modesty (53" high/10" below surface) ☐ A

Step 3. Width

- 24 24" wide ☐ A
- 30 30" wide ☐ A
- 36 36" wide ☐ A
- 42 42" wide ☐ A
- 48 48" wide ☐ A
- 54 54" wide ☐ A
- 60 60" wide ☐ A
- 66 66" wide ☐ A
- 72 72" wide ☐ A

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

- R tackable fabric, horizontal ☐ A
- T tackable fabric ☐ A
- D tackable fabric, horizontal with MicrobeCare™ ☐ A
- E tackable fabric with MicrobeCare™ ☐ A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

- R tackable fabric, horizontal ☐ A
- D tackable fabric, horizontal with MicrobeCare™ ☐ A

Prices for Steps 1-4.

		R	T	D	E
Y1116. A	24	\$556	556	625	625
	30	\$645	645	712	712
	36	\$670	670	738	738
	42	\$710	710	779	779
	48	\$736	736	805	805
	54	\$808	—	876	—
	60	\$868	—	937	—
	66	\$927	—	998	—
	72	\$979	—	1046	—

B	24	\$671	671	739	739
	30	\$719	719	786	786
	36	\$765	765	832	832
	42	\$808	808	876	876
	48	\$897	897	965	965
	54	\$1009	—	1077	—
	60	\$1035	—	1103	—
	66	\$1113	—	1182	—
	72	\$1141	—	1210	—
C	24	\$632	632	700	700
	30	\$676	676	744	744
	36	\$724	724	792	792
	42	\$768	768	836	836
	48	\$848	848	915	915
	54	\$933	—	1000	—
	60	\$1039	—	1107	—
	66	\$1089	—	1157	—
	72	\$1133	—	1200	—
D	24	\$812	812	879	879
	30	\$855	855	923	923
	36	\$901	901	969	969
	42	\$946	946	1014	1014
	48	\$1017	1017	1087	1087
	54	\$1067	—	1135	—
	60	\$1130	—	1198	—
	66	\$1187	—	1255	—
	72	\$1218	—	1285	—
E	24	\$831	831	899	899
	30	\$876	876	944	944
	36	\$921	921	988	988
	42	\$993	993	1062	1062
	48	\$1022	1022	1091	1091
	54	\$1080	—	1150	—
	60	\$1102	—	1171	—
	66	\$1129	—	1197	—
	72	\$1155	—	1223	—
F	24	\$915	915	983	983
	30	\$959	959	1028	1028
	36	\$1006	1006	1074	1074
	42	\$1051	1051	1119	1119
	48	\$1131	1131	1199	1199
	54	\$1171	—	1238	—
	60	\$1214	—	1282	—
	66	\$1313	—	1380	—
	72	\$1338	—	1406	—

Renew™ Screens

Pari Screen, Height Adjustable

Tables *continued*


Step 5. Cable Trough		
<i>For privacy & modesty (42" high/10" below surface) (B), privacy & modesty (46" high/10" below surface) (D), or privacy & modesty (53" high/10" below surface) (F)</i>		
NC	no cable way ☐ A	+\$0
CW	cable way ☐ A	+\$25

Step 6. Fabric		
	Price Category 1	+\$0
	Price Category 2	+\$23
	Price Category 3	+\$49
	Price Category 4	+\$96
	Price Category 5	+\$162
	Price Category B	+\$86
	Price Category C	+\$121
	Price Category E	+\$182

Renew™ Screens

Personal Side Screen	Y1117.
----------------------	--------

Y1117.



Product Information

Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to 1 1/4" thick.

Bottom of attachment bracket extends 1½" below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

13—0.94


For horizontal fabric direction (R):

Height—Yardage

13—1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

Y1117.

A

Step 2. Height

13 13" high

Step 3. Surface Material

R	tackable fabric, horizontal	A
---	-----------------------------	---

T	tackable fabric	A
---	-----------------	---


Prices for Steps 1-3.

	R	T
Y1117. 13	\$498	498

Step 4. Fabric

Price Category 1	+\$0
Price Category 2	+\$13
Price Category 3	+\$28
Price Category 4	+\$53
Price Category 5	+\$90

Surface-Attached Screen, Flat Edge Y1118.



Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.
Privacy screen (A) top edge is 13" above top of work surface; bottom edge is 3¾" below work surface.
Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.
Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.
Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.
Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.
Screens 54" wide and wider include an additional 1"-wide center mounting bracket.
Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.
Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.
Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.
Attachment bracket finish is painted graphite.
Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

- 24—0.88
- 30—1.07
- 36—1.26
- 42—1.45
- 48—1.64
- 54—1.83
- 60—2.02
- 66—2.21
- 72—2.39

For heights C/D/E/F:

- 24—1.76
- 30—2.14
- 36—2.52
- 42—2.90
- 48—3.28
- 54—3.65
- 60—4.03
- 66—4.41
- 72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Surface-Attached Screen, Flat Edge

continued

Specification Information

Step 1.

Y1118. ☐ A

Step 2. Height

A privacy (42" high) ☐ A

B privacy & modesty (42" high/ 9" below surface) ☐ A

C privacy (46" high) ☐ A

D privacy & modesty (46" high/ 9" below surface) ☐ A

E privacy (53" high) ☐ A

F privacy & modesty (53" high/ 9" below surface) ☐ A

Step 3. Width

24 24" wide ☐ A

30 30" wide ☐ A

36 36" wide ☐ A

42 42" wide ☐ A

48 48" wide ☐ A

54 54" wide ☐ A

60 60" wide ☐ A

66 66" wide ☐ A

72 72" wide ☐ A

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R tackable fabric, horizontal ☐ A

T tackable fabric ☐ A

D tackable fabric, horizontal with MicrobeCare™ ☐ A

E tackable fabric with MicrobeCare™ ☐ A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal ☐ A

D tackable fabric, horizontal with MicrobeCare™ ☐ A

Prices for Steps 1-4.

	R	T	D	E
Y1118. A 24	\$387	387	455	455
30	\$418	418	486	486
36	\$498	498	567	567
42	\$536	536	604	604
48	\$574	574	641	641
54	\$610	—	677	—
60	\$662	—	730	—
66	\$693	—	761	—
72	\$738	—	806	—

B 24	\$482	482	548	548
30	\$519	519	588	588
36	\$556	556	625	625
42	\$595	595	663	663
48	\$626	626	695	695
54	\$660	—	727	—
60	\$682	—	750	—
66	\$744	—	813	—
72	\$800	—	868	—
C 24	\$483	483	551	551
30	\$532	532	600	600
36	\$572	572	640	640
42	\$630	630	698	698
48	\$706	706	773	773
54	\$743	—	812	—
60	\$831	—	899	—
66	\$874	—	941	—
72	\$937	—	1005	—
D 24	\$606	606	675	675
30	\$676	676	744	744
36	\$754	754	821	821
42	\$771	771	840	840
48	\$803	803	872	872
54	\$826	—	892	—
60	\$914	—	982	—
66	\$988	—	1057	—
72	\$1029	—	1097	—
E 24	\$658	658	725	725
30	\$667	667	735	735
36	\$685	685	753	753
42	\$805	805	874	874
48	\$833	833	902	902
54	\$854	—	922	—
60	\$892	—	960	—
66	\$973	—	1042	—
72	\$1036	—	1104	—
F 24	\$796	796	864	864
30	\$805	805	874	874
36	\$819	819	887	887
42	\$833	833	902	902
48	\$844	844	913	913
54	\$855	—	923	—
60	\$946	—	1014	—
66	\$994	—	1063	—
72	\$1201	—	1269	—

Renew™ Screens

Surface-Attached Screen, Flat Edge

continued

Step 5. Cable Trough
For privacy & modesty (42" high/ 9" below surface) (B), privacy & modesty (46" high/ 9" below surface) (D), or privacy & modesty (53" high/ 9" below surface) (F)


NC	no cable way ☐ A	+\$0
CW	cable way ☐ A	+\$25

Step 6. Fabric		
Price Category 1		+\$0
Price Category 2		+\$25
Price Category 3		+\$59
Price Category 4		+\$112
Price Category 5		+\$146
Price Category B		+\$97
Price Category C		+\$133
Price Category E		+\$182

<i>For tackable fabric, horizontal (R) or tackable fabric, horizontal with MicrobeCare™ (D)</i>		
Price Category 1		+\$0
Price Category 2		+\$25
Price Category 3		+\$59
Price Category 4		+\$112
Price Category 5		+\$146
Price Category B		+\$97
Price Category C		+\$133

Renew™ Screens

Personal Side Screen, RectangularY1119.



Product Information

Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to 1¼" thick.

Bottom of attachment bracket extends 1½" below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

13—0.94


For horizontal fabric direction (R):

Height—Yardage

13—1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

Y1119. A

Step 2. Height

13 13" high A

Step 3. Surface Material

R tackable fabric, horizontal A


T tackable fabric A

Prices for Steps 1-3.

	R	T
Y1119. 13	\$489	489

Step 4. Surface Finish

Price Category 1	+\$0
Price Category 2	+\$11
Price Category 3	+\$23
Price Category 4	+\$47
Price Category 5	+\$80



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 11 1/8" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.


Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamping of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.

Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1120.

Step 2. Height

13A privacy (13 1/2" above worksurface)

13B privacy & modesty (13 1/2" above worksurface/11 1/8" below worksurface)

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 4. Surface Material

L thermally-fused laminate

U thermally-fused laminate/universal edge

Prices for Steps 1-4.

			L	U
Y1120. 13A	24		\$264	264
	30		\$281	281
	36		\$295	295
	42		\$309	309
	48		\$324	324
	54		\$337	337
	60		\$348	348
	66		\$359	359
	72		\$373	373
13B	24		\$326	326
	30		\$343	343
	36		\$361	361
	42		\$380	380
	48		\$398	398
	54		\$412	412
	60		\$430	430
	66		\$442	442
	72		\$457	457

Laminate Screen, Surface Attached

continued

Step 5. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

VTG	vertical grain	+\$0
HRG	horizontal grain	+\$0

For 66" wide (66) or 72" wide (72)

HRG	horizontal grain	+\$0
------------	------------------	------

Step 6. Cable Trough

For privacy (13½" above worksurface) (13A)

NC	no cable way	+\$0
-----------	--------------	------

For privacy & modesty (13½" above worksurface/11½" below worksurface) (13B)

NC	no cable way	+\$0
CW	cable way	+\$25

Step 7. Surface Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Edge Finish

For thermally-fused laminate (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Modesty Panel

Y1113.



Product Information

Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.


Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 3. Cable Trough

N	without added cable trough
Y	with added cable trough

Step 4. Surface Material

L	thermally-fused laminate top/thermoplastic edge
W	veneer top/veneer edge

Prices for Steps 1-4.				L	W
Y1113.	24	N		\$276	487
		Y		\$489	720
	30	N		\$300	545
		Y		\$554	824
	36	N		\$327	605
		Y		\$601	907
	42	N		\$354	665
		Y		\$661	1002
	48	N		\$380	727
		Y		\$721	1101
	54	N		\$408	787
		Y		\$784	1195
	60	N		\$434	845
		Y		\$845	1290
	66	N		\$434	904
		Y		\$906	1386
	72	N		\$469	964
		Y		\$965	1481

Modesty Panel *continued*

Step 5. Finish

For thermally-fused laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For veneer top/veneer edge (W)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
UL	natural maple	+\$0


Step 6. Edge Finish

For thermally-fused laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Fabric Modesty Panel

Y1114.



Product Information

Description


This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.

For use with flip top table (DT5Ax.), modesty panel (Y1114.) is recommended to enable optimal folding functionality of the table.

Dimensions



Specification Information

Step 1.

Y1114. ☐

Step 2. Width

24	24" wide	☐
30	30" wide	☐
36	36" wide	☐
42	42" wide	☐
48	48" wide	☐
54	54" wide	☐
60	60" wide	☐
66	66" wide	☐
72	72" wide	☐


Prices for Steps 1-2.

Y1114.	24	\$251
	30	\$274
	36	\$297
	42	\$314
	48	\$334
	54	\$375
	60	\$395
	66	\$417
	72	\$433

Step 3. Fabric

Price Category 4

+\$28



Product Information

Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information
Step 1.
FT354. ☐ A

Step 2. Attachment Type
CL Canvas Surface Attached, End of Run Left Handed ☐ A

CR Canvas Surface Attached, End of Run Right Handed ☐ A

Step 3. Height
42 42" high ☐ A

46 46" high ☐ A

Step 4. Width
24 24" wide ☐ A

30 30" wide ☐ A

36 36" wide ☐ A

Step 5. Surface Material
R tackable fabric, horizontal ☐ A

T tackable fabric ☐ A

Prices for Steps 1-5.


		24R	24T	30R	30T	36R	36T
FT354. CL	42	\$1139	1139	1178	1178	1212	1212
	46	\$1198	1198	1245	1245	1294	1294
	CR 42	\$1139	1139	1178	1178	1212	1212
	46	\$1198	1198	1245	1245	1294	1294

Step 6. Bracket Finish

UBK	ultra black (CP) ☐ A	+\$0
8Q	folkstone grey (CP) ☐ A	+\$0
91	white (CP) ☐ A	+\$0
98	studio white (CP) ☐ A	+\$0
BK	black ☐ A	+\$0
G1	graphite (CP) ☐ A	+\$0
SNA	satin aluminum ☐ A	+\$10
SNB	satin bronze ☐ A	+\$10
SNC	satin carbon ☐ A	+\$10
WL	warm stone (CP) ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0

Step 7. Fabric

Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 4	+\$84
Price Category 5	+\$102
Price Category B	+\$378
Price Category C	+\$128
Price Category E	+\$203



Product Information

Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Delineation

continued

Specification Information

Step 1.

FT358.

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed

CR Canvas Surface Attached, End of Run Right Handed

Step 3. Height

42 42" high

46 46" high

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

Step 5. Surface Material

R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-5.

		24R	24T	30R	30T	36R	36T
FT358.	CL 42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841
	CR 42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841

Step 6. Bracket Finish

UBK ultra black (CP) +\$0

8Q folkstone grey (CP) +\$0

91 white (CP) +\$0

98 studio white (CP) +\$0

BK black +\$0

G1 graphite (CP) +\$0

SNA satin aluminum +\$10

SNB satin bronze +\$10

SNC satin carbon +\$10

WL warm stone (CP) +\$0

WN warm grey neutral +\$0

Step 7. Fabric

Price Category 1 +\$0

Price Category 2 +\$20

Price Category 3 +\$48

Price Category 4 +\$84

Price Category 5 +\$140


Price Category B +\$68

Price Category C +\$122

Price Category E +\$203

Ambit™ Height Adjustable Table Screen, Thin Profile Fabric

Y1150.



Product Information


Description

This environmentally friendly, surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless, all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.
For side-attached (S) privacy screens (A), (C), and (E), top edge is 13" above top of work surface; bottom edge is 3 3/4" below work surface.
For side-attached (S) privacy & modesty screens (B), (D), and (F), top edge is 13" above top of work surface; bottom edge is 10" below work surface.
For both top mount (T) and side mount (S) screens (A) and (B), top edge aligns with the 42"-high Canvas datum line.
For both top mount (T) and side mount (S) screens (C) and (D), top edge aligns with the 46"-high Canvas datum line.
For both top mount (T) and side mount (S) screens (E) and (F), top edge aligns with the 53"-high Canvas datum line.
Side-attached (S) screens contain a center bracket.
Side-attached (S) bracket finish is painted graphite; for top mount (T) screens bracket color is specified.

Dimensions



Specification Information

Step 1.

Y1150.

Step 2. Table Type

MT	Motia
NL	Nevi Link
NT	Nevi
RL	Renew Link
RT	Renew

Step 3. Application

For Motia (MT), Nevi (NT), or Renew (RT)

L	left hand return
R	right hand return
S	back screen only
U	right and left return screen, U screen

For Nevi Link (NL) or Renew Link (RL)

L	left hand return
R	right hand return
U	right and left return screen, U screen

Step 4. Attachment Method

For Motia (MT), Nevi (NT), or Renew (RT) with back screen only (S)

S attached on outside of work surface (for use with freestanding table)

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

S attached on outside of work surface (for use with freestanding table)
T mounted on top of work surface (for benching applications)

For Nevi Link (NL) or Renew Link (RL) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

T mounted on top of work surface (for benching applications)

Step 5. Height

For attached on outside of work surface (for use with freestanding table) (S)

A	privacy (42" high)
B	privacy & modesty (42" high/10" below surface)
C	privacy (46" high)
D	privacy & modesty (46" high/10" below surface)
E	privacy (53" high)
F	privacy & modesty (53" high/10" below surface)

Ambit™ Height Adjustable Table

Screen, Thin Profile Fabric *continued*

For mounted on top of work surface (for benching applications) (T)

A	privacy (42" high)
C	privacy (46" high)
E	privacy (53" high)

Step 6. Width

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy & modesty (42" high/10" below surface) (B) or privacy & modesty (46" high/10" below surface) (D)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Renew (RT) with back screen only (S) with privacy (42" high) (A), privacy & modesty (42" high/10" below surface) (B), privacy (46" high) (C), privacy & modesty (46" high/10" below surface) (D), privacy (53" high) (E), or privacy & modesty (53" high/10" below surface) (F)

36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT) or Nevi (NT) with back screen only (S) with privacy (42" high) (A), privacy & modesty (42" high/10" below surface) (B), privacy (46" high) (C), privacy & modesty (46" high/10" below surface) (D), privacy (53" high) (E), or privacy & modesty (53" high/10" below surface) (F)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy & modesty (53" high/10" below surface) (F)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT), Nevi Link (NL), Nevi (NT), Renew Link (RL), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy (42" high) (A) or privacy (46" high) (C)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT), Nevi Link (NL), Nevi (NT), Renew Link (RL), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy (53" high) (E)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 7. Table Depth

For left hand return (L), right hand return (R), or right and left return screen, U screen (U)

24	24" deep
30	30" deep

For back screen only (S)

00	no depth selection needed
-----------	---------------------------

Step 8. Surface Material

R	tackable fabric, horizontal
----------	-----------------------------

Prices for Steps 1-8.

			SA3600R	SA4200R	SA4800R	SA4824R	SA4830R	SA5400R
Y1150.	MT	L	—	—	—	\$797	809	—
		R	—	—	—	\$797	797	—
		S	—	—	\$563	—	—	598
		U	—	—	—	\$1066	1066	—
	NT	L	—	—	—	\$797	797	—
		R	—	—	—	\$797	797	—
		S	—	—	\$563	—	—	598
		U	—	—	—	\$1066	1066	—
	RT	L	—	—	—	\$797	797	—
		R	—	—	—	\$797	797	—
		S	\$489	526	563	—	—	598
		U	—	—	—	\$1066	1066	—

Ambit™ Height Adjustable Table
Screen, Thin Profile Fabric *continued*

		SA5424R	SA5430R	SA6000R	SA6024R	SA6030R	SA6600R
Y1150. MT	L	\$856	877	—	894	927	—
	R	\$856	877	—	894	927	—
	S	—	—	\$649	—	—	680
	U	\$1146	1175	—	1193	1238	—
NT	L	\$856	877	—	894	927	—
	R	\$856	877	—	894	927	—
	S	—	—	\$649	—	—	680
	U	\$1146	1175	—	1193	1238	—
RT	L	\$856	877	—	894	927	—
	R	\$856	877	—	894	927	—
	S	—	—	\$649	—	—	680
	U	\$1146	1175	—	1193	1238	—
		SA6624R	SA6630R	SA7200R	SA7224R	SA7230R	SB3600R
Y1150. MT	L	\$924	970	—	965	1022	—
	R	\$924	970	—	965	1022	—
	S	—	—	\$724	—	—	—
	U	\$1235	1296	—	1290	1368	—
NT	L	\$924	970	—	965	1022	—
	R	\$924	970	—	965	1022	—
	S	—	—	\$724	—	—	—
	U	\$1235	1296	—	1290	1368	—
RT	L	\$924	970	—	965	1022	—
	R	\$924	970	—	965	1022	—
	S	—	—	\$724	—	—	545
	U	\$1235	1296	—	1290	1368	—
		SB4200R	SB4800R	SB4824R	SB4830R	SB5400R	SB5424R
Y1150. MT	L	—	—	\$821	860	—	881
	R	—	—	\$821	821	—	881
	S	—	\$614	—	—	647	—
	U	—	—	\$1098	1098	—	1179
NT	L	—	—	\$821	821	—	881
	R	—	—	\$821	821	—	881
	S	—	\$614	—	—	647	—
	U	—	—	\$1098	1098	—	1179
RT	L	—	—	\$821	821	—	881
	R	—	—	\$821	821	—	881
	S	\$583	614	—	—	647	—
	U	—	—	\$1098	1098	—	1179
		SB5430R	SB6000R	SB6024R	SB6030R	SB6600R	SB6624R
Y1150. MT	L	\$903	—	917	951	—	949
	R	\$903	—	917	951	—	949
	S	—	\$669	—	—	730	—
	U	\$1208	—	1226	1270	—	1268

	NT	L		\$903	—	917	951	—	949
		R		\$903	—	917	951	—	949
		S		—	\$669	—	—	730	—
		U		\$1208	—	1226	1270	—	1268
	RT	L		\$903	—	917	951	—	949
		R		\$903	—	917	951	—	949
		S		—	\$669	—	—	730	—
		U		\$1208	—	1226	1270	—	1268
				SB6630R	SB7200R	SB7224R	SB7230R	SC3600R	SC4200R
Y1150.	MT	L		\$994	—	989	1048	—	—
		R		\$994	—	989	1048	—	—
		S		—	\$785	—	—	—	—
		U		\$1328	—	1322	1401	—	—
	NT	L		\$994	—	989	1048	—	—
		R		\$994	—	989	1048	—	—
		S		—	\$785	—	—	—	—
		U		\$1328	—	1322	1401	—	—
	RT	L		\$994	—	989	1048	—	—
		R		\$994	—	989	1048	—	—
		S		—	\$785	—	—	561	617
		U		\$1328	—	1322	1401	—	—
				SC4800R	SC4824R	SC4830R	SC5400R	SC5424R	SC5430R
Y1150.	MT	L		—	\$916	916	—	977	999
		R		—	\$916	916	—	977	999
		S		\$693	—	—	729	—	—
		U		—	\$1226	1226	—	1306	1334
	NT	L		—	\$916	916	—	977	999
		R		—	\$916	916	—	977	999
		S		\$693	—	—	729	—	—
		U		—	\$1226	1226	—	1306	1334
	RT	L		—	\$916	916	—	977	999
		R		—	\$916	916	—	977	999
		S		\$693	—	—	729	—	—
		U		—	\$1226	1226	—	1306	1334
				SC6000R	SC6024R	SC6030R	SC6600R	SC6624R	SC6630R
Y1150.	MT	L		—	\$1013	1047	—	1044	1089
		R		—	\$1013	1047	—	1044	1089
		S		\$815	—	—	857	—	—
		U		—	\$1354	1398	—	1396	1457
	NT	L		—	\$1013	1047	—	1044	1089
		R		—	\$1013	1047	—	1044	1089
		S		\$815	—	—	857	—	—
		U		—	\$1354	1398	—	1396	1457

Renew™ Screens

Ambit™ Height Adjustable Table
Screen, Thin Profile Fabric *continued*

Renew™ Screens

	RT	L	—	\$1013	1047	—	1044	1089
		R	—	\$1013	1047	—	1044	1089
		S	\$815	—	—	857	—	—
		U	—	\$1354	1398	—	1396	1457
			SC7200R	SC7224R	SC7230R	SD3600R	SD4200R	SD4800R
Y1150.	MT	L	—	\$1084	1144	—	—	—
		R	—	\$1084	1144	—	—	—
		S	\$918	—	—	—	—	787
		U	—	\$1450	1529	—	—	—
	NT	L	—	\$1084	1144	—	—	—
		R	—	\$1084	1144	—	—	—
		S	\$918	—	—	—	—	787
		U	—	\$1450	1529	—	—	—
	RT	L	—	\$1084	1144	—	—	—
		R	—	\$1084	1144	—	—	—
		S	\$918	—	—	740	757	787
		U	—	\$1450	1529	—	—	—
			SD4824R	SD4830R	SD5400R	SD5424R	SD5430R	SD6000R
Y1150.	MT	L	\$932	932	—	992	1013	—
		R	\$932	932	—	992	1013	—
		S	—	—	\$809	—	—	897
		U	\$1248	1248	—	1327	1356	—
	NT	L	\$932	932	—	992	1013	—
		R	\$932	932	—	992	1013	—
		S	—	—	\$809	—	—	897
		U	\$1248	1248	—	1327	1356	—
	RT	L	\$932	932	—	992	1013	—
		R	\$932	932	—	992	1013	—
		S	—	—	\$809	—	—	897
		U	\$1248	1248	—	1327	1356	—
			SD6024R	SD6030R	SD6600R	SD6624R	SD6630R	SD7200R
Y1150.	MT	L	\$1028	1061	—	1059	1105	—
		R	\$1028	1061	—	1059	1105	—
		S	—	—	\$970	—	—	1010
		U	\$1375	1420	—	1418	1478	—
	NT	L	\$1028	1061	—	1059	1105	—
		R	\$1028	1061	—	1059	1105	—
		S	—	—	\$970	—	—	1010
		U	\$1375	1420	—	1418	1478	—
	RT	L	\$1028	1061	—	1059	1105	—
		R	\$1028	1061	—	1059	1105	—
		S	—	—	\$970	—	—	1010
		U	\$1375	1420	—	1418	1478	—

			SD7224R	SD7230R	SE3600R	SE4200R	SE4800R	SE4824R
Y1150.	MT	L	\$1100	1158	—	—	—	995
		R	\$1100	1158	—	—	—	995
		S	—	—	—	—	\$817	—
		U	\$1471	1550	—	—	—	1332
	NT	L	\$1100	1158	—	—	—	995
		R	\$1100	1158	—	—	—	995
		S	—	—	—	—	\$817	—
		U	\$1471	1550	—	—	—	1332
	RT	L	\$1100	1158	—	—	—	995
		R	\$1100	1158	—	—	—	995
		S	—	—	\$672	789	817	—
		U	\$1471	1550	—	—	—	1332
			SE4830R	SE5400R	SE5424R	SE5430R	SE6000R	SE6024R
Y1150.	MT	L	\$995	—	1055	1077	—	1091
		R	\$995	—	1055	1077	—	1091
		S	—	\$838	—	—	875	—
		U	\$1332	—	1412	1440	—	1460
	NT	L	\$995	—	1055	1077	—	1091
		R	\$995	—	1055	1077	—	1091
		S	—	\$838	—	—	875	—
		U	\$1332	—	1412	1440	—	1460
	RT	L	\$995	—	1055	1077	—	1091
		R	\$995	—	1055	1077	—	1091
		S	—	\$838	—	—	875	—
		U	\$1332	—	1412	1440	—	1460
			SE6030R	SE6600R	SE6624R	SE6630R	SE7200R	SE7224R
Y1150.	MT	L	\$1125	—	1123	1167	—	1163
		R	\$1125	—	1123	1167	—	1163
		S	—	\$954	—	—	1016	—
		U	\$1505	—	1502	1563	—	1556
	NT	L	\$1125	—	1123	1167	—	1163
		R	\$1125	—	1123	1167	—	1163
		S	—	\$954	—	—	1016	—
		U	\$1505	—	1502	1563	—	1556
	RT	L	\$1125	—	1123	1167	—	1163
		R	\$1125	—	1123	1167	—	1163
		S	—	\$954	—	—	1016	—
		U	\$1505	—	1502	1563	—	1556
			SE7230R	SF3600R	SF4200R	SF4800R	SF4824R	SF4830R
Y1150.	MT	L	\$1222	—	—	—	1076	1076
		R	\$1222	—	—	—	1076	1076
		S	—	—	—	\$829	—	—
		U	\$1635	—	—	—	1438	1438

Ambit™ Height Adjustable Table
Screen, Thin Profile Fabric *continued*

	NT	L	\$1222	—	—	—	1076	1076
	R		\$1222	—	—	—	1076	1076
	S		—	—	—	\$829	—	—
	U		\$1635	—	—	—	1438	1438
	RT	L	\$1222	—	—	—	1076	1076
	R		\$1222	—	—	—	1076	1076
	S		—	\$804	809	829	—	—
	U		\$1635	—	—	—	1438	1438
			SF5400R	SF5424R	SF5430R	SF6000R	SF6024R	SF6030R
Y1150.	MT	L	—	\$1137	1157	—	1173	1207
	R		—	\$1137	1157	—	1173	1207
	S		\$839	—	—	929	—	—
	U		—	\$1519	1548	—	1566	1611
	NT	L	—	\$1137	1157	—	1173	1207
	R		—	\$1137	1157	—	1173	1207
	S		\$839	—	—	929	—	—
	U		—	\$1519	1548	—	1566	1611
	RT	L	—	\$1137	1157	—	1173	1207
	R		—	\$1137	1157	—	1173	1207
	S		\$839	—	—	929	—	—
	U		—	\$1519	1548	—	1566	1611
			SF6600R	SF6624R	SF6630R	SF7200R	SF7224R	SF7230R
Y1150.	MT	L	—	\$1203	1249	—	1244	1302
	R		—	\$1203	1249	—	1244	1302
	S		\$976	—	—	1179	—	—
	U		—	\$1609	1669	—	1662	1742
	NT	L	—	\$1203	1249	—	1244	1302
	R		—	\$1203	1249	—	1244	1302
	S		\$976	—	—	1179	—	—
	U		—	\$1609	1669	—	1662	1742
	RT	L	—	\$1203	1249	—	1244	1302
	R		—	\$1203	1249	—	1244	1302
	S		\$976	—	—	1179	—	—
	U		—	\$1609	1669	—	1662	1742
			TA4824R	TA4830R	TA5424R	TA5430R	TA6024R	TA6030R
Y1150.	MT	L	\$797	797	856	877	894	927
	R		\$797	797	856	877	894	927
	U		\$1066	1066	1146	1175	1193	1238
	NL	L	\$797	797	856	877	894	927
	R		\$797	797	856	877	894	927
	U		\$1066	1066	1146	1175	1193	1238
	NT	L	\$797	797	856	877	894	927
	R		\$797	797	856	877	894	927
	U		\$1066	1066	1146	1175	1193	1238

	RL	L	\$797	797	856	877	894	927
	R		\$797	797	856	877	894	927
	U		\$1066	1066	1146	1175	1193	1238
	RT	L	\$797	797	856	877	894	927
	R		\$797	797	856	877	894	927
	U		\$1066	1066	1146	1175	1193	1238
			TA6624R	TA6630R	TA7224R	TA7230R	TC4824R	TC4830R
Y1150.	MT	L	\$924	970	965	1022	916	916
	R		\$924	970	965	1022	916	916
	U		\$1235	1296	1290	1368	1226	1226
	NL	L	\$924	970	965	1022	916	916
	R		\$924	970	965	1022	916	916
	U		\$1235	1296	1290	1368	1226	1226
	NT	L	\$924	970	965	1022	916	916
	R		\$924	970	965	1022	916	916
	U		\$1235	1296	1290	1368	1226	1226
	RL	L	\$924	970	965	1022	916	916
	R		\$924	970	965	1022	916	916
	U		\$1235	1296	1290	1368	1226	1226
	RT	L	\$924	970	965	1022	916	916
	R		\$924	970	965	1022	916	916
	U		\$1235	1296	1290	1368	1226	1226
			TC5424R	TC5430R	TC6024R	TC6030R	TC6624R	TC6630R
Y1150.	MT	L	\$977	999	1013	1047	1044	1089
	R		\$977	999	1013	1047	1044	1089
	U		\$1306	1334	1354	1398	1396	1457
	NL	L	\$977	999	1013	1047	1044	1089
	R		\$977	999	1013	1047	1044	1089
	U		\$1306	1334	1354	1398	1396	1457
	NT	L	\$977	999	1013	1047	1044	1089
	R		\$977	999	1013	1047	1044	1089
	U		\$1306	1334	1354	1398	1396	1457
	RL	L	\$977	999	1013	1047	1044	1089
	R		\$977	999	1013	1047	1044	1089
	U		\$1306	1334	1354	1398	1396	1457
	RT	L	\$977	999	1013	1047	1044	1089
	R		\$977	999	1013	1047	1044	1089
	U		\$1306	1334	1354	1398	1396	1457
			TC7224R	TC7230R	TE4824R	TE4830R	TE5424R	TE5430R
Y1150.	MT	L	\$1084	1144	995	995	1055	1077
	R		\$1084	1144	995	995	1055	1077
	U		\$1450	1529	1332	1332	1412	1440

Ambit™ Height Adjustable Table

Screen, Thin Profile Fabric *continued*

Renew™ Screens

NL	L	\$1084	1144	995	995	1055	1077
	R	\$1084	1144	995	995	1055	1077
	U	\$1450	1529	1332	1332	1412	1440
NT	L	\$1084	1144	995	995	1055	1077
	R	\$1084	1144	995	995	1055	1077
	U	\$1450	1529	1332	1332	1412	1440
RL	L	\$1084	1144	995	995	1055	1077
	R	\$1084	1144	995	995	1055	1077
	U	\$1450	1529	1332	1332	1412	1440
RT	L	\$1084	1144	995	995	1055	1077
	R	\$1084	1144	995	995	1055	1077
	U	\$1450	1529	1332	1332	1412	1440

		TE6024R	TE6030R	TE6624R	TE6630R	TE7224R	TE7230R
Y1150.	MT L	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635
	NL L	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635
	NT L	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635
	RL L	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635
	RT L	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635

Step 9. Fabric	
Price Category 1	+\$0
Price Category 2	+\$31
Price Category 3	+\$71
Price Category 4	+\$134
Price Category 5	+\$220
Price Category B	+\$120
Price Category C	+\$160
Price Category E	+\$220

Step 10. Corner Cover Options		
<i>For mounted on top of work surface (for benching applications)</i>		
(T)		
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
DB3	glacier	+\$10
DN2	nightfall	+\$10
DR1	canyon	+\$10
G1	graphite (CP)	+\$0
OLF	olive	+\$10
WN	warm grey	+\$0

Step 11. Bracket Color Options		
<i>For mounted on top of work surface (for benching applications)</i>		
(T)		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$10
DN2	nightfall	+\$10
DR1	canyon	+\$10
OLF	olive	+\$10
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Step 12. Screen Accessories		
NN	none	+\$0
NH	name tag holder (YT410)	+\$43
MB	24" painted metal markerboard (Y1124.DP)	+\$170
ML	30" painted metal markerboard (Y1124.DP)	+\$182
DM	24" writeable markerboard (Y1124.DM)	+\$238
DL	30" writeable markerboard (Y1124.DM)	+\$265

Ambit™ Height Adjustable Table

Screen, Thin Profile Fabric *continued*

Step 13. Screen Accessory Finish

For name tag holder (YT410) (NH)

613	silver (CP)	+\$0
------------	-------------	------

For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10


For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Ambit™ Height Adjustable Table

Y1155.

Screen, PET




Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless PET design with a flat edge and comes in privacy and modesty sizes. Attachment hardware included.

Dimensions

Renew™ Screens



Specification Information

Step 1.

Y1155.

Step 2. Table Type

MT	Motia
NL	Nevi Link
NT	Nevi
RL	Renew Link
RT	Renew

Step 3. Application

For Motia (MT), Nevi (NT), or Renew (RT)

L	left hand return
R	right hand return
U	right and left return screen, U screen

For Nevi Link (NL) or Renew Link (RL)

L	left hand return
R	right hand return
U	right and left return screen, U screen

Step 4. Attachment Method

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

S	attached on outside of work surface (for use with freestanding table)
T	mounted on top of work surface (for benching applications)

For Nevi Link (NL) or Renew Link (RL) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

T	mounted on top of work surface (for benching applications)
---	--

Step 5. Height

For attached on outside of work surface (for use with freestanding table) (S)

A	privacy (42" high)
B	privacy & modesty (42" high/10" below surface)
C	privacy (46" high)
D	privacy & modesty (46" high/10" below surface)

For mounted on top of work surface (for benching applications) (T)

A	privacy (42" high)
C	privacy (46" high)

Ambit™ Height Adjustable Table

Screen, PET *continued*

Step 6. Width

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 7. Table Depth

24	24" deep
30	30" deep

Prices for Steps 1-7.

		SA4824	SA4830	SA5424	SA5430	SA6024	SA6030
Y1155. MT	L	\$903	903	924	924	955	955
	R	\$903	903	924	924	955	955
	U	\$1009	1009	1083	1083	1115	1115
NT	L	\$903	903	924	924	955	955
	R	\$903	903	924	924	955	955
	U	\$1009	1009	1083	1083	1115	1115
RT	L	\$903	903	924	924	955	955
	R	\$903	903	924	924	955	955
	U	\$1009	1009	1083	1083	1115	1115

		SA6624	SA6630	SA7224	SA7230	SB4824	SB4830
Y1155. MT	L	\$977	977	999	999	935	935
	R	\$977	977	999	999	935	935
	U	\$1221	1221	1539	1539	1221	1221
NT	L	\$977	977	999	999	935	935
	R	\$977	977	999	999	935	935
	U	\$1221	1221	1539	1539	1221	1221
RT	L	\$977	977	999	999	935	935
	R	\$977	977	999	999	935	935
	U	\$1221	1221	1539	1539	1221	1221

		SB5424	SB5430	SB6024	SB6030	SB6624	SB6630
Y1155. MT	L	\$967	967	987	987	1019	1019
	R	\$967	967	987	987	1019	1019
	U	\$1274	1274	1327	1327	1539	1539
NT	L	\$967	967	987	987	1019	1019
	R	\$967	967	987	987	1019	1019
	U	\$1274	1274	1327	1327	1539	1539
RT	L	\$967	967	987	987	1019	1019
	R	\$967	967	987	987	1019	1019
	U	\$1274	1274	1327	1327	1539	1539

		SB7224	SB7230	SC4824	SC4830	SC5424	SC5430
Y1155. MT	L	\$1041	1041	955	955	977	977
	R	\$1041	1041	955	955	977	977
	U	\$1616	1616	1274	1274	1327	1327
NT	L	\$1041	1041	955	955	977	977
	R	\$1041	1041	955	955	977	977
	U	\$1616	1616	1274	1274	1327	1327
RT	L	\$1041	1041	955	955	977	977
	R	\$1041	1041	955	955	977	977
	U	\$1616	1616	1274	1274	1327	1327

		SC6024	SC6030	SC6624	SC6630	SC7224	SC7230
Y1155. MT	L	\$999	999	1019	1019	1041	1041
	R	\$999	999	1019	1019	1041	1041
	U	\$1380	1380	1486	1486	1592	1592
NT	L	\$999	999	1019	1019	1041	1041
	R	\$999	999	1019	1019	1041	1041
	U	\$1380	1380	1486	1486	1592	1592
RT	L	\$999	999	999	999	1041	1041
	R	\$999	999	999	999	1041	1041
	U	\$1380	1380	1486	1486	1592	1592

		SD4824	SD4830	SD5424	SD5430	SD6024	SD6030
Y1155. MT	L	\$1375	1375	1386	1386	1433	1433
	R	\$1375	1375	1386	1386	1433	1433
	U	\$1486	1486	1592	1592	1698	1698
NT	L	\$1375	1375	1386	1386	1433	1433
	R	\$1375	1375	1386	1386	1433	1433
	U	\$1486	1486	1592	1592	1698	1698
RT	L	\$1375	1375	1386	1386	1433	1433
	R	\$1375	1375	1386	1386	1433	1433
	U	\$1486	1486	1592	1592	1698	1698

		SD6624	SD6630	SD7224	SD7230	TA4824	TA4830
Y1155. MT	L	\$1492	1492	1598	1598	809	810
	R	\$1492	1492	1598	1598	809	810
	U	\$1910	1910	2122	2122	857	858
NL	L	—	—	—	—	\$809	810
	R	—	—	—	—	\$809	810
	U	—	—	—	—	\$857	858
NT	L	\$1491	1492	1598	1598	809	810
	R	\$1492	1492	1598	1598	809	810
	U	\$1910	1910	2122	2122	857	858
RL	L	—	—	—	—	\$809	810
	R	—	—	—	—	\$809	810
	U	—	—	—	—	\$857	858

Renew™ Screens

Ambit™ Height Adjustable Table

Screen, PET *continued*

Renew™ Screens

	RT	L	\$1492	1492	1598	1598	809	810
		R	\$1492	1492	1598	1598	809	810
		U	\$1910	1910	2122	2122	857	858

			TA5424	TA5430	TA6024	TA6030	TA6624	TA6630
Y1155.	MT	L	\$817	817	849	849	887	887
		R	\$817	817	849	849	887	887
		U	\$861	861	963	964	966	966
	NL	L	\$817	817	849	849	887	887
		R	\$817	817	849	849	887	887
		U	\$861	861	963	964	966	966
	NT	L	\$817	817	849	849	887	887
		R	\$817	817	849	849	887	887
		U	\$861	861	963	964	966	966
	RL	L	\$817	817	849	849	887	887
		R	\$817	817	849	849	887	887
		U	\$861	861	963	964	966	966
	RT	L	\$817	817	849	849	887	887
		R	\$817	817	849	849	887	887
		U	\$861	861	963	964	966	966

			TA7224	TA7230	TC4824	TC4830	TC5424	TC5430
Y1155.	MT	L	\$926	927	914	915	935	935
		R	\$926	927	914	915	935	935
		U	\$971	972	963	964	966	966
	NL	L	\$926	927	914	915	935	935
		R	\$926	927	914	915	935	935
		U	\$971	972	963	964	966	966
	NT	L	\$926	927	914	915	935	935
		R	\$926	927	914	915	935	935
		U	\$971	972	963	964	966	966
	RL	L	\$926	927	914	914	935	935
		R	\$926	927	914	914	935	935
		U	\$971	972	963	964	966	966
	RT	L	\$926	927	914	915	935	935
		R	\$926	927	914	915	935	935
		U	\$971	972	963	964	966	966

			TC6024	TC6030	TC6624	TC6630	TC7224	TC7230
Y1155.	MT	L	\$967	967	1009	1009	1080	1080
		R	\$967	967	1009	1009	1080	1080
		U	\$1136	1137	1139	1139	1302	1308
	NL	L	\$967	967	1009	1009	1080	1080
		R	\$967	967	1009	1009	1080	1080
		U	\$1136	1137	1139	1139	1308	1309

	NT	L	\$967	967	1009	1009	1080	1080
		R	\$967	967	1009	1009	1080	1080
		U	\$1136	1137	1139	1139	1302	1308
	RL	L	\$967	967	1009	1009	1080	1080
		R	\$967	967	1009	1009	1080	1080
		U	\$1136	1137	1139	1139	1308	1309
	RT	L	\$967	967	1009	1009	1080	1080
		R	\$967	967	1009	1009	1080	1080
		U	\$1136	1137	1139	1139	1302	1308

Step 8. Material

PHN	heathered nightfall	+\$0
PHO	heathered olive	+\$0
PLG	cool heathered grey	+\$0

Step 9. Bracket Color Options

For mounted on top of work surface (for benching applications)

(T)

98	studio white (CP)	+\$0
BK	black	+\$0
CRB	carbon (CP)	+\$0
DN2	nightfall	+\$10
OLF	olive	+\$10
UBK	ultra black (CP)	+\$0

Step 10. Screen Accessories

MB	24" painted metal markerboard (Y1124.DP)	+\$170
NN	none	+\$0
NH	name tag holder (YT410)	+\$43
ML	30" painted metal markerboard (Y1124.DP)	+\$182
DM	24" writeable markerboard (Y1124.DM)	+\$238
DL	30" writeable markerboard (Y1124.DM)	+\$265

Step 11. Screen Accessory Finish

For name tag holder (YT410) (NH)

613	silver (CP)	+\$0
-----	-------------	------

For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Ambit™ Height Adjustable Table


Screen, PET *continued*

For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Ambit™ Height Adjustable Table Screen, Metal

Y1160.



Product Information

Description

This surface-attached screen attaches to the work surface of a freestanding table. It is painted metal and comes in privacy size. An optional magnetic screen liner is user-adjustable without tools. Screen attachment hardware included.

Notes

Privacy panel actual width is 2" less than specified width.


Privacy screen (A) top edge is 13" above top of work surface.

Privacy screen (A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1160.

Step 2. Table Type

MT Motia

NT Nevi

RT Renew

Step 3. Application

U right and left return screen, U screen

Step 4. Attachment Method

S attached on outside of work surface (for use with freestanding table)

Step 5. Height

A privacy (42" high)

Step 6. Width

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 7. Table Depth

30 30" deep

Step 8. Screen Liner

M magnetic liner

N none

Prices for Steps 1-8.

		SA4830M	SA4830N	SA5430M	SA5430N	SA6030M	SA6030N
Y1160.	MT U	\$1458	824	1474	841	1493	860
	NT U	\$1458	824	1474	841	1493	860
	RT U	\$1458	824	1474	841	1493	860
		SA6630M	SA6630N	SA7230M	SA7230N		
Y1160.	MT U	\$1528	895	1673	1040		
	NT U	\$1528	895	1673	1040		
	RT U	\$1528	895	1673	1040		

Ambit™ Height Adjustable Table

Screen, Metal *continued*

Step 9. Surface Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$60
SNB	satin bronze	+\$60
SNC	satin carbon	+\$60
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DB3	glacier	+\$50
DN2	nightfall	+\$50
DR1	canyon	+\$50
G1	graphite (CP)	+\$0
OLF	olive	+\$50
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 10. Magnetic Screen Liner Finish

For magnetic liner (M)

Price Category 4	+\$0
------------------	------

Step 11. Screen Accessories

NH	name tag holder (YT410)	+\$39
NN	none	+\$0

Step 12. Screen Accessory Finish

For name tag holder (YT410) (NH)

613	silver (CP)	+\$0
------------	-------------	------

Index by Product Name

Renew™ Tables	
90° Corner Table with C-Foot	page(s) 36
90° Extended Corner Table with C-Foot	30
120° Corner Table with C-Foot	40
Ambit™ Height Adjustable Table Leg Shroud	51
Ambit™ Height Adjustable Table Screen, Metal	98
Ambit™ Height Adjustable Table Screen, PET	94
Ambit™ Height Adjustable Table Screen, Thin Profile Fabric	87
Ambit™ Suspended Storage	57
Easy Access Height-Adjustable Vertical Cable Manager	69
External Cable Manager	65
Fabric Modesty Panel	82
Flat Edge Screen, Delineation	85
Height Adjustable Rectangular Worksurface	44
Height-Adjustable Vertical Cable Manager	68
Laminate Screen, Surface Attached	78
Logic C1000 Universal Clamp Mount Distributor	61
Logic G1000 Grommet Mounted Electrical Distributor	59
Logic G1200 Grommet Pass Thru	63
Logic HD Cable Manager	64
Modesty Panel	80
Oval Table with T-Foot	25
Pari Screen, Delineation	83
Pari Screen, Height Adjustable Tables	70
Personal Side Screen	73
Personal Side Screen, Rectangular	77
Rectangle Counterbalance Table with C-Foot	13
Rectangle Table with C-Foot	5
Rectangle Table with T-Foot	17
Renew™ Obstruction Sensor Kit	66
Surface-Attached Screen, Flat Edge	74
Table Base Kit - 2 Legs	49
Table Base Kit - 3 Legs	47

Index by Product Number

DU6ACE Rectangle Table with C-Foot	page(s) 5
DU6ACG Rectangle Counterbalance Table with C-Foot	13
DU6ACS Rectangle Table with C-Foot	5
DU6ACT	
DU6ATE Rectangle Table with T-Foot	17
DU6ATS	
DU6ATT	
DU6DTE Oval Table with T-Foot	25
DU6DTS	
DU6DTT	
DU6ECE 90° Extended Corner Table with C-Foot	30
DU6ECS	
DU6ECT	
DU6FCE 90° Corner Table with C-Foot	36
DU6FCS	
DU6FCT	
DU6GCE 120° Corner Table with C-Foot	40
DU6GCS	
DU6GCT	
DU6WS. Height Adjustable Rectangular Worksurface	44
DU7A. Table Base Kit - 2 Legs	49
DU7F. Table Base Kit - 3 Legs	47
DU11B. External Cable Manager	65
DU11S.	
DU15B. Height-Adjustable Vertical Cable Manager	68
DU15S.	
DU16B. Easy Access Height-Adjustable Vertical Cable Manager	69
DU16S.	
DUSG1. Renew™ Obstruction Sensor Kit	66
DUSG2.	
DV8SM. Ambit™ Height Adjustable Table Leg Shroud	51
DV8SN.	
DV8SR.	
FT354. Pari Screen, Delineation	83
FT358. Flat Edge Screen, Delineation	85
IH200. Ambit™ Suspended Storage	57
Y1113. Modesty Panel	80
Y1114. Fabric Modesty Panel	82
Y1116. Pari Screen, Height Adjustable Tables	70
Y1117. Personal Side Screen	73
Y1118. Surface-Attached Screen, Flat Edge	74
Y1119. Personal Side Screen, Rectangular	77
Y1120. Laminate Screen, Surface Attached	78
Y1150. Ambit™ Height Adjustable Table Screen, Thin Profile Fabric	87
Y1155. Ambit™ Height Adjustable Table Screen, PET	94
Y1160. Ambit™ Height Adjustable Table Screen, Metal	98
Y1420. Logic G1200 Grommet Pass Thru	63

Y1423. Logic C1000 Universal Clamp Mount Distributor	61
Y1424. Logic HD Cable Manager	64
Y1425. Logic G1000 Grommet Mounted Electrical Distributor	59



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian®

Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Vary Easy Program

Program Overview

The Vary Easy program offers expanded product selections beyond what is available through our standard offering. From expanded material and finish lists, to size availability, to completely new product configurations, the Vary Easy program offers it all at standard pricing, warranty, and lead-time.

Specifying Vary Easy using Made-to-Measure Plus

Vary Easy products are now available by clicking the Vary Easy/Options tile in the Made-to-Measure Plus tool.

Made-to-Measure Plus is a web-based tool available through Omni that takes the guesswork out of specifying products and service parts. It's quickly evolving to become your one-stop shop for specifying Herman Miller products and service parts, particularly customized product like Vary Easy and HM Options.

Vary Easy products are no longer published in marketing SIF for importing into specIT and other third-party specifiers. Specifying through the Made-to-Measure Plus tool allows us to make frequent updates and offer more complex products. It allows you to easily specify and price products and download SIF files to import into your specification tool. The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead-time and are competitively priced.

For step-by-step instructions, reference the Made-to-Measure Plus page under Tools & Resources on Omni to watch the how-to video and to see how easy it is to specify Vary Easy products in Made-to-Measure Plus.

For Vary Easy product and specification questions, contact Product Services at 866 854 3048 (ext #1).

For technical questions about the Made-to-Measure Plus tool, contact Sales Technology Support at 866 854 3048 (ext #4) or sts@hermanmiller.com.

Stain-to-Match Program

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at: (800) 654 3910

Stain-to-Match Process

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to: options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© HermanMiller, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyriss, Lyriss 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemisurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Lisocore® is a registered trademark of Pyrus Panels GmbH.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.