



GSA prices effective October 7, 2024
(based on July 1, 2024, commercial price list)
Published March 2025

Renew™ Sit-to-Stand Tables

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!®, a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture
FSC/PSC 7110/7125
Contract Number: GS-03F-036DA
UEI: Q2K3MSZ843D8
Contract Period: December 21, 2015—December 20, 2025

MillerKnoll, Inc.
855 East Main Avenue
Zeeland, Michigan 49464
(616) 654 3000 Phone
(616) 654 8278 Fax
www.HermanMiller.com/government

Business Size: Large

Contract Information

1a. Special Item Numbers (SIN)

SIN 33721

Furniture Systems, Computer Furniture, Filing and Storage, Tables and Accessories, Upholstered Seating and Multi-Purpose Seating, Project Management, Reconfiguration and Relocation Services, Design/Layout and Installation Services

SIN 33721P

Packaged Offices

SIN 337127

Modular Laboratory Furniture Systems

SIN 339113H

Healthcare Furniture

SIN OLM

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local MillerKnoll Inc. representative to discuss the appropriate use of this SIN.

SIN 532289

Leasing

Contact MillerKnoll Inc participating government dealer for current leasing information.

1b. Lowest Priced Model

SIN 33721:	BVP3.S	\$7.27
SIN 33127:	TW113	\$5.81
SIN 339113H:	CR900NR	\$483.80

1c. Service Rates

Project Management

Furniture Project Manager: \$64.75 per hour
Furniture Project Coordinator: \$49.00 per hour
Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Not to exceed \$55 per hour.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Not to exceed \$65 per hour.

Installation Services

Not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

2. Maximum Order

SIN 33721, 337127, NEW, OLM

\$250,000 net product value

SIN 33721P

\$250,000 net value

SIN 339113H

\$500,000 net product value

3. Minimum Order

\$100 net

4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

5. Point of Production

Zeeland, Ottawa County, Michigan

Spring Lake, Ottawa County, Michigan

Elland, Yorkshire, United Kingdom

Hildebran, Burke County, North Carolina, USA

6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 33721

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Office 1	73.8%
Action Office 2	73.8%
Aeron	64.5%
Ambit Workspace Solutions	74.3%
Asari Chair	53.7%
Aside	64.2%
Bay Work Pod	56.7%
C-Style Overhead Storage	73.8%
Canvas Office Landscape Channel	74.8%
Canvas Office Landscape Dock	74.8%
Canvas Metal Desk	74.8%
Canvas Office Landscape Metal Storage	74.8%
Canvas Office Landscape Private Office	74.8%
Canvas Office Landscape Wood Storage	74.8%
Canvas Office Landscape Vista	74.8%
Canvas Office Landscape Wall	74.8%
Caper	61.5%
Commend Nurses Station	73.3%
Cosm	61.7%
Eames® Aluminum Group	58.7%
Eames Conference & Dining Tables	73.6%
Easton Family	54.91%
Embody	59.7%
Energy Distribution Systems	73.8%
Ethospace System	73.8%
Everywhere™ Tables	73.8%
Exclave	61.7%

Contract Information

continued

Fuld	59.7%
Headway™ Tables	73.8%
Intent Solution	58.7%
Layout Studio®	60.7%
Lighting	73.8%
Lino	63.7%
Meridian Laterals	67.3%
Meridian Pedestals	64.2%
Meridian Towers	62.7%
Meridian Storage	62.7%
Mirra 2	61.7%
Motia Tables	73.8%
NaughtOne	50.0%
Nemschoff	54.91%
Nevi™ Tables	73.8%
Nevi Link	73.8%
OE1 Boundary	72.8%
OE1 Community Elements	61.7%
OE1 Micro Packs	73.8%
OE1 Storage	72.8%
OE1 Tables and Benching	73.8%
Overlay™	62.7%
Plex® Lounge Furniture	59.5%
Pronta Stacking Chair	57.7%
Public Office Landscape	61.7%
Renew™ Tables	73.8%
Renew Link	73.8%
Sayl	62.2%
Setu	59.7%
Swoop Lounge Furniture	60.7%
Thrive Portfolio	62.0%
Thrive Portfolio-CBS Products Extension	62.0%
Tu Lateral Files	74.3%
Tu Pedestals	73.8%
Tu Storage	74.3%
Tu Towers	74.3%
Tu Wood Cases	74.3%
Tu Wood Cubbies	74.3%
Tu Wood Credenzas	74.3%
Tu Wood Pedestals	74.3%
Tu Wood Towers	74.3%
Valor™ Family	54.91%
Verus	63.7%
Zeph	60.2%

Services

Please refer to section 19 for Terms and Conditions of Installation/ Reconfiguration and Relocation Services.

Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local MillerKnoll Inc. representative to discuss the available labor categories (listed below). The hourly rates listed are “Not To Exceed” or “NTE” values.

Furniture Project Manager: \$64.75 per hour
Furniture Project Coordinator: \$49.00 per hour
Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Design service will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$65 per hour.

Installation Services

Installation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 337127

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Lab	58.5%
Compass System	58.5%
Co/Struc System	58.5%
Healthcare Carts	18.0%
Mora System	58.5%
Bedside Cabinets	58.5%

SIN 33721P

Packaged Office Furniture - Maximum Order \$250,000 (net).

Includes packaged furniture solutions for customers needing to furnish an office.

SIN 339113H

Standard Lead Time, Single Order Net Purchase \$100 - 500,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Nemschoff Healthcare Furniture	54.91%

7. Quantity Discounts

Reference item #6.

8. Payment Terms

Net 30 days

9. Foreign Items

None

10. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact MillerKnoll Inc. or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

Contract Information

continued

11. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

12. Ordering Address

a. MillerKnoll Inc.

Government Customer Care 0161
855 East Main Avenue
Zeeland MI 49464.

b. For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.

13. Payment Address.

MillerKnoll Inc.
22764 Network Place
Chicago, IL 60673-1227

14. Warranty

MillerKnoll Inc. commercial warranty applies.

15. Export Packing Charge

Prices supplied on request.

16. Rental Maintenance and Repair Terms

Not applicable

17. Terms and Conditions of Installation/Reconfiguration and Relocation Services

* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

18. Terms and Conditions of Repair Parts

Not applicable

19. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

20. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/where-to-buy/contact-a-dealer/. Select your market by using the filter.

21. Preventive Maintenance

Not applicable

22a. Special Attributes.

2022

MillerKnoll earns its 15th consecutive perfect score in Human Rights Campaign Foundation's 2022 Corporate Equality Index.

2021

The OE1 Trolley and Micro Packs are both winners of the 2021 Archiproducts international design competition in the Office Category.

MillerKnoll is named to Michigan's Best and Brightest in Wellness List for 2021.

MillerKnoll is awarded Platinum Rating in CSR by EcoVadis.

OE1 is named winner of Wallpaper's "Most Futuristic Furniture" Category as part of their first-ever Smart Space Awards.

OE1 receives the Workplace category award from Fast Company's 2021 Innovation by Design Awards.

MillerKnoll is named to Fast Company's Annual List of the World's Most Innovative Companies for 2021.

MillerKnoll is recognized as a "Disclosure Leader" by the Chemical Footprint Project (CFP).

Contract Information

continued

MillerKnoll earns its 14th consecutive perfect score in Human Rights Campaign Foundation's 2021 Corporate Equality Index.

MillerKnoll is named to Newsweek's List of America's Most Responsible Companies 2021.

Great Lakes Women's Business Council awards MillerKnoll for "Excellence in Supplier Diversity" in the Best In Class category.

2020

Herman Miller is recognized with a 2020 FSC® Leadership Award for our commitment to responsible forestry management.

Herman Miller is named one of Investor's Business Daily Top 50 Best ESG (Environmental, Social, and Corporate Governance) Companies.

Working Mother names Herman Miller as one of the Best Companies for Dads.

Herman Miller is awarded Platinum Rating in CSR by EcoVadis.

Herman Miller is named Diversity Inc 2020 Noteworthy Company for recruitment efforts, employee development opportunities, leadership accountability, and supplier diversity.

Cosm, by Studio 7.5, receives an iF Gold Award in the Office and Industry category at the iF World Design Awards 2020.

Herman Miller earns its 13th consecutive perfect score in Human Rights Campaign Foundation's 2020 Corporate Equality Index.

2019

Mora System casework, designed by Collective Ten for Herman Miller, receives silver in the Industrial and Life Science Design/Medical Furniture category at the European Product Design Awards.

Mora System casework is awarded GOOD DESIGN Award 2019, selected for design excellence and innovation.

National Minority Supplier Diversity Council (NMSDC) names Herman Miller as the 2019 Class 1 Corporation of the Year for leadership in supplier diversity.

TIME Magazine names Cosm to its list of 100 Best Inventions of 2019.

Herman Miller is named #12 Overall and #2 in Manufacturing on Investor's Business Daily Best ESG (Environmental, Social, Governance) Companies.

Herman Miller is recognized as a silver level Certified Veteran-Friendly Employer by the Michigan Veterans Affairs Agency for a commitment to veteran hiring, retention, and development.

For the second year in a row, Herman Miller receives a Gold Medal from EcoVadis in recognition of Corporate Social Responsibility achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement.

Herman Miller is named "Frontrunner" in Chemical Footprint Project by Clean Production Action for our chemical management policies and practices.

Herman Miller receives International Interior Design Association and Contract's best showroom design award in the "Large Showroom" category at NeoCon.

Herman Miller earns its 12th consecutive perfect score in Human Rights Campaign Foundation's 2019 Corporate Equality Index.

Cosm, designed by Studio 7.5 for Herman Miller, receives a Red Dot Best of the Best Product Design Award in the "Office Chairs" category.

Lino, designed by Sam Hecht and Kim Colin for Herman Miller, receives an iF Design Award in the Product Design category.

2018

Overlay, designed by Birsell+Seck, receives Interior Design Best of Year Award in the Partitions and Wall Systems category.

Herman Miller receives the "Corporation of the Year" in consumer products award from the Michigan Minority Supplier Development Council.

Herman Miller achieves the Advanced Excellence in Supplier Diversity Award from the Great Lakes Women's Business Council for doing business with women-owned suppliers.

Great Lakes Women's Business Council awards Herman Miller for "Excellence in Supplier Diversity" in the Advanced category.

WEConnect awards Herman Miller an Honorable Mention for global supplier diversity initiatives.

As one of the top-scoring companies in the industry for the 14th consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2018 Sustainability Yearbook and receives the Silver Class distinction for excellent sustainability performance—economic, environmental, and social.

For the 11th consecutive year, Herman Miller receives a perfect score on the Human Rights Campaign Foundation's Corporate Equality Index and is designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly LGBT-related policies and practices.

Contract Information

continued

Herman Miller receives Gold Medal from EcoVadis in recognition of Corporate Social Sustainability achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement. EcoVadis operates the first web-based collaborative platform that allows companies to assess the environmental and social performance of their global suppliers.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The Cosm Chair wins Mix Interiors "Product of the Year—Task" award.

2017

Herman Miller receives "Rising Star Award" from the Michigan Veterans Affairs Agency (MVAA) for exhibiting new and novel approaches to veteran recruitment and hiring.

Herman Miller is named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller receives a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award. SEAL Award winners are determined by a holistic methodology measuring applicants against established benchmarks that demonstrate impact and progress toward creating a healthy planet and a sustainable future.

Herman Miller earns the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller is named one of the Best and Brightest in Wellness for the 5th year in a row.

Herman Miller earns its 10th consecutive perfect score in Human Rights Campaign Foundation's 2017 Corporate Equality Index.

As one of the top-scoring companies in the industry for the 13th consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and receives the Bronze Class distinction for excellent economic, environmental, and social sustainability performance. The selection criteria for inclusion in the Yearbook becomes more rigorous each year, and only the top 15 percent of companies within each industry are selected.

Herman Miller once again earns the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience. Herman Miller is the only furniture manufacturer among the 160 companies across the U.S. and Canada honored with the award.

Herman Miller's Mora wins Nightingale Silver Award in the "Furniture Collections" category at the 2017 Healthcare Design Conference.

2016

Herman Miller earns 9th consecutive perfect score in Human Rights Campaign Foundation's Corporate Equality Index and is designated as Best Place to Work for LGBT equality.

Herman Miller is recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC) for being an outstanding partner in support of the growth of WMEAC's programs. WMEAC's award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (5th consecutive year) recognizes Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability. This award celebrates those companies that are making their businesses more sustainable, the lives of their employees better, and the community, both locally and globally, more responsible as a whole.

Herman Miller is recognized by the Michigan Minority Supplier Development Council (MMSDC) as a "Corporation of the Year". Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC.

Herman Miller is recognized with "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council.

Herman Miller is recognized as a 2016 Healthiest 100 Workplace in America, ranking 49th in the country for our commitment to health and exceptional corporate wellness programming.

Herman Miller receives the Best and Brightest in Wellness Award for the 4th year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

The Michigan Occupational Safety and Health Administration renews Herman Miller's "Star" status, the highest workplace safety and health designation, for the Hickory facility in Spring Lake.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Herman Miller is named a 2016 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller is selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for the 12th consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

Contract Information

continued

22b. Section 508 Compliance

Not applicable

23. Unique Entity ID: Q2K3MSZ843D8

24. Registered in System for Award Management (www.SAM.gov) Database

25. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

26. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Returns and restocking policy is not applicable to Options products, products under SIN 337127, 339113H, NaughtOne and Nemschoff products.

MillerKnoll Inc. Miscellaneous Information:

Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636

Data Universal Numbering System (DUNS) 00-601-2801

Commercial Entity Code (CEC): 00702290J

Introduction	page 2
Renew™ Sit-to-Stand Tables	3
Adjustable-Height Tables	5
Sit-to-Stand Table Bases	46
Ambit™ Shroud	50
Ambit Storage	56
Power and Data Support	58
Screens	68
Indices	85
By Name	85
By Number	87
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective October 7, 2024, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.


All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Adjustable-Height Tables

Sit-to-Stand Table Bases

Ambit™ Shroud

Ambit™ Storage


Power and Data Support

Screens



Rectangle Table with C-Foot

DU6ACE
DU6ACS
DU6ACT



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.

For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):


- Painted (P) top finishes: CL, LU

- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Table with C-Foot *continued*

Specification Information		
Step 1.		
DU6AC <input type="checkbox"/>		
Step 2. Edge		
S.	squared-edge	<input type="checkbox"/>
T.	thin-edge	<input type="checkbox"/>
E.	eased-edge	<input type="checkbox"/>
Step 3. Depth		
24	24" deep (23" surface size)	<input type="checkbox"/>
30	30" deep (29" surface size)	<input type="checkbox"/>
Step 4. Width		
<i>For 24" deep (23" surface size) (24)</i>		
36	36" wide (34" surface size)	<input type="checkbox"/>
42	42" wide (40" surface size)	<input type="checkbox"/>
48	48" wide (46" surface size)	<input type="checkbox"/>
54	54" wide (52" surface size)	<input type="checkbox"/>
60	60" wide (58" surface size)	<input type="checkbox"/>
66	66" wide (64" surface size)	<input type="checkbox"/>
72	72" wide (70" surface size)	<input type="checkbox"/>
84	84" wide (82" surface size)	<input type="checkbox"/>
<i>For 30" deep (29" surface size) (30)</i>		
36	36" wide (34" surface size)	<input type="checkbox"/>
42	42" wide (40" surface size)	<input type="checkbox"/>
48	48" wide (46" surface size)	<input type="checkbox"/>
54	54" wide (52" surface size)	<input type="checkbox"/>
60	60" wide (58" surface size)	<input type="checkbox"/>
66	66" wide (64" surface size)	<input type="checkbox"/>
72	72" wide (70" surface size)	<input type="checkbox"/>
84	84" wide (82" surface size)	<input type="checkbox"/>

Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
J	thermally-fused laminate top/thermoplastic edge with MicrobeCare™ <input type="checkbox"/>
K	thermally-fused laminate top/universal edge with MicrobeCare™ <input type="checkbox"/>
M	thermally-fused laminate top/thermoplastic edge <input type="checkbox"/>
T	thermally-fused laminate top/universal edge <input type="checkbox"/>
L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>
W	veneer top/veneer edge <input type="checkbox"/>
P	painted Formcoat® top/edge <input type="checkbox"/>
U	high-pressure laminate/universal edge <input type="checkbox"/>
A	high-pressure laminate top/thermoplastic edge with MicrobeCare™ <input type="checkbox"/>
C	high-pressure laminate top/universal edge with MicrobeCare™ <input type="checkbox"/>
<i>For thin-edge (T.)</i>	
L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>
W	veneer top/veneer edge <input type="checkbox"/>
P	painted Formcoat® top/edge <input type="checkbox"/>
A	high-pressure laminate top/thermoplastic edge with MicrobeCare™ <input type="checkbox"/>
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge <input type="checkbox"/>
Step 6. Height Adjustment	
C	crank sit-to-stand <input type="checkbox"/>
K	crank seated <input type="checkbox"/>
E	electric standard range <input type="checkbox"/>
D	electric extended range <input type="checkbox"/>

Prices for Steps 1-6.							
		JC	JK	JE	JD	KC	KK
DU6ACS.	24 36	\$3028	3028	3725	4397	3028	3028
	42	\$3087	3087	3906	4467	3087	3087
	48	\$3158	3158	4030	4520	3158	3158
	54	\$3218	3218	4108	4608	3218	3218
	60	\$3279	3279	4223	4610	3279	3279
	66	\$3340	3340	4222	4699	3340	3340
	72	\$3404	3404	4390	4790	3404	3404
	84	\$3482	3482	4485	4802	3482	3482

Rectangle Table with C-Foot *continued*

30	36	\$3203	3117	4124	4470	3117	3117
42		\$3263	3175	4170	4511	3175	3175
48		\$3248	3248	4226	4562	3248	3248
54		\$3309	3309	4308	4649	3309	3309
60		\$3376	3376	4313	4710	3376	3376
66		\$3531	3436	4480	4801	3436	3436
72		\$3600	3502	4480	4893	3502	3502
84		\$3583	3583	4665	5001	3583	3583
		KE	KD	MC	MK	ME	MD
DU6ACS. 24	36	\$3796	4397	2943	2943	3642	4312
	42	\$3906	4467	3000	3000	3822	4381
	48	\$4030	4520	3060	3060	3932	4421
	54	\$4108	4608	3120	3120	4009	4509
	60	\$4223	4610	3179	3179	4126	4512
	66	\$4303	4699	3243	3243	4124	4603
	72	\$4390	4790	3307	3307	4290	4691
	84	\$4485	4895	3372	3372	4374	4691
30	36	\$4124	4470	3119	3032	4039	4386
	42	\$4170	4511	3178	3089	4084	4425
	48	\$4226	4562	3150	3150	4129	4465
	54	\$4308	4649	3211	3211	4211	4552
	60	\$4396	4710	3277	3277	4214	4612
	66	\$4480	4801	3433	3339	4381	4703
	72	\$4565	4893	3505	3404	4381	4795
	84	\$4665	5001	3471	3471	4554	4891
		TC	TK	TE	TD	LC	LK
DU6ACS. 24	36	\$2943	2943	3712	4312	2987	2987
	42	\$3000	3000	3822	4381	3046	3046
	48	\$3060	3060	3932	4421	3106	3106
	54	\$3120	3120	4009	4509	3168	3168
	60	\$3179	3179	4126	4512	3229	3229
	66	\$3243	3243	4206	4603	3292	3292
	72	\$3307	3307	4290	4691	3357	3357
	84	\$3372	3372	4374	4785	3422	3422
30	36	\$3032	3032	4039	4386	3167	3078
	42	\$3089	3089	4084	4425	3227	3137
	48	\$3150	3150	4129	4465	3198	3198
	54	\$3211	3211	4211	4552	3260	3260
	60	\$3277	3277	4298	4612	3326	3326
	66	\$3339	3339	4381	4703	3486	3389
	72	\$3404	3404	4468	4795	3558	3456
	84	\$3471	3471	4554	4891	3523	3523

		LE	LD	WC	WK	WE	WD
DU6ACS. 24	36	\$3697	4378	3345	3345	4238	4789
	42	\$3881	4447	3413	3413	4368	4866
	48	\$3992	4489	3480	3480	4495	4912
	54	\$4071	4577	3549	3549	4587	5015
	60	\$4188	4581	3621	3621	4722	5018
	66	\$4186	4672	3692	3692	4818	5122
	72	\$4355	4762	3767	3767	4912	5225
	84	\$4440	4762	3843	3843	5010	5334
30	36	\$4101	4452	3447	3447	4622	4870
	42	\$4146	4493	3516	3516	4672	4915
	48	\$4192	4532	3585	3585	4726	4966
	54	\$4276	4621	3657	3657	4822	5067
	60	\$4279	4681	3733	3733	4918	5135
	66	\$4447	4775	3806	3806	5018	5243
	72	\$4447	4867	3883	3883	5119	5348
	84	\$4623	4965	3959	3959	5221	5458
		PC	PK	PE	PD	UC	UK
DU6ACS. 24	36	\$3029	3029	3839	4478	2987	2987
	42	\$3086	3086	3953	4550	3046	3046
	48	\$3151	3151	4068	4592	3106	3106
	54	\$3215	3215	4153	4684	3168	3168
	60	\$3279	3279	4277	4687	3229	3229
	66	\$3342	3342	4358	4781	3292	3292
	72	\$3412	3412	4447	4878	3357	3357
	84	\$3479	3479	4538	4973	3422	3422
30	36	\$3123	3123	4184	4553	3078	3078
	42	\$3184	3184	4229	4595	3137	3137
	48	\$3246	3246	4279	4635	3198	3198
	54	\$3313	3313	4363	4729	3260	3260
	60	\$3378	3378	4454	4792	3326	3326
	66	\$3444	3444	4542	4889	3389	3389
	72	\$3513	3513	4633	4987	3456	3456
	84	\$3584	3584	4726	5087	3523	3523
		UE	UD	AC	AK	AE	AD
DU6ACS. 24	36	\$3768	4378	3074	3074	3782	4462
	42	\$3881	4447	3135	3135	3966	4535
	48	\$3992	4489	3206	3206	4092	4589
	54	\$4071	4577	3268	3268	4171	4677
	60	\$4188	4581	3328	3328	4288	4679
	66	\$4271	4672	3390	3390	4287	4770
	72	\$4355	4762	3456	3456	4456	4862
	84	\$4440	4857	3534	3534	4553	4874

Renew™ Adjustable-Height Tables

Rectangle Table with C-Foot *continued*

Renew™ Adjustable-Height Tables

30	36	\$4101	4452	3252	3165	4186	4538
42		\$4146	4493	3312	3222	4233	4580
48		\$4192	4532	3298	3298	4290	4631
54		\$4276	4621	3359	3359	4374	4720
60		\$4363	4681	3426	3426	4379	4781
66		\$4447	4775	3585	3488	4548	4873
72		\$4536	4867	3656	3556	4548	4967
84		\$4623	4965	3636	3636	4736	5076

			CC	CK	CE	CD
DU6ACS. 24	36		\$3059	3059	3835	4441
	42		\$3119	3119	3946	4512
	48		\$3190	3190	4071	4566
	54		\$3251	3251	4150	4654
	60		\$3312	3312	4267	4656
	66		\$3374	3374	4346	4747
	72		\$3439	3439	4435	4838
	84		\$3517	3517	4530	4944

30	36		\$3149	3149	4166	4515
42			\$3207	3207	4212	4557
48			\$3281	3281	4269	4609
54			\$3343	3343	4352	4696
60			\$3410	3410	4440	4757
66			\$3471	3471	4525	4850
72			\$3539	3539	4612	4942
84			\$3619	3619	4713	5052

		TC	TK	TE	TD	LC	LK
DU6ACT. 24	36	—	—	—	—	\$3259	3259
	42	—	—	—	—	\$3319	3319
	48	—	—	—	—	\$3388	3388
	54	—	—	—	—	\$3456	3456
	60	—	—	—	—	\$3526	3526
	66	—	—	—	—	\$3594	3594
	72	—	—	—	—	\$3667	3667
	84	—	—	—	—	\$3740	3740

30	36	—	—	—	—	\$3358	3358
42		—	—	—	—	\$3421	3421
48		—	—	—	—	\$3492	3492
54		—	—	—	—	\$3562	3562
60		—	—	—	—	\$3632	3632
66		—	—	—	—	\$3705	3705
72		—	—	—	—	\$3778	3778
84		—	—	—	—	\$3856	3856

		LE	LD	WC	WK	WE	WD
DU6ACT. 24	36	\$4126	4815	3758	3758	4512	5200
	42	\$4253	4895	3833	3833	4655	5292
	48	\$4253	4937	3910	3910	4661	5342
	54	\$4463	5035	3989	3989	4898	5454
	60	\$4599	5039	4068	4068	5054	5462
	66	\$4691	5142	4151	4151	5159	5576
	72	\$4782	5094	4234	4234	5267	5695
	84	\$4880	5347	4315	4315	5376	5816

30	36	\$4497	4898	3873	3873	4942	5296
	42	\$4419	4941	3953	3953	4997	5345
	48	\$4602	4989	4031	4031	5057	5402
	54	\$4694	5089	4110	4110	5162	5515
	60	\$4652	5154	4191	4191	5275	5589
	66	\$4886	5258	4276	4276	5386	5711
	72	\$4839	5361	4363	4363	5342	5831
	84	\$5083	5468	4448	4448	5612	5954

		PC	PK	PE	PD	UC	UK
DU6ACT. 24	36	\$3280	3280	4131	4712	—	—
	42	\$3351	3351	4263	4795	—	—
	48	\$3418	3418	4391	4840	—	—
	54	\$3488	3488	4486	4946	—	—
	60	\$3559	3559	4621	4948	—	—
	66	\$3635	3635	4717	5054	—	—
	72	\$3707	3707	4815	5160	—	—
	84	\$3785	3785	4915	5270	—	—

30	36	\$3383	3383	4520	4800	—	—
	42	\$3454	3454	4572	4845	—	—
	48	\$3525	3525	4625	4893	—	—
	54	\$3599	3599	4722	4997	—	—
	60	\$3671	3671	4686	5067	—	—
	66	\$3748	3748	4923	5175	—	—
	72	\$3827	3827	5027	5283	—	—
	84	\$3903	3903	5129	5398	—	—

		UE	UD	AC	AK	AE	AD
DU6ACT. 24	36	—	—	\$3346	3346	4213	4903
	42	—	—	\$3406	3406	4339	4981
	48	—	—	\$3487	3487	4354	5038
	54	—	—	\$3557	3557	4563	5135
	60	—	—	\$3626	3626	4699	5139
	66	—	—	\$3694	3694	4790	5241
	72	—	—	\$3766	3766	4882	5195
	84	—	—	\$3856	3856	4992	5462

Rectangle Table with C-Foot *continued*

	30	36	—	—	\$3446	3446	4586	4985
		42	—	—	\$3508	3508	4507	5028
		48	—	—	\$3591	3591	4701	5089
		54	—	—	\$3662	3662	4794	5188
		60	—	—	\$3732	3732	4752	5253
		66	—	—	\$3804	3804	4986	5358
		72	—	—	\$3877	3877	4940	5459
		84	—	—	\$3968	3968	5196	5581
			PC	PK	PE	PD	UC	UK
DU6ACE.	24	36	\$3259	3259	4095	4724	—	—
		42	\$3328	3328	4228	4809	—	—
		48	\$3396	3396	4358	4856	—	—
		54	\$3465	3465	4447	4959	—	—
		60	\$3540	3540	4588	4961	—	—
		66	\$3611	3611	4682	5067	—	—
		72	\$3687	3687	4782	5172	—	—
		84	\$3763	3763	4880	5283	—	—
	30	36	\$3361	3361	4486	4812	—	—
		42	\$3432	3432	4536	4858	—	—
		48	\$3504	3504	4590	4905	—	—
		54	\$3576	3576	4552	5008	—	—
		60	\$3651	3651	4652	5078	—	—
		66	\$3727	3727	4887	5187	—	—
		72	\$3804	3804	4991	5296	—	—
		84	\$3884	3884	5094	5409	—	—

Step 7. Hidden Power Access

For electric extended range (D)

NNP	no power access	A	+	\$0
------------	-----------------	----------	---	-----

For crank sit-to-stand (C) or crank seated (K)

NNP	no power access	A	+	\$0
PLA	leg access	A	+	\$299

For electric standard range (E)

NNP	no power access	A	+	\$0
PLA	leg access	A	+	\$299

Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

SUD	simple up down	A	+	\$0
SRM	digital read out with memory	A	+	\$160

Switch Option/Crank Location/Crank Handle Finish

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), or 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

TPW	top crank, white handle	A	+	\$0
TPG	top crank, graphite handle	A	+	\$0
FRT	front crank, black handle	A	+	\$40

Switch Option/Crank Location/Crank Handle Finish

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

TPW	top crank, white handle	A	+	\$0
TPG	top crank, graphite handle	A	+	\$0

Step 9.

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut	A	+	\$85
40	dark brown walnut	A	+	\$85
A2	white ash	A	+	\$85
CHD	noble cherry	A	+	\$85
ET	clear on ash	A	+	\$85
EU	oak on ash	A	+	\$85
EV	walnut on ash	A	+	\$85
EW	medium matte walnut	A	+	\$85
OU	walnut	A	+	\$85
UL	natural maple	A	+	\$85
WHN	natural white oak	A	+	\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	A	+	\$0
91	white (CP)	A	+	\$0
LU	soft white	A	+	\$0

Rectangle Table with C-Foot *continued*

Renew™ Adjustable-Height Tables

Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
UBK	ultra black (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
HF	inner tone light	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBQ	white twill	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0

Rectangle Table with C-Foot *continued*

Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)

125	natural maple (CP) [A]	+\$0
126	natural cherry (CP) [A]	+\$0
127	walnut (CP) [A]	+\$0
139	light ash (CP) [A]	+\$0
140	warm ash (CP) [A]	+\$0
G1	graphite (CP) [A]	+\$0
UBK	ultra black (CP) [A]	+\$0
76	light brown walnut [A]	+\$0
8Q	folkstone grey (CP) [A]	+\$0
91	white (CP) [A]	+\$0
98	studio white (CP) [A]	+\$0
CL	cool grey neutral [A]	+\$0
HF	inner tone light [A]	+\$0
HP	light anigre [A]	+\$0
LBA	clear on ash (CP) [A]	+\$0
LBR	phantom ecru [A]	+\$0
LBS	phantom cocoa [A]	+\$0
LBU	medium matte walnut (CP) [A]	+\$0
LBV	warm grey teak [A]	+\$0
LBB	oak on ash (CP) [A]	+\$0
LBC	walnut on ash (CP) [A]	+\$0
LBF	neutral twill [A]	+\$0
LBJ	graphite twill [A]	+\$0
LBQ	white twill [A]	+\$0
LU	soft white [A]	+\$0
WL	warm stone (CP) [A]	+\$0
WN	warm grey neutral [A]	+\$0

For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

PLY	plywood edge [A]	+\$50
-----	------------------	-------

Step 11. Leg/Foot Finish

Metallic Paint

611	beige mist metallic (CP) [A]	+\$0
613	silver (CP) [A]	+\$0
CN	metallic champagne leg with metallic champagne foot [A]	+\$0
MS	metallic silver leg with metallic silver foot [A]	+\$0
SNA	satin aluminum [A]	+\$30
SNB	satin bronze [A]	+\$30
SNC	satin carbon [A]	+\$30

Sand Texture Paint

BK	black leg with black foot [A]	+\$0
LFL	black leg with polished aluminum foot [A]	+\$0
UBK	ultra black (CP) [A]	+\$0

Smooth Paint

G1	graphite (CP) [A]	+\$0
8Q	folkstone grey leg with folkstone grey foot (CP) [A]	+\$0
91	white leg with white foot (CP) [A]	+\$0
98	studio white leg with studio white foot (CP) [A]	+\$0
G2	graphite satin leg with graphite satin foot [A]	+\$0
WL	warm stone leg with sandstone foot (CP) [A]	+\$0
WN	warm grey neutral leg with warm grey neutral foot [A]	+\$0
LFF	white leg with polished aluminum foot (CP) [A]	+\$160
LFG	warm grey neutral leg with polished aluminum foot [A]	+\$160
LFH	graphite satin leg with polished aluminum foot [A]	+\$160
LFJ	metallic silver leg with polished aluminum foot [A]	+\$160
LFK	studio white leg with polished aluminum foot (CP) [A]	+\$160

Polished Aluminum

LFM	satin carbon leg with polished aluminum foot [A]	+\$190
LFX	satin aluminum with polished aluminum foot [A]	+\$190
LFZ	satin bronze with polished aluminum foot [A]	+\$190

Step 12. Cord Cover/Cable Management

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PSC	simple cable [A]	+\$0
-----	------------------	------

Rectangle Table with C-Foot *continued*

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PSC	simple cable <input type="checkbox"/>	+\$0
PHD	high density cable trough <input type="checkbox"/>	+\$299

Step 13. Power Access Cutout

For 24" deep (23" surface size) (24) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with simple cable (PSC)

NNN	no cutout <input type="checkbox"/>	+\$0
------------	------------------------------------	------

For 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), or 42" wide (40" surface size) (42) with simple cable (PSC)

NNN	no cutout <input type="checkbox"/>	+\$0
------------	------------------------------------	------

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48) with simple cable (PSC), or high density cable trough (PHD)

NNN	no cutout <input type="checkbox"/>	+\$0
------------	------------------------------------	------

For 30" deep (29" surface size) (30) with 54" wide (52" surface size) (54) with high density cable trough (PHD)

NNN	no cutout <input type="checkbox"/>	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

For 30" deep (29" surface size) (30) with 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with simple cable (PSC)

NNN	no cutout <input type="checkbox"/>	+\$0
------------	------------------------------------	------


For 30" deep (29" surface size) (30) with 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with high density cable trough (PHD)

CAC	center cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45
LAC	left cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45
NNN	no cutout <input type="checkbox"/>	+\$0

Step 14. Casters/Glides

57	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

Rectangle Counterbalance Table with DU6ACG C-Foot



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Glides have 1/2" leveling range.

Shipped knocked down.

Floor to top-of-surface height adjustment range is 27"-46". A nonpowered gas-assisted counterbalance mechanism provides smooth operation throughout the entire height range.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.

For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):


- Painted (P) top finishes: CL, LU

- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Counterbalance Table with C-Foot *continued*

Specification Information							
Step 1.							
DU6ACG <input type="checkbox"/>							
Step 2. Edge							
S.	squared-edge <input type="checkbox"/>						
T.	thin-edge <input type="checkbox"/>						
E.	eased-edge <input type="checkbox"/>						
Step 3. Depth							
24	24" deep <input type="checkbox"/>						
30	30" deep <input type="checkbox"/>						
Step 4. Width							
For 24" deep (24)							
48	48" wide <input type="checkbox"/>						
60	60" wide <input type="checkbox"/>						
72	72" wide <input type="checkbox"/>						
For 30" deep (30)							
48	48" wide <input type="checkbox"/>						
60	60" wide <input type="checkbox"/>						
72	72" wide <input type="checkbox"/>						
Step 5. Surface Material							
For squared-edge (S.)							
L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>						
W	veneer top/veneer edge <input type="checkbox"/>						
P	painted Formcoat® top/edge <input type="checkbox"/>						
For thin-edge (T.)							
L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>						
W	veneer top/veneer edge <input type="checkbox"/>						
P	painted Formcoat® top/edge <input type="checkbox"/>						
For eased-edge (E.)							
P	painted Formcoat® top/edge <input type="checkbox"/>						
Prices for Steps 1-5.							
		48L	48W	48P	60L	60W	60P
DU6ACG S.	24	\$4665	5302	4800	4898	5622	5088
	30	\$4736	5439	4922	5015	5755	5203
	T. 24	\$5021	5823	5272	5320	6171	5588
	30	\$5150	5973	5408	5450	6322	5721

E.	24	—	—	\$5221	—	—	5534
	30	—	—	\$5354	—	—	5668
				72L	72W	72P	
DU6ACG S.	24			\$5211	5980	5413	
	30			\$5330	6114	5535	
T.	24			\$5662	6569	5944	
	30			\$5789	6714	6080	
E.	24			—	—	\$5888	
	30			—	—	\$6020	

Step 6. Cord Cover/Cable Management							
PSC	simple cable	<input type="checkbox"/>					
							+\$0

Step 7.							
Top Finish							
For high-pressure laminate top/thermoplastic edge (L)							
125	natural maple (CP)	<input type="checkbox"/>					+\$0
126	natural cherry (CP)	<input type="checkbox"/>					+\$0
127	walnut (CP)	<input type="checkbox"/>					+\$0
139	light ash (CP)	<input type="checkbox"/>					+\$0
140	warm ash (CP)	<input type="checkbox"/>					+\$0
UBK	ultra black (CP)	<input type="checkbox"/>					+\$0
76	light brown walnut	<input type="checkbox"/>					+\$0
8Q	folkstone grey (CP)	<input type="checkbox"/>					+\$0
91	white (CP)	<input type="checkbox"/>					+\$0
98	studio white (CP)	<input type="checkbox"/>					+\$0
CL	cool grey neutral	<input type="checkbox"/>					+\$0
HF	inner tone light	<input type="checkbox"/>					+\$0
HP	light anigre	<input type="checkbox"/>					+\$0
LBA	clear on ash (CP)	<input type="checkbox"/>					+\$0
LBR	phantom ecru	<input type="checkbox"/>					+\$0
LBS	phantom cocoa	<input type="checkbox"/>					+\$0
LBU	medium matte walnut (CP)	<input type="checkbox"/>					+\$0
LBV	warm grey teak	<input type="checkbox"/>					+\$0
LBB	oak on ash (CP)	<input type="checkbox"/>					+\$0
LBC	walnut on ash (CP)	<input type="checkbox"/>					+\$0
LBF	neutral twill	<input type="checkbox"/>					+\$0
LBJ	graphite twill	<input type="checkbox"/>					+\$0
LBQ	white twill	<input type="checkbox"/>					+\$0
LU	soft white	<input type="checkbox"/>					+\$0
WL	warm stone (CP)	<input type="checkbox"/>					+\$0
WN	warm grey neutral	<input type="checkbox"/>					+\$0

Rectangle Counterbalance Table with C-Foot *continued*

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
A2	white ash <input type="checkbox"/>	+\$85
CHD	noble cherry <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
EW	medium matte walnut <input type="checkbox"/>	+\$85
OU	walnut <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
WHN	natural white oak <input type="checkbox"/>	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 9. Leg/Foot Finish

Metallic Paint

613	silver (CP) <input type="checkbox"/>	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$0

Sand Texture Paint

UBK	ultra black (CP) <input type="checkbox"/>	+\$0
------------	---	------

Smooth Paint


G1	graphite (CP) <input type="checkbox"/>	+\$0
G2	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0

Step 10. Casters/Glides

57	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

Rectangle Table with T-Foot

DU6ATE
DU6ATS
DU6ATT



Product Information

Description

This rectangular height-adjustable table has a T-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.

For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):


- Painted (P) top finishes: CL, LU

- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Table with T-Foot *continued*

Specification Information

Step 1.

DU6AT ☐

Step 2. Edge

S. squared-edge ☐

T. thin-edge ☐

E. eased-edge ☐

Step 3. Depth

30 30" deep (29" surface size) ☐

36 36" deep (35" surface size) ☐

Step 4. Width

For 30" deep (29" surface size) (30)

36 36" wide (34" surface size) ☐

42 42" wide (40" surface size) ☐

48 48" wide (46" surface size) ☐

54 54" wide (52" surface size) ☐

60 60" wide (58" surface size) ☐

66 66" wide (64" surface size) ☐

72 72" wide (70" surface size) ☐

84 84" wide (82" surface size) ☐

For 36" deep (35" surface size) (36)

42 42" wide (40" surface size) ☐

48 48" wide (46" surface size) ☐

54 54" wide (52" surface size) ☐

60 60" wide (58" surface size) ☐

66 66" wide (64" surface size) ☐

72 72" wide (70" surface size) ☐

84 84" wide (82" surface size) ☐

Step 5. Surface Material

For squared-edge (S.)

J thermally-fused laminate top/thermoplastic edge with

MicrobeCare™ ☐

K thermally-fused laminate top/universal edge with MicrobeCare™ ☐

M thermally-fused laminate top/thermoplastic edge ☐

T thermally-fused laminate top/universal edge ☐

L high-pressure laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

U high-pressure laminate/universal edge ☐

A high-pressure laminate top/thermoplastic edge with

MicrobeCare™ ☐

C high-pressure laminate top/universal edge with MicrobeCare™ ☐

For thin-edge (T.)

L high-pressure laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

A high-pressure laminate top/thermoplastic edge with

MicrobeCare™ ☐

For eased-edge (E.)

P painted Formcoat® top/edge ☐

Step 6. Height Adjustment

C crank sit-to-stand ☐

K crank seated ☐

E electric standard range ☐

D electric extended range ☐

Prices for Steps 1-6.

		JC	JK	JE	JD	KC	KK
DU6ATS.	30 36	\$3117	3117	4124	4471	3117	3117
	42	\$3175	3175	4170	4511	3175	3175
	48	\$3249	3249	4227	4562	3249	3249
	54	\$3309	3309	4308	4650	3309	3309
	60	\$3376	3376	4396	4711	3376	3376
	66	\$3437	3437	4481	4801	3437	3437
	72	\$3502	3502	4481	4894	3502	3502
	84	\$3583	3583	4666	5001	3583	3583

Rectangle Table with T-Foot *continued*

	36	42	\$3265	3265	4291	4598	3265 3265
		48	\$3340	3340	4351	4703	3340 3340
		54	\$3405	3405	4435	4793	3405 3405
		60	\$3470	3470	4525	4887	3470 3470
		66	\$3534	3534	4612	4980	3534 3534
		72	\$3601	3601	4701	5078	3601 3601
		84	\$3686	3686	4803	5091	3686 3686
			KE	KD	MC	MK	ME MD
DU6ATS.	30	36	\$4124	4471	3033	3033	4040 4386
		42	\$4170	4511	3089	3089	4085 4426
		48	\$4227	4562	3150	3150	4129 4466
		54	\$4308	4650	3212	3212	4212 4552
		60	\$4396	4711	3278	3278	4299 4612
		66	\$4481	4801	3339	3339	4381 4705
		72	\$4565	4894	3405	3405	4381 4795
		84	\$4666	5001	3472	3472	4554 4892
	36	42	\$4291	4598	3180	3180	4207 4514
		48	\$4351	4703	3244	3244	4253 4606
		54	\$4435	4793	3307	3307	4338 4696
		60	\$4525	4887	3372	3372	4428 4789
		66	\$4612	4980	3437	3437	4514 4883
		72	\$4701	5078	3505	3505	4605 4980
		84	\$4803	5187	3573	3573	4693 4980
			TC	TK	TE	TD	LC LK
DU6ATS.	30	36	\$3033	3033	4040	4386	3078 3078
		42	\$3089	3089	4085	4426	3137 3137
		48	\$3150	3150	4129	4466	3198 3198
		54	\$3212	3212	4212	4552	3260 3260
		60	\$3278	3278	4299	4612	3326 3326
		66	\$3339	3339	4381	4705	3389 3389
		72	\$3405	3405	4469	4795	3456 3456
		84	\$3472	3472	4554	4892	3523 3523
	36	42	\$3180	3180	4207	4514	3229 3229
		48	\$3244	3244	4253	4606	3292 3292
		54	\$3307	3307	4338	4696	3357 3357
		60	\$3372	3372	4428	4789	3422 3422
		66	\$3437	3437	4514	4883	3488 3488
		72	\$3505	3505	4605	4980	3558 3558
		84	\$3573	3573	4693	5077	3626 3626

			LE	LD	WC	WK	WE	WD
DU6ATS.	30	36	\$4101	4452	3651	3651	4489	5327
		42	\$4146	4493	3723	3723	4624	5373
		48	\$4192	4532	3796	3796	5006	5428
		54	\$4276	4621	3874	3874	5103	5535
		60	\$4363	4681	3951	3951	5209	5607
		66	\$4447	4775	4031	4031	5313	5718
		72	\$4447	4867	4109	4109	5421	5834
		84	\$4623	4965	4195	4195	5531	5950
	36	42	\$4271	4583	3834	3834	4834	5486
		48	\$4317	4675	3912	3912	5149	5598
		54	\$4404	4766	3993	3993	5255	5708
		60	\$4495	4861	4068	4068	5325	5822
		66	\$4583	4956	4150	4150	5464	5938
		72	\$4674	5055	4232	4232	5604	6058
		84	\$4763	5055	4318	4318	5744	6176
			PC	PK	PE	PD	UC	UK
DU6ATS.	30	36	\$3123	3123	3839	4553	3078	3078
		42	\$3184	3184	3952	4595	3137	3137
		48	\$3246	3246	4279	4635	3198	3198
		54	\$3313	3313	4363	4729	3260	3260
		60	\$3378	3378	4454	4792	3326	3326
		66	\$3444	3444	4542	4889	3389	3389
		72	\$3513	3513	4633	4987	3456	3456
		84	\$3584	3584	4726	5087	3523	3523
	36	42	\$3279	3279	4201	4692	3229	3229
		48	\$3344	3344	4419	4784	3292	3292
		54	\$3412	3412	4553	4880	3357	3357
		60	\$3479	3479	4694	4980	3422	3422
		66	\$3548	3548	4786	5075	3488	3488
		72	\$3619	3619	4890	5179	3558	3558
		84	\$3691	3691	4973	5282	3626	3626
			UE	UD	AC	AK	AE	AD
DU6ATS.	30	36	\$4101	4452	3165	3165	4186	4538
		42	\$4146	4493	3222	3222	4233	4580
		48	\$4192	4532	3298	3298	4290	4631
		54	\$4276	4621	3359	3359	4374	4720
		60	\$4363	4681	3426	3426	4461	4781
		66	\$4447	4775	3488	3488	4548	4873
		72	\$4536	4867	3556	3556	4548	4967
		84	\$4623	4965	3636	3636	4736	5076

Rectangle Table with T-Foot *continued*

36	42	\$4271	4583	3313	3313	4355	4667
48		\$4317	4675	3390	3390	4417	4774
54		\$4404	4766	3456	3456	4502	4865
60		\$4495	4861	3521	3521	4594	4960
66		\$4583	4956	3588	3588	4681	5055
72		\$4674	5055	3656	3656	4771	5155
84		\$4763	5154	3740	3740	4875	5167
			CC	CK	CE	CD	
DU6ATS.	30 36		\$3149	3149	4166	4515	
	42		\$3207	3207	4212	4557	
	48		\$3281	3281	4269	4609	
	54		\$3343	3343	4352	4696	
	60		\$3410	3410	4440	4757	
	66		\$3471	3471	4525	4850	
	72		\$3539	3539	4612	4942	
	84		\$3619	3619	4713	5052	
36	42		\$3296	3296	4334	4645	
48			\$3374	3374	4396	4750	
54			\$3439	3439	4479	4841	
60			\$3504	3504	4572	4935	
66			\$3570	3570	4658	5030	
72			\$3637	3637	4748	5129	
84			\$3722	3722	4852	5239	
		TC	TK	TE	TD	LC	LK
DU6ATT.	30 36	—	—	—	—	\$3263	3263
	42	—	—	—	—	\$3324	3324
	48	—	—	—	—	\$3492	3392
	54	—	—	—	—	\$3460	3460
	60	—	—	—	—	\$3527	3527
	66	—	—	—	—	\$3600	3600
	72	—	—	—	—	\$3670	3670
	84	—	—	—	—	\$3746	3746
36	42	—	—	—	—	\$3428	3428
48		—	—	—	—	\$3493	3493
54		—	—	—	—	\$3565	3565
60		—	—	—	—	\$3635	3635
66		—	—	—	—	\$3708	3708
72		—	—	—	—	\$3780	3780
84		—	—	—	—	\$3858	3858

		LE	LD	WC	WK	WE	WD
DU6ATT.	30 36	\$4009	4759	3985	3985	4898	5815
	42	\$4129	4802	4063	4063	5050	5865
	48	\$4602	4845	4147	4147	5464	5923
	54	\$4558	4941	4231	4231	5572	6041
	60	\$4789	5006	4312	4312	5688	6118
	66	\$4746	5107	4400	4400	5800	6241
	72	\$4985	5361	4487	4487	6092	6368
	84	\$4936	5312	4578	4578	6034	6495
36	42	\$4319	4900	4184	4184	5409	5987
	48	\$4690	4999	4270	4270	5813	6109
	54	\$4810	5100	4355	4355	5882	6232
	60	\$4881	5198	4442	4442	6061	6354
	66	\$4967	5305	4531	4531	6166	6484
	72	\$5074	5569	4620	4620	6237	6610
	84	\$5164	5519	4713	4713	6379	6744
		PC	PK	PE	PD	UC	UK
DU6ATT.	30 36	\$3405	3405	4187	4972	—	—
	42	\$3475	3475	4314	5015	—	—
	48	\$3545	3545	4671	5065	—	—
	54	\$3616	3616	4762	5163	—	—
	60	\$3687	3687	4862	5232	—	—
	66	\$3760	3760	4959	5335	—	—
	72	\$3836	3836	5059	5441	—	—
	84	\$3910	3910	5159	5550	—	—
36	42	\$3577	3577	4749	5121	—	—
	48	\$3649	3649	4963	5223	—	—
	54	\$3724	3724	5091	5324	—	—
	60	\$3799	3799	5211	5594	—	—
	66	\$3874	3874	5316	5541	—	—
	72	\$3953	3953	5421	5653	—	—
	84	\$4028	4028	5527	5765	—	—
		UE	UD	AC	AK	AE	AD
DU6ATT.	30 36	—	—	\$3333	3333	4075	4821
	42	—	—	\$3396	3396	4195	4864
	48	—	—	\$3574	3476	4678	4919
	54	—	—	\$3543	3543	4634	5018
	60	—	—	\$3610	3610	4864	5081
	66	—	—	\$3680	3680	4821	5182
	72	—	—	\$3753	3753	5059	5433
	84	—	—	\$3839	3839	5026	5399

Renew™ Adjustable-Height Tables

Rectangle Table with T-Foot *continued*

Renew™ Adjustable-Height Tables

	36	42	—	—	\$3496	3496	4383	4963
		48	—	—	\$3575	3575	4765	5074
		54	—	—	\$3646	3646	4884	5172
		60	—	—	\$3717	3717	4956	5272
		66	—	—	\$3790	3790	5042	5376
		72	—	—	\$3861	3861	5148	5640
		84	—	—	\$3952	3952	5252	5604
			PC	PK	PE	PD	UC	UK
DU6ATE.	30	36	\$3397	3397	4520	4759	—	—
		42	\$3466	3466	4572	4806	—	—
		48	\$3541	3541	4625	4856	—	—
		54	\$3612	3612	4722	4959	—	—
		60	\$3687	3687	4823	5028	—	—
		66	\$3763	3763	4784	5134	—	—
		72	\$3839	3839	5027	5245	—	—
		84	\$3921	3921	5129	5356	—	—
	36	42	\$3575	3575	4749	4912	—	—
		48	\$3649	3649	4820	5018	—	—
		54	\$3724	3724	4892	5126	—	—
		60	\$3802	3802	4997	5235	—	—
		66	\$3877	3877	5102	5347	—	—
		72	\$3960	3960	5211	5462	—	—
		84	\$4040	4040	5316	5577	—	—

Step 7. Hidden Power Access

For crank sit-to-stand (C) or crank seated (K)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

For electric extended range (D)

NNP	no power access	A	+\$0
-----	-----------------	---	------

For electric standard range (E)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

SUD	simple up down	A	+\$0
SRM	digital read out with memory	A	+\$160

Switch Option/Crank Location/Crank Handle Finish

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

TPW	top crank, white handle	A	+\$0
TPG	top crank, graphite handle	A	+\$0
FRT	front crank, black handle	A	+\$40

Switch Option/Crank Location/Crank Handle Finish

For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

TPW	top crank, white handle	A	+\$0
TPG	top crank, graphite handle	A	+\$0

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
A2	white ash <input type="checkbox"/>	+\$85
CHD	noble cherry <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
EW	medium matte walnut <input type="checkbox"/>	+\$85
OU	walnut <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
WHN	natural white oak <input type="checkbox"/>	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0

Rectangle Table with T-Foot *continued*

Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)

125	natural maple (CP) [A]	+\$0
126	natural cherry (CP) [A]	+\$0
127	walnut (CP) [A]	+\$0
139	light ash (CP) [A]	+\$0
140	warm ash (CP) [A]	+\$0
76	light brown walnut [A]	+\$0
8Q	folkstone grey (CP) [A]	+\$0
91	white (CP) [A]	+\$0
98	studio white (CP) [A]	+\$0
CL	cool grey neutral [A]	+\$0
HF	inner tone light [A]	+\$0
HP	light anigre [A]	+\$0
LBA	clear on ash (CP) [A]	+\$0
LBR	phantom ecru [A]	+\$0
LBS	phantom cocoa [A]	+\$0
LBU	medium matte walnut (CP) [A]	+\$0
LBV	warm grey teak [A]	+\$0
LBB	oak on ash (CP) [A]	+\$0
LBC	walnut on ash (CP) [A]	+\$0
LBF	neutral twill [A]	+\$0
LBJ	graphite twill [A]	+\$0
LBQ	white twill [A]	+\$0
LU	soft white [A]	+\$0
WL	warm stone (CP) [A]	+\$0
WN	warm grey neutral [A]	+\$0

Step 11. Leg/Foot Finish

Metallic Paint

613	silver (CP) [A]	+\$0
CN	metallic champagne leg with metallic champagne foot [A]	+\$0
MS	metallic silver leg with metallic silver foot [A]	+\$0
SNA	satin aluminum [A]	+\$30
SNB	satin bronze [A]	+\$30
SNC	satin carbon [A]	+\$30

Sand Texture Paint

BK	black leg with black foot [A]	+\$0
LFL	black leg with polished aluminum foot [A]	+\$0
UBK	ultra black (CP) [A]	+\$0

Smooth Paint

G1	graphite (CP) [A]	+\$0
8Q	folkstone grey leg with folkstone grey foot (CP) [A]	+\$0
91	white leg with white foot (CP) [A]	+\$0
98	studio white leg with studio white foot (CP) [A]	+\$0
G2	graphite satin leg with graphite satin foot [A]	+\$0
WL	warm stone leg with sandstone foot (CP) [A]	+\$0
WN	warm grey neutral leg with warm grey neutral foot [A]	+\$0
LFF	white leg with polished aluminum foot (CP) [A]	+\$160
LFG	warm grey neutral leg with polished aluminum foot [A]	+\$160
LFH	graphite satin leg with polished aluminum foot [A]	+\$160
LFJ	metallic silver leg with polished aluminum foot [A]	+\$160
LFK	studio white leg with polished aluminum foot (CP) [A]	+\$160

Polished Aluminum

LFM	satin carbon leg with polished aluminum foot [A]	+\$190
LFX	satin aluminum with polished aluminum foot [A]	+\$190
LFZ	satin bronze with polished aluminum foot [A]	+\$190

Step 12. Cord Cover/Cable Management

For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), or 42" wide (40" surface size) (42)

PSC	simple cable [A]	+\$0
-----	------------------	------

For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PHD	high density cable trough [A]	+\$299
PSC	simple cable [A]	+\$0

Step 13. Power Access Cutout

For 36" wide (34" surface size) (36) or 42" wide (40" surface size) (42)

NNN	no cutout [A]	+\$0
-----	---------------	------


For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

NNN	no cutout [A]	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X [A]	+\$45
LAC	left cutout 6 port - Y1425.D/G or Y1420.X [A]	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X [A]	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V [A]	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V [A]	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V [A]	+\$45

Step 14. Casters/Glides		
57	glides <input type="text" value="A"/>	+\$0

Oval Table with T-Foot

DU6DTE
DU6DTS
DU6DTT



Product Information

Description

This oval height-adjustable table has a T-leg configuration for maximum access on all sides of the surface, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.

For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):


- Painted (P) top finishes: CL, LU

- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Specification Information	
Step 1.	
DU6DT <input type="text"/>	
Step 2. Edge	
S.	squared-edge <input type="text"/>
T.	thin-edge <input type="text"/>
E.	eased-edge <input type="text"/>
Step 3. Depth	
30	30" deep <input type="text"/>
36	36" deep <input type="text"/>
42	42" deep <input type="text"/>
Step 4. Width	
60	60" wide <input type="text"/>
72	72" wide <input type="text"/>
84	84" wide <input type="text"/>
Step 5. Surface Material	
For squared-edge (S.)	
M	thermally-fused laminate top/thermoplastic edge <input type="text"/>
L	high-pressure laminate top/thermoplastic edge <input type="text"/>
W	veneer top/veneer edge <input type="text"/>
P	painted Formcoat® top/edge <input type="text"/>
For thin-edge (T.)	
L	high-pressure laminate top/thermoplastic edge <input type="text"/>
W	veneer top/veneer edge <input type="text"/>
P	painted Formcoat® top/edge <input type="text"/>
For eased-edge (E.)	
P	painted Formcoat® top/edge <input type="text"/>
Step 6. Height Adjustment	
C	crank sit-to-stand <input type="text"/>
K	crank seated <input type="text"/>
E	electric standard range <input type="text"/>
D	electric extended range <input type="text"/>

Prices for Steps 1-6.							
	MC	MK	ME	MD	LC	LK	
DU6DTS. 30 60	\$3414	3414	3951	4338	3465	3465	
72	\$3484	3484	3953	4426	3535	3535	
84	\$3555	3555	4111	4516	3609	3609	

	36	60	\$3624	3558	4197	4606	3679	3612
	72		\$3697	3630	4282	4701	3754	3685
	84		\$3770	3702	4367	4795	3827	3759
	42	60	\$3843	3776	4455	4891	3901	3833
	72		\$3951	3884	4580	5029	4010	3941
	84		\$4059	3991	4708	5170	4119	4050
			LE	LD	WC	WK	WE	WD
DU6DTS. 30 60			\$4010	4404	3957	3957	4767	5337
	72		\$4012	4493	4203	4203	4959	5445
	84		\$4174	4585	4289	4289	5058	5554
	36	60	\$4260	4675	4376	4376	5161	5669
	72		\$4346	4771	4466	4466	5269	5783
	84		\$4433	4867	4553	4553	5374	5899
	42	60	\$4522	4964	4645	4645	5481	6019
	72		\$4649	5105	4777	4777	5634	6186
	84		\$4778	5248	4909	4909	5794	6361
			PC	PK	PE	PD		
DU6DTS. 30 60			\$3552	3552	4191	4602		
	72		\$3623	3623	4275	4693		
	84		\$3698	3698	4362	4792		
	36	60	\$3773	3773	4451	4889		
	72		\$3849	3849	4540	4988		
	84		\$3926	3926	4633	5088		
	42	60	\$4006	4006	4723	5188		
	72		\$4118	4118	4856	5334		
	84		\$4232	4232	4996	5485		
			MC	MK	ME	MD	LC	LK
DU6DTT. 30 60			—	—	—	—	\$3702	3702
	72		—	—	—	—	\$3776	3776
	84		—	—	—	—	\$3856	3856
	36	60	—	—	—	—	\$3933	3933
	72		—	—	—	—	\$4014	4014
	84		—	—	—	—	\$4095	4095
	42	60	—	—	—	—	\$4174	4174
	72		—	—	—	—	\$4295	4295
	84		—	—	—	—	\$4416	4416
			LE	LD	WC	WK	WE	WD
DU6DTT. 30 60			\$4325	4796	4702	4702	5775	6338
	72		\$4414	4897	4994	4994	5834	6470
	84		\$4549	4996	5094	5094	6012	6601
	36	60	\$4642	5100	5200	5200	6134	6736
	72		\$4735	5198	5303	5303	6259	6875
	84		\$4829	5302	5411	5411	6384	7012

42	60	\$4927	5412	5520	5520	6512	7149
72		\$5063	5560	5677	5677	6694	7352
84		\$5209	5717	5833	5833	6885	7561

			PC	PK	PE	PD
DU6DTT.	30	60	\$3869	3869	4562	5010
	72		\$3947	3947	4657	5113
	84		\$4028	4028	4750	5218
	36	60	\$4109	4109	4847	5324
	72		\$4193	4193	4947	5433
	84		\$4277	4277	5047	5541
	42	60	\$4366	4366	5146	5650
	72		\$4485	4485	5292	5811
	84		\$4613	4613	5441	5976

			PC	PK	PE	PD
DU6DTE.	30	60	\$3943	3943	4650	5106
	72		\$4025	4025	4746	5212
	84		\$4105	4105	4843	5320
	36	60	\$4190	4190	4941	5427
	72		\$4274	4274	5044	5537
	84		\$4359	4359	5144	5648
	42	60	\$4449	4449	5246	5760
	72		\$4573	4573	5395	5924
	84		\$4702	4702	5547	6092

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

For electric extended range (D)

NNP	no power access	A	+\$0
-----	-----------------	---	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down	A	+\$0
SRM	digital read out with memory	A	+\$160

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
UBK	ultra black (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
HF	inner tone light	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBQ	white twill	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
A2	white ash <input type="checkbox"/>	+\$85
CHD	noble cherry <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
EW	medium matte walnut <input type="checkbox"/>	+\$85
OU	walnut <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
WHN	natural white oak <input type="checkbox"/>	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0

Step 10. Edge Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)</i>		
125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 11. Crank Handle Finish		
<i>For crank sit-to-stand (C) or crank seated (K)</i>		
91	white (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0

Step 12. Leg/Foot Finish		
Metallic Paint		
613	silver (CP) <input type="checkbox"/>	+\$0
CN	metallic champagne leg with metallic champagne foot <input type="checkbox"/>	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$0
SNA	satin aluminum <input type="checkbox"/>	+\$30
SNB	satin bronze <input type="checkbox"/>	+\$30
SNC	satin carbon <input type="checkbox"/>	+\$30

Oval Table with T-Foot *continued*

Sand Texture Paint

BK	black leg with black foot <input type="checkbox"/>	+\$0
LFL	black leg with polished aluminum foot <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot (CP) <input type="checkbox"/>	+\$0
91	white leg with white foot (CP) <input type="checkbox"/>	+\$0
98	studio white leg with studio white foot (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
G2	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
LFF	white leg with polished aluminum foot (CP) <input type="checkbox"/>	+\$160
LFG	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFH	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFJ	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFK	studio white leg with polished aluminum foot (CP) <input type="checkbox"/>	+\$160
WL	warm stone leg with sandstone foot (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0
LFM	satin carbon leg with polished aluminum foot <input type="checkbox"/>	+\$190
LFX	satin aluminum with polished aluminum foot <input type="checkbox"/>	+\$190
LFZ	satin bronze with polished aluminum foot <input type="checkbox"/>	+\$190

Step 13. Cord Cover/Cable Management

PSC	simple cable <input type="checkbox"/>	+\$0
PHD	high density cable trough <input type="checkbox"/>	+\$299

Step 14. Power Access Cutout

For simple cable (PSC)

NNN	no cutout <input type="checkbox"/>	+\$0
------------	------------------------------------	------

For high density cable trough (PHD)


NNN	no cutout <input type="checkbox"/>	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

Step 15. Casters/Glides

57	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

90° Extended Corner Table with C-Foot

DU6ECE
DU6ECS
DU6ECT



Product Information

Description

This height-adjustable 90° extended corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. It will be on the extended side of the corner. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.



For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



90° Extended Corner Table with C-Foot *continued*

Specification Information	
Step 1.	
DU6EC	<input type="checkbox"/>
Step 2. Edge	
S.	squared-edge <input type="checkbox"/>
T.	thin-edge <input type="checkbox"/>
E.	eased-edge <input type="checkbox"/>
Step 3. Depth	
24	24" deep (23" surface size) <input type="checkbox"/>
30	30" deep (29" surface size) <input type="checkbox"/>
Step 4. Width	
4260	42" wide left x 60" wide right (40" x 58" surface size) <input type="checkbox"/>
4272	42" wide left x 72" wide right (40" x 70" surface size) <input type="checkbox"/>
4860	48" wide left x 60" wide right (46" x 58" surface size) <input type="checkbox"/>
4872	48" wide left x 72" wide right (46" x 70" surface size) <input type="checkbox"/>
5454	54" wide left x 54" wide right (52" x 52" surface size) <input type="checkbox"/>
6042	60" wide left x 42" wide right (58" x 40" surface size) <input type="checkbox"/>
6048	60" wide left x 48" wide right (58" x 46" surface size) <input type="checkbox"/>
6060	60" wide left x 60" wide right (58" x 58" surface size) <input type="checkbox"/>
7242	72" wide left x 42" wide right (70" x 40" surface size) <input type="checkbox"/>
7248	72" wide left x 48" wide right (70" x 46" surface size) <input type="checkbox"/>
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
M	thermally-fused laminate top/thermoplastic edge <input type="checkbox"/>
L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>
W	veneer top/veneer edge <input type="checkbox"/>
P	painted Formcoat® top/edge <input type="checkbox"/>
<i>For thin-edge (T.)</i>	
L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>
W	veneer top/veneer edge <input type="checkbox"/>
P	painted Formcoat® top/edge <input type="checkbox"/>
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge <input type="checkbox"/>
Step 6. Height Adjustment	
C	crank sit-to-stand <input type="checkbox"/>
K	crank seated <input type="checkbox"/>
E	electric standard range <input type="checkbox"/>
D	electric extended range <input type="checkbox"/>

Prices for Steps 1-6.							
		MC	MK	ME	MD	LC	LK
DU6ECS. 24	4260	\$5109	5109	6692	7156	5187	5187
	4272	\$5201	5201	6816	7287	5279	5279
	4860	\$5289	5292	6941	7426	5369	5372
	4872	\$5383	5386	7068	7563	5465	5468
	5454	\$5273	5273	7048	7076	5353	5353
	6042	\$5109	5109	6692	7156	5187	5187
	6048	\$5289	5292	6941	7426	5369	5372
	6060	\$5367	5371	7181	7214	5448	5452
	7242	\$5201	5201	6816	7287	5279	5279
	7248	\$5383	5386	7068	7563	5465	5468
30	4260	\$5483	5483	6899	7453	5567	5567
	4272	\$5582	5582	7031	7600	5667	5667
	4860	\$5679	5679	7165	7740	5765	5765
	4872	\$5783	5783	7304	7892	5870	5870
	5454	\$5306	5306	7502	7715	5386	5386
	6042	\$5483	5483	6899	7453	5567	5567
	6048	\$5679	5679	7165	7740	5765	5765
	6060	\$5397	5401	7643	7861	5478	5482
	7242	\$5582	5582	7031	7600	5667	5667
	7248	\$5783	5783	7304	7892	5870	5870
		LE	LD	WC	WK	WE	WD
DU6ECS. 24	4260	\$6794	7264	6362	6362	7927	7898
	4272	\$6919	7398	6491	6491	8100	8092
	4860	\$7046	7538	6619	6619	8266	8282
	4872	\$7174	7677	6752	6752	8445	8469
	5454	\$7154	7184	5686	5686	7172	8244
	6042	\$6794	7264	6362	6362	7927	7898
	6048	\$7046	7538	6619	6619	8266	8282
	6060	\$7290	7323	5804	5804	7466	8434
	7242	\$6919	7398	6491	6491	8093	8092
	7248	\$7174	7677	6752	6752	8445	8469
30	4260	\$7004	7565	6886	6886	7939	7939
	4272	\$7137	7715	7024	7024	8124	8143
	4860	\$7273	7857	7166	7166	8316	8349
	4872	\$7415	8013	7307	7307	8509	8551
	5454	\$7616	7833	7162	7162	8316	8383
	6042	\$7004	7565	6886	6886	7939	7939
	6048	\$7273	7857	7166	7166	8316	8349
	6060	\$7758	7980	7503	7503	8602	8598
	7242	\$7137	7715	7024	7024	8124	8143
	7248	\$7415	8013	7307	7307	8509	8551

90° Extended Corner Table with
C-Foot *continued*

		PC	PK	PE	PD
DU6ECS. 24	4260	\$5488	5488	7090	7344
	4272	\$5596	5596	7234	7507
	4860	\$5708	5708	7388	7671
	4872	\$5822	5822	7541	7839
	5454	\$5097	5097	6703	7412
	6042	\$5488	5488	7090	7344
	6048	\$5708	5708	7388	7671
	6060	\$5200	5200	6840	7555
	7242	\$5596	5572	7234	7507
	7248	\$5822	5822	7541	7839
30	4260	\$5939	5939	7158	7373
	4272	\$6057	6057	7321	7544
	4860	\$6177	6177	7483	7724
	4872	\$6301	6301	7643	7907
	5454	\$5126	5126	6975	6673
	6042	\$5939	5939	7158	7373
	6048	\$6177	6177	7483	7724
	6060	\$5233	5233	7135	8234
	7242	\$6057	6057	7321	7544
	7248	\$6301	6301	7643	7907

		MC	MK	ME	MD	LC	LK
DU6ECT. 24	4260	—	—	—	—	\$5787	5787
	4272	—	—	—	—	\$5891	5891
	4860	—	—	—	—	\$5997	5997
	4872	—	—	—	—	\$6105	6105
	5454	—	—	—	—	\$5977	5977
	6042	—	—	—	—	\$5787	5787
	6048	—	—	—	—	\$5997	5997
	6060	—	—	—	—	\$6085	6085
	7242	—	—	—	—	\$5891	5891
	7248	—	—	—	—	\$6105	6105
30	4260	—	—	—	—	\$5918	5918
	4272	—	—	—	—	\$6029	6029
	4860	—	—	—	—	\$6148	6148
	4872	—	—	—	—	\$6262	6262
	5454	—	—	—	—	\$5714	5714
	6042	—	—	—	—	\$5918	5918
	6048	—	—	—	—	\$6148	6148
	6060	—	—	—	—	\$5824	5824
	7242	—	—	—	—	\$6029	6029
	7248	—	—	—	—	\$6262	6262

		LE	LD	WC	WK	WE	WD
DU6ECT. 24	4260	\$7229	7590	6526	6526	8352	8628
	4272	\$7360	7735	6671	6671	8535	8827
	4860	\$7495	7881	6816	6816	8722	9034
	4872	\$7635	8031	6964	6964	8914	9242
	5454	\$8016	7919	5759	5759	8029	8430
	6042	\$7229	7590	6526	6526	8352	8628
	6048	\$7495	7881	6816	6816	8722	9034
	6060	\$8166	8072	5891	5891	8211	8630
	7242	\$7360	7735	6671	6671	8535	8827
	7248	\$7635	8031	6964	6964	8914	9242
30	4260	\$7477	7828	6640	6640	8390	8667
	4272	\$7621	7979	6791	6791	8592	8886
	4860	\$7767	8142	6951	6951	8793	9106
	4872	\$7918	8301	7115	7115	8999	9332
	5454	\$8575	8573	7543	7543	8875	8823
	6042	\$7477	7828	6640	6640	8390	8667
	6048	\$7767	8142	6951	6951	8793	9106
	6060	\$8746	8747	8063	8063	9170	9304
	7242	\$7621	7979	6791	6791	8592	8886
	7248	\$7918	8301	7115	7115	8999	9332

		PC	PK	PE	PD
DU6ECT. 24	4260	\$5608	5608	7514	7756
	4272	\$5731	5731	7671	7928
	4860	\$5859	5859	7831	8106
	4872	\$5988	5988	7999	8287
	5454	\$5166	5166	7534	8163
	6042	\$5608	5608	7514	7756
	6048	\$5859	5859	7831	8106
	6060	\$5283	5283	7699	8321
	7242	\$5731	5731	7671	7928
	7248	\$5988	5988	7999	8287
30	4260	\$5678	5678	7543	7819
	4272	\$5811	5811	7717	8007
	4860	\$5947	5947	7891	8196
	4872	\$6086	6086	8068	8391
	5454	\$4757	4757	7828	7568
	6042	\$5678	5678	7543	7819
	6048	\$5947	5947	7891	8196
	6060	\$4878	4878	8011	7754
	7242	\$5811	5811	7717	8007
	7248	\$6086	6086	8068	8391

Renew™ Adjustable-Height Tables

90° Extended Corner Table with
C-Foot *continued*

		PC	PK	PE	PD
DU6ECE. 24	4260	\$5348	5348	7168	7402
	4272	\$5470	5470	7321	7566
	4860	\$5590	5590	7474	7734
	4872	\$5713	5713	7633	7907
	5454	\$4929	4929	7190	6881
	6042	\$5348	5348	7168	7402
	6048	\$5590	5590	7474	7734
	6060	\$5041	5041	7345	7036
	7242	\$5470	5470	7321	7566
	7248	\$5713	5713	7633	7907
30	4260	\$5417	5417	7198	7461
	4272	\$5544	5544	7362	7639
	4860	\$5675	5675	7531	7820
	4872	\$5809	5809	7700	8007
	5454	\$4540	4540	7471	7222
	6042	\$5417	5417	7198	7461
	6048	\$5675	5675	7531	7820
	6060	\$4652	4652	7644	7399
	7242	\$5544	5544	7362	7639
	7248	\$5809	5809	7700	8007

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

For electric extended range (D)

NNP	no power access	A	+\$0
-----	-----------------	---	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down	A	+\$0
SRM	digital read out with memory	A	+\$160

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
UBK	ultra black (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
HF	inner tone light	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBQ	white twill	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0

90° Extended Corner Table with
C-Foot *continued*

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
A2	white ash <input type="checkbox"/>	+\$85
CHD	noble cherry <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
EW	medium matte walnut <input type="checkbox"/>	+\$85
OU	walnut <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
WHN	natural white oak <input type="checkbox"/>	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0

Step 10. Edge Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)</i>		
125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 11. Crank Handle Finish		
<i>For crank sit-to-stand (C) or crank seated (K)</i>		
91	white (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0

Step 12. Leg/Foot Finish		
Metallic Paint		
611	beige mist metallic (CP) <input type="checkbox"/>	+\$0
613	silver (CP) <input type="checkbox"/>	+\$0
CN	metallic champagne leg with metallic champagne foot <input type="checkbox"/>	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$0
SNA	satin aluminum <input type="checkbox"/>	+\$30
SNB	satin bronze <input type="checkbox"/>	+\$30
SNC	satin carbon <input type="checkbox"/>	+\$30

90° Extended Corner Table with C-Foot *continued*

Sand Texture Paint		
BK	black leg with black foot <input type="checkbox"/>	+\$0
LFL	black leg with polished aluminum foot <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0

Smooth Paint		
8Q	folkstone grey leg with folkstone grey foot (CP) <input type="checkbox"/>	+\$0
91	white leg with white foot (CP) <input type="checkbox"/>	+\$0
98	studio white leg with studio white foot (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
G2	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
LFF	white leg with polished aluminum foot (CP) <input type="checkbox"/>	+\$160
LFG	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFH	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFJ	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFK	studio white leg with polished aluminum foot (CP) <input type="checkbox"/>	+\$160
WL	warm stone leg with sandstone foot (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0

Polished Aluminum		
LFM	satin carbon leg with polished aluminum foot <input type="checkbox"/>	+\$190
LFX	satin aluminum with polished aluminum foot <input type="checkbox"/>	+\$190
LFZ	satin bronze with polished aluminum foot <input type="checkbox"/>	+\$190

Step 13. Cord Cover/Cable Management

<i>For 24" deep (23" surface size) (24)</i>		
PSC	simple cable <input type="checkbox"/>	+\$0

<i>For 30" deep (29" surface size) (30)</i>		
PSC	simple cable <input type="checkbox"/>	+\$0
PHD	high density cable trough <input type="checkbox"/>	+\$299

Step 14. Power Access Cutout

<i>For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with simple cable (PSC)</i>		
NNN	no cutout <input type="checkbox"/>	+\$0

For 30" deep (29" surface size) (30) with 42" wide left x 60" wide right (40" x 58" surface size) (4260), 42" wide left x 72" wide right (40" x 70" surface size) (4272), 48" wide left x 60" wide right (46" x 58" surface size) (4860), 48" wide left x 72" wide right (46" x 70" surface size) (4872), 60" wide left x 42" wide right (58" x 40" surface size) (6042), 60" wide left x 48" wide right (58" x 46" surface size) (6048), or 72" wide left x 42" wide right (70" x 40" surface size) (7242), or 72" wide left x 48" wide right (70" x 46" surface size) (7248) with high density cable trough (PHD)

NNN	no cutout <input type="checkbox"/>	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45
CAC	center cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

For 30" deep (29" surface size) (30) with 54" wide left x 54" wide right (52" x 52" surface size) (5454), or 60" wide left x 60" wide right (58" x 58" surface size) (6060) with high density cable trough (PHD)


NNN	no cutout <input type="checkbox"/>	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

Step 15. Casters/Glides

57	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

90° Corner Table with C-Foot

DU6FCE
DU6FCS
DU6FCT



Product Information

Description

This height-adjustable 90° corner table has a C-Leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Specification Information							
Step 1.							
DU6FC <input type="checkbox"/>							
Step 2. Edge							
S.	squared-edge <input type="checkbox"/>						
T.	thin-edge <input type="checkbox"/>						
E.	eased-edge <input type="checkbox"/>						
Step 3. Depth							
24	24" deep (23" surface size) <input type="checkbox"/>						
30	30" deep (29" surface size) <input type="checkbox"/>						
Step 4. Width							
42	42" wide (40" surface size) <input type="checkbox"/>						
48	48" wide (46" surface size) <input type="checkbox"/>						
Step 5. Surface Material							
For squared-edge (S.)							
M	thermally-fused laminate top/thermoplastic edge <input type="checkbox"/>						
L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>						
W	veneer top/veneer edge <input type="checkbox"/>						
P	painted Formcoat® top/edge <input type="checkbox"/>						
For thin-edge (T.)							
L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>						
W	veneer top/veneer edge <input type="checkbox"/>						
P	painted Formcoat® top/edge <input type="checkbox"/>						
For eased-edge (E.)							
P	painted Formcoat® top/edge <input type="checkbox"/>						
Step 6. Height Adjustment							
C	crank sit-to-stand <input type="checkbox"/>						
K	crank seated <input type="checkbox"/>						
E	electric standard range <input type="checkbox"/>						
D	electric extended range <input type="checkbox"/>						
Prices for Steps 1-6.							
		MC	MK	ME	MD	LC	LK
DU6FCS.	24 42	\$3275	3275	4044	4554	3324	3324
	48	\$3342	3342	4126	4643	3392	3392
	30 42	\$3289	3289	4234	4685	3340	3340
	48	\$3356	3356	4321	4777	3407	3407

			LE	LD	WC	WK	WE	WD
DU6FCS.	24	42	\$4106	4623	3969	3969	4731	5083
		48	\$4188	4714	4048	4048	4826	5193
	30	42	\$4299	4756	3990	3990	4960	5240
		48	\$4387	4849	4070	4070	5063	5353
					PC	PK	PE	PD
DU6FCS.	24	42			\$3540	3540	4197	4612
		48			\$3612	3612	4285	4709
	30	42			\$3558	3558	4404	4748
		48			\$3628	3628	4495	4852
			MC	MK	ME	MD	LC	LK
DU6FCT.	24	42	—	—	—	—	\$3675	3675
		48	—	—	—	—	\$3749	3749
	30	42	—	—	—	—	\$3692	3692
		48	—	—	—	—	\$3768	3768
			LE	LD	WC	WK	WE	WD
DU6FCT.	24	42	\$4537	4798	3801	3801	4737	5210
		48	\$4628	4898	3885	3885	4844	5329
	30	42	\$4751	4941	3822	3822	4990	5378
		48	\$4847	5050	3907	3907	5099	5501
					PC	PK	PE	PD
DU6FCT.	24	42			\$3583	3583	4369	4777
		48			\$3660	3660	4461	4883
	30	42			\$3602	3602	4595	4932
		48			\$3681	3681	4698	5046
					PC	PK	PE	PD
DU6FCE.	24	42			\$3547	3547	4322	4727
		48			\$3623	3623	4419	4836
	30	42			\$3568	3568	4550	4885
		48			\$3645	3645	4650	4996
Step 7. Hidden Power Access								
For crank sit-to-stand (C), crank seated (K), or electric standard range (E)								
NNP	no power access	<input type="checkbox"/>	+\$0					
PLA	leg access	<input type="checkbox"/>	+\$299					
For electric extended range (D)								
NNP	no power access	<input type="checkbox"/>	+\$0					

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down <input type="checkbox"/>	+\$0
SRM	digital read out with memory <input type="checkbox"/>	+\$160

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
ZZ	open line high-pressure laminate (nonstandard) <input type="checkbox"/>	+\$100

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
A2	white ash <input type="checkbox"/>	+\$85
CHD	noble cherry <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
EW	medium matte walnut <input type="checkbox"/>	+\$85
OU	walnut <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
WHN	natural white oak <input type="checkbox"/>	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0

Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

613	silver (CP) <input type="checkbox"/>	+\$0
CN	metallic champagne leg with metallic champagne foot <input type="checkbox"/>	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$0
SNA	satin aluminum <input type="checkbox"/>	+\$30
SNB	satin bronze <input type="checkbox"/>	+\$30
SNC	satin carbon <input type="checkbox"/>	+\$30

Sand Texture Paint

BK	black leg with black foot <input type="checkbox"/>	+\$0
LFL	black leg with polished aluminum foot <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0

Smooth Paint

G1	graphite (CP) <input type="checkbox"/>	+\$0
8Q	folkstone grey leg with folkstone grey foot (CP) <input type="checkbox"/>	+\$0
91	white leg with white foot (CP) <input type="checkbox"/>	+\$0
98	studio white leg with studio white foot (CP) <input type="checkbox"/>	+\$0
G2	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
WL	warm stone leg with sandstone foot (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0
LFF	white leg with polished aluminum foot (CP) <input type="checkbox"/>	+\$160
LFG	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFH	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFJ	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFK	studio white leg with polished aluminum foot (CP) <input type="checkbox"/>	+\$160

Polished Aluminum

LFM	satin carbon leg with polished aluminum foot <input type="checkbox"/>	+\$190
LFX	satin aluminum with polished aluminum foot <input type="checkbox"/>	+\$190
LFZ	satin bronze with polished aluminum foot <input type="checkbox"/>	+\$190

Step 13. Cord Cover/Cable Management

PSC	simple cable <input type="checkbox"/>	+\$0
PHD	high density cable trough <input type="checkbox"/>	+\$299

Step 14. Power Access Cutout


NNN	no cutout <input type="checkbox"/>	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

Step 15. Casters/Glides

57	glides <input type="checkbox"/>	+\$0
----	---------------------------------	------

120° Corner Table with C-Foot

DU6GCE
DU6GCS
DU6GCT



Product Information

Description

This height-adjustable 120° corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.



For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



120° Corner Table with C-Foot

continued

Specification Information

Step 1.

DU6GC ☐

Step 2. Edge

S. squared-edge ☐

T. thin-edge ☐

E. eased-edge ☐

Step 3. Depth

24 24" deep (23" surface size) ☐

30 30" deep (29" surface size) ☐

Step 4. Width

42 42" wide (40" surface size) ☐

48 48" wide (46" surface size) ☐

Step 5. Surface Material

For squared-edge (S.)

M thermally-fused laminate top/thermoplastic edge ☐

L high-pressure laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For thin-edge (T.)

L high-pressure laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For eased-edge (E.)

P painted Formcoat® top/edge ☐

Step 6. Height Adjustment

C crank sit-to-stand ☐

K crank seated ☐

E electric standard range ☐

D electric extended range ☐

Prices for Steps 1-6.

		MC	MK	ME	MD	LC	LK
DU6GCS.	24 42	\$3679	3679	4615	4937	3697	3697
	48	\$3753	3753	4709	5034	3771	3771
	30 42	\$3857	3857	4792	5236	3876	3876
	48	\$3927	3927	4884	5336	3946	3946

		LE	LD	WC	WK	WE	WD
DU6GCS.	24 42	\$4639	4962	4617	4617	5505	5743
	48	\$4732	5060	4710	4710	5627	5873
	30 42	\$4816	5263	4790	4790	5682	6088
	48	\$4908	5363	4883	4883	5805	6222

			PC	PK	PE	PD
DU6GCS.	24 42		\$3956	3956	4967	5309
	48		\$4034	4034	5064	5413
	30 42		\$4129	4129	5142	5616
	48		\$4210	4210	5242	5728

		MC	MK	ME	MD	LC	LK
DU6GCT.	24 42	—	—	—	—	\$4105	4105
	48	—	—	—	—	\$4191	4191
	30 42	—	—	—	—	\$4283	4283
	48	—	—	—	—	\$4367	4367

		LE	LD	WC	WK	WE	WD
DU6GCT.	24 42	\$4806	5135	4851	4851	5801	6023
	48	\$4909	5246	4954	4954	5937	6170
	30 42	\$4985	5453	5027	5027	5979	6389
	48	\$5088	5568	5127	5127	6115	6539

			PC	PK	PE	PD
DU6GCT.	24 42		\$3807	3807	4729	5191
	48		\$3894	3894	4841	5309
	30 42		\$3985	3788	4907	5518
	48		\$4073	3874	5019	5640

			PC	PK	PE	PD
DU6GCE.	24 42		\$3789	3789	4709	5164
	48		\$3877	3877	4817	5282
	30 42		\$3966	3770	4885	5492
	48		\$4053	3854	4995	5613

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access <input type="checkbox"/>	+\$0
PLA	leg access <input type="checkbox"/>	+\$299

For electric extended range (D)

NNP	no power access <input type="checkbox"/>	+\$0
------------	--	------

120° Corner Table with C-Foot

continued

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down <input type="checkbox"/>	+\$0
SRM	digital read out with memory <input type="checkbox"/>	+\$160

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
ZZ	open line high-pressure laminate (nonstandard) <input type="checkbox"/>	+\$100

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
A2	white ash <input type="checkbox"/>	+\$85
CHD	noble cherry <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
EW	medium matte walnut <input type="checkbox"/>	+\$85
OU	walnut <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
WHN	natural white oak <input type="checkbox"/>	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0

120° Corner Table with C-Foot

continued

Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP) <input type="checkbox"/>	+\$0
126	natural cherry (CP) <input type="checkbox"/>	+\$0
127	walnut (CP) <input type="checkbox"/>	+\$0
139	light ash (CP) <input type="checkbox"/>	+\$0
140	warm ash (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/>	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
LBA	clear on ash (CP) <input type="checkbox"/>	+\$0
LBR	phantom ecru <input type="checkbox"/>	+\$0
LBS	phantom cocoa <input type="checkbox"/>	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/>	+\$0
LBV	warm grey teak <input type="checkbox"/>	+\$0
LBB	oak on ash (CP) <input type="checkbox"/>	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	warm stone (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

613	silver (CP) <input type="checkbox"/>	+\$0
CN	metallic champagne leg with metallic champagne foot <input type="checkbox"/>	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$0
SNA	satin aluminum <input type="checkbox"/>	+\$30
SNB	satin bronze <input type="checkbox"/>	+\$30
SNC	satin carbon <input type="checkbox"/>	+\$30

Sand Texture Paint

BK	black leg with black foot <input type="checkbox"/>	+\$0
LFL	black leg with polished aluminum foot <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0

Smooth Paint

G1	graphite (CP) <input type="checkbox"/>	+\$0
8Q	folkstone grey leg with folkstone grey foot (CP) <input type="checkbox"/>	+\$0
91	white leg with white foot (CP) <input type="checkbox"/>	+\$0
98	studio white leg with studio white foot (CP) <input type="checkbox"/>	+\$0
G2	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
WL	warm stone leg with sandstone foot (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0
LFF	white leg with polished aluminum foot (CP) <input type="checkbox"/>	+\$160
LFG	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFH	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFJ	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFK	studio white leg with polished aluminum foot (CP) <input type="checkbox"/>	+\$160

Polished Aluminum

LFM	satin carbon leg with polished aluminum foot <input type="checkbox"/>	+\$190
LFX	satin aluminum with polished aluminum foot <input type="checkbox"/>	+\$190
LFZ	satin bronze with polished aluminum foot <input type="checkbox"/>	+\$190

Step 13. Cord Cover/Cable Management

PSC	simple cable <input type="checkbox"/>	+\$0
PHD	high density cable trough <input type="checkbox"/>	+\$299

Step 14. Power Access Cutout


NNN	no cutout <input type="checkbox"/>	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

Step 15. Casters/Glides

57	glides <input type="checkbox"/>	+\$0
----	---------------------------------	------

Height Adjustable Rectangular Worksurface

DU6WS.



Product Information

Description

This rectangular work surface attaches to a height adjustable base to create a height adjustable table. It has a 1 1/4" thick laminate top with thermoplastic edge or laminate top with a thermoplastic backed plywood edge.

Notes

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.


MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Order 2-leg table base kit (DU7A.) separately.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazard.

Dimensions



Specification Information

Step 1.

DU6W

Step 2. Edge

S. squared-edge

Step 3. Depth

24 24" deep (23" surface size)

30 30" deep (29" surface size) ☐ A

Step 4. Width

48 48" wide (46" surface size)

54 54" wide (52" surface size) ☐ A

60 60" wide (58" surface size) ☐ A

66 66" wide (64" surface size) ☐ A

72 72" wide (70" surface size) ☐ A

Step 5. Surface Material

For squared-edge (S.)

J thermally-fused laminate top/thermoplastic edge with MicrobeCare™

K thermally-fused laminate top/universal edge with MicrobeCare™

M thermally-fused laminate top/thermoplastic edge

T thermally-fused laminate top/universal edge

L high-pressure laminate top/thermoplastic edge

U high-pressure laminate/universal edge ☐ A

A high-pressure laminate top/thermoplastic edge with MicrobeCare™ ☐ A

C high-pressure laminate top/universal edge with MicrobeCare™ ☐ A

Prices for Steps 1-5.

		J	K	M	T	L	U
DU6WS.	24 48	\$398	387	308	297	332	320
	54	\$463	448	371	358	400	386
	60	\$497	479	406	391	438	422
	66	\$555	535	464	445	501	480
	72	\$583	588	494	498	533	537
	30 48	\$486	489	395	398	426	429
	54	\$566	589	476	499	513	538
	60	\$608	608	520	520	561	561
	66	\$683	688	593	597	639	644
	72	\$757	769	667	678	719	732

Height Adjustable Rectangular Worksurface *continued*

	A	C
DU6WS. 24 48	\$429	418
54	\$499	483
60	\$536	518
66	\$598	577
72	\$630	634
30 48	\$524	527
54	\$610	635
60	\$657	657
66	\$737	742
72	\$816	830

Step 6. Base Type

V	pre-drilled holes for V1 base	+\$0
----------	-------------------------------	------

Step 7. Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut <input type="checkbox"/> A	+\$99
8Q	folkstone grey (CP) <input type="checkbox"/> A	+\$0
91	white (CP) <input type="checkbox"/> A	+\$0
98	studio white (CP) <input type="checkbox"/> A	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light <input type="checkbox"/> A	+\$0
HP	light anigre <input type="checkbox"/> A	+\$0
LBA	clear on ash (CP) <input type="checkbox"/> A	+\$0
LBB	oak on ash (CP) <input type="checkbox"/> A	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/> A	+\$0
LBF	neutral twill <input type="checkbox"/> A	+\$0
LBJ	graphite twill <input type="checkbox"/> A	+\$0
LBQ	white twill <input type="checkbox"/> A	+\$0
LBR	phantom ecru <input type="checkbox"/> A	+\$0
LBS	phantom cocoa <input type="checkbox"/> A	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/> A	+\$0
LBV	warm grey teak <input type="checkbox"/> A	+\$0
LU	soft white <input type="checkbox"/> A	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP) <input type="checkbox"/> A	+\$0
WN	warm grey neutral <input type="checkbox"/> A	+\$0

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Height Adjustable Rectangular Worksurface *continued*

Step 8. Edge Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut <input type="checkbox"/> A	+\$0
8Q	folkstone grey (CP) <input type="checkbox"/> A	+\$0
91	white (CP) <input type="checkbox"/> A	+\$0
98	studio white (CP) <input type="checkbox"/> A	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light <input type="checkbox"/> A	+\$0
HP	light anigre <input type="checkbox"/> A	+\$0
LBA	clear on ash (CP) <input type="checkbox"/> A	+\$0
LBR	phantom ecru <input type="checkbox"/> A	+\$0
LBS	phantom cocoa <input type="checkbox"/> A	+\$0
LBU	medium matte walnut (CP) <input type="checkbox"/> A	+\$0
LBV	warm grey teak <input type="checkbox"/> A	+\$0
LBB	oak on ash (CP) <input type="checkbox"/> A	+\$0
LBC	walnut on ash (CP) <input type="checkbox"/> A	+\$0
LBF	neutral twill <input type="checkbox"/> A	+\$0
LBJ	graphite twill <input type="checkbox"/> A	+\$0
LBQ	white twill <input type="checkbox"/> A	+\$0
LU	soft white <input type="checkbox"/> A	+\$0
WL	warm stone (CP) <input type="checkbox"/> A	+\$0
WN	warm grey neutral <input type="checkbox"/> A	+\$0

For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)


PLY	plywood edge <input type="checkbox"/> A	+\$50
-----	---	-------

Step 9. Cutout Option

NNN	no cutout	+\$0
-----	-----------	------

Table Base Kit - 3 Legs

DU7F.



Product Information

Description


This independent 3-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of power access and switch type.

Notes

Order work surface stiffener (FV696.) separately.

See Renew™ Sit-to-Stand Tables planning guide for design information.

Dimensions



Specification Information

Step 1.

DU7F. ☐

Step 2. Mechanism

E electric standard range ☐

D electric extended range ☐

Step 3. Depth

24 24" deep (23" actual) ☐

30 30" deep (29" actual) ☐

Step 4. Foot Type

C C foot ☐

Prices for Steps 1-4.

				C
DU7F.	E	24		\$5789
		30		\$5789
	D	24		\$6168
		30		\$6168

Step 5. Hidden Power Access

For electric standard range (E)

NNP	no power access	<input type="checkbox"/>	+\$0
PLA	leg access	<input type="checkbox"/>	+\$299

For electric extended range (D)

NNP	no power access	<input type="checkbox"/>	+\$0
-----	-----------------	--------------------------	------

Step 6. Switch Option

SUD	simple up down	<input type="checkbox"/>	+\$0
SRM	digital read out with memory	<input type="checkbox"/>	+\$160

Step 7. Leg/Foot Finish

Metallic Paint

611	beige mist metallic (CP)	<input type="checkbox"/>	+\$0
613	silver (CP)	<input type="checkbox"/>	+\$0
CN	metallic champagne leg with metallic champagne foot	<input type="checkbox"/>	+\$0
MS	metallic silver leg with metallic silver foot	<input type="checkbox"/>	+\$0
SNA	satin aluminum	<input type="checkbox"/>	+\$30
SNB	satin bronze	<input type="checkbox"/>	+\$30
SNC	satin carbon	<input type="checkbox"/>	+\$30

Table Base Kit - 3 Legs *continued*

Sand Texture Paint

BK	black leg with black foot <input type="checkbox"/>	+\$0
LFL	black leg with polished aluminum foot <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0

Smooth Paint

G1	graphite (CP) <input type="checkbox"/>	+\$0
8Q	folkstone grey leg with folkstone grey foot (CP) <input type="checkbox"/>	+\$0
91	white leg with white foot (CP) <input type="checkbox"/>	+\$0
98	studio white leg with studio white foot (CP) <input type="checkbox"/>	+\$0
G2	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
WL	warm stone leg with sandstone foot (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0
LFF	white leg with polished aluminum foot (CP) <input type="checkbox"/>	+\$160
LFG	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFH	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFJ	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFK	studio white leg with polished aluminum foot (CP) <input type="checkbox"/>	+\$160

Polished Aluminum


LFM	satin carbon leg with polished aluminum foot <input type="checkbox"/>	+\$190
LFX	satin aluminum with polished aluminum foot <input type="checkbox"/>	+\$190
LFZ	satin bronze with polished aluminum foot <input type="checkbox"/>	+\$190

Step 8. Casters/Glides

57	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

Table Base Kit - 2 Legs

DU7A.



Renew™ Sit-to-Stand Table Bases

Product Information


Description

This independent 2-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of foot type, power access and switch type.

Notes

Order work surface stiffener (FV696) separately.
See Renew™ Sit-to-Stand Tables planning guide for design information.
To use 2-leg base kit on work surfaces 72" wide and wider, order motor extension cable service part U1B7600 separately.

Dimensions



Specification Information

Step 1.

DU7A. ☐ A

Step 2. Mechanism

E electric standard range ☐ A

D electric extended range ☐ A

Step 3. Depth

24 24" deep (23" actual) ☐ A

30 30" deep (29" actual) ☐ A

Step 4. Foot Type

For 24" deep (23" actual) (24)

C C foot ☐ A

For 30" deep (29" actual) (30)

T T foot ☐ A

C C foot ☐ A

Prices for Steps 1-4.

		T	C
DU7A.	E 24	—	\$3591
	30	\$3591	3591
	D 24	—	\$4029
	30	\$4029	4029

Step 5. Hidden Power Access

For electric standard range (E)

NNP no power access ☐ A +\$0

PLA leg access ☐ A +\$299

For electric extended range (D)

NNP no power access ☐ A +\$0

Step 6. Switch Option

SUD simple up down ☐ A +\$0

SRM digital read out with memory ☐ A +\$160

Table Base Kit - 2 Legs *continued*

Step 7. Leg/Foot Finish

Metallic Paint

611	beige mist metallic (CP) <input type="checkbox"/>	+\$0
613	silver (CP) <input type="checkbox"/>	+\$0
CN	metallic champagne leg with metallic champagne foot <input type="checkbox"/>	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$0
SNA	satin aluminum <input type="checkbox"/>	+\$30
SNB	satin bronze <input type="checkbox"/>	+\$30
SNC	satin carbon <input type="checkbox"/>	+\$30

Sand Texture Paint

BK	black leg with black foot <input type="checkbox"/>	+\$0
LFL	black leg with polished aluminum foot <input type="checkbox"/>	+\$0
UBK	ultra black (CP) <input type="checkbox"/>	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot (CP) <input type="checkbox"/>	+\$0
91	white leg with white foot (CP) <input type="checkbox"/>	+\$0
98	studio white leg with studio white foot (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
G2	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
LFF	white leg with polished aluminum foot (CP) <input type="checkbox"/>	+\$160
LFG	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFH	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFJ	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFK	studio white leg with polished aluminum foot (CP) <input type="checkbox"/>	+\$160
WL	warm stone leg with sandstone foot (CP) <input type="checkbox"/>	+\$0
WN	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0

Polished Aluminum


LFM	satin carbon leg with polished aluminum foot <input type="checkbox"/>	+\$190
LFX	satin aluminum with polished aluminum foot <input type="checkbox"/>	+\$190
LFZ	satin bronze with polished aluminum foot <input type="checkbox"/>	+\$190

Step 8. Casters/Glides

57	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

Ambit™ Height Adjustable Table Leg Shroud

DV8SM.
DV8SN.
DV8SR.



Product Information

Description

This shroud stands on the floor and replaces the foot of the table. Shroud is available in all-metal, metal wrapper with laminate exterior panel, or metal wrapper with veneer exterior panel. A shroud can be added to one or both legs of a C-leg height-adjustable table. An optional tool rail can be specified.

Notes

Optional tool rail is not retrofittable.

Shroud is retrofittable to existing height-adjustable tables.

Distance between top of shroud and bottom of standard height-adjustable table range is 3.94".

Shroud not compatible with extended range height-adjustable tables.

Cable knockout at top-rear of shroud has bezel available in 3 colors.


Cord cutout at bottom-rear of shroud can route up to 4 cords.

Order optional accessories together or separately:

- Bag hook (YT700.)
- Accessory shelf (YT715.)
- Vertical cable manager (DU16.)

See planning guide for additional information.

Dimensions



Specification Information

Step 1.

DV8S

Step 2. Table Type

- M.** Motia®
N. Nevi
R. Renew™

Step 3. Leg Type

- C** C-leg

Step 4. Depth

- 24** 24" deep (23" surface size)
30 30" deep (29" surface size)

Step 5. Mechanism

- E** electric standard range

Step 6. Shroud Location

- L** left
R right

Step 7. Shroud Option Left

For left (L)

- SL** high-pressure laminate panel + metal wrapper
SM all metal
SW veneer panel + metal wrapper

For right (R)

- SL** high-pressure laminate panel + metal wrapper
SM all metal
SW veneer panel + metal wrapper

Prices for Steps 1-7.

		ELSL	ELSM	ELSW	ERSL	ERSM	ERSW
DV8SM. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228
DV8SN. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228
DV8SR. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228

Ambit™ Height Adjustable Table Leg Shroud *continued*

Step 8. Shroud Finish Left - Metal Wrapper

Metallic Paint

For all metal (SM)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For all metal (SM)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
G1	graphite (CP)	+\$0
OLF	olive	+\$20
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Laminate

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer panel + metal wrapper (SW)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
OU	walnut	+\$0
UL	natural maple	+\$0

Ambit™ Shroud

Ambit™ Height Adjustable Table Leg

Shroud *continued*

Ambit™ Shroud

Step 9. Edge Finish Left

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 10. Shroud Finish Left

For high-pressure laminate panel + metal wrapper (SL) or veneer panel + metal wrapper (SW)

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Step 11. Shroud Cable Management Bezel Left

For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
UBK	ultra black (CP)	+\$0

Step 12. Shroud Finish Right - Metal Wrapper

Metallic Paint

For all metal (SM)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For all metal (SM)

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Ambit™ Height Adjustable Table Leg Shroud *continued*

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer panel + metal wrapper (SW)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
OU	walnut	+\$0
UL	natural maple	+\$0

Step 13. Edge Finish Right

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 14. Shroud Finish Right

For high-pressure laminate panel + metal wrapper (SL) or veneer panel + metal wrapper (SW)

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Ambit™ Height Adjustable Table Leg Shroud *continued*

Ambit™ Shroud

Sand Texture Paint		
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Step 15. Shroud Cable Management Bezel Right		
<i>For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)</i>		
8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
UBK	ultra black (CP)	+\$0

Step 16. Tool Rail Left		
<i>For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)</i>		
1	none	+\$0
2	Ubi work tool attached	+\$95

Step 17. Accessory Options Left		
<i>For 30" deep (29" surface size) (30) with left (L) with Ubi work tool attached (2)</i>		
A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
C	YT716 - document holder	+\$0
F	YT715 - sm. shelf with canyon liner	+\$138
G	YT715 - sm. shelf with pesto liner	+\$138
H	YT715 - sm. shelf with bayou liner	+\$138
I	YT715 - sm. shelf with greystone liner	+\$138
J	YT715 - sm. shelf with charcoal liner	+\$138
E	YT715 - large accessory shelf - no liner	+\$187
K	YT715 - lg. shelf with canyon liner	+\$297
L	YT715 - lg. shelf with pesto liner	+\$297
M	YT715 - lg. shelf with bayou liner	+\$297
N	YT715 - lg. shelf with greystone liner	+\$297
O	YT715 - lg. shelf with charcoal liner	+\$297

<i>For 24" deep (23" surface size) (24) with left (L) with Ubi work tool attached (2)</i>		
A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
F	YT715 - sm. shelf with canyon liner	+\$138

Step 18. Accessory Options Left Finish		
<i>For YT700 - bag hook (B), YT715 - small accessory shelf - no liner (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)</i>		
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 19. Tool Rail Right		
<i>For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)</i>		
1	none	+\$0
2	Ubi work tool attached	+\$95

Ambit™ Height Adjustable Table Leg

Shroud *continued*

Step 20. Accessory Options Right

For 30" deep (29" surface size) (30) with right (R) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
C	YT716 - document holder	+\$0
F	YT715 - sm. shelf with canyon liner	+\$138
G	YT715 - sm. shelf with pesto liner	+\$138
H	YT715 - sm. shelf with bayou liner	+\$138
I	YT715 - sm. shelf with greystone liner	+\$138
J	YT715 - sm. shelf with charcoal liner	+\$138
E	YT715 - large accessory shelf - no liner	+\$187
K	YT715 - lg. shelf with canyon liner	+\$297
L	YT715 - lg. shelf with pesto liner	+\$297
M	YT715 - lg. shelf with bayou liner	+\$297
N	YT715 - lg. shelf with greystone liner	+\$297
O	YT715 - lg. shelf with charcoal liner	+\$297

For 24" deep (23" surface size) (24) with right (R) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
F	YT715 - sm. shelf with canyon liner	+\$138

Step 21. Accessory Options Right Finish

For YT700 - bag hook (B), YT715 - small accessory shelf - no liner (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)

613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 22. Vertical Cable Management

1	none	+\$0
3	shroud attached	+\$156

Step 23. Vertical Cable Management Attachment


For shroud attached (3)

2	workspace connected	+\$0
3	horizontal cable trough connected	+\$0

Step 24. Vertical Cable Management Finish

UBK	ultra black (CP)	+\$0
BK	black	+\$0
SY	silver grey	+\$0

Ambit™ Shroud



Product Information

Description

This suspended storage is painted metal and comes in 3 configurations: small, large open, and large closed. Options include a lock, and handed door opening on the large closed unit.

Notes


Suspended units must be mounted on inside of table leg.

Small and large open units are not handed. Lock is always on right side.


Suspended storage is designed to mount to the underside of 30"-deep, C-leg, standard range, height-adjustable tables.

See planning guide for additional information and for other height-adjustable table mounting capabilities.


Dimensions



Large suspended storage



Open suspended storage




Small suspended storage

Specification Information	
Step 1.	
IH200.	
Step 2. Storage Type	
C	large suspended storage, lock
K	small suspended storage, lock
L	large suspended storage, no lock
S	small suspended storage, no lock
Step 3. Configuration	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
S	standard
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
L	drawer, door hinged left
P	drawer, open
R	drawer, door hinged right
Step 4. Depth	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
13	13" deep
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
16	16" deep
Step 5. Width	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
10	10" wide
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
10	10-1/4" wide
Step 6. Top Drawer Accessory	
N	none
Step 7. Bottom Accessory	
N	none

Prices for Steps 1-7.		
		1310NN 1610NN
IH200. C L		— \$1108
P		— \$853
R		— \$1108
K S		\$586 —
L L		— \$1053
P		— \$796
R		— \$1053
S S		\$531 —
Step 8. Finish		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
G1	graphite (CP)	+\$0
OLF	olive	+\$20
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Step 9. Door Pull Finish		
<i>For drawer, door hinged left (L) or drawer, door hinged right (R)</i>		
8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
UBK	ultra black (CP)	+\$0
Step 10. Lock		
<i>For large suspended storage, lock (C) or small suspended storage, lock (K)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0
<i>For large suspended storage, no lock (L) or small suspended storage, no lock (S)</i>		
NL	no lock	+\$0

Logic G1000 Grommet Mounted
Electrical Distributor

Y1425.



Product Information


Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

- Field cutting of grommet cutout is possible.
- IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.
- Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.
- USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts. Refer to Renew Sit-to-Stand Tables planning guide for specific application information.
- 20' cord/conduit length (20) is recommended for Exclave® applications.

Dimensions



Logic G1000 Grommet Mounted Electrical Distributor *continued*

Specification Information

Step 1.

Y1425.

Step 2. Configuration

H 2 simplex receptacles, 1 powered USB A/C Combo

I 4 simplex receptacles, 1 powered USB A/C Combo

E 3 simplex receptacles

F 5 simplex receptacles

Step 3. Power Type

A power cord with plug end

C IEC connector for Renew Tables

Step 4. Cord/Conduit Length

For power cord with plug end (A)

03 3' cord/conduit

06 6' cord/conduit

10 10' cord/conduit

20 20' cord/conduit

For IEC connector for Renew Tables (C)

03 3' cord/conduit


Prices for Steps 1-4.

		03	06	10	20
Y1425. H	A	\$900	900	914	929
	C	\$914	—	—	—
I	A	\$1042	1042	1059	1074
	C	\$1059	—	—	—
E	A	\$693	693	706	718
	C	\$706	—	—	—
F	A	\$836	836	851	867
	C	\$851	—	—	—

Step 5. Finish

613	silver (CP)	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
BK	black <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
UBK	ultra black (CP)	+\$0

Logic C1000 Universal Clamp Mount Y1423.
Distributor



Product Information

Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes


Clamp mounts on worksurfaces 1"-1 1/4" thick.

Faceplate color matches unit color.


Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.


Dimensions




2 simplex receptacles with 1 powered USB A/C
combo (H)




4 simplex receptacles with 1 powered USB A/C
combo (I)



5 simplex receptacles with 1 powered USB A/C
combo (J)



3 simplex receptacles (E)



5 simplex receptacles (F)

Logic C1000 Universal Clamp Mount

Distributor *continued*

Specification Information

Step 1.

Y1423.

Step 2. Configuration

H 2 simplex receptacles, 1 powered USB A/C Combo

I 4 simplex receptacles, 1 powered USB A/C Combo

E 3 simplex receptacles

F 5 simplex receptacles

Step 3. Power Type

A power cord with plug end

Step 4. Cord/Conduit Length

03 3' cord/conduit

06 6' cord/conduit

10 10' cord/conduit

Prices for Steps 1-4.

		03	06	10
Y1423. H A		\$633	633	648
I A		\$761	761	773
E A		\$425	425	440
F A		\$555	555	567

Step 5. Finish

613 silver (CP) +\$0


UBK ultra black (CP) +\$0

91 white (CP) ☐ A +\$0



98 studio white (CP) ☐ A +\$0

BK black ☐ A +\$0

G1 graphite (CP) ☐ A +\$0



Product Information
Description
This Logic Power Access Solutions™ grommet mounted metal enclosure provides access to cords kept beneath the surface. The unit has an integrated cord keeper.
Notes
Unit size is based on the grommet mounted electrical distributor (Y1425.) with simplex receptacles.
Dimensions




Specification Information		
Step 1.		
Y1420.		
Step 2. Configuration		
T	three outlet opening	
V	five outlet opening	
Prices for Steps 1-2.		
Y1420. T		\$303
V		\$333


Step 3. Finish		
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
BK	black <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0

Logic HD Cable Manager

Y1424.



Product Information
Description
This Logic Power Access Solutions™ stand-alone cable management tray mounts to the underside of most surfaces. It can be used with a Logic unit for cord storage, or used alone with cords routed through the back side of the unit. Tray drops down and holds cords in place while working and can be easily stowed back in place.
Dimensions




Specification Information
Step 1.
Y1424.
Step 2. Size
1717" wide tray
Prices for Steps 1-2.
Y1424. 17\$333
Step 3. Finish
613silver (CP)+\$0
SNA satin aluminum+\$0
SNB satin bronze+\$0
SNC satin carbon+\$0
UBK ultra black (CP)+\$0
91white (CP) [A]+\$0
98studio white (CP) [A]+\$0
BKblack [A]+\$0
G1graphite (CP) [A]+\$0

Renew™ Power and Data Support

External Cable Manager


DU11B.
DU11S.



Product Information

Description
This cable manager seamlessly routes cables from the central trough of height adjustable benching (Renew™ Link or Nevi™ Link) up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.

Dimensions



Specification Information


Step 1.
DU11

Step 2. Attachment
B. high density trough attachment
S. worksurface attachment

Prices for Steps 1-2.	
DU11B.	\$282
DU11S.	\$282

Step 3. Finish	
Price Category 4 <input type="checkbox"/>	+\$0
Price Category 5 <input type="checkbox"/>	+\$0

Renew™ Power and Data Support



Product Information

Description

This sensor kit provides an additional system failsafe mechanism for Renew™ tables and Renew Link by detecting possible obstructions and/or unsafe conditions in the travel path of the table. Kit comes with 1 or 2 sensors depending on table width. Renew table and Renew Link bench remain UL Listed with sensor installed.


Notes

Warning: Despite this sensor being in place, there may still be a risk of pinching in exceptional cases, as it is not only the control unit, but also the interaction between the mechanical and electronic systems that is responsible for responding to obstructions. Herman Miller cannot therefore eliminate this residual risk completely or accept any liability.

Be sure to maintain a clear path within the envelope of the height adjustable table.

See Renew Link planning guide for design information.

Dimensions



Renew™ Obstruction Sensor Kit

continued

Specification Information

Step 1.

DUSG ☐

Step 2. Table Width


- 1. 60 inches and under ☐
- 2. over 60 inches ☐

Prices for Steps 1-2.

DUSG1.	\$146
DUSG2.	\$182

Height-Adjustable Vertical Cable Manager

DU15B.
DU15S.




Product Information

Description

This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.

Dimensions



Specification Information

Step 1.

DU15 A

Step 2. Attachment

B. cable tray attachment A

S. worksurface attachment A

Step 3. Table Mechanism

D electric extended range

E electric standard range

Prices for Steps 1-3.

DU15B. D	\$169
E	\$169
DU15S. D	\$176
E	\$176


Step 4. Finish

613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
BK	black	+\$0
91	white (CP)	+\$0

Renew™ Power and Data Support

Pari Screen, Height Adjustable
Tables

Y1116.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

- 24—0.88
- 30—1.07
- 36—1.26
- 42—1.45
- 48—1.64
- 54—1.83
- 60—2.02
- 66—2.21
- 72—2.39

For heights C/D/E/F:

- 24—1.76
- 30—2.14
- 36—2.52
- 42—2.90
- 48—3.28
- 54—3.65
- 60—4.03
- 66—4.41
- 72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Pari Screen, Height Adjustable Tables *continued*

Specification Information

Step 1.

Y1116. ☐ A

Step 2. Height

- A privacy (42" high) ☐ A
- B privacy & modesty (42" high/10" below surface) ☐ A
- C privacy (46" high) ☐ A
- D privacy & modesty (46" high/10" below surface) ☐ A
- E privacy (53" high) ☐ A
- F privacy & modesty (53" high/10" below surface) ☐ A

Step 3. Width

- 24 24" wide ☐ A
- 30 30" wide ☐ A
- 36 36" wide ☐ A
- 42 42" wide ☐ A
- 48 48" wide ☐ A
- 54 54" wide ☐ A
- 60 60" wide ☐ A
- 66 66" wide ☐ A
- 72 72" wide ☐ A

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

- R tackable fabric, horizontal ☐ A
- T tackable fabric ☐ A
- D tackable fabric, horizontal with MicrobeCare™ ☐ A
- E tackable fabric with MicrobeCare™ ☐ A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

- R tackable fabric, horizontal ☐ A
- D tackable fabric, horizontal with MicrobeCare™ ☐ A

Prices for Steps 1-4.

	R	T	D	E
Y1116. A 24	\$556	556	625	625
30	\$645	645	712	712
36	\$670	670	738	738
42	\$710	710	779	779
48	\$736	736	805	805
54	\$808	—	876	—
60	\$868	—	937	—
66	\$927	—	998	—
72	\$979	—	1046	—

B 24	\$671	671	739	739
30	\$719	719	786	786
36	\$765	765	832	832
42	\$808	808	876	876
48	\$897	897	965	965
54	\$1009	—	1077	—
60	\$1035	—	1103	—
66	\$1113	—	1182	—
72	\$1141	—	1210	—
C 24	\$632	632	700	700
30	\$676	676	744	744
36	\$724	724	792	792
42	\$768	768	836	836
48	\$848	848	915	915
54	\$933	—	1000	—
60	\$1039	—	1107	—
66	\$1089	—	1157	—
72	\$1133	—	1200	—
D 24	\$812	812	879	879
30	\$855	855	923	923
36	\$901	901	969	969
42	\$946	946	1014	1014
48	\$1017	1017	1087	1087
54	\$1067	—	1135	—
60	\$1130	—	1198	—
66	\$1187	—	1255	—
72	\$1218	—	1285	—
E 24	\$831	831	899	899
30	\$876	876	944	944
36	\$921	921	988	988
42	\$993	993	1062	1062
48	\$1022	1022	1091	1091
54	\$1080	—	1150	—
60	\$1102	—	1171	—
66	\$1129	—	1197	—
72	\$1155	—	1223	—
F 24	\$915	915	983	983
30	\$959	959	1028	1028
36	\$1006	1006	1074	1074
42	\$1051	1051	1119	1119
48	\$1131	1131	1199	1199
54	\$1171	—	1238	—
60	\$1214	—	1282	—
66	\$1313	—	1380	—
72	\$1338	—	1406	—

Renew™ Screens

Pari Screen, Height Adjustable
Tables *continued*


Step 5. Cable Trough		
<i>For privacy & modesty (42" high/10" below surface) (B), privacy & modesty (46" high/10" below surface) (D), or privacy & modesty (53" high/10" below surface) (F)</i>		
NC	no cable way <input type="checkbox"/>	+\$0
CW	cable way <input type="checkbox"/>	+\$25

Step 6. Fabric		
Price Category 1	<input type="checkbox"/>	+\$0
Price Category 2	<input type="checkbox"/>	+\$23
Price Category 3	<input type="checkbox"/>	+\$49
Price Category 5	<input type="checkbox"/>	+\$162
Price Category B	<input type="checkbox"/>	+\$86
Price Category C	<input type="checkbox"/>	+\$121
Price Category E	<input type="checkbox"/>	+\$182

Renew™ Screens

Personal Side Screen

Y1117.



Product Information

Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to 1¼" thick.

Bottom of attachment bracket extends 1½" below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

13—0.94


For horizontal fabric direction (R):

Height—Yardage

13—1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

Y1117.

Step 2. Height

13 13" high

Step 3. Surface Material

R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-3.

	R	T
Y1117. 13	\$498	498

Step 4. Fabric

Price Category 1 +\$0

Price Category 2 +\$13


Price Category 3 +\$28

Price Category 5 +\$90

Renew™ Screens

Surface-Attached Screen, Flat Edge

Y1118.



Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (A) top edge is 13" above top of work surface; bottom edge is 3¾" below work surface.

Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

A—1.51

B—1.89

C—1.76

D—2.14

E—2.21

F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

24—0.88

30—1.07

36—1.26

42—1.45

48—1.64

54—1.83

60—2.02

66—2.21

72—2.39

For heights C/D/E/F:

24—1.76

30—2.14

36—2.52

42—2.90

48—3.28

54—3.65

60—4.03

66—4.41

72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Surface-Attached Screen, Flat Edge

continued

Specification Information

Step 1.

Y1118. ☐ A

Step 2. Height

A privacy (42" high) ☐ A

B privacy & modesty (42" high/ 9" below surface) ☐ A

C privacy (46" high) ☐ A

D privacy & modesty (46" high/ 9" below surface) ☐ A

E privacy (53" high) ☐ A

F privacy & modesty (53" high/ 9" below surface) ☐ A

Step 3. Width

24 24" wide ☐ A

30 30" wide ☐ A

36 36" wide ☐ A

42 42" wide ☐ A

48 48" wide ☐ A

54 54" wide ☐ A

60 60" wide ☐ A

66 66" wide ☐ A

72 72" wide ☐ A

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R tackable fabric, horizontal ☐ A

T tackable fabric ☐ A

D tackable fabric, horizontal with MicrobeCare™ ☐ A

E tackable fabric with MicrobeCare™ ☐ A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal ☐ A

D tackable fabric, horizontal with MicrobeCare™ ☐ A

Prices for Steps 1-4.

	R	T	D	E
Y1118. A 24	\$387	387	455	455
30	\$418	418	486	486
36	\$498	498	567	567
42	\$536	536	604	604
48	\$574	574	641	641
54	\$610	—	677	—
60	\$662	—	730	—
66	\$693	—	761	—
72	\$738	—	806	—

B 24	\$482	482	548	548
30	\$519	519	588	588
36	\$556	556	625	625
42	\$595	595	663	663
48	\$626	626	695	695
54	\$660	—	727	—
60	\$682	—	750	—
66	\$744	—	813	—
72	\$800	—	868	—
C 24	\$483	483	551	551
30	\$532	532	600	600
36	\$572	572	640	640
42	\$630	630	698	698
48	\$706	706	773	773
54	\$743	—	812	—
60	\$831	—	899	—
66	\$874	—	941	—
72	\$937	—	1005	—
D 24	\$606	606	675	675
30	\$676	676	744	744
36	\$754	754	821	821
42	\$771	771	840	840
48	\$803	803	872	872
54	\$826	—	892	—
60	\$914	—	982	—
66	\$988	—	1057	—
72	\$1029	—	1097	—
E 24	\$658	658	725	725
30	\$667	667	735	735
36	\$685	685	753	753
42	\$805	805	874	874
48	\$833	833	902	902
54	\$854	—	922	—
60	\$892	—	960	—
66	\$973	—	1042	—
72	\$1036	—	1104	—
F 24	\$796	796	864	864
30	\$805	805	874	874
36	\$819	819	887	887
42	\$833	833	902	902
48	\$844	844	913	913
54	\$855	—	923	—
60	\$946	—	1014	—
66	\$994	—	1063	—
72	\$1201	—	1269	—

Renew™ Screens

Surface-Attached Screen, Flat Edge

continued

Step 5. Cable Trough

For privacy & modesty (42" high/ 9" below surface) (B), privacy & modesty (46" high/ 9" below surface) (D), or privacy & modesty (53" high/ 9" below surface) (F)


NC	no cable way <input type="checkbox"/>	+\$0
CW	cable way <input type="checkbox"/>	+\$25

Step 6. Fabric

Price Category 1 <input type="checkbox"/>	+\$0
Price Category 2 <input type="checkbox"/>	+\$25
Price Category 3 <input type="checkbox"/>	+\$59
Price Category 5 <input type="checkbox"/>	+\$146
Price Category B <input type="checkbox"/>	+\$97
Price Category C <input type="checkbox"/>	+\$133
Price Category E <input type="checkbox"/>	+\$182

For tackable fabric, horizontal (R) or tackable fabric, horizontal with MicrobeCare™ (D)

Price Category 1 <input type="checkbox"/>	+\$0
Price Category 2 <input type="checkbox"/>	+\$25
Price Category 3 <input type="checkbox"/>	+\$59
Price Category 5 <input type="checkbox"/>	+\$146
Price Category B <input type="checkbox"/>	+\$97
Price Category C <input type="checkbox"/>	+\$133



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 11 1/8" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.


Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.

Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1120.

Step 2. Height

13A privacy (13 1/2" above worksurface)

13B privacy & modesty (13 1/2" above worksurface/11 1/8" below worksurface)

Step 3. Width

24 24" wide

30 30" wide

36 36" wide

42 42" wide

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 4. Surface Material

L thermally-fused laminate

U thermally-fused laminate/universal edge

Prices for Steps 1-4.

			L	U
Y1120.	13A	24	\$264	264
		30	\$281	281
		36	\$295	295
		42	\$309	309
		48	\$324	324
		54	\$337	337
		60	\$348	348
		66	\$359	359
		72	\$373	373
	13B	24	\$326	326
		30	\$343	343
		36	\$361	361
		42	\$380	380
		48	\$398	398
		54	\$412	412
		60	\$430	430
		66	\$442	442
		72	\$457	457

Laminate Screen, Surface Attached

continued

Renew™ Screens

Step 5. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

VTG	vertical grain	+\$0
HRG	horizontal grain	+\$0

For 66" wide (66) or 72" wide (72)

HRG	horizontal grain	+\$0
------------	------------------	------

Step 6. Cable Trough

For privacy (13½" above worksurface) (13A)

NC	no cable way	+\$0
-----------	--------------	------

For privacy & modesty (13½" above worksurface/11⅛" below worksurface) (13B)

NC	no cable way	+\$0
CW	cable way	+\$25

Step 7. Surface Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Edge Finish

For thermally-fused laminate (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Modesty Panel

Y1113.



Product Information

Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.


Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 3. Cable Trough

N	without added cable trough
Y	with added cable trough

Step 4. Surface Material

L	thermally-fused laminate top/thermoplastic edge
W	veneer top/veneer edge

Prices for Steps 1-4.

			L	W
Y1113.	24	N	\$276	487
		Y	\$489	720
	30	N	\$300	545
		Y	\$554	824
	36	N	\$327	605
		Y	\$601	907
	42	N	\$354	665
		Y	\$661	1002
	48	N	\$380	727
		Y	\$721	1101
	54	N	\$408	787
		Y	\$784	1195
	60	N	\$434	845
		Y	\$845	1290
	66	N	\$434	904
		Y	\$906	1386
	72	N	\$469	964
		Y	\$965	1481

Step 5. Finish

For thermally-fused laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For veneer top/veneer edge (W)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
UL	natural maple	+\$0


Step 6. Edge Finish

For thermally-fused laminate top/thermoplastic edge (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Fabric Modesty Panel

Y1114.




Product Information
Description
This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.
Notes
Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.
For use with flip top table (DT5Ax.), modesty panel (Y1114.) is recommended to enable optimal folding functionality of the table.
Dimensions



Specification Information
Step 1.
Y1114. <input type="checkbox"/> A
Step 2. Width
24 24" wide <input type="checkbox"/> A
30 30" wide <input type="checkbox"/> A
36 36" wide <input type="checkbox"/> A
42 42" wide <input type="checkbox"/> A
48 48" wide <input type="checkbox"/> A
54 54" wide <input type="checkbox"/> A
60 60" wide <input type="checkbox"/> A
66 66" wide <input type="checkbox"/> A
72 72" wide <input type="checkbox"/> A
Prices for Steps 1-2.
Y1114. 24 \$251
30 \$274
36 \$297
42 \$314
48 \$334
54 \$375
60 \$395
66 \$417
72 \$433
Step 3. Fabric
Price Category 4 +\$28

Renew™ Screens



Product Information

Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage



24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information
Step 1.
FT354. ☐ A

Step 2. Attachment Type
CL Canvas Surface Attached, End of Run Left Handed ☐ A

CR Canvas Surface Attached, End of Run Right Handed ☐ A

Step 3. Height
42 42" high ☐ A

46 46" high ☐ A

Step 4. Width
24 24" wide ☐ A

30 30" wide ☐ A

36 36" wide ☐ A

Step 5. Surface Material
R tackable fabric, horizontal ☐ A

T tackable fabric ☐ A

Prices for Steps 1-5.

		24R	24T	30R	30T	36R	36T
FT354. CL	42	\$1139	1139	1178	1178	1212	1212
	46	\$1198	1198	1245	1245	1294	1294
	CR 42	\$1139	1139	1178	1178	1212	1212
	46	\$1198	1198	1245	1245	1294	1294

Step 6. Bracket Finish
UBK ultra black (CP) ☐ A +\$0

8Q folkstone grey (CP) ☐ A +\$0

91 white (CP) ☐ A +\$0

98 studio white (CP) ☐ A +\$0

BK black ☐ A +\$0

G1 graphite (CP) ☐ A +\$0

SNA satin aluminum ☐ A +\$10

SNB satin bronze ☐ A +\$10

SNC satin carbon ☐ A +\$10

WL warm stone (CP) ☐ A +\$0

WN warm grey neutral ☐ A +\$0

Step 7. Fabric

Price Category 1 ☐ A +\$0


Price Category 2 ☐ A +\$20

Price Category 3 ☐ A +\$48

Price Category 5 ☐ A +\$102

Price Category B ☐ A +\$378

Price Category C ☐ A +\$128



Product Information

Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Delineation

continued

Specification Information

Step 1.

FT358.

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed

CR Canvas Surface Attached, End of Run Right Handed

Step 3. Height

42 42" high

46 46" high

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

Step 5. Surface Material

R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-5.

		24R	24T	30R	30T	36R	36T
FT358. CL	42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841
	CR 42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841

Step 6. Bracket Finish

UBK ultra black (CP) +\$0

8Q folkstone grey (CP) +\$0

91 white (CP) +\$0

98 studio white (CP) +\$0

BK black +\$0

G1 graphite (CP) +\$0

SNA satin aluminum +\$10

SNB satin bronze +\$10

SNC satin carbon +\$10

WL warm stone (CP) +\$0

WN warm grey neutral +\$0

Step 7. Fabric

Price Category 1 +\$0

Price Category 2 +\$20

Price Category 3 +\$48

Price Category 5 +\$140

Price Category B +\$68

Price Category C +\$122

Price Category E +\$203

Index by Product Name

Renew™ Tables	
90° Corner Table with C-Foot	page(s) 35
90° Extended Corner Table with C-Foot	29
120° Corner Table with C-Foot	39
Ambit™ Height Adjustable Table Leg Shroud	50
Ambit™ Suspended Storage	56
External Cable Manager	64
Fabric Modesty Panel	79
Flat Edge Screen, Delineation	82
Height Adjustable Rectangular Worksurface	43
Height-Adjustable Vertical Cable Manager	67
Laminate Screen, Surface Attached	75
Logic C1000 Universal Clamp Mount Distributor	60
Logic G1000 Grommet Mounted Electrical Distributor	58
Logic G1200 Grommet Pass Thru	62
Logic HD Cable Manager	63
Modesty Panel	77
Oval Table with T-Foot	24
Pari Screen, Delineation	80
Pari Screen, Height Adjustable Tables	68
Personal Side Screen	71
Rectangle Counterbalance Table with C-Foot	13
Rectangle Table with C-Foot	5
Rectangle Table with T-Foot	16
Renew™ Obstruction Sensor Kit	65
Surface-Attached Screen, Flat Edge	72
Table Base Kit - 2 Legs	48
Table Base Kit - 3 Legs	46



Index by Product Number

DU6ACE Rectangle Table with C-Foot	page(s) 5
DU6ACG Rectangle Counterbalance Table with C-Foot	13
DU6ACS Rectangle Table with C-Foot	5
DU6ACT	
DU6ATE Rectangle Table with T-Foot	16
DU6ATS	
DU6ATT	
DU6DTE Oval Table with T-Foot	24
DU6DTS	
DU6DTT	
DU6ECE 90° Extended Corner Table with C-Foot	29
DU6ECS	
DU6ECT	
DU6FCE 90° Corner Table with C-Foot	35
DU6FCS	
DU6FCT	
DU6GCE 120° Corner Table with C-Foot	39
DU6GCS	
DU6GCT	
DU6WS. Height Adjustable Rectangular Worksurface	43
DU7A. Table Base Kit - 2 Legs	48
DU7F. Table Base Kit - 3 Legs	46
DU11B. External Cable Manager	64
DU11S.	
DU15B. Height-Adjustable Vertical Cable Manager	67
DU15S.	
DUSG1. Renew™ Obstruction Sensor Kit	65
DUSG2.	
DV8SM. Ambit™ Height Adjustable Table Leg Shroud	50
DV8SN.	
DV8SR.	
FT354. Pari Screen, Delineation	80
FT358. Flat Edge Screen, Delineation	82
IH200. Ambit™ Suspended Storage	56
Y1113. Modesty Panel	77
Y1114. Fabric Modesty Panel	79
Y1116. Pari Screen, Height Adjustable Tables	68
Y1117. Personal Side Screen	71
Y1118. Surface-Attached Screen, Flat Edge	72
Y1120. Laminate Screen, Surface Attached	75
Y1420. Logic G1200 Grommet Pass Thru	62
Y1423. Logic C1000 Universal Clamp Mount Distributor	60
Y1424. Logic HD Cable Manager	63
Y1425. Logic G1000 Grommet Mounted Electrical Distributor	58





20-Day or Less/Assigned Lead-Time Order Information

GSA

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian® Filing and Storage:

(616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at:

(866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Vary Easy Program

GSA

Program Overview

The Vary Easy program offers expanded product selections beyond what is available through our standard offering. From expanded material and finish lists, to size availability, to completely new product configurations, the Vary Easy program offers it all at standard pricing, warranty, and lead-time.

Specifying Vary Easy using Made-to-Measure Plus

Vary Easy products are now available by clicking the Vary Easy/Options tile in the Made-to-Measure Plus tool.

Made-to-Measure Plus is a web-based tool available through Omni that takes the guesswork out of specifying products and service parts. It's quickly evolving to become your one-stop shop for specifying Herman Miller products and service parts, particularly customized product like Vary Easy and HM Options.

Vary Easy products are no longer published in marketing SIF for importing into specIT and other third-party specifiers. Specifying through the Made-to-Measure Plus tool allows us to make frequent updates and offer more complex products. It allows you to easily specify and price products and download SIF files to import into your specification tool. The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead-time and are competitively priced.

For step-by-step instructions, reference the Made-to-Measure Plus page under Tools & Resources on Omni to watch the how-to video and to see how easy it is to specify Vary Easy products in Made-to-Measure Plus.

For Vary Easy product and specification questions, contact Product Services at 866 854 3048 (ext #1).

For technical questions about the Made-to-Measure Plus tool, contact Sales Technology Support at 866 854 3048 (ext #4) or sts@hermanmiller.com.



Stain-to-Match Program

GSA

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer’s existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:
(800) 654 3910

Ordering Products with Stain-to-Match Veneers

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2” x 3” minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer’s signed approval.
3. If the sample meets the customer’s approval, sign the reverse side of the sample, scan and email the approval to:
options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan


Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

® HermanMiller, , Action Office, Aeron, Aside, Canvas Office Landscape, Caper, Cosm, Co/Struc, Eames, Embody, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Intent, Layout Studio, Lino, Maharam, Meridian, Mirra, Motia, Nelson, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Sayl, Setu, Tu, Verus, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ AireWeave, Bubbletack, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Headway, Hopsak 2, Iota, Keyless Entry, Latitude, Lyris 2, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Renew, Stackable, Swoop, Thrive, TriFlex, Twist and Valor are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles® is a registered trademark of Place Textiles.