



GSA prices effective October 7, 2024
(based on July 1, 2024, commercial price list)
Published December 2024

Storage Systems Tu® Wood Storage

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!, a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture
FSC/PSC 7110/7125
Contract Number: GS-03F-036DA
UEI: Q2K3MSZ843D8
Contract Period: December 21, 2015—December 20, 2025

MillerKnoll, Inc.
855 East Main Avenue
Zeeland, Michigan 49464
(616) 654 3000 Phone
(616) 654 8278 Fax
www.HermanMiller.com/government

Business Size: Large

Contract Information

1a. Special Item Numbers (SIN)

SIN 33721

Furniture Systems, Computer Furniture, Filing and Storage, Tables and Accessories, Upholstered Seating and Multi-Purpose Seating, Project Management, Reconfiguration and Relocation Services, Design/Layout and Installation Services

SIN 33721P

Packaged Offices

SIN 337127

Modular Laboratory Furniture Systems

SIN 339113H

Healthcare Furniture

SIN OLM

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local MillerKnoll Inc. representative to discuss the appropriate use of this SIN.

SIN 532289

Leasing

Contact MillerKnoll Inc participating government dealer for current leasing information.

1b. Lowest Priced Model

SIN 33721:	BVP3.S	\$7.27
SIN 33127:	TW113	\$5.81
SIN 339113H:	CR900NR	\$483.80

1c. Service Rates

Project Management

Furniture Project Manager: \$64.75 per hour
Furniture Project Coordinator: \$49.00 per hour
Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Not to exceed \$55 per hour.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Not to exceed \$65 per hour.

Installation Services

Not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

2. Maximum Order

SIN 33721, 337127, NEW, OLM

\$250,000 net product value

SIN 33721P

\$250,000 net value

SIN 339113H

\$500,000 net product value

3. Minimum Order

\$100 net

4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

5. Point of Production

Zeeland, Ottawa County, Michigan

Spring Lake, Ottawa County, Michigan

Elland, Yorkshire, United Kingdom

Hildebran, Burke County, North Carolina, USA

6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 33721

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Office 1	73.8%
Action Office 2	73.8%
Aeron	64.5%
Ambit Workspace Solutions	74.3%
Asari Chair	53.7%
Aside	64.2%
Bay Work Pod	56.7%
C-Style Overhead Storage	73.8%
Canvas Office Landscape Channel	74.8%
Canvas Office Landscape Dock	74.8%
Canvas Metal Desk	74.8%
Canvas Office Landscape Metal Storage	74.8%
Canvas Office Landscape Private Office	74.8%
Canvas Office Landscape Wood Storage	74.8%
Canvas Office Landscape Vista	74.8%
Canvas Office Landscape Wall	74.8%
Caper	61.5%
Commend Nurses Station	73.3%
Cosm	61.7%
Eames® Aluminum Group	58.7%
Eames Conference & Dining Tables	73.6%
Easton Family	54.91%
Embody	59.7%
Energy Distribution Systems	73.8%
Ethospace System	73.8%
Everywhere™ Tables	73.8%
Exclave	61.7%

Contract Information

continued

Fuld	59.7%
Headway™ Tables	73.8%
Intent Solution	58.7%
Layout Studio®	60.7%
Lighting	73.8%
Lino	63.7%
Meridian Laterals	67.3%
Meridian Pedestals	64.2%
Meridian Towers	62.7%
Meridian Storage	62.7%
Mirra 2	61.7%
Motia Tables	73.8%
NaughtOne	50.0%
Nemschoff	54.91%
Nevi™ Tables	73.8%
Nevi Link	73.8%
OE1 Boundary	72.8%
OE1 Community Elements	61.7%
OE1 Micro Packs	73.8%
OE1 Storage	72.8%
OE1 Tables and Benching	73.8%
Overlay™	62.7%
Plex® Lounge Furniture	59.5%
Public Office Landscape	61.7%
Renew™ Tables	73.8%
Renew Link	73.8%
Sayl	62.2%
Setu	59.7%
Swoop Lounge Furniture	60.7%
Thrive Portfolio	62.0%
Thrive Portfolio-CBS Products Extension	62.0%
Tu Lateral Files	74.3%
Tu Pedestals	73.8%
Tu Storage	74.3%
Tu Towers	74.3%
Tu Wood Cases	74.3%
Tu Wood Cubbies	74.3%
Tu Wood Credenzas	74.3%
Tu Wood Pedestals	74.3%
Tu Wood Towers	74.3%
Valor™ Family	54.91%
Verus	63.7%
Zeph	60.2%

Services

Please refer to section 19 for Terms and Conditions of Installation/ Reconfiguration and Relocation Services.

Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local MillerKnoll Inc. representative to discuss the available labor categories (listed below). The hourly rates listed are “Not To Exceed” or “NTE” values.

Furniture Project Manager: \$64.75 per hour
Furniture Project Coordinator: \$49.00 per hour
Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Design service will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$65 per hour.

Installation Services

Installation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 337127

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Lab	58.5%
Compass System	58.5%
Co/Struc System	58.5%
Healthcare Carts	18.0%
Mora System	58.5%
Bedside Cabinets	58.5%

SIN 33721P

Packaged Office Furniture - Maximum Order \$250,000 (net).

Includes packaged furniture solutions for customers needing to furnish an office.

SIN 339113H

Standard Lead Time, Single Order Net Purchase \$100 - 500,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Nemschoff Healthcare Furniture	54.91%

7. Quantity Discounts

Reference item #6.

8. Payment Terms

Net 30 days

9. Foreign Items

None

10. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact MillerKnoll Inc. or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

Contract Information

continued

11. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

12. Ordering Address

a. MillerKnoll Inc.

Government Customer Care 0161
855 East Main Avenue
Zeeland MI 49464.

b. For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.

13. Payment Address.

MillerKnoll Inc.
22764 Network Place
Chicago, IL 60673-1227

14. Warranty

MillerKnoll Inc. commercial warranty applies.

15. Export Packing Charge

Prices supplied on request.

16. Rental Maintenance and Repair Terms

Not applicable

17. Terms and Conditions of Installation/Reconfiguration and Relocation Services

* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

18. Terms and Conditions of Repair Parts

Not applicable

19. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

20. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/where-to-buy/contact-a-dealer/. Select your market by using the filter.

21. Preventive Maintenance

Not applicable

22a. Special Attributes.

2022

MillerKnoll earns its 15th consecutive perfect score in Human Rights Campaign Foundation's 2022 Corporate Equality Index.

2021

The OE1 Trolley and Micro Packs are both winners of the 2021 Archiproducts international design competition in the Office Category.

MillerKnoll is named to Michigan's Best and Brightest in Wellness List for 2021.

MillerKnoll is awarded Platinum Rating in CSR by EcoVadis.

OE1 is named winner of Wallpaper's "Most Futuristic Furniture" Category as part of their first-ever Smart Space Awards.

OE1 receives the Workplace category award from Fast Company's 2021 Innovation by Design Awards.

MillerKnoll is named to Fast Company's Annual List of the World's Most Innovative Companies for 2021.

MillerKnoll is recognized as a "Disclosure Leader" by the Chemical Footprint Project (CFP).

Contract Information

continued

MillerKnoll earns its 14th consecutive perfect score in Human Rights Campaign Foundation's 2021 Corporate Equality Index.

MillerKnoll is named to Newsweek's List of America's Most Responsible Companies 2021.

Great Lakes Women's Business Council awards MillerKnoll for "Excellence in Supplier Diversity" in the Best In Class category.

2020

Herman Miller is recognized with a 2020 FSC® Leadership Award for our commitment to responsible forestry management.

Herman Miller is named one of Investor's Business Daily Top 50 Best ESG (Environmental, Social, and Corporate Governance) Companies.

Working Mother names Herman Miller as one of the Best Companies for Dads.

Herman Miller is awarded Platinum Rating in CSR by EcoVadis.

Herman Miller is named Diversity Inc 2020 Noteworthy Company for recruitment efforts, employee development opportunities, leadership accountability, and supplier diversity.

Cosm, by Studio 7.5, receives an iF Gold Award in the Office and Industry category at the iF World Design Awards 2020.

Herman Miller earns its 13th consecutive perfect score in Human Rights Campaign Foundation's 2020 Corporate Equality Index.

2019

Mora System casework, designed by Collective Ten for Herman Miller, receives silver in the Industrial and Life Science Design/Medical Furniture category at the European Product Design Awards.

Mora System casework is awarded GOOD DESIGN Award 2019, selected for design excellence and innovation.

National Minority Supplier Diversity Council (NMSDC) names Herman Miller as the 2019 Class 1 Corporation of the Year for leadership in supplier diversity.

TIME Magazine names Cosm to its list of 100 Best Inventions of 2019.

Herman Miller is named #12 Overall and #2 in Manufacturing on Investor's Business Daily Best ESG (Environmental, Social, Governance) Companies.

Herman Miller is recognized as a silver level Certified Veteran-Friendly Employer by the Michigan Veterans Affairs Agency for a commitment to veteran hiring, retention, and development.

For the second year in a row, Herman Miller receives a Gold Medal from EcoVadis in recognition of Corporate Social Responsibility achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement.

Herman Miller is named "Frontrunner" in Chemical Footprint Project by Clean Production Action for our chemical management policies and practices.

Herman Miller receives International Interior Design Association and Contract's best showroom design award in the "Large Showroom" category at NeoCon.

Herman Miller earns its 12th consecutive perfect score in Human Rights Campaign Foundation's 2019 Corporate Equality Index.

Cosm, designed by Studio 7.5 for Herman Miller, receives a Red Dot Best of the Best Product Design Award in the "Office Chairs" category.

Lino, designed by Sam Hecht and Kim Colin for Herman Miller, receives an iF Design Award in the Product Design category.

2018

Overlay, designed by Birsell+Seck, receives Interior Design Best of Year Award in the Partitions and Wall Systems category.

Herman Miller receives the "Corporation of the Year" in consumer products award from the Michigan Minority Supplier Development Council.

Herman Miller achieves the Advanced Excellence in Supplier Diversity Award from the Great Lakes Women's Business Council for doing business with women-owned suppliers.

Great Lakes Women's Business Council awards Herman Miller for "Excellence in Supplier Diversity" in the Advanced category.

WEConnect awards Herman Miller an Honorable Mention for global supplier diversity initiatives.

As one of the top-scoring companies in the industry for the 14th consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2018 Sustainability Yearbook and receives the Silver Class distinction for excellent sustainability performance—economic, environmental, and social.

For the 11th consecutive year, Herman Miller receives a perfect score on the Human Rights Campaign Foundation's Corporate Equality Index and is designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly LGBT-related policies and practices.

Contract Information

continued

Herman Miller receives Gold Medal from EcoVadis in recognition of Corporate Social Sustainability achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement. EcoVadis operates the first web-based collaborative platform that allows companies to assess the environmental and social performance of their global suppliers.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The Cosm Chair wins Mix Interiors "Product of the Year—Task" award.

2017

Herman Miller receives "Rising Star Award" from the Michigan Veterans Affairs Agency (MVAA) for exhibiting new and novel approaches to veteran recruitment and hiring.

Herman Miller is named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller receives a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award. SEAL Award winners are determined by a holistic methodology measuring applicants against established benchmarks that demonstrate impact and progress toward creating a healthy planet and a sustainable future.

Herman Miller earns the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller is named one of the Best and Brightest in Wellness for the 5th year in a row.

Herman Miller earns its 10th consecutive perfect score in Human Rights Campaign Foundation's 2017 Corporate Equality Index.

As one of the top-scoring companies in the industry for the 13th consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and receives the Bronze Class distinction for excellent economic, environmental, and social sustainability performance. The selection criteria for inclusion in the Yearbook becomes more rigorous each year, and only the top 15 percent of companies within each industry are selected.

Herman Miller once again earns the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience. Herman Miller is the only furniture manufacturer among the 160 companies across the U.S. and Canada honored with the award.

Herman Miller's Mora wins Nightingale Silver Award in the "Furniture Collections" category at the 2017 Healthcare Design Conference.

2016

Herman Miller earns 9th consecutive perfect score in Human Rights Campaign Foundation's Corporate Equality Index and is designated as Best Place to Work for LGBT equality.

Herman Miller is recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC) for being an outstanding partner in support of the growth of WMEAC's programs. WMEAC's award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (5th consecutive year) recognizes Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability. This award celebrates those companies that are making their businesses more sustainable, the lives of their employees better, and the community, both locally and globally, more responsible as a whole.

Herman Miller is recognized by the Michigan Minority Supplier Development Council (MMSDC) as a "Corporation of the Year". Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC.

Herman Miller is recognized with "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council.

Herman Miller is recognized as a 2016 Healthiest 100 Workplace in America, ranking 49th in the country for our commitment to health and exceptional corporate wellness programming.

Herman Miller receives the Best and Brightest in Wellness Award for the 4th year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

The Michigan Occupational Safety and Health Administration renews Herman Miller's "Star" status, the highest workplace safety and health designation, for the Hickory facility in Spring Lake.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Herman Miller is named a 2016 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller is selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for the 12th consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

Contract Information

continued

22b. Section 508 Compliance

Not applicable

23. Unique Entity ID: Q2K3MSZ843D8

24. Registered in System for Award Management (www.SAM.gov) Database

25. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

26. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Returns and restocking policy is not applicable to Options products, products under SIN 337127, 339113H, NaughtOne and Nemschoff products.

MillerKnoll Inc. Miscellaneous Information:

Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636

Data Universal Numbering System (DUNS) 00-601-2801

Commercial Entity Code (CEC): 00702290J

Introduction	page 2
Tu® Wood Storage	3
Pedestals	5
Credenzas	23
Cubbies	45
Personal Towers	63
Storage Towers	69
End-of-Run Storage	81
Bookcase	94
Wardrobe	98
Keyless Locks	101
Tu Wood for Vista	104
Indices	151
By Name	151
By Number	153
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Keyed-Alike Information	
Stain-to-Match Program	
Customer's Own Material/Customer's Own Leather Order Information-Cushion Tops	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective October 7, 2024, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.


Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Wood Storage

Keyless Locks

Tu® Wood for Vista™





Product Information

Description

This pedestal attaches under a work surface on the left or right side to provide support and eliminate the need for a cantilever. It has an all-laminate case with laminate fronts, 2"-high recessed base, base with front to floor, or 2"-high foot with 1" leveling glides. A counterweight and top are required when specified in a freestanding application.

Actual pedestal depth is 19⁷/₈" (20), 22⁷/₈" (24), or 28⁷/₈" (28). Actual pedestal width is 15". Actual pedestal height is 27¹/₄". Adding top will increase height by ³/₄", 1¹/₈", or 1¹/₄".

Box drawers and file drawers have full-extension slides. File drawers accommodate front-to-back filing of letter-sized hanging files. Specify a file converter to file side-to-side.



Notes

Order optional accessories separately:


- Storage top (L2ST.)
- Pencil tray (L2UT.906)
- File converter (L29P.15) for legal filing side-to-side.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike information in Appendices.


Dimensions




Box/Box/File




File/File




Base



Foot



Base with
front to floor



C-Foot

Specification Information		
Step 1.		
L2PS.	☐ A	
Step 2. Width		
15	15" wide ☐ A	+\$0
Step 3. Depth		
20	20" deep	+\$1576
24	24" deep	+\$1682
28	28" deep	+\$1790
Step 4. Base/Foot Height		
1	base	+\$0
3	base with fronts to floor ☐ A	+\$19
5	foot	+\$157
9	c-foot ☐ A	+\$204
Step 5. Configuration		
FF	file/file	+\$0
BBF	box/box/file	+\$138
Step 6. Case/Front Material		
H	high-pressure laminate with thermoplastic edge ☐ A	+\$327
L	thermally-fused laminate with thermoplastic edge	+\$0
Step 7. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull ☐ A	+\$0
Step 8. Interior Drawer Material		
M	metal	+\$0
Step 9. Case/Front Finish		

<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
125	natural maple (CP) ☐ A	+\$0
126	natural cherry (CP) ☐ A	+\$0
127	walnut (CP) ☐ A	+\$0
139	light ash (CP) ☐ A	+\$0
140	warm ash (CP) ☐ A	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

For high-pressure laminate with thermoplastic edge (H)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 10. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black ☐	+\$0
-----------	--------------------------------	------

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0

Step 11. Foot Finish

For foot (5) or c-foot (9)

Metallic Paint

EH	metallic bronze ☐	+\$0
SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10

Sand Texture Paint


8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 12. Counterweight

NO	no counterweight	+\$0
CB	counterweight	+\$50

Step 13. Lock Option

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0



Product Information

Description

This mobile pedestal fits below a hanging or freestanding work surface. It has an all-laminate case with laminate fronts, applied metal pulls, and black umber casters. It has 1 box drawer and 1 file drawer. Counterweight is included.

Actual pedestal depth is 19 $\frac{7}{8}$ ". Actual pedestal width is 15". Actual pedestal height is 22" with $\frac{3}{4}$ " laminate top.


Box drawers and file drawers have full-extension slides and hold front-to-back letter-sized hanging files. Specify a file converter for side-to-side filing.

Notes

Order optional accessories separately:

- Add-on cushion top (L2SC.PD)
- Pencil tray (L2UT.906)
- File converter (L29P.15)

Dimensions



Specification Information

Step 1.

L2PM. A

Step 2. Depth

20 20" deep +\$0

Step 3. Configuration

BF box/file +\$1578

Step 4. Case/Front Material

H high-pressure laminate with thermoplastic edge A +\$327

L thermally-fused laminate with thermoplastic edge +\$0

Step 5. Top Material

For high-pressure laminate with thermoplastic edge (H) or thermally-fused laminate with thermoplastic edge (L)

02 $\frac{3}{4}$ " thermally-fused laminate with thermoplastic edge +\$0

06 1 $\frac{1}{4}$ " high-pressure laminate with thermoplastic edge A +\$117

08 1 $\frac{1}{8}$ " high-pressure laminate with thermoplastic edge A +\$117

11 $\frac{3}{4}$ " high-pressure laminate with thermoplastic edge A +\$117

Step 6. Pull Type

A arc pull +\$0

K bar pull +\$0

U flush pull A +\$0

Step 7. Interior Drawer Material

M metal +\$0

Step 8. Case/Front Finish

For thermally-fused laminate with thermoplastic edge (L)

8Q folkstone grey (CP) +\$0

91 white (CP) +\$0

98 studio white (CP) +\$0

CL cool grey neutral +\$0

LU soft white +\$0

WL warm stone (CP) +\$0

WN warm grey neutral +\$0

For thermally-fused laminate with thermoplastic edge (L)

LBF neutral twill +\$0

LBJ graphite twill +\$0

LBQ white twill +\$0

For thermally-fused laminate with thermoplastic edge (L)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

For high-pressure laminate with thermoplastic edge (H)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 9. Top/Edge Finish

For 3/4" thermally-fused laminate with thermoplastic edge (02)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For 3/4" thermally-fused laminate with thermoplastic edge (02)

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

For 3/4" thermally-fused laminate with thermoplastic edge (02)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

For 1¼" high-pressure laminate with thermoplastic edge (06), 1⅝" high-pressure laminate with thermoplastic edge (08), or ¾" high-pressure laminate with thermoplastic edge (11)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 10. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black ☐	+\$0
----	--------------------------------	------


Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10
WL	warm stone (CP) ☐	+\$0

Step 11. Lock Option

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0



Product Information

Description

This extended width pedestal attaches under a work surface on the left or right side to provide support and eliminate the need for a cantilever. It is available in 2 widths and 2 depths. It has an all-laminate case with laminate fronts, applied metal pulls, 2"-high recessed base, base with front to floor, or 2"-high foot with 1" leveling glides, and comes with or without a top. A counterweight and top are required when specified in a freestanding application.

Actual pedestal width is 29 $\frac{7}{8}$ " (30) or 35 $\frac{7}{8}$ " (36).

Actual pedestal depth is 19 $\frac{7}{8}$ " (20) or 23 $\frac{7}{8}$ " (24).

Actual pedestal height is 27 $\frac{1}{4}$ ", or 28 $\frac{1}{2}$ " with optional 1 $\frac{1}{4}$ " laminate top.

This combination unit has 2 box drawers, 1 large file drawer, and 1 storage area with door or open and drawers. Drawers have full-extension slides and accommodate side-to-side letter filing.

Notes



For use with Layout Studio® or Canvas Office Landscape®, specify 1 $\frac{1}{8}$ " thick top or 1 $\frac{1}{4}$ " thick top.

When specified in a freestanding application, counterweight (CB) and 3 $\frac{3}{4}$ ", 1 $\frac{1}{8}$ " or 1 $\frac{1}{4}$ " top are required.


For front-to-back filing of letter- or legal-size hanging files, order optional file converter (L29P.15) separately. Specify 2 converters per drawer.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in appendices.


Dimensions




Base



Base with front to floor



Foot



C-Foot

Specification Information		
Step 1.		
L2CP. ☐		
Step 2. Width		
30	30" wide	+\$831
36	36" wide	+\$997
Step 3. Depth		
20	20" deep	+\$0
24	24" deep	+\$112
Step 4. Base/Foot Height		
1	base	+\$0
3	base with fronts to floor	+\$18
5	tube foot ☐	+\$147
9	c-foot	+\$189
Step 5. Configuration		
<i>For 30" wide (30)</i>		
DL	door left, box/box right	+\$1517
DR	door right, box/box left	+\$1517
OL	open left, box/box right	+\$1394
OR	open right, box/box left	+\$1394
<i>For 36" wide (36)</i>		
DL	door left, box/box right	+\$1532
DR	door right, box/box left	+\$1532
OL	open left, box/box right	+\$1415
OR	open right, box/box left	+\$1410
Step 6. Case/Front Material		
L	thermally-fused laminate	+\$0
Step 7. Top Material		
<i>For thermally-fused laminate (L)</i>		
NT	no top	-\$12
02	¾" thermally-fused laminate with thermoplastic edge	+\$0
08	1½" high-pressure laminate with thermoplastic edge	+\$117
06	1¼" high-pressure laminate with thermoplastic edge	+\$117
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

Step 9. Interior Drawer Material		
M	metal	+\$0
Step 10. Case/Front Finish		
Solid-Color Laminate		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Twill Laminate		
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
Wood-Grain Laminate		
125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Step 11. Top/Edge Finish

For ¾" thermally-fused laminate with thermoplastic edge (02), 1½" high-pressure laminate with thermoplastic edge (08), or 1¼" high-pressure laminate with thermoplastic edge (06)

Solid-Color Laminate

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Step 12. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black ☐	+\$0
-----------	--------------------------------	------

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0

Step 13. Foot Finish

For tube foot (5) or c-foot (9)

EH	metallic bronze ☐	+\$0
SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10

Sand Texture Paint

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 14. Counterweight


NO	no counterweight (must gang or anchor)	+\$0
CB	counterweight (recommended)	+\$50

Step 15. Lock Option

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Extended Width Surface-Attached Pedestal

L2EW.



Tu® Wood Storage

Product Information

Description

This extended width pedestal attaches under a work surface on the left or right side to provide support and eliminate the need for a cantilever. It is available in 4 widths and 2 depths. It has an all-laminate case with laminate fronts, applied metal pulls, 2"-high recessed base, base with front to floor, or 2"-high foot with 1" leveling glides, and comes with or without a top. Tops are available in 3/4", 1 1/8", and 1 1/4" thicknesses. A counterweight and top are required when specified in a freestanding application.

Actual pedestal case depth is 18 7/8" (20) or 21 7/8" (24). Fronts add 1" to case depth.

Actual pedestal width is 23 7/8" (24), 29 7/8" (30), 35 7/8" (36), or 41 7/8" (42).

Actual pedestal height is 27 1/4", or 28 1/2" with optional 1 1/4" laminate top.

The file/file unit (FF) has 2 file drawers with positive interlock system that permits only 1 drawer to open at a time. Drawers have full-extension slides and accommodate side-to-side letter filing. Specify optional file converter for front-to-back filing of letter or legal hanging files. Specify 2 converters per drawer.

The open unit with shelf (OS) is an open cabinet with 1 laminate adjustable shelf. Shelf has 3 locations and adjusts in 1 1/4" increments. Actual cabinet depth is 18 7/8" (20) or 21 7/8" (24).

The unit with doors and shelf (DS) has 2 laminate doors that enclose a cabinet with one laminate adjustable shelf. Shelf has 3 locations and adjusts in 1 1/4" increments.

Notes


Dimensional illustrations do not include all possible configurations.

Order optional accessories separately:

- Storage top (L2ST.)
- File converter (L29P.15)

For keyed-alike locks, order lock plugs separately. See Keyed-Alike information in Appendices.

Dimensions



Extended Width Surface-Attached Pedestal *continued*

Specification Information

Step 1.

L2EW.

Step 2. Width

24	24" wide	+\$898
30	30" wide	+\$1001
36	36" wide	+\$1108
42	42" wide	+\$1194

Step 3. Depth

20	20" deep	+\$0
24	24" deep	+\$117

Step 4. Base/Foot Height

1	base	+\$0
3	base with fronts to floor	+\$19
5	tube foot A	+\$157
9	c-foot	+\$204

Step 5. Configuration

For 24" wide (24), 30" wide (30), or 36" wide (36)

OP	open with shelf	+\$254
DS	doors with shelf	+\$645
OF	open/file	+\$808
OBF	open/box/file	+\$855
FF	file/file	+\$855
BBF	box/box/file	+\$982

For 42" wide (42)

OF	open/file	+\$903
OBF	open/box/file	+\$957
FF	file/file	+\$957
BBF	box/box/file	+\$1085

Step 6. Case/Front Material

For 24" wide (24) with file/file (FF) or box/box/file (BBF)

H	high-pressure laminate with thermoplastic edge A	+\$410
L	thermally-fused laminate with thermoplastic edge	+\$0

For 24" wide (24) with open/file (OF), open with shelf (OP), or open/box/file (OBF)

H	high-pressure laminate with thermoplastic edge A	+\$410
L	thermally-fused laminate with thermoplastic edge	+\$0

For 24" wide (24) with doors with shelf (DS)

H	high-pressure laminate with thermoplastic edge A	+\$410
L	thermally-fused laminate with thermoplastic edge	+\$0

For 30" wide (30), 36" wide (36), or 42" wide (42) with file/file (FF) or box/box/file (BBF)

H	high-pressure laminate with thermoplastic edge A	+\$410
L	thermally-fused laminate with thermoplastic edge	+\$0

For 30" wide (30), 36" wide (36), or 42" wide (42) with open/file (OF), open with shelf (OP), or open/box/file (OBF)

H	high-pressure laminate with thermoplastic edge A	+\$410
L	thermally-fused laminate with thermoplastic edge	+\$0

For 30" wide (30), 36" wide (36), or 42" wide (42) with doors with shelf (DS)

H	high-pressure laminate with thermoplastic edge A	+\$410
L	thermally-fused laminate with thermoplastic edge	+\$0

Step 7. Pull Type

For open/file (OF), doors with shelf (DS), open/box/file (OBF), file/file (FF), or box/box/file (BBF)

A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

For open with shelf (OP)

N	no pull	+\$0
---	---------	------

Step 8. Interior Drawer Material

For open/file (OF), open/box/file (OBF), file/file (FF), or box/box/file (BBF)

M	metal	+\$0
---	-------	------

Step 9. Case/Front Finish

For thermally-fused laminate with thermoplastic edge (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Extended Width Surface-Attached Pedestal *continued*

Tu® Wood Storage

For thermally-fused laminate with thermoplastic edge (L)

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

For thermally-fused laminate with thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

For high-pressure laminate with thermoplastic edge (H)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut (CP) A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 10. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black A	+\$0
-----------	---	------

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP) A	+\$0
91	white (CP) A	+\$0
98	studio white (CP) A	+\$0
G1	graphite (CP) A	+\$0
WL	warm stone (CP) A	+\$0

Step 11. Foot Finish

For tube foot (5) or c-foot (9)

Metallic Paint

EH	metallic bronze A	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

8Q	folkstone grey (CP) A	+\$0
91	white (CP) A	+\$0
98	studio white (CP) A	+\$0
BK	black A	+\$0
CL	cool grey neutral A	+\$0
G1	graphite (CP) A	+\$0
WL	warm stone (CP) A	+\$0
WN	warm grey neutral A	+\$0

Extended Width Surface-Attached Pedestal *continued*

Step 12. Counterweight

For open/file (OF), open/box/file (OBF), file/file (FF), or box/box/file (BBF)

NO	no counterweight	+\$0
CB	counterweight	+\$50


For open with shelf (OP) or doors with shelf (DS)

NO	no counterweight	+\$0
-----------	------------------	------

Step 13. Lock Option

For open/file (OF), doors with shelf (DS), open/box/file (OBF), file/file (FF), or box/box/file (BBF)

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0



Product Information


Description

This file top attaches to a surface-attached pedestal or an extended-width surface-attached pedestal. It has a laminate top with thermoplastic edge or veneer top with veneer edge.

Notes

For use with Layout Studio® or Canvas Office Landscape®, specify 1 1/8" thick top or 1 1/4" thick top.

Dimensions



Specification Information

Step 1.

L2ST.

Step 2. Width

015	15" wide	+\$188
024	24" wide	+\$210
030	30" wide	+\$232
036	36" wide	+\$307
042	42" wide	+\$330
048	48" wide	+\$359
060	60" wide	+\$388
066	66" wide	+\$410
072	72" wide	+\$431

Step 3. Depth

20	20" deep	+\$0
24	24" deep	+\$20

Step 4. Top Material

For 15" wide (015), 24" wide (024), 30" wide (030), 36" wide (036), or 42" wide (042)

2	3/4" thermally-fused laminate top	+\$0
8	1 1/8" high-pressure laminate top	+\$117
6	1 1/4" high - pressure laminate top	+\$117
5	3/4" veneer	+\$226
9	1 1/8" veneer	+\$346
7	1 1/4" veneer	+\$346

For 60" wide (060), 66" wide (066), or 72" wide (072)

2	3/4" thermally-fused laminate top	+\$0
8	1 1/8" high-pressure laminate top	+\$188
6	1 1/4" high - pressure laminate top	+\$188
5	3/4" veneer	+\$389
9	1 1/8" veneer	+\$569
7	1 1/4" veneer	+\$569

For 48" wide (048)

2	3/4" thermally-fused laminate top	+\$0
8	1 1/8" high-pressure laminate top	+\$153
6	1 1/4" high - pressure laminate top	+\$153
5	3/4" veneer	+\$308
9	1 1/8" veneer	+\$456
7	1 1/4" veneer	+\$456

Storage Tops *continued*

Step 5. Surface Finish

Solid-Color Laminate

For 3/4" thermally-fused laminate top (2), 1 1/8" high-pressure laminate top (8), or 1 1/4" high - pressure laminate top (6)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Wood-Grain Laminate

For 3/4" thermally-fused laminate top (2), 1 1/8" high-pressure laminate top (8), or 1 1/4" high - pressure laminate top (6)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
HP	light anigre ☐	+\$0
76	light brown walnut ☐	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP)	+\$0

Twill Laminate


For 3/4" thermally-fused laminate top (2), 1 1/8" high-pressure laminate top (8), or 1 1/4" high - pressure laminate top (6)

LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0

Wood Veneer


For 3/4" veneer (5), 1 1/8" veneer (9), or 1 1/4" veneer (7)

2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
CHD	noble cherry	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut	+\$85
UL	natural maple	+\$85
WHN	natural white oak	+\$85



Tu® Wood Storage


Product Information
Description
This 1" thick cushion attaches to the top of a mobile pedestal to provide temporary guest seating. Attachment hardware included.
Notes
Cushion top accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.
Depth—Yardage
20—0.76
24—0.84
For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.
Dimensions



Specification Information
Step 1.
L2SC.PD A
Step 2. Height
1 1" high +\$84
Step 3. Depth
20 19.88" deep +\$181
24 22.88" deep +\$213
Step 4. Width
15 15" wide +\$0
Step 5. Cushion Top Fabric
Price Category 1 +\$0
Price Category 10 +\$797
Price Category 2 +\$82
Price Category 3 +\$98
Price Category 4 +\$121
Price Category 5 +\$144
Price Category 7 +\$164
Price Category 8 +\$310
Price Category 9 +\$1140
Price Category B +\$62
Price Category C +\$48
Price Category D +\$61
Price Category E +\$130
Price Category F +\$168
Price Category G +\$218
Price Category H +\$265
Price Category I +\$312

Utility Tray Pedestal


L2UT.




Product Information
Description
This plastic tray provides storage for pencils and other small items in a pedestal or credenza box drawer. It hangs side-to-side on pedestal drawer and front-to-back on credenza drawer. Finish is black umber.
Notes
To install tray front-to-back in the box drawer of credenza, order side-to-side filing rail (L2902.) separately.
Dimensions

Specification Information
Step 1.
L2UT. A
Step 2. Drawer
906 15" metal drawer A
Prices for Steps 1-2.
L2UT. 906 \$39

Tu® Wood Storage







Tu® Wood Storage


Product Information
Description
This file rail provides the capability to file front-to-back in a file/file extended width pedestal or credenza file drawer. Finish is black. Rails are individually packaged.
Notes
Specify 1 rail for each row of front-to-back files to be supported.
Dimensions

Specification Information
Step 1.
L29P. A
Step 2. Depth
15 front to back file rail A
Prices for Steps 1-2.
L29P. 15 \$20



Credenza - Open

L2CD.



Product Information

Description

This credenza provides open storage and can be used freestanding or to support 1 end of a work surface. It has an all-laminate case, 2"-high recessed base or foot with 1" leveling glides, and a laminate top with thermoplastic edge.

Both sides are open with 1 adjustable shelf per side. Shelves adjust in 1 1/4" increments.

Actual credenza depth is 12 1/2" (12) or 16 1/2" (16).

Actual credenza width is 47 3/4" (48), 59 3/4" (60) or 71 3/4" (72).

Actual credenza height is 22" including the 3/4" top. For use with Layout Studio® or Canvas Office Landscape®, specify 1 1/8" thick top or 1 1/4" thick top.

Notes





Order optional accessories separately:

- Add-on cushion top (LSC.CD)
- Canvas surface support, fixed (FT298.M)
- Canvas surface support, adjustable (FT299.M)

Grain direction is vertical on front and sides, and horizontal on back.

See planning guide for additional configuration information and dimensions.

Dimensions



Specification Information			
Step 1.			
L2CD.OP ☐			
Step 2. Width			
48	48" wide		+\$1765
60	60" wide		+\$1993
72	72" wide		+\$2224
Step 3. Depth			
<i>For 48" wide (48) or 60" wide (60)</i>			
12	12.5" deep		+\$0
16	16.5" deep		+\$82
<i>For 72" wide (72)</i>			
12	12.5" deep		+\$0
16	16.5" deep		+\$159
Step 4. Base/Foot Height			
1	base ☐		+\$0
5	tube foot ☐		+\$159
9	c-foot ☐		+\$0
Step 5. Case/Front Material			
<i>For 48" wide (48)</i>			
H	high-pressure laminate with thermoplastic edge ☐		+\$463
L	thermally-fused laminate with thermoplastic edge		+\$0
<i>For 60" wide (60) or 72" wide (72)</i>			
H	high-pressure laminate with thermoplastic edge ☐		+\$463
L	thermally-fused laminate with thermoplastic edge		+\$0
Step 6. Top Material			
<i>For high-pressure laminate with thermoplastic edge (H) or thermally-fused laminate with thermoplastic edge (L)</i>			
02	¾" thermally-fused laminate with thermoplastic edge		+\$0
06	1¼" high-pressure laminate with thermoplastic edge ☐		+\$185
08	1½" high-pressure laminate with thermoplastic edge ☐		+\$185
11	¾" high-pressure laminate with thermoplastic edge ☐		+\$185
NT	no top ☐		-\$12

Step 7. Case Finish		
<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

For high-pressure laminate with thermoplastic edge (H)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Top/Edge Finish

Solid-Color Laminate

For 3/4" thermally-fused laminate with thermoplastic edge (02)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate

For 3/4" thermally-fused laminate with thermoplastic edge (02)

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate

For 3/4" thermally-fused laminate with thermoplastic edge (02)


125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

For 1 1/4" high-pressure laminate with thermoplastic edge (06), 1 1/8" high-pressure laminate with thermoplastic edge (08), or 3/4" high-pressure laminate with thermoplastic edge (11)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Tu® Wood Storage

Step 9. Foot Finish			
<i>For tube foot (5) or c-foot (9)</i>			
SNA	satin aluminum	☐ A	+\$10
SNB	satin bronze	☐ A	+\$10
SNC	satin carbon	☐ A	+\$10
EH	metallic bronze		+\$0
Sand Texture Paint			
8Q	folkstone grey (CP)	☐ A	+\$0
91	white (CP)	☐ A	+\$0
98	studio white (CP)	☐ A	+\$0
BK	black	☐ A	+\$0
CL	cool grey neutral	☐ A	+\$0
G1	graphite (CP)	☐ A	+\$0
WL	warm stone (CP)	☐ A	+\$0
WN	warm grey neutral	☐ A	+\$0



Product Information

Description

This credenza provides box/file storage on 1 side with open storage on the other side and can be used freestanding or to support 1 end of a work surface. It has an all-laminate case with laminate front, recessed 2"-high base, base with front to floor, or 2"-high foot with 1" leveling glides, and comes with or without a top. The open side has a laminate shelf that adjusts in 1/4" increments. The drawer side has 1 file drawer and 1 box drawer.

Notes

For use with Layout Studio® or Canvas Office Landscape®, specify 1 1/8" thick top or 1 1/4" thick top.

A counterweight (CB) is required when specified in a freestanding application.

File drawers have full-extension slides and accommodate side-to-side letter filing. For front-to-back filing of letter- or legal-size hanging files, order optional file converter (L29P.) separately. Specify 2 converters per drawer. Actual credenza depths are 16 1/2" (16), or 20" (20). Actual credenza widths are 47 3/4" (48), 53 3/4" (54), 59 3/4" (60), 65 3/4" (66), or 71 3/4" (72). Actual credenza height is 22" including the 3/4" top.

Order optional accessories separately:

- Add-on cushion top (LSC.CD)
- Canvas surface support, fixed (FT298.M)
- Canvas surface support, adjustable (FT299.M)


Grain direction is vertical on front and sides, and horizontal on back.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike

Information in appendices.

See planning guide for additional configuration information and dimensions.

Dimensions



Credenza - Open with Box/ File

continued

Tu® Wood Storage

Specification Information		
Step 1.		
L2CD.BF ☐		
Step 2. Width		
48	48" wide	+\$2344
54	54" wide	+\$2500
60	60" wide	+\$2651
66	66" wide	+\$2804
72	72" wide	+\$2956
Step 3. Depth		
16	16.5" deep	+\$0
20	20" deep ☐	+\$159
Step 4. Base/Foot Height		
1	base	+\$0
3	base with fronts to floor ☐	+\$36
5	tube foot ☐	+\$159
9	c-foot	+\$203
Step 5. Configuration		
For 48" wide (48)		
BC	30" file left, open right	+\$0
BD	open left, 30" file right	+\$0
For 54" wide (54)		
BC	30" file left, open right	+\$0
BD	open left, 30" file right	+\$0
BE	36" file left, open right	+\$103
BF	open left, 36" file right	+\$103
For 60" wide (60)		
BC	30" file left, open right	+\$0
BD	open left, 30" file right	+\$0
BE	36" file left, open right	+\$103
BF	open left, 36" file right	+\$103
For 66" wide (66)		
BC	30" file left, open right	+\$0
BD	open left, 30" file right	+\$0
BE	36" file left, open right	+\$103
BF	open left, 36" file right	+\$103

For 72" wide (72)		
BC	30" file left, open right	+\$0
BD	open left, 30" file right	+\$0
BE	36" file left, open right	+\$103
BF	open left, 36" file right	+\$103
Step 6. Case/Front Material		
For 48" wide (48) or 54" wide (54)		
H	high-pressure laminate with thermoplastic edge ☐	+\$543
L	thermally-fused laminate with thermoplastic edge	+\$0
For 60" wide (60), 66" wide (66), or 72" wide (72)		
H	high-pressure laminate with thermoplastic edge ☐	+\$543
L	thermally-fused laminate with thermoplastic edge	+\$0
Step 7. Top Material		
For high-pressure laminate with thermoplastic edge (H) or thermally-fused laminate with thermoplastic edge (L)		
02	¾" thermally-fused laminate with thermoplastic edge	+\$0
06	1¼" high-pressure laminate with thermoplastic edge ☐	+\$185
08	1⅝" high-pressure laminate with thermoplastic edge ☐	+\$185
11	¾" high-pressure laminate with thermoplastic edge ☐	+\$185
NT	no top	-\$12
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. Interior Drawer Material		
M	metal	+\$0
Step 10. Case/Front Finish		
Solid-Color Laminate		
For thermally-fused laminate with thermoplastic edge (L)		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza - Open with Box/ File

continued

Twill Laminate		
<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
Wood-Grain Laminate		
<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
125	natural maple (CP) A	+\$0
126	natural cherry (CP) A	+\$0
127	walnut (CP) A	+\$0
139	light ash (CP) A	+\$0
140	warm ash (CP) A	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

<i>For high-pressure laminate with thermoplastic edge (H)</i>		
125	natural maple (CP) A	+\$0
126	natural cherry (CP) A	+\$0
127	walnut (CP) A	+\$0
139	light ash (CP) A	+\$0
140	warm ash (CP) A	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut (CP) A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 11. Top/Edge Finish

Solid-Color Laminate		
<i>For 3/4" thermally-fused laminate with thermoplastic edge (02)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate		
<i>For 3/4" thermally-fused laminate with thermoplastic edge (02)</i>		
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Credenza - Open with Box/ File

continued

Tu® Wood Storage

Wood-Grain Laminate

For ¾" thermally-fused laminate with thermoplastic edge (02)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut		+\$0
HP	light anigre		+\$0
LBA	clear on ash (CP)		+\$0
LBR	phantom ecru		+\$0
LBS	phantom cocoa		+\$0
LBU	medium matte walnut (CP)		+\$0
LBV	warm grey teak		+\$0
LBB	oak on ash (CP)		+\$0
LBC	walnut on ash (CP)		+\$0

For 1¼" high-pressure laminate with thermoplastic edge (06), 1½" high-pressure laminate with thermoplastic edge (08), or ¾" high-pressure laminate with thermoplastic edge (11)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut		+\$0
8Q	folkstone grey (CP)		+\$0
91	white (CP)		+\$0
98	studio white (CP)		+\$0
CL	cool grey neutral		+\$0
HF	inner tone light		+\$0
HP	light anigre		+\$0
LBA	clear on ash (CP)		+\$0
LBB	oak on ash (CP)		+\$0
LBC	walnut on ash (CP)		+\$0
LBF	neutral twill		+\$0
LBJ	graphite twill		+\$0
LBQ	white twill		+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LT	light tone		+\$0
LU	soft white		+\$0
WL	warm stone (CP)		+\$0
WN	warm grey neutral		+\$0

Step 12. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum	A	+\$10
SNB	satin bronze	A	+\$10
SNC	satin carbon	A	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black	A	+\$0
----	-------	---	------

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
G1	graphite (CP)	A	+\$0
WL	warm stone (CP)	A	+\$0

Step 13. Foot Finish

For tube foot (5) or c-foot (9)

Metallic Paint

EH	metallic bronze	A	+\$0
SNA	satin aluminum	A	+\$10
SNB	satin bronze	A	+\$10
SNC	satin carbon	A	+\$10

Sand Texture Paint

8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
BK	black	A	+\$0
CL	cool grey neutral	A	+\$0
G1	graphite (CP)	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0


Step 14. Counterweight

NO	no counterweight (must gang or anchor)	+\$0
CB	counterweight (recommended)	+\$73

Credenza - Open with Box/ File

continued

Step 15. Lock Option		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0



Product Information

Description

This credenza provides drawer storage on 1 side with open storage on the other side and can be used freestanding or to support 1 end of a work surface. It has an all-laminate case with laminate front, 2"-high recessed base, base with front to floor, or 2"-high foot with 1" leveling glides, and a laminate top with thermoplastic edge.

The open side has a laminate shelf that adjusts in 1 1/4" increments. The drawer side has 1 file drawer and 1 fixed shelf.

A counterweight is required when specified in a freestanding application.

Actual credenza depth is 16 1/2".

Actual credenza width is 47 3/4" (48), 53 3/4" (54), 59 3/4" (60), 65 3/4" (66) or 71 3/4" (72).

Actual credenza height is 22" including the 3/4" top. For use with Layout Studio® or Canvas Office Landscape®, specify 1 1/8" thick top or 1 1/4" thick top. File drawers have full-extension slides and accommodate side-to-side letter filing. Specify optional file converter (L29P.) for front-to-back filing of letter or legal hanging files. Specify 2 file converters per drawer.

Notes

Order optional accessories separately:


- Add-on cushion top (LSC.CD)
- Canvas surface support, fixed (FT298.M)
- Canvas surface support, adjustable (FT299.M)
- File converter (L29P.)

Grain direction is vertical on front and sides, and horizontal on back.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike information in Appendices.

See planning guide for additional configuration information and dimensions.

Dimensions



Credenza - Open with File/Shelf

continued

Specification Information		
Step 1.		
L2CD.OF ☐		
Step 2. Width		
48	48" wide	+\$2172
54	54" wide	+\$2324
60	60" wide	+\$2475
66	66" wide	+\$2625
72	72" wide	+\$2777
Step 3. Depth		
16	16 1/2" deep	+\$0
Step 4. Base/Foot Height		
1	base	+\$0
3	base with fronts to floor	+\$20
5	tube foot ☐	+\$158
9	c-foot	+\$201
Step 5. Configuration		
For 48" wide (48)		
BC	30" file left, open right	+\$0
BD	30" wide drawer right open left	+\$0
For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)		
BC	30" file left, open right	+\$0
BD	open left, 30" file right	+\$0
BE	36" file left, open right	+\$0
BF	open left, 36" file right	+\$0
Step 6. Case/Front Material		
For 48" wide (48) or 54" wide (54)		
H	high-pressure laminate with thermoplastic edge ☐	+\$543
L	thermally-fused laminate with thermoplastic edge	+\$0
For 60" wide (60), 66" wide (66), or 72" wide (72)		
H	high-pressure laminate with thermoplastic edge ☐	+\$543
L	thermally-fused laminate with thermoplastic edge	+\$0

Step 7. Top Material		
For high-pressure laminate with thermoplastic edge (H) or thermally-fused laminate with thermoplastic edge (L)		
02	3/4" thermally-fused laminate with thermoplastic edge	+\$0
06	1 1/4" high-pressure laminate with thermoplastic edge ☐	+\$185
08	1 1/8" high-pressure laminate with thermoplastic edge ☐	+\$185
11	3/4" high-pressure laminate with thermoplastic edge ☐	+\$185
NT	no top ☐	-\$12
Step 8. Pull Type		
U	flush pull	+\$0
A	arc pull	+\$0
K	bar pull	+\$0
Step 9. Interior Drawer Material		
M	metal	+\$0
Step 10. Case/Front Finish		
For thermally-fused laminate with thermoplastic edge (L)		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
For thermally-fused laminate with thermoplastic edge (L)		
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Credenza - Open with File/Shelf

continued

Tu® Wood Storage

For thermally-fused laminate with thermoplastic edge (L)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut		+\$0
HP	light anigre		+\$0
LBA	clear on ash (CP)		+\$0
LBR	phantom ecru		+\$0
LBS	phantom cocoa		+\$0
LBU	medium matte walnut (CP)		+\$0
LBV	warm grey teak		+\$0
LBB	oak on ash (CP)		+\$0
LBC	walnut on ash (CP)		+\$0

For high-pressure laminate with thermoplastic edge (H)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut		+\$0
8Q	folkstone grey (CP)		+\$0
91	white (CP)		+\$0
98	studio white (CP)		+\$0
CL	cool grey neutral		+\$0
HF	inner tone light		+\$0
HP	light anigre		+\$0
LBA	clear on ash (CP)		+\$0
LBB	oak on ash (CP)		+\$0
LBC	walnut on ash (CP)		+\$0
LBF	neutral twill		+\$0
LBJ	graphite twill		+\$0
LBQ	white twill		+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LT	light tone		+\$0
LU	soft white		+\$0
WL	warm stone (CP)		+\$0
WN	warm grey neutral		+\$0

Step 11. Top/Edge Finish

For 3/4" thermally-fused laminate with thermoplastic edge (02)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For 3/4" thermally-fused laminate with thermoplastic edge (02)

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

For 3/4" thermally-fused laminate with thermoplastic edge (02)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut		+\$0
HP	light anigre		+\$0
LBA	clear on ash (CP)		+\$0
LBR	phantom ecru		+\$0
LBS	phantom cocoa		+\$0
LBU	medium matte walnut (CP)		+\$0
LBV	warm grey teak		+\$0
LBB	oak on ash (CP)		+\$0
LBC	walnut on ash (CP)		+\$0

Credenza - Open with File/Shelf

continued

For 1¼" high-pressure laminate with thermoplastic edge (06), 1½" high-pressure laminate with thermoplastic edge (08), or ¾" high-pressure laminate with thermoplastic edge (11)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBV	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Metallic Paint

For flush pull (U) or bar pull (K)

SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10

For flush pull (U) or bar pull (K)

BK	black ☐	+\$0
-----------	--------------------------------	------

Smooth Paint

For flush pull (U) or bar pull (K)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0

Step 13. Foot Finish

For tube foot (5) or c-foot (9)

Metallic Paint

EH	metallic bronze ☐	+\$0
SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10

Sand Texture Paint


8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 14. Counterweight

NO	no counterweight	+\$0
CB	counterweight	+\$73

Step 15. Lock

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently	+\$0



Tu® Wood Storage

Product Information

Description

This credenza provides open storage with drawer and has an open top with sliding tray. It has an all-laminate case and front, 2"-high recessed base or 2"-high foot or base with fronts to floor, and 1" leveling glides.


Actual credenza depth is 16½" (16).

Actual credenza width is 35⅞" (36) or 47¾" (48).


Actual credenza height is 22".

File drawers have full-extension slides and accommodate side-to-side letter filing. Specify optional file converter for front-to-back filing of letter or legal hanging files. Specify 2 file converters per drawer.


Dimensions



Base



Base with fronts to floor



C-foot

Specification Information		
Step 1.		
L2CD.CR	A	
Step 2. Width		
36	36" wide	+\$2302
48	48" wide	+\$2561
Step 3. Depth		
16	16½" deep A	+\$0
Step 4. Configuration		
<i>For 36" wide (36)</i>		
BN	18" wide drawer left open right	+\$82
BP	18" wide drawer right open left	+\$82
<i>For 48" wide (48)</i>		
BN	18" wide drawer left open right	+\$0
BP	18" wide drawer right open left	+\$0
BG	24" wide drawer left open right	+\$122
BH	24" wide drawer right open left	+\$122
BC	30" wide drawer left open right	+\$160
BD	30" wide drawer right open left	+\$160
Step 5. Base/Foot Height		
1	base	+\$0
3	base with fronts to floor	+\$20
9	c-foot	+\$206
Step 6. Case/Front Material		
L	thermally-fused laminate	+\$0
Step 7. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 8. Drawer Material		
M	metal	+\$0

Step 9. Case/Front Finish		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
Step 10. Rail/Tray Finish		
Sand Texture Paint		
BK	black	+\$0
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
Step 11. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0

Metallic Paint*For bar pull (K) or flush pull (U)*

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint*For bar pull (K) or flush pull (U)*

BK	black	+\$0
-----------	-------	------

Smooth Paint*For bar pull (K) or flush pull (U)*

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Step 12. Foot Finish*For c-foot (9)*

Metallic Paint

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint


BK	black	+\$0
-----------	-------	------

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Step 13. Lock

KA	keyed alike	+\$0
KC	keyed differently, chrome ☐	+\$0
KD	keyed differently ☐	+\$0



Product Information

Description


This credenza provides open storage with a sliding translucent acrylic door and sliding tray. It has an all-laminate case, 2"-high foot or casters, and 1" leveling glides.

Actual credenza depth is 13½" (13) or 16½" (16).


Actual credenza width is 35⅞" (36) or 47¾" (48).

Actual credenza height is 22".

Dimensions



C-foot



Mobile

Specification Information

Step 1.

L2CD.CF A

Step 2. Width

36	36" wide	+\$2200
48	48" wide	+\$2501

Step 3. Depth

For 36" wide (36)

13	13½" deep	+\$0
16	16½" deep	+\$122

For 48" wide (48)

16	16½" deep	+\$122
----	-----------	--------

Step 4. Base/Foot Height

7	caster	+\$36
9	c-foot	+\$206

Step 5. Configuration

For 36" wide (36)

AN	18" slide left open right	+\$0
----	---------------------------	------

For 48" wide (48)

AA	24" slide left open right	+\$0
----	---------------------------	------

Step 6. Pull Type

L	mini bar pull	+\$0
---	---------------	------

Step 7. Case Material

L	thermally-fused laminate	+\$0
---	--------------------------	------

Step 8. Front Material

T	acrylic	+\$0
---	---------	------

Step 9. Case Finish

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Step 10. Front Finish

J9	opal frosted	+\$0
-----------	--------------	------

Step 11. Rail/Tray Finish

Metallic Paint

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

BK	black	+\$0
-----------	-------	------

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone leg with sandstone foot (CP)	+\$0

Step 12. Pull Finish

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
AN	clear anodized aluminum	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Step 13. Foot Finish

For c-foot (9)

Metallic Paint


SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

BK	black	+\$0
-----------	-------	------

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0



Product Information

Description

This 1" cushion top attaches to the top of a Tu Wood credenza to provide temporary guest seating. Attachment hardware included.

Notes

For use with credenza, open (L2CD.OP), credenza, open with box/file (L2CD.BF), or credenza, open with file/shelf (L2CD.OF).

Match cushion depth to credenza depth.

When using 2 12½" deep credenzas back-to-back, specify 1 25" deep cushion.

When using 2 16½" deep credenzas back-to-back, specify 1 33" deep cushion.

See planning guide for additional applications.

Cushion top accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

Depth—Yardage

12—0.61


16—0.72

25—0.97

33—1.23

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

LSC.CD

Step 2. Height

1 1" high

Step 3. Depth

12 12.5" deep

16 16.5" deep

25 25" deep

33 33" deep

Step 4. Width

18 18" wide

24 24" wide

30 30" wide

36 36" wide

Prices for Steps 1-4.


		18	24	30	36
LSC.CD	1				
	12	\$258	276	336	351
	16	\$289	347	367	397
	25	\$332	446	496	508
	33	\$380	509	545	595

Step 5. Cushion Top Fabric

Price Category 1	+\$0
Price Category 10	+\$1260
Price Category 2	+\$128
Price Category 3	+\$154
Price Category 4	+\$190
Price Category 5	+\$211
Price Category 7	+\$258
Price Category 8	+\$492
Price Category 9	+\$1778
Price Category B	+\$89
Price Category C	+\$122
Price Category D	+\$0
Price Category E	+\$187
Price Category F	+\$241
Price Category G	+\$314
Price Category H	+\$382
Price Category I	+\$449

Side-To-Side Filing Rail, Credenza
Drawer

L2902.



Tu® Wood Storage

Product Information


Description

This rail will hold a utility tray when installed in a laminate credenza metal box drawer. Package contains 1 rail.

Notes

Specify 1 rail per each credenza box drawer.
This rail can be used in box drawer of a laminate credenza, open with box/file (L2CD.BF) to suspend a utility tray front to back of drawer.
Order utility tray (L2UT.) separately.

Dimensions



Specification Information

Step 1.

L2902. A

Step 2. Width


18	for 18"-wide credenza box drawer	A
24	for 24"-wide credenza box drawer	A
30	for 30"-wide credenza box drawer	A
36	for 36"-wide credenza box drawer	A
42	for 42"-wide credenza box drawer	A

Prices for Steps 1-2.

L2902.	18	\$32
	24	\$34
	30	\$42
	36	\$45
	42	\$49

File Rail


L29P.



Product Information
Description
This file rail provides the capability to file front-to-back in a file/file extended width pedestal or credenza file drawer. Finish is black. Rails are individually packaged.
Notes
Specify 1 rail for each row of front-to-back files to be supported.
Dimensions


Specification Information
Step 1.
L29P. A
Step 2. Depth
15 front to back file rail A
Prices for Steps 1-2.
L29P. 15 \$20

Tu® Wood Storage



Utility Tray Pedestal

L2UT.



Tu® Wood Storage

Product Information


Description

This plastic tray provides storage for pencils and other small items in a pedestal or credenza box drawer. It hangs side-to-side on pedestal drawer and front-to-back on credenza drawer. Finish is black umber.

Notes

To install tray front-to-back in the box drawer of credenza, order side-to-side filing rail (L2902.) separately.

Dimensions



Specification Information

Step 1.

L2UT. A

Step 2. Drawer


906 15" metal drawer A

Prices for Steps 1-2.

L2UT. 906 \$39

Work Surface Cubby

L2WC.



Product Information

Description

This all laminate or veneer cubby attaches to stanchions, sits atop a work surface and provides open storage. The inbound stanchion attaches to the underside of the surface.

Notes


Perpendicular application only.

Order stanchion kit (LSS.WS) separately.

Order optional accessories separately:

- Tackboard (LLCT.)
- Whiteboard (LLCW.)
- Magnet board (LLCM.)

Dimensions



Specification Information

Step 1.

L2WC. A

Step 2. Height

09 9.75" high

13 13.75" high

Step 3. Width

24 24" wide

30 30" wide

Step 4. Depth

12 12.5" deep

Step 5. Material

L thermally-fused laminate A

Prices for Steps 1-5.

12L

L2WC. 09 24	\$1112
-------------	--------

30	\$1186
----	--------

13	24	\$1260
----	----	--------


30	\$1333
----	--------

Step 6. Case Finish

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0

Individual Cubby

L2EC.



Product Information

Description

This all laminate or veneer cubby attaches to stanchions and provides open storage accessible from 1 side of the cubby. The inbound stanchion either sits on top of a work surface and attaches to the underside of the surface, or attaches to a Layout Studio® performance rail. The outbound stanchion rests on top of a 22"-high Tu® Wood credenza.


Notes

Surface-attached cubby cannot be used on a Layout Studio sliding surface.
Order stanchion kit for surface attachment (LSS.) or Layout Studio performance rail attachment (L2SS.) separately.
Can be used only in perpendicular application.
Order optional accessories separately:

- Tackboard (LLCT.)
- Whiteboard (LLCW.)
- Magnet board (LLCM.)

See Tu Wood Planning Guide for specific guidelines.

Dimensions



Specification Information

Step 1.

L2EC.

Step 2. Attachment

R Layout Studio performance rail attachment
S surface attachment

Step 3. Height

09 9.75" high
13 13.75" high

Step 4. Width

For Layout Studio performance rail attachment (R)

36 36" wide
42 42" wide
48 48" wide

For surface attachment (S)

48 48" wide
60 60" wide

Step 5. Depth

12 12½" deep

Step 6. Surface Material

For 36" wide (36)

L thermally-fused laminate

For 48" wide (48) or 42" wide (42)

L thermally-fused laminate

For 60" wide (60)

L thermally-fused laminate


Prices for Steps 1-6.

		3612L	4212L	6012L	4812L
L2EC.	R 09	\$1260	1333	—	1408
	13	\$1333	1408	—	1481
	S 09	—	—	\$1555	1408
	13	—	—	\$1629	1481

Step 7. Case Finish		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Shared Cubby

L2EY.



Product Information

Description

This all-laminate or veneer cubby has alternate-facing openings to provide storage to workers on both sides of the unit, either across from each other or side-by-side. Cubby is mounted using stanchions which are specified separately.

Notes

12½"-deep cubby used in a parallel application will attach to Layout Studio® beams. Single cubby requires 1 end stanchion kit (LSS.SE). Multiple cubbies will require the end stanchion kit, along with a shared stanchion (LSS.SM) wherever 2 cubbies meet.

12½"-deep cubby used in a perpendicular application will attach to the back edge of a work surface on one end of the cubby and rest on top of a 22"-high credenza on the other end of the cubby. Specify 1 credenza/work surface mounted stanchion kit (LSS.CD) for each cubby.

16"-deep cubby is 12" deep on half and 3" deep on the other half.


Only attaches to Layout Studio performance rail. To attach to performance rail, order stanchion kits (L2SS.) separately.

For 16" deep cubby, 24"-wide and 30"-wide cubbies can only be used in a parallel application. 36"-72" wide cubbies can be used in either a parallel or perpendicular application.

To cover interior septum on 1 side of 16"D×13½"H cubby (L2EY.x1613xx) with a painted insert, order insert (LLCM.Z13xxP) separately.

See Tu Wood Planning Guide for specific guidelines.

Dimensions



Specification Information

Step 1.

L2EY.

Step 2. Attachment

B parallel application, Layout Studio beam attachment
S perpendicular application, surface attachment
R Layout Studio performance rail attachment

Step 3. Depth

For parallel application, Layout Studio beam attachment (B) or perpendicular application, surface attachment (S)

12 12.5" deep

For Layout Studio performance rail attachment (R)

16 16" deep

Step 4. Height

For 12.5" deep (12)

09 9.75" high

13 13.75" high

For 16" deep (16)

13 13.75" high

Step 5. Width

For Layout Studio performance rail attachment (R)

24 24" wide

30 30" wide

36 36" wide

42 42" wide

48 48" wide

For perpendicular application, surface attachment (S)

48 48" wide

60 60" wide

For parallel application, Layout Studio beam attachment (B)

36 36" wide

42 42" wide

48 48" wide

60 60" wide

72 72" wide

Step 6. Position	
L	opening left
R	opening right

Step 7. Surface Material	
--------------------------	--

<i>For 24" wide (24), 36" wide (36), or 30" wide (30)</i>	
L	thermally-fused laminate

<i>For 48" wide (48) or 42" wide (42)</i>	
L	thermally-fused laminate

<i>For 60" wide (60)</i>	
L	thermally-fused laminate

<i>For 72" wide (72)</i>	
L	thermally-fused laminate

Prices for Steps 1-7.

		0936LL	0936RL	0942LL	0942RL	0960LL	0960RL
L2EY.	B 12	\$1177	1177	1322	1322	1566	1566
	S 12	—	—	—	—	\$1566	1566

		0948LL	0948RL	0972LL	0972RL	1324LL	1324RL
L2EY.	B 12	\$1385	1385	1748	1748	—	—
	S 12	\$1397	1397	—	—	—	—
	R 16	—	—	—	—	\$1180	1168


		1330LL	1330RL	1336LL	1336RL	1342LL	1342RL
L2EY.	B 12	—	—	\$1242	1242	1388	1388
	R 16	\$1326	1313	1471	1471	1621	1621

		1360LL	1360RL	1348LL	1348RL	1372LL	1372RL
L2EY.	B 12	\$1631	1631	1451	1451	1831	1831
	S 12	\$1631	1647	1462	1462	—	—
	R 16	—	—	\$1767	1767	—	—

Step 8. Case Finish

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

L2ES.



Description

Notes

Specify cubby width to match depth of leg to which it will attach.

Order hardware kit (LSH.B) separately.

Grain direction is vertical on front and sides, and horizontal on top and back.

Vertical grain direction on the top is available via Made-to-Measure or the Vary Easy Program.

See Tu Wood Planning Guide for specific guidelines.

Technical drawing of a rectangular box. The top view shows a rectangle with width labeled w . The front view shows a rectangle with height labeled $13\frac{3}{4}"$ and width labeled $3\frac{3}{4}"$. The side view shows a rectangle with height labeled $1\frac{1}{8}"$ and width labeled $12\frac{1}{2}"$.

Step 1.

L2ES.

B suspended below surface

13 13.75" high

48 48" wide

12 12.5" deep

For 48" wide (48)

L thermally-fused laminate

For 60" wide (60)

L thermally-fused laminate

Prices for Steps 1-6.

	4812L	6012L
L2ES. B 13	\$1471	1621

Step 7. Top Finish

Solid-Color Laminate

8Q	folkstone grey (CP)	+50
91	white (CP)	+50
98	studio white (CP)	+50
CL	cool grey neutral	+50
LU	soft white	+50
WL	warm stone (CP)	+50
WN	warm grey neutral	+50

Twill Laminate

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Suspended End Cubby *continued*

Tu® Wood Storage

Wood-Grain Laminate		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0


Step 8. Case Finish

Solid-Color Laminate		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate		
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

LSH.



Product Information


Description

This hardware kit attaches a suspended end cubby to the outside of a Layout Studio® double desk end leg.

Notes

Order suspended end cubby (L2ES.B) separately.
See Tu Wood Planning Guide for specific guidelines.

Dimensions



Specification Information

Step 1.

LSH.

Step 2. Application

B suspended below surface A

Prices for Steps 1-2.

LSH. B	\$491
--------	-------

Step 3. Finish

Metallic Paint

SNA	satin aluminum	A	+\$10
------------	----------------	---	-------

SNB satin bronze +\$10

SNC	satin carbon	A	+ \$10
------------	--------------	---	--------

Sand Texture Paint


91	white (CP)	A	+ \$0
----	------------	---	-------

BK black A +\$0

G1 graphite (CP) +\$0

Smooth Paint

98	studio white (CP)	A	+ \$0
----	-------------------	---	-------




Tu® Wood Storage

Product Information


Description
These stanchions elevate and support the laminate work surface cubby, individual cubby, and shared cubby. The shared mount kit has 1 shared stanchion, and the other kits have 2 stanchions. Attachment hardware included.

Notes
Specify cubby separately.
For use with laminate work surface cubby (L2WC.), specify work surface mounted stanchion (LSS.WS).
For use with individual cubby (L2EC.), specify credenza/work surface mounted stanchion (LSS.CD). The tall outbound stanchion has 1" of adjustability.
The inbound stanchion included in each kit attaches to the underside of the work surface.
For use in Layout Studio® non-rail applications, specify end mount kit (LSS.SE) and the correct number of shared mount kits (LSS.SM) for the number of cubbies to be used.
See Tu Wood Planning Guide for specific guidelines.


Dimensions




work surface stanchion




attached stanchion



credenza stanchion



end mount for layout studio



shared mount for layout studio

Specification Information

Step 1.

LSS.

Step 2. Width

SM	shared mount for layout studio
WS	work surface mounted
CD	credenza/work surface mounted
SE	end mount for layout studio

Prices for Steps 1-2.

LSS.	SM	\$433
	WS	\$486
	CD	\$581
	SE	\$978


Step 3. Finish

Metallic Paint

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

91	white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0



Product Information

Description

These stanchions elevate and support the shared cubby and individual cubby when attaching to a Layout Studio® performance rail. The center application kit has 1 stanchion, and the perpendicular application kit has 2 stanchions. Attachment hardware included.

Notes




Specify cubby (L2EY., L2EC.) separately.

The center application, rail-attached end stanchion (CE) supports 1 end of a single cubby.



The center application, rail-attached shared stanchion (CS) supports the end of 2 cubbies that are placed side-by-side.

The perpendicular application, rail and credenza supported stanchion kit (PRC) supports both ends of a cubby when placed perpendicular to a bench. See Tu Wood Planning Guide for specific guidelines.



Dimensions



Perpendicular Rail and Credenza Support



End Center Rail




Shared Center Rail

Stanchion Kit, Performance Rail

continued

Specification Information		
Step 1.		
L2SS.		
Step 2. Application		
CE	center application, rail-attached, end	
CS	center application, rail-attached, shared	
PRC	perpendicular application, rail and credenza supported	
Prices for Steps 1-2.		
L2SS. CE		\$289
CS		\$296
PRC		\$753
Step 3. Finish		
Sand Texture Paint		
91	white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
Smooth Paint		
98	studio white (CP)	+\$0



Product Information

Description

This tackboard attaches to the back side of a work surface cubby, individual cubby or shared cubby to provide a tackable surface. Attachment hardware included.

Notes

Specify tackboard width to match cubby width. Shared cubby tackboard is for 1 half of cubby.

All fabric is railroaded.

Tackboard accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

Width—Yardage

For work surface cubby (W):

24—0.90

30—1.10

For extended cubby (E):

48—1.63

60—2.00

For shared cubby (S):

16—0.75

19—0.85


22—0.95

28—1.14

34—1.32

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

LLCT.

Step 2. Configuration

S shared cubby

W work surface cubby

E extended cubby

Step 3. Height

09 9.75" high

13 13.75" high

Step 4. Width

For work surface cubby (W)

24 24" wide

30 30" wide

For extended cubby (E)

48 48" wide

60 60" wide

For shared cubby (S)

16 36" wide

19 42" wide

22 48" wide

28 60" wide


34 72" wide

Prices for Steps 1-4.

				16	24	48	19	30	60
LLCT.	S	09		\$194	—	—	199	—	—
		13		\$210	—	—	213	—	—
	W	09		—	\$201	—	—	238	—
		13		—	\$217	—	—	252	—
	E	09		—	—	\$252	—	—	476
		13		—	—	\$283	—	—	502
							22	28	34
LLCT.	S	09					\$201	225	245
		13					\$217	238	261

Cubby Tackboard *continued*


Step 5. Finish	
<i>For shared cubby (S) or work surface cubby (W)</i>	
Price Category 1	+\$0
Price Category 2	+\$13
Price Category 3	+\$32
Price Category 5	+\$96
<i>For extended cubby (E)</i>	
Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$59
Price Category 5	+\$173

**Product Information****Description**

This marker board attaches to the back side of a work surface cubby, individual cubby or shared cubby to provide a writing surface for dry-erase markers. Attachment hardware included.

Notes

Specify marker board width to match width of cubby. Marker board for shared cubby will cover 1 half width of the cubby.
Dry-erase markers not included.

Dimensions**Specification Information****Step 1.**

LLCW.

Step 2. Configuration

W work surface cubby
E extended cubby
S shared cubby

Step 3. Height

09 9.75" high
13 13.75" high

Step 4. Width**For work surface cubby (W)**

24 24" wide
30 30" wide

For extended cubby (E)


48 48" wide
60 60" wide

For shared cubby (S)

16 36" wide
19 42" wide
22 48" wide
28 60" wide
34 72" wide

Prices for Steps 1-4.

			16	24	48	19	30	60
LLCW.	W	09	—	\$193	—	—	217	—
		13	—	\$208	—	—	233	—
	E	09	—	—	\$397	—	—	447
		13	—	—	\$414	—	—	464
	S	09	\$186	—	—	189	—	—
		13	\$200	—	—	206	—	—
						22	28	34
LLCW.	S	09				\$193	200	225
		13				\$208	225	242



Product Information

Description

This magnet board attaches to the back side of a work surface cubby, individual cubby or shared cubby to provide a place to hang paper by magnets. Attachment hardware included.


Notes

Specify magnet board width to match width of cubby. Shared cubby magnet board covers 1 half of cubby.

Magnets not included.

See Tu Wood Planning Guide for specific guidelines.

Dimensions



Specification Information

Step 1.

LLCM.

Step 2. Configuration

W work surface cubby
E extended cubby
S shared cubby

Step 3. Height

09 9.75" high
13 13.75" high

Step 4. Width

For work surface cubby (W)

24 24" wide
30 30" wide

For extended cubby (E)

48 48" wide
60 60" wide

For shared cubby (S)

16 36" wide
19 42" wide
22 48" wide
28 60" wide
34 72" wide

Prices for Steps 1-4.

			16	24	48	19	30	60
LLCM.	W	09	—	\$169	—	—	189	—
		13	—	\$181	—	—	202	—
	E	09	—	—	\$346	—	—	390
		13	—	—	\$362	—	—	403
	S	09	\$164	—	—	167	—	—
		13	\$175	—	—	179	—	—

Step 5. Finish

Sand Texture Paint


91	white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Smooth Paint

98	studio white (CP)	+\$0
----	-------------------	------

Metallic Paint

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10



Product Information

Description

This personal storage tower has a single pull-out door that provides storage for a variety of personal and work-related items. Tower has laminate case and front.

Notes


Resident option (RS) has a laminate wardrobe, laminate fixed shelf, and 1 laminate adjustable shelf.

Flex option (FX) has a laminate wardrobe, laminate fixed shelf, and steel cascading dividers with integrated pencil cup and file bin.

USB cutout option (PW1) provides access for a dual port USB 2.0 Type A low-voltage power module that is field installed into factory-cut holes in the inner structure. The cord for USB power is routed via field installed clips through the inside of the case, down the back wall and out through a field drilled hole on the side of the case. Order USB module (LEE.) separately.

To use personal tower to support 1 end of a work surface, order Canvas attachment bracket (FV692) separately.

Dimensions



Specification Information

Step 1.

L2PT. ☐ A

Step 2. Height

42	42" high	+\$3444
46	46" high	+\$3572

Step 3. Depth

30	30" deep	+\$387
----	----------	--------

Step 4. Interior Configuration

RS	resident	☐ A	+\$0
FX	flex	☐ A	+\$274

Step 5. Open

L	left	☐ A	+\$0
R	right	☐ A	+\$0

Step 6. Case/Front Material

H	high-pressure laminate with thermoplastic edge	☐ A	+\$835
L	thermally-fused laminate with thermoplastic edge		+\$0

Step 7. Pull Type

A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

Step 8. Case/Front Finish

Solid-Color Laminate

For thermally-fused laminate with thermoplastic edge (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate

For thermally-fused laminate with thermoplastic edge (L)

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate

For thermally-fused laminate with thermoplastic edge (L)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBU	medium matte walnut (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

For high-pressure laminate with thermoplastic edge (H)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 9. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black ☐	+\$0
----	--------------------------------	------

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10
WL	warm stone (CP) ☐	+\$0

Step 10. Interior Finish


8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 11. Power

NNN	no cutout ☐	+\$0
PW1	with USB cutout ☐	+\$169

Step 12. Lock Option

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0



Product Information

Description


This personal tower-mini door is fully enclosed with single hinged door and provides storage for a variety of personal and work related items. Interior options include 1 removable shelf or no shelf. Door can be hinged left or right and comes with lock. The tower has an all-laminate case and front, 2"-high recessed base, base with front to floor, or 2"-high foot with 1" leveling glides.

Actual height is 21⁷/₈" (22).


Actual width is 12¹/₂".

Actual depth is 22⁷/₈" (24).


Dimensions



Base



Base with fronts to floor



C-foot

Specification Information

Step 1.

L2PD.

Step 2. Height

22 21⁷/₈" high +\$1192

Step 3. Width

13 12¹/₂" wide +\$0

Step 4. Depth

24 22⁷/₈" deep +\$43

Step 5. Base/Foot Height

1 base +\$0

3 base with fronts to floor **A** +\$19

9 c-foot **A** +\$188

Step 6. Hinge Location

For base (1) or c-foot (9)

ND no door +\$0

DL door hinged left +\$81

DR door hinged right +\$81

For base with fronts to floor (3)

DL door hinged left +\$81

DR door hinged right +\$81

Step 7. Case/Top/Front Material

For no door (ND)

L thermally-fused laminate +\$0

For door hinged left (DL) or door hinged right (DR)

L thermally-fused laminate +\$0

Step 8. Pull Type

For door hinged left (DL) or door hinged right (DR)

A arc pull +\$0

K bar pull +\$0

U flush pull +\$0

Step 9. Interior

NS0 no interior -\$9

NS1 one shelf +\$0

Step 10. Case/Front/Top Finish		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Step 11. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0

Metallic Paint		
<i>For bar pull (K) or flush pull (U)</i>		
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint		
<i>For bar pull (K) or flush pull (U)</i>		
BK	black	+\$0


Smooth Paint		
<i>For bar pull (K) or flush pull (U)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Step 12. Foot Finish		
<i>For c-foot (9)</i>		

Metallic Paint		
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WN	warm grey neutral	+\$0

Step 13. Lock		
<i>For door hinged left (DL) or door hinged right (DR)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0



Product Information

Description

This personal tower-mini drawer is fully enclosed with single pull-out drawer and provides storage for a variety of personal and work related items. Standard interior has area for bag storage and for files. Optional personal drawer provides additional storage of smaller items and can be specified with USB power. The tower has an all-laminate case and front, 2"-high recessed base or 2"-high foot or base with fronts to floor, and 1" leveling glides.

Counterweight included.

Actual height is 21⁷/₈" (22) with base or base with fronts to floor.


Actual width is 14⁷/₈" for laminate, 15" for metal.

Actual depth is 22⁷/₈" (24).

Notes

To provide USB power to the personal drawer, order USB module (LEE.200) separately.

Dimensions



Specification Information

Step 1.

L2PN.

Step 2. Height

22 21⁷/₈" high +\$1624

Step 3. Depth

24 23" deep +\$118

Step 4. Configuration/Open

NL	no personal drawer open left	+\$0
NR	no personal drawer open right	+\$0
PL	personal drawer open left	+\$366
PR	personal drawer open right	+\$366

Step 5. Base/Foot Height

1	base	+\$0
3	base with fronts to floor	+\$19
7	casters	+\$47
9	c-foot	+\$188

Step 6. Case/Top/Front Material

L	thermally-fused laminate	+\$0
---	--------------------------	------

Step 7. Pull Type

A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

Step 8. Case/Front/Top Finish

Solid-Color Laminate

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Personal Tower - Mini Storage/Bag

continued

Tu® Wood Storage

Wood-Grain Laminate		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Step 9. Pull Finish

Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black	+\$0
----	-------	------

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Step 10. Foot Finish

For c-foot (9)

Metallic Paint

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Step 11. Interior Finish

Metallic Paint


SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Lock

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0



Product Information

Description

This freestanding storage tower has a wardrobe on 1 side and a side-facing bookcase on the other side. Pedestal is located opposite of wardrobe. The tower is available in 5 heights, 2 widths, and 2 depths, and comes with or without top. The tower has a laminate case, applied metal pulls, a 2"-high recessed base, base with front to floor, or 2"-high foot with 1" leveling glides. Actual tower widths are 23⁷/₈" (24) and 29⁷/₈" (30). Actual tower depths are 23¹/₄" (24) and 29¹/₄" (30). Side-facing bookcase is 14¹/₂" deep and 23¹/₄" wide. It includes adjustable shelves that adjust in 1" increments. Pedestal is locking, with 1 lock securing all drawers. Drawers are available in a variety of box and file drawer combinations.



Notes

For use with Layout Studio® or Canvas Office Landscape®, specify 1¹/₈" thick top or 1¹/₄" thick top.


Dimensional illustration does not include all possible configurations.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in appendices.

Dimensions



File/File, Wardrobe Left



File/File, Wardrobe Right

Specification Information			
Step 1.			
L2T.S	A		
Step 2. Height			
42	42" high		+\$3626
46	46" high		+\$3685
53	53" high	A	+\$3749
57	57" high		+\$3811
68	68" high		+\$3934
Step 3. Width			
24	24" wide		+\$0
30	30" wide		+\$155
Step 4. Depth			
24	24" deep		+\$0
30	30" deep		+\$155
Step 5. Base/Foot Height			
1	base		+\$0
3	base with fronts to floor	A	+\$24
5	tube foot	A	+\$146
9	c-foot		+\$188
Step 6. Configuration			
BL	file/file, wardrobe left		+\$0
BR	file/file left, wardrobe right		+\$0
CL	box/box/file, wardrobe left		+\$192
CR	box/box/file, wardrobe right		+\$192
Step 7. Case/Front Material			
<i>For 42" high (42) or 46" high (46)</i>			
H	high-pressure laminate with thermoplastic edge	A	+\$759
L	thermally-fused laminate with thermoplastic edge		+\$0
<i>For 53" high (53) or 57" high (57)</i>			
H	high-pressure laminate with thermoplastic edge	A	+\$759
L	thermally-fused laminate with thermoplastic edge		+\$0
<i>For 68" high (68)</i>			
H	high-pressure laminate with thermoplastic edge	A	+\$759
L	thermally-fused laminate with thermoplastic edge		+\$0

Step 8. Top Material		
<i>For high-pressure laminate with thermoplastic edge (H) or thermally-fused laminate with thermoplastic edge (L)</i>		
NT	no top	-\$12
02	¾" thermally-fused laminate with thermoplastic edge	+\$0
08	1⅛" high-pressure laminate with thermoplastic edge	+\$112
06	1¼" high-pressure laminate with thermoplastic edge	+\$112
Step 9. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 10. Interior Drawer Material		
M	metal	+\$0
Step 11. Case/Front Finish		
Solid-Color Laminate		
<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Twill Laminate		
<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate

For thermally-fused laminate with thermoplastic edge (L)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

For high-pressure laminate with thermoplastic edge (H)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Top/Edge Finish

For 3/4" thermally-fused laminate with thermoplastic edge (02), 1 1/8" high-pressure laminate with thermoplastic edge (08), or 1 1/4" high-pressure laminate with thermoplastic edge (06)

Solid-Color Laminate

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Step 13. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black	☐	+\$0
-----------	-------	--------------------------	------

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	☐	+\$0
91	white (CP)	☐	+\$0
98	studio white (CP)	☐	+\$0
G1	graphite (CP)	☐	+\$0
WL	warm stone (CP)	☐	+\$0

Step 14. Foot Finish

For tube foot (5) or c-foot (9)

Metallic Paint

SNA	satin aluminum	☐	+\$10
SNB	satin bronze	☐	+\$10
SNC	satin carbon	☐	+\$10

Sand Texture Paint


BK	black	☐	+\$0
-----------	-------	--------------------------	------

Smooth Paint

8Q	folkstone grey (CP)	☐	+\$0
91	white (CP)	☐	+\$0
98	studio white (CP)	☐	+\$0
CL	cool grey neutral	☐	+\$0
G1	graphite (CP)	☐	+\$0
WL	warm stone (CP)	☐	+\$0
WN	warm grey neutral	☐	+\$0

Step 15. Lock Option

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0



Product Information

Description







This wardrobe tower has a laminate case and front with laminate top available in 3 thicknesses. Wardrobe comes in 8 heights, 3 widths, and 3 depths. Base options are 2"-high base, base with front to floor, 2"-high foot with 1" leveling glides, or c-foot. Interior has a coat rod or hook and 1 shelf. Door is single width and locking.

Notes

For use with Layout Studio® or Canvas Office Landscape®, specify 1 1/8" thick top or 1 1/4" thick top.

12" wide towers 57" high require the cases to be ganged or secured for stability.

Dimensions



Specification Information			
Step 1.			
L2WT.	A		
Step 2. Height			
42	42" high		+\$1429
46	46" high		+\$1582
53	53" high	A	+\$1638
57	57" high		+\$1735
64	64" high	A	+\$1897
68	68" high	A	+\$1990
75	75" high	A	+\$2156
79	79" high	A	+\$2249
Step 3. Width			
12	12" wide		+\$0
15	15" wide		+\$103
18	18" wide	A	+\$204
Step 4. Depth			
<i>For 64" high (64), 68" high (68), 75" high (75), or 79" high (79)</i>			
20	20" deep		+\$0
24	24" deep		+\$121
30	30" deep		+\$234
<i>For 42" high (42), 46" high (46), 53" high (53), or 57" high (57)</i>			
24	24" deep		+\$121
30	30" deep		+\$234
Step 5. Base/Foot Height			
1	base		+\$0
3	base with fronts to floor	A	+\$19
5	tube foot	A	+\$146
9	c-foot		+\$188
Step 6. Case Material			
<i>For 42" high (42) or 46" high (46)</i>			
H	high-pressure laminate with thermoplastic edge	A	+\$466
L	thermally-fused laminate with thermoplastic edge		+\$0
<i>For 53" high (53) or 57" high (57)</i>			
H	high-pressure laminate with thermoplastic edge	A	+\$466
L	thermally-fused laminate with thermoplastic edge		+\$0

<i>For 64" high (64) or 68" high (68)</i>		
H	high-pressure laminate with thermoplastic edge	A +\$516
L	thermally-fused laminate with thermoplastic edge	+\$0

<i>For 75" high (75) or 79" high (79)</i>		
H	high-pressure laminate with thermoplastic edge	A +\$516
L	thermally-fused laminate with thermoplastic edge	+\$0

Step 7. Top Material		
<i>For high-pressure laminate with thermoplastic edge (H) or thermally-fused laminate with thermoplastic edge (L)</i>		
02	¾" thermally-fused laminate with thermoplastic edge	+\$0
06	1¼" high-pressure laminate with thermoplastic edge	A +\$74
08	1⅝" high-pressure laminate with thermoplastic edge	A +\$74
11	¾" high-pressure laminate with thermoplastic edge	A +\$74
NT	no top	-\$12

Step 8. Hinge Location		
L	left-hinged door	+\$0
R	right-hinged door	+\$0

Step 9. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

Step 10. Case/Front/Top Finish		
Solid-Color Laminate		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate		
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Step 11. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black ☐	+\$0
-----------	--------------------------------	------

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0

Step 12. Foot Finish

For tube foot (5) or c-foot (9)

Metallic Paint

EH	metallic bronze ☐	+\$0
SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10

Sand Texture Paint

BK	black ☐	+\$0
-----------	--------------------------------	------

Smooth Paint


8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 13. Lock Option

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Step 14. Coat Rod/Hook Option

CR	coat rod ☐	+\$15
CH	coat hook ☐	+\$0



Tu® Wood Storage

Product Information


Description

This bookcase tower has a laminate case with laminate top available in 3 thicknesses, or with no top. It comes in 4 heights, 2 widths, and 2 depths. Base options are 2"-high base, base with front to floor, or 2"-high feet with 1" leveling glides. Interior has adjustable shelves that will vary based on case height. Shelves adjust in 1¼" increments. Available with or without door. Doors come standard with lock.

Notes

Actual widths are 11⅞" (12) and 14⅞" (15).
For use with Layout Studio® or Canvas Office Landscape®, specify 1⅞" thick top or 1¼" thick top.
12" wide towers 57" high require the cases to be ganged or secured for stability.

Dimensions



Specification Information**Step 1.****L2BT.** ☐ A**Step 2. Height**

42	42" high	+\$1322
46	46" high	+\$1474
57	57" high	+\$1628

Step 3. Width

12	12" wide	+\$0
15	15" wide	+\$103

Step 4. Depth

24	24" deep	+\$0
30	30" deep	+\$158

Step 5. Base/Foot Height

1	base ☐ A	+\$0
3	base with fronts to floor	+\$19
5	tube foot ☐ A	+\$146
9	c-foot	+\$188

Step 6. Case Material*For 42" high (42) or 46" high (46)*

H	high-pressure laminate with thermoplastic edge ☐ A	+\$387
L	thermally-fused laminate with thermoplastic edge	+\$0

For 57" high (57)

H	high-pressure laminate with thermoplastic edge ☐ A	+\$387
L	thermally-fused laminate with thermoplastic edge	+\$0

Step 7. Top Material*For high-pressure laminate with thermoplastic edge (H) or thermally-fused laminate with thermoplastic edge (L)*

02	¾" thermally-fused laminate with thermoplastic edge	+\$0
06	1¼" high-pressure laminate with thermoplastic edge ☐ A	+\$82
08	1⅝" high-pressure laminate with thermoplastic edge ☐ A	+\$82
11	¾" high-pressure laminate with thermoplastic edge ☐ A	+\$82
NT	no top	-\$14

Step 8. Configuration*For base (1), tube foot (5), or c-foot (9) with high-pressure laminate with thermoplastic edge (H) or thermally-fused laminate with thermoplastic edge (L)*

SN	shelves, no door	+\$0
SL	shelves, left-hinged door	+\$0
SL	shelves, left-hinged door	+\$274
SR	shelves, right-hinged door	+\$0
SR	shelves, right-hinged door	+\$274

For base with fronts to floor (3) with high-pressure laminate with thermoplastic edge (H) or thermally-fused laminate with thermoplastic edge (L)

SL	shelves, left-hinged door	+\$0
SL	shelves, left-hinged door	+\$274
SR	shelves, right-hinged door	+\$0
SR	shelves, right-hinged door	+\$274

Step 9. Pull Type*For shelves, left-hinged door (SL) or shelves, right-hinged door (SR)*

A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

Step 10. Case/Front Finish*For thermally-fused laminate with thermoplastic edge (L)*

8Q	folkstone grey (CP) ☐ A	+\$0
91	white (CP) ☐ A	+\$0
98	studio white (CP) ☐ A	+\$0
CL	cool grey neutral ☐ A	+\$0
LU	soft white ☐ A	+\$0
WL	warm stone (CP) ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0

For thermally-fused laminate with thermoplastic edge (L)

LBF	neutral twill ☐ A	+\$0
LBJ	graphite twill ☐ A	+\$0
LBQ	white twill ☐ A	+\$0

For thermally-fused laminate with thermoplastic edge (L)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0

For high-pressure laminate with thermoplastic edge (H)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut		+\$0
8Q	folkstone grey (CP)		+\$0
91	white (CP)		+\$0
98	studio white (CP)		+\$0
CL	cool grey neutral		+\$0
HF	inner tone light		+\$0
HP	light anigre		+\$0
LBA	clear on ash (CP)		+\$0
LBB	oak on ash (CP)		+\$0
LBC	walnut on ash (CP)		+\$0
LBF	neutral twill		+\$0
LBJ	graphite twill		+\$0
LBQ	white twill		+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LT	light tone		+\$0
LU	soft white		+\$0
WL	warm stone (CP)		+\$0
WN	warm grey neutral		+\$0

Step 11. Top/Edge Finish

For ¾" thermally-fused laminate with thermoplastic edge (02), 1¼" high-pressure laminate with thermoplastic edge (06), 1⅝" high-pressure laminate with thermoplastic edge (08), or ¾" high-pressure laminate with thermoplastic edge (11)

Solid-Color Laminate

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate

139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut		+\$0
HP	light anigre		+\$0
LBA	clear on ash (CP)		+\$0
LBR	phantom ecru		+\$0
LBS	phantom cocoa		+\$0
LBU	medium matte walnut (CP)		+\$0
LBV	warm grey teak		+\$0
LBB	oak on ash (CP)		+\$0
LBC	walnut on ash (CP)		+\$0

Step 12. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum	A	+\$10
SNB	satin bronze	A	+\$10
SNC	satin carbon	A	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black	☐ A	+\$0
-----------	-------	----------------------------	------

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	☐ A	+\$0
91	white (CP)	☐ A	+\$0
98	studio white (CP)	☐ A	+\$0
G1	graphite (CP)	☐ A	+\$0
WL	warm stone (CP)	☐ A	+\$0

Step 13. Foot Finish

For tube foot (5) or c-foot (9)

Metallic Paint

EH	metallic bronze	☐ A	+\$0
SNA	satin aluminum	☐ A	+\$10
SNB	satin bronze	☐ A	+\$10
SNC	satin carbon	☐ A	+\$10

Sand Texture Paint

BK	black	☐ A	+\$0
-----------	-------	----------------------------	------


Smooth Paint

8Q	folkstone grey (CP)	☐ A	+\$0
91	white (CP)	☐ A	+\$0
98	studio white (CP)	☐ A	+\$0
CL	cool grey neutral	☐ A	+\$0
G1	graphite (CP)	☐ A	+\$0
WL	warm stone (CP)	☐ A	+\$0
WN	warm grey neutral	☐ A	+\$0

Step 14. Lock

For shelves, left-hinged door (SL) or shelves, right-hinged door (SR)

KA	keyed alike	+\$0
KD	keyed differently, black	+\$0
KC	keyed differently, chrome	+\$0



Tu® Wood Storage

Product Information

Description


This dual port USB 2.0 Type A low-voltage power module is designed for field installation into the laminate personal tower or mini storage/bag tower. The personal tower requires access and routing holes to be cut in the field. Access and routing holes for the mini storage/bag tower are standard. The cord for USB power is routed via field installed clips through the inside of the case, down the back wall and out through a field drilled hole located on the side of the case for the personal tower and out of the bottom of the mini storage/bag tower.

Notes

Dual USB module-tower (100) is designed for field installation into the laminate personal tower (L2PT.), ordered separately.


Dual USB module-drawer (200) is designed for field installation into the mini drawer within the mini storage/bag tower (L2PN.).

Dimensions



Specification Information

Step 1.		
LEE.		
Step 2. Configuration		
200	dual USB module-drawer	A
100	dual USB module-tower	
Prices for Steps 1-2.		
LEE.	200	\$429
	100	\$429
Step 3. Color		
G1	graphite (CP)	+\$0
91	white (CP)	+\$0




Product Information

Description
This end of run bookcase provides storage and display space. It has an all-laminate case, 2"-high recessed base or 2"-high foot, and 1" leveling glides. Top thicknesses are available to align with adjacent surfaces. Bookcase includes 1 laminate adjustable shelf that has 3 locations and adjusts in 1 1/4" increments.
Actual case depth is 16 1/2" (16).
Actual case width is 47 3/4" (48), 50 3/4" (51), 59 3/4" (60), or 62 3/4" (63).
Actual case height without top is 27 1/4" (28).

Notes
To align top with work surface for Layout Studio®, specify the 1 1/8" top. To align top with work surface for Canvas Office Landscape®, Renew™, or Nevi™ Link, specify the 1 1/4" top.
For applications where top alignment is not required, a 3/4" top is available.

Dimensions




Specification Information			
Step 1.			
L2ER.B ☐			
Step 2. Height			
28	27¼" high		+\$0
Step 3. Width			
48	48" wide		+\$2082
51	51" wide		+\$2174
60	60" wide		+\$2452
63	63" wide		+\$2545
Step 4. Depth			
16	16½" deep		+\$0
Step 5. Base/Foot Height			
1	base		+\$0
9	c-foot		+\$204
Step 6. Configuration			
O	no doors		+\$0
Step 7. Case Material			
<i>For 48" wide (48) or 51" wide (51)</i>			
H	high-pressure laminate with thermoplastic edge ☐		+\$431
L	thermally-fused laminate with thermoplastic edge		+\$0
<i>For 60" wide (60)</i>			
H	high-pressure laminate with thermoplastic edge ☐		+\$431
L	thermally-fused laminate with thermoplastic edge		+\$0
<i>For 63" wide (63)</i>			
H	high-pressure laminate with thermoplastic edge ☐		+\$431
L	thermally-fused laminate with thermoplastic edge		+\$0
Step 8. Top Material			
<i>For high-pressure laminate with thermoplastic edge (H) or thermally-fused laminate with thermoplastic edge (L)</i>			
1	¾" high-pressure laminate with thermoplastic edge		+\$198
2	¾" thermally-fused laminate with thermoplastic edge ☐		+\$0
8	1⅛" high-pressure laminate with thermoplastic edge ☐		+\$198
6	1¼" high-pressure laminate with thermoplastic edge ☐		+\$198

Step 9. Case/Top Finish		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Step 10. Foot Finish		
<i>For c-foot (9)</i>		
Metallic Paint		
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0



Product Information

Description

This end of run storage unit provides several configurations of recycle bins, drawers, and open shelves. It has an all-laminate case and front, 2"-high recessed base, 2"-high foot or base with fronts to floor, and 1" leveling glides. Top thicknesses are available to align with adjacent surfaces.

Actual depth is 16 1/2" (16). Case depth without top is 15 1/2".

Actual width is 47 3/4" (48), 50 3/4" (51), 59 3/4" (60), or 62 3/4" (63).

Notes

Use widths 48" (48) and 60" (60) with Layout Studio®, Renew™ Link, and Nevi™ Link. Use widths 51" (51) and 63" (63) with Canvas Wall and Dock.

To align top with work surface for Layout Studio®, specify the 1 1/8" top. To align top with work surface for Canvas Office Landscape®, specify the 1 1/4" top.

For applications where top alignment is not required, a 3/4" top is available.

Recycle/shelf (S) configuration has 15"-wide recycle storage on either side of open shelf. Shelf width will vary based on specified unit width.

Recycle interior color is folkstone grey (8Q).

Drawer only available on 60" wide unit.

Dimensions

Base

Base with fronts to floor

C-foot

16 1/2"

27 1/4"

Tu® Wood Storage

HermanMiller GSA Tu® Wood Storage Price Book (12/24) 83

Recycle/Drawer, Recycle/Shelf (EOR)

continued

Tu® Wood Storage

Specification Information		
Step 1.		
L2ER.R		
Step 2. Height		
28	27¼" without top	+\$0
Step 3. Width		
48	48" wide	+\$3753
51	51" wide	+\$3796
60	60" wide	+\$3920
63	63" wide	+\$3955
Step 4. Depth		
16	16.5" deep	+\$0
Step 5. Base/Foot Height		
1	base	+\$0
3	base with fronts to floor	+\$20
9	c-foot	+\$204
Step 6. Configuration		
<i>For 48" wide (48), 51" wide (51), or 63" wide (63)</i>		
S	recycle/shelf	+\$0
<i>For 60" wide (60)</i>		
S	recycle/shelf	+\$0
L	recycle-left/drawer-right	+\$186
R	recycle-right/drawer-left	+\$186
Step 7. Case/Front Material		
<i>For 48" wide (48) or 51" wide (51)</i>		
L	thermally-fused laminate	+\$0
<i>For 60" wide (60)</i>		
L	thermally-fused laminate	+\$0
<i>For 63" wide (63)</i>		
L	thermally-fused laminate	+\$0


Step 8. Top Material		
<i>For thermally-fused laminate (L)</i>		
2	¾" thermally-fused laminate top	+\$0
6	1¼" high - pressure laminate top	+\$198
8	1⅝" high-pressure laminate top	+\$198
Step 9. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 10. Interior Drawer Material		
<i>For recycle-left/drawer-right (L) or recycle-right/drawer-left (R)</i>		
M	metal	+\$0
Step 11. Case/Front Finish		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0

Recycle/Drawer, Recycle/Shelf (EOR)

continued

Step 12. Top/Edge Finish		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
Step 13. Pull Finish		
For arc pull (A)		
NH	brushed nickel	+\$0
NK	black nickel	+\$0
Metallic Paint		
For bar pull (K) or flush pull (U)		
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
Sand Texture Paint		
For bar pull (K) or flush pull (U)		
BK	black	+\$0

Smooth Paint		
For bar pull (K) or flush pull (U)		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
Step 14. Foot Finish		
For c-foot (9)		
Metallic Paint		
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
Sand Texture Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
Step 15. Lock		
For recycle-left/drawer-right (L) or recycle-right/drawer-left (R)		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0



Tu® Wood Storage

Product Information

Description

This end of run media case provides open storage and drawer storage. It has an all-laminate case and front, 2"-high recessed base, 2"-high foot or base with fronts to floor, and 1" leveling glides. Grommets are available in the top and inside the open area to allow cord management and access to power. Drawers come with locks. Top thicknesses are available to align with adjacent surfaces.

Actual depth is 22⁷/₈" (24).

Actual width is 47⁷/₈" (48) or 59⁷/₈" (60).

Actual height is 27¹/₄" without top.




Notes

Widths of 48" (48) and 60" (60) work with Layout Studio®, Renew™ Link, and Nevi™ Link.

To align top with work surface for Layout Studio, specify the 1¹/₈" top. To align top with work surface for Canvas Office Landscape®, specify the 1¹/₄" top.

For applications where top alignment is not required, a ³/₄" top is available.

Dimensions



Specification Information		
Step 1.		
L2ER.M		
Step 2. Height		
28	27 1/4" high	+\$0
Step 3. Width		
48	48" wide	+\$2534
60	60" wide	+\$2742
Step 4. Depth		
24	22.88" deep	+\$312
Step 5. Base/Foot Height		
1	base	+\$0
3	base with fronts to floor	+\$20
9	c-foot	+\$204
Step 6. Configuration		
C	lower drawer, upper open	+\$621
Step 7. Case/Front Material		
<i>For 48" wide (48)</i>		
H	high-pressure laminate with thermoplastic edge A	+\$679
L	thermally-fused laminate with thermoplastic edge	+\$0
<i>For 60" wide (60)</i>		
H	high-pressure laminate with thermoplastic edge A	+\$679
L	thermally-fused laminate with thermoplastic edge	+\$0
Step 8. Top Material		
<i>For high-pressure laminate with thermoplastic edge (H) or thermally-fused laminate with thermoplastic edge (L)</i>		
2	3/4" thermally-fused laminate with thermoplastic edge	+\$0
6	1 1/4" high-pressure laminate with thermoplastic edge	+\$198
8	1 1/8" high-pressure laminate with thermoplastic edge	+\$198
Step 9. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 10. Interior Drawer Material		
M	metal	+\$0

Step 11. Case/Front Finish		
<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0

For high-pressure laminate with thermoplastic edge (H)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut		+\$0
8Q	folkstone grey (CP)		+\$0
91	white (CP)		+\$0
98	studio white (CP)		+\$0
CL	cool grey neutral		+\$0
HF	inner tone light		+\$0
HP	light anigre		+\$0
LBA	clear on ash (CP)		+\$0
LBB	oak on ash (CP)		+\$0
LBC	walnut on ash (CP)		+\$0
LBF	neutral twill		+\$0
LBJ	graphite twill		+\$0
LBQ	white twill		+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LT	light tone		+\$0
LU	soft white		+\$0
WL	warm stone (CP)		+\$0
WN	warm grey neutral		+\$0

Step 12. Top/Edge Finish

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0

*Step 13. Pull Finish**For arc pull (A)*

NH	brushed nickel	+\$0
NK	black nickel	+\$0

*Metallic Paint**For bar pull (K) or flush pull (U)*

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

*Sand Texture Paint**For bar pull (K) or flush pull (U)*

BK	black	+\$0
----	-------	------

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Step 14. Grommet Position Selection

N	no top location	+\$0
L	left grommet	+\$30
R	right grommet	+\$30
C	grommet center	+\$30

Step 15. Grommet Finish

For no top location (N), left grommet (L), right grommet (R), or grommet center (C)

91	white (CP)	+\$0
G1	graphite (CP)	+\$0

Step 16. Foot Finish

For c-foot (9)

Metallic Paint

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint


91	white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WN	warm grey neutral	+\$0

Step 17. Counterweight

CB	counterweight	+\$70
NO	no counterweight	+\$0

Step 18. Lock

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0



Tu® Wood Storage

Product Information

Description

This end of run locker unit provides storage for coats, bags and other items. It has an all-laminate case and front, 2"-high recessed base, 2"-high foot or base with fronts to floor, and 1" leveling glides. Interior options are shelf with coat hook, or Z-interior (for 60" width only). Top thicknesses are available to match adjacent work surfaces.

Actual height is 41 1/8" (42) or 45 1/8" (46).

Actual width is 47 7/8" (48) or 59 7/8" (60).


Actual depth is 16 1/2" (16).

Notes


To match top thickness with work surface for Layout Studio®, specify the 1 1/8" top. To match top thickness with work surface for Canvas Office Landscape®, specify the 1 1/4" top.

For applications where matching top thickness is not required, a 3/4" top is available.


Dimensions



Base



Base with fronts to floor



C-foot

Lockers (EOR) *continued*

Specification Information		
Step 1.		
L2ER.L	☐	
Step 2. Height		
42	42" high	+\$4493
46	46" high	+\$4910
Step 3. Width		
48	48" wide	+\$0
60	60" wide	+\$303
Step 4. Depth		
16	16 1/2" deep ☐	+\$0
Step 5. Base/Foot Height		
1	base	+\$0
3	base with fronts to floor	+\$20
9	c-foot	+\$204
Step 6. Hinge Location		
L	wardrobe hinge left	+\$0
R	wardrobe hinge right	+\$0
Step 7. Case/Front Material		
<i>For 48" wide (48)</i>		
L	thermally-fused laminate with thermoplastic edge	+\$0
<i>For 60" wide (60)</i>		
L	thermally-fused laminate with thermoplastic edge	+\$0
Step 8. Top Material		
<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
2	3/4" thermally-fused laminate with thermoplastic edge ☐	+\$0
6	1 1/4" high-pressure laminate with thermoplastic edge ☐	+\$198
8	1 1/8" high-pressure laminate with thermoplastic edge ☐	+\$198
Step 9. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

Step 10. Interior		
<i>For 48" wide (48)</i>		
CH	coathook with shelf	+\$0
<i>For 60" wide (60)</i>		
CH	coathook with shelf ☐	+\$0
CZ	z-interior	+\$100
Step 11. Case/Front Finish		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Step 12. Top/Edge Finish

For 3/4" thermally-fused laminate with thermoplastic edge (2), 1 1/4" high-pressure laminate with thermoplastic edge (6), or 1 1/8" high-pressure laminate with thermoplastic edge (8)

Solid-Color Laminate

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Step 13. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black	+\$0
-----------	-------	------

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Step 14. Foot Finish

For c-foot (9)

Metallic Paint

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Step 15. Lock

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Storage Attachment Kit, End Leg

L2SL.



Product Information

Description

This hardware kit attaches Layout Studio® beams to a Tu® Wood end-of-run storage unit to allow the storage unit to replace a Layout Studio double end leg. The kit is available for use with a 48"-wide or a 60"-wide freestanding storage case. Finish is cool grey neutral.


Notes

To replace a Layout Studio double leg with a storage unit, order a Tu Wood end-of-run cabinet (L2ER.) separately.

Specify storage base option to match base option on storage unit.

See Tu Wood Planning Guide for specific guidelines.

Dimensions



Specification Information

Step 1.

L2SL. ☐

Step 2. Depth

48 48" double end leg ☐

60 60" double end leg ☐

Prices for Steps 1-2.

L2SL. 48 \$464

60 \$499


Step 3. Storage Base Option

1 base ☐ +\$0

3 base with fronts to floor ☐ +\$0

5 foot ☐ +\$0

9 c-foot ☐ +\$0



Tu® Wood Storage

Product Information


Description

This bookcase provides open storage and display space. It has a laminate case with laminate top available in 3/4", 1 1/8", and 1 1/4" thicknesses, or with no top. It comes in 7 heights, 4 widths, and 3 depths. Base options are 2"-high base or 2"-high feet or base with fronts to the floor with 1" leveling glides. Includes 1 or more adjustable shelves, based on bookcase height.

Notes

Actual widths are 23 7/8" (24), 29 7/8" (30), 35 7/8" (36), and 41 7/8" (42).
Top oversails case by 1" to align case with other cases that have doors or drawers. Actual case depths are 15 1/2" (16), 19" (20), and 23" (24).
For use with Layout Studio® or Canvas Office Landscape®, specify 1 1/8" thick top (08) or 1 1/4" thick top (06).
Shelves adjust in 1 1/4" increments. Shelf spacing based on a default 12" binder height from bottom panel up. Minimum space in remainder above top shelf is 5".
Height—Shelves
42—2 shelves
46—2 shelves
57—3 shelves
60—3 shelves
68—4 shelves
72—4 shelves
84—5 shelves
For additional product options, see Vary Easy Program in appendices.

Dimensions



Specification Information		
Step 1.		
L2BC.	☐ A	
Step 2. Height		
42	42" high	+\$1532
46	46" high	+\$1636
57	57" high	+\$1835
60	60" high	+\$2090
68	68" high	+\$2141
72	72" high	+\$2445
Step 3. Width		
24	24" wide	+\$0
30	30" wide	+\$157
36	36" wide	+\$312
42	42" wide	+\$621
Step 4. Depth		
<i>For 42" high (42), 46" high (46), or 57" high (57)</i>		
16	16½" deep	+\$0
20	20" deep	+\$157
24	24" deep	+\$312
<i>For 60" high (60)</i>		
20	20" deep ☐ A	+\$157
24	24" deep ☐ A	+\$312
<i>For 68" high (68) or 72" high (72)</i>		
20	20" deep	+\$157
Step 5. Doors		
N	no doors ☐ A	+\$0
D	2 symmetrical doors ☐ A	+\$120
Step 6. Base/Foot Height		
<i>For no doors (N)</i>		
1	base	+\$0
5	tube foot ☐ A	+\$157
9	c-foot ☐ A	+\$0

<i>For 2 symmetrical doors (D)</i>		
1	base ☐ A	+\$0
3	base with fronts to floor ☐ A	+\$20
5	tube foot ☐ A	+\$157
9	c-foot ☐ A	+\$0
Step 7. Pull Type		
<i>For 2 symmetrical doors (D)</i>		
A	arc pull ☐ A	+\$0
K	bar pull ☐ A	+\$0
U	flush pull ☐ A	+\$0
Step 8. Case Material		
<i>For 42" high (42) or 46" high (46)</i>		
L	thermally-fused laminate	+\$0
<i>For 57" high (57) or 60" high (60)</i>		
L	thermally-fused laminate ☐ A	+\$0
<i>For 68" high (68) or 72" high (72)</i>		
L	thermally-fused laminate ☐ A	+\$0
Step 9. Top Material		
<i>For thermally-fused laminate (L)</i>		
NT	no top	-\$14
02	¾" thermally-fused laminate	+\$0
08	1⅛" high-pressure laminate	+\$121
06	1¼" high-pressure laminate	+\$121
Step 10. Case/Edge Finish		
Solid-Color Laminate		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Twill Laminate		
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Step 11. Top/Edge Finish

For ¾" thermally-fused laminate (02), 1⅝" high-pressure laminate (08), or 1¼" high-pressure laminate (06)

Solid-Color Laminate

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Step 12. Pull Finish

For arc pull (A)

NH	brushed nickel ☐	+\$0
NK	black nickel ☐	+\$0

For bar pull (K) or flush pull (U)

91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0

Step 13. Foot Finish

For tube foot (5) or c-foot (9)

Metallic Paint

SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10
EH	metallic bronze	+\$0

Sand Texture Paint

BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0


Smooth Paint

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 14. Lock Option

For 2 symmetrical doors (D)

KA	keyed alike ☐	+\$0
KC	keyed differently, chrome ☐	+\$0
KD	keyed differently, black ☐	+\$0



Tu® Wood Storage

Product Information


Description

This freestanding wardrobe cabinet is fully enclosed and has a laminate case, front and 3/4", 1 1/8", or 1 1/4"-thick top. Wardrobe comes in 8 heights, 4 widths, and 2 depths. Base options are 2"-high base, base with front to floor, or 2"-high foot with 1" leveling glides. Interior has a coat rod and 1 shelf. Cabinet comes standard with double doors and lock.

Notes

Actual cabinet widths are 23 7/8" (24), 29 7/8" (30), 35 7/8" (36), or 41 7/8" (42).
For use with Layout Studio® or Canvas Office Landscape®, specify 1 1/8" thick top or 1 1/4" thick top.

Dimensions



Specification Information

Step 1.

L2WR. A

Step 2. Height

42	42" high	+\$1845
46	46" high	+\$1946
53	53" high A	+\$2076
57	57" high	+\$2148
60	60" high	+\$2233
68	68" high	+\$2459
72	72" high	+\$2757
84	84" high	+\$3059

Step 3. Width

24	24" wide	+\$0
30	30" wide	+\$157
36	36" wide	+\$312
42	42" wide	+\$621

Step 4. Depth

20	20" deep	+\$157
24	24" deep	+\$312

Step 5. Base

1	base	+\$0
3	base with fronts to floor A	+\$20
5	tube foot A	+\$157
9	c-foot	+\$204

Step 6. Case Material

For 42" high (42) or 46" high (46)

L	thermally-fused laminate with thermoplastic edge	+\$0
---	--	------

For 53" high (53), 57" high (57), or 60" high (60)

L	thermally-fused laminate with thermoplastic edge	+\$0
---	--	------

For 68" high (68) or 72" high (72)

L	thermally-fused laminate with thermoplastic edge	+\$0
---	--	------

For 84" high (84)

L	thermally-fused laminate with thermoplastic edge	+\$0
---	--	------

Step 7. Top Material

For thermally-fused laminate with thermoplastic edge (L)

02	¾" thermally-fused laminate with thermoplastic edge	+\$0
06	1¼" high-pressure laminate with thermoplastic edge ☐	+\$121
08	1⅝" high-pressure laminate with thermoplastic edge ☐	+\$121
NT	no top	-\$14

Step 8. Pull Type

A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

Step 9. Case/Front Finish

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0

Step 10. Top/Edge Finish

For ¾" thermally-fused laminate with thermoplastic edge (02), 1¼" high-pressure laminate with thermoplastic edge (06), or 1⅝" high-pressure laminate with thermoplastic edge (08)

Solid-Color Laminate

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Step 11. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK black ☐ **A** +\$0

Smooth Paint

For bar pull (K) or flush pull (U)

8Q folkstone grey (CP) ☐ **A** +\$0

91 white (CP) ☐ **A** +\$0

98 studio white (CP) ☐ **A** +\$0

G1 graphite (CP) ☐ **A** +\$0

WL warm stone (CP) ☐ **A** +\$0

Step 12. Foot Finish

For tube foot (5) or c-foot (9)

Metallic Paint

EH metallic bronze ☐ **A** +\$0

SNA satin aluminum ☐ **A** +\$10

SNB satin bronze ☐ **A** +\$10

SNC satin carbon ☐ **A** +\$10

Sand Texture Paint

BK black ☐ **A** +\$0

Smooth Paint

8Q folkstone grey (CP) ☐ **A** +\$0

91 white (CP) ☐ **A** +\$0

98 studio white (CP) ☐ **A** +\$0

CL cool grey neutral ☐ **A** +\$0

G1 graphite (CP) ☐ **A** +\$0

WL warm stone (CP) ☐ **A** +\$0

WN warm grey neutral ☐ **A** +\$0

Step 13. Interior

CR coat rod with fixed shelf +\$0

Step 14. Lock


KA keyed alike +\$0

KD keyed differently, black +\$0

KC keyed differently, chrome +\$0

Keyless Lock

MKL-H
MKL-V
MKS-H
MKS-V



Product Information

Description

This keyless lock replaces an existing cam lock and is available in 2 mode options. Locker mode allows for a temporary code to be entered for each use, and station mode allows for repeated use with the same code. Multiple orientation options allow the keyless lock to be used with a variety of products.

Notes

Replacement battery is a 3-volt lithium CR2032 battery.

Actual lock dimensions are 3.86"W×1.00"H×0.39"D.


Meridian® standard pull 2600 series, the Tu® metal pedestal, and some Tu metal lateral files will not accommodate the width of the keyless lock.

Order the following products separately:

- Control key fob (MKL-CKF)
- User key fob (MKL-UKF)

This keyless lock can be found under the Meridian® product line code of MS.

Dimensions



Specification Information

Step 1.

MK ☐

Step 2. Mode

L- locker mode ☐

S- station mode ☐

Step 3. Orientation

HL horizontal, keypad facing left ☐

HR horizontal, keypad facing right ☐

VU vertical, keypad facing up ☐


VD vertical, keypad facing down ☐

Prices for Steps 1-3.

MKL-HL	\$289
MKL-HR	\$289
MKL-VU	\$289
MKL-VD	\$289
MKS-HL	\$289
MKS-HR	\$289
MKS-VU	\$289
MKS-VD	\$289

Step 4. Finish


0I silver ☐	+\$0
BK black ☐	+\$0




Tu® Keyless Locks

Product Information
Description
This key fob opens the keyless lock without using the numeric keypad.
Notes
Order the following products separately: • Keyless lock (MK) • User key fob (MKL-UKF)
This keyless lock, control key fob can be found under the Meridian® product line code of MS.
Dimensions


Specification Information	
Step 1.	
MKL-CKF A	\$249






Product Information
Description
This key fob opens the keyless lock without using the numeric keypad.
Notes
Order the following products separately:
• Keyless lock (MK)
• Control key fob (MKL-CKF)
This keyless lock, user key fob can be found under the Meridian® product line code of MS.
Dimensions

Specification Information
Step 1.
MKL-UKF A
\$249



Credenza with 2" Base, Individual Box/File

L2CF.



Product Information

Description

This individual credenza provides drawer storage on 1 side with a box drawer and file drawer. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and drawer fronts. It has a recessed 2"-high base, base with fronts to floor, or 2"-high feet with 1" leveling glides. False back panel is optional.

Notes

Counterweight is required and is specified with each individual storage unit. Box and file drawers have full-extension slides. File drawers accommodate side-to-side letter filing. For front-to-back filing of letter- or legal-size hanging files, order optional file converter (L29P.15) separately. Specify 2 file converters per drawer.

Actual credenza depth is 16½"; actual width is 29⅞"; actual height is 22".

Order optional accessories separately:


- Structural support, low storage to chase (FG292.1B)

Grain direction is vertical on fronts, sides, and back/false back panel.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.

Dimensions



Specification Information

Step 1.

L2CF.21

Step 2. Width

30	30" wide	+\$2425
-----------	----------	---------

Step 3. Depth

16	16.5" deep	+\$0
-----------	------------	------

Step 4. Base/Foot Height

1	base	+\$33
3	base with fronts to floor	+\$62
5	tube foot	+\$148
9	c-foot	+\$188

Step 5. Configuration

BF	box/file - 30" wide module	+\$0
-----------	----------------------------	------

Step 6. Case Material

L	thermally-fused laminate case material	+\$0
----------	--	------

Step 7. Front Material

L	thermally-fused laminate front material	+\$0
----------	---	------

Step 8. Pull Type

A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

Step 9. False Back Panel

N	no back panel	+\$0
B	back panel, matches finish of drawer fronts	+\$242

Credenza with 2" Base, Individual
Box/File *continued*

Step 10. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 11. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0
Smooth Paint		
<i>For bar pull (K) or flush pull (U)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
Metallic Paint		
<i>For bar pull (K) or flush pull (U)</i>		
SNA	satin aluminum	+\$0
SNB	satin bronze	+\$0
SNC	satin carbon	+\$0

Credenza with 2" Base, Individual
Box/File *continued*

Tu® Wood for Vista™

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black	+\$16
-----------	-------	-------

Step 13. Foot Finish

For tube foot (5) or c-foot (9)

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

BK	black	+\$0
G1	graphite (CP)	+\$0

Step 14. Counterweight


CB	counterweight	+\$0
-----------	---------------	------

Step 15. Lock Option

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 2" Base, Individual Box/File + Door

L2CF.



Product Information

Description

This individual credenza provides 6 configurations of 15", 18" and 30"-wide box drawer, file drawer, and cabinet modules on 1 side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and fronts. It has a recessed 2"-high base, base with fronts to floor, or 2"-high feet with 1" leveling glides. False back panel is optional.

Notes

Counterweight is required and is specified with each individual storage unit. Box and file drawers have full-extension slides. File drawers 15" wide accommodate front-to-back filing. File drawers 30" wide accommodate side-to-side letter filing. For front-to-back filing of letter- or legal-size hanging files, order optional file converter (L29P.15) separately. Specify 2 file converters per drawer.

Actual credenza depth is 16 1/2"; actual height is 22".

Actual credenza widths are:

Nominal—Actual

30"—29 5/8"

45"—44 3/4"

48"—47 3/4"

Order optional accessories separately:


- Structural support, low storage to chase (FG292.1B)

Grain direction is vertical on fronts, sides, and back/false back panel.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.

Dimensions



Tu® Wood for Vista™

Credenza with 2" Base, Individual Box/File + Door *continued*

Tu® Wood for Vista™

Specification Information		
Step 1.		
L2CF.22		
Step 2. Width		
30	30" wide	+\$2573
45	45" wide	+\$3030
48	48" wide	+\$3066
Step 3. Depth		
16	16.5" deep	+\$0
Step 4. Base/Foot Height		
1	base	+\$33
3	base with fronts to floor	+\$62
5	tube foot	+\$148
9	c-foot	+\$188
Step 5. Configuration		
<i>For 30" wide (30)</i>		
B1	box/file, door - 15" wide modules	+\$0
D1	door, box/file - 15" wide modules	+\$0
<i>For 45" wide (45)</i>		
B2	box/file - 30" wide module, door - 15" wide module	+\$0
D2	door - 15" wide module, box/file - 30" wide module	+\$0
<i>For 48" wide (48)</i>		
B3	box/file - 30" wide module, door - 18" wide module	+\$0
D3	door - 18" wide module, box/file - 30" wide module	+\$0
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

Step 9. False Back Panel		
N	no back panel	+\$0
B	back panel, matches finish of the front panels and drawer fronts	+\$242
Step 10. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teal	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 2" Base, Individual
Box/File + Door *continued*

Step 11. Front Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black	+\$16
----	-------	-------

Step 13. Foot Finish

For tube foot (5) or c-foot (9)

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
EH	metallic bronze	+\$0

Sand Texture Paint

BK	black	+\$0
G1	graphite (CP)	+\$0

Step 14. Counterweight


CB	counterweight	+\$0
----	---------------	------

Step 15. Lock Option

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Individual 1 Module

L2CF.



Product Information

Description

This individual credenza provides drawer storage on 1 side with 2 box drawers and can be used freestanding or with a structural support bracket to support the chase. Options include a lock or no lock and a false back panel. Credenza is available with laminate case and drawer fronts and has 8"-high feet with 1½" leveling glides.


Notes

Counterweight is required and is specified with each individual storage unit.
Box drawers have full-extension slides.
Actual credenza depth is 16½"; actual width is 29⅞"; actual height is 22".
Order optional accessories separately:

- Structural support, low storage to chase (FG292.1B)

Grain direction is vertical on fronts, sides, and back/false back panel.
For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.
See planning guide for additional configuration information and dimensions.

Dimensions



Specification Information		
Step 1.		
L2CF.81		
Step 2. Width		
30	30" wide	+\$2623
Step 3. Depth		
16	16.5" deep	+\$0
Step 4. Base/Foot Height		
8	8" foot	+\$0
Step 5. Configuration		
BB	box/box - 30" wide module	+\$0
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. False Back Panel		
N	no back panel	+\$0
B	back panel, matches finish of drawer fronts	+\$242
Step 10. Lock		
L	lock	+\$0
N	no lock	-\$15

Credenza with 8" Base, Individual 1
Module *continued*

Step 11. Case Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Front Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 13. Pull Finish

For arc pull (A)

NH	brushed nickel	A	+\$0
NK	black nickel	A	+\$0

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Credenza with 8" Base, Individual 1

Module *continued*

Tu® Wood for Vista™

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black	+\$16
-----------	-------	-------

Step 14. Foot Finish

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

EH	metallic bronze	+\$0
-----------	-----------------	------

Sand Texture Paint

BK	black	+\$0
G1	graphite (CP)	+\$0

Step 15. Counterweight


CB	counterweight	+\$0
-----------	---------------	------

Step 16. Lock Option

For lock (L)

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Individual 2 L2CF. Module - 30" Wide



Product Information

Description

This individual credenza provides 4 configurations of 15"-wide file drawer and cabinet modules on 1 side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Options include a lock or no lock and a false back panel. Credenza is available with laminate case and fronts and has 8"-high feet with 1 1/2" leveling glides.

Notes

Counterweight is required and is specified with each individual storage unit. File drawers have full-extension slides and accommodate front-to-back filing. Actual credenza depth is 16 1/2"; actual width is 29 5/8"; actual height is 22".

Order optional accessories separately:


- Structural support, low storage to chase (FG292.1B)

Grain direction is vertical on fronts, sides, and back/false back panel.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.

Dimensions



Credenza with 8" Base, Individual 2
Module - 30" Wide *continued*

Tu® Wood for Vista™

Specification Information		
Step 1.		
L2CF.82		
Step 2. Width		
30	30" wide	+\$2296
Step 3. Depth		
16	16.5" deep	+\$0
Step 4. Base/Foot Height		
8	8" foot	+\$0
Step 5. Configuration		
FF	file, file - 15" wide modules	+\$318
DD	door, door - 15" wide modules	+\$0
FD	file, door - 15" wide modules	+\$154
DF	door, file - 15" wide modules	+\$154
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. False Back Panel		
N	no back panel	+\$0
B	back panel, matches finish of the front panels and drawer fronts	+\$242
Step 10. Lock		
L	lock	+\$0
N	no lock	-\$32

Step 11. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 8" Base, Individual 2

Module - 30" Wide *continued*

Step 12. Front Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBV	medium matte walnut (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 13. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black	+\$16
-----------	-------	-------

Step 14. Foot Finish

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
EH	metallic bronze	+\$0

Sand Texture Paint

BK	black	+\$0
G1	graphite (CP)	+\$0

Step 15. Counterweight

For file, file - 15" wide modules (FF), file, door - 15" wide modules (FD), or door, file - 15" wide modules (DF)

CB	counterweight	+\$0
-----------	---------------	------


Step 16. Lock Option

For lock (L)

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Individual 2
Module - 45" Wide

L2CF.



Product Information

Description

This individual credenza provides 6 configurations of 15"- and 30"-wide box drawer, file drawer, cabinet, and tip-out bin modules on 1 side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Options include a lock or no lock and a false back panel. Credenza is available with laminate case and fronts and has 8"-high feet with 1½" leveling glides.

Notes

Counterweight is required and is specified with each individual storage unit. Box and file drawers have full-extension slides. File drawers accommodate front-to-back filing.

Actual credenza depth is 16½"; actual width is 44¾"; actual height is 22".

Order optional accessories separately:

- Structural support, low storage to chase (FG292.1B)



Grain direction is vertical on fronts, sides, and back/false back panel.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.



Dimensional illustration does not include all possible configurations.

See planning guide for additional configuration information and dimensions.



Dimensions




Box/Box, Door



Box/Box, File



Tip-Out Bin, Box/Box



Credenza with 8" Base, Individual 2

Module - 45" Wide *continued*

Specification Information		
Step 1.		
L2CF.82		
Step 2. Width		
45	45" wide	+\$3132
Step 3. Depth		
16	16.5" deep	+\$0
Step 4. Base/Foot Height		
8	8" foot	+\$0
Step 5. Configuration		
2BB	tip-out bin - 15" wide module, box/box - 30" wide module	+\$182
BB2	box/box - 30" wide module, tip-out bin - 15" wide module	+\$182
BBD	box/box - 30" wide module, door - 15" wide module	+\$0
BBF	box/box - 30" wide module, file - 15" wide module	+\$161
DBB	door - 15" wide module, box/box - 30" wide module	+\$0
FBB	file - 15" wide module, box/box - 30" wide module	+\$161
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. False Back Panel		
N	no back panel	+\$0
B	back panel, matches finish of the front panels and drawer fronts	+\$310
Step 10. Lock		
L	lock	+\$0
N	no lock	-\$32

Step 11. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 8" Base, Individual 2

Module - 45" Wide *continued*

Tu® Wood for Vista™

Step 12. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 13. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint		
<i>For bar pull (K) or flush pull (U)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint		
<i>For bar pull (K) or flush pull (U)</i>		
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint		
<i>For bar pull (K) or flush pull (U)</i>		
BK	black	+\$16

Step 14. Foot Finish		
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint		
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
EH	metallic bronze	+\$0


Sand Texture Paint		
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 15. Counterweight		
CB	counterweight	+\$0

Step 16. Lock Option		
<i>For lock (L)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Individual 3 Module

L2CF.



Product Information

Description

This individual credenza provides 10 configurations of 15"-wide file drawer, cabinet, and tip-out bin modules on 1 side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Options include a lock or no lock and a false back panel. Credenza is available with laminate case and fronts and has 8"-high feet with 1½" leveling glides.

Notes

Counterweight is required and is specified with each individual storage unit. File drawers have full-extension slides and accommodate front-to-back filing. Actual credenza depth is 16½"; actual width is 44½"; actual height is 22".

Order optional accessories separately:

- Structural support, low storage to chase (FG292.1B)

Grain direction is vertical on fronts, sides, and back/false back panel.


For keyed-alike locks, order lock plugs separately. See keyed-alike

information in appendices.


Dimensional illustration does not include all possible configurations.

See planning guide for additional configuration information and dimensions.


Dimensions




Door, File, Tip-Out Bin




File, File, Tip-Out Bin



Door, Door, Tip-Out Bin



File, File, Door



Door, Door, Door

Credenza with 8" Base, Individual 3

Module *continued*

Tu® Wood for Vista™

Specification Information		
Step 1.		
L2CF.83		
Step 2. Width		
45	45" wide	+\$2845
Step 3. Depth		
16	16.5" deep	+\$0
Step 4. Base/Foot Height		
8	8" foot	+\$0
Step 5. Configuration		
FFD	file, file, door - 15" wide modules	+\$334
DFF	door, file, file - 15" wide modules	+\$334
FF2	file, file, tip-out bin - 15" wide modules	+\$504
2FF	tip-out bin, file, file - 15" wide modules	+\$504
FFF	file, file, file - 15" wide modules	+\$498
DDD	door, door, door - 15" wide modules	+\$0
DD2	door, door, tip-out bin - 15" wide modules	+\$182
2DD	tip-out bin, door, door - 15" wide modules	+\$182
DF2	door, file, tip-out bin - 15" wide modules	+\$324
2FD	tip-out bin, file, door - 15" wide modules	+\$324
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. False Back Panel		
N	no back panel	+\$0
B	back panel, matches finish of the front panels and drawer fronts	+\$310
Step 10. Lock		
L	lock	+\$0
N	no lock	-\$49

Step 11. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 8" Base, Individual 3

Module *continued*

Step 12. Front Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP) A	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBV	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 13. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black	+\$16
-----------	-------	-------

Step 14. Foot Finish

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
EH	metallic bronze	+\$0

Sand Texture Paint

BK	black	+\$0
G1	graphite (CP)	+\$0

Step 15. Counterweight

For file, file, door - 15" wide modules (FFD), door, file, file - 15" wide modules (DFF), file, file, tip-out bin - 15" wide modules (FF2), tip-out bin, file, file - 15" wide modules (2FF), file, file, file - 15" wide modules (FFF), door, file, tip-out bin - 15" wide modules (DF2), or tip-out bin, file, door - 15" wide modules (2FD)

CB	counterweight	+\$0
-----------	---------------	------


Step 16. Lock Option

For lock (L)

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 2" Base, Shared Box/
File

L2CFS.



Product Information

Description

This shared credenza provides a 15"-wide box drawer and file drawer on each side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and drawer fronts. It has a recessed 2"-high base, base with fronts to floor, or 2"-high feet with 1" leveling glides or casters. False back panel is optional.

Notes

Shared storage works best with Canvas Vista™ residing underneath the chase or any benching application between two users.

Box and file drawers have full-extension slides. File drawers accommodate front-to-back filing.

Actual credenza depth is 21 3/4"; actual width is 29 5/8"; actual height is 22".

Order optional accessories separately:


- Structural support, low storage to chase (FG292.1A)
- Add-on cushion top (FF891.)

Grain direction is vertical on front, side, and back panels.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.

Dimensions



Credenza with 2" Base, Shared Box/
File *continued*

Specification Information		
Step 1.		
L2CFS.22		
Step 2. Width		
30	30" wide	+\$3575
Step 3. Depth		
22	22" deep	+\$0
Step 4. Base/Foot Height		
1	base	+\$33
3	base with fronts to floor	+\$62
5	tube foot	+\$148
9	c-foot	+\$188
Step 5. Configuration		
BFX	box/file, back panel - 15" wide modules	+\$0
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

Step 9. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Tu® Wood for Vista™

Credenza with 2" Base, Shared Box/
File *continued*

Tu® Wood for Vista™

Step 10. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 11. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

SNA	satin aluminum	+\$0
SNB	satin bronze	+\$0
SNC	satin carbon	+\$0

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black	+\$16
----	-------	-------

Step 12. Foot Finish

For tube foot (5) or c-foot (9)

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

EH	metallic bronze	+\$0
----	-----------------	------


Sand Texture Paint

BK	black	+\$0
G1	graphite (CP)	+\$0

Step 13. Lock Option

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 2" Base, Shared Box/ File + Half-Depth Door L2CFS.



Product Information

Description

This shared credenza provides 2 configurations of 15"- and 18"-wide box drawer, file drawer, and cabinet modules on each side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and fronts. It has a recessed 2"-high base, base with fronts to floor, or 2"-high feet with 1" leveling glides or casters. False back panel is optional.

Notes

Shared storage works best with Canvas Vista™ residing underneath the chase or any benching application between two users.

Box and file drawers have full-extension slides. File drawers accommodate front-to-back filing.

Actual credenza depth is 21 3/4"; actual height is 22".

Actual credenza widths are:

Nominal—Actual

45"—44 1/2"

48"—47 3/4"

Order optional accessories separately:


- Structural support, low storage to chase (FG292.1A)
- Add-on cushion top (FF891.)

Grain direction is vertical on front, side, and back panels.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.

Dimensions



Tu® Wood for Vista™

Credenza with 2" Base, Shared Box/
File + Half-Depth Door *continued*

Tu® Wood for Vista™

Specification Information		
Step 1.		
L2CFS.23		
Step 2. Width		
45	45" wide	+\$4610
48	48" wide	+\$4644
Step 3. Depth		
22	22" deep	+\$0
Step 4. Base/Foot Height		
1	base	+\$33
3	base with fronts to floor	+\$62
5	tube foot	+\$148
9	c-foot	+\$188
Step 5. Configuration		
<i>For 45" wide (45)</i>		
BX5	box/file, back panel - 15" wide modules, half-depth door - 15" wide module	+\$0
<i>For 48" wide (48)</i>		
BX8	box/file, back panel - 15" wide modules, half-depth door - 18" wide module	+\$0
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

Step 9. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 2" Base, Shared Box/
File + Half-Depth Door *continued*


Step 10. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Step 11. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0
Smooth Paint		
<i>For bar pull (K) or flush pull (U)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
Metallic Paint		
<i>For bar pull (K) or flush pull (U)</i>		
SNA	satın aluminum	+\$0
SNB	satın bronze	+\$0
SNC	satın carbon	+\$0


Sand Texture Paint		
<i>For bar pull (K) or flush pull (U)</i>		
BK	black	+\$16
Step 12. Foot Finish		
<i>For tube foot (5) or c-foot (9)</i>		
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Metallic Paint		
EH	metallic bronze	+\$0
Sand Texture Paint		
BK	black	+\$0
G1	graphite (CP)	+\$0
Step 13. Lock Option		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Shared 1 Module

L2CFS.



Product Information
Description
This shared credenza provides a 30"-wide box drawer and tip-out bin module on each side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and drawer fronts and has 8"-high feet with 1½" leveling glides. Locks are optional.
Notes
Shared storage works best with Canvas Vista™ residing underneath the chase or any benching application between two users.
Box drawers have full-extension slides.
Actual credenza depth is 21¾"; actual width is 29⅞"; actual height is 22".
Order optional accessories separately:
• Structural support, low storage to chase (FG292.1A)
• Add-on cushion top (FF891.)
Grain direction is vertical on front and side panels.
For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.
See planning guide for additional configuration information and dimensions.
Dimensions



Specification Information
Step 1.
L2CFS.81
Step 2. Width
30 30" wide +\$4002
Step 3. Depth
22 22" deep +\$0
Step 4. Base/Foot Height
8 8" foot +\$0
Step 5. Configuration
1B box/tip-out tray with liner - 30" wide module +\$0
Step 6. Case Material
L thermally-fused laminate case material +\$0
Step 7. Front Material
L thermally-fused laminate front material +\$0
Step 8. Pull Type
A arc pull +\$0
K bar pull +\$0
U flush pull +\$0
Step 9. Lock
L lock +\$0
N no lock -\$67

Credenza with 8" Base, Shared 1
Module *continued*

Step 10. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 11. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0
Smooth Paint		
<i>For bar pull (K) or flush pull (U)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
Metallic Paint		
<i>For bar pull (K) or flush pull (U)</i>		
SNA	satin aluminum	+\$0
SNB	satin bronze	+\$0
SNC	satin carbon	+\$0

Credenza with 8" Base, Shared 1
Module *continued*

Tu® Wood for Vista™

Sand Texture Paint		
<i>For bar pull (K) or flush pull (U)</i>		
BK	black	+\$16

Step 13. Foot Finish

Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Metallic Paint		
EH	metallic bronze	+\$0

Sand Texture Paint		
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 14. Lock Option		
<i>For lock (L)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Shared 2 Module

L2CFS.



Product Information

Description

This shared credenza provides 3 configurations of 15"-wide file drawer, cabinet, and medicine cabinet modules on each side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and fronts and has 8"-high feet with 1½" leveling glides. Locks are optional.

Notes

Shared storage works best with Canvas Vista™ residing underneath the chase or any benching application between two users.

File drawers have full-extension slides and accommodate front-to-back filing.

Actual credenza depth is 21¾"; actual width is 29⅝"; actual height is 22".

Order optional accessories separately:


- Structural support, low storage to chase (FG292.1A)
- Add-on cushion top (FF891.)

Grain direction is vertical on front and side panels.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.

Dimensions



Tu® Wood for Vista™

Credenza with 8" Base, Shared 2

Module *continued*

Tu® Wood for Vista™

Specification Information		
Step 1.		
L2CFS.82		
Step 2. Width		
30	30" wide	+\$3103
Step 3. Depth		
22	22" deep	+\$0
Step 4. Base/Foot Height		
8	8" foot	+\$0
Step 5. Configuration		
FX	full depth file, back panel - 15" wide modules	+\$0
FM	file, medicine - 15" wide modules	+\$354
DM	door, medicine - 15" wide modules	+\$119
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. Lock		
L	lock	+\$0
N	no lock	-\$67

Step 10. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 8" Base, Shared 2

Module *continued*


Step 11. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0
Smooth Paint		
<i>For bar pull (K) or flush pull (U)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
Metallic Paint		
<i>For bar pull (K) or flush pull (U)</i>		
SNA	satin aluminum	+\$0
SNB	satin bronze	+\$0
SNC	satin carbon	+\$0

Sand Texture Paint		
<i>For bar pull (K) or flush pull (U)</i>		
BK	black	+\$16
Step 13. Foot Finish		
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Metallic Paint		
EH	metallic bronze	+\$0
Sand Texture Paint		
BK	black	+\$0
G1	graphite (CP)	+\$0
Step 14. Lock Option		
<i>For lock (L)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Shared 2 Module - 45" Wide

L2CFS.



Product Information

Description

This shared credenza provides 2 configurations of 15"- and 30"-wide box drawer, tip-out tray, cabinet, and tip-out bin modules on each side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and fronts and has 8"-high feet with 1½" leveling glides. Locks are optional.

Notes

Shared storage works best with Canvas Vista™ residing underneath the chase or any benching application between two users.

Box drawers have full-extension slides.

Actual credenza depth is 21¾"; actual width is 44¾"; actual height is 22".

Order optional accessories separately:



- Structural support, low storage to chase (FG292.1A)
- Add-on cushion top (FF891.)

Grain direction is vertical on front and side panels.


For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.



Dimensions



Box/Tip-out tray, half-depth door



Box/Tip-out tray, tip-out bin



Credenza with 8" Base, Shared 2
Module - 45" Wide *continued*

Specification Information		
Step 1.		
L2CFS.82		
Step 2. Width		
45	45" wide	+\$4872
Step 3. Depth		
22	22" deep	+\$0
Step 4. Base/Foot Height		
8	8" foot	+\$0
Step 5. Configuration		
1B2	box/tip-out tray with liner - 30" wide module, tip-out bin - 15" wide module	+\$334
1BD	box/tip-out tray with liner - 30" wide module, half-depth door- 15" wide module	+\$0
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. Lock		
L	lock	+\$0
N	no lock	-\$100

Step 10. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 8" Base, Shared 2
Module - 45" Wide *continued*

Tu® Wood for Vista™

Step 11. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Sand Texture Paint

For bar pull (K) or flush pull (U)

BK	black	+\$16
----	-------	-------

Step 13. Foot Finish

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

EH	metallic bronze	+\$0
----	-----------------	------

Sand Texture Paint

BK	black	+\$0
G1	graphite (CP)	+\$0


Step 14. Lock Option

For lock (L)

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Shared 3 Module

L2CFS.



Product Information

Description

This shared credenza provides 6 configurations of 15"-wide file drawer, cabinet, tip-out bin, and medicine cabinet modules on each side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and fronts and has 8"-high feet with 1½" leveling glides. Locks are optional.

Notes

Shared storage works best with Canvas Vista™ residing underneath the chase or any benching application between two users.

File drawers have full-extension slides and accommodate front-to-back filing.

Actual credenza depth is 21¾"; actual width is 44½"; actual height is 22".

Order optional accessories separately:


- Structural support, low storage to chase (FG292.1A)
- Add-on cushion top (FF891.)

Grain direction is vertical on front and side panels.


For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.


Dimensions




File, Medicine, Tip-Out Bin




Full-Depth File, Back Panel, Half-Depth Door




Full-Depth File, Back Panel, Tip-Out Bin



File, Medicine, Half-Depth Door



Door, Medicine, Half-Depth Door



Door, Medicine, Tip-Out Bin

Credenza with 8" Base, Shared 3

Module *continued*

Tu® Wood for Vista™

Specification Information		
Step 1.		
L2CFS.83		
Step 2. Width		
45	45" wide	+\$3974
Step 3. Depth		
22	22" deep	+\$0
Step 4. Base/Foot Height		
8	8" foot	+\$0
Step 5. Configuration		
FXD	full-depth file, back panel, half-depth door - 15" wide modules	+\$0
FX2	full-depth file, back panel, tip-out bin - 15" wide modules	+\$334
FMD	file, medicine, half-depth door - 15" wide modules	+\$354
FM2	file, medicine, tip-out bin - 15" wide modules	+\$682
DMD	door, medicine, half-depth door - 15" wide modules	+\$119
DM2	door, medicine, tip-out bin - 15" wide modules	+\$448
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. Lock		
L	lock	+\$0
N	no lock	-\$100

Step 10. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 8" Base, Shared 3 Module *continued*


Step 11. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0
Smooth Paint		
<i>For bar pull (K) or flush pull (U)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
Metallic Paint		
<i>For bar pull (K) or flush pull (U)</i>		
SNA	satin aluminum	+\$0
SNB	satin bronze	+\$0
SNC	satin carbon	+\$0

Sand Texture Paint		
<i>For bar pull (K) or flush pull (U)</i>		
BK	black	+\$16
Step 13. Foot Finish		
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Metallic Paint		
EH	metallic bronze	+\$0
Sand Texture Paint		
BK	black	+\$0
G1	graphite (CP)	+\$0
Step 14. Lock Option		
<i>For lock (L)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza Cushion Top

FF891.



Product Information


Description

This cushion attaches to the top of a metal or wood credenza to provide temporary guest seating. Attachment hardware included.

Notes

Cushion accepts Customer's Own Material (COM). Yardage is estimated for nondirectional, 54"-wide fabrics. Order 1 yard of fabric per cushion. For odd number of cushions, round up to next full yard. For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FF891.

A

Step 2. Height

01 1" high

02 2" high

Step 3. Depth

20 20" deep

Step 4. Width

24 24" wide

30 30" wide

36 36" wide A

42 42" wide A

48 48" wide

Prices for Steps 1-4.


	24	30	36	42	48
FF891. 01 20	\$323	347	372	385	405
02 20	\$386	421	456	484	507

Step 5. Fabric

For 1" high (01)



Price Category 1	+\$0
Price Category 10	+\$197
Price Category 2	+\$122
Price Category 3	+\$148
Price Category 4	+\$181
Price Category 5	+\$203
Price Category 7	+\$247
Price Category 8	+\$175
Price Category 9	+\$1710
Price Category B	+\$85
Price Category C	+\$118
Price Category D	+\$98
Price Category E	+\$180
Price Category F	+\$232
Price Category G	+\$301
Price Category H	+\$366
Price Category I	+\$431

<i>For 2" high (02)</i>	
Price Category 1	+\$0
Price Category 10	+\$197
Price Category 2	+\$122
Price Category 3	+\$148
Price Category 4	+\$181
Price Category 5	+\$203
Price Category 7	+\$247
Price Category 8	+\$175
Price Category 9	+\$1710
Price Category B	+\$85
Price Category C	+\$118
Price Category D	+\$98
Price Category H	+\$366
Price Category I	+\$431




Product Information
Description
This file rail provides the capability to file front-to-back in a file/file extended width pedestal or credenza file drawer. Finish is black. Rails are individually packaged.
Notes
Specify 1 rail for each row of front-to-back files to be supported.
Dimensions

Specification Information
Step 1.
L29P. A
Step 2. Depth
15 front to back file rail A
Prices for Steps 1-2.
L29P. 15 \$20




Side-To-Side Filing Rail, Credenza
Drawer

L2902.




Product Information
Description This rail will hold a utility tray when installed in a laminate credenza metal box drawer. Package contains 1 rail.
Notes Specify 1 rail per each credenza box drawer. This rail can be used in box drawer of a laminate credenza, open with box/file (L2CD.BF) to suspend a utility tray front to back of drawer. Order utility tray (L2UT.) separately.
Dimensions



Specification Information
Step 1. L2902. ☐ A
Step 2. Width
18 for 18"-wide credenza box drawer ☐ A
24 for 24"-wide credenza box drawer ☐ A
30 for 30"-wide credenza box drawer ☐ A
36 for 36"-wide credenza box drawer ☐ A
42 for 42"-wide credenza box drawer ☐ A
Prices for Steps 1-2.
L2902. 18 \$32
24 \$34
30 \$42
36 \$45
42 \$49

Utility Tray Pedestal

L2UT.



Product Information

Description

This plastic tray provides storage for pencils and other small items in a pedestal or credenza box drawer. It hangs side-to-side on pedestal drawer and front-to-back on credenza drawer. Finish is black umber.

Notes

To install tray front-to-back in the box drawer of credenza, order side-to-side filing rail (L2902.) separately.

Dimensions

Specification Information

Step 1.


L2UT. A

Step 2. Drawer

906 15" metal drawer A

Prices for Steps 1-2.


L2UT. 906 \$39





Tu® Wood for Vista™

Suspended Cubby

L2SCF.



Product Information
Description
This suspended cubby mounts to the underside of a tethered, fixed-height or height-adjustable work surface. It has laminate case and fronts. Lock is optional. Felt liner included.
Notes
To use the suspended cubby, surface support positions must be inbound. Suspended cubby is handed, determined from user viewpoint while facing the surface.
When mounting suspended cubby below a height-adjustable table surface, the minimum height of table must be set at a height higher than the components below it.
See planning guide for more information.
Dimensions



Specification Information
Step 1.
L2SCF. ☐ A
Step 2. Type
L left hand ☐ A +\$1482
R right hand ☐ A +\$1482
Step 3. Case Material
L thermally-fused laminate case material ☐ A +\$0
Step 4. Front Material
L thermally-fused laminate front material ☐ A +\$0
Step 5. Pull Type
A arc pull +\$0
K bar pull +\$0
Step 6. Lock
L lock ☐ A +\$0
N no lock ☐ A -\$17

Step 7. Case Finish

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
G1	graphite (CP)	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Step 8. Front Finish

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
G1	graphite (CP)	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Step 9. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K)

8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
G1	graphite (CP)	A	+\$0
WL	warm stone (CP)	A	+\$0

Metallic Paint

For bar pull (K)

SNA	satin aluminum	A	+\$10
SNB	satin bronze	A	+\$10
SNC	satin carbon	A	+\$10


Suspended Cubby *continued*

Sand Texture Paint		
<i>For bar pull (K)</i>		
BK	black A	+\$16

Step 10. Lock Option		
<i>For lock (L)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Suspended Drawer

L2SDF.



Product Information

Description

This suspended drawer mounts to the underside of a tethered, fixed-height or height-adjustable work surface. It has laminate case and fronts. Lock is optional. Felt liner included.


Notes

To use the suspended drawer, surface support positions must be inbound. Suspended drawer is handed, determined from user viewpoint while facing the surface.

When mounting suspended drawer below a height-adjustable table surface, the minimum height of table must be set at a height higher than the components below it.

See planning guide for more information.

Dimensions



Specification Information

Step 1.

L2SDF. ☐ A

Step 2. Type

L	left hand	☐ A	+\$1144
R	right hand	☐ A	+\$1144

Step 3. Case Material

L	thermally-fused laminate case material	☐ A	+\$0
---	--	----------------------------	------

Step 4. Front Material

L	thermally-fused laminate front material	☐ A	+\$0
---	---	----------------------------	------

Step 5. Pull Type

A	arc pull		+\$0
K	bar pull		+\$0

Step 6. Lock

L	lock	☐ A	+\$0
N	no lock	☐ A	-\$17

Step 7. Case Finish

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 8. Front Finish

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 9. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0

Metallic Paint

For bar pull (K)

SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10

Sand Texture Paint		
<i>For bar pull (K)</i>		
BK	black A	+\$16

Step 10. Lock Option		
<i>For lock (L)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Tu® Wood for Vista™

Index by Product Name

Tu® Wood Storage	
	page(s)
Bookcase	94
Bookcase (EOR)	81
Bookcase Tower	76
Combination Pedestal	11
Credenza - Catch Flex	39
Credenza - Catch Resident	36
Credenza Cushion Top	140
Credenza - Open	23
Credenza - Open with Box/ File	27
Credenza - Open with File/Shelf	32
Credenza with 2" Base, Individual Box/File	104
Credenza with 2" Base, Individual Box/File + Door	107
Credenza with 2" Base, Shared Box/File	122
Credenza with 2" Base, Shared Box/File + Half-Depth Door	125
Credenza with 8" Base, Individual 1 Module	110
Credenza with 8" Base, Individual 2 Module - 30" Wide	113
Credenza with 8" Base, Individual 2 Module - 45" Wide	116
Credenza with 8" Base, Individual 3 Module	119
Credenza with 8" Base, Shared 1 Module	128
Credenza with 8" Base, Shared 2 Module	131
Credenza with 8" Base, Shared 2 Module - 45" Wide	134
Credenza with 8" Base, Shared 3 Module	137
Cubby Magnet Board	61
Cubby Tackboard	58
Cubby Whiteboard	60
Cushion Top for Credenzas	41
Cushion Top for Pedestals	20
Extended Width Surface-Attached Pedestal	14
File Rail	22, 43, 142
Individual Cubby	47
Keyless Lock	101
Keyless Lock, Control Key Fob	102
Keyless Lock, User Key Fob	103
Lockers (EOR)	90
Media Case (EOR)	86
Mobile Pedestal	8
Personal Tower-Mini Door	65
Personal Tower - Mini Storage/Bag	67
Personal Tower - Tall	63
Recycle/Drawer, Recycle/Shelf (EOR)	83
Shared Cubby	49
Side-To-Side Filing Rail, Credenza Drawer	42, 143
Stanchion Kit	54
Stanchion Kit, Performance Rail	56
Storage Attachment Kit, End Leg	93
Storage Tops	18

Storage Tower	69
Surface-Attached Pedestal	5
Suspended Cubby	145
Suspended Drawer	148
Suspended End Cubby	51
Suspended End Cubby Hardware Kit	53
USB Module for Personal Tower	80
Utility Tray Pedestal	21, 44, 144
Wardrobe	98
Wardrobe Tower	73
Work Surface Cubby	45

Index by Product Number

FF891. Credenza Cushion Top	page(s) 140
L2BC. Bookcase	94
L2BT. Bookcase Tower	76
L2CD. Credenza - Catch Flex	39
L2CD. Credenza - Catch Resident	36
L2CD. Credenza - Open	23
L2CD. Credenza - Open with Box/ File	27
L2CD. Credenza - Open with File/Shelf	32
L2CF. Credenza with 2" Base, Individual Box/File	104
L2CF. Credenza with 2" Base, Individual Box/File + Door	107
L2CF. Credenza with 8" Base, Individual 1 Module	110
L2CF. Credenza with 8" Base, Individual 2 Module - 30" Wide	113
L2CF. Credenza with 8" Base, Individual 2 Module - 45" Wide	116
L2CF. Credenza with 8" Base, Individual 3 Module	119
L2CFS. Credenza with 2" Base, Shared Box/File	122
L2CFS. Credenza with 2" Base, Shared Box/File + Half-Depth Door	125
L2CFS. Credenza with 8" Base, Shared 1 Module	128
L2CFS. Credenza with 8" Base, Shared 2 Module	131
L2CFS. Credenza with 8" Base, Shared 2 Module - 45" Wide	134
L2CFS. Credenza with 8" Base, Shared 3 Module	137
L2CP. Combination Pedestal	11
L2EC. Individual Cubby	47
L2ER. Bookcase (EOR)	81
L2ER. Lockers (EOR)	90
L2ER. Media Case (EOR)	86
L2ER. Recycle/Drawer, Recycle/Shelf (EOR)	83
L2ES. Suspended End Cubby	51
L2EW. Extended Width Surface-Attached Pedestal	14
L2EY. Shared Cubby	49
L2PD. Personal Tower-Mini Door	65
L2PM. Mobile Pedestal	8
L2PN. Personal Tower - Mini Storage/Bag	67
L2PS. Surface-Attached Pedestal	5
L2PT. Personal Tower - Tall	63
L2SC. Cushion Top for Pedestals	20
L2SCF. Suspended Cubby	145
L2SDF. Suspended Drawer	148
L2SL. Storage Attachment Kit, End Leg	93
L2SS. Stanchion Kit, Performance Rail	56
L2ST. Storage Tops	18
L2T. Storage Tower	69
L2UT. Utility Tray Pedestal	21, 44, 144
L2WC. Work Surface Cubby	45
L2WR. Wardrobe	98
L2WT. Wardrobe Tower	73
L29P. File Rail	22, 43, 142

L2902. Side-To-Side Filing Rail, Credenza Drawer	42, 143
LEE. USB Module for Personal Tower	80
LLCM. Cubby Magnet Board	61
LLCT. Cubby Tackboard	58
LLCW. Cubby Whiteboard	60
LSC. Cushion Top for Credenzas	41
LSH. Suspended End Cubby Hardware Kit	53
LSS. Stanchion Kit	54
MKL-C Keyless Lock, Control Key Fob	102
MKL-H Keyless Lock	101
MKL-U Keyless Lock, User Key Fob	103
MKL-V Keyless Lock	101
MKS-H	
MKS-V	

Index: Product Number



20-Day or Less/Assigned Lead-Time Order Information

GSA

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian® Filing and Storage:

(616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at:

(866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Keyed-Alike Information

GSA

Keyed-Alike Locks

All components with locks may be specified keyed alike. Products with keyed-alike locks will be shipped with lock chassis installed. Installation of lock cylinders will be on-site according to instructions provided. Herman Miller, Inc., will not be responsible for lock cylinder installation.

When specifying product keyed-alike, include separate lines on your order for the lock cylinders.

For Action Office®, Ethospace®, Quadrant®, and Supplemental products, list cylinder part number and key number (232092-XXX); select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

The following products require a different lock cylinder part number.

Specify UKY001-XXX for these products only; select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

A3013.

A3053.

G5180.

G5181.

G5280.

The keys provided in 232092-XXX and UKY001-XXX kits work with either cylinder type, provided the key numbers match.

For Tu® Storage, Canvas Office Landscape®, and Meridian® Storage, see the following charts.

Keyed-alike locks are field installed.

To order keyed-alike locks for Action Office® Series 1 and 2 door panels, please contact Customer Care.

A master key can be used to open any lock on an attached or freestanding component. In addition, a removal key or lock change tool is required to remove lock plugs. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care.

For Canvas overhead and lower storage units, specify as follows:

Specification Code	Part Number	Color	Lock Series
KA	1B2JK7-XXX ¹	chrome	UM series 226-427

For Meridian Storage and Tu Storage, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226-427
KA	1B2JK7-XXX ¹	chrome	UM series 226-427

For Canvas Metal Desk overhead units, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226-427
KC	1B2JK7-XXX ¹	chrome	UM series 226-427

Key Number:

XXX¹ = a key number between 226 and 427 (excluding 408 and 412)



Stain-to-Match Program

GSA

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer’s existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:
(800) 654 3910

Ordering Products with Stain-to-Match Veneers

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2” x 3” minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer’s signed approval.
3. If the sample meets the customer’s approval, sign the reverse side of the sample, scan and email the approval to:
options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.



Customer's Own Material/ Customer's Own Leather Order Information — Cushion Tops

GSA

Customer's Own Material/Customer's Own Leather

Program Overview

The Customer's Own Material (COM) and Customer's Own Leather (COL) program gives you the option of using textiles other than those listed. Herman Miller will test textiles for application to Herman Miller products and will process orders for those with approved COM/COL textiles only. COM/COL are assigned lead time textiles.

Omni lists an overview of fabrics and leathers that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for COM/COL is listed below. Questions about the COM/COL program and requests for assistance may be directed to your COM representative at:

(616) 654 3400

(866) 854 3048 ext 6543400

Customer's Own Material/Customer's Own Leather Warranty

Herman Miller does not warrant COM/COL textiles. COM/COL textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM/COL textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Customer's Own Material/Customer's Own Leather Pricing

COM is a Category 1 fabric. There are no application charges for COM fabrics. COL is a Category 7 textile; refer to prices on specific products to determine the application charge.

Ordering and payment for COM/COL textile yardage are the responsibility of the customer and the textile supplier.

If desired, Herman Miller will purchase COM textiles directly from Maharam, Camira, C.F. Stinson, Guilford of Maine, Luna Textiles, Momentum Textiles and Ultrafabrics to simplify ordering and shipment. For this service, refer to the Supplier Connection program.

Application Note

Herman Miller does not guarantee that Customer's Own Material (COM) fabric patterns will align across panels/tiles or from one screen to the next. We also do not guarantee that COM fabric designs will be positioned consistently in the same location across several panels, tiles, or screens.

Textile Approval

1. Select a COM/COL textile.
2. If your textile does not show as tested in Omni, submit a request. You will be required to select a specific color of the textile and feature of the product to test, i.e., seat, back, etc.
3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Customer’s Own Material/
Customer’s Own Leather
Order Information — Cushion Tops
continued

GSA

Ordering Products with COM/COL

- 1. Refer to the specific products to determine the yardage required for COM/COL textiles.
Note: Yardage requirements are based on nondirectional, 54"-wide textiles. Additional yardage may be needed due to the unique characteristics of a textile.
- 2. Obtain the COM ID# in Omni. If the color you are ordering does not have a COM ID# assigned, click "Create ID".
- 3. Enter your order on Order Manager in Omni.
- 4. Upon receipt of your purchase order, Herman Miller will send you a PO acknowledgment.
- 5. Arrangements must be made for the textiles to be shipped from the supplier to Herman Miller for application to the seating products. See Omni for shipping procedures and current shipping addresses or contact a COM representative at (616) 654 3400 or (866) 854 3048 ext 6543400.

Products will be scheduled for production when COM/COL textiles are received at Herman Miller. Standard lead times in effect at that time will apply.

Note: If textiles are to be purchased directly by Herman Miller through the Supplier Connection program, Herman Miller will handle the ordering and shipping process and will schedule your order for production upon receipt of your purchase order (dependent on textile availability). Refer to the Supplier Connection program for more information.

Supplier Connection

Program Overview

The Supplier Connection program is a service offered by Herman Miller to purchase approved COM textiles directly from Maharam, Camira, C.F. Stinson, Guilford of Maine, Luna Textiles, Momentum Textiles and Ultrafabrics. When you select a textile through this program, Herman Miller will facilitate the ordering, scheduling, and shipment of the textile directly with the supplier.

Suppliers included in the Supplier Connection program keep an active inventory of textiles that are pre-approved for application to Herman Miller products. Pre-approval applies only to the suitability of a textile for manufacturing and application to a Herman Miller product. Omni provides an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for the Supplier Connection program is listed below. Questions and requests for assistance may be directed to your COM representative at:

(616) 654 3400
(866) 854 3048 ext 6543400

Supplier Connection Warranty

Textiles purchased by Herman Miller through the Supplier Connection program are COM and are not warranted by Herman Miller. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Customer's Own Material/ Customer's Own Leather Order Information — Cushion Tops

continued

GSA

Supplier Connection Pricing

Textiles purchased by Herman Miller through the Supplier Connection program are COM. COM is a Category 1 fabric. There are no application charges for COM fabrics.

Payment for textiles purchased by Herman Miller through the Supplier Connection program is the responsibility of the customer or dealer. Herman Miller will invoice the order at the supplier's prices published at the time of the order.

Textile Approval

1. Select a COM/COL textile.
2. If your textile does not show as tested in Omni, submit a request. You will be required to select a specific color of the textile and feature of the product to test, i.e., seat, back, etc.
3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Ordering Products with Supplier Connection COM

1. Identify and include the following information on your purchase order:
 - Product number and option
 - Herman Miller's COM identification number
2. Enter your order on Order Manager in Omni.
3. Upon receipt of the purchase order, Herman Miller will process your order and send you a PO acknowledgment. Herman Miller will determine the yardage required to produce your product and will order and schedule for delivery the required textile. Standard lead times in effect at the time the textile is allocated at the supplier will apply to products ordered through this program.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2024 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

® HermanMiller, ●, Action Office, Aeron, Aside, Canvas Office Landscape, Capex, Cosm, Co/Struc, Eames, Embody, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Intent, Layout Studio, Lino, Maharam, Meridian, Mirra, Motia, Nelson, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Sayl, Setu, Tu, Verus, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ AireWeave, Bubbletack, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Headway, Hopsak 2, Iota, Keyless Entry, Latitude, Lyris 2, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Renew, Stackable, Swoop, Thrive, TriFlex, Twist and Valor are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles® is a registered trademark of Place Textiles.