



Prices effective February 3, 2025

Published March 2025

Co/Struc® System

Introduction	page 2
Co/Struc® System	3
Structure	5
Work Surfaces	70
Storage	111
Mobile Technology Carts	192
Transport	198
Indices	199
By Name	199
By Number	201
Appendices	
20-Day or Less/Assigned Lead-Time Order Information-Healthcare	
Packaging/Keyed-Alike Information-Co/Struc System	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 3, 2025, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.


Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.


Structure

Work Surfaces


Storage

Mobile Technology Carts

Transport



Product Information
Description
This assembly attaches to a wall and supports Co/Struc hanging components. It includes a 12' rail, a 12' cover strip, a 12' back plate, 25 stand-offs, and 5 spacers.
Notes
To attach assembly to wall, order rail hardware (CO28441, or CO28541) separately.
To finish end, order end cap for standard or seismic rail (CO338) separately.
When seismic components are required, order seismic wall rail (CO479) instead of standard rail (CO282).
Dimensions




Specification Information
Step 1.
CO282FF
\$450
Step 2. Surface Finish
HF inner tone light
+\$0
LT light tone
+\$0
LU soft white
+\$0
WN warm grey neutral
+\$0

Co/Struc® Structure

Rail Hardware

CO284
CO285




Co/Struc® Structure

Product Information
Description
This package contains enough fasteners to install 12' of standard rail.
Package contains 300 fastener sets.
The 3" sheet metal screws with plastic anchors are #14, flat-head, Phillips-drive screws with 1⅜"-long plastic anchors. The 4" toggle bolts with wall bushings are ¼"-20, flat-head, Phillips-drive toggle bolts.

Specification Information
Step 1.
CO28
Step 2. Hardware
4413" sheet metal screws with plastic anchors
5414" toggle bolts with wall bushings
Prices for Steps 1-2.
CO28441\$336
CO28541\$1044

Adapter Rail

C1610.




Product Information

Description

This rail attaches to a panel, a module, or wall strips to support Co/Struc® hanging components or a storage case in a straight-line configuration. It does not hang directly on a wall. 2 rails are required to hang a locker from an open panel frame or glazed panel.

Dimensions



Specification Information

Step 1.

C1610.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	60" wide

Prices for Steps 1-2.

C1610. 24	\$300
30	\$312
36	\$328
42	\$356
48	\$378
60	\$422


Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Structure

Equipment Rail, Wall Mounted


C1170.



Co/Struc® Structure


Product Information
Description
This aluminum rail attaches to an architectural wall. It holds work tools or accessories and can be field cut to the appropriate width. The rail includes plastic end caps to accommodate 2 field-cut rail sections.
Notes
Customer must supply attachment hardware for wall conditions.
Order rail-mounted accessories separately:
• Chart holder (CT730.)
• Glove box holder (CT726.)
• Sharps container holder (CT734.)
• Supply basket (CT720. or CT722.)
• Suture basket (CT723.)
• Tilt-out storage bin (CT9303., CT9304., CT9305., CT9306.)
• Utility hook (CT776.)
• Wastebasket and holder (CT728.)
Order work tools separately:
• Diagonal tray (Y7218.)
• Mini-shelf (Y7310.)
• Organizer tray (Y7210.)
• Paper tray (Y7216.)
• Rail divider (Y7320.)
• Vertical tray (Y7217.)
To mount customer-supplied accessories, order rail clamp (CT729.) separately.
Dimensions

Specification Information
Step 1.
C1170.
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
60 60" wide
Prices for Steps 1-2.
C1170. 24 \$146
30 \$177
36 \$203
42 \$215
48 \$238
60 \$267
Step 3. End Cap Finish
LU soft white +\$0
WN warm grey neutral +\$0




Equipment Rail, Systems Mounted

C1172.



Product Information
Description
This aluminum rail attaches to a panel, freestanding module, or wall strips and holds work tools or accessories. It includes steel end caps. Attachment hardware is included.
Notes
Order rail-mounted accessories separately:
<ul style="list-style-type: none">• Chart holder (CT730.)• Glove box holder (CT726.)• Sharps container holder (CT734.)• Supply basket (CT720. or CT722.)• Suture basket (CT723.)• Tilt-out storage bin (CT9303., CT9304., CT9305., CT9306.)• Utility hook (CT776.)• Wastebasket and holder (CT728.)
Order work tools separately:
<ul style="list-style-type: none">• Diagonal tray (Y7218.)• Mini-shelf (Y7310.)• Organizer tray (Y7210.)• Paper tray (Y7216.)• Rail divider (Y7320.)• Vertical tray (Y7217.)
To mount customer-supplied accessories, order rail clamp (CT729.) separately.
Dimensions




Specification Information
Step 1.
C1172.
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
48 48" wide
Prices for Steps 1-2.
C1172. 24 \$212
30 \$225
36 \$243
48 \$305
Step 4. End Cap Finish
LU soft white +\$0
WN warm grey neutral +\$0

Co/Struc® Structure

End Cap for Standard or Seismic Rail

CO338



Co/Struc® Structure

Product Information


Description

This end cap provides a finished end for a standard or seismic wall rail and a positive stop for a locker.

Notes

For areas requiring seismic components, order 1 end cap for each end of rail, and order seismic wall rail (CO479) separately.
For areas not requiring seismic components, order 1 end cap for each end of rail, and order standard rail (CO282) separately.

Dimensions




Specification Information

Step 1.

CO338FF	\$85
---------	------

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0




Product Information

Description
This aluminum rail attaches to a wall and supports Co/Struc hanging components. It includes a 12' rail, a 12' cover strip, a 12' back plate, 26 stand-offs, and 5 spacers.

Notes
Order rail for areas requiring seismic components, when attaching to studs 16" on center, or when attaching to plaster in accordance with OPA-0117 in California.
To meet the conditions of appropriate OPA, refer to the OPA document for specific hardware. For other applications, order rail hardware (CO28441, or CO28541) separately.
Order additional seismic components separately:
• End cap for standard or seismic rail (CO338)
Field drilling is required for proper installation.


Dimensions



Specification Information


Step 1.		
CO479FF		\$658
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Structure



Product Information
Description
This draw rod connects Action Office® Series 1 or 2 panels or Co/Struc® support panels in a straight line. It has a threaded hole in the draw block for attachment to a seismic floor anchor bracket.
Notes
For Action Office Series 1 panels or Co/Struc support panels, specify height of draw rod to match height of panel.
For Action Office Series 2 panels, specify draw rod as follows:
• 32"-high panel, CO215.27
• 39"-high panel, CO215.34
• 47"-high panel, CO215.42
• 53"-high panel, CO215.48
• 62"-high panel, CO215.57
• 67"-high panel, CO215.62
• 85"-high panel, CO215.80
Order floor anchor bracket, Action Office Series 1 (CO481.) or floor anchor bracket, Action Office Series 2 (CO485.) separately.
Dimensions


Specification Information
Step 1.
CO215.
Step 2. Height
27 27" high
34 34" high
42 42" high
48 48" high
57 57" high
62 62" high
80 80" high
Prices for Steps 1-2.
CO215. 27 \$43
34 \$44
42 \$44
48 \$45
57 \$45
62 \$46
80 \$49



Floor Anchor Bracket, Co/Struc® Lab

CO568

Module



Product Information

Description


This bracket fastens both sides of a module frame to the floor. Each anchor location requires 1 bracket. Finish is light tone. Package contains 10. Hardware to attach module is included. Floor anchor and bolt must be customer supplied.

Notes

Order bracket for areas requiring seismic components.

Lab modules need to be mounted flush for anchor to install.

Dimensions



Specification Information


Step 1.

CO568FF

\$1455

Floor Anchor Bracket, Action Office® Series 1


CO481




Co/Struc® Structure

Product Information
Description
This bracket fastens both sides of an Action Office® Series 1 panel to the floor and is designed for use in areas requiring seismic components. Package contains 10.
Notes
Order the following products separately:
• Draw rod (CO215.)
• Floor anchor adapter kit (CO552.)
• Seismic finished end (A1250.) when using only Action Office Series 2 components
• Seismic hingeable end (AO258.) when using Action Office Series 1 or Co/Struc® components
Customer must supply required bolts and concrete anchors.
Dimensions


Specification Information		
Step 1.		
CO481		\$539
Step 2. Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



TOP




SIDE




FRONT

Floor Anchor Bracket, Action Office® Series 2

CO485




Product Information
Description This bracket fastens both sides of an Action Office® Series 2 panel to the floor and is designed for use in areas requiring seismic components. Package contains 10.
Notes Order the following products separately: <ul style="list-style-type: none"> • Draw rod (CO215.) • Floor anchor adapter kit (CO552.) • Seismic finished end (A1250.) Customer must supply required concrete anchors.
Dimensions



Specification Information
Step 1. CO485
Step 2. Finish
HF inner tone light
LT light tone
LU soft white
WN warm grey neutral

Co/Struc® Structure



Co/Struc® Structure

Product Information


Description

This seismic cover finishes the exposed end of a panel. It has a draw block that accepts a seismic bracket to meet the state of California seismic codes, and includes a cable management end cover.

Notes

Order floor anchor bracket, Action Office Series 2 (CO485.) separately.

Dimensions



Specification Information

Step 1.

A1250.

Step 2. Height

39S	39" high
47S	47" high
53S	53" high
62S	62" high
67S	67" high
85S	85" high

Prices for Steps 1-2.


A1250.	39S	\$183
	47S	\$195
	53S	\$199
	62S	\$206
	67S	\$206
	85S	\$215

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 4. Cable Management Finish

HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0



Product Information

Description
This kit replaces the bottom block of an Action Office® Series 1 or 2 spacer or 2-way, 3-way, or 4-way connector. It is designed to be used in areas requiring seismic components and has a threaded hole in the draw block for attachment to a seismic floor anchor bracket. Package contains 10.


Notes
Order floor anchor bracket, Action Office Series 1 (CO481.) or floor anchor bracket, Action Office Series 2 (CO485.) separately.

Dimensions

Specification Information


Step 1.
CO552 \$301

Co/Struc® Structure




Panel Stiffener, Action Office® Series
1 or Series 2 Top Cap

CO553



Co/Struc® Structure


Product Information
Description
This top cap fits over a standard top cap and spans multiple Action Office® Series 1 or 2 panels. It provides extra rigidity along the panel run. The 12'-long top cap can be field cut to the appropriate length. Attachment hardware is included.
Dimensions



Specification Information
Step 1.
CO553FF
\$818
Step 2. Surface Finish
HF inner tone light
LT light tone
LU soft white
MT medium tone
WN warm grey neutral

Wall Strip Cover

CO487.



Product Information
Description
This plastic cover snaps onto a wall strip to cover the slots. It helps with infection control in healthcare environments by preventing bacteria and germs from growing in these slots. It is 84" and must be field cut to match the wall strip height. Package contains 6 covers.
Notes
Order wall strips (AO213. or E1130.) separately.
Dimensions


Specification Information
Step 1.
CO487.
Step 2. Finish
HF inner tone light
LU soft white
MT medium tone

\$655


+\$0

+\$0

+\$0



Co/Struc® Structure



Co/Struc® Structure

Product Information


Description

This open panel has hanger frames at 1" intervals to support components. It can be used as a return panel to stabilize a panel run. The panel cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

- Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
- To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.
- To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.
- To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.

Dimensions



Specification Information

Step 1.

C1150.

Step 2. Height

48 48" high**80** 80" high

Step 3. Width


12 12" wide**24** 24" wide**30** 30" wide**36** 36" wide**48** 48" wide

Prices for Steps 1-3.

	12	24	30	36	48
C1150. 48	\$782	811	872	937	1015
80	\$1076	1145	1205	1278	1393

Step 4. Surface Finish

HF inner tone light +\$0**LT** light tone +\$0**LU** soft white +\$0**WN** warm grey neutral +\$0



Co/Struc® Structure

Product Information


Description

This panel has a 48"-high recessed filler and hanger frames at 1" intervals to support components. It can be used as a return panel to stabilize a panel run. The panel has an area between the filler and the rear edge of an attached work surface for passage of wires or tubes. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

- Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
- To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.
- To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.
- To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.

Dimensions



Specification Information

Step 1.

C1151.

Step 2. Height

48 48" high**80** 80" high

Step 3. Width


12 12" wide**24** 24" wide**30** 30" wide**36** 36" wide**48** 48" wide

Prices for Steps 1-3.

	12	24	30	36	48
C1151. 48	\$1038	1288	1426	1549	1741
80	\$1391	1568	1729	1942	2146

Step 4. Surface Finish

HF inner tone light +\$0**LT** light tone +\$0**LU** soft white +\$0**WN** warm grey neutral +\$0



Co/Struc® Structure

Product Information


Description

This panel has a vertical raceway for routing and concealing electrical wires and communication cables between the floor and a wire chase rail. It has a 48"-high recessed filler, hanger frames at 1" intervals to support components, and 6 knockouts: 3 at the floor level and 3 at 47" above floor level. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.


Notes

- To supply power from both sides of panel, order wire chase rail (C1313. or C1314.) separately and mount 48" above floor.
- For power feed to wire chase rail mounted at heights other than 48", field cut removable cover on 1 side of vertical raceway.
- Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
- To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.
- To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.
- To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.

Dimensions



Specification Information				
Step 1.				
C1155.				
Step 2. Height				
48	48" high			
80	80" high			
Step 3. Width				
24	24" wide			
30	30" wide			
48	48" wide			
Prices for Steps 1-3.				
		24	30	48
C1155. 48		\$1826	2023	2407
80		\$2153	2284	2684
Step 4. Surface Finish				
HF	inner tone light			+\$0
LT	light tone			+\$0
LU	soft white			+\$0
WN	warm grey neutral			+\$0



Co/Struc® Structure

Product Information


Description

This panel has a vertical raceway for routing and concealing electrical wires and communication cables between the ceiling and a wire chase rail. It has a 48"-high recessed filler, hanger frames at 1" intervals to support components, and 6 knockouts: 3 at the floor level and 3 at 47" above floor level. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.


Notes

- To carry different types of electrical power (e.g. regular and emergency power) or to carry electrical power and low-voltage cables, vertical raceway can be divided into separate internal raceways; contact local contractor.
- To supply power from both sides of panel, order wire chase rail (C1313. or C1314.) separately and mount 48" above floor.
- For power feed to wire chase rail mounted at heights other than 48", field cut removable cover on 1 side of vertical raceway.
- Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
- To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.
- To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.
- To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.

Dimensions



Specification Information				
Step 1.				
C1156.				
Step 2. Height				
48	48" high			
80	80" high			
Step 3. Width				
24	24" wide			
30	30" wide			
48	48" wide			
Prices for Steps 1-3.				
		24	30	48
C1156. 48		\$4422	4790	4814
80		\$4842	5056	5237
Step 4. Surface Finish				
HF	inner tone light			+\$0
LT	light tone			+\$0
LU	soft white			+\$0
WN	warm grey neutral			+\$0



Co/Struc® Structure

Product Information




Description

The center point of this 60"-wide panel attaches at a 90° angle to other panels and provides support to a panel run. Each panel has adjustable glides, finished ends, and a 48"-high recessed filler and hanger frames at 1" intervals to support components. The panel has an area between the filler and the rear edge of an attached work surface for passage of wires or tubes. The panel is available in 2 heights. The 80"-high panel supports a locker; 48"- and 80"-high panels support work surfaces and other 60"-wide components.

Notes


- To support locker, order 2 adapter rails (C1610.) separately.
- To connect to panel at 90° angle, order draw rod (AO215.) separately.
- Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions



Terminal Panel *continued*


Specification Information		
Step 1.		
C1161.		
Step 2. Height		
4860	48" high	
8060	80" high	
Prices for Steps 1-2.		
C1161. 4860		\$2687
8060		\$3303
Step 3. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Co/Struc® Structure

Product Information
Description
This connector attaches a support panel to a wall or column for a peninsula configuration.
Notes
Order draw rod (AO215.) separately.
Package does not contain attachment hardware; designer must select fasteners appropriate for wall conditions and installer must field install.
Dimensions


Specification Information
Step 1.
C1211.
Step 2. Height
4848" high
8080" high
Prices for Steps 1-2.
C1211. 48\$497
80\$594



Step 3. Surface Finish
HFinner tone light+\$0
LTlight tone+\$0
LUsoft white+\$0
WNwarm grey neutral+\$0

2-Way 90° Corner Connector

C1221.




Product Information


Description
This connector joins 2 support panels of equal or unequal heights at a 90° angle. It cannot be used with a panel run that supports Action Office® Series 2 work surfaces.

Notes
Order support panels (C1150., C1151., C1155., C1156.) separately.
To create panel-to-panel connections of same height, order 2 draw rods (AO215.) or 2 seismic draw rods (CO215.) separately.
To create panel-to-panel connection of unequal height or panel-to-corner connection of unequal height, order change-of-height draw rod (AO219.) to match lower height and finished-end change-of-height panel/panel (AO272.) separately.
When connecting panels of unequal heights, specify height of connector to match height of higher panel.

Dimensions



TOP



SIDE



FRONT

Specification Information

Step 1.
C1221.


Step 2. Height	
48	48" high
80	80" high

Prices for Steps 1-2.	
C1221. 48	\$497
80	\$595

Step 3. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Co/Struc® Structure

3-Way 90° Corner ConnectorC1231.




Co/Struc® Structure

Product Information
Description
This connector joins 3 support panels of equal or unequal heights at a 90° angle. It cannot be used with a panel run that supports Action Office® Series 2 work surfaces.
Notes
Order support panels (C1150., C1151., C1155., C1156.) separately.
Order 3 draw rods (AO215.) or 3 seismic draw rods (CO215.) separately.
When connecting panels of unequal heights, specify height of connector to match height of higher panel.
Dimensions



Specification Information
Step 1.
C1231.
Step 2. Height
4848" high
8080" high
Prices for Steps 1-2.
C1231. 48\$521
80\$641
Step 3. Surface Finish
HFinner tone light+\$0
LTlight tone+\$0
LUsoft white+\$0
WNwarm grey neutral+\$0





Product Information

Description
This 11"-wide connector joins a module to a support panel. It has a removable cover strip that conceals predrilled holes used for attaching connectors.

Notes
To complete shelf surface at end of module run, order shelf end cap (C1510.E or C1511.E) separately.
Order panel connector (C1281.) and 3 draw rods (AO215. or CO215.) separately.
To attach support panel to interface connector (C1261.) of unequal height, order the following products separately:
• Panel connector (C1281.)
• Change of height draw rod (AO219.)
• Change of height panel/panel finished end (AO272.)

Dimensions




Specification Information

Step 1.
C1261.

Step 2. Height		
4812	48" high	
8012	80" high	

Prices for Steps 1-2.		
C1261.	4812	\$1265
	8012	\$1540

Step 3. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Co/Struc® Structure

Product Information

Description


This connector attaches a support panel to an interface connector.

Notes

Specify connector height to match panel height.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions



FRONT

Specification Information

Step 1.

C1281.

Step 2. Height

48 48" high

80 80" high

Prices for Steps 1-2.

C1281. 48 \$117

80 \$147


Step 3. Surface Finish

HF inner tone light +\$0

LT light tone +\$0

LU soft white +\$0

WN warm grey neutral +\$0



Product Information


Description

This brace provides additional support to a straight panel run that has components hanging on 1 side. It includes a leveling glide.

Notes

To support 24"-deep work surface, specify 21"-wide mid-run support; to support 30"-deep work surface, specify 27"-wide mid-run support.
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions



Specification Information

Step 1.

C1272.

Step 2. Height

48	48" high
80	80" high

Step 3. Width

21	21" wide
27	27" wide

Prices for Steps 1-3.


		21	27
C1272.	48	\$900	996
	80	\$1126	1171

Step 4. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Mid-Run Support, Double Sided

C1273.



Co/Struc® Structure

Product Information


Description

This brace provides additional support to a straight panel run that has components hanging on both sides. It includes leveling glides.


Notes

To support 24"-deep work surface, specify 41"-wide mid-run support; to support 30"-deep work surface, specify 53"-wide mid-run support. To support 24"-deep work surface on 1 side and 30"-deep work surface on other side, specify 53"-wide mid-run support.
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.


Dimensions



TOP



FRONT



41" WIDE
SIDE

53" WIDE
SIDE

Specification Information

Step 1.

C1273.

Step 2. Height

48	48" high
80	80" high

Step 3. Width

41	41" wide
53	53" wide

Prices for Steps 1-3.


	41	53
C1273. 48	\$985	1145
80	\$1339	1494

Step 4. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Support Panel Top Cap


C1274.



Product Information
Description
This 20"-wide aluminum top cap attaches to 2 support panels in a straight connection. It provides additional support for a panel run.
Dimensions




SIDE



FRONT

Specification Information
Step 1.
C1274.20
\$204
Step 2. Surface Finish
HF inner tone light
LT light tone
LU soft white
WN warm grey neutral
+\$0
+\$0
+\$0
+\$0


Co/Struc® Structure




Co/Struc® Structure

Product Information
Description
This 48"-high module attaches to a wall or connects to other freestanding modules. It encloses and organizes mechanical services. The module includes a top shelf and 4 adjustable glides. It has hanger frames at 1" intervals to support components.
Notes
Order access panels separately.
For L, T, or X configuration, order module corner connector separately:
• 2-way connector (C1220.)
• 3-way connector (C1230.)
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
To attach modules of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.
To enclose the end of a module when a terminal panel (C1122.) is not used, order the end closure assembly (C1451.) separately.
Dimensions

Specification Information
Step 1.
C1112.48
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
48 48" wide
Prices for Steps 1-2.
C1112.48 24 \$1893
30 \$2225
36 \$2271
48 \$2476
Step 3. Surface Finish
JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0





Product Information

Description

This 80"-high module attaches to a wall or connects to other freestanding modules. It encloses and organizes mechanical services and provides pass-through access. The module includes an interior shelf that is field adjustable to 30", 36", or 48" high. It has hanger frames at 1" intervals to support components and 4 adjustable glides.

Notes

Order access panels separately.

For L, T, or X configuration, order module corner connector separately:

- 2-way connector (C1220.)
- 3-way connector (C1230.)


Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach modules of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

To enclose the top section of a pass-through module, order the end closure panel (C1450.) and 2 change of height panel/panel finished ends (AO272.) separately.

To enclose the end of a module when a terminal panel (C1122., C1124.) is not used, order the end closure assembly (C1451.) separately.

Dimensions



Co/Struc® Structure

Specification Information

Step 1.

C1114.80

Step 2. Width


- 24 24" wide
- 30 30" wide
- 36 36" wide
- 48 48" wide

Prices for Steps 1-2.


C1114.80	24	\$2687
	30	\$2969
	36	\$3153
	48	\$3346

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0




Product Information
Description
This 48"-high, hard-surfaced end panel attaches to a freestanding module. It supports a module run or divides space. The panel includes a top shelf end cap, adjustable glides, and finished ends, and comes in 3 widths. The 60"- and 72"-wide panel supports hanging components.
Notes
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
Dimensions



Specification Information
Step 1.
C1122.48 A
Step 2. Width/Position
36L 36" wide and left-hand panel
36R 36" wide and right-hand panel
60 60" wide
72 72" wide
Prices for Steps 1-2.
C1122.48 36L \$2571
36R \$2571
60 \$3149
72 \$4644
Step 3. Surface Finish
JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0

Pass-Through Module Terminal Panel

C1122.
C1124.



Product Information


Description

This 80"-high, hard-surfaced end panel attaches to a freestanding module. It supports a module run or divides space. The panel is available in 3 widths. The 60"- and 72"-wide, full-height panel supports hanging components. Each panel has an interior shelf end cap, adjustable glides, and finished ends.

Notes

To attach terminal panel to module, order 2 draw rods (AO215.) or 2 seismic draw rods (CO215.) separately.

Dimensions




Pass-Through Module Terminal Panel

continued

Specification Information			
Step 1.			
C112	A		
Step 2. Height			
2.80	full-height	A	
4.80	half-height	A	
Step 3. Width/Position			
For full-height (2.80)			
60	60" wide		
72	72" wide		
For half-height (4.80)			
36L	36" wide and left-hand panel		
36R	36" wide and right-hand panel		
60	60" wide		
72	72" wide		
Prices for Steps 1-3.			
C1122.80	60		\$4290
	72		\$5137
C1124.80	36L		\$2852
	36R		\$2852
	60		\$3945
	72		\$4862
Step 4. Surface Finish			
JD	warm grey neutral Chemsurf®		+\$0
KH	light tone Chemsurf®		+\$0
KR	inner tone light Chemsurf®		+\$0
LE	soft white Chemsurf®		+\$0

Vertical Chase Cover


C1460.




Co/Struc® Structure


Product Information
Description
This 72"-high tower encloses services between the ceiling and the top shelf of a low module, the interior shelf of a pass-through module, or a 2- or 3-way module corner connector. It includes a ceiling trim plate. The cover cannot be used with a 4-way module corner connector.
Notes
Order module or connector separately:
• 2-way module corner connector (C1220.)
• 3-way module corner connector (C1230.)
• Low module (C1112.)
• Pass-through module (C1114.)
Dimensions

Specification Information		
Step 1.		
C1460.		\$1200
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0






Product Information
Description
This connector starts a peninsula configuration by attaching a low or pass-through module to a wall or column. It includes a shelf end cap.
Notes
For low module, specify 48"-high wall start; for pass-through module, specify 80"-high wall start.
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
Package does not contain attachment hardware; designer must select fasteners appropriate for wall conditions and installer must field install.
Dimensions



Specification Information
Step 1.
C1212.
Step 2. Height
48 48" high
80 80" high
Prices for Steps 1-2.
C1212. 48 \$847
80 \$956
Step 3. Surface Finish
JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0

2-Way Module Corner Connector


C1220.



Co/Struc® Structure


Product Information
Description
This connector joins 2 modules of equal or unequal heights at a 90° angle. It includes a top shelf and filler panels to enclose the utility chase.
Notes
Order draw rods (AO215.) or seismic draw rods (CO215.) separately. To attach module of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.
Dimensions

Specification Information
Step 1.
C1220.
Step 2. Height
48 48" high
80 80" high
Prices for Steps 1-2.
C1220. 48 \$1966
80 \$2359
Step 3. Surface Finish
JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0




3-Way Module Corner Connector

C1230.




Product Information
Description
This connector joins 3 modules of equal or unequal heights at 90° angles. It includes a top shelf and filler panels to enclose the utility chase.
Notes
Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
To attach module of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.
Dimensions



Specification Information
Step 1.
C1230.
Step 2. Height
48 48" high
80 80" high
Prices for Steps 1-2.
C1230. 48 \$1966
80 \$2359
Step 3. Surface Finish
JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0

Module Support Leg


C1275.



Co/Struc® Structure


Product Information
Description
This leg provides additional support for normal loading on a low or pass-through module. It has a leveling glide.
Dimensions

Specification Information		
Step 1.		
C1275.		\$915
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Anchor Support Kit


C1276.



Product Information
Description
This kit fastens a module to the floor. It includes a bolt, spacer, and plate. Package contains 10.
Notes
Anchor support kit is not acceptable for seismic anchoring. Source anchor component separately.
Dimensions


Specification Information
Step 1.
C1276. \$452

Co/Struc® Structure



Top Shelf

C1510.




Co/Struc® Structure

Product Information

Description

This 11"-deep shelf encloses the top of a low module service chase and provides a storage shelf. It has a Chemsurf® surface. The shelf can be drilled for fixtures or piping. It cannot attach to a pass-through module.

Dimensions



Specification Information

Step 1.

C1510.12

Step 2. Width

12	12" wide
24	24" wide
30	30" wide
36	36" wide
48	48" wide

Prices for Steps 1-2.


C1510.12	12	\$354
	24	\$475
	30	\$595
	36	\$624
	48	\$640

Step 3. Surface Finish


JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0

Interior Shelf

C1511.



Product Information
Description
This 11"-deep shelf fits inside a pass-through module. It encloses the top of a 48"-high service chase and provides a storage shelf. The shelf has a Chemsurf® surface. It can be drilled for fixtures or piping. Attachment hardware is included.
Notes
To install shelf higher than 48", order interior shelf and support kit (C1515.) separately.
Dimensions




Specification Information
Step 1.
C1511.12
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
48 48" wide
Prices for Steps 1-2.
C1511.12 24 \$564
30 \$628
36 \$668
48 \$705
Step 3. Surface Finish
JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0

Co/Struc® Structure

Shelf End Cap

C1510.
C1511.




Co/Struc® Structure

Product Information


Description

This cap finishes the end of an interior or top shelf at the connection of a low or pass-through module and an interface connector. It has a Chemsurf® surface. Attachment hardware is included.

Dimensions



SIDE



TOP

Specification Information

Step 1.

C151

Step 2. Depth/Usage


- 1.E 7" deep for interior shelf
- 0.E 12" deep for top shelf

Prices for Steps 1-2.


C1511.E	\$314
C1510.E	\$307

Step 3. Surface Finish


JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



Product Information
Description
This 11"-deep interior shelf is installed within a pass-through module. Attachment hardware is included.
Dimensions



Specification Information
Step 1.
C1515.12
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
48 48" wide
Prices for Steps 1-2.
C1515.12 24 \$1107
30 \$1196
36 \$1330
48 \$1517
Step 3. Surface Finish
JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0



Product Information

Description

This assembly of 2 access panels attaches to a freestanding module and encloses both sides of the service chase. The panels mount in a flush or recessed position and are removable for service access. Each panel has 2 knockouts for standard duplex electrical outlets. Brackets and mounting hardware are included. Shipped knocked down.

The assembly has 2 30"- or 2 42"-high access panels.


Notes

Order low module (C1112.) or pass-through module (C1114.) separately.

For interior shelf mounted at 36" on pass-through module, specify 30"-high assembly.

For interior shelf mounted at 48" on pass-through module, specify 42"-high assembly.

Dimensions



Specification Information

Step 1.

C1412.

Step 2. Height

30 30" high**42** 42" high

Step 3. Width

19 19¼" wide**25** 25¼" wide**31** 31¼" wide**43** 43¼" wide

Prices for Steps 1-3.


	19	25	31	43
C1412. 30	\$889	1036	1084	1117
42	\$998	1164	1272	1399

Step 4. Surface Finish

HF inner tone light +\$0**LT** light tone +\$0**LU** soft white +\$0**WN** warm grey neutral +\$0

Combination Access Panel Assembly

C1422.



Co/Struc® Structure

Product Information

Description

This assembly of 4 access panels attaches to a freestanding module and encloses both sides of the service chase. The panels mount in a flush or recessed position and are removable for service access. Each panel has 2 knockouts (4 per module side) for standard duplex electrical outlets. Brackets and mounting hardware are included. Shipped knocked down.

The 24"-high assembly has 4 12"-high access panels; the 42"-high assembly has 2 12"- and 2 30"-high access panels.


Notes

Order low module (C1112.) or pass-through module (C1114.) separately.

For interior shelf mounted 30" high on pass-through module, specify 24"-high assembly.

For interior shelf mounted 48" high on pass-through module, specify 42"-high assembly.

Dimensions



Combination Access Panel Assembly

continued

Specification Information

Step 1.

C1422.

Step 2. Height

24 24" high

42 42" high

Step 3. Width

19 19¼" wide

25 25¼" wide

31 31¼" wide

43 43¼" wide

Prices for Steps 1-3.

	19	25	31	43
C1422. 24	\$1754	1839	1925	1997
42	\$1865	2070	2298	2425

Step 4. Surface Finish

HF inner tone light +\$0


LT light tone +\$0

LU soft white +\$0

WN warm grey neutral +\$0

Low Cup Sink Access Panel Assembly

C1432.



Co/Struc® Structure

Product Information

Description

This assembly attaches to a pass-through module and creates a low cup sink assembly in the lower service chase. It encloses both sides of the service chase and has removable panels for service access. The assembly includes 4 12"-high access panels, 1 shelf support frame, 1 interior shelf, 1 bottom chase cover, and attachment hardware. Each 12"-high panel has 2 knockouts for standard duplex electrical outlets. The assembly has a 15 $\frac{1}{4}$ " space for a cup sink; this divides the service chase into 2 12" segments. Shipped knocked down.


Notes

Order pass-through module (C1114.) separately.

To enclose service chase of adjacent module, order center closure panel (C1455.1607) separately.

Customer must order sink and fixtures separately and field cut interior shelf to hold sink.

Dimensions



Low Cup Sink Access Panel

Assembly *continued*

Specification Information

Step 1.

C1432.42

Step 2. Width

19 19¼" wide

25 25¼" wide

43 43¼" wide

Prices for Steps 1-2.


C1432.42	19	\$2696
	25	\$2944
	43	\$3254

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



End Closure Assembly

C1451.



Co/Struc® Structure


Product Information
Description
This assembly encloses the end of a module when a terminal panel is not used.
The end closure for a low module has a 48"-high panel and 2 48"-high end caps. The full-height end closure for a pass-through module has an 80"-high panel and 2 80"-high end caps.
Notes
Order low module (C1112.) or pass-through module (C1114.) separately.
Dimensions





Specification Information
Step 1.
C145
Step 2. Type
1.4811 end closure for low module
1.8011 full-height end closure for pass-through module
Prices for Steps 1-2.
C1451.4811 \$417
C1451.8011 \$546
Step 3. Surface Finish
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0

Center Closure Panel

C1455.



Product Information
Description
This panel attaches to the inside of a module run and encloses the end of a service chase. Attachment hardware is included.
Notes
To enclose service chase on either end of cup sink opening or 14"-high openings created by partial chases at panel connections, order 16"-high panel.
To enclose lower interior module chase, order 43"-high panel.
To enclose upper section of pass-through module, order 32"-high panel.
Dimensions




Specification Information
Step 1.
C1455.
Step 2. Height
1607 16" high
3207 32" high
4307 43" high
Prices for Steps 1-2.
C1455. 1607 \$939
3207 \$952
4307 \$956
Step 3. Surface Finish
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0

Co/Struc® Structure

Wire Chase Rail

C1313.
C1314.



Co/Struc® Structure

Product Information

Description

This aluminum rail attaches to 1 side of an equal-width module or support panel and provides 1 or 2 cable management channels. It cannot be used with an Action Office® Series 1 or 2 connector.

Notes



Order connection components separately:

- Wire chase rail bridge (C1326. or C1327.) to connect across mid-run support panel or back side of 3-way connector
- 90° inside corner wire chase rail (C1321. or C1322.) to connect around 90° inside corner

Order wire chase rail covers (C1315., C1316., C1317., or C1318.) and rail end cap (C1331. or C1332.) separately.

Receptacles must be customer supplied.

Dimensions



Specification Information

Step 1.

C131 ☐ A

Step 2. Type

3. double channel ☐ A
4. single channel ☐ A

Step 3. Width

- 24** 24" wide
- 30** 30" wide
- 36** 36" wide
- 42** 42" wide ☐ A
- 48** 48" wide
- 60** 60" wide
- 72** 72" wide
- 96** 96" wide

Prices for Steps 1-3.

C1313.	24	\$174
	30	\$222
	36	\$281
	42	\$328
	48	\$343
	60	\$431
	72	\$512
	96	\$680

C1314.	24	\$92
	30	\$117
	36	\$146
	42	\$164
	48	\$174
	60	\$220
	72	\$258
	96	\$343

Step 4. Surface Finish

For double channel (3.) with 24" wide (24)

AN clear anodized aluminum +\$0

For double channel (3.) with 30" wide (30)

AN clear anodized aluminum +\$0

For double channel (3.) with 36" wide (36)

AN clear anodized aluminum +\$0

Wire Chase Rail *continued*

For double channel (3.) with 42" wide (42)
 AN clear anodized aluminum +\$0

For double channel (3.) with 48" wide (48)
 AN clear anodized aluminum +\$0

For double channel (3.) with 60" wide (60)
 AN clear anodized aluminum +\$0

For double channel (3.) with 72" wide (72)
 AN clear anodized aluminum +\$0

For double channel (3.) with 96" wide (96)
 AN clear anodized aluminum +\$0

For single channel (4.) with 24" wide (24)
 AN clear anodized aluminum +\$0

For single channel (4.) with 30" wide (30)
 AN clear anodized aluminum +\$0

For single channel (4.) with 36" wide (36)
 AN clear anodized aluminum +\$0

For single channel (4.) with 42" wide (42)
 AN clear anodized aluminum +\$0

For single channel (4.) with 48" wide (48)
 AN clear anodized aluminum +\$0


For single channel (4.) with 60" wide (60)
 AN clear anodized aluminum +\$0

For single channel (4.) with 72" wide (72)
 AN clear anodized aluminum +\$0

For single channel (4.) with 96" wide (96)
 AN clear anodized aluminum +\$0

Wire Chase Rail, 90° Inside Corner

C1321.
C1322.



Co/Struc® Structure

Product Information


Description

This aluminum rail attaches to 2 modules or support panels at a 90° inside corner. It cannot be used with an Action Office® Series 1 or 2 connector.

Notes

Rail includes 2 6" mitered corner covers. Order wire chase rail covers to cover the remaining length of each rail (C1315., C1316., C1317., or C1318.) separately.

Dimensions



Specification Information

Step 1.

C132 A

Step 2. Type

1. double channel A
2. single channel A

Step 3. Width

- 24** 24" wide
30 30" wide
48 48" wide

Step 4. Depth

For 24" wide (24)

- 24** 24" deep
30 30" deep
48 48" deep

For 30" wide (30)

- 30** 30" deep
48 48" deep

For 48" wide (48)

- 48** 48" deep

Prices for Steps 1-4.

		24	30	48
C1321.	24	\$596	641	765
	30	—	\$679	804
	48	—	—	\$927
C1322.	24	\$401	431	492
	30	—	\$451	512
	48	—	—	\$576

Step 5. Surface Finish

For double channel (1.) with 30" wide (30) with 48" deep (48)

AN clear anodized aluminum +\$0

For double channel (1.) with 48" wide (48) with 48" deep (48)

AN clear anodized aluminum +\$0

For single channel (2.) with 24" wide (24) with 24" deep (24)

AN clear anodized aluminum +\$0

Wire Chase Rail, 90° Inside Corner

continued

For single channel (2.) with 24" wide (24) with 30" deep (30)
AN clear anodized aluminum +\$0

For single channel (2.) with 24" wide (24) with 48" deep (48)
AN clear anodized aluminum +\$0

For single channel (2.) with 30" wide (30) with 30" deep (30)
AN clear anodized aluminum +\$0

For single channel (2.) with 30" wide (30) with 48" deep (48)
AN clear anodized aluminum +\$0

For single channel (2.) with 48" wide (48) with 48" deep (48)
AN clear anodized aluminum +\$0

For double channel (1.) with 24" wide (24) with 24" deep (24)
AN clear anodized aluminum +\$0


For double channel (1.) with 24" wide (24) with 30" deep (30)
AN clear anodized aluminum +\$0

For double channel (1.) with 24" wide (24) with 48" deep (48)
AN clear anodized aluminum +\$0

For double channel (1.) with 30" wide (30) with 30" deep (30)
AN clear anodized aluminum +\$0

Wire Chase Rail Bridge

C1326.
C1327.



Co/Struc® Structure

Product Information

Description


This bridge joins wire chase rails across a mid-run support panel or on the back side of a 3-way 90° connector. It allows the continuation of a cable management channel and includes a blank cover. The bridge cannot be used with an Action Office® Series 1 or 2 connector.

Notes

Order 1 of the following products separately:

- 3-way 90° connector (C1231.)
- Mid-run support (C1272. or C1273.)

Dimensions



Specification Information

Step 1.

C132

A

Step 2. Type

6. double channel

A

7. single channel

A

Prices for Steps 1-2.

C1326. \$154


C1327. \$154

Step 3. Surface Finish


AN clear anodized aluminum +\$0

Wire Chase Rail End Cap

C1331.
C1332.



Product Information
Description
This end cap finishes the exposed end of a wire chase rail. Package contains 2.
Dimensions




Specification Information
Step 1.
C133 A
Step 2. Type
1. double channel A
2. single channel A
Prices for Steps 1-2.
C1331. \$138
C1332. \$138
Step 3. Surface Finish
AN clear anodized aluminum +\$0

Co/Struc® Structure

Wire Chase Rail Cover

C1315.
C1316.
C1317.
C1318.




Co/Struc® Structure

Product Information

Description
This cover encloses a wire chase rail.

Notes
Specify type to cover wire chase rail's power and/or data outlets.
Specify covers in 6"- or 12"-wide increments to match rail width.

Dimensions



Specification Information

Step 1.
C131


Step 2. Type
5.06 6"-wide plain cover
5.12 12"-wide plain cover
6. duplex cutout cover
7. GFI cutout cover
8. gang cover

Prices for Steps 1-2.	
C1315.06	\$35
C1315.12	\$44
C1316.	\$47
C1317.	\$49
C1318.	\$49

Step 3. Surface Finish
AN clear anodized aluminum +\$0

Wire Chase Overlay

C1358.



Product Information


Description

This 1½"-wide cover wraps around the outside of a wire chase channel to cover gaps between adjoining channels and covers.

Notes

Order wire chase and covers separately.

Dimensions



Specification Information

Step 1.

C1358. A

Step 2. Type

D double channel


T triple channel

Prices for Steps 1-2.

C1358. D	\$44
----------	------

T	\$62
---	------

Co/Struc[®] Structure

**Product Information****Description**

This work surface hangs from a panel, module, or wall strips and is available as laminate or solid surface. The work surface, when supported by work surface supports has a top-loading capacity of up to 200 pounds. The solid surface option, when supported by sink products has a top-loading capacity of 250 pounds. Appropriate sink products and work surface supports must be specified and ordered separately.

Notes

For laminate option (L), order standard duty work surface supports (C2140.S) separately.

For solid surface option (K), order 1 of the following products separately:

- ADA sink support, systems mounted (C2520.)
- Sink module (C2512.)
- Sink unit for storage (C2513.)

- Work surface support, standard duty (C2140.S)

Work surface with solid surface option (K) will not accept a storage case (C5040.) without storage case leg (C5050.).


To support a 30" deep work surface installed on wall strips, a storage case (C5040.) with storage case leg (C5050.) is required. Order separately.

Work surface with solid surface option (K) has a matte gloss level and includes a backsplash.

When hanging work surface with laminate option (L) from wall strips, order recommended backsplash (C2910.) separately.

Order optional products separately:

- Drawer bearer package (CO228)
- Gripper package (CO266), for laminate (L) option only
- Keyboard/Mouse Support, Adjustable (Y7710.)
- Lockable drawer bearer (CO396)

Dimensions**Specification Information****Step 1.****C2142.****Step 2. Depth**

24	24" deep
30	30" deep

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
48	48" wide
60	60" wide
72	72" wide
96	96" wide

Step 4. Material

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), or 60" wide (60)

L	high - pressure laminate
K	solid surface

For 72" wide (72) or 96" wide (96)

L	high - pressure laminate
----------	--------------------------

Prices for Steps 1-4.

			L	K
C2142.	24	24	\$167	2046
		30	\$206	2375
		36	\$277	2979
		48	\$369	3370
		60	\$535	4034
		72	\$671	—
		96	\$859	—
	30	24	\$177	2291
		30	\$256	2659
		36	\$321	3331
		48	\$512	3755
		60	\$725	4489
		72	\$891	—
		96	\$1065	—

Standard-Duty Work Surface *continued*


Step 5. Finish

For high - pressure laminate (L)

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

For solid surface (K)

CQ	glacier white	+\$0
QB	bisque	+\$0
1S	savannah	+\$52
1U	sahara	+\$52
4I	sandstone	+\$52
58	cameo white	+\$50
ANC	antarctica	+\$50
IQ	aurora	+\$52
OQ	silt	+\$52
SVG	silver gray	+\$50
CRT	concrete	+\$200
DVC	dove	+\$200



Product Information

Description

This work surface is supported by heavy duty work surface supports, allowing it to hang from a panel, module, or wall strips. It has a top-loading capacity of up to 400 pounds. It can hold drawers and includes drawer bearers. Appropriate heavy duty work surface supports must be specified and ordered separately.

The work surface can be specified as laminate, Chemsurf®, stainless steel, Corian®, or phenolic resin. A 51"-wide surface has a 3" overhang on the left or right side to fill the gap created by a mid-run support, C-series 3-way connector, or interface connector. A 96"-wide surface includes 1 additional support bracket. The 24"-wide surface cannot accept components.

Notes

Order heavy duty work surface supports (C2140.H, C2140.W, C214.R) separately.

For stainless steel option (S), order 1 of the following products separately:

- Heavy duty work surface support, with component adapter (C2140.W)
- Heavy duty work surface support, component adapter ready (C2140.R)

Work surface with phenolic resin option (P) or Corian option (K) must use work surface supports (C2140.) heavy duty, with component adaptor (W) or heavy duty, component adaptor ready (R) options.

Finish color on phenolic resin option (P) is black.

Work surface with solid surface option (K) has a matte gloss level.

Work surface with phenolic resin option (P) or Corian option (K) includes a backsplash.

Work surface with phenolic resin option (P) is 1" thick and includes spacers for transitioning to adjacent, non-resin surfaces.

To support a 30" deep work surface installed on wall strips, a storage case (C5040.) with storage case leg (C5050.) is required. Order separately.

When hanging a work surface with laminate option (L) or Chemsurf® option (C) from wall strips, order recommended backsplash (C2910.) separately.

Work surface supports the following quantities of drawers, C frames, or storage cabinets:

- 24" wide: 1 drawer
- 30", 36" wide: 1 drawer, 1 C frame or 1 storage cabinet
- 48", 51", and 60" wide: 2 drawers, 2 C frames, or 2 storage cabinets
- 72" wide: 3 drawers, 3 C frames, or 3 storage cabinets
- 96" wide: 4 drawers, 4 C frames, or 4 storage cabinets


24"-wide work surface will not accept a storage case (C5040.) or storage unit (C5010.) or C frame (CO205).

Work surface with phenolic resin option (P) or stainless steel option (S) will not accept a keyboard/mouse support, adjustable (Y7710.).

Order optional products separately:

- Drawer (CO207, CO208, or CO209)
- Keyboard tray (Y7710.), except for stainless steel (S) and phenolic resin (P) surfaces
- Pencil drawer (A0480.)
- Storage case (C5040.) and adapter rail (C1610.), except for phenolic resin (P) surfaces
- Storage unit (C5010.) and component adaptor (C2193.)

Dimensions



Specification Information**Step 1.****C2141.****Step 2. Depth****24** 24" deep**30** 30" deep**Step 3. Width****24** 24" wide**30** 30" wide**36** 36" wide**48** 48" wide**5L** 51" wide, left overhang**5R** 51" wide, right overhang**60** 60" wide**72** 72" wide**96** 96" wide**Step 4. Material**

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide (60),
or 72" wide (72)

L high-pressure laminate**C** Chemsurf®**S** stainless steel ☐**P** phenolic resin**K** corian

For 51" wide, left overhang (5L) or 51" wide, right overhang (5R)

L high-pressure laminate**C** Chemsurf®**S** stainless steel ☐**P** phenolic resin**K** corian

For 96" wide (96)

L high-pressure laminate**C** Chemsurf®**S** stainless steel ☐**Prices for Steps 1-4.**

	L	C	S	P	K
C2141. 24 24	\$227	305	3057	1084	1797
30	\$242	357	3289	1283	2008
36	\$314	453	3926	1476	2447
48	\$428	572	4691	1867	3299
5L	\$511	660	5109	2066	3746
5R	\$511	660	5109	2066	3746
60	\$594	735	6113	2162	3748
72	\$735	895	6975	2460	4629
96	\$936	1118	7809	—	—
30 24	\$293	346	3441	1182	2047
30	\$305	465	3882	1476	2295
36	\$415	619	4935	1676	2776
48	\$557	786	5809	2162	3691
5L	\$581	812	6281	2460	4200
5R	\$581	812	6281	2460	4200
60	\$766	995	7455	2555	4192
72	\$936	1188	8586	2948	5204
96	\$1149	1451	9167	—	—

Step 5. Finish

For high-pressure laminate (L)

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

For Chemsurf® (C)


JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0

Co/Struc® Work Surfaces

<i>For corian (K)</i>		
CQ	glacier white	+\$0
QB	bisque	+\$0
1S	savannah	+\$380
1U	sahara	+\$380
4I	sandstone	+\$380
58	cameo white	+\$370
ANC	antarctica	+\$370
IQ	aurora	+\$380
OQ	silt	+\$380
SVG	silver gray	+\$100
CRT	concrete	+\$740
DVC	dove	+\$740

Work Surface Support

C2140.



Product Information

Description

This set of supports allows a standard- or heavy duty work surface to hang from a panel, module, or wall strips.

Notes

Supports for standard duty surfaces include the following:

Surface Width—Supports

24"-60" wide—2 supports (1 left and 1 right)

72" wide—3 supports (1 left, 1 middle, and 1 right)

96" wide—4 supports (1 left, 2 middle, and 1 right)

Supports for heavy duty surfaces include the following:

Surface Width—Supports


24"-72" wide—2 supports (1 left and 1 right)

96" wide—3 supports (1 left, 1 middle, and 1 right)

For standard duty option (S), order standard duty work surface (C2142.) separately.

For heavy duty options (W or R), order appropriate heavy duty work surface (C2141.) separately.

Dimensions



Specification Information

Step 1.

C2140.

Step 2. Type

S	standard duty
W	heavy duty, with component adaptor
R	heavy duty, component adaptor ready

Step 3. Depth

24	for 24"-deep work surface
30	for 30"-deep work surface

Step 4. Width

24	24" wide
30	30" wide
36	36" wide
48	48" wide
60	60" wide
72	72" wide
96	96" wide


Prices for Steps 1-4.

		24	30	36	48	60	72
C2140. S	24	\$252	252	252	252	252	378
	30	\$252	252	252	252	252	378
	W 24	\$634	674	708	746	814	886
	30	\$693	739	770	808	876	948
	R 24	\$456	456	456	456	456	502
	30	\$518	518	518	518	518	570
							96
C2140. S	24						\$502
	30						\$502
	W 24						\$1222
	30						\$1317
	R 24						\$747
	30						\$849

Step 5. Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Rail-Hanging Work SurfaceC2410.




Product Information

Description
This 24"-deep rectangular work surface hangs on a standard rail. It has predrilled holes for hanging drawers, suspended pedestals, or keyboard trays. The work surface can be installed, relocated, or removed without tools and without disturbing other rail components. The support arm finish matches the surface finish.

Notes
Order optional work surface backsplash (C2910.) separately.
Order optional keyboard/mouse support, adjustable (Y7710.) separately.

Dimensions




Specification Information

Step 1.		
C2410.24		
Step 2. Width		
48	48" wide	
72	72" wide	
Prices for Steps 1-2.		
C2410.24	48	\$1643
	72	\$2032
Step 3. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Pass-Through Cover


C2399.




Product Information
Description
This cover provides a continuous surface for 2 back-to-back squared-edge work surfaces hung on an open panel frame. It is 48" wide but can be field cut to fit a narrower opening.
Dimensions

Specification Information		
Step 1.		
C2399.48		\$151
Step 2. Finish		
LU	soft white	+\$0

Co/Struc® Work Surfaces






Co/Struc® Work Surfaces

Product Information
Description
This assembly attaches to a support panel, a module, or wall strips and provides support for a C frame and components hanging on the C frame. Attachment hardware is included. Shipped knocked down.
The assembly holds the following quantities of C frames:
• 24" and 30" wide: 1 C frame
• 48" and 60" wide: 2 C frames
• 72" wide: 3 C frames
Notes
For 51"-wide work surface, order 48"-wide C frame support.
Dimensions


Specification Information
Step 1.
C2192.
Step 2. Work Surface Depth
24 for 24"-deep work surface
30 for 30"-deep work surface
Step 3. Width
24 24" wide
30 30" wide
36 36" wide
48 48" wide
60 60" wide
72 72" wide

Prices for Steps 1-3.							
		24	30	36	48	60	72
C2192.	24	\$828	851	872	912	919	935
	30	\$912	971	1015	1033	1043	1092
Step 4. Surface Finish							
HF	inner tone light						+\$0
LT	light tone						+\$0
LU	soft white						+\$0
WN	warm grey neutral						+\$0




Component Adapter Kit

C2193.




Product Information
Description
This kit attaches to a heavy-duty work surface support and allows C frames to hang below the work surface. Attachment hardware is included.
The kit holds the following quantities of C frames or storage units:
• 30" wide: 1 C frame or storage unit
• 48" and 60" wide: 2 C frames or storage units
• 72" wide: 3 C frames or storage units
• 96" wide: 4 C frames or storage units
Notes
The kit attaches to a work surface support (C2140.) with heavy duty, component adapter ready option (R).
For 51"-wide work surface, order 48"-wide kit.
96"-wide kit is shipped in 2 pieces.
Order storage components separately:
• C frame (C0205)
• Storage unit (C5010.)
Dimensions



Specification Information
Step 1.
C2193.
Step 2. Width
24 24" wide
30 30" wide
48 48" wide
60 60" wide
72 72" wide
96 96" wide
Prices for Steps 1-2.
C2193. 24 \$239
30 \$286
48 \$338
60 \$409
72 \$504
96 \$642
Step 3. Surface Finish
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0

Work Surface Backsplash

C2910.




Product Information

Description

This plastic barrier attaches to the back edge of a C-series rectangular or corner work surface or to a process table and creates a backsplash. Package contains 6.

Dimensions



Specification Information

Step 1.

C2910.

Step 2. Width

72 72" wide

Prices for Steps 1-2.

C2910. 72 \$624


Step 3. Surface Finish

For 72" wide (72)

BK	black	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Backsplash Filler


C2920.



Product Information
Description
This component attaches to a Casework work surface. It fills the gap created when Casework base cabinets are placed against terminal panels or wall strips. Package contains 6. Attachment hardware is included.
Notes
Order work surface (CG211. or CG212.) or corner work surface (CG218. or CG219.) separately.
Dimensions


Specification Information		
Step 1.		
C2920.96		\$226
Step 2. Surface Finish		
LU	soft white	+\$0

Co/Struc® Work Surfaces



Heavy-Duty Corner Work Surface

C2215.



Product Information

Description

This 48"-wide work surface hangs from modules, C-series support panels, or wall strips and provides additional top-loading capacity. It includes 1 drawer bearer package. The work surface cannot attach to Action Office® Series 1 or Series 2 connectors. Attachment hardware is included.


The work surface has a laminate or Chemsurf® top. The support arm finish matches the surface finish.

Notes


When hanging work surface from wall strips, order recommended work surface backsplash (C2910.) separately.

Order optional keyboard/mouse support, adjustable (Y7710.) separately.


Dimensions



TOP



TOP



FRONT

Heavy-Duty Corner Work Surface

continued

Specification Information

Step 1.

C2215. ☐

Step 2. Depth

2448 24" deep ☐

3048 30" deep ☐

Prices for Steps 1-2.

C2215. 2448 \$1126

3048 \$1305

Step 3. Surface Finish

Laminate Top

For 24" deep (2448)

HF inner tone light ☐ +\$0

LT light tone ☐ +\$0

LU soft white ☐ +\$0

WN warm grey neutral ☐ +\$0

Chemsurf® Top

For 24" deep (2448)

JD warm grey neutral Chemsurf® ☐ +\$174

KH light tone Chemsurf® ☐ +\$174

KR inner tone light Chemsurf® ☐ +\$174

LE soft white Chemsurf® ☐ +\$174

Laminate Top

For 30" deep (3048)

HF inner tone light ☐ +\$0

LT light tone ☐ +\$0

LU soft white ☐ +\$0

WN warm grey neutral ☐ +\$0

Chemsurf® Top

For 30" deep (3048)


JD warm grey neutral Chemsurf® ☐ +\$199

KH light tone Chemsurf® ☐ +\$199

KR inner tone light Chemsurf® ☐ +\$199

LE soft white Chemsurf® ☐ +\$199

Heavy-Duty Corner Work Surface, C2216. Action Office® Series 1 or 2 90° Corner Connector



Product Information

Description

This 48"-wide work surface hangs from panels or wall strips connected by an Action Office® Series 1 or 2 90° corner connector. It provides additional top-loading capacity and includes 1 drawer bearer package. The support arm finish matches the surface finish. The work surface cannot attach to a C-series 90° corner connector. Attachment hardware is included.


The work surface has a laminate or Chemsurf® top.

Notes

When hanging work surface from wall strips, order recommended work surface backsplash (C2910.) separately.

Order optional keyboard/mouse support, adjustable (Y7710.) separately.

Dimensions



Specification Information

Step 1.

C2216. [A]

Step 2. Depth

2448 24" deep [A]

3048 30" deep [A]

Prices for Steps 1-2.

C2216. 2448	\$1145
3048	\$1326

Step 3. Surface Finish

Laminate Top

For 24" deep (2448)

HF	inner tone light [A]	+\$0
LT	light tone [A]	+\$0
LU	soft white [A]	+\$0
WN	warm grey neutral [A]	+\$0

Chemsurf® Top

For 24" deep (2448)

JD	warm grey neutral Chemsurf® [A]	+\$174
KH	light tone Chemsurf® [A]	+\$174
KR	inner tone light Chemsurf® [A]	+\$174
LE	soft white Chemsurf® [A]	+\$174

Laminate Top

For 30" deep (3048)

HF	inner tone light [A]	+\$0
LT	light tone [A]	+\$0
LU	soft white [A]	+\$0
WN	warm grey neutral [A]	+\$0


Chemsurf® Top

For 30" deep (3048)

JD	warm grey neutral Chemsurf® [A]	+\$199
KH	light tone Chemsurf® [A]	+\$199
KR	inner tone light Chemsurf® [A]	+\$199
LE	soft white Chemsurf® [A]	+\$199

Process Table, Electric Height Adjustment

C4313.



Product Information

Description

This height-adjustable process table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from 26½" to 41½". The table base is equipped with a motor, height-control box, and 8½' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 3" locking casters. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

The table includes 1 stretcher to support a C frame or storage unit.

Notes


Order storage components separately:

- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Reagent shelf (C4326.)
- Storage unit (C5010.)

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions



Specification Information

Step 1.

C4313.

Step 2. Depth

24 24" deep

30 30" deep

Step 3. Width

48 48" wide

60 60" wide

72 72" wide

Step 4. Surface Material

L high-pressure laminate

C Chemsurf® A

Prices for Steps 1-4.

		L	C
C4313.	24 48	\$8213	8661
	60	\$8482	8928
	72	\$8839	9287
	30 48	\$8368	8812
	60	\$8542	8988
	72	\$8894	9340

Step 5. Casters/Glides

GA glides +\$0

CA casters +\$318

Step 6. Top/Frame Finish

For high-pressure laminate (L)

HF inner tone light +\$0

LT light tone +\$0

LU soft white +\$0

WN warm grey neutral +\$0

For Chemsurf® (C)

JD warm grey neutral Chemsurf® +\$0


KH light tone Chemsurf® +\$0

KR inner tone light Chemsurf® +\$0


LE soft white Chemsurf® +\$0

Reagent Shelf


C4326.
C4327.



Product Information
Description
This metal shelf attaches to a workstation or process table to provide storage for reagents below the surface.
Notes
Order workstation (C4310. or 4311.) separately.
Order process table (C4313.) separately.
Dimensions



For Electric Process Table




For Workstation

Specification Information				
Step 1.				
C432				
Step 2. Type				
6.	for electric process table			
7.	for workstation			
Step 3. Depth				
For electric process table (6.)				
16	16" deep			
For workstation (7.)				
18	18" deep			
Step 4. Width				
48	48" wide			
60	60" wide			
72	72" wide			
Prices for Steps 1-4.				
	48	60	72	
C4326. 16	\$1206	1254	1338	
C4327. 18	\$1174	1304	1315	
Step 5. Finish				
HF	inner tone light			+\$0
LT	light tone			+\$0
LU	soft white			+\$0
WN	warm grey neutral			+\$0

Workstation, Electric Height Adjustment

C4310.



Product Information

Description

This 30"-deep height-adjustable table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from 26½" to 41½". The table base is equipped with a motor, height-control box, and 8½' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

A riser frame attaches to the table base to provide upright support for hanging components. The table includes 1 stretcher to support a C frame or storage unit. The 48"-wide workstation has 1 set of drawer bearers; 60"- and 72"-wide workstations have 2 sets of drawer bearers.

Notes

60"- and 72"-wide riser frames require a riser frame divider for overhead storage components. See Co/Struc Planning Guide for information.

Order storage components (to hang on stretcher) separately:

- B-style shelf (C0521.)
- C frame (C0205)
- Drawer (C0207, C0208, or C0209)

Order workstation storage components separately:

- Reagent shelf (C4327.)

Order overhead components (to hang on riser frame) separately:


- B-style shelf (C3011.)
- Equipment rail (C1172.)
- Flat panel mount (C4324.)
- Marker board (C4323.)
- Power strip (C4322.)
- Riser frame divider (C4320.)
- Riser frame end cover (C4321.)
- Shelf unit (C5020. or C5021.)

Order Action Office® overhead components separately. See Co/Struc Planning Guide for information.

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions



Workstation, Electric Height Adjustment *continued*

Co/Struc® Work Surfaces

Specification Information

Step 1.

C4310.30

Step 2. Width

48 48" wide
60 60" wide
72 72" wide

Step 3. Surface Material

L high-pressure laminate
C Chemsurf®

Prices for Steps 1-3.

		L	C
C4310.30	48	\$9211	9641
	60	\$9333	9765
	72	\$9758	10190

Step 4. Casters/Glides

GA glides +\$0
CA casters +\$380

Step 5. Top/Frame Finish

For high-pressure laminate (L)


HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0

For Chemsurf® (C)

JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0

Workstation, Manual Height Adjustment

C4311.



Product Information

Description

This 30"-deep height-adjustable work station has a laminate or Chemsurf® top. It is pin adjustable in 1" increments and has a 15" travel range from 26½" to 41½". The table has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

A riser frame attaches to the table base to provide upright support for hanging components. The table includes 1 stretcher to support a C frame or storage unit. The table includes 1 set of drawer bearers; 60"- and 72"-wide workstations have 2 sets of drawer bearers.

Notes

60"- and 72"-wide riser frames require a riser frame divider for overhead storage components. See Co/Struc Planning Guide for information.

Order storage components (to hang on stretcher) separately:

- B-style shelf (C0521.)
- C frame (C0205)
- Drawer (C0207, C0208, or C0209)
- Storage unit (C5010.)

Order workstation storage components separately:

- Reagent shelf (C4327.)

Order overhead components (to hang on riser frame) separately:


- Equipment rail (C1172.)
- Flat panel mount (C4324.)
- Marker board (C4323.)
- Power strip (C4322.)
- Riser frame divider (C4320.)
- Riser frame end cover (C4321.)

Order Action Office® overhead components separately. See Co/Struc Planning Guide for information.

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions



Workstation, Manual Height Adjustment *continued*

Specification Information

Step 1.

C4311.30

Step 2. Width

48 48" wide
60 60" wide
72 72" wide

Step 3. Surface Material

L high-pressure laminate
C Chemsurf®

Prices for Steps 1-3.

		L	C
C4311.30	48	\$6843	7299
	60	\$7000	7453
	72	\$7324	7916

Step 4. Casters/Glides

GA glides +\$0
CA casters +\$380

Step 5. Top/Frame Finish

For high-pressure laminate (L)


HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0

For Chemsurf® (C)

JD warm grey neutral Chemsurf® +\$0
KH light tone Chemsurf® +\$0
KR inner tone light Chemsurf® +\$0
LE soft white Chemsurf® +\$0

Work Table, Electric Height Adjustment

C4312.



Product Information

Description

This 2-sided, 42"-deep height-adjustable table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from 26½" to 41½". The table base is equipped with a motor, height-control box, and 8½' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

The table includes 2 stretchers (one on each side) to support C frames and/or storage units. 48"- and 60"-wide tables have 4 sets of drawer bearers.

Notes




Order storage components separately:

- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Storage unit (C5010.)

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions



Specification Information

Step 1.

C4312.42

Step 2. Width

48	48" wide
60	60" wide

Step 3. Surface Material

L	high-pressure laminate
C	Chemsurf®

Prices for Steps 1-3.

		L	C
C4312.42	48	\$9511	10012
	60	\$9812	10310

Step 4. Casters/Glides

GA	glides	+\$0
CA	casters	+\$380


Step 5. Top/Frame Finish

For high-pressure laminate (L)

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

For Chemsurf® (C)

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



Product Information

Description

This freestanding table base is available at seated height (29" high) and standing height (36" high), has 2 C-legs, a steel modesty panel, and 1" adjustable glides. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

If casters are desired at initial purchase, Options is recommended as a solution to maintain 29" and 36" heights. Casters are also available as a service part if replacing glides with casters is desired in the future.

At lowest glide adjustment, actual height of table with glides and work surface is 28 $\frac{3}{4}$ " for a 29" seated-height table base and 35 $\frac{3}{4}$ " for a 36" standing-height table base. Actual height of table with casters and work surface is 31.4" for a 29" seated-height table base and 38.4" for a 36" standing-height table base. Order casters as a service part.

Clearance from front of table to modesty panel is 24 $\frac{1}{4}$ " for a 30"-deep work surface and 18 $\frac{1}{4}$ " for a 24"-deep work surface.

Order work table surface (C4700.) separately:

- 24" and 30" depths, and 48", 51" (left and right), and 60" widths are compatible with table bases 24" deep x 48" wide.
- 60" wide work table surface overhangs on center of a 48"-wide table base.
- 51" wide (left and right) work table surfaces overhang left or right of a 48"-wide table base.
- Order drawer bearers separately, with work table surface.

Order separately:





- Work table reagent shelf (C4900.).
- Cord cleat (G1331.).
- Cable management trough (AO382.).

To accommodate a refrigerator, a 36"-high table base is recommended.

Refrigerators 21.34" wide or less can be used with 1 set of adjacent drawer bearers for a 3" or 6" drawer (CO207, CO208) only.


Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Dimensions



Basic Work Table Base *continued*

Specification Information			
Step 1.			
C460 <input type="text" value="A"/>			
Step 2. Glides			
G. glides <input type="text" value="A"/>			
Step 3. Depth			
24	24" deep	<input type="text" value="A"/>	
Step 4. Width			
48	48" wide	<input type="text" value="A"/>	
Step 5. Height			
29	29" high	<input type="text" value="A"/>	
36	36" high	<input type="text" value="A"/>	
Prices for Steps 1-5.			
		29	36
C460G. 24 48		\$1544	1630
Step 6. Base/Modesty Panel Finish			
HF	inner tone light	<input type="text" value="A"/>	+\$0
LT	light tone	<input type="text" value="A"/>	+\$0
LU	soft white	<input type="text" value="A"/>	+\$0
WN	warm grey neutral	<input type="text" value="A"/>	+\$0



Product Information

Description

This freestanding table base is available at seated height (29" high) and standing height (36" high) and has stretchers to support C frames, drawers, and storage units. Table base comes with 1" adjustable glides. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

If casters are desired at initial purchase, Options is recommended as a solution to maintain 29" and 36" heights. Casters are also available as a service part if replacing glides with casters is desired in the future.

At lowest glide adjustment, actual height of table with glides and work surface is 28 $\frac{3}{4}$ " for a 29" seated-height table base and 35 $\frac{3}{4}$ " for a 36" standing-height table base. Actual height of table with casters and work surface is 31.4" for a 29" seated-height table base and 38.4" for a 36" standing-height table base.

Order work table surface (C4700.) separately:

- 24" deep × 36" wide base is only compatible with a 24" deep × 36" wide work table surface.
- 24" deep × 48" wide base is compatible with a 24" deep × 48", 51" (left and right), 60" wide work table surface.
- 24" deep × 72" wide base is only compatible with a 24" deep × 72" wide work table surface.
- 30" deep × 36" wide base is only compatible with a 30" deep × 36" wide work table surface.
- 30" deep × 48" wide base is compatible with a 30" deep × 48", 51" (left and right), 60" wide work table surface.
- 30" deep × 48S" wide base is only compatible with a 36" deep × 72" wide work table surface.
- 30" deep × 72" wide base is only compatible with a 30" deep × 72" wide work table surface.

60" wide work table surface (C4700.) overhangs on center of a 48"-wide table base.

51" wide (left and right) work table surfaces (C4700.) overhang left or right of a 48"-wide table base.

Order drawer bearers separately, with work table surface (C4700.).

Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Order storage components separately:

- Drawer (CO207, CO208, CO209).
- Storage unit (C5010.).
- Work table reagent shelf (C4900.).
- C frame (CO205).

Maximum C frames or storage units using maximum number of stretchers and a 36"-high table base:

- For 36"-wide base: 2 C frames or 1 storage unit.
- For 48"-wide base: 4 C frames or 2 storage units.
- For 48S"-wide × 30"-deep base: 8 C frames (4 front/4 back) or 4 storage units.


- For 72"-wide base: 6 C frames or 3 storage units.

Order technology support and cord management accessories separately:

- Connect™ - S300 (Y1323.xxxxS).
- Flo® single-screen monitor arm (Y91171.CM).
- Tablet support (Y91173.).
- Laptop mount (Y91177.).
- LE series keyboard solutions (Y7710.1).
- JAW™ adjustable CPU holder assembly (Y91103.).
- Cord cleat (G1331.).
- Cable management trough (AO382.).
- Cable trough (Y1200.).

Order Y1200.30 for a C461G.3036; order Y1200.42 for a C461G.3048.

Dimensions



Specification Information

Step 1.

C461 ☐

Step 2. Glides

G. glides ☐

Step 3. Depth

24 24" deep ☐

30 30" deep ☐

Step 4. Width

For 24" deep (24)

36 36" wide ☐

48 48" wide ☐

72 72" wide ☐

For 30" deep (30)

36 36" wide ☐

48 48" wide ☐

72 72" wide ☐

48S 48" wide, symmetrical support ☐

Step 5. Height

29 29" high ☐

36 36" high ☐

Step 6. Number of Stretchers

For 29" high (29)

A upper placement only ☐

For 36" high (36)

A upper placement only ☐

B upper and lower placement ☐

Prices for Steps 1-6.


	29A	36A	36B
C461G. 24 36	\$1772	1879	2183
48	\$1791	1897	2199
72	\$1940	2047	2485
30 36	\$1815	1916	2222
48	\$1836	1935	2242
72	\$1985	2089	2527
48S	\$2223	2406	2783

Co/Struc® Work Surfaces

Step 7. Base/Stretcher Finish			
HF	inner tone light	A	+\$0
LT	light tone	A	+\$0
LU	soft white	A	+\$0
WN	warm grey neutral	A	+\$0

Adjustable Work Table Base

C462C.
C462G.



Product Information

Description

This freestanding 1" pin-adjustable table base has stretchers to support C frames, drawers, and storage units. Table base comes with 1" adjustable glides or 4" locking casters. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

Table with glides and work surface adjusts from 27" high to 36" high. Table with casters adjusts from 30" high to 38" high.

Order work table surface (C4700.) separately:

- 24" deep × 36" wide base is only compatible with a 24" deep × 36" wide work table surface.
- 24" deep × 48" wide base is compatible with a 24" deep × 48", 51" (left and right), 60" wide work table surface.
- 24" deep × 72" wide base is only compatible with a 24" deep × 72" wide work table surface.
- 30" deep × 36" wide base is only compatible with a 30" deep × 36" wide work table surface.
- 30" deep × 48" wide base is compatible with a 30" deep × 48", 51" (left and right), 60" wide work table surface.
- 30" deep × 48S" wide base is only compatible with a 36" deep × 72" wide work table surface.
- 30" deep × 72" wide base is only compatible with a 30" deep × 72" wide work table surface.

60" wide work table surface (C4700.) overhangs on center of a 48"-wide table base.

51" wide (left and right) work table surfaces (C4700.) overhang left or right of a 48"-wide table base.

Order drawer bearers separately, with work table surface (C4700.).

Order storage components separately:

- Drawer (CO207, CO208, CO209).
- Storage unit (C5010.).
- Work table reagent shelf (C4900.).
- C frame (CO205).

Maximum C frames or storage units using maximum number of stretchers and a 36"-high table base:

- For 36"-wide base: 2 C frames or 1 storage unit.
- For 48"-wide base: 4 C frames or 2 storage units.
- For 48S"-wide × 30"-deep base: 8 C frames (4 front/4 back) or 4 storage units.
- For 72"-wide base: 6 C frames or 3 storage units.

For tables adjusted below 32" high, C frames hang from top stretcher only, and storage units cannot mount.


Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Order technology support and cord management accessories separately:

- Connect™ - S300 (Y1323.xxxxS).
- Flo® single-screen monitor arm (Y91171.CM).
- Tablet support (Y91173.).
- Laptop mount (Y91177.).
- LE series keyboard solutions (Y7710.1).
- JAW™ adjustable CPU holder assembly (Y91103.).
- Cord cleat (G1331.).
- Cable management trough (AO382.).
- Cable trough (Y1200.).

Order Y1200.30 for a C462x.3036; order Y1200.42 for a C462x.3048.

Dimensions



Adjustable Work Table Base *continued*

Specification Information

Step 1.

C462 ☐

Step 2. Casters/Glides

G. glides ☐

C. casters ☐

Step 3. Depth

24 24" deep ☐

30 30" deep ☐

Step 4. Width

For 24" deep (24)

36 36" wide ☐

48 48" wide ☐

72 72" wide ☐

For 30" deep (30)

36 36" wide ☐

48 48" wide ☐

72 72" wide ☐

48S 48" wide, symmetrical support ☐

Step 5. Number of Stretchers

A upper placement only ☐

B upper and lower placement ☐

Prices for Steps 1-5.

	A	B
C462G. 24 36	\$2756	3063
48	\$2770	3084
72	\$2929	3376
30 36	\$2782	3086
48	\$2800	3110
72	\$2954	3401
48S	\$3201	3596

	A	B
C462C. 24 36	\$2864	3175
48	\$2880	3192
72	\$3039	3486
30 36	\$2887	3194
48	\$2907	3217
72	\$3062	3510
48S	\$3307	3704


Step 6. Base Finish

HF inner tone light ☐ +\$0

LT light tone ☐ +\$0

LU soft white ☐ +\$0

WN warm grey neutral ☐ +\$0



Product Information

Description

This work table surface attaches to work table bases (C460G., C461G., C462G., C462C.). Predrilled holes accept drawer bearers ordered with the work surface. Surface material is available in laminate, Chemsurf®, Corian®, or phenolic resin.

Notes

Drawer bearers must be field installed.

Only used on work table bases C460G., C461G., C462G., C462C., ordered separately. See table base information for work surface compatibilities and top load weight capacities.


Work table surface supports the following maximum pairs of drawer bearers (each pair has 1 left and 1 right bearer):

- For 36"-wide table: 1 pair.
- For 48"-wide table: 2 pair.
- For 48S"-wide table: 4 pair (2 pair on either side).
- For 60"-wide table: 2 pair.
- For 72"-wide table: 3 pair.

Phenolic resin is 1" thick. When ordering adjustable work table base (C462C.) with phenolic resin top (C4700.xxxxP) that needs to be level with tables (C462C.) using laminate, Chemsurf, or Corian tops (C4700.L, C4700.K, C4700.C), order phenolic shim service part.

See Co/Struc® System planning guide for capacity information.

Dimensions



Work Table Surface, Rectangular

continued

Specification Information

Step 1.

C4700. ☐

Step 2. Depth

24 24" deep ☐

30 30" deep ☐

36 36" deep ☐

Step 3. Width

For 24" deep (24)

36 36" wide ☐

48 48" wide ☐

51L 51" wide, left overhang ☐

51R 51" wide, right overhang ☐

60 60" wide ☐

72 72" wide ☐

For 30" deep (30)

36 36" wide ☐

48 48" wide ☐

51L 51" wide, left overhang ☐

51R 51" wide, right overhang ☐

60 60" wide ☐

72 72" wide ☐

For 36" deep (36)

72 72" wide ☐

Step 4. Surface Material

L high-pressure laminate ☐

C Chemsurf® ☐

K corian ☐

P phenolic resin ☐

Prices for Steps 1-4.

	L	C	K	P
C4700. 24 36	\$350	468	1180	1467
48	\$381	510	1472	1947
51L	\$480	600	1769	2361
51R	\$480	628	1769	2361
60	\$492	612	1770	2363
72	\$535	751	2071	2848

30 36	\$391	502	1389	1806
48	\$441	546	1730	2397
51L	\$540	683	2082	2909
51R	\$540	683	2082	2909
60	\$535	749	2072	2900
72	\$603	840	2419	3494
36 72	\$797	1241	2824	5334

Step 5. Top/Edge Finish

For high-pressure laminate (L)

HF inner tone light ☐ +\$0

LT light tone ☐ +\$0

LU soft white ☐ +\$0

WN warm grey neutral ☐ +\$0

For Chemsurf® (C)

JD warm grey neutral Chemsurf® ☐ +\$0

KH light tone Chemsurf® ☐ +\$0

KR inner tone light Chemsurf® ☐ +\$0

LE soft white Chemsurf® ☐ +\$0

For corian (K)

CQ glacier white ☐ +\$0

QB bisque ☐ +\$0

1S savannah ☐ +\$410

1U sahara ☐ +\$410

4I sandstone ☐ +\$410

58 cameo white ☐ +\$400

ANC antarctica ☐ +\$400

IQ aurora ☐ +\$410

OQ silt ☐ +\$410

SVG silver gray ☐ +\$100

CRT concrete ☐ +\$525

DVC dove ☐ +\$525

For phenolic resin (P)

BK black ☐ +\$0

Step 6. Pairs of Drawer Bearers

For 36" wide (36)

NB without drawer bearers ☐ +\$0

1D 1 pair drawer bearers ☐ +\$16

Work Table Surface, Rectangular

continued

For 48" wide (48), 51" wide, left overhang (51L), 51" wide, right overhang (51R), or 60" wide (60)

NB	without drawer bearers <input type="checkbox"/> A	+\$0
1D	1 pair drawer bearers <input type="checkbox"/> A	+\$16
2D	2 pair drawer bearers <input type="checkbox"/> A	+\$31

For 24" deep (24) or 30" deep (30) with 72" wide (72)


NB	without drawer bearers <input type="checkbox"/> A	+\$0
1D	1 pair drawer bearers <input type="checkbox"/> A	+\$16
2D	2 pair drawer bearers <input type="checkbox"/> A	+\$31
3D	3 pair drawer bearers <input type="checkbox"/> A	+\$47

For 36" deep (36) with 72" wide (72)

NB	without drawer bearers <input type="checkbox"/> A	+\$0
1D	1 pair drawer bearers <input type="checkbox"/> A	+\$16
2D	2 pair drawer bearers <input type="checkbox"/> A	+\$31
3D	3 pair drawer bearers <input type="checkbox"/> A	+\$47
4D	4 pair drawer bearers <input type="checkbox"/> A	+\$62

Work Table Reagent Shelf

C4900.



Co/Struc® Work Surfaces

Product Information

Description

This high-pressure laminate shelf attaches to work table bases to provide storage below the surface.

Notes

Compatible with basic work table base (C460G.), standard work table base (C461G.xxxxxxxA), and adjustable work table base with upper stretcher placement only (C462x.xxxxxxA).


Compatible only with 36"-high table bases, due to installation clearance needed.

16" deep shelf (C4900.16) is compatible with 24"- and 30"-deep table bases.

18" deep shelf (C4900.18) is compatible with only 30"-deep table bases.

Order warm grey neutral (WN) reagent shelf finish to complement a metallic champagne (CN) table base. Order cool grey neutral (CL) reagent shelf finish to complement a metallic silver (MS) table base.

Reagent shelf (C4900.) rests on table base legs and is not height adjustable.



Specification Information

Step 1.

C4900.

Step 2. Depth

16	16" deep	<input type="text"/>
18	18" deep	<input type="text"/>

Step 3. Width

36	36" wide	<input type="text"/>
48	48" wide	<input type="text"/>
72	72" wide	<input type="text"/>

Step 4. Surface Material

L	high-pressure laminate	<input type="text"/>
---	------------------------	----------------------

Prices for Steps 1-4.


			L
C4900.	16	36	\$594
		48	\$669
		72	\$966
	18	36	\$623
		48	\$696
		72	\$999

Step 5. Top/Edge Finish

HF	inner tone light	<input type="text"/>	+\$0
LT	light tone	<input type="text"/>	+\$0
LU	soft white	<input type="text"/>	+\$0
WN	warm grey neutral	<input type="text"/>	+\$0
CL	cool grey neutral	<input type="text"/>	+\$0

Riser Frame Divider


C4320.




Product Information
Description
This piece divides a workstation riser frame into smaller sections and provides upright riser support for hanging components. The dividers bolt to the riser frame at predrilled attachment locations. Finish is black.
Notes
Order workstation (C4310. or C4311.) separately.
Dimensions

Specification Information
Step 1.
C4320.
\$510

Co/Struc® Work Surfaces



Riser Frame End CoverC4321.



Product Information

Description
This metal cover finishes the exposed hardware on the end of a riser frame.


Notes
Specify 2 end covers per riser frame.
Specify end cover finish to match the corresponding finish of workstation (C4310. or C4311.) to which cover will be attached.
Order workstation (C4310. or C4311.) separately.


Dimensions

Specification Information

Step 1.
C4321. \$135


Step 2. Finish
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0






Product Information
Description
This power strip mounts horizontally on hanger clips and provides single-circuit, 15-amp, 100-volt outlets on a riser frame. It has a lighted on/off switch with circuit breaker and an 8' cord. It is UL listed. Mounting hardware is included.
Power strips have the following number of outlets:
Width—Outlets
24"—4 outlets
30"—5 outlets
36"—6 outlets
48"—8 outlets
60"—10 outlets
72"—12 outlets
Notes
To mount power strip inside riser frame (vertically), specify 36" width.
Specify power strip finish to match the corresponding finish of workstation (C4310. or C4311.) to which it will be attached.
Order workstation (C4310. or C4311.) separately.
For lab modules (C1112., C1114.) and support panels (C1150., C1151.), power strip can be specified as part of the product.
Dimensions

Specification Information
Step 1.
C4322.
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
48 48" wide
60 60" wide
72 72" wide
Prices for Steps 1-2.
C4322. 24 \$588
30 \$632
36 \$677
48 \$699
60 \$788
72 \$832
Step 3. Finish
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0



Marker Board

C4323.



Product Information


Description

This 2-sided white board mounts between 2 riser frame dividers or a riser frame and a riser frame divider. Both sides are magnetic with white erasable writing surfaces. Includes a black-texture marker tray on one side only. Mounting hardware is included.

Notes

Order workstation (C4310. or C4311.) separately.

Dimensions



Specification Information

Step 1.

C4323.

Step 2. Width


24	24" wide
30	30" wide
36	36" wide

Prices for Steps 1-2.

C4323.	24	\$560
	30	\$620
	36	\$660

Flat Panel Mount



C4324.




Product Information
Description
This arm mounts to a workstation riser frame and holds a flat panel display monitor. The arm meets VESA standards (Video Electronic Standards Association - Mounting Interface Standards) with a 100 mm or 75 mm mounting pattern. It provides 360° monitor rotation and 60° horizontal and vertical tilt range. Finish is black. Mounting hardware is included. Finish is black.
Notes
Order workstation (C4310. or C4311.) separately.
Dimensions

Specification Information
Step 1.
C4324. \$845



Co/Struc® Work Surfaces





Co/Struc® Work Surfaces


Product Information	
Description	
This component hangs from a module, a support panel, or wall strips and holds a 12"-high sink. It includes a front panel and side panels to conceal the bottom of the sink and left and right work surface supports. Attachment hardware is included. Shipped knocked down.	
The module accepts the following cutout dimensions:	
Depth:	
• 24": 18 1/4"-deep maximum cutout	
• 30": 24 1/4"-deep maximum cutout	
Width:	
• 24": 19 5/8"-wide maximum cutout	
• 30": 25 5/8"-wide maximum cutout	
• 48": 43 5/8"-wide maximum cutout	
• 60": 55 5/8"-wide maximum cutout	
Notes	
Sink must be customer supplied and field installed.	
Order standard duty work surface (C2142.) with solid surface option (K) separately.	
Dimensions	




Specification Information					
Step 1.					
C2512.					
Step 2. Depth					
24	24" deep				
30	30" deep				
Step 3. Width					
24	24" wide				
30	30" wide				
36	36" wide				
48	48" wide				
60	60" wide				
Prices for Steps 1-3.					
	24	30	36	48	60
C2512. 24	\$836	973	1022	1070	1164
30	\$994	1164	1226	1281	1435
Step 4. Surface Finish					
91	white (CP)				+\$0
HF	inner tone light				+\$0
LT	light tone				+\$0
LU	soft white				+\$0
WN	warm grey neutral				+\$0
76	light brown walnut				+\$0

Sink Unit for Storage

C2513.




Product Information
Description
This 24"-deep, 48"-wide structure hangs from 2 24"-wide panels or freestanding modules or from 3 wall strips. It supports drawer storage on the left or right side and a sink unit on the other side. The maximum cutout for the sink is 18 1/4" deep × 19 5/8" wide. The surface includes a front panel and side panels to conceal the bottom of the sink and left and right work surface supports. Attachment hardware is included. Shipped knocked down.
Notes
Order storage components for open space opposite sink unit separately:
• Drawer bearers (CO228 or CO396)
• Gripper package (CO266) and C frame (CO205) for Co/Struc® drawers
• L cart (CO212) and single counter top (CO555) for C frames and drawers when surface is mounted 38" above floor
• Storage case (C5040.2422) and 24"-wide Co/Struc adapter rail (C1610.24)
Sink must be customer supplied and field installed.
Storage unit (C5010.) cannot mount under sink unit.
Order standard duty work surface (C2142.) with solid surface option (K) separately.
Dimensions



Specification Information
Step 1.
C2513.24
\$1079
Step 2. Surface Finish
HF inner tone light
LT light tone
LU soft white
WN warm grey neutral
91 white (CP)
+\$0
+\$0
+\$0
+\$0
+\$77

Co/Struc® Work Surfaces

ADA Sink Support, Systems Mounted C2520.



Product Information

Description

This sink support hangs from a module or wall strips. It supports a 5½"-deep sink and a solid surface or alternative material top. The sink support has a 4"-high laminate front trim and a removable front panel to allow access to plumbing. Attachment hardware is included. Shipped knocked down.

Notes

Order standard duty work surface (C2142.) with solid surface option (K) separately.
Sink must be customer supplied and field installed. A Just SL-ADA-1921-A-GR sink, with drain located in rear center, fits in a 24" x 24" sink support.

Dimensions

Specification Information

Step 1.

C2520.

Step 2. Depth

24	24" deep
30	30" deep

Step 3. Width



24	24" wide
30	30" wide
48	48" wide
60	60" wide

Prices for Steps 1-3.

	24	30	48	60
C2520. 24	\$1417	1595	1770	1945
30	\$1505	1680	1945	2123


Step 4. Surface Finish

91	white (CP)	+\$123
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0




Storage Unit

C5010.




Product Information
Description
This cabinet hangs below a heavy-duty work surface or process table. It has 2 side panels, a back panel, and a top and bottom panel.
Notes
Order heavy-duty work surface (C2141.), process table (C4313.), standard work table base (C461G.), adjustable lab work table base (C462G., C462C.), work table (C4312.), or workstation (C4310. or C4311.) separately.
Order shelves (C5015.1622) separately; shelves adjust in 1¼" increments.
Order A-size drawers (CO207) or B-size drawers (CO208) and lockable drawer bearer (C5048.) separately.
Order storage unit door (C5016. or C5017.) separately.
Dimensions



Specification Information		
Step 1.		
C5010.1622		\$1000
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$62

Co/Struc® Storage

Storage Unit ShelfC5015.



Product Information

Description

This shelf mounts inside a storage unit and adjusts in 1¼" increments.

Notes

Order storage unit (C5010.) separately.

Dimensions

Specification Information


Step 1.

C5015.1622

\$280


Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$16



Storage Unit Door

C5016.
C5017.



Product Information

Description

This door attaches to the front of a storage unit. Attachment hardware is included.


Notes

Co/Struc® drawers cannot be specified behind doors.

When specifying 19"- or 22"-high lockable door that has drawers above it, specify interior filler (C5009.) to prevent access to cabinet below.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C501

Step 2. Hinge Location

- 6. left-hand hinges
- 7. right-hand hinges

Step 3. Height

- 1922** 19" high
- 2222** 22" high
- 2522** 25" high

Step 4. Lock

- N** no lock
- L** keyed differently
- K** keyed alike

Prices for Steps 1-4.


		N	L	K
C5016.	1922	\$361	451	451
	2222	\$414	503	503
	2522	\$482	569	569
C5017.	1922	\$361	451	451
	2222	\$414	503	503
	2522	\$482	569	569

Step 5. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$31

Step 6. Pull Option/Finish


NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0



Co/Struc® Storage


Product Information
Description
This filler mounts inside a storage unit and provides closure to the cabinet below when Co/Struc drawers are installed. It mounts at either 19" or 22" high.
Notes
Order storage unit (C5010.) separately.
Filler is used with A-size drawers (CO207) or B-size drawers (CO208).
Dimensions

Specification Information		
Step 1.		
C5009.1622		\$280
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$16



Lockable Drawer Bearer


C5048.



Product Information
Description
These drawer bearers attach Co/Struc® A-, B-, or C-size drawers in a storage unit. They have integral stops to prevent drawers from falling when pulled out. Mounting hardware is included. Finish is black. Package contains 1 pair.
Notes
Order A-size drawers (CO207), B-size drawers (CO208), or C-size drawers (CO209) separately.
Can be used with locking or non-locking drawers.
Dimensions


Specification Information
Step 1.
C5048.
\$122

Co/Struc® Storage



Storage Case

C5040.



Product Information

Description

This case mounts under a heavy-duty rectangular or corner work surface. It has 2 side panels, a back panel, and a top and bottom panel. Interior components can be height adjusted in 1¼" increments.

Notes

Order heavy-duty work surface (C2141.) or heavy-duty corner work surface (C2215. or C2216.) separately.


To support case mounted under rectangular work surface, order adapter rail (C1610.

Order optional products separately:

- Storage case bottle drawer (C5045.)
- Storage case door (C5052. or C5053.)
- Storage case drawer (C5043. or C5044.)
- Storage case pullout shelf (C5042.)
- Storage case shelf (C5041.)

For top slot of case, specify 16"-deep drawer or shelf to clear support beam under heavy-duty work surface.

Dimensions



Specification Information

Step 1.

C5040.

Step 2. Depth

2422	23" deep
3022	29" deep

Prices for Steps 1-2.


C5040. 2422	\$1097
3022	\$1205

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$72

Storage Case Shelf


C5041.



Product Information
Description
This shelf mounts inside a storage case and adjusts in 1¼" increments.

Notes
To clear support beam on heavy-duty work surface, shelf must be positioned at least 2½" below the surface.

Dimensions



Specification Information
Step 1.
C5041.


Step 2. Depth
2422 23" deep
3022 29" deep

Prices for Steps 1-2.
C5041. 2422 \$346
3022 \$364

Step 3. Surface Finish
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0
91 white (CP) +\$21


Co/Struc® Storage

Storage Case Pullout ShelfC5042.




Product Information
Description
This pullout shelf is 21¼" deep and mounts inside a storage case. It adjusts in 1¼" increments.
Notes
To clear support beam on heavy-duty work surface, shelf must be positioned at least 2½" below the surface.
Dimensions

Specification Information		
Step 1.		
C5042.2422		\$485
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$33



Storage Case Drawer

C5043.
C5044.



Product Information


Description

This drawer mounts inside a storage case and is available with or without a lock. The 22"-deep drawer cannot be used in the top position of a storage case.

Notes

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C504

Step 2. Depth

3. 16" deep

4. 22" deep

Step 3. Height

For 16" deep (3.)

0422 small, 5" high

0822 medium, 7 1/2" high

For 22" deep (4.)

0422 small, 5" high

0822 medium, 7 1/2" high

1222 large, 10" high

Step 4. Lock

N no lock

L keyed differently

K keyed alike

Prices for Steps 1-4.

	N	L	K
C5043. 0422	\$459	758	758
0822	\$576	864	864
C5044. 0422	\$508	669	669
0822	\$607	899	899
1222	\$639	933	933

Step 5. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$41

Step 6. Pull Option/Finish

NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0

Storage Case Bottle Drawer

C5045.




Product Information

Description

This pullout drawer mounts in a storage case and has a partial-height front for easy access to contents. It includes 3 dividers.

Dimensions



Specification Information

Step 1.

C5045.

Step 2. Height

0822 5" high

1222 7 1/2" high

Prices for Steps 1-2.

C5045. 0822 \$1014

1222 \$1080

Step 3. Surface Finish

HF inner tone light +\$0

LT light tone +\$0

LU soft white +\$0

WN warm grey neutral +\$0

76 light brown walnut +\$62

91 white (CP) +\$62

Step 4. Pull Option/Finish


NN none +\$0

BK black +\$0

NH brushed nickel +\$0

Storage Case Door

C5052.
C5053.



Product Information

Description

This door attaches to the front of a storage case. Attachment hardware is included.


Notes

Co/Struc® storage case drawers and storage case bottle drawers cannot be specified behind doors.

When specifying 17"- or 20"-high lockable door that has drawers above it, specify storage case shelf (C5041.) to prevent access to cabinet below.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C505

Step 2. Hinge Location

2. left-hand hinges
3. right-hand hinges

Step 3. Height

- 1722** 17" high
2022 20" high
2522 25" high

Step 4. Lock

- N** no lock
L keyed differently
K keyed alike

Prices for Steps 1-4.

		N	L	K
C5052.	1722	\$352	439	439
	2022	\$381	469	469
	2522	\$477	567	567
C5053.	1722	\$363	455	455
	2022	\$391	485	485
	2522	\$494	586	586

Step 5. Surface Finish


91	white (CP)	+\$31
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 6. Pull Option/Finish

NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0

Storage Case Leg

C5050.



Product Information

Description

This leg supports a storage case mounted under a heavy-duty work surface. It provides support when the work surface holds heavy loads. The legs adjust in 1/2" increments to allow a work surface height of 34" to 38". Leg finish is medium tone.

Notes

Order storage case (C5040.) separately.



Dimensions


Specification Information

Step 1.


C5050. \$278

Co/Struc® Storage






Product Information
Description
This unit hangs on a module, support panel, or wall strips above a work surface. It has sliding glass doors. Shipped knocked down.
Notes
Order optional task light separately: <ul style="list-style-type: none">• Under shelf LED task light (G6170.)
Dimensions



Specification Information
Step 1.
C5014.16
Step 2. Width
30 30" wide
48 48" wide
Prices for Steps 1-2.
C5014.16 30 \$2010
48 \$2350
Step 3. Surface Finish
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0
91 white (CP) +\$113



Shelf Unit

C5020.
C5021.




Product Information
Description
This 3- or 5-shelf unit hangs from a module, panel, or wall strips. It has 9"- or 16"-deep shelves that adjust in 2½" increments. Shelves are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.
Notes
For additional shelf, order add-on shelf (C5025.) separately.
To cover shelf unit with dust cover, order add-on shelf (C5025.) and place in top position of unit.
To enclose back of unit, order back panel (C5026.) separately.
To hang unit on architectural wall and enclose back of unit, order shelf unit wall attachment panel (C5036.) separately.
To enclose front of unit, order shelf unit door (C5027., C5028., C5032., C5037., or C5038.) separately.
To ease cleaning and prevent the stacking of materials on top of shelf unit, order sloped shelf unit top (C0397.) separately.
Order optional task light for 16"-deep unit separately:
• Under shelf LED task light (G6170.)
To attach task light to slanted shelf, order light bracket (C5051.) separately.

Dimensions



3 Shelves



5 Shelves

Specification Information

Step 1.

C502

Step 2. Shelves/Height

- 0. 3 shelves and 24" high
- 1. 5 shelves and 34" high

Step 3. Depth

- 09 9" deep
- 16 16" deep

Step 4. Width

- 24 24" wide
- 30 30" wide
- 36 36" wide
- 48 48" wide

Prices for Steps 1-4.


	24	30	36	48
C5020. 09	\$698	738	753	793
16	\$874	920	971	1087
C5021. 09	\$980	1013	1055	1124
16	\$1176	1253	1329	1470

Step 5. Side Panel/Shelf Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$62

Shelf Unit, Diagonal Corner

C5022.



Product Information

Description

This unit hangs from 24"-wide panels connected by an Action Office® 2-way 90° connector or wall strips used in a corner position. Shelves adjust in 2½" increments and are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.


Notes

For additional shelf in center section, order 24"-wide add-on shelf (C5025.1624). For additional shelf in side section, order 14"-wide add-on shelf (C5025.1614).

To cover back of center unit, order back panel (C5026.) separately.

To attach task light to slanted center shelf, order light bracket (C5051.) separately.

Dimensions




Specification Information

Step 1.		
C502		
Step 2. Shelves/Height		
2.1648	3 shelves and 24" high	
Prices for Steps 1-2.		
C5022.1648		\$2727
Step 3. Side Panel/Shelf Finish		
91	white (CP)	+\$164
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Shelf Unit, 90° Corner



C5024.




Product Information
Description
This 72"-high shelf unit hangs from 24"- or 48"-wide panels connected by 1 or 2 Action Office® 2-way 90° connectors or hangs from wall strips used in 1 or 2 90° corners. Shelves adjust in 2½" increments and are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.
Notes
For additional shelf, order add-on shelf (C5025.1631) separately.
To cover shelf unit with dust cover, order add-on shelf (C5025.1631) and place in top position of unit.
Dimensions

Specification Information		
Step 1.		
C5024.1648		\$4985
Step 2. Side Panel/Shelf Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$308

Co/Struc® Storage






Product Information

Description

This shelf fits inside a shelf unit, diagonal corner shelf unit, or 90° corner shelf unit. It is used as an additional shelf or dust cover.

Dimensions



Specification Information

Step 1.

C5025.

Step 2. Depth

09 9" deep

16 16" deep

Step 3. Width

For 9" deep (09)

24 22 3/4" wide

30 28 3/4" wide

36 34 3/4" wide

48 46 3/4" wide

For 16" deep (16)

14 13 1/2" wide

24 22 3/4" wide

30 28 3/4" wide

31 30 1/2" wide

36 34 3/4" wide


48 46 3/4" wide

Prices for Steps 1-3.

	14	24	30	31	36	48
C5025. 09	—	\$143	156	—	163	187
16	\$151	185	189	196	198	214


Step 4. Shelf Finish

91	white (CP)	+\$11
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0




Product Information
Description
This 3"-wide clip fastens to the edge of a metal shelf and holds content labels. Stick-on labels can be applied to the front of the clip or slide-in labels can be inserted from the back. Package contains 36 clear clips.
Dimensions

Specification Information
Step 1.
CO39827
\$203



Shelf Unit Back PanelC5026.



Product Information


Description

This panel attaches to a 3- or 5-shelf unit or diagonal corner shelf unit and closes the back. The shelf unit's top and bottom shelves must be flat.

Notes

Order shelf unit (C5020. or C5021.) or diagonal corner shelf unit (C5022.) separately.

Dimensions



Specification Information

Step 1.

C5026.

Step 2. Height

- 2424" high
- 3434" high

Step 3. Width

- 2422³/₄" wide
- 3028³/₄" wide
- 3634³/₄" wide
- 4846³/₄" wide


Prices for Steps 1-3.

		24	30	36	48
C5026.	24	\$279	302	324	386
	34	\$334	365	393	457

Step 4. Surface Finish

HF	inner tone light				+\$0
LT	light tone				+\$0
LU	soft white				+\$0
WN	warm grey neutral				+\$0


Light BracketC5051.



Product Information
Description
These brackets fasten a task light to the bottom of an overhead cabinet, a flat or slanted shelf in a 3- or 5-shelf unit, or a center shelf in a diagonal corner shelf unit. Package contains 1 pair. Finish is black.
Notes
For 16"-deep shelf, order under shelf LED task light (G6170.) separately.
Dimensions


Specification Information
Step 1.
C5051.
Step 2. Usage
16 for 16"-deep shelf
Prices for Steps 1-2.
C5051. 16\$177

Co/Struc® Storage



Shelf Unit Door

C5027.
C5028.



Product Information

Description

This 24"-wide door encloses a shelf unit. Attachment hardware is included.

Notes

For 24"-high door, order 3-shelf unit (C5020.) separately.

For 34"-high door, order 5-shelf unit (C5021.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions

Specification Information

Step 1.

C502

Step 2. Hinge Location

- 7. left-hand hinges
- 8. right-hand hinges

Step 3. Height

- 2424 24" high
- 3424 34" high

Step 4. Lock

- N no lock
- L keyed differently
- K keyed alike

Prices for Steps 1-4.


		N	L	K
C5027.	2424	\$554	711	711
	3424	\$726	885	885
C5028.	2424	\$541	701	701
	3424	\$719	873	873

Step 5. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$41


Step 6. Pull Option/Finish

NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0



Shelf Unit Double Doors

C5032.



Product Information

Description

These doors enclose a shelf unit. The doors are available with or without a lock. Attachment hardware is included.


Notes

For 24"-high doors, order 3-shelf unit (C5020.) separately.

For 34"-high doors, order 5-shelf unit (C5021.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C5032.

Step 2. Height

24 24" high

34 34" high

Step 3. Width

30 30" wide

36 36" wide

48 48" wide

Step 4. Lock

N no lock

L keyed differently

K keyed alike

Prices for Steps 1-4.


			N	L	K
C5032.	24	30	\$598	767	767
		36	\$701	868	868
		48	\$859	1022	1022
	34	30	\$777	940	940
		36	\$912	1078	1078
		48	\$1193	1359	1359

Step 5. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white (CP)	+\$52

Step 6. Pull Option/Finish

NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0



Product Information


Description

This top attaches to a shelf unit. It is sloped to ease cleaning and prevent the stacking of materials on top of the cabinet.

Notes

Order shelf unit (C5020. or C5021.) separately.

Dimensions



Specification Information

Step 1.

CO397.

Step 2. Depth

09	10 1/2" deep
16	17" deep

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
48	48" wide

Prices for Steps 1-3.


	24	30	36	48
CO397. 09	\$419	469	509	555
16	\$469	502	555	661

Step 4. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Shelf Unit Wall Attachment Panel

C5036.




Product Information
Description
This panel encloses the back of a 3- or 5-shelf unit and allows the shelf unit to hang on an architectural wall.
Notes
Order 3-shelf unit (C5020.) or 5-shelf unit (C5021.) separately.
Dimensions



Specification Information				
Step 1.				
C5036.				
Step 2. Height				
24	24" high			
34	34" high			
Step 3. Width				
24	24" wide			
30	30" wide			
36	36" wide			
48	48" wide			
Prices for Steps 1-3.				
	24	30	36	48
C5036. 24	\$334	372	450	522
34	\$361	387	457	545
Step 4. Surface Finish				
HF	inner tone light			+\$0
LT	light tone			+\$0
LU	soft white			+\$0
WN	warm grey neutral			+\$0
91	white (CP)			+\$26

B-Style Rail-Hanging Shelf

CO521.



Product Information

Description

This 15½"-high shelf with a lip hangs from a standard rail or adapter rail. It can hold up to 2 add-on shelves. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Notes

For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.

For fully enclosed storage, order A/B-style flipper door back panel (A3390.) and B-style flipper door (A3310., A3312., or A3313.) separately.




Order optional add-on shelves of equal depth and width separately:

- Add-on shelf with lip (C3019.)

Order optional task light separately:

- Under shelf LED task light (G6170.)

Dimensions



Specification Information

Step 1.

CO521.

Step 2. Depth

13	13" deep
16	16" deep

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-3.


	24	30	36	42	48
CO521. 13	\$615	631	656	673	710
16	\$849	868	912	933	1012

Step 4. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

B-Style Shelf

C3011.




Product Information
Description
This 15½"-high shelf with a lip hangs from a panel, a freestanding module, or wall strips. It can hold up to 2 add-on shelves. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.
Notes
For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.
For fully enclosed storage of 24"- to 48"-wide shelf, order A-/B-style flipper door back panel (A3390.) and B-style flipper door (A3310., A3312., or A3313.) separately.
Order optional add-on shelves of equal depth and width separately:
• Add-on shelf with lip (C3019.)
For 60"-wide shelf, order 60"-wide task light.
Order optional task light separately:
• Under shelf LED task light (G6170.)
Dimensions



Specification Information							
Step 1.							
C3011.							
Step 2. Depth							
13	13" deep						
16	16" deep						
Step 3. Width							
24	24" wide						
30	30" wide						
36	36" wide						
42	42" wide						
48	48" wide						
60	60" wide						
Prices for Steps 1-3.							
		24	30	36	42	48	60
C3011.	13	\$340	356	378	391	415	457
	16	\$486	504	530	551	603	724
Step 4. Surface Finish							
HF	inner tone light						+\$0
LT	light tone						+\$0
LU	soft white						+\$0
WN	warm grey neutral						+\$0

B-Style Shelf with Sloped Top

C3091.



Product Information

Description

This 16"-deep shelf hangs from a panel, a freestanding module, or wall strips and has a sloped metal top. A filler piece is included for enclosed storage applications. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Notes



For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.

To enclose back of shelf, order A-/B-style flipper door back panel (A3390.) separately.

Order optional task light separately:

- Under shelf LED task light (G6170.)

Dimensions



Specification Information

Step 1.

C3091.16

Step 2. Width

24	24" wide
30	30" wide
42	42" wide
48	48" wide

Prices for Steps 1-2.


C3091.16	24	\$674
	30	\$706
	42	\$821
	48	\$857

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Add-On Shelf with Lip

C3019.



Product Information

Description


This shelf fits into a B-style shelf or B-style rail-hanging shelf to add a second shelf. Attachment hardware is included.

Notes

Order support components separately:

- B-style (C3011.) shelf
- B-style (CO521.) rail-hanging shelf

Dimensions



Specification Information

Step 1.

C3019.

Step 2. Depth

13 13" deep

16 16" deep

Step 3. Width

24 24" wide

30 30" wide

36 36" wide

42 42" wide

48 48" wide

60 60" wide

Prices for Steps 1-3.


		24	30	36	42	48	60
C3019.	13	\$198	208	231	245	266	298
	16	\$291	307	332	351	408	510

Step 4. Surface Finish

HF	inner tone light						+\$0
LT	light tone						+\$0
LU	soft white						+\$0
WN	warm grey neutral						+\$0

Shelf Label Clip

CO398



Product Information

Description

This 3"-wide clip fastens to the edge of a metal shelf and holds content labels. Stick-on labels can be applied to the front of the clip or slide-in labels can be inserted from the back. Package contains 36 clear clips.

Dimensions


Specification Information


Step 1.

CO39827

\$203

Co/Struc® Storage





Product Information

Description

This enclosed storage unit hangs on rails for stationary storage. The locker has 20 drawer slots in 3" increments and holds interchangeable components. The locker has the following lock options: no lock, keyed lock, or keyless lock. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock. The keyless lock is shipped with the battery.

Notes

Order rail components separately:


- Standard rail assembly (CO282)

Order transport/storage components separately:

- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Drawer (CO207, CO208, or CO209)
- Pullout catheter rack (CO469.)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CO561

Step 2. Lock

FF	no lock
FL	keyed lock, keyed differently
KA	keyed lock, keyed alike
EL	keyless lock, keyed differently
EK	keyless lock, keyed alike

Prices for Steps 1-2.

CO561	FF	\$2448
	FL	\$2667
	KA	\$2667
	EL	\$3943
	EK	\$3943

Step 3. Locker Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 4. Door Finish

3B	beachglass	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0

Step 5. Key Number


For keyed lock, keyed alike (KA) or keyless lock, keyed alike (EK)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0

Locker, with Tambour Door *continued*

Co/Struc® Storage

13	key number 13	+\$0	60	key number 60	+\$0
14	key number 14	+\$0	61	key number 61	+\$0
15	key number 15	+\$0	62	key number 62	+\$0
16	key number 16	+\$0	63	key number 63	+\$0
17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			



Product Information

Description

This enclosed storage unit hangs on rails for stationary storage. The locker has 20 drawer slots in 3" increments and holds interchangeable components.

Door is hinged at the right.

Available with no lock, keyed lock, keyless lock, or RFID lock.

Notes

Door frame color matches locker color.

Order rail components separately:


- Standard rail assembly (CO282)

Order transport/storage components separately:

- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Drawer (CO207, CO208, or CO209)
- Pullout catheter rack (CO469.)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CO570

Step 2. Lock

FF	no lock
FL	keyed lock, keyed differently
KA	keyed lock, keyed alike
KP	keyless lock
RF	RFID lock

Prices for Steps 1-2.

CO570	FF	\$3160
	FL	\$3409
	KA	\$3409
	KP	\$3939
	RF	\$4900

Step 3. Locker Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 4. Door Insert Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0

Step 5. Key Number


For keyed lock, keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0

Locker, with Hinged Door *continued*

Co/Struc® Storage


15	key number 15	+\$0	62	key number 62	+\$0
16	key number 16	+\$0	63	key number 63	+\$0
17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			



Product Information
Description
This storage unit hangs on rails for stationary storage. The locker has 20 drawer slots in 3" increments and holds interchangeable components.
Notes
Order rail components separately:
• Standard rail assembly (CO282)
Order transport/storage components separately:
• C tray/shelf (CO203)
• C wire shelf (CO252)
• Cassette assembly (CO565)
• Drawer (CO207, CO208, or CO209)
• Pullout catheter rack (CO469.)
Order optional locker tambour door (CO219) separately.
Dimensions


Specification Information		
Step 1.		
CO562FF		\$2161
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Storage



Locker on Wheel Base, with Tambour Door

CO564



Product Information

Description


This enclosed, mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The tambour door slides vertically for access to locker materials. The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.

The locker has the following lock options: no lock, keyed lock, or keyless lock. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock. The keyless lock is shipped with the battery.

Notes

- Order internal storage components separately:
- A-, B-, or C-size drawers (CO207, CO208, or CO209)
 - C tray/shelf (CO203)
 - C wire shelf (CO252)
 - Cassette assembly (CO565)
 - Pullout catheter rack (CO469.)
- For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Locker on Wheel Base, with Tambour Door *continued*

Specification Information

Step 1.

CO564

Step 2. Lock

FF	no lock
FL	keyed lock, keyed differently
KA	keyed lock, keyed alike
EL	keyless lock, keyed differently
EK	keyless lock, keyed alike

Prices for Steps 1-2.

CO564 FF	\$3417
FL	\$3690
KA	\$3585
EL	\$4911
EK	\$4911

Step 3. Locker Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 4. Door Finish

3B	beachglass	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0

Step 5. Key Number

For keyed lock, keyed alike (KA) or keyless lock, keyed alike (EK)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0

13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0
28	key number 28	+\$0
29	key number 29	+\$0
30	key number 30	+\$0
31	key number 31	+\$0
32	key number 32	+\$0
33	key number 33	+\$0
34	key number 34	+\$0
35	key number 35	+\$0
36	key number 36	+\$0
37	key number 37	+\$0
38	key number 38	+\$0
39	key number 39	+\$0
40	key number 40	+\$0
41	key number 41	+\$0
42	key number 42	+\$0
43	key number 43	+\$0
44	key number 44	+\$0
45	key number 45	+\$0
46	key number 46	+\$0
47	key number 47	+\$0
48	key number 48	+\$0
49	key number 49	+\$0
50	key number 50	+\$0
51	key number 51	+\$0
52	key number 52	+\$0
53	key number 53	+\$0
54	key number 54	+\$0
55	key number 55	+\$0
56	key number 56	+\$0
57	key number 57	+\$0
58	key number 58	+\$0
59	key number 59	+\$0


Locker on Wheel Base, with Tambour
Door *continued*

Co/Struc® Storage

60	key number 60	+\$0
61	key number 61	+\$0
62	key number 62	+\$0
63	key number 63	+\$0
64	key number 64	+\$0
65	key number 65	+\$0
66	key number 66	+\$0
67	key number 67	+\$0
68	key number 68	+\$0
69	key number 69	+\$0
70	key number 70	+\$0
71	key number 71	+\$0
72	key number 72	+\$0
73	key number 73	+\$0
74	key number 74	+\$0
75	key number 75	+\$0
76	key number 76	+\$0
77	key number 77	+\$0
78	key number 78	+\$0
79	key number 79	+\$0
80	key number 80	+\$0
81	key number 81	+\$0
82	key number 82	+\$0
83	key number 83	+\$0
84	key number 84	+\$0
85	key number 85	+\$0
86	key number 86	+\$0
87	key number 87	+\$0
88	key number 88	+\$0
89	key number 89	+\$0
90	key number 90	+\$0
91	key number 91	+\$0
92	key number 92	+\$0
93	key number 93	+\$0
94	key number 94	+\$0
95	key number 95	+\$0
96	key number 96	+\$0
97	key number 97	+\$0
98	key number 98	+\$0
99	key number 99	+\$0

Locker on Wheel Base, with Hinged Door

CO574



Product Information

Description

This enclosed, mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The door is hinged at the right and swings open for access to locker materials. The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.

Available with no lock, keyed lock, keyless lock, or RFID lock.

Notes


Door frame color matches locker color.

Order internal storage components separately:

- A-, B-, or C-size drawers (CO207, CO208, or CO209)
- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Pullout catheter rack (CO469.)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CO574

Step 2. Lock

FF	no lock
FL	keyed lock, keyed differently
KA	keyed lock, keyed alike
KP	keyless lock
RF	RFID lock

Prices for Steps 1-2.

CO574	FF	\$4326
	FL	\$4572
	KA	\$4572
	KP	\$5104
	RF	\$6020

Step 3. Locker Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 4. Door Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0

Step 5. Key Number


For keyed lock, keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0

Locker on Wheel Base, with Hinged
Door *continued*

Co/Struc® Storage

15	key number 15	+\$0	62	key number 62	+\$0
16	key number 16	+\$0	63	key number 63	+\$0
17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			




Product Information

Description
This mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.

Notes
Order internal storage components separately:
• A-, B-, or C-size drawers (CO207, CO208, or CO209)
• C tray/shelf (CO203)
• C wire shelf (CO252)
• Cassette assembly (CO565)
• Pullout catheter rack (CO469.)
Order optional locker tambour door (CO219) and locker lock kit (CO277) separately.
Order optional locker hinged door (CO290) separately.


Dimensions



Specification Information

Step 1.		
CO563FF		\$3378
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Storage



Product Information

Description

This vertical door provides closure on a locker. It opens by sliding into the locker bottom.

Specification Information


Step 1.

CO219FF

\$372


Dimensions

Co/Struc® Storage



66-1/4" (1683)

SIDE




22-1/8" (562)

FRONT

Step 2. Surface Finish

3B	beachglass	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0




Product Information

Description

This door provides closure on a locker. It is hinged at the right. Attachment hardware included.

Available with no lock, keyed lock, keyless lock or RFID lock.

Dimensions



Specification Information

Step 1.

CO290

Step 2. Lock

FF	no lock
FL	keyed lock, keyed differently
KA	keyed lock, keyed alike
KP	keyless lock
RF	RFID lock

Prices for Steps 1-2.

CO290	FF	\$1004
	FL	\$1258
	KA	\$1258
	KP	\$1792
	RF	\$2805

Step 3. Door Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 4. Insert Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0

Step 5. Key Number

For keyed lock, keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0

Locker Hinged Door *continued*


Co/Struc® Storage

15	key number 15	+\$0	62	key number 62	+\$0
16	key number 16	+\$0	63	key number 63	+\$0
17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			


Locker Lock Kit *continued*

Co/Struc® Storage

28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0			
72	key number 72	+\$0			
73	key number 73	+\$0			
74	key number 74	+\$0			



Product Information
Description
This keyless lock converts a locker with tambour door to a lockable storage unit. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock. The keyless lock is shipped with the battery.
Notes
For general information on locks, see Keyed-Alike Information in Appendices. Kit must be field installed.
Dimensions




Specification Information
Step 1.
CO279E
Step 2. Lock
K keyless lock, keyed alike
L keyless lock, keyed differently
Prices for Steps 1-2.
CO279E K \$1601
L \$1601
Step 3. Surface Finish
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0
Step 4. Key Number
For keyless lock, keyed alike (K)
00 key number 00 +\$0
01 key number 01 +\$0
02 key number 02 +\$0
03 key number 03 +\$0
04 key number 04 +\$0
05 key number 05 +\$0
06 key number 06 +\$0
07 key number 07 +\$0
08 key number 08 +\$0
09 key number 09 +\$0
10 key number 10 +\$0
11 key number 11 +\$0
12 key number 12 +\$0
13 key number 13 +\$0
14 key number 14 +\$0
15 key number 15 +\$0
16 key number 16 +\$0
17 key number 17 +\$0
18 key number 18 +\$0
19 key number 19 +\$0
20 key number 20 +\$0
21 key number 21 +\$0
22 key number 22 +\$0
23 key number 23 +\$0
24 key number 24 +\$0
25 key number 25 +\$0
26 key number 26 +\$0

Locker Lock Kit, Keyless *continued*

Co/Struc® Storage


27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0			
72	key number 72	+\$0			
73	key number 73	+\$0			




Product Information
Description
This component provides storage in an endoscopy/catheter cabinet. It has 2 usable surfaces: 1 surface has raised edges to prevent items from rolling off; the reverse surface is flat for applications where raised edges would interfere with material storage.
Notes
Tray/shelf surface with raised edges can be configured with subcontainers; order subcontainers separately.
Dimensions

Specification Information		
Step 1.		
CO204FF		\$121
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Storage





Co/Struc® Storage

Product Information


Description

This frame hangs on a standard rail or adapter rail, or it is supported by an L cart, process table, counter top, or heavy-duty storage work surface. It has 4 slots at 3" intervals to enclose and support storage components and accessories. The C frame cannot mount under a 24"-wide work surface and it is not recommended for overhead storage.

Notes

- Order support components separately:
- Adapter rail (C1610.)
 - Counter top (CO555, or CO556)
 - L cart (CO212)
 - Process table (C4115., C4215., or C4313.)
 - Lab work table (C461G., C462G., or C462C.)
 - Standard rail (CO282)
 - Work table (C4312.)
 - Workstation (C4310. or C4311.)
- Order storage components separately:
- C tray/shelf (CO203)
 - Drawer (CO207, CO208, or CO209)

Dimensions



Specification Information

Step 1.


CO205FF	\$321
---------	-------

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Counter Top


CO555
CO556




Product Information
Description
This surface mounts on a C frame to provide a work surface or storage surface. It includes a gripper package for attaching the top to a C frame. The single or extended counter top fits on 1 C frame. The extended counter top extends 4" past each C frame side.
Notes
Order C frame (CO205) separately.
Dimensions

Specification Information
Step 1.
CO
Step 2. Configuration/Width
555FF single
556FF extended
Prices for Steps 1-2.
CO555FF
CO556FF
Step 3. Surface Finish
HF inner tone light
LT light tone
LU soft white
WN warm grey neutral


Co/Struc® Storage




TOP



SINGLE
FRONT



EXTENDED
FRONT



Product Information

Description

This lid provides a top for a C frame. It has raised side edges to keep items from sliding off.

Notes

Use lid when storing L cart below 38"-high process table or cantilevered work surface; existing drawer bearers must be removed.

Dimensions


Specification Information


Step 1.

CO201FF \$225


Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0






Product Information
Description
This component provides storage within a C frame, locker, or interior cabinet adapter. It is designed with 2 usable surfaces: 1 surface has raised edges to prevent items from rolling off; the reverse surface is flat for applications where raised edges would interfere with material storage.
Notes
Order support component separately:
• C frame (CO205)
• Interior cabinet adapter (CG591.)
• Locker or locker on wheel base (CO561, CO562, CO563, or CO564)
Tray/shelf surface with raised edges can be configured with subcontainers or subdivider vane. Order subdivider vane (CO242) or subcontainers separately.
Dimensions




TOP



FRONT

Specification Information		
Step 1.		
CO203FF		\$152
Step 2. Surface Finish		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Co/Struc® Storage



Product Information

Description

This component organizes IV bags, forms, tape rolls, and other small items within a drawer or C tray/shelf.

Dimensions

Specification Information

Step 1.

CO242FF


\$75


Step 2. Surface Finish

LU soft white

+\$0

Co/Struc® Storage







Product Information
Description
This wire shelf fits into the slots of a C frame, locker, or interior cabinet adapter and stores items requiring air circulation. It cannot be used with a subdivider vane or subdivider.
Notes
Order support component separately:
<ul style="list-style-type: none">• C frame (CO205)• Interior cabinet adapter (CG591.)• Locker or locker on wheel base (CO561, CO562, CO563, or CO564)
Dimensions

Specification Information		
Step 1.		
CO252FF		\$195
Step 2. Surface Finish		
LU	soft white	+\$0

Co/Struc® Storage





Product Information

Description

This hardware package mounts a C frame under a work surface. 1 gripper package is required to mount each C frame to a work surface. Attachment screws are included.

Notes

C frame cannot mount with grippers under heavy-duty work surface.

Dimensions


Specification Information

Step 1.


CO266FF \$94

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0




TOP



FRONT

Drawer

CO207
CO208
CO209



Product Information


Description

This drawer fits into a locker or C frame and has stops to prevent accidental removal. It can also be mounted under a work surface using drawer bearers, ordered separately. The drawer is available with no lock, keyed lock, keyless lock or RFID lock.


Notes

To mount drawer under table or work surface, order drawer bearer package (CO228) or lockable drawer bearer (CO396) separately.
Order optional A-size subcontainer (CO231, CO232, CO233, CO234, CO235, or CO369) or B-size subcontainer (CO236, CO238, or CO240) separately.
Drawer with keyless lock (KP) or RFID (RF) option cannot be used in locker with tambour door.
Keyed lock is located on right side; keyless lock and RFID lock are located on left side.
For general information on locks, see Keyed-Alike Information in Appendices.


Dimensions




TOP



A SIZE
FRONT



B SIZE
FRONT



C SIZE
FRONT

Specification Information

Step 1.

CO20

Step 2. Size/Height

7 a size
8 b size
9 c size

Step 3. Lock

FF no lock
FL keyed differently
KA keyed alike
KP keyless lock
RF RFID lock

Prices for Steps 1-3.

CO207	FF	\$139
	FL	\$290
	KA	\$290
	KP	\$924
	RF	\$1999

CO208	FF	\$180
	FL	\$328
	KA	\$328
	KP	\$959
	RF	\$2035

CO209	FF	\$225
	FL	\$376
	KA	\$376
	KP	\$1007
	RF	\$2080

Step 4. Surface Finish

2B	juniper	+\$0
3B	beachglass	+\$0
6F	midnight	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
VR	vivid red	+\$0
WN	warm grey neutral	+\$0
YT	yellow	+\$0

Step 5. Key Number

For keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0
28	key number 28	+\$0
29	key number 29	+\$0
30	key number 30	+\$0
31	key number 31	+\$0
32	key number 32	+\$0
33	key number 33	+\$0
34	key number 34	+\$0
35	key number 35	+\$0
36	key number 36	+\$0
37	key number 37	+\$0
38	key number 38	+\$0
39	key number 39	+\$0
40	key number 40	+\$0
41	key number 41	+\$0
42	key number 42	+\$0
43	key number 43	+\$0
44	key number 44	+\$0
45	key number 45	+\$0

Drawer *continued*

46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0			
72	key number 72	+\$0			
73	key number 73	+\$0			
74	key number 74	+\$0			
75	key number 75	+\$0			
76	key number 76	+\$0			
77	key number 77	+\$0			
78	key number 78	+\$0			
79	key number 79	+\$0			
80	key number 80	+\$0			
81	key number 81	+\$0			
82	key number 82	+\$0			
83	key number 83	+\$0			
84	key number 84	+\$0			
85	key number 85	+\$0			
86	key number 86	+\$0			
87	key number 87	+\$0			
88	key number 88	+\$0			
89	key number 89	+\$0			
90	key number 90	+\$0			
91	key number 91	+\$0			
92	key number 92	+\$0			


Co/Struc® Storage

Drawer with Lockable Lid

CO370

CO372

CO374



Product Information

Description

This drawer has a hinged steel lid that can be locked. The lid can open when the drawer is pulled out to a stop position; the lid cannot be removed.

The drawer is 3", 6", or 9" high.


Notes

For B-size drawer with lockable lid, order A-size subcontainer only. For


C-size drawer with lockable lid, order A- or B-size subcontainers only.

For general information on locks, see Keyed-Alike Information in Appendices.


Dimensions




TOP



A SIZE
FRONT



B SIZE
FRONT



C SIZE
FRONT

Specification Information

Step 1.

CO37

Step 2. Size/Height

0	a size
2	b size
4	c size

Step 3. Lid Lock

FF	keyed differently
KA	keyed alike

Prices for Steps 1-3.

CO370	FF	\$491
	KA	\$491
CO372	FF	\$529
	KA	\$529
CO374	FF	\$581
	KA	\$581

Step 4. Drawer Finish

2B	juniper	+\$0
3B	beachglass	+\$0
6F	midnight	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
VR	vivid red	+\$0
WN	warm grey neutral	+\$0

Step 5. Lid Finish

LU	soft white	+\$0
----	------------	------

Step 6. Key Number

For keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0

Drawer with Lockable Lid *continued*


09	key number 09	+\$0	56	key number 56	+\$0
10	key number 10	+\$0	57	key number 57	+\$0
11	key number 11	+\$0	58	key number 58	+\$0
12	key number 12	+\$0	59	key number 59	+\$0
13	key number 13	+\$0	60	key number 60	+\$0
14	key number 14	+\$0	61	key number 61	+\$0
15	key number 15	+\$0	62	key number 62	+\$0
16	key number 16	+\$0	63	key number 63	+\$0
17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			

Locked Drawer with Lockable Lid

CO371

CO373

CO375



Product Information

Description

This drawer fits into a locker and has stops to prevent accidental removal. It has a lockable, non-removable lid that can open when the drawer is pulled out. The drawer is available with a keyed lock, keyless lock or RFID lock.

Notes


Locked drawer with lockable lid cannot be used with a C frame.

Drawer with keyless lock (KP) or RFID lock (RF) option cannot be used in locker with tambour door.


Keyed lock is located on right side; keyless lock and RFID lock are located on left side.

For general information on locks, see Keyed-Alike Information in Appendices.


Dimensions




TOP



A SIZE
FRONT



B SIZE
FRONT



C SIZE
FRONT

Specification Information

Step 1.

CO37

Step 2. Size/Height

1	a size
3	b size
5	c size

Step 3. Drawer/Lid Lock

FF	keyed differently
KA	keyed alike
KP	keyless lock
RF	RFID lock

Prices for Steps 1-3.

CO371	FF	\$632
	KA	\$632
	KP	\$1290
	RF	\$2383

CO373	FF	\$672
	KA	\$672
	KP	\$1336
	RF	\$2433

CO375	FF	\$722
	KA	\$740
	KP	\$1374
	RF	\$2467

Step 4. Drawer Finish

2B	juniper	+\$0
3B	beachglass	+\$0
6F	midnight	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
VR	vivid red	+\$0
WN	warm grey neutral	+\$0

Step 5. Drawer Key Number

For keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0

Locked Drawer with Lockable Lid

continued

04	key number 04	+\$0	51	key number 51	+\$0
05	key number 05	+\$0	52	key number 52	+\$0
06	key number 06	+\$0	53	key number 53	+\$0
07	key number 07	+\$0	54	key number 54	+\$0
08	key number 08	+\$0	55	key number 55	+\$0
09	key number 09	+\$0	56	key number 56	+\$0
10	key number 10	+\$0	57	key number 57	+\$0
11	key number 11	+\$0	58	key number 58	+\$0
12	key number 12	+\$0	59	key number 59	+\$0
13	key number 13	+\$0	60	key number 60	+\$0
14	key number 14	+\$0	61	key number 61	+\$0
15	key number 15	+\$0	62	key number 62	+\$0
16	key number 16	+\$0	63	key number 63	+\$0
17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0

Co/Struc® Storage

Locked Drawer with Lockable Lid

continued


Co/Struc® Storage

98	key number 98	+\$0	40	key number 40	+\$0
99	key number 99	+\$0	41	key number 41	+\$0
Step 6. Lid Finish			42	key number 42	+\$0
LU	soft white	+\$0	43	key number 43	+\$0
Step 7. Lid Key Number			44	key number 44	+\$0
For keyed alike (KA) or keyless lock (KP)			45	key number 45	+\$0
01	key number 01	+\$0	46	key number 46	+\$0
02	key number 02	+\$0	47	key number 47	+\$0
03	key number 03	+\$0	48	key number 48	+\$0
04	key number 04	+\$0	49	key number 49	+\$0
05	key number 05	+\$0	50	key number 50	+\$0
06	key number 06	+\$0	51	key number 51	+\$0
07	key number 07	+\$0	52	key number 52	+\$0
08	key number 08	+\$0	53	key number 53	+\$0
09	key number 09	+\$0	54	key number 54	+\$0
10	key number 10	+\$0	55	key number 55	+\$0
11	key number 11	+\$0	56	key number 56	+\$0
12	key number 12	+\$0	57	key number 57	+\$0
13	key number 13	+\$0	58	key number 58	+\$0
14	key number 14	+\$0	59	key number 59	+\$0
15	key number 15	+\$0	60	key number 60	+\$0
16	key number 16	+\$0	61	key number 61	+\$0
17	key number 17	+\$0	62	key number 62	+\$0
18	key number 18	+\$0	63	key number 63	+\$0
19	key number 19	+\$0	64	key number 64	+\$0
20	key number 20	+\$0	65	key number 65	+\$0
21	key number 21	+\$0	66	key number 66	+\$0
22	key number 22	+\$0	67	key number 67	+\$0
23	key number 23	+\$0	68	key number 68	+\$0
24	key number 24	+\$0	69	key number 69	+\$0
25	key number 25	+\$0	70	key number 70	+\$0
26	key number 26	+\$0	71	key number 71	+\$0
27	key number 27	+\$0	72	key number 72	+\$0
28	key number 28	+\$0	73	key number 73	+\$0
29	key number 29	+\$0	74	key number 74	+\$0
30	key number 30	+\$0	75	key number 75	+\$0
31	key number 31	+\$0	76	key number 76	+\$0
32	key number 32	+\$0	77	key number 77	+\$0
33	key number 33	+\$0	78	key number 78	+\$0
34	key number 34	+\$0	79	key number 79	+\$0
35	key number 35	+\$0	80	key number 80	+\$0
36	key number 36	+\$0	81	key number 81	+\$0
37	key number 37	+\$0	82	key number 82	+\$0
38	key number 38	+\$0	83	key number 83	+\$0
39	key number 39	+\$0	84	key number 84	+\$0
			85	key number 85	+\$0
			86	key number 86	+\$0

Locked Drawer with Lockable Lid

continued

87	key number 87	+\$0
88	key number 88	+\$0
89	key number 89	+\$0
90	key number 90	+\$0
91	key number 91	+\$0
92	key number 92	+\$0
93	key number 93	+\$0
94	key number 94	+\$0
95	key number 95	+\$0
96	key number 96	+\$0
97	key number 97	+\$0
98	key number 98	+\$0
99	key number 99	+\$0




Product Information
Description
This clear lid fits on a Co/Struc drawer and provides top closure.


Notes
Order drawer (CO207, CO208, or CO209) separately.

Dimensions

Specification Information
Step 1.
CO508.20
\$207

Co/Struc® Storage







Product Information
Description
This package is used to mount a nonlocking drawer under a work surface. The drawer bearer has integral stops to prevent drawers from falling when pulled out. Mounting hardware is included.
Dimensions

Specification Information		
Step 1.		
CO228FF		\$51
Step 2. Surface Finish		
BK	black	+\$0


Co/Struc® Storage



TOP




FRONT



Product Information
Description
This component is used to mount a drawer with lock under a work surface. The lockable drawer bearer has integral stops to prevent drawers from falling when pulled out. Mounting hardware is included.
Dimensions


Specification Information		
Step 1.		
CO396FF		\$113
Step 2. Surface Finish		
BK	black	+\$0

Co/Struc® Storage




Label Clip

CO274
CO462




Product Information
Description
This clip snaps onto a drawer, tray/shelf, or flipper to hold content labels.
The clip accepts pressure-sensitive labels from the front or slide-in labels from the back. Finish is clear. Package contains 12 clips; labels not included.
Dimensions



Specification Information
Step 1.
CO
Step 2. Width
27427 6" wide
462 19" wide
Prices for Steps 1-2.
CO27427 \$50
CO462 \$88



Co/Struc® Storage



Product Information
Description
This assembly fits inside a locker or C frame or fits below a work surface with a drawer bearer. It has a wire cassette, cassette bins, and subdividers. The assembly fills 2 slots in a locker or C frame.
Dimensions


Specification Information		
Step 1.		
CO565FF		\$748
Step 2. Surface Finish		
LU	soft white	+\$0

Co/Struc® Storage



Dispensing Rail

CO365
CO366
CO367
CO368



Product Information

Description

This rail attaches to a panel, a freestanding module, or wall strips to support subcontainers at a 15° angle for gravity-feed dispensing. Package contains 2.

The A-size rail holds A-size subcontainers; the B-size rail holds B-size subcontainers.

Notes

Dispensing rails hold the following number of subcontainers:

A-Size Rail Width—Number of Subcontainers

24"—5 A-1, A-2, A-3 or A-4

24"—2 A-5

24"—10 A-8

48"—10 A-1, A-2, A-3, or A-4

48"—5 A-5

48"—20 A-8

B-Size Rail Width—Number of Subcontainers

24"—5 B-1 or B-3


24"—2 B-5

48"—10 B-1 or B-3


48"—5 B-5

Order optional A-size subcontainer (CO231, CO232, CO233, CO234, CO235, or CO369) or B-size subcontainer (CO236, CO238, or CO240) separately.

Dimensions




SIDE




A-SIZE

FRONT



SIDE



B-SIZE

FRONT

Specification Information

Step 1.

CO36

Step 2. Size/Width

- 5FF a size and 24" wide
- 6FF a size and 48" wide
- 7FF b size and 24" wide
- 8FF b size and 48" wide


Prices for Steps 1-2.

CO365FF	\$520
CO366FF	\$664
CO367FF	\$560
CO368FF	\$668

Step 3. Surface Finish

LU soft white	+\$0
---------------	------

Subcontainer



CO231
CO232
CO233
CO234
CO235
CO236
CO238
CO240
CO369

Product Information

Description

This storage container fits into a drawer or onto a dispensing rail to organize and store small items. Package contains 12.

The A-size subcontainer is used with an A-size drawer (without lid) or A-size dispensing rail. It is $2\frac{3}{16}$ " high; depth and width dimensions are:

Type—Depth—Width

A-1— $4\frac{9}{16}$ "— $4\frac{9}{16}$ "

A-2— $9\frac{3}{16}$ "— $4\frac{9}{16}$ "

A-3— $13\frac{13}{16}$ "— $4\frac{9}{16}$ "

A-4— $18\frac{7}{16}$ "— $4\frac{9}{16}$ "

A-5— $9\frac{3}{16}$ "— $9\frac{3}{16}$ "

A-8— $13\frac{13}{16}$ "— $2\frac{1}{4}$ "

The B-size subcontainer is used with a B-size drawer (without lid), B-size dispensing rail, or C-size drawer. It is $5\frac{3}{16}$ " high; depth and width dimensions are:

Type—Depth—Width

B-1— $4\frac{9}{16}$ "— $4\frac{9}{16}$ "

B-3— $13\frac{13}{16}$ "— $4\frac{9}{16}$ "


B-5— $9\frac{3}{16}$ "— $9\frac{3}{16}$ "

Notes


Order following products separately:

- Drawer (CO207, CO208, or CO209)
- Dispensing rail (CO365, CO366, CO367, or CO368)

Dimensions



TOP



A-SIZE
FRONT

B-SIZE
FRONT

Co/Struc® Storage

Specification Information

Step 1.

CO

Step 2. Size

- 231FF a-1
- 232FF a-2
- 233FF a-3
- 234FF a-4
- 235FF a-5
- 369FF a-8
- 236FF b-1
- 238FF b-3
- 240FF b-5

Prices for Steps 1-2.


CO231FF	\$113
CO232FF	\$113
CO233FF	\$123
CO234FF	\$123
CO235FF	\$123
CO369FF	\$118
CO236FF	\$123
CO238FF	\$169
CO240FF	\$169

Step 3. Surface Finish

LU	soft white	+\$0
----	------------	------

A-Size Drawer Organizer Kit

CO540
CO541
CO542
CO543
CO544
CO545



Product Information

Description

This kit fits inside an A-size drawer (without lid) and has 6 combinations of subcontainers and subcontainer dividers.

A-size subcontainer is 2 $\frac{3}{16}$ " high. Width and depth dimensions are:

Type—Width—Depth

A-1—4 $\frac{9}{16}$ "—4 $\frac{9}{16}$ "

A-2—4 $\frac{9}{16}$ "—9 $\frac{3}{16}$ "



A-3—4 $\frac{9}{16}$ "—13 $\frac{13}{16}$ "

A-4—4 $\frac{9}{16}$ "—18 $\frac{7}{16}$ "

A-5—9 $\frac{3}{16}$ "—9 $\frac{3}{16}$ "


A-8—2 $\frac{1}{4}$ "—13 $\frac{13}{16}$ "

Dimensions




CO540FF


TOP




CO541FF




CO542FF



CO543FF



CO544FF



CO545FF

Specification Information

Step 1.

CO54

Step 2. Components

0FF 4 a-3 subcontainers, 6 a-3 dividers

1FF 1 a-3 subcontainer, 6 a-8 subcontainers, 2 a-3 dividers, 7 a-8 dividers

2FF 2 a-1 subcontainers, 2 a-2 subcontainers, 1 a-3 subcontainer, 2 a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers

3FF 3 a-3 subcontainers, 2 a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers

4FF 4 a-2 subcontainers, 1 a-4 subcontainer, 8 a-3 dividers

5FF 2 a-1 subcontainers, 2 a-3 subcontainers, 1 a-5 subcontainer, 4 a-3 dividers

Prices for Steps 1-2.


CO540FF	\$104
CO541FF	\$110
CO542FF	\$110
CO543FF	\$104
CO544FF	\$104
CO545FF	\$104

Step 3. Surface Finish

LU	soft white	+\$0
-----------	------------	------

B-Size Drawer Organizer Kit

CO546
CO547



Product Information

Description

This kit fits inside a B-size drawer (without lid) or C-size drawer and has 2 combinations of subcontainers and subcontainer dividers.

The B-size subcontainer is 5³/₁₆" high. Width and depth dimensions are:



Type—Width—Depth

B-1—4⁹/₁₆"—4⁹/₁₆"

B-3—4⁹/₁₆"—13¹³/₁₆"

B-5—9³/₁₆"—9³/₁₆"

Dimensions




Specification Information

Step 1.		
CO54		
Step 2. Components		
6FF	4 b-3 subcontainers, 4 b-3 dividers	
7FF	2 b-1 subcontainers, 2 b-3 subcontainers, 1 b-5 subcontainer, 2 b-3 dividers	
Prices for Steps 1-2.		
CO546FF		\$125
CO547FF		\$125
Step 3. Surface Finish		
LU	soft white	+\$0

Subcontainer Divider

CO378
CO379
CO380



Product Information
Description
This divider fits into subcontainers to separate and organize stored items. A divider can be adjusted by sliding it to the desired position. The divider is not available for A-5 and B-5 subcontainers. Package contains 12.
The divider for an A-8 subcontainer is 1⅝" high and 2⅞" wide; the divider for an A-1, A-2, A-3, or A-4 subcontainer is 1⅝" high and 4¼" wide; and the divider for a B-1 or B-3 subcontainer is 4" high and 4¼" wide.


Dimensions
<div><div><p>SIDE</p></div><div><p>FRONT</p></div></div>

Specification Information
Step 1.
CO3
Step 2. Usage
78FF for a-8 subcontainer
79FF for a-1, a-2, a-3, or a-4 subcontainers
80FF for b-1 or b-3 subcontainers
Prices for Steps 1-2.
CO378FF \$106
CO379FF \$106
CO380FF \$108
Step 3. Surface Finish
LU soft white +\$0

Co/Struc® Storage

Subcontainer Handle

C0376
C0377



Product Information

Description

This snap-on handle has a surface for identification labels in a picking station. It also can convert a small or large subcontainer into a drawer when used on the flat surface of a C tray. The handle cannot be used with a subcontainer in an A-size drawer. Package contains 12.

Notes

Handle accepts following label:

- 2 1/8"-wide handle: 3/4" x 1" gummed label
- 4 1/2"-wide handle: 3/4" x 3" drop-in label

For 4 1/2"-wide handle, order label (C0459) separately.

Dimensions

Specification Information

Step 1.

C037

Step 2. Width

6FF	2 1/8" wide
7FF	4 1/2" wide


Prices for Steps 1-2.

C0376FF	\$56
C0377FF	\$70

Step 3. Surface Finish


LU	soft white	+\$0
----	------------	------

Co/Struc® Storage



Subcontainer Handle Label

CO459



Product Information

Description

This label slides into a 4½"-wide subcontainer handle. Package contains 100 cards with 10 perforated labels per card (1000 labels total).

Specification Information


Step 1.

CO459

\$47

Subcontainer Label Flag

C0381
C0382




Product Information

Description

This flag snaps onto subcontainers that are hung from a dispensing rail. It provides a visible surface for identification labels. Package contains 12.

The flag for an A-8 subcontainer is 1¼" wide; the flag for an A-3 or B-3 subcontainer is 3½" wide.

Dimensions




Specification Information


Step 1.		
C038		
Step 2. Usage		
1FF	for a-8 subcontainer	
2FF	for a-3 or b-3 subcontainer	
Prices for Steps 1-2.		
C0381FF		\$152
C0382FF		\$172
Step 3. Surface Finish		
LU	soft white	+\$0

Pullout Catheter Rack

CO469.




Product Information
Description
This 20"-wide, powder-coated wire rack fits into the slots of a locker to organize catheters. It is available with 3 or 4 independent, pullout slides. Each pullout slide has 4 prongs, 4 side label clips, and 1 front label holder. Each prong holds up to 10 catheters. Finish is soft white.
Dimensions



Specification Information
Step 1.
CO469.20
Step 2. Slides
03 3 slides
04 4 slides
Prices for Steps 1-2.
CO469.20 03 \$1091
04 \$1219

Co/Struc® Storage

Laptop CartCO600.




Product Information

Description

This height-adjustable laptop cart delivers point-of-care technology and holds a 17" laptop. The surface provides security by locking a laptop into place during use. The cart holds a maximum of 30 pounds and has 4"-high casters; 2 locking and 2 nonlocking. It has an 18" height-adjustment range and is adjusted with a paddle on the front of the surface. The cart includes a swivel mouse tray. Shipped fully assembled.

The surface is Cloud Surf laminate; the base finish is polished aluminum.

Dimensions



Specification Information

Step 1.

CO600.

Step 2. Power Option

- N no power strip
- P power strip

Step 3. Bar Code Scanner Holder

- N no bar code scanner holder
- B bar code scanner holder

Step 4. Utility Basket


- N no utility basket
- U utility basket

Step 5. Drawer


- N no drawer
- D drawer

Prices for Steps 1-5.

				NN	ND	UN	UD
CO600.	N	N		\$3963	4531	4263	4830
		B		\$4116	4679	4416	4978
	P	N		\$4468	5030	4770	5332
		B		\$4616	5180	4917	5480




Product Information
Description
This height-adjustable cart delivers point-of-care technology. It holds a flat panel monitor arm and includes a 10"-wide column-mounted CPU holder with straps. The arm meets VESA standards (Video Electronic Standards Association - Mounting Interface Standards). The cart holds a maximum of 30 pounds and has 4"-high casters; 2 locking and 2 nonlocking. It has an 18" height-adjustment range and is adjusted with a paddle on the front of the surface. The cart includes a swivel mouse tray and 2 plates: 75mm and 100mm. Shipped fully assembled.
The surface is Cloud Surf laminate; the base finish is polished aluminum; and the CPU holder is black.
Dimensions



Specification Information						
Step 1.						
CO601.						
Step 2. Power Option						
N	no power strip					
P	power strip					
Step 3. Bar Code Scanner Holder						
N	no bar code scanner holder					
B	bar code scanner holder					
Step 4. Utility Basket						
N	no utility basket					
U	utility basket					
Step 5. Drawer						
N	no drawer					
D	drawer					
Prices for Steps 1-5.						
		NN	ND	UN	UD	
CO601.	N	N	\$4181	4777	4497	5094
		B	\$4341	4937	4660	5252
	P	N	\$4710	5303	5029	5623
		B	\$4871	5464	5188	5780

Coiled Power Cord

CO602.



Product Information

Description

This hospital-grade power cord has a 1.5' coiled cord that extends to 7.5'. Finish is black.

Dimensions

Specification Information


Step 1.

CO602.	\$267
--------	-------




Utility Basket


CO605.



Product Information
<p>Description</p> <p>This perforated basket attaches to the column of a laptop or flat-panel cart and holds a utility basket. It can be used to hold charts, paper products, and other supplies. Finish is black.</p>
<p>Dimensions</p>

Specification Information
<p>Step 1.</p> <p>CO605. \$338</p>







Product Information
Description
This holder attaches to the surface of a laptop or flat-panel cart. It manages cables and wires and includes reusable cable ties. Finish is black.
Notes
Laptop-cart cable manager has 1 solid holder. Flat-panel-cart cable manager has 2 pieces that attach to each side of the flat-screen arm holder and go down through the work surface.
Dimensions

Specification Information		
Step 1.		
CO608.		
Step 2. Usage		
01	for laptop cart	
02	for flat panel cart	
Prices for Steps 1-2.		
CO608. 01		\$244
02		\$244

Co/Struc® Mobile Technology Carts




01



02

Coiled Power Cord

CO609.



Product Information

Description

This hospital-grade power cord has a 1.5' coiled cord that extends to 7.5'. Finish is black.

Dimensions


Specification Information

Step 1.

CO609.

\$479







Product Information

Description
This mobile cart has a platform, 4 rail profiles for hanging frames, and 4 casters (2 swivel and 2 swivel with brake) that are 4 3/4" hard-rubber zinc.

Notes
To hang drawer or shelf storage components, order C frame (CO205) separately.

Dimensions



Specification Information

Step 1.
CO212

Step 2. Application
FF standard

Prices for Steps 1-2.
CO212 FF \$1138

Step 3. Surface Finish
LU soft white +\$0

Co/Struc® Transport

Index by Product Name

Co/Struc® System	
2-Way 90° Corner Connector	page(s) 31
2-Way Module Corner Connector	46
3-Way 90° Corner Connector	32
3-Way Module Corner Connector	47
Access Panel Assembly	54
Adapter Rail	7
ADA Sink Support, Systems Mounted	110
Add-On Shelf, Shelf Unit	128
Add-On Shelf with Lip	139
Adjustable Work Table Base	97
Anchor Support Kit	49
A-Size Drawer Organizer Kit	185
Backsplash Filler	81
Basic Work Table Base	92
B-Size Drawer Organizer Kit	186
B-Style Rail-Hanging Shelf	136
B-Style Shelf	137
B-Style Shelf with Sloped Top	138
Cable Manager	196
Cassette Assembly	180
Ceiling Entry Support Panel	26
Center Closure Panel	61
C Frame	160
C Frame Support	78
Clear Lid	176
C Lid	162
Coiled Power Cord	194, 197
Combination Access Panel Assembly	56
Component Adapter Kit	79
Counter Top	161
CS Tray/Shelf	159
C Tray/Shelf	163
C Wire Shelf	165
Dispensing Rail	181
Drawer	167
Drawer Bearer Package	177
Drawer with Lockable Lid	170
Draw Rod, Seismic	12
End Cap for Standard or Seismic Rail	10
End Closure Assembly	60
Equipment Rail, Systems Mounted	9
Equipment Rail, Wall Mounted	8
Flat Panel Cart	193
Flat Panel Mount	107
Floor Anchor Adapter Kit	17
Floor Anchor Bracket, Action Office® Series 1	14

Floor Anchor Bracket, Action Office® Series 2	15
Floor Anchor Bracket, Co/Struc® Lab Module	13
Floor Entry Support Panel	24
Gripper Package	166
Heavy-Duty Corner Work Surface	82
Heavy-Duty Corner Work Surface, Action Office® Series 1 or 2 90° Corner Connector	84
Heavy-Duty Work Surface	72
Interface Connector	33
Interior Filler	114
Interior Shelf	51
Interior Shelf and Support Kit	53
Label Clip	179
Laptop Cart	192
L Cart	198
Light Bracket	131
Lockable Drawer Bearer	115, 178
Locked Drawer with Lockable Lid	172
Locker	145
Locker Hinged Door	153
Locker Lock Kit	155
Locker Lock Kit, Keyless	157
Locker on Wheel Base	151
Locker on Wheel Base, with Hinged Door	149
Locker on Wheel Base, with Tambour Door	146
Locker Tambour Door	152
Locker, with Hinged Door	143
Locker, with Tambour Door	141
Low Cup Sink Access Panel Assembly	58
Low Module	38
Low Module Terminal Panel	41
Marker Board	106
Mid-Run Support, Double Sided	36
Mid-Run Support, Single Sided	35
Module Support Leg	48
Module Wall Start	45
Open Support Panel	20
Panel Connector	34
Panel Stiffener, Action Office® Series 1 or Series 2 Top Cap	18
Panel Wall Start	30
Pass-Through Cover	77
Pass-Through Module	39
Pass-Through Module Terminal Panel	42
Power Strip	105
Process Table, Electric Height Adjustment	85
Pullout Catheter Rack	191
Rail-Hanging Work Surface	76

Index by Product Name *continued*

Index: Product Name

Rail Hardware	6
Reagent Shelf	86
Riser Frame Divider	103
Riser Frame End Cover	104
Seismic Finished End	16
Shelf End Cap	52
Shelf Label Clip	129, 140
Shelf Unit	124
Shelf Unit, 90° Corner	127
Shelf Unit Back Panel	130
Shelf Unit, Diagonal Corner	126
Shelf Unit Door	132
Shelf Unit Double Doors	133
Shelf Unit Wall Attachment Panel	135
Sink Module	108
Sink Unit for Storage	109
Sloped Shelf Unit Top	134
Standard-Duty Work Surface	70
Standard Rail	5
Standard Work Table Base	94
Storage Case	116
Storage Case Bottle Drawer	120
Storage Case Door	121
Storage Case Drawer	119
Storage Case Leg	122
Storage Case Pullout Shelf	118
Storage Case Shelf	117
Storage Unit	111
Storage Unit Door	113
Storage Unit Shelf	112
Storage Unit with Sliding Doors	123
Subcontainer	183
Subcontainer Divider	187
Subcontainer Handle	188
Subcontainer Handle Label	189
Subcontainer Label Flag	190
Subdivider Vane	164
Support Panel	22
Support Panel Top Cap	37
Terminal Panel	28
Top Shelf	50
Utility Basket	195
Vertical Chase Cover	44
Wall Rail, Seismic	11
Wall Strip Cover	19
Wire Chase Overlay	69
Wire Chase Rail	62

Wire Chase Rail, 90° Inside Corner	64
Wire Chase Rail Bridge	66
Wire Chase Rail Cover	68
Wire Chase Rail End Cap	67
Workstation, Electric Height Adjustment	87
Workstation, Manual Height Adjustment	89
Work Surface Backsplash	80
Work Surface Support	75
Work Table, Electric Height Adjustment	91
Work Table Reagent Shelf	102
Work Table Surface, Rectangular	99

Index by Product Number

A1250. Seismic Finished End	page(s) 16
C460G. Basic Work Table Base	92
C461G. Standard Work Table Base	94
C462C. Adjustable Work Table Base	97
C462G.	
C1112. Low Module	38
C1114. Pass-Through Module	39
C1122. Low Module Terminal Panel	41
C1122. Pass-Through Module Terminal Panel	42
C1124.	
C1150. Open Support Panel	20
C1151. Support Panel	22
C1155. Floor Entry Support Panel	24
C1156. Ceiling Entry Support Panel	26
C1161. Terminal Panel	28
C1170. Equipment Rail, Wall Mounted	8
C1172. Equipment Rail, Systems Mounted	9
C1211. Panel Wall Start	30
C1212. Module Wall Start	45
C1220. 2-Way Module Corner Connector	46
C1221. 2-Way 90° Corner Connector	31
C1230. 3-Way Module Corner Connector	47
C1231. 3-Way 90° Corner Connector	32
C1261. Interface Connector	33
C1272. Mid-Run Support, Single Sided	35
C1273. Mid-Run Support, Double Sided	36
C1274. Support Panel Top Cap	37
C1275. Module Support Leg	48
C1276. Anchor Support Kit	49
C1281. Panel Connector	34
C1313. Wire Chase Rail	62
C1314.	
C1315. Wire Chase Rail Cover	68
C1316.	
C1317.	
C1318.	
C1321. Wire Chase Rail, 90° Inside Corner	64
C1322.	
C1326. Wire Chase Rail Bridge	66
C1327.	
C1331. Wire Chase Rail End Cap	67
C1332.	
C1358. Wire Chase Overlay	69
C1412. Access Panel Assembly	54
C1422. Combination Access Panel Assembly	56
C1432. Low Cup Sink Access Panel Assembly	58
C1451. End Closure Assembly	60

C1455. Center Closure Panel	61
C1460. Vertical Chase Cover	44
C1510. Shelf End Cap	52
C1510. Top Shelf	50
C1511. Interior Shelf	51
C1511. Shelf End Cap	52
C1515. Interior Shelf and Support Kit	53
C1610. Adapter Rail	7
C2140. Work Surface Support	75
C2141. Heavy-Duty Work Surface	72
C2142. Standard-Duty Work Surface	70
C2192. C Frame Support	78
C2193. Component Adapter Kit	79
C2215. Heavy-Duty Corner Work Surface	82
C2216. Heavy-Duty Corner Work Surface, Action Office® Series 1 or 2 90° Corner Connector	84
C2399. Pass-Through Cover	77
C2410. Rail-Hanging Work Surface	76
C2512. Sink Module	108
C2513. Sink Unit for Storage	109
C2520. ADA Sink Support, Systems Mounted	110
C2910. Work Surface Backsplash	80
C2920. Backsplash Filler	81
C3011. B-Style Shelf	137
C3019. Add-On Shelf with Lip	139
C3091. B-Style Shelf with Sloped Top	138
C4310. Workstation, Electric Height Adjustment	87
C4311. Workstation, Manual Height Adjustment	89
C4312. Work Table, Electric Height Adjustment	91
C4313. Process Table, Electric Height Adjustment	85
C4320. Riser Frame Divider	103
C4321. Riser Frame End Cover	104
C4322. Power Strip	105
C4323. Marker Board	106
C4324. Flat Panel Mount	107
C4326. Reagent Shelf	86
C4327.	
C4700. Work Table Surface, Rectangular	99
C4900. Work Table Reagent Shelf	102
C5009. Interior Filler	114
C5010. Storage Unit	111
C5014. Storage Unit with Sliding Doors	123
C5015. Storage Unit Shelf	112
C5016. Storage Unit Door	113
C5017.	
C5020. Shelf Unit	124
C5021.	

Index by Product Number *continued*

Index: Product Number

C5022.	Shelf Unit, Diagonal Corner	126
C5024.	Shelf Unit, 90° Corner	127
C5025.	Add-On Shelf, Shelf Unit	128
C5026.	Shelf Unit Back Panel	130
C5027.	Shelf Unit Door	132
C5028.		
C5032.	Shelf Unit Double Doors	133
C5036.	Shelf Unit Wall Attachment Panel	135
C5040.	Storage Case	116
C5041.	Storage Case Shelf	117
C5042.	Storage Case Pullout Shelf	118
C5043.	Storage Case Drawer	119
C5044.		
C5045.	Storage Case Bottle Drawer	120
C5048.	Lockable Drawer Bearer	115
C5050.	Storage Case Leg	122
C5051.	Light Bracket	131
C5052.	Storage Case Door	121
C5053.		
CO201	C Lid	162
CO203	C Tray/Shelf	163
CO204	CS Tray/Shelf	159
CO205	C Frame	160
CO207	Drawer	167
CO208		
CO209		
CO212	L Cart	198
CO215.	Draw Rod, Seismic	12
CO219	Locker Tambour Door	152
CO228	Drawer Bearer Package	177
CO231	Subcontainer	183
CO232		
CO233		
CO234		
CO235		
CO236		
CO238		
CO240		
CO242	Subdivider Vane	164
CO252	C Wire Shelf	165
CO266	Gripper Package	166
CO274	Label Clip	179
CO277	Locker Lock Kit	155
CO279	Locker Lock Kit, Keyless	157
CO282	Standard Rail	5
CO284	Rail Hardware	6
CO285		

CO290	Locker Hinged Door	153
CO338	End Cap for Standard or Seismic Rail	10
CO365	Dispensing Rail	181
CO366		
CO367		
CO368		
CO369	Subcontainer	183
CO370	Drawer with Lockable Lid	170
CO371	Locked Drawer with Lockable Lid	172
CO372	Drawer with Lockable Lid	170
CO373	Locked Drawer with Lockable Lid	172
CO374	Drawer with Lockable Lid	170
CO375	Locked Drawer with Lockable Lid	172
CO376	Subcontainer Handle	188
CO377		
CO378	Subcontainer Divider	187
CO379		
CO380		
CO381	Subcontainer Label Flag	190
CO382		
CO396	Lockable Drawer Bearer	178
CO397.	Sloped Shelf Unit Top	134
CO398	Shelf Label Clip	129, 140
CO459	Subcontainer Handle Label	189
CO462	Label Clip	179
CO469.	Pullout Catheter Rack	191
CO479	Wall Rail, Seismic	11
CO481	Floor Anchor Bracket, Action Office® Series 1	14
CO485	Floor Anchor Bracket, Action Office® Series 2	15
CO487.	Wall Strip Cover	19
CO508.	Clear Lid	176
CO521.	B-Style Rail-Hanging Shelf	136
CO540	A-Size Drawer Organizer Kit	185
CO541		
CO542		
CO543		
CO544		
CO545		
CO546	B-Size Drawer Organizer Kit	186
CO547		
CO552	Floor Anchor Adapter Kit	17
CO553	Panel Stiffener, Action Office® Series 1 or Series 2 Top Cap	18
CO555	Counter Top	161
CO556		
CO561	Locker, with Tambour Door	141
CO562	Locker	145
CO563	Locker on Wheel Base	151



CO564	Locker on Wheel Base, with Tambour Door	146
CO565	Cassette Assembly	180
CO568	Floor Anchor Bracket, Co/Struc® Lab Module	13
CO570	Locker, with Hinged Door	143
CO574	Locker on Wheel Base, with Hinged Door	149
CO600	Laptop Cart	192
CO601	Flat Panel Cart	193
CO602	Coiled Power Cord	194
CO605	Utility Basket	195
CO608	Cable Manager	196
CO609	Coiled Power Cord	197



20-Day or Less/Assigned Lead-Time Order Information — Healthcare

20-Day or Less/Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number: (616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Packaging/Keyed-Alike Information — Co/Struc® System

Packaging

Packaging varies according to individual product. A surcharge may be added for special packaging requests. Contact Customer Care for specific information.

Keyed-Alike Locks

All components with locks may be specified keyed alike.

Keyed-alike Co/Struc components with a “CO” or “CV” prefix will be shipped with lock plugs installed. Mobile Technology Support products (CO600, CO601, and CO606) cannot be ordered keyed alike.

Keyed-alike Co/Struc components with a “C” prefix will be shipped with lock chassis installed. Lock plugs will be shipped separately, tagged for product and location as specified. Installation of lock plugs will be on-site according to instructions provided. Herman Miller, Inc., will not be responsible for lock plug installation.

To order keyed-alike locks for “C” prefix components, specify keyed alike. Then place a separate order for plugs and locks:

1. List plug part number and key number (232092-XXX); select a key number (or numbers) between 226 and 324.
2. List quantity of locks per key number.
3. Indicate this is a no charge order.

Keyed-alike locks are field installed.

A Medeco master key can be used to open any lock on Co/Struc components with a “CO” or “CV” prefix, except on Mobile Technology Support products CO600, CO601, and CO606. Customers interested in ordering master keys should contact Customer Care with a written request. To remove lock plugs from existing components, loosen the hex nut inside the product and remove the plug. These locks are available in key numbers 01 through 99. To remove lock plugs from locker with electronic lock, remove the cover from the e-lock mounting plate (be careful not to separate battery wires from unit). Next, loosen the hex nut inside the cover and remove the plug.

A Hudson master key can be used to open any lock on Co/Struc components with a “C” prefix. To remove lock plugs from existing components, a removal key or lock change tool is required. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care with a written request. Locks for “C” prefix components are available in key numbers 226 through 324 but are ordered as key numbers 01 through 99. Use the following chart to cross-reference the number selection.

“C” lock order numbers	Actual “C” lock plug numbers
1	226
2	227
3	228
4	229
5	230
6	231
7	232
8	233
9	234
10	235
11	236
12	237
13	238
14	239
15	240
16	241
17	242
18	243
19	244
20	245
21	246
22	247
23	248
24	249
25	250
26	251
27	252
28	253
29	254
30	255
31	256
32	257
33	258
34	259
35	260
36	261
37	262
38	263
39	264
40	265
41	266
42	267
43	268
44	269
45	270
46	271
47	272
48	273
49	274
50	275

“C” lock order numbers	Actual “C” lock plug numbers
51	276
52	277
53	278
54	279
55	280
56	281
57	282
58	283
59	284
60	285
61	286
62	287
63	288
64	289
65	290
66	291
67	292
68	293
69	294
70	295
71	296
72	297
73	298
74	299
75	300
76	301
77	302
78	303
79	304
80	305
81	306
82	307
83	308
84	309
85	310
86	311
87	312
88	313
89	314
90	315
91	316
92	317
93	318
94	319
95	320
96	321
97	322
98	323
99	324

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© HermanMiller, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyriss, Lyriss 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemisurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Lisocore® is a registered trademark of Pyrus Panels GmbH.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.