

Prices effective February 3, 2025 Published February 2025

Procedure/Supply Carts

ntroduction	page 2
Procedure/Supply Carts	3
Carts	5
nterior Components	25
Exterior Accessories	54
ndices	91
By Name	91
By Number	93
Appendices	
20-Day or Less/Assigned Lead-Time Order Information-Healthcare	
Packaging/Keyed-Alike Information-Procedure/Supply Carts	
For the latest materials information, refer to the Materials pages on Herma	nMiller.com.

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 3, 2025, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest ¹/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon A will ship in **20 business days or less** after being acknowledged by Herman Miller.


Products and options designated by an A are on the assigned lead- time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Procedure/Supply Carts

Carts

Interior Components

Exterior Accessories




Description

This Try-A-Cart kit is a preconfigured cart with optimal options and accessories to demonstrate key features and solutions to customers. This product is best shown alongside CTC.TAC212, sold separately.

This kit includes the following cart components:

- 36"-high 20 Series cart with slide out shelf in soft white (CT336.60SLU)
- 3" drawer in soft white (CT501.03LU), quantity 2
- 6" drawer in soft white (CT501.06LU), quantity 2
- 6" drawer with locked lid and keyless lock in soft white (CT505.06PLU)
- 3" drawer organizer kit (CT580.03)
- 3" drawer organizer kit (CT583.03)
- 6" drawer organizer kit (CT575.06)
- Basic keyless lock bar on the right in soft white (CT625.P36RKLU)
- Side accessory rail mounted on the 4th segment on the left side (CT782.15L4)
- Small supply basket (CT720.01)
- Rail clamp (CT729.01)
- Drawer color labels (CT990.L8)

Dimensions




Specification Information

Step 1.

CTC.TAC336 A

\$3453




Description


This Try-A-Cart kit is a preconfigured cart with optimal options and accessories to demonstrate key features and solutions to customers. This product is best shown alongside CTC.TAC336, sold separately.

This kit includes the following cart components:

- L-Cart in soft white (CO212FFLU)
- C Frame in soft white (CO205FFLU)
- C Lid in soft white (CO201FFLU)
- 3" drawer in soft white (CO207FFLU)
- 6" drawer in soft white (CO208FFLU)
- 9" drawer in soft white (CO209FFLU)

Dimensions







Specification Information

Step 1.

CTC.TAC212 A

\$2174

+\$0

+\$0

+\$0

+\$0

+\$0

+\$0

+\$0

36" H Procedure Cart for Basic Supply Storage

CTC.

HF

LT

LU

۷R

WN

ΥT

ZΡ

inner tone light A

warm grey neutral A


light tone A

soft white A

vivid red A

yellow A

terra cotta 🖪



Product Information


Description


This cart is a typical configuration for basic supply storage. The purpose is to store and organize smaller quantities of supplies that do not require security. This cart includes the following components:

- 36"-high Series 20 cart (CT336.60N)
- 3" drawer (CT501.03), quantity 1
- 6" drawer (CT501.06), quantity 2
- 9" drawer (CT501.09), quantity 1
- Segment 3 mounted accessory rail (CT782.15L3)
- 3" drawer organizer kit (CT583.03)
- 6" drawer organizer kit (CT575.06)

Notes


All drawers come in the color specified in the drawer finish step.







Specification	Information	
Step 1.	mormation	
CTC.336 A		\$1603
Step 2. Surface	Finish	
	ne light 🖪	+\$0
LU soft whit	• _	+\$0
WN warm gr	ey neutral A	+\$0
Step 3. Drawer F	inish	
2B juniper	А	+\$0
3B beachgl	ass A	+\$0
6F midnigh	. A	+\$0
DA deep blu	e A	+\$0



Description

This cart is a typical configuration for basic supply storage with security. The purpose is to store and organize smaller quantities of supplies that require security.


This cart includes the following components:

- 36"-high Series 20 cart (CT336.60N)
- 3" drawer (CT501.03), quantity 1
- 6" drawer (CT501.06), quantity 2
- 9" drawer (CT501.09), quantity 1
- Basic keyless lock bar (CT625.P36R)
- Segment 4 mounted accessory rail (CT782.15L4)
- Supply basket (CT720.01)
- 3" drawer organizer kit (CT583.03)
- 6" drawer organizer kit (CT575.06)

Notes

All drawers come in the color specified in the drawer finish step.

Dimensions



Specification Information

Step 1.

CTC.336S A

Step 2. Lock

K keyed alike A

L keyed differently A

Prices for Steps 1-2.	
CTC.336S K	\$2297
L	\$2297

Step 3.	Base/Lock Bar Finish	
HF	inner tone light A	+\$0
LU	soft white A	+\$0
WN	warm grey neutral A	+\$0

Step 4.	Drawer Finish	
2B	juniper A	+\$0
3B	beachglass A	+\$0
6F	midnight A	+\$0
DA	deep blue A	+\$0
HF	inner tone light A	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
VR	vivid red A	+\$0
WN	warm grey neutral A	+\$0
YT	yellow A	+\$0
ZP	terra cotta A	+\$0

Step :	5. Key Number	
For k	keyed alike (K)	
01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
80	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0

b
~
0
Õ
Œ.
ñ
~
=
w,
~
S
2
~
≍
\simeq
Α.
_
()
a
2
ίδ.

16	key number 16	+\$0	63	key number 63	+\$0
17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
	-				
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
	-				
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	-	+\$0			+\$0
	key number 41		88	key number 88	
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0	55	No j nambol oo	. ψυ
	-				
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
	-,	7-			



Description


This cart is a typical configuration for basic supply storage with 1 locking drawer

This cart includes the following components:

- 42"-high Series 20 cart with slide-out shelf (CT342.60S)
- 6" drawer with keyless lock (CT501.06P), quantity 1
- 3" drawer (CT501.03), quantity 1
- 6" drawer (CT501.06), quantity 2
- 9" drawer (CT501.09), quantity 1
- 3" drawer organizer kit (CT580.03)
- 3" drawer organizer kit (CT583.03)
- 6" drawer organizer kit (CT575.06)

Notes

All drawers come in the color specified in the drawer finish step.



Speci	fication Information	
Step 1.		
CTC.34	2L A	\$2514
Step 2.	Surface Finish	
HF	inner tone light A	+\$0
LU	soft white A	+\$0
WN	warm grey neutral A	+\$0
	_	
Step 3.	Drawer Finish	
2B	juniper A	+\$0
3B	beachglass A	+\$0
6F	midnight A	+\$0
DA	deep blue A	+\$0
HF	inner tone light A	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
VR	vivid red A	+\$0
WN	warm grey neutral A	+\$0
ΥT	yellow A	+\$0
ZP	terra cotta 🖪	+\$0

42"H Procedure Cart with Above-Cart Storage



Product Information

Description

This cart is a typical configuration for basic supply storage with security.

The purpose is to store and organize light weight supplies above the cart for quick access.


This cart includes the following components:


- 42"-high Series 24 cart (CT142.60N)
- 3" drawer (CT511.03), quantity 4
- 6" drawer (CT511.06), quantity 3
- Basic keyless lock bar (CT625.P42R)
- Segment 3 mounted accessory rail (CT782.15R3)
- Segment 4 mounted accessory rail (CT782.15L4)
- Above cart rail (CT796.)
- Above cart add-on rail (CT797.)

Notes

All drawers come in the color specified in the drawer finish step.

Dimensions





Specification Information

Step 1.

L

CTC.

CTC.142 A

Step 2. Lock

keyed alike A Κ

keyed differently A


Prices for Steps 1-2.	
CTC.142 K	\$2897
L	\$2897

Step 3	3. Base/Lock Bar Finish	
HF	inner tone light A	+\$0
LU	soft white A	+\$0
WN	warm grey neutral A	+\$0

Step 4	1. Drawer Finish	
2B	juniper A	+\$0
3B	beachglass A	+\$0
6F	midnight A	+\$0
DA	deep blue A	+\$0
HF	inner tone light A	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
VR	vivid red A	+\$0
WN	warm grey neutral A	+\$0
ΥT	yellow A	+\$0
ZP	terra cotta 🛕	+\$0

Step 5. Key Number								
For	For keyed alike (K)							
01	key number 01	+\$0						
02	key number 02	+\$0						
03	key number 03	+\$0						
04	key number 04	+\$0						
05	key number 05	+\$0						
06	key number 06	+\$0						
07	key number 07	+\$0						
80	key number 08	+\$0						
09	key number 09	+\$0						
10	key number 10	+\$0						
11	key number 11	+\$0						
12	key number 12	+\$0						
13	key number 13	+\$0						
14	key number 14	+\$0						
15	key number 15	+\$0						

16	key number 16	+\$0	63	key number 63	+\$0
17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
	•				



Description

This cart is a typical configuration for bulk supply storage requiring a range of organizational options.

This cart includes the following components:


- 72"-high Series 20 double-wide cart (CT472.104)
- 3" drawer (CT501.03), quantity 2
- 6" drawer (CT501.06), quantity 4
- 9" drawer (CT501.09), quantity 2
- Double-wide wire shelf (CT526.), quantity 2
- Wire shelf dividers (CT527.)
- 3" drawer organizer kit (CT580.03)
- 3" drawer organizer kit (CT581.03)
- 6" drawer organizer kit (CT575.06), quantity 2

Notes

For clear double-wide doors (like image above), specify clear (TR) door insert finish.

All drawers come in the color specified in the drawer finish step.

Dimensions



Specification Information

Step 1.

CTC.472 A

Step 2. Lock N no lock A L keyed differently A K keyed alike A P keyless lock A

Prices for	Steps 1-2.	
CTC.472	N	\$4438
	L	\$4588
	K	\$4588
	Р	\$4799

Step 3. Base/Door Frame Finish					
HF	inner tone light A	+\$0			
LU	soft white A	+\$0			
WN	warm grey neutral A	+\$0			

Step 4. Door Insert Finish					
HF	inner tone light A	+\$0			
LT	light tone A	+\$0			
LU	soft white A	+\$0			
TR	clear A	+\$0			
WN	warm grey neutral A	+\$0			

Step 5.	Drawer Finish	
2B	juniper A	+\$0
3B	beachglass A	+\$0
6F	midnight A	+\$0
DA	deep blue A	+\$0
HF	inner tone light A	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
VR	vivid red A	+\$0
WN	warm grey neutral A	+\$0
YT	yellow A	+\$0
ZP	terra cotta 🛕	+\$0


Step 6.	Key Number		
For ke	yed alike (K)		
01	key number 01	A	+\$0
02	key number 02	A	+\$0
03	key number 03	A	+\$0
04	key number 04	A	+\$0

05	key number 05 A	+\$0	52	key number 52 A	+\$0
06	key number 06 A	+\$0	53	key number 53 A	+\$0
07	key number 07 A	+\$0	54	key number 54 A	+\$0
08	key number 08 A	+\$0	55	key number 55 A	+\$0
09	key number 09 A	+\$0	56	key number 56 A	+\$0
10	key number 10 A	+\$0	57	key number 57	+\$0
11	key number 11 A	+\$0	58	key number 58 A	+\$0
12	key number 12 A	+\$0	59	key number 59 A	+\$0
13	key number 13 A	+\$0	60	key number 60 A	+\$0
14	key number 14 A	+\$0	61	key number 61 A	+\$0
15	key number 15 A	+\$0	62	key number 62 A	+\$0
16	key number 16 A	+\$0	63	key number 63 A	+\$0
17	key number 17 A	+\$0	64	key number 64 A	+\$0
18	key number 18 A	+\$0	65	key number 65 A	+\$0
19	key number 19 A	+\$0	66	key number 66 A	+\$0
20	key number 20 A	+\$0	67	key number 67 A	+\$0
21	key number 21 A	+\$0	68	key number 68 A	+\$0
22	key number 22 A	+\$0	69	key number 69 A	+\$0
23	key number 23 A	+\$0	70	key number 70 A	+\$0
24	key number 24 A	+\$0	71	key number 71 A	+\$0
25	key number 25 A	+\$0	72	key number 72 A	+\$0
26	key number 26 A	+\$0	73	_	+\$0
27		+\$0		key number 73 A	+\$0
	key number 27 A		74 75	key number 74 A	
28	key number 28 A	+\$0	75 70	key number 75 A	+\$0
29	key number 29 A	+\$0	76	key number 76 A	+\$0
30	key number 30 A	+\$0	77	key number 77 A	+\$0
31	key number 31 A	+\$0	78	key number 78 A	+\$0
32	key number 32 A	+\$0	79	key number 79 A	+\$0
33	key number 33 A	+\$0	80	key number 80 A	+\$0
34	key number 34 A	+\$0	81	key number 81 A	+\$0
35	key number 35 A	+\$0	82	key number 82 A	+\$0
36	key number 36 A	+\$0	83	key number 83 A	+\$0
37	key number 37 A	+\$0	84	key number 84 A	+\$0
38	key number 38 A	+\$0	85	key number 85 A	+\$0
39	key number 39 A	+\$0	86	key number 86 A	+\$0
40	key number 40 A	+\$0	87	key number 87 A	+\$0
41	key number 41 A	+\$0	88	key number 88 🖪	+\$0
42	key number 42 A	+\$0	89	key number 89 🖪	+\$0
43	key number 43 A	+\$0	90	key number 90 A	+\$0
44	key number 44 🛕	+\$0	91	key number 91 A	+\$0
45	key number 45 A	+\$0	92	key number 92 A	+\$0
46	key number 46 🛕	+\$0	93	key number 93 A	+\$0
47	key number 47 A	+\$0	94	key number 94 🛕	+\$0
48	key number 48 A	+\$0	95	key number 95 A	+\$0
49	key number 49 A	+\$0	96	key number 96 A	+\$0
50	key number 50 A	+\$0	97	key number 97 A	+\$0
51	key number 51 A	+\$0	98	key number 98 A	+\$0

Procedure/Supply Carts

99 key number 99 A

+\$0



Description

Storage and technology carts provide the ability to combine charting, inventory management, and storage in 1 cart. This cart has Flo® throughmount hardware installed on the left side of the cart top and is ready to accept a Flo monitor arm, sold separately. The cart has a raised-edge top and an optional shelf that slides out on the left or right side. It comes with a rail-attached power outlet strip or a bracket to mount a field-supplied power strip, and a cable management channel. There are 2 1" diameter holes in the upper back of the cart body on the left and right sides for routing mouse and keyboard wires, and 10 interior slots at 3" intervals. When using the keyboard shelf, there are 9 available interior slots. The cart has 5" casters; 2 swivel/brake casters in front, 2 swivel casters in back.

Flo is an easy to move, slim profile monitor arm that can support a single flat panel monitor or laptop holder. It has a 13% height-adjustment range, a 20% extension range, and allows the monitor to tilt 40° upward and -40° downward. The arm includes a quick-disconnect feature that allows easy installation and removal of a monitor or laptop holder. It has integrated cable management along the underside of the arm, and a visual indicator that shows the arm's tension setting. The arm meets VESA 75mm and 100mm standards (Video Electronic Standards Association-Mounting Interface Standard). An allen wrench for adjusting arm tension is included. Cart ships with Flo through-mount hardware attached. The arm slides onto the mount; no additional hardware required.

Notes

Keyboard shelf has full-extension drawer slides and holds up to 25 pounds. Finish is black.

Cart is compatible only with Flo monitor arm.

Flo arm accommodates monitor and laptop weights ranging from 7 to 20 pounds.

Order the following products separately:

- Flo single screen monitor arm-arm only (Y92090.)
- · Optional laptop mount (Y91177.) for Flo arm
- Cord wrap (CT779.)
- Drawers, drawer accessories, shelves, cassettes, and holders
- · Rail-mounted electrical components, containers, and holders


Flo monitor arm will always mount on left side of cart and CPU holder on the right side to balance the weight.


Laptop mount (Y91177.) requires 100mm VESA plate (not included). It supports laptops of varying widths up to 11" deep and $1\frac{1}{2}$ " thick. It supports docking stations up to 11" wide and 5" deep.

Flip-up shelf (CT750.) cannot be mounted on the same side of the cart as the CPU holder.


Side-mounted CPU holder finish is soft white (LU).

Side-mounted CPU holder width adjusts to hold computer cases ranging from 4"- $6\frac{1}{2}$ " wide. Maximum cube space for CPU cases is $6\frac{1}{2}$ " wide×13" deep×25" high. Maximum weight capacity of CPU holder is 50 pounds.





Spec	ification Information								
Step 1									
CTT.	A								
Step 2	Cart Interior Width								
342	20 series A								
142	24 series A								
Step 3	Тор								
60C	raised-edge top A								
60SC	raised-edge top with slide-out shelf A								
Step 4	Keyboard Shelf								
N	no keyboard shelf A								
Υ	keyboard shelf A								
Prices	for Steps 1-4.								
CTT.	342 60C	\$1359	1584						
011.	60SC	\$1601	1827						
***************************************	142 60C	\$1388	1618						
	60SC	\$1649	1876						
Step 5	Surface Finish								
HF	inner tone light A		+\$(
LU	soft white A		+\$(
WN	warm grey neutral A		+\$(
Step 6	CPU Side Mount Options								
NCR	for no CPU or for used with Compact CPU $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$		+\$(
RMC	right side mounted CPU holder A		+\$85						
Step 7	Power Strip								
RMB	includes rail and mounting bracket only [A]		+\$(
RPS	includes rail with power strip A		+\$130						



Description

Storage and technology carts provide the ability to combine charting, inventory management, and storage in 1 cart. Flo® through-mount hardware comes installed on the left side of the cart top and is ready to accept a Flo monitor arm, sold separately. This 42"-high cart includes a divider between keyboard tray and storage to allow keyboard access while the storage can remain locked by the 36"-high lock bar. The cart has a raised-edge top and an optional shelf that slides out on the left or right side. It comes with a rail-attached power outlet strip or a bracket to mount a field-supplied power strip, and a cable management channel. There are 2 1"-diameter holes in the upper back of the cart body on the left and right sides for routing mouse and keyboard wires, and 8 interior slots at 3" intervals. The cart has 5" casters; 2 swivel/brake casters in front, 2 swivel casters in back.

The lockbar prevents unauthorized access to drawers or cassette bins. It offers multiple security and access options and re-locks automatically when closed. Keyless entry options have a sleep mode for tamper protection when several incorrect codes are entered, a 9-volt battery "jump" capability, and a keyed backup. Batteries included.

The proximity reader will read most low frequency HID Prox Cards (125 kHz). The use of a card other than one from Herman Miller, Inc., should be verified. Various combinations of "user" and "supervisor" codes can be set. Flo is an easy to move, slim profile monitor arm that can support a single flat panel monitor or laptop holder. It has a 13¼" height-adjustment range, a 205½" extension range, and allows the monitor to tilt 40° upward and -40° downward. The arm includes a quick-disconnect feature that allows easy installation and removal of a monitor or laptop holder. It has integrated cable management along the underside of the arm, and a visual indicator that shows the arm's tension setting. The arm meets VESA 75mm and 100mm standards (Video Electronic Standards Association-Mounting Interface Standard). An allen wrench for adjusting arm tension is included. Cart ships with Flo through-mount hardware attached. The arm slides onto the mount; no additional hardware required.

Notes

Keyboard shelf has full-extension drawer slides and holds up to 25 pounds. Finish is black.

Cart is compatible only with Flo monitor arm.

Flo arm accommodates monitor and laptop weights ranging from 7 to 20 pounds.

Order the following products separately:

- Flo single screen monitor arm-arm only (Y92090.)
- Optional laptop mount (Y91177.) for Flo arm

Procedure/Supply Carts Price Book (2/25)

- Cord wrap (CT779.)
- Drawers, drawer accessories, shelves, cassettes, and holders
- Rail-mounted electrical components, containers, and holders
- Proximity access (CT623.)


Flo monitor arm will always mount on left side of cart and CPU holder on the right side to balance the weight.


Laptop mount (Y91177.) requires 100mm VESA plate (not included). It supports laptops of varying widths up to 11" deep and $1\frac{1}{2}$ " thick. It supports docking stations up to 11" wide and 5" deep.

Flip-up shelf (CT750.) cannot be mounted on the same side of the cart as the CPU holder.

Side-mounted CPU holder finish is soft white (LU).


Side-mounted CPU holder width adjusts to hold computer cases ranging from 4"-6 $\frac{1}{2}$ " wide. Maximum cube space for CPU cases is 6 $\frac{1}{2}$ " wide×13" deep×25" high. Maximum weight capacity of CPU holder is 50 pounds.





Spec	ification Information					06	key number 06		+\$0
Step 1.						07	key number 07	Α	+\$0
CTTL.	A					08	key number 08	Α	+\$0
						09	key number 09	Α	+\$0
	. Cart Interior Width					10	key number 10	Α	+\$0
342	20 series A					11	key number 11	Α	+\$0
142	24 series A					12	key number 12		+\$0
						13	key number 13		+\$0
Step 3.						14	key number 14		+\$0
60C	raised-edge top A					15	key number 15		+\$0
60SC	raised-edge top with slide-out sh	nelf A				16	key number 16		+\$0
						17	key number 17		+\$0
	. Lockbar					18	key number 18		+\$0
В	basic lock bar A					19	key number 19		+\$0
Р	proximity lock bar A					20	key number 20		+\$0
-						21	key number 21		+\$0
Step 5.						22	key number 22		+\$0
K	keyed alike A					23	key number 23		+\$0
L	keyed differently A					24	key number 24		+\$0
						25	key number 25		+\$0
Prices '	for Steps 1-5.	DI.	D.	DI/	ъ.	26	key number 26		+\$0
	0.40.000	BK	BL	PK	PL	27	key number 27		+\$0
CIIL.	342 60C	\$2348	2347	3600	3599	29	key number 29		+\$0
	60SC	\$2588	2588	3840	3840	30	key number 30		+\$0
	142 60C	\$2335	2334	3562	3560	31	key number 31		+\$0
	60SC	\$2585	2585	3810	3810	32	key number 32		+\$0
C+ C	Danell and Dan Cininh					33	key number 33		+\$0
Step 6.	Base/Lock Bar Finish				. 00	34	key number 34		+\$0
LU	inner tone light A soft white A				+\$0 +\$0	35 36	key number 35		+\$0 +\$0
WN					+\$0	37	key number 36		+\$0
WIN	warm grey neutral [A]				+φυ	38	key number 37 key number 38		+\$0
Stan 7	. CPU Side Mount Options					39	key number 39		+\$0
NCR	for no CPU or for used with Com	nact CDII [<u> </u>		+\$0	40	key number 39		+\$0
RMC	right side mounted CPU holder		A		+\$85	41	key number 41		+\$0
INIIO	right side modified of o floider	A			, ψ00	42	key number 42		+\$0
Sten 8	. Power Strip					43	key number 43		+\$0
RMB	includes rail and mounting brack	ret only			+\$0	44	key number 44		+\$0
RPS	includes rail with power strip A				+\$130	45	key number 45		+\$0
0	moradoo ran witii powor strip	_			. ψ 100	46	key number 45		+\$0
Sten 9	. Key Number					47	key number 47		+\$0
	eyed alike (K)					48	key number 48		+\$0
01	key number 01 A				+\$0	49	key number 49		+\$0
02	key number 02 A				+\$0	50	key number 49		+\$0
03	key number 03 A				+\$0	51	key number 51		+\$0
04	key number 04 A				+\$0	52	key number 52		+\$0
05	key number 05 A				+\$0	53	key number 52		+\$0
	,				~ 0		,	نث	· ψ0

54	key number 54 A	+\$0
55	key number 55 A	+\$0
56	key number 56 A	+\$0
57	key number 57 A	+\$0
58	key number 58 A	+\$0
59	key number 59 A	+\$0
60	key number 60 A	+\$0
61	key number 61 A	+\$0
62	key number 62 A	+\$0
63	key number 63	+\$0
64	key number 64	+\$0
65	key number 65 A	+\$0
66	key number 66	+\$0
67	key number 67	+\$0
68	key number 68	+\$0
69	key number 69 A	+\$0
70	key number 70 A	+\$0
71	key number 71 A	+\$0
72	key number 72 A	+\$0
73	key number 73 A	+\$0
74	key number 74	+\$0
75	key number 75 A	+\$0
76	key number 76 A	+\$0
77	key number 77 A	+\$0
78	key number 78 🖪	+\$0
79	key number 79 🖪	+\$0
80	key number 80 🖪	+\$0
81	key number 81 A	+\$0
82	key number 82 🛚 A	+\$0
83	key number 83 🖪	+\$0
84	key number 84 🛚 A	+\$0
85	key number 85 A	+\$0
86	key number 86 A	+\$0
87	key number 87 🛚 A	+\$0
88	key number 88 🖪	+\$0
89	key number 89 🖪	+\$0
90	key number 90 🖪	+\$0
91	key number 91 A	+\$0
92	key number 92 🛚 A	+\$0
93	key number 93 🛚 A	+\$0
94	key number 94 🛚 A	+\$0
95	key number 95 A	+\$0
96	key number 96 🖪	
97	key number 97 🖪	+\$0
98	key number 98 🖪	+\$0
99	key number 99 🖪	+\$0



Description


This 42"-high cart provides access to the interior from the front and back, making it ideal for use as a response cart. It has a raised-edge top and an optional shelf that slides out on the left or right. A breakaway bar at front and back are also included. The cart has 5" casters; 2 swivel/brake casters in front, 2 swivel casters in back. It has a 24"-wide interior and slots at 3" intervals (7 slots in the front and 3 slots in the back) to hold interior components.


Notes


Order the following products separately:

- · Cart-mounted shelves, rails, trays, and holders
- Drawers, drawer accessories, shelves, cassettes, and holders
- · Rail-mounted electrical components, containers, and holders

Dimensions







Specification Information

Step 1.

CT142. A

Step 2. Top

61B raised-edge top A


61S

Prices for Steps 1-2.	
CT142. 61B	\$1349
61S	\$1611

Step 3.	Surface Finish	
HF	inner tone light	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Double-Wide Cart

CT236. CT242. CT272. CT436. CT442. CT472.



Product Information

Description

This 20"-deep cart has 1 swivel/brake caster and 1 swivel/direction-lock caster in front, 2 swivel casters in back, and bumpers on all 4 corners. A pull handle is installed on the left side of segment 4. 36"- and 42"-high carts have a flat top and 5"casters; the 72"-high cart has a flat top and 6" casters. The 36"- and 42"-high carts are available with a top or full spine; the 72"-high cart is available with or without a spine.

Notes

Height, spine, and interior slot combinations are:

Height—Spine—Interior Slots

36"—top spine—2 single-wide slots and 7 double-wide slots

36"—full spine—16 single-wide slots

42"—top spine—2 single-wide slots and 9 double-wide slots

42"-full spine-20 single-wide slots

72"-no spine-20 double-wide slots


72"—partial spine—16 single-wide slots and 12 double-wide slots


72"—full spine—40 single-wide slots

Top spine extends 3" from the top of a 36"- or 42"-high cart. Partial spine extends $27\frac{1}{2}$ " from the bottom of a 72"-high cart and includes a double-wide wire shelf.

Order the following products separately:

- · Cart-mounted shelves, rails, trays, and holders
- · Closure and lock components
- · Drawers, drawer accessories, shelves, cassettes, and holders
- Rail-mounted electrical components, containers, and holders






Step 1.	ilication information				
CT A					
Step 2.	Cart Interior Width				
4	2 20"-wide sections A	.]			
2	2 24"-wide sections A	_			
Step 3.	Height				
36.	36" high 🛕				
42.	42" high 🛕				
72.	72" high 🔼				
Step 4.	Тор				
For 36"	high (36.) or 42" high (4	12.)			
60	flat top A				
For 72"	high (72.)				
10	flat top A				
Step 5.	Spine				
For 36"	high (36.) or 42" high (4	12.)			
T	top spine A				
F	full spine A				
For 72"	high (72.)				
N	no spine 🛕				
4	partial spine A				
F	full spine A				
Prices	for Steps 1-5.				
			N T	4	F
CT436.	60	-	- \$1531	_	1799
CT442.	60		- \$1646		1845
CT472.	10	\$255	7 —	2872	2686
		, 200			
CT236.	60	-	- \$1739	_	1758
CT242.	60	-	- \$1932	_	1953
CT272.	10	\$255	1 —	2862	2918

Step 6.	Step 6. Surface Finish				
HF	inner tone light	+\$0			
LU	soft white A	+\$0			
WN	warm grey neutral A	+\$0			

Single-Wide Cart

CT136. CT142. CT172. CT336. CT342. CT372.



Product Information

Description


This 20"-deep cart has 2 swivel/brake casters in front, 2 swivel casters in back, and bumpers on all 4 corners. It is available with a 20"- or 24"-wide interior. The 36"- and 42"-high carts have a raised-edge top, an optional shelf that slides out on the left or right side, and 5" casters; the 72"-high cart has a flat top and 6" casters. The 36"-high cart has 4 segments with 8 slots; the 42"-high cart has 5 segments with 10 slots; and the 72"-high cart has 10 segments with 20 slots.

Notes

Order the following products separately:

- · Cart-mounted shelves, rails, trays, and holders
- · Closure and lock components
- · Drawers, drawer accessories, shelves, cassettes, and holders
- Rail-mounted electrical components, containers, and holders

Dimensions



Specification Information

Step 1.

CT A

Step 2. Cart Interior Width

3 20" wide A

1 24" wide A

Step 3. Height

36. 36" high A

42. 42" high A

72. 72" high

Step 4. Top

For 36" high (36.) or 42" high (42.)

60N raised-edge top


60S raised-edge top with slide-out shelf

For 72" high (72.)

10N flat top

Prices fo	or Steps 1-4.	
CT336.	60N	\$1076
	60S	\$1337
CT342.	60N	\$1107
	60S	\$1371
CT372.	10N	\$1787
CT136.	60N	\$1126
	60S	\$1388
CT142.	60N	\$1160
	60S	\$1424
CT172.	10N	\$1841

Step 5	Step 5. Surface Finish				
HF	inner tone light	+\$0			
LU	soft white	+\$0			
WN	warm grey neutral	+\$0			




Description

This bar prevents unauthorized access to drawers or cassette bins within a 36° or 42° -high cart. It locks automatically when closed.

Notes

For general information on locks, see Keyed-Alike Information in appendices.

Dimensions



Specification Information Step 1. CT A Step 2. Type 710. keyed entry A

Step 3. Cart Height 36 36"-high cart A

42 42"-high cart A

Step 4. Lock Position

L left side lock A right side lock A

Step 5. Lock

For keyed differently (*), skip this step.


K keyed alike A

Prices for Steps 1-5.				
	*	K		
CT710. 36 L	\$300	300		
R	\$300	300		
42 L	\$315	315		
R	\$315	315		

Step 6	. Surface Finish	
HF	inner tone light A	+\$0
LU	soft white A	+\$0
WN	warm grey neutral A	+\$0

Step 7. Key Number		
For keyed alike (K)		
00 key number 00	A	+\$0
01 key number 01	A	+\$0
02 key number 02	A	+\$0
03 key number 03	A	+\$0
04 key number 04	A	+\$0
05 key number 05	A	+\$0
06 key number 06	A	+\$0
07 key number 07	A	+\$0
08 key number 08	A	+\$0
09 key number 09	A	+\$0
10 key number 10	A	+\$0
11 key number 11	A	+\$0
12 key number 12	A	+\$0
13 key number 13	A	+\$0

14	key number 14 A	+\$0	61	key number 61 A	+\$0
15	key number 15 A	+\$0	62	key number 62 A	+\$0
16	key number 16 A	+\$0	63	key number 63 A	+\$0
17	key number 17 A	+\$0	64	key number 64 A	+\$0
18	key number 18 A	+\$0	65	key number 65 A	+\$0
19	key number 19 A	+\$0	66	key number 66 A	+\$0
20	key number 20 A	+\$0	67	key number 67 A	+\$0
21	key number 21 A	+\$0	68	key number 68 A	+\$0
22	key number 22 A	+\$0	69	key number 69 A	+\$0
23	key number 23 A	+\$0	70	key number 70 A	+\$0
24	key number 24 A	+\$0	71	key number 71 A	+\$0
25	key number 25 A	+\$0	72	key number 72 A	+\$0
26	key number 26 A	+\$0	73	key number 73 A	+\$0
27	key number 27 A	+\$0	74	key number 74 A	+\$0
28	key number 28 A	+\$0	75	key number 75 A	+\$0
29	key number 29 A	+\$0	76	key number 76 A	+\$0
30	key number 30 A	+\$0	77	key number 77 A	+\$0
31	key number 31 A	+\$0	78	key number 78 A	+\$0
32	key number 32 A	+\$0	79	key number 79 A	+\$0
33	key number 33 A	+\$0	80	key number 80 A	+\$0
34	key number 34 A	+\$0	81	key number 81 A	+\$0
35	key number 35 A	+\$0	82	key number 82 A	+\$0
36	key number 36 A	+\$0	83	key number 83 A	+\$0
37	key number 37 A	+\$0	84	key number 84 A	+\$0
38	key number 38 A	+\$0	85	key number 85 A	+\$0
39	key number 39 A	+\$0	86	key number 86 A	+\$0
40	key number 40 A	+\$0	87	key number 87 A	+\$0
41	key number 41 A	+\$0	88	key number 88 A	+\$0
42	key number 42 A	+\$0	89	key number 89 A	+\$0
43	key number 43 A	+\$0	90	key number 90 A	+\$0
44	key number 44 A	+\$0	91	key number 91 A	+\$0
45	key number 45 A	+\$0	92	key number 92 A	+\$0
46	key number 46 A	+\$0	93	key number 93 A	+\$0
47	key number 47 A	+\$0	94	key number 94 A	+\$0
48	key number 48 A	+\$0	95	key number 95 A	+\$0
49	key number 49 A	+\$0	96	key number 96 A	+\$0
50	key number 50 A	+\$0	97	key number 97 A	+\$0
51	key number 51 A	+\$0	98	key number 98 A	+\$0
52	key number 52 A	+\$0	99	key number 99 A	+\$0
53	key number 53 A	+\$0			
54	key number 54 A	+\$0			
55	key number 55 A	+\$0			
56	key number 56 A	+\$0			
57	key number 57 A	+\$0			
58	key number 58 A	+\$0			
59	key number 59 A	+\$0			
60	key number 60 A	+\$0			
-	,	, .			



Description

This drawer fits into a single- or double-wide cart and has stops to prevent accidental removal. It is available with no lock, a keyed lock, keyless lock, or RFID lock. Includes 1 label clip.

The 3"-high drawer fills 1 set of cart slots; the 6"-high drawer fills 2 sets of cart slots; the 9"-high drawer fills 3 sets of cart slots.

Notes


Order optional accessories separately:

- 3"-high drawer organizer kit, 20"-wide cart interior (CT580., CT581., CT582., CT583., CT584., or CT585.)
- 3"-high drawer organizer kit, 24"-wide cart interior (CT560., CT561., CT562., CT563., or CT564.)
- 6"-high drawer organizer kit, 20"-wide cart interior (CT575. or CT576.)
- 6"-high drawer organizer kit, 24"-wide cart interior (CT570. or CT571.)
- Clear lid (CT508.)
- Drawer/shelf divider (CT550.)
- Full-extension drawer slides (CT504.) for 3" or 6"-high drawer with no lock Drawer with keyed or keyless lock cannot be used with full-extension drawer slides

Drawer with keyless lock (P) or RFID lock (R) option cannot be used with lockbar installed on left side of cart.

Keyed lock is located on right side; keyless lock and RFID lock are located on left side.

For general information on locks, see Keyed-Alike Information in Appendices.



Specification Information

Step 1.

otep 1.							1 01 1	Reyeu alike (N)	
CT5 A							01	key number 01 A	
							02	key number 02 A	
•	Cart Interior Width						03	key number 03 🛕	
01.	20" wide A						04	key number 04 🔼	
11.	24" wide A						05	key number 05 A	
							06	key number 06 A	
Step 3.	Height						07	key number 07 🔼	
							80	key number 08 🛕	
For 20"	wide (01.)						09	key number 09 A	
03	3" high A						10	key number 10 A	
06	6" high 🔼						11	key number 11 A	
09	9" high 🔼						12	key number 12 A	
							13	key number 13 A	
For 24"	wide (11.)						14	key number 14 🛕	
)3	3" high 🛕			********			15	key number 15 A	
)6	6" high A						16	key number 16 A	
							17	key number 17 🔼	
Step 4.	Lock						18	key number 18 A	
For no	lock (*), skip this step.						19	key number 19 A	
_	keyed differently A						20	key number 20 A	
(keyed alike						21	key number 21 A	
)	keyless lock						22	key number 22 A	
₹	RFID Lock A						23	key number 23 A	
							24	key number 24 🛕	
Prices f	or Steps 1-4.						25	key number 25 A	
		*	L	K	Р	R	26	key number 26 A	
CT501.	03	\$84	164	164	511	1025	27	key number 27 A	
	06	\$103	185	185	529	1045	28	key number 28 A	
	09	\$130	212	212	558	1074	29	key number 29 🛕	
							30	key number 30 A	
CT511.	03	\$85	166	166	513	1026	31	key number 31 A	
	06	\$106	186	186	530	1046	32	key number 32 A	
							33	key number 33 🛕	
Step 5.	Drawer Finish						34	key number 34 🛕	
2B	juniper					+\$0	35	key number 35 A	
3B	beachglass					+\$0	36	key number 36 A	
3F	midnight					+\$0	37	key number 37	
DA	deep blue A					+\$0	38	key number 38	
ΗF	inner tone light					+\$0	39	key number 39 A	
_T	light tone A					+\$0	40	key number 40 A	
_U	soft white A					+\$0	41	key number 41 A	
VR	vivid red A					+\$0	42	key number 42 A	
WN	warm grey neutral					+\$0	43	key number 43 A	
ΥT	yellow A					+\$0	44	key number 44 A	
								key number 45 A	

Step 6. Drawer Key Number


For keyed alike (K)

+\$0 +\$0 +\$0

+\$0

+\$0 +\$0 +\$0

46	key number 46 A	+\$0	93	key number 93 🛕
47	key number 47 A	+\$0	94	key number 94 A
48	key number 48 A	+\$0	95	key number 95 A
49	key number 49 A	+\$0	96	key number 96 A
		+\$0		_
50	key number 50 A		97	key number 97 A
51	key number 51 A	+\$0	98	key number 98 🖪
52	key number 52 A	+\$0	99	key number 99 🖪
53	key number 53 A	+\$0		
54	key number 54 A	+\$0		
55	key number 55 A	+\$0		
56	key number 56 A	+\$0		
57	key number 57 A	+\$0		
		+\$0		
58	key number 58 A			
59	key number 59 A	+\$0		
60	key number 60 A	+\$0		
61	key number 61 A	+\$0		
62	key number 62 A	+\$0		
63	key number 63 A	+\$0		
64	key number 64 A	+\$0		
65	key number 65 A	+\$0		
66	key number 66 A	+\$0		
67	key number 67 A	+\$0		
68		+\$0		
	key number 68 A			
69	key number 69 A	+\$0		
70	key number 70 A	+\$0		
71	key number 71 A	+\$0		
72	key number 72 A	+\$0		
73	key number 73 A	+\$0		
74	key number 74 A	+\$0		
75	key number 75 A	+\$0		
76	key number 76 A	+\$0		
77	key number 77 A	+\$0		
78	key number 78 A	+\$0		
79	. · · =	+\$0		
	_			
80	key number 80 A	+\$0		
81	key number 81 A	+\$0		
82	key number 82 A	+\$0		
83	key number 83 A	+\$0		
84	key number 84 A	+\$0		
85	key number 85 A	+\$0		
86	key number 86 A	+\$0		
87	key number 87 A	+\$0		
88	key number 88 A	+\$0		
89	key number 89 A	+\$0		
90	key number 90 A	+\$0		
91		+\$0		
92	key number 92 A	+\$0		



Description

This 151/4"-deep drawer fits into a single- or double-wide cart. It has a soft white, lockable lid that can open when the drawer is pulled out. The drawer has stops to prevent accidental removal and includes 1 label clip.

The 3"high drawer is 27/8" high and fills 1 cart slot; the 6"high drawer is 57/8" high and fills 2 cart slots; the 9"-high drawer is 87/8" high and fills 3 cart slots.


Notes

To fully extend 3" or 6"-high drawer in 36" or 42"-high cart, order full-extension drawer slides (CT504.) separately.

For B-size drawer with lockable lid, order A-size subcontainer only. For C-size drawer with lockable lid, order A- or B-size subcontainers only.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information Step 1. CT5 A

Step 2.	Cart Interior Width
03.	20" wide A

13. 24" wide A

Step 3. Height		
For 20" wide (03.)		_

For 20	0" wide (03	3.)				
03	3" high	Α				
06	6" high	Α				
09	9" high	Α				

	" wide (13						
06	6" high	Α					

Step	4. Lid Lock	
K	keyed alike A	
L	keyed differently A	

	K	L
CT503. 03	\$269	269
06	\$281	281
09	\$310	310
CT513. 06	\$297	297


Step 5	. Drawer Finish	
2B	juniper	+\$0
3B	beachglass	+\$0
6F	midnight	+\$0
DA	deep blue A	+\$0
HF	inner tone light	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
VR	vivid red A	+\$0
WN	warm grey neutral	+\$0
YT	yellow A	+\$0

Step	Step 6. Lid Key Number		
For I	keyed alike (K)		
00	key number 00 A	+\$0	
01	key number 01 A	+\$0	
02	key number 02 A	+\$0	

03	key number 03 A	+\$0 5	key number 50 A	+\$0
04	key number 04 🛕	+\$0 5	1 key number 51 A	+\$0
05	key number 05 A	+\$0 5	key number 52 A	+\$0
06	key number 06 A	+\$0 5	key number 53 A	+\$0
07	key number 07 A	+\$0 5	key number 54 A	+\$0
08	key number 08 A		5 key number 55 A	+\$0
09	key number 09 A	+\$0 5	•	+\$0
10	key number 10 A		key number 57 A	+\$0
			,	
11	key number 11 A	+\$0 5	,	+\$0
12	key number 12 A		sey number 59 A	+\$0
13	key number 13 A		key number 60 A	+\$0
14	key number 14 A	+\$0 6	1 key number 61 A	+\$0
15	key number 15 A	+\$0 6	key number 62 A	+\$0
16	key number 16 A	+\$0 6	key number 63 A	+\$0
17	key number 17 A	+\$0 6	key number 64 A	+\$0
18	key number 18 A	+\$0 6	key number 65 A	+\$0
19	key number 19 A	+\$0 6	6 key number 66 A	+\$0
20	key number 20 A		7 key number 67 A	+\$0
21	key number 21 A	+\$0 6	,	+\$0
22	key number 22 A		sey number 69 A	+\$0
			,	
23	key number 23 A	•	key number 70 A	+\$0
24	key number 24 A	+\$0 7	•	+\$0
25	key number 25 A		key number 72 A	+\$0
26	key number 26 A		key number 73 A	+\$0
27	key number 27 A	+\$0 7	key number 74 A	+\$0
28	key number 28 A	+\$0 7	5 key number 75 A	+\$0
29	key number 29 A	+\$0 7	key number 76 A	+\$0
30	key number 30 A	+\$0 7	7 key number 77 A	+\$0
31	key number 31 A	+\$0 7	8 key number 78 A	+\$0
32	key number 32 A	+\$0 7	9 key number 79 A	+\$0
33	key number 33 A	+\$0 8	key number 80 🗚	+\$0
34	key number 34 A	+\$0 8	_	+\$0
35	key number 35 A		key number 82 A	+\$0
36	key number 36 A		key number 83 A	+\$0
37	key number 37 A		key number 84 A	+\$0
			,	
38	key number 38 A		key number 85 A	+\$0
39	key number 39 A	• • • • • • • • • • • • • • • • • • • •	key number 86 A	+\$0
40	key number 40 A		key number 87 A	+\$0
41	key number 41 A		key number 88 A	+\$0
42	key number 42 A	+\$0 8	9 key number 89 A	+\$0
43	key number 43 A	+ \$0 9	key number 90 A	+\$0
44	key number 44 A	+\$0 9	1 key number 91 A	+\$0
45	key number 45 A	+\$0 9	key number 92 A	+\$0
46	key number 46 A	+\$0 9	key number 93 A	+\$0
47	key number 47 A		4 key number 94 A	+\$0
48	key number 48 A		5 key number 95 A	+\$0
49	key number 49 A		16 key number 96 A	+\$0
40	NOT HAMBOU TO A	.ψυ 3	NO THEREOF SO IN	· ψυ

97	key number 97	Α
98	key number 98	Α
99	kev number 99	Α

ey number 97	Α	+\$0
ey number 98	A	+\$0
ey number 99	A	+\$0



Description

This drawer fits into a single- or double-wide cart and has stops to prevent accidental removal. It has a soft white, lockable lid that can open when the drawer is pulled out, and is available with a keyed lock, keyless lock or RFID lock. Includes 1 label clip.

The 3"-high drawer fills 1 set of cart slots; the 6"-high drawer fills 2 sets of cart slots; the 9"-high drawer fills 3 sets of cart slots.

Notes


Drawer with keyless lock (P) or RFID lock (R) option cannot be used with lockbar installed on left side of cart.

Keyed lock is located on right side; keyless lock and RFID lock are located on left side.

For B-size drawer with lockable lid, order A-size subcontainer only. For C-size drawer with lockable lid, order A- or B-size subcontainers only.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information Step 1.

CT5 A

Step 2. Cart Interior Width

05. 20" wide A15. 24" wide A

Step 3. Height

For 20" wide (05.)

03 3" high A06 6" high A

09 9" high A

For 24" wide (15.)

03 3" high A

06 6" high A

Step 4. Drawer/Lid Lock

L keyed differently A

K keyed alike A

P keyless lock A

R RFID Lock A

Prices for Steps 1-4.				
		L K	Р	R
CT505. 03	\$35	1 351	706	1231
06	\$37	0 370	731	1247
09	\$40	1 401	759	1277
CT515. 03	\$34	3 343	688	1196
06	\$36	0 360	711	1214

Step 5	Drawer Finish	
2B	juniper	+\$0
3B	beachglass	+\$0
6F	midnight	+\$0
DA	deep blue A	+\$0
HF	inner tone light	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
VR	vivid red A	+\$0
WN	warm grey neutral	+\$0
YT	yellow A	+\$0

Step	6. Drawer Key Number	4	16	key number 46 A	+\$0
	keyed alike (K)	4		key number 47 A	+\$0
01	key number 01 A		18	key number 48 A	+\$0
02	key number 02 A		19	key number 49 🔼	+\$0
03	key number 03 A	+\$0 5	0	key number 50 A	+\$0
04	key number 04 A	+\$0 5	i1	key number 51 A	+\$0
05	key number 05 A	+\$0 5	2	key number 52 A	+\$0
06	key number 06 A	+\$0 5	3	key number 53 A	+\$0
07	key number 07 A	+\$0 5	i 4	key number 54 A	+\$0
08	key number 08 A	+\$0 5	5	key number 55 A	+\$0
09	key number 09 A	+\$0 5	6	key number 56 A	+\$0
10	key number 10 A	+\$0 5	7	key number 57 A	+\$0
11	key number 11 A	+\$0 5	8	key number 58 A	+\$0
12	key number 12 A	+\$0 5	9	key number 59 A	+\$0
13	key number 13 🛕	+\$0 6	0	key number 60 A	+\$0
14	key number 14 🛕	+\$0 6	1	key number 61 A	+\$0
15	key number 15 🛕	+\$0 6	2	key number 62 A	+\$0
16	key number 16 🛕	+\$0 6	3	key number 63 A	+\$0
17	key number 17 🛕	+\$0 6	64	key number 64 🛕	+\$0
18	key number 18 🛕	+\$0 6	5	key number 65 A	+\$0
19	key number 19 🛕		6	key number 66 A	+\$0
20	key number 20 A		7	key number 67 🛕	+\$0
21	key number 21 A		8	key number 68 🛕	+\$0
22	key number 22 A		9	key number 69 A	+\$0
23	key number 23 A	+\$0 7		key number 70 🛕	+\$0
24	key number 24 A	+\$0 7		key number 71 A	+\$0
25	key number 25 A		2	key number 72 A	+\$0
26	key number 26 A		'3	key number 73 A	+\$0
27	key number 27 A		4	key number 74 A	+\$0
28	key number 28 A	+\$0 7		key number 75 A	+\$0
29	key number 29 A	+\$0 7		key number 76 A	+\$0
30	key number 30 A	+\$0 7		key number 77 A	+\$0
31	key number 31 A		8	key number 78 A	+\$0
32	key number 32 A	+\$0 7		key number 79 🖪	+\$0
33	key number 33 A		0	key number 80 A	+\$0
34	key number 34 A		81	key number 81 A	+\$0
35	key number 35 A		32	key number 82 A	+\$0
36	key number 36 A		3	key number 83 A	+\$0
37	key number 37 A		34	key number 84 A	+\$0
38	key number 38 A		15	key number 85 A	+\$0
39	key number 39 A		6	key number 86 A	+\$0
40	key number 40 A		37	key number 87 A	+\$0
41	key number 41 A		88	key number 88 A	+\$0
42	key number 42 A		9	key number 89 A	+\$0
43	key number 43 A		0	key number 90 A	+\$0
44	key number 44 A		1	key number 91 A	+\$0
45	key number 45 A	+\$0 9	2	key number 92 A	+\$0

+\$0

93	key number 93	A	+\$0	38	key number 38 A
94	key number 94	A	+\$0	39	key number 39 A
	•				
95	key number 95	A	+\$0	40	key number 40 A
96	key number 96	A	+\$0	41	key number 41 A
97	key number 97	A	+\$0	42	key number 42 A
98	key number 98	A	+\$0	43	key number 43 A
	-				-
99	key number 99	A	+\$0	44	key number 44 A
				45	key number 45 🛛 🗚
Step	7. Lid Key Number			46	key number 46 A
	•	or keyless lock (P)		47	=
	• ,	_ *	•		-
01	key number 01	A	+\$0	48	key number 48 A
02	key number 02	A	+\$0	49	key number 49 A
03	key number 03	Α	+\$0	50	key number 50 A
04	-		+\$0	51	=
	key number 04	A			
05	key number 05	A	+\$0	52	key number 52 A
06	key number 06	A	+\$0	53	key number 53 A
07	key number 07	A	+\$0	54	key number 54
	-				
08	key number 08	A	+\$0	55	key number 55 A
09	key number 09	A	+\$0	56	key number 56 A
10	key number 10	A	+\$0	57	key number 57 A
11	key number 11	A	+\$0	58	key number 58 A
12	key number 12		+\$0	59	==
	-				-
13	key number 13	A	+\$0	60	key number 60 A
14	key number 14	Α	+\$0	61	key number 61 A
15	key number 15	A	+\$0	62	key number 62 A
16	key number 16	A	+\$0	63	key number 63
17	-		+\$0		-
	key number 17	A		64	key number 64 A
18	key number 18	A	+\$0	65	key number 65 A
19	key number 19	A	+\$0	66	key number 66 A
20	key number 20	A	+\$0	67	key number 67
21	key number 21	A	+\$0	68	key number 68 A
	-				
22	key number 22		+\$0	69	key number 69 A
23	key number 23	A	+\$0	70	key number 70 🖪
24	key number 24	A	+\$0	71	key number 71 A
25	key number 25	A	+\$0	72	key number 72
26	key number 26	A	+\$0	73	key number 73 A
	•				,
27	key number 27	A	+\$0	74	key number 74 🖪
28	key number 28	Α	+\$0	75	key number 75 🛕
29	key number 29	A	+\$0	76	key number 76 A
30	key number 30	A	+\$0	77	key number 77
	-				-
31	key number 31		+\$0	78	key number 78 A
32	key number 32	A	+\$0	79	key number 79 A
33	key number 33	A	+\$0	80	key number 80 🛕
34	key number 34	A	+\$0	81	key number 81 A
35	key number 35		+\$0	82	key number 82 A
	•				
36	key number 36	_	+\$0	83	key number 83 A
37	key number 37	Α	+\$0	84	key number 84 🔼

+	\$0
+	\$0
	\$0
+	\$0
+	\$0
	\$0
+	\$0
+	\$0
	\$0
+	\$0
+	\$0
+	\$0
	\$0
	\$0
	\$0
+	\$0
+	\$0
+	\$0
+	\$0
+	\$0
+	\$0
+	\$0
+	\$0
	\$0
+	\$0
+	\$0
	\$0
+	\$0
	\$0
+	\$0
	\$0
+	\$0
	\$0
	\$0
	\$0
	\$0
	\$0
	\$0
	\$0
	\$0
	\$0
	\$0
+	\$0

+\$0 +\$0 +\$0

Locked Drawer with Lockable Lid

continued

Ţ,
7
<u>a</u>
~
≂
\approx
≥
2
~
κ
0
_
0
.=
6
45
2
$\overline{}$
- 1
ι'n
ş
\equiv
10
O
_
\sim
Q
Q
- 5
ñ
٧,
G)
5
_3
0
Ō
Ö
Õ
2
ď.

85	key number 85 🛕
86	key number 86 A
87	key number 87 🛕
88	key number 88 A
89	key number 89 🗚
90	key number 90 A
91	key number 91 A
92	key number 92 A
93	key number 93 🛕
94	key number 94 A
95	key number 95 A
96	key number 96 🖪
97	key number 97 🛕
98	key number 98 🛕
99	key number 99 🗚

+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0

FRONT



Product Information

Description

This storage container fits into a drawer or onto a dispensing rail to organize and store small items. Package contains 12.

The A-size subcontainer is used with an A-size drawer (without lid) or A-size dispensing rail. It is $2^{9}16''$ high; depth and width dimensions are:

Type—Depth—Width

A-1-49/16"-49/16"

A-2—9³/₁₆"—4⁹/₁₆"

A-3—13¹³/₁₆"—4⁹/₁₆"

A-4—187/16"—49/16"

 $A-5-9^{3}/_{16}"-9^{3}/_{16}"$

A-8—13¹³/₁₆"—2¹/₄"

The B-size subcontainer is used with a B-size drawer (without lid), B-size dispensing rail, or C-size drawer. It is $5\%_{16}$ " high; depth and width dimensions are:

Type—Depth—Width

B-1-49/16"-49/16"

B-3—13¹³/₁₆"—4⁹/₁₆"


B-5—93/16"—93/16"

Notes

Order following products separately:

- Drawer (CO207, CO208, or CO209)
- Dispensing rail (CO365, CO366, CO367, or CO368)

Dimensions



FRONT


Specification Information

Step 1. СО Step 2. Size **231FF** a-1 **232FF** a-2 **233FF** a-3 **234FF** a-4 **235FF** a-5 **369FF** a-8 **236FF** b-1 **238FF** b-3 **240FF** b-5 Prices for Steps 1-2. CO231FF \$113 CO232FF \$113 CO233FF \$123 CO234FF \$123 CO235FF \$123 CO369FF \$118 CO236FF \$123 CO238FF \$169 CO240FF \$169 Step 3. Surface Finish soft white +\$0

3"-High Drawer Organizer Kit, 20"-Wide Cart Interior

CT580.

CT581. CT582. CT583. CT584. CT585.



Product Information

Description

This kit fits inside a 3"-high drawer and has 6 combinations of subcontainers and subcontainer dividers. Finish is soft white.

The A-size subcontainer is $2\frac{3}{16}$ high. Width and depth dimensions are:

Type—Width—Depth

A-1—4⁹/₁₆"—4⁹/₁₆"

A-2-49/16"-93/16"

 $A-3-4\%_{16}$ " $-13^{13}/_{16}$ "

A-4-49/16"-187/16"

A-5—93/16"—93/16"


A-8-21/4"-1313/16"

Notes

Order 3"-high drawer (CT501.03) separately.

Full kit will interfere with drawer locking mechanism.

Dimensions






Specification Information

Step 1.

CT58 A

Step 2	. Components
0.03	4 a-3 subcontainers, 6 a-3 dividers
1.03	1 a-3 subcontainer, 6 a-8 subcontainers, 2 a-3 dividers, 7 a-8 dividers
2.03	2 a-1 subcontainers, 2 a-2 subcontainers, 1 a-3 subcontainer, 2 a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers
3.03	3 a-3 subcontainers, 2 a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers
4.03	4 a-2 subcontainers, 1 a-4 subcontainer, 8 a-3 dividers
5.03	2 a-1 subcontainers, 2 a-3 subcontainers, 1 a-5 subcontainer, 4 a-3 dividers

Prices for Steps 1-2.	
CT580.03	\$58
CT581.03	\$63
CT582.03	\$62
CT583.03	\$58
CT584.03	\$58
CT585.03	\$58




Description

This divider fits into subcontainers to separate and organize stored items. A divider can be adjusted by sliding it to the desired position. The divider is not available for A-5 and B-5 subcontainers. Package contains 12.

The divider for an A-8 subcontainer is 1%" high and 2%" wide; the divider for an A-1, A-2, A-3, or A-4 subcontainer is 1%" high and 4%" wide; and the divider for a B-1 or B-3 subcontainer is 4" high and 4%" wide.

Dimensions



Specification Information

Step 1.

CO3

Step 2. Usage

78FF for a-8 subcontainer

79FF for a-1, a-2, a-3, or a-4 subcontainers


80FF for b-1 or b-3 subcontainers

Prices for Steps 1-2.	
CO378FF	\$106
CO379FF	\$106
CO380FF	\$108

Step 3.	Surface Finish	
LU	soft white	+\$0

6"-High Drawer Organizer Kit, 20"-Wide Cart Interior

CT575. CT576.



Product Information

Description

This kit fits inside a 6"- or 9"-high drawer and has 2 combinations of subcontainers and subcontainer dividers. Finish is soft white.

The B-size subcontainer is $5\frac{3}{16}$ high. Width and depth dimensions are:

Type—Width—Depth

B-1-49/16"-49/16"

B-3-49/16"-1313/16"


B-5—9³/₁₆"—9³/₁₆"


Notes

Order 6"- or 9"-high drawer (CT501.06 or CT501.09) separately.

Full kit will interfere with drawer locking mechanism.

Dimensions





Specification Information

Step 1.

CT57 A

Step 2. Components

5.06 4 b-3 subcontainers, 4 b-3 dividers

6.06 2 b-1 subcontainers, 2 b-3 subcontainers, 1 b-5 subcontainer, 2 b-3 dividers

Prices for Steps 1-2.

CT575.06 \$71

CT576.06 \$71

3"-High Drawer Organizer Kit, 24"-Wide Cart Interior

CT560. CT561.

CT562. CT563.

CT564.



Product Information

Description

This kit fits inside a 3"-high drawer and has 5 combinations of subcontainers and subcontainer dividers. Finish is soft white.

The A-size subcontainer is $2\frac{9}{16}$ high. Width and depth dimensions are:

Type—Width—Depth

A-1-49/16"-49/16"

A-2-49/16"-93/16"

A-3—4⁹/₁₆"—13¹³/₁₆"

A-4-49/16"-187/16"

A-5—9³/₁₆"—9³/₁₆"


A-8-21/4"-1313/16"


Notes

Order 3"-high drawer (CT511.03) separately.

Full kit will interfere with drawer locking mechanism.

Dimensions





Specification Information

Step 1.


CT56 A

Step 2. Components

- 4 a-3 subcontainers, 2 a-8 subcontainers, 6 a-3 dividers, 3 a-8 dividers
- 1.03 2 a-1 subcontainers, 2 a-2 subcontainers, 1 a-3 subcontainer, 4 a-8 subcontainers, 4 a-3 dividers, 6 a-8 dividers
- 2.03 4 a-2 subcontainers, 1 a-4 subcontainer, 2 a-8 subcontainers, 6 a-3 dividers, 3 a-8 dividers
- 2 a-2 subcontainers, 1 a-3 subcontainer, 1 a-4 subcontainer, 1 a-5 3.03 subcontainer, 6 a-3 dividers
- 4.03 1 a-3 subcontainer, 8 a-8 subcontainers, 2 a-3 dividers, 14 a-8 dividers

Prices for Steps 1-2.	
CT560.03	\$64
CT561.03	\$78
CT562.03	\$64
CT563.03	\$61
CT564.03	\$86





Description

This kit fits inside a 6"-high drawer and has 2 combinations of subcontainers and subcontainer dividers. Finish is soft white.

The B-size subcontainer is $5\frac{3}{16}$ " high. Width and depth dimensions are:

Type—Width—Depth

B-1-49/16"-49/16"

B-3-49/16"-1313/16"


B-5—9³/₁₆"—9³/₁₆"


Notes

Order 6"-high drawer (CT511.06) separately.

Full kit will interfere with drawer locking mechanism.

Dimensions





Specification Information

Step 1.

CT57 A

Step 2. Components


0.06 5 b-3 subcontainers, 4 b-3 dividers

1.06 2 b-1 subcontainers, 3 b-3 subcontainers, 1 b-5 subcontainer, 3 b-3 dividers

Prices for Steps 1-2.

CT570.06 \$84

CT571.06 \$84




Description


This divider fits inside a drawer or on a solid, single-wide shelf. It organizes IV bags, tape rolls, and other small items. Finish is soft white.

Notes

Order drawer (CT501.) or solid, single-wide shelf (CT523.) separately.

Dimensions






Specification Information

Step 1.

CT550.03 A




Description

This clear lid fits on a 20 $^{\circ}$ - or 24 $^{\circ}$ -wide drawer and provides top closure.

Notes

Order drawer (CT501. or CT511.) separately.


Dimensions





Spec	ification Information
Step 1.	
CT508	. A
Step 2	Width
Step 2.	Width 20" wide


Prices for Steps 1-2.	
CT508. 20	\$119
24	\$123



Product Information Description

These colored plastic strips can be inserted into drawer label holders or adhere directly to drawer handles to provide color-coded identification. Package of 8 includes 1 of each of the following colors: red, pink, green, orange, yellow, blue, purple, and white.

Specification Information	
Step 1.	
CT990.L8 A	\$150




Description

These colored plastic strips can be inserted into drawer label holders or adhere directly to drawer handles to provide color-coded identification. Package contains 8 labels of the specified color.

Specification Information		
Step 1.		
CT991.	Α	\$150
Step 2.	Label Color	
RED	red A	+\$0
PNK	pink A	+\$0
GRN	green A	+\$0
ORN	orange A	+\$0
YLW	yellow A	+\$0
BLU	blue A	+\$0
PRP	purple A	+\$0
WHT	white A	+\$0

Full-Extension Drawer Slides, Single- CT504. Wide Cart





Product Information

Description

These slides are factory installed in the drawer slots of a 36"- or 42"-high, single-wide cart. They hold non-locking drawers or drawers with lockable lids. The slides extend 15" for easy access to contents. They cannot be field installed.

Dimensions





Specification Information

Step 1.

CT504. A


Step 2.	Slot Location
01	top slot A
02	2nd slot from top A
03	3rd slot from top A
04	4th slot from top A
05	5th slot from top A
06	6th slot from top A
07	7th slot from top A
80	8th slot from top A
09	9th slot from top, 42"-high cart only A
10	10th slot from top, 42"-high cart only A

Prices for Steps 1-2.	
CT504. 01	\$122
02	\$122
03	\$122
04	\$122
05	\$122
06	\$122
07	\$122
08	\$122
09	\$122
10	\$122

CT521. CT522.

CT525.

CT526.




Product Information

Description


This powder-coated wire shelf fills 1 slot of a single- or double-wide cart. Finish is soft white.

Dimensions





Single-Wide Cart





Double-Wide Cart

Specification Information

Step 1.

CT52 A


CT525.

Step 2. Cart Interior Width/Application

- 2. 20"-wide, single-wide cart A
- 1. 24"-wide, single-wide cart A
- 6. 20"-wide, double-wide cart
- 5. 24"-wide, double-wide cart

Prices for Steps 1-2.	
CT522.	\$108
CT521.	\$110
CT526.	\$151

\$184




Description

This 7"-high, 15"-deep divider attaches to a double-wide wire shelf. Finish is soft white. Package contains 3.

Notes

Order double-wide wire shelf (CT525. or CT526.) separately.

Dimensions




Specification Information

Step 1.

CT527. A


\$322



Description

This thermoplastic shelf fills 1 slot of a single-wide cart with an interior width of 20"-wide. Finish is soft white.

Dimensions






Specification Information

Step 1.

CT523. A





Description

This rack fits into the slots of a single-wide, 72"-high cart or double-wide cart with full spine to organize catheters. Each pullout slide has 4 prongs, 4 side label clips, and 1 front label holder. Each prong holds up to 10 catheters. Finish is soft white.

The rack is $20^{\prime\prime}$ or $24^{\prime\prime}$ wide. The $20^{\prime\prime}$ -wide rack has 4 independent slides; the $24^{\prime\prime}$ -wide rack has 5 independent slides.

Dimensions





Specification Information

Step 1.

CT738. A

Step 2. Cart Interior Width

2004 20" wide A

2405 24" wide A


Prices for Steps 1-2. CT738. 2004

2405 \$793

\$681

24

24" wide



Product Information


Description

This keyboard shelf attaches to a single-wide cart. It has full-extension drawer slides and holds up to 25 pounds. Finish is black.

Notes


Keyboard shelf cannot be field installed.

Dimensions



Specification Information Step 1. CT801. A Step 2. Width 20 20" wide

Prices for Steps 1-2.	
CT801. 20	\$243
24	\$243




Description

This bin fits inside an 8- or 10-bin cassette. Package contains 10 bins, 20 dividers, and 10 label clips. Finish is soft white.

Notes

Order 8-bin (CT542.08) or 10-bin (CT543.10) cassette separately.

Dimensions




Specification Information

Step 1.

CT548. A

\$149




Description

This cassette fills 2 slots of a single-wide cart or double-wide cart with a spine. It has a cassette shell and 8 or 10 patient bins with dividers and label clips. The cassette does not include a cover. Finish is soft white.

Notes


Order additional or replacement cassette bins (CT548.) separately.

Dimensions



Specification Information					
Step 1	Step 1.				
CT54	Α				
Step 2	. Cart Application				
2.08	20"-wide cart interior A				
3.10	24"-wide cart interior A				
Prices	for Steps 1-2.				
CT542	.08	\$406			
CT543.10					

7/8"



Product Information


Description

This door attaches to a single- or double-wide cart to conceal contents. The single-wide cart has 1 door; the double-wide cart has 2. The doors are available with or without locks. The clear door insert is clear plastic.

Notes

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CT7 A

Step 2. Cart Interior Width

07. 20" wide A

17. 24" wide A

Step 3. Cart Application

1 single-wide cart A

2 double-wide cart A

Step 4. Cart Height

36 36"-high cart A

42 42"-high cart A

72 72"-high cart A

Step 5. Lock

N no lock A

L keyed differently A

K keyed alike A

P keyless lock A

R RFID Lock A


Prices for S	Steps 1-5.					
		N	L	K	Р	R
CT707. 1	36	\$357	446	446	714	1233
	42	\$382	472	472	740	1256
	72	\$592	675	675	946	1454
2	36	\$656	800	800	1007	1514
	42	\$824	972	972	1181	1677
	72	\$1080	1226	1226	1433	1922
		N	L	K	Р	R
CT717. 1	36	\$379	468	468	734	1242
	42	\$404	490	490	757	1265
	72	\$634	704	704	983	1486
2	36	\$685	832	832	1038	1536
	42	\$875	1020	1020	1224	1719
	72	\$1258	1403	1403	1611	2086

Step 6.	. Door Frame Finish	
HF	inner tone light A	+\$0
LU	soft white A	+\$0
WN	warm grey neutral A	+\$0

Sten 7	. Door Insert Finish		40	key number 40	Δ	+\$0
HF	inner tone light A	+\$0	41	key number 41		+\$0
LU	soft white A	+\$0	42	key number 42		+\$0
TR	clear A	+\$0	43	key number 43		+\$0
WN	warm grey neutral A	+\$0	44	key number 44		+\$0
VVIV	warm grey neutral A	+φυ	45	-		+\$0
Cton 0	Vov. Number			key number 45		
	. Key Number		46	key number 46		+\$0
	eyed alike (K)	. 00	47	key number 47		+\$0
01	key number 01 A	+\$0	48	key number 48		+\$0
02	key number 02 A	+\$0	49	key number 49		+\$0
03	key number 03 A	+\$0	50	key number 50		+\$0
04	key number 04 A	+\$0	51	key number 51		+\$0
05	key number 05 A	+\$0	52	key number 52		+\$0
06	key number 06 A	+\$0	53	key number 53		+\$0
07	key number 07 A	+\$0	54	key number 54		+\$0
80	key number 08 A	+\$0	55	key number 55		+\$0
09	key number 09 A	+\$0	56	key number 56		+\$0
10	key number 10 A	+\$0	57	key number 57		+\$0
11	key number 11 A	+\$0	58	key number 58		+\$0
12	key number 12 A	+\$0	59	key number 59	A	+\$0
13	key number 13 A	+\$0	60	key number 60	A	+\$0
14	key number 14 A	+\$0	61	key number 61	А	+\$0
15	key number 15 A	+\$0	62	key number 62	A	+\$0
16	key number 16 A	+\$0	63	key number 63	A	+\$0
17	key number 17 A	+\$0	64	key number 64	A	+\$0
18	key number 18 A	+\$0	65	key number 65	A	+\$0
19	key number 19 A	+\$0	66	key number 66	A	+\$0
20	key number 20 A	+\$0	67	key number 67	A	+\$0
21	key number 21 A	+\$0	68	key number 68	A	+\$0
22	key number 22 A	+\$0	69	key number 69	A	+\$0
23	key number 23 A	+\$0	70	key number 70	A	+\$0
24	key number 24 A	+\$0	71	key number 71	A	+\$0
25	key number 25 A	+\$0	72	key number 72	A	+\$0
26	key number 26 A	+\$0	73	key number 73	A	+\$0
27	key number 27 A	+\$0	74	key number 74	A	+\$0
28	key number 28 A	+\$0	75	key number 75	A	+\$0
29	key number 29 A	+\$0	76	key number 76	A	+\$0
30	key number 30 A	+\$0	77	key number 77	A	+\$0
31	key number 31 A	+\$0	78	key number 78		+\$0
32	key number 32 A	+\$0	79	key number 79		+\$0
33	key number 33 A	+\$0	80	key number 80		+\$0
34	key number 34 A	+\$0	81	key number 81		+\$0
35	key number 35 A	+\$0	82	key number 82		+\$0
36	key number 36 A	+\$0	83	key number 83		+\$0
37	key number 37 A	+\$0	84	key number 84		+\$0
38	key number 38 A	+\$0	85	key number 85		+\$0
39	key number 39 A	+\$0	86	key number 86		+\$0
00	NO J HOLLDON OU A	. ψυ	00	noy number ou		. ψυ

87	key number 87 🛕	
88	key number 88 A	
89	key number 89 A	
90	key number 90 A	
91	key number 91 A	
92	key number 92 A	
93	key number 93 A	
94	key number 94 A	
95	key number 95 A	
96	key number 96 A	
97	key number 97 A	
98	key number 98 🛕	
99	key number 99 A	


+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0
+\$0




Description

This bar prevents unauthorized access to drawers or cassette bins within a 36"- or 42"-high cart. It offers multiple security and access options and re-locks automatically when closed. The standard keyless lock option allows access using a single programmable code that can be changed by a supervisor. The RFID lock allows users to access the cart using proximity cards.

Dimensions




RFID keyless lock bar



Standard keyless lock bar

Spec	rification Information		21	ŀ
Step 1			22	ke
T625	. A		23	ke
			24	key
ep 2	. Lock Bar Type		25	key num
)	standard keyless lock A	+\$529	26	key number
2	RFID Lock A	+\$1058	27	key number 2
			28	key number 2
	. Cart Height		29	key number 29
36	36"-high cart 🛕	+\$0	30	key number 30
42	42"-high cart A	+\$30	31	key number 31
			32	key number 32
	. Lock Position		33	key number 33
	left side lock A	+\$0	34	key number 34
R	right side lock A	+\$0	35	key number 35
			36	key number 36
Step 5			37	key number 37
K	keyed alike A	+\$0	38	key number 38
L	keyed differently A	+\$0	39	key number 39
			40	key number 40
Step 6	. Surface Finish		41	key number 41
HF	inner tone light A	+\$0	42	key number 42
LU	soft white A	+\$0	43	key number 43
WN	warm grey neutral A	+\$0	44	key number 44
			45	key number 45
tep 7	. Key Number		46	key number 46
For ke	eyed alike (K)		47	key number 47
1	key number 01	+\$0	48	key number 48
02	key number 02	+\$0	49	key number 49
)3	key number 03	+\$0	50	key number 50
04	key number 04	+\$0	51	key number 51
05	key number 05	+\$0	52	key number 52
06	key number 06	+\$0	53	key number 53
07	key number 07	+\$0	54	key number 54
08	key number 08	+\$0	55	key number 55
09	key number 09	+\$0	56	key number 56
10	key number 10	+\$0	57	key number 57
11	key number 11	+\$0	58	key number 58
12	key number 12	+\$0	59	key number 59
13	key number 13	+\$0	60	key number 60
14	key number 14	+\$0	61	key number 61
15	key number 15	+\$0	62	key number 62
16	key number 16	+\$0	63	key number 63
17	key number 17	+\$0	64	key number 64
18	key number 18	+\$0	65	key number 65
			66	key number 66
19	key number 19	+\$0	ng	key number be

68	key number 68	+\$0
69	key number 69	+\$0
70	key number 70	+\$0
71	key number 71	+\$0
72	key number 72	+\$0
73	key number 73	+\$0
74	key number 74	+\$0
75	key number 75	+\$0
76	key number 76	+\$0
77	key number 77	+\$0
78	key number 78	+\$0
79	key number 79	+\$0
80	key number 80	+\$0
81	key number 81	+\$0
82	key number 82	+\$0
83	key number 83	+\$0
84	key number 84	+\$0
85	key number 85	+\$0
86	key number 86	+\$0
87	key number 87	+\$0
88	key number 88	+\$0
89	key number 89	+\$0
90	key number 90	+\$0
91	key number 91	+\$0
92	key number 92	+\$0
93	key number 93	+\$0
94	key number 94	+\$0
95	key number 95	+\$0
96	key number 96	+\$0
97	key number 97	+\$0
98	key number 98	+\$0
99	key number 99	+\$0



Description

This proximity access provides access to a cart lockbar with proximity reader lock (CT625.R). It is available as a card, or as a sticker that can be attached to an I.D. badge. Package of 10.


Notes

Proximity access card has a slot for attaching a lanyard, clip, or other carrying device.

Proximity access sticker cannot be attached to a proximity I.D. badge with the same frequency (125 kHz).

Cards (or stickers) have identical codes. For individual codes, contact $\mbox{\sc Options}.$

Dimensions



Specification Information

Step 1.

CT623. A

Step 2. Type


C access card A

S card sticker A

Prices for Steps 1-2.

CT623. C \$215 S \$302

\$159



Product Information


Description

This bar is used with a breakaway tab. It indicates that the drawer or cassette contents of a 36° or 42° high cart are unaltered.

Notes

Order breakaway tab (CT709.) separately.


Dimensions



Specification Information Step 1. CT701. A Step 2. Cart Height 36 36"-high cart 42 42"-high cart Prices for Steps 1-2. CT701. 36 \$149

Step 3.	Surface Finish	
HF	inner tone light	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

42



Description

This holder attaches to the front of any slot location on a 36"- or 42"-high cart. It holds a breakaway tab, indicating that the contents of an individual drawer are unaltered. Finish is red.

Notes

Specify breakaway tabs (CT709.) separately.

When specified with cart, breakaway tab holder is factory installed at the front of the cart on the right side.

Breakaway tab holder can be field installed with included hardware. Drilling of cart body is required.


Specification Information

Step 1.

CT699. A

Ste	p 2. Slot Location
01	top slot A
02	2nd slot from top A
03	3rd slot from top A
04	4th slot from top A
05	5th slot from top A
06	6th slot from top A
07	7th slot from top A
08	8th slot from top A
09	9th slot from top, 42"-high cart only A
10	10th slot from top, 42"-high cart only A

Prices for Steps 1-2.	
CT699. 01	\$71
02	\$71
03	\$71
04	\$71
05	\$71
06	\$71
07	\$71
08	\$71
09	\$71
10	\$71




Description

This tab indicates that a cart's drawer or cassette contents are unaltered. Package contains 100.

Notes

Order breakaway bar (CT701.) or breakaway tab holder (CT699.) separately.

Specification Information	
itep 1.	
T709. A	\$88





Description

This wall-mounted lock has a steel cable that loops through a cart-mounted ring to prevent cart removal. Package includes a 20"-long steel cable, lock box, and ring. Finish is soft white.

Dimensions







Specification Information

Step 1.

CT708. A

66

\$383

+\$0

+\$0

+\$0




Product Information


Description

This hinged shelf is factory installed on the top segment of a 36"- or 42"-high cart. It is supported by a pivoting arm. The shelf provides a flat writing or utility surface; when lowered, the shelf is flush with the cart side. Accessories cannot attach to the cart segment where the shelf is installed or to the 2 segments below it. The shelf cannot be field installed.

For a single-wide cart, the shelf is installed on the left or right side. For a double-wide cart, the shelf is installed on the right side.

Dimensions





Specification Information Step 1. CT750. A Step 2. Shelf Position left-single wide only A R right A Prices for Steps 1-2. CT750. L \$272 R

Step 3. Surface Finish

inner tone light


warm grey neutral

soft white

ΗF

LU

WN



Description

This hinged shelf is factory installed on a cart and is supported by a pivoting arm. It provides a flat writing or utility surface; when lowered, the shelf is flush with the cart side. Accessories cannot attach to the cart segment where the shelf is installed or to the 2 segments below it.


For a single-wide cart the shelf is installed on the left or right side. For a double-wide cart the shelf is installed on the right side.


Notes

Cart segments are numbered from the bottom up starting at 1.

Cart segment 4 is available on the 42"- and 72"-high carts. Cart segment 5 is only available on the 72"-high cart.

Dimensions





Specification Information

Step 1.

CT751. A

Step 2. Shelf Position

L left-single wide only A

R right A

Step 3. Cart Segment

3 cart segment 3 A

4 cart segment 4 A

5 cart segment 5 A

Prices for Steps 1-3.			
	3	4	5
CT751. L	\$288	288	288
R	\$288	288	288

Step 4	4. Surface Finish	
HF	inner tone light	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

LU


WN

soft white A

warm grey neutral

+\$0

+\$0



Product Information


Description


This shelf and post assembly attaches to the top rear of a single-wide cart. It has a 24%"-wide shelf to support equipment above the cart. The shelf is height adjustable in 3" intervals and mounts horizontally or inclines at a 22° angle. It includes a 1%2"-high lip on the front and back edge.

Notes


Shelf cannot be field installed on a cart with slide-out shelf.

Dimensions





Specification Information Step 1. CT7 A Step 2. Cart Interior Width 94. 24" wide A Prices for Steps 1-2. CT794. \$376



Description


This rail and post assembly attaches to the top rear of a single-wide cart. It has a 20° or 24° wide rail to hold rail-mounted components above the cart. The rail is height adjustable in 3° intervals.


Notes

Rail cannot be field installed on a cart with slide-out shelf.

Order rail-mounted components separately.

Dimensions





Specification Information

Step 1.

CT79 A

Step 2. Cart Interior Width


- **0.** 20" wide A
- 6. 24" wide A

Prices for Steps 1-2.	
CT790.	\$259
CT796.	\$275

Step 3	3. Surface Finish	
LU	soft white A	+\$0
WN	warm grey neutral	121

Above-Cart Add-On Rail, Single-Wide Cart

CT791. CT797.



Product Information

Description


This rail attaches to the threaded inserts on the posts of an above-cart shelf or above-cart rail. The mounting position of the rail is height adjustable in 3" intervals. It has a 20"- or 24"-wide rail to hold rail-mounted components above the cart.

Notes

Order above-cart rail (CT790. or CT796.) separately.

Order rail-mounted components separately.

Dimensions



Specification Information

Step 1.

CT79 A

Step 2.	Cart	Interior	Width
	0.011		_

1. 20" wide A

7. 24" wide A

Prices for Steps 1-2.


CT791. CT797. \$116 \$134

Step 3. Surface Finish

LU soft white A

WN warm grey neutral

+\$0 +\$0



Description


This aluminum rail is permanently installed on the side of a cart or locker. It has a 15\%"-wide track to hold rail-mounted components; the track allows positive placement, lateral movement, and quick removal of components. For a single-wide cart, the rail is pre-installed on the left or right side. For a double-wide cart, the rail is pre-installed in any segment on the right side or in segment 5, 6, or 7 on the left side.

For lockers, the rail can be field installed and includes mounting hardware. Specify any combination of rail position and cart segment when ordering rail for a locker.

Notes

Cart segments are numbered from the bottom up starting at 1. Order rail-mounted components separately.

Dimensions



Specification Information

Step 1.

CT782.15 A

Step 2. Rail Position


left A

R right A

Step 3. Cart Segment

- 1 cart segment 1 A 2
 - cart segment 2 A
- cart segment 3 A 3
- 4 cart segment 4 A
- 5 cart segment 5 A
- 6 cart segment 6 A
- cart segment 7 A 7

Prices for Steps 1-3.						
	1	2	3	4	5	6
CT782.15 L	\$64	64	64	64	64	64
R	\$64	64	64	64	64	64




Description

This aluminum rail is permanently installed on the back of a single-wide cart. It has a 21% "-wide track to hold rail-mounted components; the track allows positive placement, lateral movement, and quick removal of components.

Notes

Order rail-mounted components separately.


Dimensions



Specification Information

Step 1.

CT782.20 A




Description

This box hangs from an accessory rail. It has 4 hospital-grade 110-volt receptacles, a circuit breaker, and a 6' cord with cord wrap. Electrical strip finish is white; cord wrap finish is soft white.

Notes

Order accessory rail (CT782.15 or CT782.20) separately.

Dimensions




Specification Information

Step 1.

CT778.01 A

CT720. CT722.



Product Information

Description


This powder-coated wire basket is available in 2 sizes: the 113/4"-wide basket hangs from an accessory rail or above-cart rail; the 181/4"-wide basket mounts on an above-cart rail only and includes 2 adjustable dividers. Finish is soft white.

Notes

Order accessory rail (CT782.) or above-cart rail (CT790. or CT796.) separately.

Dimensions





Specification Information

Step 1.


CT72 A

Step	2.	Size	

0.01 $4\frac{3}{4}$ " high x $4\frac{3}{4}$ " deep x $11\frac{3}{4}$ " wide $4\ensuremath{^{3}\!\!/_{\!\!4}}\ensuremath{^{\prime\prime}}$ high x $9\ensuremath{^{\prime\prime}\!\!/_{\!\!2}}\ensuremath{^{\prime\prime}}$ deep x $18\ensuremath{^{\prime\prime}\!\!/_{\!\!4}}\ensuremath{^{\prime\prime}}$ wide 2.01

Prices for Steps 1-2.

CT720.01 \$125 \$259 CT722.01



Description

This powder-coated basket attaches to an accessory rail. It holds 8 1-dozen count boxes or 4 3-dozen count boxes of sutures. Sutures can be accessed without removing the box from the basket. Finish is soft white.


Notes

Order accessory rail (CT782.15) or above-cart rail (CT790. or CT796.) separately.

Dimensions








Specification Information

Step 1.

CT723. A

\$96



Product Information


Description


This container hangs from an accessory rail. Finish is white.


Notes

Order accessory rail (CT782.) separately.

Dimensions








Specification Information

Step 1.

CT728. A



Description


This powder-coated clamp attaches to an equipment rail or cart-mounted accessory rail to hold customer-supplied accessories.

Notes

Order rail separately:

- Above-cart rail, single-wide cart (CT790. or CT796.)
- Accessory rail, back (CT782.20)
- Accessory rail, side (CT782.15)
- Equipment rail, systems mounted (C1172.)
- Equipment rail, wall mounted (C1170.)


Dimensions



Specification Information

Step 1.

CT729.01 A




Description


This metal holder hangs from an accessory rail and organizes clipboards and charts. Finish is soft white.

Notes

Order accessory rail (CT782.) separately.

Dimensions






Specification Information

Step 1.

CT730.01 A




Description


This holder hangs from an accessory rail and has adjustable black Velcro straps to hold a variety of containers. A plastic locking sharps cabinet can also be mounted with screws to prevent theft. Finish is soft white.


Notes

Order accessory rail (CT782.) separately.

Dimensions








Specification Information

Step 1.

CT734.01 A

\$71



Product Information


Description

This powder-coated hook hangs from an accessory rail to hold clipboards or other hanging items. Finish is soft white.


Notes

Order accessory rail (CT782.) separately.

Dimensions



Specification Information Step 1. CT776.01 A




Description

This powder-coated steel rack hangs from an accessory rail and holds excess electrical cord. Finish is soft white.

Notes

Order side accessory rail (CT782.15) or back accessory rail (CT782.20) separately.


Dimensions



Specification Information

Step 1.

CT779.01 A



Description


This powder-coated steel holder hangs from an above-cart rail or side accessory rail. It holds glove boxes sized 10" x 5" x 3". Finish is soft white.

Notes

Order rail separately:

- Above-cart rail, single-wide cart (CT790. or CT796.)
- Side accessory rail (CT782.); cannot be located in top segment

Dimensions



Specification Information


Step 1.

CT726. A



Tilt-Out Storage Bin

CT9303 CT9304 CT9305 CT9306



Product Information


Description

This holder is white plastic and holds clear plastic bins. The bins tilt forward to provide access to contents and can be removed for easy refilling. Each bin has a label holder. It attaches to the above-cart rail only.

Notes

Order above-cart rail, single-wide cart (CT790. or CT796.) separately.

Dimensions



Specification Information


Step 1.

CT930 A

Step 2. Number of Bins

- 3. 3 bins
- **4.** 4 bins
- **5.** 5 bins
- **6.** 6 bins

Prices for Steps 1-2.	
CT9303.	\$178
CT9304.	\$165
CT9305.	\$139
CT9306.	\$113



Description


This nylon-coated wire shelf attaches to the bottom right outside of a cart. Finish is soft white.


Specification	Information

Step 1.


CT756. A \$238

Dimensions









Description


This powder-coated wire assembly attaches to the left side of a cart and holds an E-size oxygen tank cylinder. Finish is soft white.


Notes

When holder is specified for 36"-high cart, accessory rail cannot be used on segments 1 or 3; for 42"-high cart, accessory rail cannot be used on segments 2 or 4.

Dimensions








Specification Information

Step 1.

CT772. A

\$108



Product Information

Description


This product attaches to the back of a cart. It has a plastic surface and 3 hand-hold slots. Finish is soft white.

Notes

When cardiac board is installed on 36"-high cart, back accessory rail cannot be installed.

Dimensions






Specification Information

Step 1.

CT773. A




Description

This clear, acrylic overlay sits on top of a single-wide cart with a molded, raised edge or a flat top. The overlay protects documents from spills and damage and protects the cart top from scratches and wear.

Notes

Overlay cannot be used on cart with above-cart shelf (CT794.).

Dimensions



Specification Information

Step 1.

CT507. A

Step 2. Cart Interior Width


20" wide A

24 24" wide A

Prices for Steps 1-2.

24

CT507. 20 \$107



Description


This shelf attaches to the left rear corner of a cart top. The top pivots 360° on the mounting arm. The mounting arm can be released to swivel 90°. Straps can hold contents stored on the shelf. Finish is soft white.

Notes

Cannot be field installed on a cart with slide-out shelf.

Above-cart rail and above-cart shelf cannot be installed on same cart with this shelf.

Dimensions







Specification Information

Step 1.

CT761. A \$606

Procedure/Supply Carts	
3"-High Drawer Organizer Kit, 20"-Wide Cart Interior	page(s) 39
3"-High Drawer Organizer Kit, 24"-Wide Cart Interior	42
6"-High Drawer Organizer Kit, 20"-Wide Cart Interior	41
6"-High Drawer Organizer Kit, 24"-Wide Cart Interior	43
36" H Procedure Cart for Basic Supply Storage	7
36"H Procedure Cart with Security	8
42"H Procedure Cart with Above-Cart Storage	11
42"H Procedure Cart with Limited Security	10
72"H Clinical Supply Storage Cart	13
Above-Cart Add-On Rail, Single-Wide Cart	71
Above-Cart Rail, Single-Wide Cart	70
Above-Cart Shelf, Single-Wide Cart	69
Accessory Rail, Back	73
Accessory Rail, Side	72
Beltline Flip-Up Shelf	68
Breakaway Bar	63
Breakaway Tab	65
Breakaway Tab Holder	64
Cardiac Board and Hangers	87
Cassette	55
Cassette Bin	54
Chart Holder	79
Clear Lid	45
Clear Overlay, Single-Wide Cart	88
Cord Wrap	82
Corner Shelf	89
Door	56
Double-Wide Cart	22
Drawer	27
Drawer Color Strips	46, 47
Drawer/Shelf Divider	44
Drawer with Lockable Lid	30
Electrical Strip, 4 Outlet	74
Flip-Up Shelf	67
Full-Extension Drawer Slides, Single-Wide Cart	48
Glove Box Holder	83
Keyboard Shelf	53
Keyless Lock Bar	59
Lock Bar	25
Locked Drawer with Lockable Lid	33
Locking Storage and Technology Cart	18
Oxygen Tank Holder	86
Proximity Access	62
Pullout Catheter Rack	52
Rail Clamp	78
Sharps Container Holder	80
Onarps Container Holder	00

Single-Wide Cart	24
Single-Wide Cart, Dual Access	21
Solid Shelf	51
Storage and Technology Cart	16
Subcontainer	37
Subcontainer Divider	40
Supply Basket	75
Suture Basket	76
Tilt-Out Storage Bin	84
Try-A-Cart 20 Series, 36" H Cart Kit	5
Try-A-Cart L-Cart	6
Utility Hook	81
Vacuum Pump Shelf	85
Wall Lock	66
Wastebasket and Holder	77
Wire Shelf	49
Wire Shelf Divider	50

CO231	Subcontainer	page(s) 37
CO232		,
CO233		
CO234		
CO235		
CO236		
CO238		
CO240		
CO369		
CO378	Subcontainer Divider	40
CO379		
CO380		
CT136.	Single-Wide Cart	24
CT142.	•	
CT142.	Single-Wide Cart, Dual Access	21
CT172.	Single-Wide Cart	24
CT236.	Double-Wide Cart	22
CT242.		
CT272.		
CT336.	Single-Wide Cart	24
CT342.	Ç	
CT372.		
CT436.	Double-Wide Cart	22
CT442.		
CT472.		
CT501.	Drawer	27
CT503.	Drawer with Lockable Lid	30
CT504.	Full-Extension Drawer Slides, Single-Wide Cart	48
CT505.	Locked Drawer with Lockable Lid	33
CT507.	Clear Overlay, Single-Wide Cart	88
CT508.	Clear Lid	45
CT511.	Drawer	27
CT513.	Drawer with Lockable Lid	30
CT515.	Locked Drawer with Lockable Lid	33
CT521.	Wire Shelf	49
CT522.		
CT523.	Solid Shelf	51
CT525.	Wire Shelf	49
CT526.		
***************************************	Wire Shelf Divider	50
***************************************	Cassette	55
CT543.		-
***************************************	Cassette Bin	54
**************	Drawer/Shelf Divider	44
CT560.		42
CT561.	5 - 1 - 1 - 5 - 1 - 1 - 1 - 1 - 1 - 1 -	
CT562.		

07500		
CT563.		
CT564.		
CT570.	6"-High Drawer Organizer Kit, 24"-Wide Cart Interior	43
CT571.		
CT575.	6"-High Drawer Organizer Kit, 20"-Wide Cart Interior	41
CT576.		
CT580.	3"-High Drawer Organizer Kit, 20"-Wide Cart Interior	39
CT581.		
CT582.		
CT583.		
CT584.		
CT585.		
CT623.	Proximity Access	62
•		
CT625.	Keyless Lock Bar	59
CT699.	Breakaway Tab Holder	64
CT701.	Breakaway Bar	63
CT707.	Door	56
CT708.	Wall Lock	66
CT709.	Breakaway Tab	65
CT710.	Lock Bar	25
CT717.	Door	56
CT720.	Supply Basket	75
CT722.		
CT723.	Suture Basket	76
CT726.	Glove Box Holder	83
CT728.	Wastebasket and Holder	77
CT729.	Rail Clamp	78
CT730.	Chart Holder	79
CT734.	Sharps Container Holder	80
CT738.	Pullout Catheter Rack	52
CT750.	Flip-Up Shelf	67

CT751.	Beltline Flip-Up Shelf	68
CT756.	Vacuum Pump Shelf	85
CT761.	Corner Shelf	89
CT772.	Oxygen Tank Holder	86
CT773.	Cardiac Board and Hangers	87
CT776.	Utility Hook	81
CT778.	Electrical Strip, 4 Outlet	74
CT779.	Cord Wrap	82
CT782.	Accessory Rail, Back	73
CT782.	Accessory Rail, Side	72
CT790.	Above-Cart Rail, Single-Wide Cart	70
CT791.	Above-Cart Add-On Rail, Single-Wide Cart	71
CT794.	Above-Cart Shelf, Single-Wide Cart	69
CT796.	Above-Cart Rail, Single-Wide Cart	70
CT797.	Above-Cart Add-On Rail, Single-Wide Cart	71
CT801.	Keyboard Shelf	53

CT990.	Drawer Color Strips	46
CT991.	Drawer Color Strips	47
CT9303	Tilt-Out Storage Bin	84
CT9304		
CT9305		
CT9306		
CTC.	36" H Procedure Cart for Basic Supply Storage	7
CTC.	36"H Procedure Cart with Security	8
CTC.	42"H Procedure Cart with Above-Cart Storage	11
CTC.	42"H Procedure Cart with Limited Security	10
CTC.	72"H Clinical Supply Storage Cart	13
CTC.	Try-A-Cart 20 Series, 36" H Cart Kit	5
CTC.	Try-A-Cart L-Cart	6
CTT.	Storage and Technology Cart	16
CTTL.	Locking Storage and Technology Cart	18

20-Day or Less/Assigned Lead-Time Order Information — Healthcare

20-Day or Less/Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon A will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an A are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number: (616) 654 3085.

For more information, contact your Customer Care representative at: $(866)\ 854\ 3048\ ext\ 3400$

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller Healthcare August 2010



Packaging/Keyed-Alike Information — Procedure/Supply Carts

Packaging

Packaging varies according to individual product. A surcharge may be added for special packaging requests. Contact Customer Care for specific information.

Keyed-Alike Locks

All components with locks may be specified keyed alike. Products with keyed-alike locks will be shipped with lock plugs installed. Procedure/supply carts have Medeco locks.

To order keyed-alike locks:

- 1. Choose keyed-alike product number.
- 2. Specify a key number if desired (01 through 99). If no key number is specified, one will be selected for you.
- 3. Specify the quantity of each kind of component to be keyed-alike.

To remove lock plugs from existing components, loosen the hex nut inside the product and remove the plug.

Customers interested in ordering master keys for procedure/supply carts products should contact their local authorized dealer with a written request.

HermanMiller Healthcare August 2010

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

® HermanMiller, ●, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

[™] About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyris, Lyris 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

 \mbox{Corian}^{\otimes} is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

 $\mbox{\it Crypton}^{\mbox{\tiny (8)}}$ is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

 $\label{eq:FSC-states} {\sf FSC}^{\&} \ \text{is a registered trademark of the Forest Stewardship Council A.C. (FSC)}.$

Geiger[®] is a registered trademark, and Bumper[™], Saiba[™], and Ward Bennett[™] are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Lisocore® is a registered trademark of Pyrus Panels GmbH.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare[™] is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat[™] is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.