



Prices effective February 3, 2025

Published March 2025

Thrive™ Portfolio

10-Day or Less

Introduction	page 2
Thrive™ Portfolio 10-Day or Less	3
Technology Support	5
Power and Data Support	11
Screens	25
Personal Lighting	26
Work Tools	27
Indices	31
By Name	31
By Number	33
Appendices	
10-Day or Less Order Information	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 3, 2025, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

For additional product information such as dimensional drawings and product descriptions, refer to the standard price books.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

Technology Support

Power and Data Support

Screens


Personal Lighting

Work Tools



Flo® Single-Screen Monitor Arm Support

Y91171



Specification Information

Step 1.

Y91171.

Step 2. Attachment Bracket

CM surface clamp

T1S through-surface mount with rotation stop, up to 1 $\frac{3}{8}$ " thick

T2S through-surface mount with rotation stop, up to 3" thick

Prices for Steps 1-2.


Y91171.	CM	\$394
	T1S	\$428
	T2S	\$428

Step 3. Finish

0I	silver	+\$0
0J	white	+\$0
0H	black	+\$0

Flo® Dual-Screen Monitor Arm - Clamp Mount

Y91175



Specification Information

Step 1.

Y91175.

Step 2. Attachment Bracket

CM surface clamp mount


Prices for Steps 1-2.

Y91175.	CM	\$799
---------	-----------	-------

Step 3. Finish


0I	silver	+\$0
-----------	--------	------

Flo® Single Screen Monitor Arm - Arm Only Y92090



Specification Information		
Step 1.		
Y92090.		\$306
Step 2. Finish		
0I	silver	+\$0
0H	black	+\$0


Flo® Now Two-Piece Clamp Mount Y92092



Specification Information		
Step 1.		
Y92092.		\$88
Step 2. Finish		
0I	silver	+\$0

Ollin/Flo® Now Two-Piece Clamp
Mount - Extended Height

Y93001



Specification Information

Step 1.

Y93001.

\$185


Step 2. Finish

01 silver

+\$0

Wishbone® Post Top-Mounting
Surface Clamp

Y92052



Specification Information

Step 1.

Y92052.

\$87


Step 2. Finish

01 silver

+\$0

Enhanced Back-To-Back Post Bracket


Y92009



Specification Information		
Step 1.		
Y92009.		\$137
Step 2. Finish		
01	silver	+\$0

LOOP™ Adjustable CPU Holder Assembly


Y91104



Specification Information		
Step 1.		
Y91104.		
Step 2. Length		
13	13¾" long	
Prices for Steps 1-2.		
Y91104.	13	\$280
Step 3. Finish		
0H	black	+\$0

LOOP™ Adjustable CPU Holder

Y92041



Specification Information

Step 1.

Y92041.

\$215


Step 2. Finish

0H black

+\$0

Universal CPU Holder Slide & Rotate Kit

Y92038



Specification Information

Step 1.

Y92038.

Step 2. Length

13 13¾" long

Prices for Steps 1-2.


Y92038. 13

\$65

Step 3. Finish

0H black

+\$0



Specification Information

Step 1.

Y2091.

Step 2. Surface Material

L	high-pressure laminate top/thermoplastic edge
U	high-pressure laminate/universal edge

Prices for Steps 1-2.

Y2091. L	\$180
U	\$171

Step 3. Top Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Step 4. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Connect™-S200

Y1322.



Specification Information

Step 1.

Y1322.

Step 2. Configuration

- 1 1 simplex receptacle, 1 data opening
- 2 2 simplex receptacles

Step 3. Power Type

- A power cord with plug end
- B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit

Prices for Steps 1-4.

		03	06	10	20
Y1322.	1 A	\$366	366	379	451
	B	\$442	442	455	525
	2 A	\$386	386	401	473
	B	\$464	464	479	552

Step 5. Wiring Type


- 4Z standard +\$0

Step 6. Finish

- 0H black +\$0
- 0I silver +\$0
- 0J white +\$0

Connect™-S300

Y1323.



Specification Information

Step 1.

Y1323.

Step 2. Configuration

- 3 2 simplex receptacles, 2 data openings
- 4 3 simplex receptacles, 3 data openings
- 5 2 simplex receptacles, 1 data opening, 1 charging USB port
- 6 3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

- A power cord with plug end
- B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit

Step 5. Attachment

- G grommet mount
- S surface clamp


Prices for Steps 1-5.

		03G	03S	06G	06S	10G	10S
Y1323.	3 A	\$415	415	415	415	433	433
	B	\$493	493	493	493	510	510
	4 A	\$517	517	517	517	530	530
	B	\$599	599	599	599	613	613
	5 A	\$580	580	580	580	597	597
	B	\$662	662	662	662	674	674
	6 A	\$681	681	681	681	699	699
	B	\$764	764	764	764	778	778

		20G	20S
Y1323.	3 A	\$504	504
	B	\$578	578
	4 A	\$606	606
	B	\$681	681
	5 A	\$668	668
	B	\$773	773
	6 A	\$768	768
	B	\$879	879

Step 6. Finish

0H	black	+\$0
0I	silver	+\$0
0J	white	+\$0



Specification Information

Step 1.

Y1324.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
5	3 simplex receptacles, 4 data openings
6	2 simplex receptacles, 1 data opening, 1 charging USB port
7	3 simplex receptacles, 3 data opening, 1 charging USB port
8	3 simplex receptacles, 2 data opening, 2 charging USB ports

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.

		03	06	10	20
Y1324. 3	A	\$578	578	594	666
	B	\$657	657	674	743
5	A	\$742	742	758	828
	B	\$821	821	831	901
6	A	\$743	743	758	828
	B	\$824	824	839	911
7	A	\$907	907	925	997
	B	\$988	988	1000	1069
8	A	\$1073	1073	1087	1160
	B	\$1154	1154	1164	1232

Step 5. Wiring Type


4Z	standard	+\$0
-----------	----------	------

Step 6. Finish

0K	silver anodized	+\$0
-----------	-----------------	------

Connect™-S500

Y1325.



Specification Information

Step 1.

Y1325.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
7	3 simplex receptacles, 3 data openings
5	2 simplex receptacles, 1 data opening, 1 charging USB port
6	3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1325.	3 A	\$680	680	698	767
	B	\$762	762	773	844
	7 A	\$782	782	801	870
	B	\$864	864	878	950
	5 A	\$849	849	864	934
	B	\$929	929	941	1010
	6 A	\$950	950	965	1038
	B	\$1028	1028	1045	1114

Step 5. Finish

0K	silver anodized				+\$0
----	-----------------	--	--	--	------

Connect™-Power Entry with Plug End, 20 Amp

Y1342.



Specification Information

Step 1.

Y1342.

Step 2. Length

06	6' long
10	10' long


Step 3. Plug Type

A	straight plug
B	90° plug

Prices for Steps 1-3.

		A	B
Y1342.	06	\$313	313
	10	\$365	365

Connect™-Power Entry, 2-Circuit Y1341.



Specification Information
Step 1.
Y1341.

Step 2. Length

06	6' long
12	12' long
18	18' long
24	24' long


Step 3. Conduit Type

L	liquid tight conduit
C	3/8" flex metallic conduit

Prices for Steps 1-3.

	L	C
Y1341. 06	\$210	210
12	\$276	276
18	\$341	341
24	\$423	423

Connect™ - Modular Power Entry, 2 Circuit, Architectural Wall Receptacle Box Y1349.




Specification Information
Step 1.
Y1349.

\$157

Connect™-Duplex Receptacle, 2-Circuit, 15 Amp

Y1345.



Specification Information

Step 1.

Y1345.

Step 2. Circuit

- 1 circuit I
- 2 circuit II

Step 3. Attachment Hardware


- A flat attachment to underside of surface
- B short 90° attachment to underside of surface
- C long 90° attachment to underside of surface

Prices for Steps 1-3.

	A	B	C
Y1345. 1	\$109	118	118
2	\$109	118	118

Connect™-Dual Receptacle Power Kit, 2-Circuit

Y1340.



Specification Information

Step 1.

Y1340.

Step 2. Width

- 36 36" wide
- 42 42" wide
- 48 48" wide
- 54 54" wide
- 60 60" wide
- 66 66" wide
- 72 72" wide
- 78 78" wide
- 84 84" wide
- 90 90" wide
- 96 96" wide

Step 3. Conduit Type

- L liquid tight conduit
- C 3/8" flex metallic conduit

Step 4. Circuit

- 1 circuit I
- 2 circuit II

Step 5. Attachment Hardware

- A flat attachment to underside of surface
- B short 90° attachment to underside of surface
- C long 90° attachment to underside of surface

Prices for Steps 1-5.


	1A	1B	1C	2A	2B	2C
Y1340. 36 L	\$228	237	237	228	237	237
C	\$228	237	237	228	237	237
42 L	\$254	261	261	254	261	261
C	\$254	261	261	254	261	261
48 L	\$259	266	266	259	266	266
C	\$259	266	266	259	266	266
54 L	\$266	277	277	266	277	277
C	\$266	277	277	266	277	277
60 L	\$276	288	288	276	288	288
C	\$276	288	288	276	288	288
66 L	\$283	294	294	283	294	294
C	\$283	294	294	283	294	294
72 L	\$292	299	299	292	299	299
C	\$292	299	299	292	299	299

Connect™-Dual Receptacle Power Kit, 2-Circuit *continued*

78	L	\$297	304	304	297	304	304
	C	\$297	304	304	297	304	304
84	L	\$303	311	311	303	311	311
	C	\$303	311	311	303	311	311
90	L	\$311	316	316	311	316	316
	C	\$311	316	316	311	316	316
96	L	\$315	324	324	315	324	324
	C	\$315	324	324	315	324	324

Connect™-Jumper, 2-Circuit

Y1343.



Specification Information

Step 1.


Y1343.

Step 2. Width

06	6" wide
09	9" wide
12	12" wide
18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide
108	108" wide
120	120" wide
132	132" wide
144	144" wide

Step 3. Conduit Type

L	liquid tight conduit
C	3/8" flex metallic conduit



Prices for Steps 1-3.

	L	C
Y1343. 06	\$85	85
09	\$89	89
12	\$92	92
18	\$98	98
24	\$106	106
30	\$111	111
36	\$119	119
42	\$123	123
48	\$127	127
54	\$136	136
60	\$145	145
66	\$151	151
72	\$156	156
78	\$163	163
84	\$173	173
90	\$179	179
96	\$187	187
108	\$198	198
120	\$212	212
132	\$227	227
144	\$239	239

Specification Information

Step 1.

Y1347.


Step 2. Attachment Hardware

- A** flat attachment to underside of surface
B short 90° attachment to underside of surface
C long 90° attachment to underside of surface

Prices for Steps 1-2.

Y1347. A	\$90
B	\$139
C	\$139

Connect™-Block Connector, 2-Circuit Y1344.




Specification Information
Step 1.
Y1344.

Step 2. Connector Type	
H	H-block connector
R	receptacle-to-receptacle block connector

Prices for Steps 1-2.	
Y1344. H	\$54
R	\$42

Connect™-Power Entry, 4-Circuit Y1351.




Specification Information
Step 1.
Y1351.

Step 2. Length	
06	6' long
12	12' long
18	18' long
24	24' long

Step 3. Conduit Type	
L	liquid tight conduit
C	3/8" flex metallic conduit

Prices for Steps 1-3.		
	L	C
Y1351. 06	\$228	228
12	\$325	325
18	\$424	424
24	\$543	543

Connect™-Modular Power Entry, 4 Circuit, Architectural Wall Junction Box



Specification Information

Step 1.


Y1359.

Y1359.

\$177

Connect™-Dual Junction Block Power Kit, 4-Circuit

Y1350.



Specification Information

Step 1.

Y1350.

Step 2. Width

42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide

Step 3. Junction Block Type

S	single-sided junction block
D	double-sided junction block

Step 4. Attachment Hardware

For single-sided junction block (S)

A	flat attachment to underside of surface
B	short 90° attachment to underside of surface
C	long 90° attachment to underside of surface

For double-sided junction block (D)

B	short 90° attachment to underside of surface
C	long 90° attachment to underside of surface

Prices for Steps 1-4.


		A	B	C
Y1350.	42 S	\$294	300	300
	D	—	\$219	219
	48 S	\$300	308	308
	D	—	\$227	227
	54 S	\$308	314	314
	D	—	\$236	236
	60 S	\$314	323	323
	D	—	\$243	243
	66 S	\$323	329	329
	D	—	\$251	251
	72 S	\$329	340	340
	D	—	\$258	258
	78 S	\$340	350	350
	D	—	\$264	264

Connect™-Dual Junction Block Power Kit, 4-Circuit *continued*

84	S	\$349	367	367
	D	—	\$276	276
90	S	\$358	366	366
	D	—	\$288	288
96	S	\$366	372	372
	D	—	\$295	295

Connect™-Junction Block to Junction Block Jumper, 4-Circuit

Y1353.



Specification Information

Step 1.

Y1353.

Step 2. Width

12	12" wide
18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
108	108" wide
120	120" wide
132	132" wide
144	144" wide


Step 3. Type

A	adjustable jumper
N	nonadjustable jumper

Connect™-Junction Block to Junction
Block Jumper, 4-Circuit *continued*

Connect™-Junction Block, 4-Circuit

Y1358.



Prices for Steps 1-3.

	A	N
Y1353. 12	\$119	119
18	\$124	124
24	\$133	133
30	\$144	144
36	\$151	151
42	\$157	157
48	\$168	168
54	\$177	177
60	\$185	185
66	\$191	191
72	\$198	198
78	\$209	209
84	\$216	216
90	\$226	226
108	\$250	250
120	\$263	263
132	\$283	283
144	\$300	300

Specification Information

Step 1.

Y1358.

Step 2. Junction Block Type

SH	single junction block
SB	single back-to-back junction block
DH	double junction block
DB	double back-to-back junction block

Step 3. Attachment Hardware

For single junction block (SH) or double junction block (DH)

A	flat attachment to underside of surface
B	short 90° attachment to underside of surface
C	long 90° attachment to underside of surface


For single back-to-back junction block (SB) or double back-to-back junction block (DB)

B	short 90° attachment to underside of surface
C	long 90° attachment to underside of surface

Prices for Steps 1-3.

	A	B	C
Y1358. SH	\$131	140	140
SB	—	\$140	140
DH	\$109	118	118
DB	—	\$118	118

Connect™-Duplex Receptacle, Y1355. 4-Circuit



Specification Information

Step 1.

Y1355.

Step 2. Amps

15	15 amp
20	20 amp


Step 3. Circuit

1	circuit I
2	circuit II
3	circuit III
4	circuit IV

Prices for Steps 1-3.

	1	2	3	4
Y1355. 15	\$40	40	40	40
20	\$46	46	46	46

Connect™-Junction Block Brackets, Y1357. 4-Circuit



Specification Information

Step 1.

Y1357.


Step 2. Attachment Hardware

- A flat attachment to underside of surface
- B short 90° attachment to underside of surface
- C long 90° attachment to underside of surface

Prices for Steps 1-2.

Y1357. A	\$90
B	\$139
C	\$139

Connect™-Block Connector, 4-Circuit Y1354.




Specification Information

Step 1.
Y1354.

Step 2. Connector Type	
H	H-block connector
R	receptacle-to-receptacle block connector

Prices for Steps 1-2.	
Y1354. H	\$66
R	\$84

Connect™-Transition Jumper, 2- to 4-Circuit Y1356.



Specification Information

Step 1.
Y1356.

Step 2. Width	
06	6" wide
24	24" wide
36	36" wide
48	48" wide
72	72" wide
96	96" wide

Step 3. Conduit Type	
L	liquid tight conduit



Prices for Steps 1-3.	
	L
Y1356. 06	\$110
24	\$133
36	\$151
48	\$168
72	\$198
96	\$235

Connect™-Ganging Bracket Kit

Y1338.

Connect™-Conduit Clamp

Y1339.



Specification Information

Step 1.

Y1338.

\$119

Specification Information


Step 1.

Y1339.

\$19

Modesty Panel

Y1113.



Specification Information

Step 1.

Y1113.

Step 2. Width

60 60" wide

Step 3. Cable Trough

Y with added cable trough

Step 4. Surface Material

L thermally-fused laminate top/thermoplastic edge

Prices for Steps 1-4.


	L
Y1113. 60 Y	\$845

Step 5. Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0

Step 6. Edge Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0



Specification Information

Step 1.

Y6470.

Step 2. Attachment Bracket

CM surface clamp

FR freestanding

Prices for Steps 1-2.

Y6470.	CM	\$486
	FR	\$486


Step 3. Finish

613	silver (CP)	+\$0
G1	graphite (CP)	+\$0
91	white (CP)	+\$0

Thrive™ Portfolio—Personal Lighting

Metal Straight Screen, Surface Attached with Modesty

YT250.



Specification Information

Step 1.

YT250.

Step 2. Height

A 11" high

Step 3. Width

34 34" wide

46 46" wide

Prices for Steps 1-3.


	34	46
YT250. A	\$435	463

Step 4. Screen Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNB	satin bronze	+\$10
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0

Paper Tray

Y7216.



Specification Information

Step 1.

Y7216.

Step 2. Width

10 10" wide

16 16" wide

Prices for Steps 1-2.

Y7216. 10	\$50
16	\$65

Step 3. Surface Finish



UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WN	warm grey neutral	+\$0

Vertical Tray

Y7217.

Diagonal Tray

Y7218.



Specification Information	
Step 1.	
Y7217.4	\$59


Step 2. Surface Finish		
UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WN	warm grey neutral	+\$0

Specification Information	
Step 1.	
Y7218.	\$82

Step 2. Surface Finish		
UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WN	warm grey neutral	+\$0

Pencil Holder


Y7233.



Specification Information	
Step 1.	
Y7233.	\$42

Mini-Shelf


Y7310.



Specification Information	
Step 1.	
Y7310.	
Step 2. Width	
15	15" wide
24	24" wide
30	30" wide
Prices for Steps 1-2.	
Y7310. 15	\$84
24	\$87
30	\$102
Step 3. Surface Finish	
UBK	ultra black (CP) +\$0
HF	inner tone light +\$0
LU	soft white +\$0
MT	medium tone +\$0

Pencil Drawer


Y5010.



Specification Information		
Step 1.		
Y5010.		\$76
Step 2. Surface Finish		
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Marker/Eraser Holder

Y7231.



Specification Information		
Step 1.		
Y7231.		\$191
Step 2. Finish		
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
BK	black	+\$0

Index by Product Name

Thrive™ Portfolio 10-Day or Less	
Connect™-Block Connector, 2-Circuit	page(s) 18
Connect™-Block Connector, 4-Circuit	23
Connect™-Conduit Clamp	24
Connect™-Dual Junction Block Power Kit, 4-Circuit	19
Connect™-Dual Receptacle Power Kit, 2-Circuit	15
Connect™-Duplex Receptacle, 2-Circuit, 15 Amp	15
Connect™-Duplex Receptacle, 4-Circuit	22
Connect™-Ganging Bracket Kit	24
Connect™-Jumper, 2-Circuit	16
Connect™-Junction Block, 4-Circuit	21
Connect™-Junction Block Brackets, 4-Circuit	22
Connect™-Junction Block to Junction Block Jumper, 4-Circuit	20
Connect™ - Modular Power Entry, 2 Circuit, Architectural Wall Receptacle	
Box	14
Connect™-Modular Power Entry, 4 Circuit, Architectural Wall Junction	
Box	19
Connect™-Power Entry, 2-Circuit	14
Connect™-Power Entry, 4-Circuit	18
Connect™-Power Entry with Plug End, 20 Amp	13
Connect™-Receptacle Brackets, 2-Circuit	17
Connect™-S200	11
Connect™-S300	11
Connect™-S400	12
Connect™-S500	13
Connect™-Transition Jumper, 2- to 4-Circuit	23
Diagonal Tray	28
Enhanced Back-To-Back Post Bracket	8
Flo® Dual-Screen Monitor Arm - Clamp Mount	5
Flo® Now Two-Piece Clamp Mount	6
Flo® Single Screen Monitor Arm - Arm Only	6
Flo® Single-Screen Monitor Arm Support	5
Flute™ Personal Light	26
LOOP™ Adjustable CPU Holder	9
LOOP™ Adjustable CPU Holder Assembly	8
Marker/Eraser Holder	30
Metal Straight Screen, Surface Attached with Modesty	27
Mini-Shelf	29
Modesty Panel	25
Ollin/Flo® Now Two-Piece Clamp Mount - Extended Height	7
Paper Tray	27
Pencil Drawer	30
Pencil Holder	29
Squared-Edge Corner Wedge	10
Universal CPU Holder Slide & Rotate Kit	9
Vertical Tray	28
Wishbone® Post Top-Mounting Surface Clamp	7



Index by Product Number

Y1113.	Modesty Panel	page(s) 25
Y1322.	Connect™-S200	11
Y1323.	Connect™-S300	11
Y1324.	Connect™-S400	12
Y1325.	Connect™-S500	13
Y1338.	Connect™-Ganging Bracket Kit	24
Y1339.	Connect™-Conduit Clamp	24
Y1340.	Connect™-Dual Receptacle Power Kit, 2-Circuit	15
Y1341.	Connect™-Power Entry, 2-Circuit	14
Y1342.	Connect™-Power Entry with Plug End, 20 Amp	13
Y1343.	Connect™-Jumper, 2-Circuit	16
Y1344.	Connect™-Block Connector, 2-Circuit	18
Y1345.	Connect™-Duplex Receptacle, 2-Circuit, 15 Amp	15
Y1347.	Connect™-Receptacle Brackets, 2-Circuit	17
Y1349.	Connect™ - Modular Power Entry, 2 Circuit, Architectural Wall Receptacle Box	14
Y1350.	Connect™-Dual Junction Block Power Kit, 4-Circuit	19
Y1351.	Connect™-Power Entry, 4-Circuit	18
Y1353.	Connect™-Junction Block to Junction Block Jumper, 4-Circuit	20
Y1354.	Connect™-Block Connector, 4-Circuit	23
Y1355.	Connect™-Duplex Receptacle, 4-Circuit	22
Y1356.	Connect™-Transition Jumper, 2- to 4-Circuit	23
Y1357.	Connect™-Junction Block Brackets, 4-Circuit	22
Y1358.	Connect™-Junction Block, 4-Circuit	21
Y1359.	Connect™-Modular Power Entry, 4 Circuit, Architectural Wall Junction Box	19
Y2091.	Squared-Edge Corner Wedge	10
Y5010.	Pencil Drawer	30
Y6470.	Flute™ Personal Light	26
Y7216.	Paper Tray	27
Y7217.	Vertical Tray	28
Y7218.	Diagonal Tray	28
Y7231.	Marker/Eraser Holder	30
Y7233.	Pencil Holder	29
Y7310.	Mini-Shelf	29
Y91104	LOOP™ Adjustable CPU Holder Assembly	8
Y91171	Flo® Single-Screen Monitor Arm Support	5
Y91175	Flo® Dual-Screen Monitor Arm - Clamp Mount	5
Y92009	Enhanced Back-To-Back Post Bracket	8
Y92038	Universal CPU Holder Slide & Rotate Kit	9
Y92041	LOOP™ Adjustable CPU Holder	9
Y92052	Wishbone® Post Top-Mounting Surface Clamp	7
Y92090	Flo® Single Screen Monitor Arm - Arm Only	6
Y92092	Flo® Now Two-Piece Clamp Mount	6
Y93001	Ollin/Flo® Now Two-Piece Clamp Mount - Extended Height	7
YT250.	Metal Straight Screen, Surface Attached with Modesty	27



10-Day or Less Order Information

10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

Ordering Procedures

1. Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.
Order Entry fax number for Meridian® Filing and Storage:
(616) 846 9236.
Order Entry fax number for all other products:
(616) 654 3085.
2. Orders must be clearly marked “10-day or less program” and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
3. Only fabrics and finishes listed with each product are available through the 10-day or less program.
4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
5. For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© HermanMiller, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyriss, Lyriss 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemisurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Lisocore® is a registered trademark of Pyrus Panels GmbH.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.