



Prices effective February 3, 2025

Published March 2025

Motia® Sit-to-Stand Tables

Introduction	page 2
Motia® Sit-to-Stand Tables	3
Adjustable-Height Table	5
Sit-to-Stand Table Bases	23
Structure	31
Ambit™ Shrouds	33
Ambit Storage	39
Power and Data Support	41
Screens	50
Storage	79
Accessories	85
Indices	87
By Name	87
By Number	89
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 3, 2025, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Adjustable Height Table

Sit to Stand Table Bases

Structure

Ambit™ Shrouds

Ambit™ Storage


Power and Data Support

Screens

Storage

Accessories





Product Information

Description

This rectangular height-adjustable table has a C-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. Multiple height adjustment options are available with several switch types or a no-switch option for use with Live Platform™ smart paddle kit. Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.

Knee clearance is equal to nominal top width minus 8".

Tables wider than 54" include stiffener, located toward back of table for increased leg clearance.

See Motia® Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire managers.


For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Specification Information

Step 1.

DV6AC [A]

Step 2. Edge

S. squared-edge [A]

Step 3. Depth

24 24" deep (23" surface size) [A]

30 30" deep (29" surface size) [A]

Step 4. Width

48 48" wide (46" surface size) [A]

54 54" wide (52" surface size) [A]

60 60" wide (58" surface size) [A]

66 66" wide (64" surface size) [A]

72 72" wide (70" surface size) [A]

Step 5. Surface Material

J thermally-fused laminate top/thermoplastic edge with MicrobeCare™ [A]

K thermally-fused laminate top/universal edge with MicrobeCare™ [A]

M thermally-fused laminate top/thermoplastic edge [A]

T thermally-fused laminate top/universal edge [A]

L high-pressure laminate top/thermoplastic edge [A]

U high-pressure laminate/universal edge [A]

A high-pressure laminate top/thermoplastic edge with MicrobeCare™ [A]

C high-pressure laminate top/universal edge with MicrobeCare™ [A]

Step 6. Top Thickness

04 1 1/4" thick [A]

Step 7. Mechanism

E electric standard range [A]

D electric extended range [A]

Step 8. Leg Location

1 legs outbound (no surface mounted storage) [A]

Prices for Steps 1-8.

		J04E1	J04D1	K04E1	K04D1	M04E1	M04D1
DV6ACS.	24 48	\$2674	2931	2635	2889	2579	2837
	54	\$2767	3014	2726	2970	2670	2918
	60	\$2824	3068	2782	3024	2727	2970
	66	\$2904	3141	2862	3095	2808	3046
	72	\$2984	3211	2941	3165	2888	3116

Rectangular Table with C-Foot

continued

Motia® Adjustable Height Table

	30	48	\$2832	3088	2790	3043	2735 2992
		54	\$2942	3193	2899	3147	2845 3098
		60	\$3011	3253	2967	3206	2915 3156
		66	\$3116	3353	3070	3304	3020 3256
		72	\$3217	3445	3170	3394	3120 3348
			T04E1	T04D1	L04E1	L04D1	U04E1 U04D1
DV6ACS.	24	48	\$2579	2837	2618	2880	2618 2880
		54	\$2670	2918	2711	2963	2711 2963
		60	\$2727	2970	2769	3015	2769 3015
		66	\$2808	3046	2850	3092	2850 3092
		72	\$2888	3116	2932	3162	2932 3162
	30	48	\$2735	2992	2777	3038	2777 3038
		54	\$2845	3098	2888	3145	2888 3145
		60	\$2915	3156	2960	3204	2960 3204
		66	\$3020	3256	3066	3306	3066 3306
		72	\$3120	3348	3168	3399	3168 3399
			A04E1	A04D1	C04E1	C04D1	
DV6ACS.	24	48	\$2715	2976	2675	2933	
		54	\$2809	3059	2768	3015	
		60	\$2867	3115	2825	3070	
		66	\$2948	3189	2905	3142	
		72	\$3030	3260	2986	3212	
	30	48	\$2875	3135	2833	3089	
		54	\$2987	3242	2943	3195	
		60	\$3056	3303	3012	3255	
		66	\$3162	3404	3117	3354	
		72	\$3266	3497	3218	3446	

Step 9. Switch Option

STS	simple up/down touch switch	A	+\$0
SUD	simple up down - paddle switch	A	+\$50
SMT	no switch - LO100	A	+\$0
SRM	digital read out with memory	A	+\$160

Step 10. Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
HF	inner tone light	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LT	light tone	A	+\$0
LU	soft white	A	+\$0
UBK	ultra black (CP)	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Rectangular Table with C-Foot

continued

<i>For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)</i>		
125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0

Step 11. Edge Finish

<i>For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)</i>		
125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

<i>For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)</i>		
PLY	plywood edge ☐	+\$50

Motia® Adjustable Height Table

Rectangular Table with C-Foot

continued

Step 12. Base Finish

Metallic Paint

611	beige mist metallic (CP) ☐	+\$0
613	silver (CP) ☐	+\$0
SNA	satin aluminum ☐	+\$30
SNB	satin bronze ☐	+\$30
SNC	satin carbon ☐	+\$30

Sand Texture Paint

UBK	ultra black (CP) ☐	+\$0
BK	black ☐	+\$0
DB3	glacier ☐	+\$25
DN2	nightfall ☐	+\$25
DR1	canyon ☐	+\$25
G1	graphite (CP) ☐	+\$0
OLF	olive ☐	+\$25

Smooth Paint

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 13. Cable Trough

For 24" deep (23" surface size) (24) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72)

2	hinged cable trough for 24" deep surface ☐	+\$275
N	no cable trough ☐	+\$0

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72)


3	hinged cable trough for 30" deep surface ☐	+\$275
N	no cable trough ☐	+\$0

Step 14. Power Access Cutout

NC	no cutout ☐	+\$0
-----------	------------------------------------	------

Step 15. Glides

57	glides ☐	+\$0
-----------	---------------------------------	------



Product Information

Description

This rectangular height-adjustable table has a T-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. Multiple height adjustment options come with a simple up/down touch switch, simple up/down paddle switch, digital readout with memory, or with no switch to accommodate adding Live Platform™ to the table. Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs specified outbound (1) are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width minus 8".

Tables wider than 54" include stiffener, located toward back of table for increased leg clearance.

When specifying cable trough option (2 or 3), trough finish will match table base finish.

When specifying a power access cutout (RC, LC, CC), order Logic mini unit (Y1414.) and grommet (Y1412.) separately.

See Motia® Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire managers.


For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Rectangular Table with T-Foot

continued

Specification Information		
Step 1.		
DV6AT		
Step 2. Edge		
S.	squared-edge	
Step 3. Depth		
24	24" deep (23" surface size)	A
30	30" deep (29" surface size)	
Step 4. Width		
For 30" deep (29" surface size) (30)		
48	48" wide (46" surface size)	A
54	54" wide (52" surface size)	A
60	60" wide (58" surface size)	
66	66" wide (64" surface size)	A
72	72" wide (70" surface size)	
For 24" deep (23" surface size) (24)		
48	48" wide (46" surface size)	A
54	54" wide (52" surface size)	A
60	60" wide (58" surface size)	A
66	66" wide (64" surface size)	A
72	72" wide (70" surface size)	A
Step 5. Surface Material		
For squared-edge (S.)		
A	high-pressure laminate top/thermoplastic edge with MicrobeCare™ A	
C	high-pressure laminate top/universal edge with MicrobeCare™ A	
L	high-pressure laminate top/thermoplastic edge	
U	high-pressure laminate/universal edge A	
J	thermally-fused laminate top/thermoplastic edge with MicrobeCare™ A	
K	thermally-fused laminate top/universal edge with MicrobeCare™ A	
M	thermally-fused laminate top/thermoplastic edge	
T	thermally-fused laminate top/universal edge A	
Step 6. Top Thickness		
04	1¼" thick	
Step 7. Mechanism		
E	electric standard range	
D	electric extended range A	

Step 8. Leg Location							
1	legs outbound (no surface mounted storage)						
Prices for Steps 1-8.							
		A04E1	A04D1	C04E1	C04D1	L04E1	L04D1
DV6ATS.	24 48	\$2715	2976	2675	2933	2618	2880
	54	\$2809	3059	2768	3015	2711	2963
	60	\$2867	3115	2825	3070	2769	3015
	66	\$2948	3189	2905	3142	2850	3092
	72	\$3030	3260	2986	3212	2932	3162
	30 48	\$2875	3135	2833	3089	2777	3038
	54	\$2987	3242	2943	3195	2888	3145
	60	\$3056	3303	3012	3255	2960	3204
	66	\$3162	3404	3117	3354	3066	3306
	72	\$3266	3497	3218	3446	3168	3399
		U04E1	U04D1	J04E1	J04D1	K04E1	K04D1
DV6ATS.	24 48	\$2593	2852	2594	2845	2594	2845
	54	\$2684	2934	2684	2924	2684	2924
	60	\$2741	2986	2739	2977	2739	2977
	66	\$2823	3063	2818	3047	2818	3047
	72	\$2903	3132	2895	3116	2895	3116
	30 48	\$2749	3008	2747	2997	2747	2997
	54	\$2861	3115	2854	3098	2854	3098
	60	\$2930	3173	2921	3156	2921	3156
	66	\$3036	3274	3023	3253	3023	3253
	72	\$3137	3366	3121	3343	3121	3343
				M04E1	M04D1	T04E1	T04D1
DV6ATS.	24 48			\$2503	2752	2503	2752
	54			\$2590	2832	2590	2832
	60			\$2645	2881	2645	2881
	66			\$2724	2955	2724	2955
	72			\$2802	3023	2802	3023
	30 48			\$2654	2903	2654	2903
	54			\$2761	3006	2761	3006
	60			\$2828	3062	2828	3062
	66			\$2930	3159	2930	3159
	72			\$3028	3248	3028	3248
Step 9. Switch Option							
STS	simple up/down touch switch						+\$0
SUD	simple up down - paddle switch A						+\$50
SRM	digital read out with memory A						+\$160
SMT	no switch - LO100 A						+\$0

Rectangular Table with T-Foot

continued

Step 10. Top Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0

Motia® Adjustable Height Table

Rectangular Table with T-Foot

continued

Step 11. Edge Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut [A]	+\$0
8Q	folkstone grey (CP) [A]	+\$0
91	white (CP) [A]	+\$0
98	studio white (CP) [A]	+\$0
CL	cool grey neutral [A]	+\$0
HF	inner tone light [A]	+\$0
HP	light anigre [A]	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru [A]	+\$0
LBS	phantom cocoa [A]	+\$0
LBU	medium matte walnut (CP) [A]	+\$0
LBV	warm grey teak [A]	+\$0
LBB	oak on ash (CP) [A]	+\$0
LBC	walnut on ash (CP) [A]	+\$0
LBF	neutral twill [A]	+\$0
LBJ	graphite twill [A]	+\$0
LBQ	white twill [A]	+\$0
LU	soft white [A]	+\$0
WL	warm stone (CP) [A]	+\$0
WN	warm grey neutral [A]	+\$0

For high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate/universal edge (U), thermally-fused laminate top/universal edge with MicrobeCare™ (K), or thermally-fused laminate top/universal edge (T)

PLY	plywood edge	+\$50
-----	--------------	-------

Step 12. Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black [A]	+\$0
DB3	glacier [A]	+\$25
DN2	nightfall [A]	+\$25
DR1	canyon [A]	+\$25
G1	graphite (CP)	+\$0
OLF	olive [A]	+\$25

Smooth Paint

8Q	folkstone grey (CP) [A]	+\$0
91	white (CP) [A]	+\$0
98	studio white (CP) [A]	+\$0
WL	warm stone (CP) [A]	+\$0
WN	warm grey neutral [A]	+\$0

Step 13. Cable Trough

For 24" deep (23" surface size) (24)

2	hinged cable trough for 24" deep surface [A]	+\$275
N	no cable trough [A]	+\$0

For 30" deep (29" surface size) (30)

3	hinged cable trough for 30" deep surface [A]	+\$275
N	no cable trough	+\$0


Step 14. Power Access Cutout

NC	no cutout	+\$0
RC	right cutout for Logic Mini - Y1414 and Y1412.1 [A]	+\$55
LC	left cutout for Logic Mini - Y1414 and Y1412.1 [A]	+\$55
CC	center cutout for Logic Mini - Y1414 and Y1412.1 [A]	+\$55

Step 15. Glides

57	glides	+\$0
----	--------	------

Extended Corner Table with C-Foot DV6ECS



Product Information

Description

This height-adjustable 90° extended corner table has a C-leg configuration and laminate top with square thermoplastic edge. Multiple height adjustment options come with a simple up/down touch or paddle switch, a digital readout with memory, or a no-switch option for use with Live Platform™ smart paddle kit. Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.



Knee clearance is equal to nominal top width minus 8".

Tables wider than 54" include stiffener, located toward back of table for increased leg clearance.

See Motia® Sit-to-Stand Tables planning guide for additional information about compatible products such as screens and wire managers.

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Dimensions



Specification Information

Step 1.

DV6EC ☐

Step 2. Edge

S. squared-edge ☐

Step 3. Depth

2424 24" deep left x 24" deep right (23" surface size) ☐

2430 24" deep left x 30" deep right (23" x 29" surface size) ☐

3024 30" deep left x 24" deep right (29" x 23" surface size) ☐

3030 30" deep left x 30" deep right (29" surface size) ☐

Step 4. Back Corner Cut

B back corner cut ☐

N no back corner cut ☐

Step 5. Width

4260 42" wide left x 60" wide right (40" x 58" surface size) ☐

4266 42" wide left x 66" wide right (40" x 64" surface size) ☐

4272 42" wide left x 72" wide right (40" x 70" surface size) ☐

4860 48" wide left x 60" wide right (46" x 58" surface size) ☐

4866 48" wide left x 66" wide right (46" x 64" surface size) ☐

4872 48" wide left x 72" wide right (46" x 70" surface size) ☐

5454 54" wide left x 54" wide right (52" x 52" surface size) ☐

6042 60" wide left x 42" wide right (58" x 40" surface size) ☐

6048 60" wide left x 48" wide right (58" x 46" surface size) ☐

6060 60" wide left x 60" wide right (58" x 58" surface size) ☐

6642 66" wide left x 42" wide right (64" x 40" surface size) ☐

6648 66" wide left x 48" wide right (64" x 46" surface size) ☐

7242 72" wide left x 42" wide right (70" x 40" surface size) ☐

7248 72" wide left x 48" wide right (70" x 46" surface size) ☐

Step 6. Surface Material

L high-pressure laminate top/thermoplastic edge ☐

M thermally-fused laminate top/thermoplastic edge ☐

Step 7. Mechanism

E electric standard range ☐

D electric extended range ☐

Prices for Steps 1-7.

			4260LE	4260LD	4260ME	4260MD	4266LE	4266LD
DV6ECS.	2424	B	\$4855	5345	4641	5111	4919	5411
		N	\$4855	5345	4641	5111	4919	5411
	2430	B	\$4985	5475	4766	5235	5049	5540
		N	\$4985	5475	4766	5235	5049	5540

Extended Corner Table with C-Foot

continued

Motia® Adjustable Height Table

			3024 B	\$4985	5475	4766	5235	5049	5540
			N	\$4985	5475	4766	5235	5049	5540
			3030 B	\$5038	5659	4817	5412	5103	5725
			N	\$5038	5659	4817	5412	5103	5725
				4266ME	4266MD	4272LE	4272LD	4272ME	4272MD
DV6ECS.	2424	B		\$4704	5173	4936	5488	4721	5247
		N		\$4704	5173	4936	5488	4721	5247
	2430	B		\$4828	5296	5067	5618	4844	5372
		N		\$4828	5296	5067	5618	4844	5372
	3024	B		\$4828	5296	5067	5618	4844	5372
		N		\$4828	5296	5067	5618	4844	5372
	3030	B		\$4879	5474	5180	5810	4953	5556
		N		\$4879	5474	5180	5810	4953	5556
				4860LE	4860LD	4860ME	4860MD	4866LE	4866LD
DV6ECS.	2424	B		\$5082	5633	4859	5386	5146	5697
		N		\$5082	5633	4859	5386	5146	5697
	2430	B		\$5212	5762	4983	5510	5276	5827
		N		\$5212	5762	4983	5510	5276	5827
	3024	B		\$5212	5762	4983	5510	5276	5827
		N		\$5212	5762	4983	5510	5276	5827
	3030	B		\$5322	5965	5088	5703	5386	6031
		N		\$5322	5965	5088	5703	5386	6031
				4866ME	4866MD	4872LE	4872LD	4872ME	4872MD
DV6ECS.	2424	B		\$4921	5447	5204	5762	4975	5510
		N		\$4921	5447	5204	5762	4975	5510
	2430	B		\$5045	5572	5334	5892	5099	5633
		N		\$5045	5572	5334	5892	5099	5633
	3024	B		\$5045	5572	5334	5892	5099	5633
		N		\$5045	5572	5334	5892	5099	5633
	3030	B		\$5150	5765	5451	6125	5213	5856
		N		\$5150	5765	5451	6125	5213	5856
				5454LE	5454LD	5454ME	5454MD	6042LE	6042LD
DV6ECS.	2424	B		\$5197	5267	4969	5035	4855	5345
		N		\$5197	5267	4969	5035	4855	5345
	2430	B		\$5327	5397	5092	5160	4985	5475
		N		\$5327	5397	5092	5160	4985	5475
	3024	B		\$5327	5397	5092	5160	4985	5475
		N		\$5327	5397	5092	5160	4985	5475
	3030	B		\$5670	5934	5421	5673	5038	5659
		N		\$5670	5934	5421	5673	5038	5659

				6042ME	6042MD	6048LE	6048LD	6048ME	6048MD
DV6ECS.	2424	B		\$4641	5111	5082	5633	4859	5386
		N		\$4641	5111	5082	5633	4859	5386
	2430	B		\$4766	5235	5212	5762	4983	5510
		N		\$4766	5235	5212	5762	4983	5510
	3024	B		\$4766	5235	5212	5762	4983	5510
		N		\$4766	5235	5212	5762	4983	5510
	3030	B		\$4817	5412	5322	5965	5088	5703
		N		\$4817	5412	5322	5965	5088	5703
				6060LE	6060LD	6060ME	6060MD	6642LE	6642LD
DV6ECS.	2424	B		\$5337	5762	5103	5510	4919	5411
		N		\$5337	5762	5103	5510	4919	5411
	2430	B		\$5467	5892	5227	5633	5049	5540
		N		\$5467	5892	5227	5633	5049	5540
	3024	B		\$5467	5892	5227	5633	5049	5540
		N		\$5467	5892	5227	5633	5049	5540
	3030	B		\$5827	6096	5572	5828	5103	5725
		N		\$5827	6096	5572	5828	5103	5725
				6642ME	6642MD	6648LE	6648LD	6648ME	6648MD
DV6ECS.	2424	B		\$4704	5173	5146	5697	4921	5447
		N		\$4704	5173	5146	5697	4921	5447
	2430	B		\$4828	5296	5276	5827	5045	5572
		N		\$4828	5296	5276	5827	5045	5572
	3024	B		\$4828	5296	5276	5827	5045	5572
		N		\$4828	5296	5276	5827	5045	5572
	3030	B		\$4879	5474	5386	6031	5150	5765
		N		\$4879	5474	5386	6031	5150	5765
				7242LE	7242LD	7242ME	7242MD	7248LE	7248LD
DV6ECS.	2424	B		\$4936	5488	4721	5247	5204	5762
		N		\$4936	5488	4721	5247	5204	5762
	2430	B		\$5067	5618	4844	5372	5334	5892
		N		\$5067	5618	4844	5372	5334	5892
	3024	B		\$5067	5618	4844	5372	5334	5892
		N		\$5067	5618	4844	5372	5334	5892
	3030	B		\$5180	5810	4953	5556	5451	6125
		N		\$5180	5810	4953	5556	5451	6125
								7248ME	7248MD
DV6ECS.	2424	B						\$4975	5510
		N						\$4975	5510
	2430	B						\$5099	5633
		N						\$5099	5633
	3024	B						\$5099	5633
		N						\$5099	5633

Extended Corner Table with C-Foot

continued

3030 B	\$5213	5856
N	\$5213	5856

Step 8. Switch Option

SMT	no switch - LO100 ☐	+\$0
SRM	digital read out with memory ☐	+\$160
STS	simple up/down touch switch ☐	+\$0
SUD	simple up down - paddle switch ☐	+\$50

Step 9. Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0

Step 10. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Extended Corner Table with C-Foot

continued

Step 11. Grain Direction

For back corner cut (B) with 60" wide left x 60" wide right (58" x 58" surface size) (6060) with high-pressure laminate top/thermoplastic edge (L)

D	grain runs diagonally	A	+\$0
L	grain runs with user's left side	A	+\$0
R	grain runs with user's right side	A	+\$0

For back corner cut (B) with 60" wide left x 60" wide right (58" x 58" surface size) (6060) with thermally-fused laminate top/thermoplastic edge (M)

L	grain runs with user's left side	A	+\$0
R	grain runs with user's right side	A	+\$0

For no back corner cut (N) with 60" wide left x 60" wide right (58" x 58" surface size) (6060) with high-pressure laminate top/thermoplastic edge (L), or thermally-fused laminate top/thermoplastic edge (M)

L	grain runs with user's left side	A	+\$0
R	grain runs with user's right side	A	+\$0

For back corner cut (B) or no back corner cut (N) with 54" wide left x 54" wide right (52" x 52" surface size) (5454) with high-pressure laminate top/thermoplastic edge (L)

D	grain runs diagonally	A	+\$0
L	grain runs with user's left side	A	+\$0
R	grain runs with user's right side	A	+\$0

For back corner cut (B) or no back corner cut (N) with 54" wide left x 54" wide right (52" x 52" surface size) (5454) with thermally-fused laminate top/thermoplastic edge (M)

L	grain runs with user's left side	A	+\$0
R	grain runs with user's right side	A	+\$0

For back corner cut (B) or no back corner cut (N) with 42" wide left x 60" wide right (40" x 58" surface size) (4260), or 48" wide left x 60" wide right (46" x 58" surface size) (4860), or 60" wide left x 42" wide right (58" x 40" surface size) (6042), or 60" wide left x 48" wide right (58" x 46" surface size) (6048) with high-pressure laminate top/thermoplastic edge (L), or thermally-fused laminate top/thermoplastic edge (M)

L	grain runs with user's left side	A	+\$0
R	grain runs with user's right side	A	+\$0

For back corner cut (B) or no back corner cut (N) with 42" wide left x 66" wide right (40" x 64" surface size) (4266), 42" wide left x 72" wide right (40" x 70" surface size) (4272), 48" wide left x 66" wide right (46" x 64" surface size) (4866), 48" wide left x 72" wide right (46" x 70" surface size) (4872), 66" wide left x 42" wide right (64" x 40" surface size) (6642), or 66" wide left x 48" wide right (64" x 46" surface size) (6648), or 72" wide left x 42" wide right (70" x 40" surface size) (7242), or 72" wide left x 48" wide right (70" x 46" surface size) (7248) with high-pressure laminate top/thermoplastic edge (L), or thermally-fused laminate top/thermoplastic edge (M)

S	grain runs with the longer side of the table	A	+\$0
---	--	---	------

Step 12. Base Finish

Metallic Paint

611	beige mist metallic (CP)	A	+\$0
613	silver (CP)	A	+\$0
SNA	satin aluminum	A	+\$30
SNB	satin bronze	A	+\$30
SNC	satin carbon	A	+\$30

Sand Texture Paint

UBK	ultra black (CP)	A	+\$0
BK	black	A	+\$0
DB3	glacier	A	+\$25
DN2	nightfall	A	+\$25
DR1	canyon	A	+\$25
G1	graphite (CP)	A	+\$0
OLF	olive	A	+\$25

Smooth Paint

8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0


Step 13. Power Access Cutout

NC	no cutout	A	+\$0
----	-----------	---	------

Step 14. Glides

57	glides	A	+\$0
----	--------	---	------

Motia® Vista™ Rectangular Table with DV6GTS T-Foot



Product Information

Description

This rectangular height adjustable table has a T-leg configuration and laminate top with square thermoplastic edge, laminate top with thermoplastic backed plywood edge or veneer top and edge. Multiple height adjustment options come with a simple up/down touch switch, simple up/down paddle switch or with no switch to accommodate adding Live Platform™ to the table. Glides have 1/2" leveling range. Work surface stiffener included for surfaces wider than 54". Shipped knocked down. Product is UL Listed.

Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced by 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

When no under-surface mounted storage (L2SCF., L2SDF.) is used, specify legs outbound (1) location.

To use under-surface mounted storage (L2SCF., L2SDF.) on both ends of the surface, specify legs inbound for under surface storage on both ends (2) location.

To use under-surface mounted storage (L2SCF., L2SDF.) on the right- or left-hand end of the surface, specify legs inbound for under surface storage on left or right end (3) location. This will make the table handed. Surface will come with inbound leg holes; the outbound leg holes will need to be field drilled.

When specifying cable trough (2, 3), trough finish will match table base finish.

When specifying a power access cutout (RC, LC, CC), Logic Mini unit (Y1414.) and grommet (Y1412.) must be ordered separately.

When specifying a 24"D×54"W table with legs inbound for under surface storage on both ends (2) option, the hinged cable trough option is not available. It is recommended to use the (Y1200.48N) cable trough, ordered separately.

If a stiffener is desired for surface widths less than or equal to 54", order work surface stiffener (FV696.) separately.

Order the following optional products separately:

- Vista modesty + privacy screen-double sided, height adjustable table (Y1130.)
- Vista modesty screen-double sided, height adjustable table (Y1131.)
- Suspended cubby (L2SCF.)
- Suspended drawer (L2SDF.)

For additional planning information, see planning guide.


For additional product options, see Vary Easy Program in appendices.

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Motia® Vista™ Rectangular Table with T-Foot *continued*

Specification Information

Step 1.

DV6GT

Step 2. Edge

S. squared-edge

Step 3. Depth

24 24" deep (23" surface size) ☐ A

30 30" deep (29" surface size)

Step 4. Width

48 48" wide (46" surface size) ☐ A

54 54" wide (52" surface size) ☐ A

60 60" wide (58" surface size)

66 66" wide (64" surface size) ☐ A

72 72" wide (70" surface size)

Step 5. Surface Material

For squared-edge (S.)

A high-pressure laminate top/thermoplastic edge with MicrobeCare™

C high-pressure laminate top/universal edge with MicrobeCare™

L high-pressure laminate top/thermoplastic edge

U high-pressure laminate/universal edge

J thermally-fused laminate top/thermoplastic edge with MicrobeCare™

K thermally-fused laminate top/universal edge with MicrobeCare™

M thermally-fused laminate top/thermoplastic edge

T thermally-fused laminate top/universal edge

W veneer top/veneer edge

Step 6. Top Thickness

For squared-edge (S.) with high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), or veneer top/veneer edge (W)

04 1¼" thick

08 1½" thick ☐ A

For squared-edge (S.) with thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

04 1¼" thick

Step 7. Mechanism

D electric extended range ☐ A

E electric standard range

Step 8. Leg Location

For 48" wide (46" surface size) (48) with electric extended range (D) or electric standard range (E)

1 legs outbound (no surface mounted storage) ☐ A

For 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with electric standard range (E)

1 legs outbound (no surface mounted storage)

2 legs inbound (for under surface storage on both ends) ☐ A

3 legs inbound (for under surface storage on left or right end) ☐ A

For 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with electric extended range (D)

1 legs outbound (no surface mounted storage) ☐ A

Prices for Steps 1-8.

		A04D1	A04E1	A04E2	A04E3	A08D1	A08E1
DV6GTS.	24 48	\$3317	3080	—	—	3390	3153
	54	\$3401	3166	3166	3166	3477	3240
	60	\$3460	3225	3225	3225	3536	3299
	66	\$3540	3303	3303	3303	3613	3379
	72	\$3615	3380	3380	3380	3691	3454
	30 48	\$3331	3095	—	—	3407	3169
	54	\$3438	3202	3202	3202	3511	3276
	60	\$3504	3269	3269	3269	3579	3343
	66	\$3606	3370	3370	3370	3684	3445
	72	\$3704	3471	3471	3471	3780	3544
		A08E2	A08E3	C04D1	C04E1	C04E2	C04E3
DV6GTS.	24 48	—	—	\$3284	3050	—	—
	54	\$3240	3240	3368	3135	3135	3135
	60	\$3299	3299	3427	3194	3194	3194
	66	\$3379	3379	3505	3273	3273	3273
	72	\$3454	3454	3580	3347	3347	3347
	30 48	—	—	\$3298	3066	—	—
	54	\$3276	3276	3405	3171	3171	3171
	60	\$3343	3343	3471	3237	3237	3237
	66	\$3445	3445	3572	3337	3337	3337
	72	\$3544	3544	3669	3436	3436	3436

Motia® Vista™ Rectangular Table with
T-Foot *continued*

		C08D1	C08E1	C08E2	C08E3	L04D1	L04E1
DV6GTS.	24 48	\$3357	3124	—	—	3266	3027
	54	\$3443	3209	3209	3209	3353	3116
	60	\$3501	3268	3268	3268	3413	3174
	66	\$3579	3346	3346	3346	3493	3253
	72	\$3655	3421	3421	3421	3569	3333
	30 48	\$3374	3138	—	—	3282	3042
	54	\$3478	3244	3244	3244	3390	3151
	60	\$3545	3309	3309	3309	3458	3219
	66	\$3647	3412	3412	3412	3562	3322
	72	\$3744	3509	3509	3509	3661	3422

		L04E2	L04E3	L08D1	L08E1	L08E2	L08E3
DV6GTS.	24 48	—	—	\$3342	3102	—	—
	54	\$3116	3116	3431	3192	3192	3192
	60	\$3174	3174	3490	3250	3250	3250
	66	\$3253	3253	3568	3331	3331	3331
	72	\$3333	3333	3648	3407	3407	3407
	30 48	—	—	\$3358	3120	—	—
	54	\$3151	3151	3465	3227	3227	3227
	60	\$3219	3219	3535	3294	3294	3294
	66	\$3322	3322	3640	3397	3397	3397
	72	\$3422	3422	3738	3498	3498	3498

		U04D1	U04E1	U04E2	U04E3	U08D1	U08E1
DV6GTS.	24 48	\$3218	2983	—	—	3293	3057
	54	\$3304	3071	3071	3071	3381	3145
	60	\$3363	3128	3128	3128	3439	3203
	66	\$3442	3206	3206	3206	3516	3282
	72	\$3517	3284	3284	3284	3595	3357
	30 48	\$3234	2998	—	—	3309	3074
	54	\$3341	3105	3105	3105	3415	3180
	60	\$3408	3172	3172	3172	3484	3246
	66	\$3510	3274	3274	3274	3587	3348
	72	\$3608	3372	3372	3372	3684	3447

		U08E2	U08E3	J04D1	J04E1	J04E2	J04E3
DV6GTS.	24 48	—	—	\$3217	2988	—	—
	54	\$3145	3145	3299	3071	3071	3071
	60	\$3203	3203	3357	3129	3129	3129
	66	\$3282	3282	3434	3206	3206	3206
	72	\$3357	3357	3507	3279	3279	3279
	30 48	—	—	\$3231	3003	—	—
	54	\$3180	3180	3336	3106	3106	3106
	60	\$3246	3246	3399	3172	3172	3172
	66	\$3348	3348	3499	3269	3269	3269
	72	\$3447	3447	3594	3366	3366	3366

		K04D1	K04E1	K04E2	K04E3	M04D1	M04E1
DV6GTS.	24 48	\$3217	2988	—	—	3122	2893
	54	\$3299	3071	3071	3071	3207	2979
	60	\$3357	3129	3129	3129	3263	3034
	66	\$3434	3206	3206	3206	3340	3110
	72	\$3507	3279	3279	3279	3413	3186
	30 48	\$3231	3003	—	—	3138	2909
	54	\$3336	3106	3106	3106	3240	3014
	60	\$3399	3172	3172	3172	3306	3077
	66	\$3499	3269	3269	3269	3405	3177
	72	\$3594	3366	3366	3366	3501	3271

		M04E2	M04E3	T04D1	T04E1	T04E2	T04E3
DV6GTS.	24 48	—	—	\$3122	2893	—	—
	54	\$2979	2979	3207	2979	2979	2979
	60	\$3034	3034	3263	3034	3034	3034
	66	\$3110	3110	3340	3110	3110	3110
	72	\$3186	3186	3413	3186	3186	3186
	30 48	—	—	\$3138	2909	—	—
	54	\$3014	3014	3240	3014	3014	3014
	60	\$3077	3077	3306	3077	3077	3077
	66	\$3177	3177	3405	3177	3177	3177
	72	\$3271	3271	3501	3271	3271	3271

		W04D1	W04E1	W04E2	W04E3	W08D1	W08E1
DV6GTS.	24 48	\$3609	3377	—	—	3684	3451
	54	\$3752	3523	3523	3523	3825	3594
	60	\$3874	3642	3642	3642	3948	3715
	66	\$4019	3788	3788	3788	4092	3861
	72	\$4138	3907	3907	3907	4210	3983
	30 48	\$3739	3510	—	—	3814	3583
	54	\$3915	3687	3687	3687	3990	3758
	60	\$4076	3845	3845	3845	4150	3917
	66	\$4261	4032	4032	4032	4333	4105
	72	\$4415	4185	4185	4185	4490	4259

		W08E2	W08E3
DV6GTS.	24 54	\$3594	3594
	60	\$3715	3715
	66	\$3861	3861
	72	\$3983	3983
	30 54	\$3758	3758
	60	\$3917	3917
	66	\$4105	4105
	72	\$4259	4259

Motia® Adjustable Height Table

Motia® Vista™ Rectangular Table with T-Foot *continued*

Step 9. Switch Option		
STS	simple up/down - touch switch	+\$0
SUD	simple up down - paddle switch ☐	+\$50
SMT	no switch - LO100 ☐	+\$0

Step 10.

Top Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
CHD	noble cherry	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
EW	medium matte walnut ☐	+\$85
UL	natural maple ☐	+\$85
WHN	natural white oak	+\$85

Top Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Motia® Vista™ Rectangular Table with T-Foot *continued*

Step 11. Edge Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

For high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate/universal edge (U), thermally-fused laminate top/universal edge with MicrobeCare™ (K), or thermally-fused laminate top/universal edge (T)

PLY	plywood edge ☐	+\$50
------------	---------------------------------------	-------

Step 12. Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze ☐	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black ☐	+\$0
DB3	glacier ☐	+\$25
DN2	nightfall ☐	+\$25
DR1	canyon ☐	+\$25
G1	graphite (CP)	+\$0
OLF	olive ☐	+\$25
UBK	ultra black (CP)	+\$0

Smooth Paint

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 13. Cable Trough

For 24" deep (23" surface size) (24) with 48" wide (46" surface size) (48), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72)

2	hinged cable trough for 24" deep surface ☐	+\$275
N	no cable trough ☐	+\$0

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72)

3	hinged cable trough for 30" deep surface ☐	+\$296
N	no cable trough	+\$0

For 24" deep (23" surface size) (24) with 54" wide (52" surface size) (54) with legs inbound (for under surface storage on both ends) (2)

N	no cable trough ☐	+\$0
----------	--	------

Motia® Vista™ Rectangular Table with
T-Foot *continued*

Motia® Adjustable Height Table

For 24" deep (23" surface size) (24) with 54" wide (52" surface size) (54) with
legs outbound (no surface mounted storage) (1), or legs inbound (for under
surface storage on left or right end) (3)


2	hinged cable trough for 24" deep surface	A	+\$275
N	no cable trough	A	+\$0

Step 14. Power Access Cutout			
CC	center cutout for Logic Mini - Y1414 and Y1412.1	A	+\$55
LC	left cutout for Logic Mini - Y1414 and Y1412.1	A	+\$55
NC	no cutout		+\$0
RC	right cutout for Logic Mini - Y1414 and Y1412.1	A	+\$55

Step 15. Glides			
57	glides		+\$0

Height Adjustable Base Kit with T-Foot

DV7AT.



Product Information

Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of switch type or with no switch to accommodate adding Live Platform™ to the table. Glides have 1/2" of leveling range. Shipped knocked down. Product is UL Recognized.

Notes


With standard 1 1/8" thick work surface, floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for foot depth are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.

Order work surface stiffener (FV696.) separately.

See Motia® Sit-to-Stand Tables planning guide for proper installation of leg kit and design information.

Dimensions



Specification Information

Step 1.

DV7AT. ☐ A

Step 2. Depth

24	24" deep (23" surface size)	☐ A
30	30" deep (29" surface size)	☐ A
36	36" deep (35" surface size)	☐ A

Step 3. Mechanism

E	electric standard range	☐ A
D	electric extended range	☐ A

Step 4. Leg Location

1	legs outbound (no surface mounted storage)	☐ A
---	--	----------------------------

Prices for Steps 1-4.

	1
DV7AT. 24 E	\$2256
D	\$2513
30 E	\$2298
D	\$2557
36 E	\$2176
D	\$2420

Step 5. Switch Option

STS	simple up/down touch switch	☐ A	+\$0
SUD	simple up down - paddle switch	☐ A	+\$50
SRM	digital read out with memory	☐ A	+\$160
SMT	no switch - LO100	☐ A	+\$0

Step 6. Leg/Foot Finish

Metallic Paint

613	silver (CP)	☐ A	+\$0
CN	metallic champagne leg with metallic champagne foot	☐ A	+\$0
MS	metallic silver leg with metallic silver foot	☐ A	+\$0
SNA	satin aluminum	☐ A	+\$30
SNB	satin bronze	☐ A	+\$30
SNC	satin carbon	☐ A	+\$30


Height Adjustable Base Kit with
T-Foot *continued*

Motia® Sit to Stand Table Bases

Sand Texture Paint		
BK	black leg with black foot A	+\$0
DB3	glacier A	+\$25
DN2	nightfall A	+\$25
DR1	canyon A	+\$25
G1	graphite leg with graphite foot (CP) A	+\$0
OLF	olive A	+\$25
UBK	ultra black (CP) A	+\$0
Smooth Paint		
8Q	folkstone grey leg with folkstone grey foot (CP) A	+\$0
91	white leg with white foot (CP) A	+\$0
98	studio white leg with studio white foot (CP) A	+\$0
WL	warm stone leg with sandstone foot (CP) A	+\$0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0
Step 7. Glides		
57	glides A	+\$0

C-Foot 3 Leg Base Kit

DV7FC.



Product Information

Description

This independent 3-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths with several switch types or a no-switch option for use with Live Platform™ smart paddle kit. Glides have 1/2" of leveling range. Shipped knocked down. Product is UL Recognized.

Notes


With standard 1 1/8" thick work surface, floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for foot depth are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.


Order work surface stiffener (FV696.) separately.

See Motia® Sit-to-Stand Tables planning guide for proper installation of leg kit and design information.

Dimensions



Standard Height Range



Extended Height Range

C-Foot 3 Leg Base Kit *continued*

Specification Information

Step 1.

DV7FC. ☐

Step 2. Depth

24 24" deep (23" surface size) ☐

30 30" deep (29" surface size) ☐

Step 3. Mechanism

E electric standard range ☐

D electric extended range ☐

Prices for Steps 1-3.

	E	D
DV7FC. 24	\$3872	4301
30	\$3872	4301

Step 4. Switch Option

SRM digital read out with memory ☐ +\$160

SUD simple up down - paddle switch ☐ +\$50

STS simple up/down touch switch ☐ +\$0

SMT no switch - LO100 ☐ +\$0

Step 5. Base Finish

Metallic Paint

611 beige mist metallic (CP) ☐ +\$0

613 silver (CP) ☐ +\$0

SNA satin aluminum ☐ +\$30

SNB satin bronze ☐ +\$30

SNC satin carbon ☐ +\$30

Sand Texture Paint

BK black ☐ +\$0

DB3 glacier ☐ +\$25

DN2 nightfall ☐ +\$25

DR1 canyon ☐ +\$25

G1 graphite (CP) ☐ +\$0

OLF olive ☐ +\$25

UBK ultra black (CP) ☐ +\$0

Smooth Paint

8Q folkstone grey (CP) ☐ +\$0

91 white (CP) ☐ +\$0

98 studio white (CP) ☐ +\$0

WL warm stone (CP) ☐ +\$0


WN warm grey neutral ☐ +\$0

Step 6. Glides

57 glides ☐ +\$0

Height Adjustable Base Kit with C-Foot

DV7AC.



Product Information

Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths with several available switch types or a no-switch option for use with Live Platform™ smart paddle kit. Glides have 1/2" of leveling range. Shipped knocked down. Product is UL Recognized.

Notes


With standard 1 1/8" thick work surface, floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for foot depth are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.

Order work surface stiffener (FV696.) separately.

See Motia® Sit-to-Stand Tables planning guide for proper installation of leg kit and design information.

Dimensions



Specification Information

Step 1.

DV7AC. [A]

Step 2. Depth

24 24" deep (23" surface size) [A]

30 30" deep (29" surface size) [A]

Step 3. Mechanism

E electric standard range [A]

D electric extended range [A]

Step 4. Leg Location

1 legs outbound (no surface mounted storage) [A]

Prices for Steps 1-4.

	1
DV7AC. 24 E	\$2299
D	\$2519
30 E	\$2304
D	\$2557

Step 5. Switch Option

SRM	digital read out with memory [A]	+\$160
SUD	simple up down - paddle switch [A]	+\$50
STS	simple up/down touch switch [A]	+\$0
SMT	no switch - LO100 [A]	+\$0

Step 6. Leg/Foot Finish

Metallic Paint

613	silver (CP) [A]	+\$0
CN	metallic champagne leg with metallic champagne foot [A]	+\$0
MS	metallic silver leg with metallic silver foot [A]	+\$0
SNA	satin aluminum [A]	+\$30
SNB	satin bronze [A]	+\$30
SNC	satin carbon [A]	+\$30

Sand Texture Paint

BK	black leg with black foot [A]	+\$0
DB3	glacier [A]	+\$25
DN2	nightfall [A]	+\$25
DR1	canyon [A]	+\$25
G1	graphite leg with graphite foot (CP) [A]	+\$0
OLF	olive [A]	+\$25
UBK	ultra black (CP) [A]	+\$0


Height Adjustable Base Kit with
C-Foot *continued*

Motia® Sit to Stand Table Bases

Smooth Paint			
8Q	folkstone grey leg with folkstone grey foot (CP)	A	+\$0
91	white leg with white foot (CP)	A	+\$0
98	studio white leg with studio white foot (CP)	A	+\$0
WL	warm stone leg with sandstone foot (CP)	A	+\$0
WN	warm grey neutral leg with warm grey neutral foot	A	+\$0
Step 7. Glides			
57	glides	A	+\$0

Motia® Vista™ Adjustable Base Kit with T-Foot

DV7GT.



Product Information

Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a choice of switch type. Glides have 1/2" of leveling range. Kit includes work surface stiffener. Shipped knocked down. Product is UL Recognized.

Notes


With standard 1 1/8" thick work surface, floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for foot depth and base width are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.


To accommodate adding Live Platform™ to the table, specify no switch - LO100 (SMT) option.

For proper installation of leg kit and design information, see planning guide.

Dimensions



(E) Electric Standard Range



(D) Electric Extended Range

Specification Information

Step 1.

DV7GT. ☐

Step 2. Depth

24 24" deep (23" surface size) ☐

30 30" deep (29" surface size) ☐

Step 3. Mechanism

D electric extended range ☐

E electric standard range ☐

Step 4. Leg Location

1 legs outbound (no surface mounted storage) ☐

Prices for Steps 1-4.

	1
DV7GT. 24 D	\$2878
E	\$2642
30 D	\$2789
E	\$2555

Step 5. Switch Option

STS	simple up/down touch switch ☐	+\$0
SMT	no switch - LO100 ☐	+\$0
SUD	simple up down - paddle switch ☐	+\$50
SRM	digital read out with memory ☐	+\$160

Step 6. Leg/Foot Finish

Smooth Paint

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
DB3	glacier ☐	+\$25
DN2	nightfall ☐	+\$25
DR1	canyon ☐	+\$25
OLF	olive ☐	+\$25
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0


Motia® Vista™ Adjustable Base Kit
with T-Foot *continued*

Motia® Sit to Stand Table Bases

Metallic Paint		
611	beige mist metallic (CP) ☐	+\$0
613	silver (CP) ☐	+\$0
EH	metallic bronze ☐	+\$0
SNA	satin aluminum ☐	+\$30
SNB	satin bronze ☐	+\$30
SNC	satin carbon ☐	+\$30
Sand Texture Paint		
BK	black ☐	+\$0
G1	graphite (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
Step 7. Glides		
57	glides ☐	+\$0

Height Adjustable Table Attachment Bracket

DV210.



Product Information

Description

This bracket wraps around a height-adjustable table leg and connects to a gallery panel for additional support and structure. Attachment hardware included.

Notes




Intended for use within application run (not ideal for use with stand-alone table).

Length of bracket provides for a 1" gap between back edge of table surface and gallery panel.

See planning guide for additional application rules.

Dimensions

2 3/4"



Specification Information

Step 1.

DV210.

Step 2. Table Type

M Motia
N Nevi
R Renew

Step 3. Leg Type

C C-leg
T T-leg

Step 4. Surface Depth

For Motia (M) or Renew (R) with C-leg (C)

24 24" deep
30 30" deep

For Nevi (N) with C-leg (C) or T-leg (T)

24 24" deep
30 30" deep

For Motia (M) with T-leg (T)

24 24" deep
30 30" deep
36 36" deep

For Renew (R) with T-leg (T)

30 30" deep
36 36" deep

Prices for Steps 1-4.

		24	30	36
DV210. M	C	\$271	271	—
	T	\$271	271	271
N	C	\$271	271	—
	T	\$271	271	—
R	C	\$271	271	—
	T	—	\$271	271

Height Adjustable Table Attachment Bracket *continued*

Ambit™ Structure

Step 5. Attachment Bracket Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$0
SNB	satin bronze	+\$0
SNC	satin carbon	+\$0

Sand Texture Paint

BK	black	+\$0
DB3	glacier	+\$0
DN2	nightfall	+\$0
DR1	canyon	+\$0
G1	graphite (CP)	+\$0
OLF	olive	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 6. Attachment Bracket Cover Finish

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
BK	black	+\$0
DB3	glacier	+\$0
DN2	nightfall	+\$0
DR1	canyon	+\$0
G1	graphite (CP)	+\$0
OLF	olive	+\$0
UBK	ultra black (CP)	+\$0
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$0
SNB	satin bronze	+\$0
SNC	satin carbon	+\$0

Ambit™ Height Adjustable Table Leg Shroud

DV8SM.
DV8SN.
DV8SR.



Product Information

Description

This shroud stands on the floor and replaces the foot of the table. Shroud is available in all-metal, metal wrapper with laminate exterior panel, or metal wrapper with veneer exterior panel. A shroud can be added to one or both legs of a C-leg height-adjustable table. An optional tool rail can be specified.

Notes

Optional tool rail is not retrofittable.

Shroud is retrofittable to existing height-adjustable tables.

Distance between top of shroud and bottom of standard height-adjustable table range is 3.94".

Shroud not compatible with extended range height-adjustable tables.

Cable knockout at top-rear of shroud has bezel available in 3 colors.


Cord cutout at bottom-rear of shroud can route up to 4 cords.

Order optional accessories together or separately:

- Bag hook (YT700.)
- Accessory shelf (YT715.)
- Vertical cable manager (DU16.)

See planning guide for additional information.

Dimensions



Specification Information

Step 1.

DV8S

Step 2. Table Type

- M.** Motia®
N. Nevi
R. Renew™

Step 3. Leg Type

- C** C-leg

Step 4. Depth

- 24** 24" deep (23" surface size)
30 30" deep (29" surface size)

Step 5. Mechanism

- E** electric standard range

Step 6. Shroud Location

- L** left
R right

Step 7. Shroud Option Left

For left (L)

- SL** high-pressure laminate panel + metal wrapper
SM all metal
SW veneer panel + metal wrapper

For right (R)

- SL** high-pressure laminate panel + metal wrapper
SM all metal
SW veneer panel + metal wrapper

Prices for Steps 1-7.

		ELSL	ELSM	ELSW	ERSL	ERSM	ERSW
DV8SM. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228
DV8SN. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228
DV8SR. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228

Ambit™ Height Adjustable Table Leg Shroud *continued*

Ambit™ Shrouds

Step 8. Shroud Finish Left - Metal Wrapper

Metallic Paint

For all metal (SM)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For all metal (SM)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
G1	graphite (CP)	+\$0
OLF	olive	+\$20
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Laminate

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer panel + metal wrapper (SW)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
OU	walnut	+\$0
UL	natural maple	+\$0

Ambit™ Height Adjustable Table Leg Shroud *continued*

Step 9. Edge Finish Left

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 10. Shroud Finish Left

For high-pressure laminate panel + metal wrapper (SL) or veneer panel + metal wrapper (SW)

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Step 11. Shroud Cable Management Bezel Left

For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
UBK	ultra black (CP)	+\$0

Step 12. Shroud Finish Right - Metal Wrapper

Metallic Paint

For all metal (SM)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For all metal (SM)

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Ambit™ Height Adjustable Table Leg Shroud *continued*

Ambit™ Shrouds

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer panel + metal wrapper (SW)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
OU	walnut	+\$0
UL	natural maple	+\$0

Step 13. Edge Finish Right

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 14. Shroud Finish Right

For high-pressure laminate panel + metal wrapper (SL) or veneer panel + metal wrapper (SW)

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Ambit™ Height Adjustable Table Leg Shroud *continued*

Sand Texture Paint		
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Step 15. Shroud Cable Management Bezel Right

For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
UBK	ultra black (CP)	+\$0

Step 16. Tool Rail Left

For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

1	none	+\$0
2	Ubi work tool attached	+\$95

Step 17. Accessory Options Left

For 30" deep (29" surface size) (30) with left (L) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
C	YT716 - document holder	+\$0
F	YT715 - sm. shelf with canyon liner	+\$138
G	YT715 - sm. shelf with pesto liner	+\$138
H	YT715 - sm. shelf with bayou liner	+\$138
I	YT715 - sm. shelf with greystone liner	+\$138
J	YT715 - sm. shelf with charcoal liner	+\$138
E	YT715 - large accessory shelf - no liner	+\$187
K	YT715 - lg. shelf with canyon liner	+\$297
L	YT715 - lg. shelf with pesto liner	+\$297
M	YT715 - lg. shelf with bayou liner	+\$297
N	YT715 - lg. shelf with greystone liner	+\$297
O	YT715 - lg. shelf with charcoal liner	+\$297

For 24" deep (23" surface size) (24) with left (L) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
F	YT715 - sm. shelf with canyon liner	+\$138

Step 18. Accessory Options Left Finish

For YT700 - bag hook (B), YT715 - small accessory shelf - no liner (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)

613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 19. Tool Rail Right

For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

1	none	+\$0
2	Ubi work tool attached	+\$95

Ambit™ Height Adjustable Table Leg

Shroud *continued*

Ambit™ Shrouds

Step 20. Accessory Options Right

For 30" deep (29" surface size) (30) with right (R) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
C	YT716 - document holder	+\$0
F	YT715 - sm. shelf with canyon liner	+\$138
G	YT715 - sm. shelf with pesto liner	+\$138
H	YT715 - sm. shelf with bayou liner	+\$138
I	YT715 - sm. shelf with greystone liner	+\$138
J	YT715 - sm. shelf with charcoal liner	+\$138
E	YT715 - large accessory shelf - no liner	+\$187
K	YT715 - lg. shelf with canyon liner	+\$297
L	YT715 - lg. shelf with pesto liner	+\$297
M	YT715 - lg. shelf with bayou liner	+\$297
N	YT715 - lg. shelf with greystone liner	+\$297
O	YT715 - lg. shelf with charcoal liner	+\$297

For 24" deep (23" surface size) (24) with right (R) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
F	YT715 - sm. shelf with canyon liner	+\$138

Step 21. Accessory Options Right Finish

For YT700 - bag hook (B), YT715 - small accessory shelf - no liner (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)

613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 22. Vertical Cable Management

1	none	+\$0
3	shroud attached	+\$156


Step 23. Vertical Cable Management Attachment

For shroud attached (3)

2	workspace connected	+\$0
3	horizontal cable trough connected	+\$0

Step 24. Vertical Cable Management Finish

UBK	ultra black (CP)	+\$0
BK	black	+\$0
SY	silver grey	+\$0



Product Information

Description

This suspended storage is painted metal and comes in 3 configurations: small, large open, and large closed. Options include a lock, and handed door opening on the large closed unit.

Notes


Suspended units must be mounted on inside of table leg.

Small and large open units are not handed. Lock is always on right side.


Suspended storage is designed to mount to the underside of 30"-deep, C-leg, standard range, height-adjustable tables.

See planning guide for additional information and for other height-adjustable table mounting capabilities.


Dimensions



Large suspended storage



Open suspended storage



Small suspended storage

Specification Information	
Step 1.	
IH200.	
Step 2. Storage Type	
C	large suspended storage, lock
K	small suspended storage, lock
L	large suspended storage, no lock
S	small suspended storage, no lock
Step 3. Configuration	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
S	standard
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
L	drawer, door hinged left
P	drawer, open
R	drawer, door hinged right
Step 4. Depth	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
13	13" deep
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
16	16" deep
Step 5. Width	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
10	10" wide
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
10	10-1/4" wide
Step 6. Top Drawer Accessory	
N	none
Step 7. Bottom Accessory	
N	none

Prices for Steps 1-7.			
		1310NN	1610NN
IH200.	C L	—	\$1108
	P	—	\$853
	R	—	\$1108
	K S	\$586	—
	L L	—	\$1053
	P	—	\$796
	R	—	\$1053
	S S	\$531	—

Step 8. Finish		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
G1	graphite (CP)	+\$0
OLF	olive	+\$20
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Step 9. Door Pull Finish		
<i>For drawer, door hinged left (L) or drawer, door hinged right (R)</i>		
8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
UBK	ultra black (CP)	+\$0

Step 10. Lock		
<i>For large suspended storage, lock (C) or small suspended storage, lock (K)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0


<i>For large suspended storage, no lock (L) or small suspended storage, no lock (S)</i>		
NL	no lock	+\$0

External Cable Manager

DU11B.
DU11S.




Product Information
Description
This cable manager seamlessly routes cables from the central trough of height adjustable benching (Renew™ Link or Nevi™ Link) up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.
Dimensions



Specification Information
Step 1.
DU11
Step 2. Attachment
B. high density trough attachment
S. worksurface attachment
Prices for Steps 1-2.
DU11B.
DU11S.
Step 3. Finish
Price Category 4
Price Category 5

Motia® Power and Data Support



Product Information


Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Grommet mount attachment does not come with the mini grommet (order separately as needed). Cable clips and attachment hardware included. Product is UL listed.

Notes

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed. Cable clips for cord management are intended for a 1-time installation. Clamp versions can be reoriented in the field by a technician. USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts. Cord color is predetermined. For white (91) finish cords will be white. For graphite (G1) finish cords will be black. Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions



Specification Information

Step 1.

Y1414.
Step 2. Configuration
L 1 simplex receptacles, 1 powered USB A/C Combo

K 2 simplex receptacles

Step 3. Cord/Conduit Length
03 3' cord/conduit

06 6' cord/conduit

10 10' cord/conduit

Step 4. Attachment
G grommet mount

S surface clamp

Prices for Steps 1-4.

		G	S
Y1414. L	03	\$471	471
	06	\$471	471
	10	\$483	483
K	03	\$264	264
	06	\$264	264
	10	\$278	278


Step 5. Finish
BK black ☐ **A** +\$0

UBK ultra black (CP) +\$0

91 white (CP) ☐ **A** +\$0

98 studio white (CP) ☐ **A** +\$0

G1 graphite (CP) ☐ **A** +\$0



Product Information

Description

This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.

Notes

This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.

Dimensions

Specification Information

Step 1.

Y1412.

Step 2. Configuration

1

mini rectangle grommet

2

mini square grommet

Prices for Steps 1-2.

Y1412. 1

\$42

2

\$47

Step 3. Finish

91

white (CP)

+\$0

98

studio white (CP)

+\$0

BK

black

+\$0

G1

graphite (CP)


+\$0

UBK


ultra black (CP)

+\$0

Motia® Power and Data Support




Grommet - Rectangle




Grommet - Square

Power Plug Strip

Y1500.




Product Information
Description
This corded power strip provides 6 outlets. It is available with 6' and 10' cord lengths. Power strip is UL Listed and CSA Certified. Finish is black.
Notes
The 10' cord (10) length is recommended for use with height adjustable table.
When used with Canvas Vista™, power strip plugs directly into the harness with power + data cover (FG150.) located under the chase.
Order the following products separately:
• Hinged cable trough (Y1300.)
• Vista harness with power + data cover (FG150.)
Dimensions



Specification Information		
Step 1.		
Y1500.		
Step 2. Configuration		
6	6 AC outlets	
Step 3. Cord Length		
06	6' long	
10	10' long	
Prices for Steps 1-3.		
	06	10
Y1500. 6	\$95	111

Hinged Cable Trough

Y1300.



Product Information




Description

This sheet metal trough is a stand-alone cable management tray that mounts to the underside of a work surface to hold and conceal cords and cables. It can be used with a Logic Mini unit for cord storage or used alone with cords routed through the ends of the trough. Trough holds cords in place when open.

Notes

- Power strip (Y1500.) is intended to be housed inside the trough for additional power access.
- Hinged cable trough works best with a Motia® Vista™ height adjustable table (DV6GT.). Can be used on any other work surface that has the clearance for the overall dimensions listed below.
- When specifying a 24"D×54"W table with legs inbound for under surface storage on both ends (2) option, the hinged cable trough option is not available. It is recommended to use the (Y1200.48N) cable trough, ordered separately.
- Order the following products separately:
- Power strip (Y1500.)
 - Logic Mini (Y1414., Y1412.)

Dimensions



Hinged Cable Trough *continued*

Specification Information

Step 1.

Y1300. ☐

Step 2. Work Surface Depth

24 for use with 24" deep work surface ☐

30 for use with 30" deep work surface ☐

48 for use with a 24" or 30" deep x 48" wide Motia C-Leg Table ☐

Prices for Steps 1-2.

Y1300. 24	\$261
30	\$283
48	\$245

Step 3. Finish

Smooth Paint

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Sand Texture Paint


BK	black ☐	+\$0
G1	graphite (CP) ☐	+\$0

Metallic Paint

SNB	satin bronze ☐	+\$0
EH	metallic bronze ☐	+\$0

Height-Adjustable Vertical Cable Manager

DU15B.
DU15S.



Product Information

Description

This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.

Dimensions

Specification Information

Step 1.

DU15 A

Step 2. Attachment

B.

cable tray attachment A

S.

worksurface attachment A

Step 3. Table Mechanism

D

electric extended range

E

electric standard range

Prices for Steps 1-3.

DU15B. D

\$169

E

\$169

DU15S. D

\$176

E

\$176

Step 4. Finish

613

silver (CP)

+\$0

UBK

ultra black (CP)

+\$0

BK

black


+\$0

91

white (CP)


+\$0

Motia® Power and Data Support




Easy Access Height-Adjustable
Vertical Cable Manager

DU16B.
DU16S.



Product Information
Description This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.
Dimensions




Specification Information		
Step 1.		
DU16 ☐		
Step 2. Attachment		
B.	cable tray attachment	☐
S.	worksurface attachment	☐
Step 3. Table Mechanism		
D	electric extended range	☐
E	electric standard range	☐
Prices for Steps 1-3.		
DU16B. D		\$206
	E	\$206
DU16S. D		\$206
	E	\$206
Step 4. Mesh Finish		
UBK	ultra black (CP)	☐ +\$0
BK	black	☐ +\$0
SY	silver grey	☐ +\$0
Step 5. Cable Cover Finish		
Metallic Paint		
613	silver (CP)	☐ +\$0
Sand Texture Paint		
UBK	ultra black (CP)	☐ +\$0
91	white (CP)	☐ +\$0
98	studio white (CP)	☐ +\$0
BK	black	☐ +\$0
G1	graphite (CP)	☐ +\$0

Motia® Power and Data Support

Pari Screen, Height Adjustable
Tables

Y1116.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

- 24—0.88
- 30—1.07
- 36—1.26
- 42—1.45
- 48—1.64
- 54—1.83
- 60—2.02
- 66—2.21
- 72—2.39

For heights C/D/E/F:

- 24—1.76
- 30—2.14
- 36—2.52
- 42—2.90
- 48—3.28
- 54—3.65
- 60—4.03
- 66—4.41
- 72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Pari Screen, Height Adjustable

Tables *continued*

Specification Information

Step 1.

Y1116. ☐

Step 2. Height

A	privacy (42" high) ☐
B	privacy & modesty (42" high/10" below surface) ☐
C	privacy (46" high) ☐
D	privacy & modesty (46" high/10" below surface) ☐
E	privacy (53" high) ☐
F	privacy & modesty (53" high/10" below surface) ☐

Step 3. Width

24	24" wide ☐
30	30" wide ☐
36	36" wide ☐
42	42" wide ☐
48	48" wide ☐
54	54" wide ☐
60	60" wide ☐
66	66" wide ☐
72	72" wide ☐

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R	tackable fabric, horizontal ☐
T	tackable fabric ☐
D	tackable fabric, horizontal with MicrobeCare™ ☐
E	tackable fabric with MicrobeCare™ ☐

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R	tackable fabric, horizontal ☐
D	tackable fabric, horizontal with MicrobeCare™ ☐

Prices for Steps 1-4.

	R	T	D	E
Y1116. A 24	\$556	556	625	625
30	\$645	645	712	712
36	\$670	670	738	738
42	\$710	710	779	779
48	\$736	736	805	805
54	\$808	—	876	—
60	\$868	—	937	—
66	\$927	—	998	—
72	\$979	—	1046	—

B 24	\$671	671	739	739
30	\$719	719	786	786
36	\$765	765	832	832
42	\$808	808	876	876
48	\$897	897	965	965
54	\$1009	—	1077	—
60	\$1035	—	1103	—
66	\$1113	—	1182	—
72	\$1141	—	1210	—
C 24	\$632	632	700	700
30	\$676	676	744	744
36	\$724	724	792	792
42	\$768	768	836	836
48	\$848	848	915	915
54	\$933	—	1000	—
60	\$1039	—	1107	—
66	\$1089	—	1157	—
72	\$1133	—	1200	—
D 24	\$812	812	879	879
30	\$855	855	923	923
36	\$901	901	969	969
42	\$946	946	1014	1014
48	\$1017	1017	1087	1087
54	\$1067	—	1135	—
60	\$1130	—	1198	—
66	\$1187	—	1255	—
72	\$1218	—	1285	—
E 24	\$831	831	899	899
30	\$876	876	944	944
36	\$921	921	988	988
42	\$993	993	1062	1062
48	\$1022	1022	1091	1091
54	\$1080	—	1150	—
60	\$1102	—	1171	—
66	\$1129	—	1197	—
72	\$1155	—	1223	—
F 24	\$915	915	983	983
30	\$959	959	1028	1028
36	\$1006	1006	1074	1074
42	\$1051	1051	1119	1119
48	\$1131	1131	1199	1199
54	\$1171	—	1238	—
60	\$1214	—	1282	—
66	\$1313	—	1380	—
72	\$1338	—	1406	—


Pari Screen, Height Adjustable
Tables *continued*

Step 5. Cable Trough		
<i>For privacy & modesty (42" high/10" below surface) (B), privacy & modesty (46" high/10" below surface) (D), or privacy & modesty (53" high/10" below surface) (F)</i>		
NC	no cable way ☐ A	+\$0
CW	cable way ☐ A	+\$25

Step 6. Fabric		
Price Category 1		+\$0
Price Category 2		+\$23
Price Category 3		+\$49
Price Category 4		+\$96
Price Category 5		+\$162
Price Category B		+\$86
Price Category C		+\$121
Price Category E		+\$182

Personal Side Screen

Y1117.



Product Information

Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to 1¼" thick.

Bottom of attachment bracket extends 1½" below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

13—0.94

For horizontal fabric direction (R):

Height—Yardage

13—1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions

Specification Information

Step 1.

Y1117. A

Step 2. Height

13 13" high A

Step 3. Surface Material

R tackable fabric, horizontal A


T tackable fabric A

Prices for Steps 1-3.

	R	T
Y1117. 13	\$498	498


Step 4. Fabric

Price Category 1	+\$0
Price Category 2	+\$13
Price Category 3	+\$28
Price Category 4	+\$53
Price Category 5	+\$90



Surface-Attached Screen, Flat Edge

Y1118.



Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (A) top edge is 13" above top of work surface; bottom edge is 3¾" below work surface.

Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

- 24—0.88
- 30—1.07
- 36—1.26
- 42—1.45
- 48—1.64
- 54—1.83
- 60—2.02
- 66—2.21
- 72—2.39

For heights C/D/E/F:

- 24—1.76
- 30—2.14
- 36—2.52
- 42—2.90
- 48—3.28
- 54—3.65
- 60—4.03
- 66—4.41
- 72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Surface-Attached Screen, Flat Edge

continued

Specification Information

Step 1.

Y1118. ☐ A

Step 2. Height

A privacy (42" high) ☐ A

B privacy & modesty (42" high/ 9" below surface) ☐ A

C privacy (46" high) ☐ A

D privacy & modesty (46" high/ 9" below surface) ☐ A

E privacy (53" high) ☐ A

F privacy & modesty (53" high/ 9" below surface) ☐ A

Step 3. Width

24 24" wide ☐ A

30 30" wide ☐ A

36 36" wide ☐ A

42 42" wide ☐ A

48 48" wide ☐ A

54 54" wide ☐ A

60 60" wide ☐ A

66 66" wide ☐ A

72 72" wide ☐ A

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R tackable fabric, horizontal ☐ A

T tackable fabric ☐ A

D tackable fabric, horizontal with MicrobeCare™ ☐ A

E tackable fabric with MicrobeCare™ ☐ A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal ☐ A

D tackable fabric, horizontal with MicrobeCare™ ☐ A

Prices for Steps 1-4.

	R	T	D	E
Y1118. A 24	\$387	387	455	455
30	\$418	418	486	486
36	\$498	498	567	567
42	\$536	536	604	604
48	\$574	574	641	641
54	\$610	—	677	—
60	\$662	—	730	—
66	\$693	—	761	—
72	\$738	—	806	—

B 24	\$482	482	548	548
30	\$519	519	588	588
36	\$556	556	625	625
42	\$595	595	663	663
48	\$626	626	695	695
54	\$660	—	727	—
60	\$682	—	750	—
66	\$744	—	813	—
72	\$800	—	868	—
C 24	\$483	483	551	551
30	\$532	532	600	600
36	\$572	572	640	640
42	\$630	630	698	698
48	\$706	706	773	773
54	\$743	—	812	—
60	\$831	—	899	—
66	\$874	—	941	—
72	\$937	—	1005	—
D 24	\$606	606	675	675
30	\$676	676	744	744
36	\$754	754	821	821
42	\$771	771	840	840
48	\$803	803	872	872
54	\$826	—	892	—
60	\$914	—	982	—
66	\$988	—	1057	—
72	\$1029	—	1097	—
E 24	\$658	658	725	725
30	\$667	667	735	735
36	\$685	685	753	753
42	\$805	805	874	874
48	\$833	833	902	902
54	\$854	—	922	—
60	\$892	—	960	—
66	\$973	—	1042	—
72	\$1036	—	1104	—
F 24	\$796	796	864	864
30	\$805	805	874	874
36	\$819	819	887	887
42	\$833	833	902	902
48	\$844	844	913	913
54	\$855	—	923	—
60	\$946	—	1014	—
66	\$994	—	1063	—
72	\$1201	—	1269	—

Motia® Screens

Surface-Attached Screen, Flat Edge

continued

Step 5. Cable Trough		
<i>For privacy & modesty (42" high/ 9" below surface) (B), privacy & modesty (46" high/ 9" below surface) (D), or privacy & modesty (53" high/ 9" below surface) (F)</i>		
NC	no cable way A	+\$0
CW	cable way A	+\$25


Step 6. Fabric		
Price Category 1		+\$0
Price Category 2		+\$25
Price Category 3		+\$59
Price Category 4		+\$112
Price Category 5		+\$146
Price Category B		+\$97
Price Category C		+\$133
Price Category E		+\$182

<i>For tackable fabric, horizontal (R) or tackable fabric, horizontal with MicrobeCare™ (D)</i>		
Price Category 1		+\$0
Price Category 2		+\$25
Price Category 3		+\$59
Price Category 4		+\$112
Price Category 5		+\$146
Price Category B		+\$97
Price Category C		+\$133

Motia® Screens

Personal Side Screen, Rectangular

Y1119.



Product Information

Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to 1¼" thick.

Bottom of attachment bracket extends 1½" below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

13—0.94


For horizontal fabric direction (R):

Height—Yardage

13—1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

Y1119. A

Step 2. Height

13 13" high A

Step 3. Surface Material

R tackable fabric, horizontal A


T tackable fabric A

Prices for Steps 1-3.

	R	T
Y1119. 13	\$489	489

Step 4. Surface Finish

Price Category 1	+\$0
Price Category 2	+\$11
Price Category 3	+\$23
Price Category 4	+\$47
Price Category 5	+\$80



Product Information


Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.
Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 11 1/8" below work surface.
Screens 54" wide and wider include an additional 1"-wide center mounting bracket.
Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamping of other hardware to the surface.
Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite.
Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.
Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1120.

Step 2. Height

13A

privacy (13 1/2" above worksurface)

13B

privacy & modesty (13 1/2" above worksurface/11 1/8" below worksurface)

Step 3. Width

24

24" wide

30

30" wide

36

36" wide

42

42" wide

48

48" wide

54

54" wide

60

60" wide

66

66" wide

72

72" wide

Step 4. Surface Material

L

thermally-fused laminate

U

thermally-fused laminate/universal edge

Prices for Steps 1-4.			L	U
Y1120. 13A	24		\$264	264
	30		\$281	281
	36		\$295	295
	42		\$309	309
	48		\$324	324
	54		\$337	337
	60		\$348	348
	66		\$359	359
	72		\$373	373
	13B 24		\$326	326
	30		\$343	343
	36		\$361	361
	42		\$380	380
	48		\$398	398
	54		\$412	412
	60		\$430	430
	66		\$442	442
	72		\$457	457

Laminate Screen, Surface Attached

continued

Step 5. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

VTG	vertical grain	+\$0
HRG	horizontal grain	+\$0

For 66" wide (66) or 72" wide (72)

HRG	horizontal grain	+\$0
------------	------------------	------

Step 6. Cable Trough

For privacy (13½" above worksurface) (13A)

NC	no cable way	+\$0
-----------	--------------	------

For privacy & modesty (13½" above worksurface/11½" below worksurface) (13B)

NC	no cable way	+\$0
CW	cable way	+\$25

Step 7. Surface Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Edge Finish

For thermally-fused laminate (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Vista Privacy + Modesty Screen - Double Sided, Height Adjustable Table

Y1130.



Product Information

Description

This sheet metal privacy + modesty screen attaches to a Motia® Vista™ height adjustable table. The screen wraps around both ends of the work surface. Attachment hardware included.

Notes

Actual screen width is 2" less than specified width.


Privacy top edge is 7" above top of work surface at a 36" datum height.

Bottom edge of screen is 15" below top of work surface.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

There is not enough clearance for an open frame screen (FG345.) to be mounted above the work surface.

Dimensions



Specification Information

Step 1.

Y1130. ☐

Step 2. Height

A36 36" high/15" below work surface ☐

Step 3. Depth

24 24" deep ☐

30 30" deep ☐

Step 4. Width

48 48" wide ☐

54 54" wide ☐

60 60" wide ☐

66 66" wide ☐

72 72" wide ☐

Prices for Steps 1-4.

		48	54	60	66	72
Y1130. A36	24	\$1000	1040	1081	1132	1196
	30	\$1045	1087	1129	1186	1243

Step 5. Screen Finish

Smooth Paint

8Q	folkstone grey (CP)	☐	+\$0
91	white (CP)	☐	+\$0
98	studio white (CP)	☐	+\$0
CL	cool grey neutral	☐	+\$0
WL	warm stone (CP)	☐	+\$0
WN	warm grey neutral	☐	+\$0


Metallic Paint

611	beige mist metallic (CP)	☐	+\$0
613	silver (CP)	☐	+\$0
SNA	satin aluminum	☐	+\$10
SNB	satin bronze	☐	+\$10
SNC	satin carbon	☐	+\$10
EH	metallic bronze	☐	+\$0

Sand Texture Paint

UBK	ultra black (CP)	☐	+\$0
BK	black	☐	+\$0
G1	graphite (CP)	☐	+\$0

Vista Modesty Screen - Double Sided, Y1131. Height Adjustable Table



Product Information

Description

This sheet metal modesty screen attaches to a Motia® Vista™ height adjustable table. The screen wraps around both ends of the work surface. Attachment hardware included.

Notes


Actual screen width is 2" less than specified width.

Bottom edge of screen is 15" below top of work surface.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

There is enough clearance for an open frame screen (FG345.) to be mounted above the work surface. Order separately.

Dimensions



Specification Information

Step 1.

Y1131. ☐ A

Step 2. Depth

24 24" deep ☐ A

30 30" deep ☐ A

Step 3. Width

48 48" wide ☐ A

54 54" wide ☐ A

60 60" wide ☐ A

66 66" wide ☐ A

72 72" wide ☐ A

Prices for Steps 1-3.

	48	54	60	66	72
Y1131. 24	\$814	833	850	927	1004
30	\$842	860	876	953	1033

Step 4. Screen Finish

Smooth Paint


8Q	folkstone grey (CP) ☐ A	+\$0
91	white (CP) ☐ A	+\$0
98	studio white (CP) ☐ A	+\$0
CL	cool grey neutral ☐ A	+\$0
WL	warm stone (CP) ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0

Metallic Paint

611	beige mist metallic (CP) ☐ A	+\$0
613	silver (CP) ☐ A	+\$0
SNA	satin aluminum ☐ A	+\$10
SNB	satin bronze ☐ A	+\$10
SNC	satin carbon ☐ A	+\$10
EH	metallic bronze ☐ A	+\$0

Sand Texture Paint

UBK	ultra black (CP) ☐ A	+\$0
BK	black ☐ A	+\$0
G1	graphite (CP) ☐ A	+\$0



Product Information

Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information
Step 1.
FT354. ☐ A

Step 2. Attachment Type
CL Canvas Surface Attached, End of Run Left Handed ☐ A

CR Canvas Surface Attached, End of Run Right Handed ☐ A

Step 3. Height
42 42" high ☐ A

46 46" high ☐ A

Step 4. Width
24 24" wide ☐ A

30 30" wide ☐ A

36 36" wide ☐ A

Step 5. Surface Material
R tackable fabric, horizontal ☐ A

T tackable fabric ☐ A

Prices for Steps 1-5.

		24R	24T	30R	30T	36R	36T
FT354. CL	42	\$1139	1139	1178	1178	1212	1212
	46	\$1198	1198	1245	1245	1294	1294
	CR 42	\$1139	1139	1178	1178	1212	1212
	46	\$1198	1198	1245	1245	1294	1294

Step 6. Bracket Finish
UBK ultra black (CP) ☐ A +\$0

8Q folkstone grey (CP) ☐ A +\$0

91 white (CP) ☐ A +\$0

98 studio white (CP) ☐ A +\$0

BK black ☐ A +\$0

G1 graphite (CP) ☐ A +\$0

SNA satin aluminum ☐ A +\$10

SNB satin bronze ☐ A +\$10

SNC satin carbon ☐ A +\$10

WL warm stone (CP) ☐ A +\$0

WN warm grey neutral ☐ A +\$0

Step 7. Fabric

Price Category 1 +\$0

Price Category 2 +\$20

Price Category 3 +\$48


Price Category 4 +\$84

Price Category 5 +\$102

Price Category B +\$378

Price Category C +\$128

Price Category E +\$203



Product Information


Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

- Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".
- Screen width matches work surface depths that have a 1" gap at the back edge.
- 2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.
- See planning guide for exact location of holes.
- End-of-run screen does not work on Canvas Beam.
- See planning guide for applications and other compatible product lines.
- Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.
- For vertical fabric direction (T):
- Height—Yardage
- 42—1.19
- 46—1.45
- For horizontal fabric direction (R):
- Width—Yardage
- 24—0.90
- 30—1.10
- 36—1.30
- For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Delineation

continued

Specification Information

Step 1.

FT358.

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed

CR Canvas Surface Attached, End of Run Right Handed

Step 3. Height

42 42" high

46 46" high

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

Step 5. Surface Material

R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-5.

		24R	24T	30R	30T	36R	36T
FT358. CL	42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841
	CR 42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841

Step 6. Bracket Finish

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
SNA	satn aluminum	+\$10
SNB	satn bronze	+\$10
SNC	satn carbon	+\$10
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Step 7. Fabric

Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 4	+\$84
Price Category 5	+\$140
Price Category B	+\$68
Price Category C	+\$122
Price Category E	+\$203

Ambit™ Height Adjustable Table

Y1150.

Screen, Thin Profile Fabric



Product Information

Description

This environmentally friendly, surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless, all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

For side-attached (S) privacy screens (A), (C), and (E), top edge is 13" above top of work surface; bottom edge is 3¾" below work surface.

For side-attached (S) privacy & modesty screens (B), (D), and (F), top edge is 13" above top of work surface; bottom edge is 10" below work surface.

For both top mount (T) and side mount (S) screens (A) and (B), top edge aligns with the 42"-high Canvas datum line.


For both top mount (T) and side mount (S) screens (C) and (D), top edge aligns with the 46"-high Canvas datum line.

For both top mount (T) and side mount (S) screens (E) and (F), top edge aligns with the 53"-high Canvas datum line.

Side-attached (S) screens contain a center bracket.

Side-attached (S) bracket finish is painted graphite; for top mount (T) screens bracket color is specified.

Dimensions



Specification Information

Step 1.

Y1150.

Step 2. Table Type

MT	Motia
NL	Nevi Link
NT	Nevi
RL	Renew Link
RT	Renew

Step 3. Application

For Motia (MT), Nevi (NT), or Renew (RT)

L	left hand return
R	right hand return
S	back screen only
U	right and left return screen, U screen

For Nevi Link (NL) or Renew Link (RL)

L	left hand return
R	right hand return
U	right and left return screen, U screen

Step 4. Attachment Method

For Motia (MT), Nevi (NT), or Renew (RT) with back screen only (S)

S	attached on outside of work surface (for use with freestanding table)
---	---

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

S	attached on outside of work surface (for use with freestanding table)
T	mounted on top of work surface (for benching applications)

For Nevi Link (NL) or Renew Link (RL) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

T	mounted on top of work surface (for benching applications)
---	--

Step 5. Height

For attached on outside of work surface (for use with freestanding table) (S)

A	privacy (42" high)
B	privacy & modesty (42" high/10" below surface)
C	privacy (46" high)
D	privacy & modesty (46" high/10" below surface)
E	privacy (53" high)
F	privacy & modesty (53" high/10" below surface)

Ambit™ Height Adjustable Table

Screen, Thin Profile Fabric *continued*

For mounted on top of work surface (for benching applications) (T)

A	privacy (42" high)
C	privacy (46" high)
E	privacy (53" high)

Step 6. Width

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy & modesty (42" high/10" below surface) (B) or privacy & modesty (46" high/10" below surface) (D)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Renew (RT) with back screen only (S) with privacy (42" high) (A), privacy & modesty (42" high/10" below surface) (B), privacy (46" high) (C), privacy & modesty (46" high/10" below surface) (D), privacy (53" high) (E), or privacy & modesty (53" high/10" below surface) (F)

36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT) or Nevi (NT) with back screen only (S) with privacy (42" high) (A), privacy & modesty (42" high/10" below surface) (B), privacy (46" high) (C), privacy & modesty (46" high/10" below surface) (D), privacy (53" high) (E), or privacy & modesty (53" high/10" below surface) (F)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy & modesty (53" high/10" below surface) (F)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT), Nevi Link (NL), Nevi (NT), Renew Link (RL), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy (42" high) (A) or privacy (46" high) (C)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT), Nevi Link (NL), Nevi (NT), Renew Link (RL), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy (53" high) (E)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 7. Table Depth

For left hand return (L), right hand return (R), or right and left return screen, U screen (U)

24	24" deep
30	30" deep

For back screen only (S)

00	no depth selection needed
-----------	---------------------------

Step 8. Surface Material

R	tackable fabric, horizontal
----------	-----------------------------

Prices for Steps 1-8.

			SA3600R	SA4200R	SA4800R	SA4824R	SA4830R	SA5400R
Y1150.	MT	L	—	—	—	\$797	809	—
		R	—	—	—	\$797	797	—
		S	—	—	\$563	—	—	598
		U	—	—	—	\$1066	1066	—
	NT	L	—	—	—	\$797	797	—
		R	—	—	—	\$797	797	—
		S	—	—	\$563	—	—	598
		U	—	—	—	\$1066	1066	—
	RT	L	—	—	—	\$797	797	—
		R	—	—	—	\$797	797	—
		S	\$489	526	563	—	—	598
		U	—	—	—	\$1066	1066	—

Ambit™ Height Adjustable Table
Screen, Thin Profile Fabric *continued*

Motia® Screens

		SA5424R	SA5430R	SA6000R	SA6024R	SA6030R	SA6600R
Y1150.	MT L	\$856	877	—	894	927	—
	R	\$856	877	—	894	927	—
	S	—	—	\$649	—	—	680
	U	\$1146	1175	—	1193	1238	—
	NT L	\$856	877	—	894	927	—
	R	\$856	877	—	894	927	—
	S	—	—	\$649	—	—	680
	U	\$1146	1175	—	1193	1238	—
	RT L	\$856	877	—	894	927	—
	R	\$856	877	—	894	927	—
	S	—	—	\$649	—	—	680
	U	\$1146	1175	—	1193	1238	—

		SA6624R	SA6630R	SA7200R	SA7224R	SA7230R	SB3600R
Y1150.	MT L	\$924	970	—	965	1022	—
	R	\$924	970	—	965	1022	—
	S	—	—	\$724	—	—	—
	U	\$1235	1296	—	1290	1368	—
	NT L	\$924	970	—	965	1022	—
	R	\$924	970	—	965	1022	—
	S	—	—	\$724	—	—	—
	U	\$1235	1296	—	1290	1368	—
	RT L	\$924	970	—	965	1022	—
	R	\$924	970	—	965	1022	—
	S	—	—	\$724	—	—	545
	U	\$1235	1296	—	1290	1368	—

		SB4200R	SB4800R	SB4824R	SB4830R	SB5400R	SB5424R
Y1150.	MT L	—	—	\$821	860	—	881
	R	—	—	\$821	821	—	881
	S	—	\$614	—	—	647	—
	U	—	—	\$1098	1098	—	1179
	NT L	—	—	\$821	821	—	881
	R	—	—	\$821	821	—	881
	S	—	\$614	—	—	647	—
	U	—	—	\$1098	1098	—	1179
	RT L	—	—	\$821	821	—	881
	R	—	—	\$821	821	—	881
	S	\$583	614	—	—	647	—
	U	—	—	\$1098	1098	—	1179

		SB5430R	SB6000R	SB6024R	SB6030R	SB6600R	SB6624R
Y1150.	MT L	\$903	—	917	951	—	949
	R	\$903	—	917	951	—	949
	S	—	\$669	—	—	730	—
	U	\$1208	—	1226	1270	—	1268

NT	L	\$903	—	917	951	—	949
	R	\$903	—	917	951	—	949
	S	—	\$669	—	—	730	—
	U	\$1208	—	1226	1270	—	1268
RT	L	\$903	—	917	951	—	949
	R	\$903	—	917	951	—	949
	S	—	\$669	—	—	730	—
	U	\$1208	—	1226	1270	—	1268

		SB6630R	SB7200R	SB7224R	SB7230R	SC3600R	SC4200R
Y1150.	MT L	\$994	—	989	1048	—	—
	R	\$994	—	989	1048	—	—
	S	—	\$785	—	—	—	—
	U	\$1328	—	1322	1401	—	—
	NT L	\$994	—	989	1048	—	—
	R	\$994	—	989	1048	—	—
	S	—	\$785	—	—	—	—
	U	\$1328	—	1322	1401	—	—
	RT L	\$994	—	989	1048	—	—
	R	\$994	—	989	1048	—	—
	S	—	\$785	—	—	561	617
	U	\$1328	—	1322	1401	—	—

		SC4800R	SC4824R	SC4830R	SC5400R	SC5424R	SC5430R
Y1150.	MT L	—	\$916	916	—	977	999
	R	—	\$916	916	—	977	999
	S	\$693	—	—	729	—	—
	U	—	\$1226	1226	—	1306	1334
	NT L	—	\$916	916	—	977	999
	R	—	\$916	916	—	977	999
	S	\$693	—	—	729	—	—
	U	—	\$1226	1226	—	1306	1334
	RT L	—	\$916	916	—	977	999
	R	—	\$916	916	—	977	999
	S	\$693	—	—	729	—	—
	U	—	\$1226	1226	—	1306	1334

		SC6000R	SC6024R	SC6030R	SC6600R	SC6624R	SC6630R
Y1150.	MT L	—	\$1013	1047	—	1044	1089
	R	—	\$1013	1047	—	1044	1089
	S	\$815	—	—	857	—	—
	U	—	\$1354	1398	—	1396	1457
	NT L	—	\$1013	1047	—	1044	1089
	R	—	\$1013	1047	—	1044	1089
	S	\$815	—	—	857	—	—
	U	—	\$1354	1398	—	1396	1457

Ambit™ Height Adjustable Table
Screen, Thin Profile Fabric *continued*

RT L		—	\$1013	1047	—	1044	1089
R		—	\$1013	1047	—	1044	1089
S		\$815	—	—	857	—	—
U		—	\$1354	1398	—	1396	1457
		SC7200R	SC7224R	SC7230R	SD3600R	SD4200R	SD4800R
Y1150. MT	L	—	\$1084	1144	—	—	—
	R	—	\$1084	1144	—	—	—
	S	\$918	—	—	—	—	787
	U	—	\$1450	1529	—	—	—
NT	L	—	\$1084	1144	—	—	—
	R	—	\$1084	1144	—	—	—
	S	\$918	—	—	—	—	787
	U	—	\$1450	1529	—	—	—
RT	L	—	\$1084	1144	—	—	—
	R	—	\$1084	1144	—	—	—
	S	\$918	—	—	740	757	787
	U	—	\$1450	1529	—	—	—
		SD4824R	SD4830R	SD5400R	SD5424R	SD5430R	SD6000R
Y1150. MT	L	\$932	932	—	992	1013	—
	R	\$932	932	—	992	1013	—
	S	—	—	\$809	—	—	897
	U	\$1248	1248	—	1327	1356	—
NT	L	\$932	932	—	992	1013	—
	R	\$932	932	—	992	1013	—
	S	—	—	\$809	—	—	897
	U	\$1248	1248	—	1327	1356	—
RT	L	\$932	932	—	992	1013	—
	R	\$932	932	—	992	1013	—
	S	—	—	\$809	—	—	897
	U	\$1248	1248	—	1327	1356	—
		SD6024R	SD6030R	SD6600R	SD6624R	SD6630R	SD7200R
Y1150. MT	L	\$1028	1061	—	1059	1105	—
	R	\$1028	1061	—	1059	1105	—
	S	—	—	\$970	—	—	1010
	U	\$1375	1420	—	1418	1478	—
NT	L	\$1028	1061	—	1059	1105	—
	R	\$1028	1061	—	1059	1105	—
	S	—	—	\$970	—	—	1010
	U	\$1375	1420	—	1418	1478	—
RT	L	\$1028	1061	—	1059	1105	—
	R	\$1028	1061	—	1059	1105	—
	S	—	—	\$970	—	—	1010
	U	\$1375	1420	—	1418	1478	—

		SD7224R	SD7230R	SE3600R	SE4200R	SE4800R	SE4824R
Y1150. MT	L	\$1100	1158	—	—	—	995
	R	\$1100	1158	—	—	—	995
	S	—	—	—	—	\$817	—
	U	\$1471	1550	—	—	—	1332
NT	L	\$1100	1158	—	—	—	995
	R	\$1100	1158	—	—	—	995
	S	—	—	—	—	\$817	—
	U	\$1471	1550	—	—	—	1332
RT	L	\$1100	1158	—	—	—	995
	R	\$1100	1158	—	—	—	995
	S	—	—	\$672	789	817	—
	U	\$1471	1550	—	—	—	1332
		SE4830R	SE5400R	SE5424R	SE5430R	SE6000R	SE6024R
Y1150. MT	L	\$995	—	1055	1077	—	1091
	R	\$995	—	1055	1077	—	1091
	S	—	\$838	—	—	875	—
	U	\$1332	—	1412	1440	—	1460
NT	L	\$995	—	1055	1077	—	1091
	R	\$995	—	1055	1077	—	1091
	S	—	\$838	—	—	875	—
	U	\$1332	—	1412	1440	—	1460
RT	L	\$995	—	1055	1077	—	1091
	R	\$995	—	1055	1077	—	1091
	S	—	\$838	—	—	875	—
	U	\$1332	—	1412	1440	—	1460
		SE6030R	SE6600R	SE6624R	SE6630R	SE7200R	SE7224R
Y1150. MT	L	\$1125	—	1123	1167	—	1163
	R	\$1125	—	1123	1167	—	1163
	S	—	\$954	—	—	1016	—
	U	\$1505	—	1502	1563	—	1556
NT	L	\$1125	—	1123	1167	—	1163
	R	\$1125	—	1123	1167	—	1163
	S	—	\$954	—	—	1016	—
	U	\$1505	—	1502	1563	—	1556
RT	L	\$1125	—	1123	1167	—	1163
	R	\$1125	—	1123	1167	—	1163
	S	—	\$954	—	—	1016	—
	U	\$1505	—	1502	1563	—	1556
		SE7230R	SF3600R	SF4200R	SF4800R	SF4824R	SF4830R
Y1150. MT	L	\$1222	—	—	—	1076	1076
	R	\$1222	—	—	—	1076	1076
	S	—	—	—	\$829	—	—
	U	\$1635	—	—	—	1438	1438

Motia® Screens

Ambit™ Height Adjustable Table
Screen, Thin Profile Fabric *continued*

Motia® Screens

Y1150.	NT	L	\$1222	—	—	—	1076	1076
		R	\$1222	—	—	—	1076	1076
		S	—	—	—	\$829	—	—
		U	\$1635	—	—	—	1438	1438
	RT	L	\$1222	—	—	—	1076	1076
		R	\$1222	—	—	—	1076	1076
		S	—	\$804	809	829	—	—
		U	\$1635	—	—	—	1438	1438
			SF5400R	SF5424R	SF5430R	SF6000R	SF6024R	SF6030R
	MT	L	—	\$1137	1157	—	1173	1207
		R	—	\$1137	1157	—	1173	1207
		S	\$839	—	—	929	—	—
		U	—	\$1519	1548	—	1566	1611
Y1150.	NT	L	—	\$1137	1157	—	1173	1207
		R	—	\$1137	1157	—	1173	1207
		S	\$839	—	—	929	—	—
		U	—	\$1519	1548	—	1566	1611
	RT	L	—	\$1137	1157	—	1173	1207
		R	—	\$1137	1157	—	1173	1207
		S	\$839	—	—	929	—	—
		U	—	\$1519	1548	—	1566	1611
			SF6600R	SF6624R	SF6630R	SF7200R	SF7224R	SF7230R
	MT	L	—	\$1203	1249	—	1244	1302
		R	—	\$1203	1249	—	1244	1302
		S	\$976	—	—	1179	—	—
		U	—	\$1609	1669	—	1662	1742
Y1150.	NT	L	—	\$1203	1249	—	1244	1302
		R	—	\$1203	1249	—	1244	1302
		S	\$976	—	—	1179	—	—
		U	—	\$1609	1669	—	1662	1742
	RT	L	—	\$1203	1249	—	1244	1302
		R	—	\$1203	1249	—	1244	1302
		S	\$976	—	—	1179	—	—
		U	—	\$1609	1669	—	1662	1742
			TA4824R	TA4830R	TA5424R	TA5430R	TA6024R	TA6030R
	MT	L	\$797	797	856	877	894	927
		R	\$797	797	856	877	894	927
		U	\$1066	1066	1146	1175	1193	1238
	NL	L	\$797	797	856	877	894	927
		R	\$797	797	856	877	894	927
		U	\$1066	1066	1146	1175	1193	1238
	NT	L	\$797	797	856	877	894	927
		R	\$797	797	856	877	894	927
		U	\$1066	1066	1146	1175	1193	1238

Y1150.	RL	L	\$797	797	856	877	894	927
		R	\$797	797	856	877	894	927
		U	\$1066	1066	1146	1175	1193	1238
	RT	L	\$797	797	856	877	894	927
		R	\$797	797	856	877	894	927
		U	\$1066	1066	1146	1175	1193	1238
			TA6624R	TA6630R	TA7224R	TA7230R	TC4824R	TC4830R
	MT	L	\$924	970	965	1022	916	916
		R	\$924	970	965	1022	916	916
		U	\$1235	1296	1290	1368	1226	1226
	NL	L	\$924	970	965	1022	916	916
		R	\$924	970	965	1022	916	916
		U	\$1235	1296	1290	1368	1226	1226
Y1150.	NT	L	\$924	970	965	1022	916	916
		R	\$924	970	965	1022	916	916
		U	\$1235	1296	1290	1368	1226	1226
	RL	L	\$924	970	965	1022	916	916
		R	\$924	970	965	1022	916	916
		U	\$1235	1296	1290	1368	1226	1226
	RT	L	\$924	970	965	1022	916	916
		R	\$924	970	965	1022	916	916
		U	\$1235	1296	1290	1368	1226	1226
			TC5424R	TC5430R	TC6024R	TC6030R	TC6624R	TC6630R
	MT	L	\$977	999	1013	1047	1044	1089
		R	\$977	999	1013	1047	1044	1089
		U	\$1306	1334	1354	1398	1396	1457
	NL	L	\$977	999	1013	1047	1044	1089
		R	\$977	999	1013	1047	1044	1089
		U	\$1306	1334	1354	1398	1396	1457
Y1150.	NT	L	\$977	999	1013	1047	1044	1089
		R	\$977	999	1013	1047	1044	1089
		U	\$1306	1334	1354	1398	1396	1457
	RL	L	\$977	999	1013	1047	1044	1089
		R	\$977	999	1013	1047	1044	1089
		U	\$1306	1334	1354	1398	1396	1457
	RT	L	\$977	999	1013	1047	1044	1089
		R	\$977	999	1013	1047	1044	1089
		U	\$1306	1334	1354	1398	1396	1457
			TC7224R	TC7230R	TE4824R	TE4830R	TE5424R	TE5430R
	MT	L	\$1084	1144	995	995	1055	1077
		R	\$1084	1144	995	995	1055	1077
		U	\$1450	1529	1332	1332	1412	1440

Ambit™ Height Adjustable Table
Screen, Thin Profile Fabric *continued*

NL	L	\$1084	1144	995	995	1055	1077
	R	\$1084	1144	995	995	1055	1077
	U	\$1450	1529	1332	1332	1412	1440
NT	L	\$1084	1144	995	995	1055	1077
	R	\$1084	1144	995	995	1055	1077
	U	\$1450	1529	1332	1332	1412	1440
RL	L	\$1084	1144	995	995	1055	1077
	R	\$1084	1144	995	995	1055	1077
	U	\$1450	1529	1332	1332	1412	1440
RT	L	\$1084	1144	995	995	1055	1077
	R	\$1084	1144	995	995	1055	1077
	U	\$1450	1529	1332	1332	1412	1440

		TE6024R	TE6030R	TE6624R	TE6630R	TE7224R	TE7230R
Y1150. MT	L	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635
	NL	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635
	NT	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635
	RL	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635
	RT	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635

Step 9. Fabric

Price Category 1	+\$0
Price Category 2	+\$31
Price Category 3	+\$71
Price Category 4	+\$134
Price Category 5	+\$220
Price Category B	+\$120
Price Category C	+\$160
Price Category E	+\$220

Step 10. Corner Cover Options

For mounted on top of work surface (for benching applications)
(T)

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
DB3	glacier	+\$10
DN2	nightfall	+\$10
DR1	canyon	+\$10
G1	graphite (CP)	+\$0
OLF	olive	+\$10
WN	warm grey	+\$0

Step 11. Bracket Color Options

For mounted on top of work surface (for benching applications)
(T)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$10
DN2	nightfall	+\$10
DR1	canyon	+\$10
OLF	olive	+\$10
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Step 12. Screen Accessories

NN	none	+\$0
NH	name tag holder (YT410)	+\$43
MB	24" painted metal markerboard (Y1124.DP)	+\$170
ML	30" painted metal markerboard (Y1124.DP)	+\$182
DM	24" writeable markerboard (Y1124.DM)	+\$238
DL	30" writeable markerboard (Y1124.DM)	+\$265

Ambit™ Height Adjustable Table

Screen, Thin Profile Fabric *continued*

Step 13. Screen Accessory Finish

For name tag holder (YT410) (NH)

613	silver (CP)	+\$0
------------	-------------	------

For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10


For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Motia® Screens

Ambit™ Height Adjustable Table Screen, PET

Y1155.




Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless PET design with a flat edge and comes in privacy and modesty sizes. Attachment hardware included.

Dimensions



Specification Information

Step 1.

Y1155.

Step 2. Table Type

MT	Motia
NL	Nevi Link
NT	Nevi
RL	Renew Link
RT	Renew

Step 3. Application

For Motia (MT), Nevi (NT), or Renew (RT)

L	left hand return
R	right hand return
U	right and left return screen, U screen

For Nevi Link (NL) or Renew Link (RL)

L	left hand return
R	right hand return
U	right and left return screen, U screen

Step 4. Attachment Method

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

S	attached on outside of work surface (for use with freestanding table)
T	mounted on top of work surface (for benching applications)

For Nevi Link (NL) or Renew Link (RL) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

T	mounted on top of work surface (for benching applications)
---	--

Step 5. Height

For attached on outside of work surface (for use with freestanding table) (S)

A	privacy (42" high)
B	privacy & modesty (42" high/10" below surface)
C	privacy (46" high)
D	privacy & modesty (46" high/10" below surface)

For mounted on top of work surface (for benching applications) (T)

A	privacy (42" high)
C	privacy (46" high)

Ambit™ Height Adjustable Table

Screen, PET *continued*

Step 6. Width

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 7. Table Depth

24	24" deep
30	30" deep

Prices for Steps 1-7.

		SA4824	SA4830	SA5424	SA5430	SA6024	SA6030
Y1155.	MT L	\$903	903	924	924	955	955
	R	\$903	903	924	924	955	955
	U	\$1009	1009	1083	1083	1115	1115
	NT L	\$903	903	924	924	955	955
	R	\$903	903	924	924	955	955
	U	\$1009	1009	1083	1083	1115	1115
	RT L	\$903	903	924	924	955	955
	R	\$903	903	924	924	955	955
	U	\$1009	1009	1083	1083	1115	1115

		SA6624	SA6630	SA7224	SA7230	SB4824	SB4830
Y1155.	MT L	\$977	977	999	999	935	935
	R	\$977	977	999	999	935	935
	U	\$1221	1221	1539	1539	1221	1221
	NT L	\$977	977	999	999	935	935
	R	\$977	977	999	999	935	935
	U	\$1221	1221	1539	1539	1221	1221
	RT L	\$977	977	999	999	935	935
	R	\$977	977	999	999	935	935
	U	\$1221	1221	1539	1539	1221	1221

		SB5424	SB5430	SB6024	SB6030	SB6624	SB6630
Y1155.	MT L	\$967	967	987	987	1019	1019
	R	\$967	967	987	987	1019	1019
	U	\$1274	1274	1327	1327	1539	1539
	NT L	\$967	967	987	987	1019	1019
	R	\$967	967	987	987	1019	1019
	U	\$1274	1274	1327	1327	1539	1539
	RT L	\$967	967	987	987	1019	1019
	R	\$967	967	987	987	1019	1019
	U	\$1274	1274	1327	1327	1539	1539

SB7224 SB7230 SC4824 SC4830 SC5424 SC5430

Y1155.	MT L	\$1041	1041	955	955	977	977
	R	\$1041	1041	955	955	977	977
	U	\$1616	1616	1274	1274	1327	1327
	NT L	\$1041	1041	955	955	977	977
	R	\$1041	1041	955	955	977	977
	U	\$1616	1616	1274	1274	1327	1327
	RT L	\$1041	1041	955	955	977	977
	R	\$1041	1041	955	955	977	977
	U	\$1616	1616	1274	1274	1327	1327

SC6024 SC6030 SC6624 SC6630 SC7224 SC7230

Y1155.	MT L	\$999	999	1019	1019	1041	1041
	R	\$999	999	1019	1019	1041	1041
	U	\$1380	1380	1486	1486	1592	1592
	NT L	\$999	999	1019	1019	1041	1041
	R	\$999	999	1019	1019	1041	1041
	U	\$1380	1380	1486	1486	1592	1592
	RT L	\$999	999	999	999	1041	1041
	R	\$999	999	999	999	1041	1041
	U	\$1380	1380	1486	1486	1592	1592

SD4824 SD4830 SD5424 SD5430 SD6024 SD6030

Y1155.	MT L	\$1375	1375	1386	1386	1433	1433
	R	\$1375	1375	1386	1386	1433	1433
	U	\$1486	1486	1592	1592	1698	1698
	NT L	\$1375	1375	1386	1386	1433	1433
	R	\$1375	1375	1386	1386	1433	1433
	U	\$1486	1486	1592	1592	1698	1698
	RT L	\$1375	1375	1386	1386	1433	1433
	R	\$1375	1375	1386	1386	1433	1433
	U	\$1486	1486	1592	1592	1698	1698

SD6624 SD6630 SD7224 SD7230 TA4824 TA4830

Y1155.	MT L	\$1492	1492	1598	1598	809	810
	R	\$1492	1492	1598	1598	809	810
	U	\$1910	1910	2122	2122	857	858
	NL L	—	—	—	—	\$809	810
	R	—	—	—	—	\$809	810
	U	—	—	—	—	\$857	858
	NT L	\$1491	1492	1598	1598	809	810
	R	\$1492	1492	1598	1598	809	810
	U	\$1910	1910	2122	2122	857	858
	RL L	—	—	—	—	\$809	810
	R	—	—	—	—	\$809	810
	U	—	—	—	—	\$857	858

Ambit™ Height Adjustable Table
Screen, PET *continued*

RT	L	\$1492	1492	1598	1598	809	810
	R	\$1492	1492	1598	1598	809	810
	U	\$1910	1910	2122	2122	857	858

		TA5424	TA5430	TA6024	TA6030	TA6624	TA6630
Y1155. MT	L	\$817	817	849	849	887	887
	R	\$817	817	849	849	887	887
	U	\$861	861	963	964	966	966
NL	L	\$817	817	849	849	887	887
	R	\$817	817	849	849	887	887
	U	\$861	861	963	964	966	966
NT	L	\$817	817	849	849	887	887
	R	\$817	817	849	849	887	887
	U	\$861	861	963	964	966	966
RL	L	\$817	817	849	849	887	887
	R	\$817	817	849	849	887	887
	U	\$861	861	963	964	966	966
RT	L	\$817	817	849	849	887	887
	R	\$817	817	849	849	887	887
	U	\$861	861	963	964	966	966

		TA7224	TA7230	TC4824	TC4830	TC5424	TC5430
Y1155. MT	L	\$926	927	914	915	935	935
	R	\$926	927	914	915	935	935
	U	\$971	972	963	964	966	966
NL	L	\$926	927	914	915	935	935
	R	\$926	927	914	915	935	935
	U	\$971	972	963	964	966	966
NT	L	\$926	927	914	915	935	935
	R	\$926	927	914	915	935	935
	U	\$971	972	963	964	966	966
RL	L	\$926	927	914	914	935	935
	R	\$926	927	914	914	935	935
	U	\$971	972	963	964	966	966
RT	L	\$926	927	914	915	935	935
	R	\$926	927	914	915	935	935
	U	\$971	972	963	964	966	966

		TC6024	TC6030	TC6624	TC6630	TC7224	TC7230
Y1155. MT	L	\$967	967	1009	1009	1080	1080
	R	\$967	967	1009	1009	1080	1080
	U	\$1136	1137	1139	1139	1302	1308
NL	L	\$967	967	1009	1009	1080	1080
	R	\$967	967	1009	1009	1080	1080
	U	\$1136	1137	1139	1139	1308	1309

NT	L	\$967	967	1009	1009	1080	1080
	R	\$967	967	1009	1009	1080	1080
	U	\$1136	1137	1139	1139	1302	1308
RL	L	\$967	967	1009	1009	1080	1080
	R	\$967	967	1009	1009	1080	1080
	U	\$1136	1137	1139	1139	1308	1309
RT	L	\$967	967	1009	1009	1080	1080
	R	\$967	967	1009	1009	1080	1080
	U	\$1136	1137	1139	1139	1302	1308

Step 8. Material

PHN	heathered nightfall	+\$0
PHO	heathered olive	+\$0
PLG	cool heathered grey	+\$0

Step 9. Bracket Color Options

For mounted on top of work surface (for benching applications)
(T)

98	studio white (CP)	+\$0
BK	black	+\$0
CRB	carbon (CP)	+\$0
DN2	nightfall	+\$10
OLF	olive	+\$10
UBK	ultra black (CP)	+\$0

Step 10. Screen Accessories

MB	24" painted metal markerboard (Y1124.DP)	+\$170
NN	none	+\$0
NH	name tag holder (YT410)	+\$43
ML	30" painted metal markerboard (Y1124.DP)	+\$182
DM	24" writeable markerboard (Y1124.DM)	+\$238
DL	30" writeable markerboard (Y1124.DM)	+\$265

Step 11. Screen Accessory Finish

For name tag holder (YT410) (NH)

613	silver (CP)	+\$0
------------	-------------	------

For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10


Ambit™ Height Adjustable Table
Screen, PET *continued*

For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal
markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM),
or 30" writeable markerboard (Y1124.DM) (DL)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Ambit™ Height Adjustable Table Screen, Metal

Y1160.



Product Information

Description

This surface-attached screen attaches to the work surface of a freestanding table. It is painted metal and comes in privacy size. An optional magnetic screen liner is user-adjustable without tools. Screen attachment hardware included.

Notes

Privacy panel actual width is 2" less than specified width.


Privacy screen (A) top edge is 13" above top of work surface.

Privacy screen (A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1160.

Step 2. Table Type

MT Motia
NT Nevi
RT Renew

Step 3. Application

U right and left return screen, U screen

Step 4. Attachment Method

S attached on outside of work surface (for use with freestanding table)

Step 5. Height

A privacy (42" high)

Step 6. Width

48 48" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide

Step 7. Table Depth

30 30" deep

Step 8. Screen Liner

M magnetic liner
N none

Prices for Steps 1-8.

		SA4830M	SA4830N	SA5430M	SA5430N	SA6030M	SA6030N
Y1160.	MT U	\$1458	824	1474	841	1493	860
	NT U	\$1458	824	1474	841	1493	860
	RT U	\$1458	824	1474	841	1493	860

		SA6630M	SA6630N	SA7230M	SA7230N
Y1160.	MT U	\$1528	895	1673	1040
	NT U	\$1528	895	1673	1040
	RT U	\$1528	895	1673	1040

Ambit™ Height Adjustable Table


Screen, Metal *continued*

Motia® Screens


Step 9. Surface Finish		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$60
SNB	satin bronze	+\$60
SNC	satin carbon	+\$60
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DB3	glacier	+\$50
DN2	nightfall	+\$50
DR1	canyon	+\$50
G1	graphite (CP)	+\$0
OLF	olive	+\$50
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Step 10. Magnetic Screen Liner Finish		
<i>For magnetic liner (M)</i>		
Price Category 4		+\$0
Step 11. Screen Accessories		
NH	name tag holder (YT410)	+\$39
NN	none	+\$0
Step 12. Screen Accessory Finish		
<i>For name tag holder (YT410) (NH)</i>		
613	silver (CP)	+\$0

Suspended Cubby

L2SCF.



Product Information
Description
This suspended cubby mounts to the underside of a tethered, fixed-height or height-adjustable work surface. It has laminate case and fronts. Lock is optional. Felt liner included.
Notes
To use the suspended cubby, surface support positions must be inbound. Suspended cubby is handed, determined from user viewpoint while facing the surface.
When mounting suspended cubby below a height-adjustable table surface, the minimum height of table must be set at a height higher than the components below it.
See planning guide for more information.
Dimensions



Specification Information
Step 1.
L2SCF. ☐ A
Step 2. Type
L left hand ☐ A +\$1482
R right hand ☐ A +\$1482
Step 3. Case Material
L thermally-fused laminate case material ☐ A +\$0
Step 4. Front Material
L thermally-fused laminate front material ☐ A +\$0
Step 5. Pull Type
A arc pull +\$0
K bar pull +\$0
Step 6. Lock
L lock ☐ A +\$0
N no lock ☐ A -\$17

Motia® Storage

Step 7. Case Finish

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
G1	graphite (CP)	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Step 8. Front Finish

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
G1	graphite (CP)	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Step 9. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K)

8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
G1	graphite (CP)	A	+\$0
WL	warm stone (CP)	A	+\$0

Suspended Cubby *continued*

Metallic Paint

For bar pull (K)

611	beige mist metallic (CP) ☐	+\$0
613	silver (CP) ☐	+\$0
SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10

Sand Texture Paint


For bar pull (K)

DB3	glacier ☐	+\$10
DN2	nightfall ☐	+\$10
DR1	canyon ☐	+\$10
OLF	olive ☐	+\$10
UBK	ultra black (CP) ☐	+\$0
BK	black ☐	+\$16

Step 10. Lock Option

For lock (L)

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0




Product Information

Description
This suspended drawer mounts to the underside of a tethered, fixed-height or height-adjustable work surface. It has laminate case and fronts. Lock is optional. Felt liner included.

Notes
To use the suspended drawer, surface support positions must be inbound. Suspended drawer is handed, determined from user viewpoint while facing the surface.
When mounting suspended drawer below a height-adjustable table surface, the minimum height of table must be set at a height higher than the components below it.
See planning guide for more information.

Dimensions

Motia® Storage



Specification Information

Step 1.		
L2SDF. ☐ A		
Step 2. Type		
L	left hand ☐ A	+\$1144
R	right hand ☐ A	+\$1144
Step 3. Case Material		
L	thermally-fused laminate case material ☐ A	+\$0
Step 4. Front Material		
L	thermally-fused laminate front material ☐ A	+\$0
Step 5. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
Step 6. Lock		
L	lock ☐ A	+\$0
N	no lock ☐ A	-\$17

Step 7. Case Finish

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 8. Front Finish

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 9. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0

Metallic Paint		
<i>For bar pull (K)</i>		
611	beige mist metallic (CP) A	+\$0
613	silver (CP) A	+\$0
SNA	satin aluminum A	+\$10
SNB	satin bronze A	+\$10
SNC	satin carbon A	+\$10


Sand Texture Paint		
<i>For bar pull (K)</i>		
DB3	glacier A	+\$10
DN2	nightfall A	+\$10
DR1	canyon A	+\$10
OLF	olive A	+\$10
UBK	ultra black (CP) A	+\$0
BK	black A	+\$16

Step 10. Lock Option		
<i>For lock (L)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Motia® Storage

Stiffener

FV696.



Product Information

Description

This stiffener is used to add additional stiffness to a Canvas freestanding surface, Canvas or Ethospace® surface-attached surface, peninsula or any frame-attached surface when a center cantilever cannot be used. Attachment hardware included.


Notes

Canvas and Ethospace laminate or veneer surfaces 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever require stiffener(s).

See Canvas Office Landscape® Planning Guide or Ethospace Work Surface Planning Guide for specific stiffener guidelines.

Stiffener hangs below surface and is 1 1/4" high.

Dimensions



Specification Information

Step 1.

FV696.

Step 2. Width

34	33 7/8" wide
39	38 5/8" wide
43	43 1/4" wide
48	48" wide
57	57 3/8" wide
62	62 1/8" wide
67	66 3/4" wide
71	71 1/2" wide
81	80 7/8" wide

Prices for Steps 1-2.

FV696. 34	\$101
39	\$103
43	\$103
48	\$103
57	\$103
62	\$103
67	\$103
71	\$103
81	\$103

Motia® Accessories

Index by Product Name

Motia® Sit-to-Stand Tables	
Ambit™ Height Adjustable Table Leg Shroud	page(s) 33
Ambit™ Height Adjustable Table Screen, Metal	77
Ambit™ Height Adjustable Table Screen, PET	73
Ambit™ Height Adjustable Table Screen, Thin Profile Fabric	66
Ambit™ Suspended Storage	39
C-Foot 3 Leg Base Kit	25
Easy Access Height-Adjustable Vertical Cable Manager	49
Extended Corner Table with C-Foot	13
External Cable Manager	41
Flat Edge Screen, Delineation	64
Height Adjustable Base Kit with C-Foot	27
Height Adjustable Base Kit with T-Foot	23
Height Adjustable Table Attachment Bracket	31
Height-Adjustable Vertical Cable Manager	48
Hinged Cable Trough	46
Laminate Screen, Surface Attached	58
Logic Mini	42
Logic Mini Grommet	44
Motia® Vista™ Adjustable Base Kit with T-Foot	29
Motia® Vista™ Rectangular Table with T-Foot	17
Pari Screen, Delineation	62
Pari Screen, Height Adjustable Tables	50
Personal Side Screen	53
Personal Side Screen, Rectangular	57
Power Plug Strip	45
Rectangular Table with C-Foot	5
Rectangular Table with T-Foot	9
Stiffener	85
Surface-Attached Screen, Flat Edge	54
Suspended Cubby	79
Suspended Drawer	82
Vista Modesty Screen - Double Sided, Height Adjustable Table	61
Vista Privacy + Modesty Screen - Double Sided, Height Adjustable Table	60



Index by Product Number

DU11B. External Cable Manager	page(s) 41
DU11S.	
DU15B. Height-Adjustable Vertical Cable Manager	48
DU15S.	
DU16B. Easy Access Height-Adjustable Vertical Cable Manager	49
DU16S.	
DV6ACS Rectangular Table with C-Foot	5
DV6ATS Rectangular Table with T-Foot	9
DV6ECS Extended Corner Table with C-Foot	13
DV6GTS Motia® Vista™ Rectangular Table with T-Foot	17
DV7AC. Height Adjustable Base Kit with C-Foot	27
DV7AT. Height Adjustable Base Kit with T-Foot	23
DV7FC. C-Foot 3 Leg Base Kit	25
DV7GT. Motia® Vista™ Adjustable Base Kit with T-Foot	29
DV8SM. Ambit™ Height Adjustable Table Leg Shroud	33
DV8SN.	
DV8SR.	
DV210. Height Adjustable Table Attachment Bracket	31
FT354. Pari Screen, Delineation	62
FT358. Flat Edge Screen, Delineation	64
FV696. Stiffener	85
IH200. Ambit™ Suspended Storage	39
L2SCF. Suspended Cubby	79
L2SDF. Suspended Drawer	82
Y1116. Pari Screen, Height Adjustable Tables	50
Y1117. Personal Side Screen	53
Y1118. Surface-Attached Screen, Flat Edge	54
Y1119. Personal Side Screen, Rectangular	57
Y1120. Laminate Screen, Surface Attached	58
Y1130. Vista Privacy + Modesty Screen - Double Sided, Height Adjustable Table	60
Y1131. Vista Modesty Screen - Double Sided, Height Adjustable Table	61
Y1150. Ambit™ Height Adjustable Table Screen, Thin Profile Fabric	66
Y1155. Ambit™ Height Adjustable Table Screen, PET	73
Y1160. Ambit™ Height Adjustable Table Screen, Metal	77
Y1300. Hinged Cable Trough	46
Y1412. Logic Mini Grommet	44
Y1414. Logic Mini	42
Y1500. Power Plug Strip	45



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian®

Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Vary Easy Program

Program Overview

The Vary Easy program offers expanded product selections beyond what is available through our standard offering. From expanded material and finish lists, to size availability, to completely new product configurations, the Vary Easy program offers it all at standard pricing, warranty, and lead-time.

Specifying Vary Easy using Made-to-Measure Plus

Vary Easy products are now available by clicking the Vary Easy/Options tile in the Made-to-Measure Plus tool.

Made-to-Measure Plus is a web-based tool available through Omni that takes the guesswork out of specifying products and service parts. It's quickly evolving to become your one-stop shop for specifying Herman Miller products and service parts, particularly customized product like Vary Easy and HM Options.

Vary Easy products are no longer published in marketing SIF for importing into specIT and other third-party specifiers. Specifying through the Made-to-Measure Plus tool allows us to make frequent updates and offer more complex products. It allows you to easily specify and price products and download SIF files to import into your specification tool. The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead-time and are competitively priced.

For step-by-step instructions, reference the Made-to-Measure Plus page under Tools & Resources on Omni to watch the how-to video and to see how easy it is to specify Vary Easy products in Made-to-Measure Plus.

For Vary Easy product and specification questions, contact Product Services at 866 854 3048 (ext #1).

For technical questions about the Made-to-Measure Plus tool, contact Sales Technology Support at 866 854 3048 (ext #4) or sts@hermanmiller.com.



Stain-to-Match Program

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:
(800) 654 3910

Ordering Products with Stain-to-Match Veneers

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to: options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© HermanMiller, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyriss, Lyriss 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemisurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Lisocore® is a registered trademark of Pyrus Panels GmbH.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.