

Hatch Modular Seating

A sharp-looking seating range for spaces large and small.

Effortless to configure and packed with personality, Hatch slots in anywhere. This modular sofa collection is the perfect solution for open, collaborative workspaces and atriums, as well as hospitality, public spaces and office lobbies.



Dress up your space with the Hatch Modular Seating range, which comes in 15 different forms that enable nimble space planning. Featuring linking brackets, Hatch's different modules can be configured in numerous layouts and shapes, creating bespoke seating solutions to suit the setting. Its upright sit and compact form make it an easy fit no matter where it goes.

Hatch features a simple linear silhouette that adds to its inherent versatility, making it a natural choice for contemporary business, retail and hospitality alike. And yet it still stands out from the crowd, thanks to its distinctive diagonal quilting on the seat pad. This tactile, angled pattern lends itself to design repetition; as a result, Hatch works easily on its own or mixed with other variations within the collection.



Product Specification



Leg Options



White / black
steel legs
Standard



RAL powder
coated legs
NaughtOne
colours




Solid oak
legs



Solid walnut
legs

Other Options



Two-tone
See price list
for details

Compliance

- FSC® certified products available upon request
- NaughtOne is FISP and ISO14001 certified
- Our seating is designed to meet or exceed all EN performance requirements per BS EN 16139:2013

Resources

3D visualisation models, 2D DWG and Revit files are available for all NaughtOne products. Download the files from our website www.naughtone.com

All images shown here and many others can be downloaded from www.naughtone.com or please request a link to our Dropbox account.



Hatch can be configured to slot neatly into awkward spaces.

Sizes

All dimensions quoted are rounded to the nearest 5 mm or nearest 1/2 inch




HAT1ST

Hatch Single Stool
w510 d510 h410
seat 410 (mm)
w20 d20 h16
seat 16 (in)



HAT2BEN

Hatch 2 Seat Bench
w1020 d510 h410
seat 410 (mm)
w40 d20 h16
seat 16 (in)



HAT3BEN

Hatch 3 Seat Bench
w1530 d510 h410
seat 410 (mm)
w60 d20 h16
seat 16 (in)



HAT1NA

Hatch Chair No Arms
w510 d690 h685
seat 410 (mm)
w20 d27 h27
seat 16 (in)




HAT11A

Hatch Corner Chair
1 Arm
w690 d690 h685
seat 410 (mm)
w27 d27 h27
seat 16 (in)




HAT12A

Hatch Chair 2 Arms
w870 d690 h685
seat 410 (mm)
w34.5 d27 h27
seat 16 (in)




HAT2NA

Hatch 2 Seater
No Arms
w1020 d690 h685
seat 410 (mm)
w40 d27 h27
seat 16 (in)




HAT2RA

Hatch 2 Seater
Right Arm
w1200 d690 h685
seat 410 (mm)
w47 d27 h27
seat 16 (in)




HAT2LA

Hatch 2 Seater
Left Arm
w1200 d690 h685
seat 410 (mm)
w47 d27 h27
seat 16 (in)




HAT22A

Hatch 2 Seater
2 Arms
w1380 d690 h685
seat 410 (mm)
w54.5 d27 h27
seat 16 (in)




HAT3NA

Hatch 3 Seater
No Arms
w1530 d690 h685
seat 410 (mm)
w60 d27 h27
seat 16 (in)




HAT3RA

Hatch 3 Seater
Right Arm
w1710 d690 h685
seat 410 (mm)
w67.5 d27 h27
seat 16 (in)



HAT3LA

Hatch 3 Seater
Left Arm
w1710 d690 h685
seat 410 (mm)
w67.5 d27 h27
seat 16 (in)



HAT32A

Hatch 3 Seater
2 Arms
w1890 d690 h685
seat 410 (mm)
w74.5 d27 h27
seat 16 (in)



HATSMTREC

Hatch / Symbol
Table
w690 d510 h410 (mm)
w27 d20 h16 (in)

Colours

NaughtOneRAL palette



Technical Specification

Servicing

If a component is damaged, we will be happy to facilitate any replacements that are required. Please email our team with an image of the damaged part and reference your order number.

Warranty

NaughtOne offers a 10-year warranty across all products. Details on the terms and conditions of NaughtOne's warranty can be found at www.naughtone.com/warranty

Flammability

The cold cure foam material has been tested to meet the following standards:
British standard: 5852:2006 Part 2
California Technical Bulletin: 117-2013
Italian standard: UNI9175-CLASS 1.IM

The flammability standard of the covering fabric is dependent on the choice made by the customer. Details of the flammability rating of specific fabrics can be found on supplier websites.

Testing


Our chairs are designed to meet or exceed all EN performance requirements as per BS EN 16139:2013, which includes the following tests:
















- Seat and back static load test
- Seat front edge static load test
- Vertical static load on back
- Foot rest and leg rest static load test
- Arm sideways static load test
- Arm downwards static load test
- Vertical upwards static load on arm rests
- Seat and back durability test
- Seat front edge durability test
- Leg forward static load test
- Leg sideways static load test
- Seat impact test
- Back impact test
- Arm impact test

Structural Testing Certifications

| | |
|---------------------------|---------------------------|
| <u>HAT12A</u> | <u>HAT2LA</u> |
| Hatch Chair 2 Arms | Hatch 2 Seater Left Arm |
| BS EN 16139:2013, Level 1 | BS EN 16139:2013, Level 1 |
| Static Load 160 kg | Static Load 320 kg |
| <u>HAT3NA</u> | |
| Hatch 3 Seater No Arms | |
| BS EN 16139:2013, Level 1 | |
| Static Load 480 kg | |

Measuring Guide



| PRODUCT CODE / DESCRIPTION | A WIDTH | B DEPTH | C HEIGHT | D SEAT HEIGHT | E DISTANCE BETWEEN LEGS, FRONT | F DISTANCE BETWEEN LEGS, SIDE | G WEIGHT | H CAD |
|-------------------------------|--------------------|-----------------|-----------------|---------------------|--|---|---------------------|---|
| HAT1ST | | | | | | | | |
| Hatch Single Stool | 510 mm 20 in | 510 mm 20 in | 410 mm 16 in | 410 mm 16 in | 440 mm 17.5 in | 440 mm 17.5 in | 21.02 kg 46.3 lb |  |
| HAT2BEN | | | | | | | | |
| Hatch 2 Seat Bench | 1020 mm 40 in | 510 mm 20 in | 410 mm 16 in | 410 mm 16 in | 950 mm 37.5 in | 620 mm 24.5 in | 26.5 kg 58.4 lb |  |
| HAT3BEN | | | | | | | | |
| Hatch 3 Seat Bench | 1530 mm 60 in | 510 mm 20 in | 410 mm 16 in | 410 mm 16 in | 1445 mm 57 in | 620 mm 24.5 in | 29.9 kg 65.9 lb |  |
| HAT1NA | | | | | | | | |
| Hatch Chair No Arms | 510 mm 20 in | 690 mm 27 in | 685 mm 27 in | 410 mm 16 in | 440 mm 17.5 in | 620 mm 24.5 in | 34.5 kg 76.1 lb |  |
| HAT11A | | | | | | | | |
| Hatch Corner Chair 1 Arm | 690 mm 27 in | 690 mm 27 in | 685 mm 27 in | 410 mm 16 in | 620 mm 24.5 in | 620 mm 24.5 in | 37.4 kg 82.5 lb |  |
| HAT12A | | | | | | | | |
| Hatch Chair 2 Arms | 870 mm 34.5 in | 690 mm 27 in | 685 mm 27 in | 410 mm 16 in | 800 mm 31.5 in | 620 mm 24.5 in | 30.9 kg 68.1 lb |  |
| HAT2NA | | | | | | | | |
| Hatch 2 Seater No Arms | 1020 mm 40 in | 690 mm 27 in | 685 mm 27 in | 410 mm 16 in | 950 mm 37.5 in | 620 mm 24.5 in | 32.3 kg 71.1 lb |  |
| HAT2RA | | | | | | | | |
| Hatch 2 Seater Right Arm | 1200 mm 47 in | 690 mm 27 in | 685 mm 27 in | 410 mm 16 in | 1130 mm 44.5 in | 620 mm 24.5 in | 36.9 kg 81.4 lb |  |
| HAT2LA | | | | | | | | |
| Hatch 2 Seater Left Arm | 1200 mm 47 in | 690 mm 27 in | 685 mm 27 in | 410 mm 16 in | 1130 mm 44.5 in | 620 mm 24.5 in | 36.9 kg 81.4 lb |  |
| HAT22A | | | | | | | | |
| Hatch 2 Seater 2 Arms | 1380 mm 54.5 in | 690 mm 27 in | 685 mm 27 in | 410 mm 16 in | 1310 mm 51.5 in | 620 mm 24.5 in | 43 kg 94.8 lb |  |
| HAT3NA | | | | | | | | |
| Hatch 3 Seater No Arms | 1530 mm 60 in | 690 mm 27 in | 685 mm 27 in | 410 mm 16 in | 1445 mm 57 in | 620 mm 24.5 in | 40 kg 88.1 lb |  |
| HAT3RA | | | | | | | | |
| Hatch 3 Seater Right Arm | 1710 mm 67.5 in | 690 mm 27 in | 685 mm 27 in | 410 mm 16 in | 1645 mm 65 in | 620 mm 24.5 in | 41.6 kg 91.7 lb |  |
| HAT3LA | | | | | | | | |
| Hatch 3 Seater Left Arm | 1710 mm 67.5 in | 690 mm 27 in | 685 mm 27 in | 410 mm 16 in | 1645 mm 65 in | 620 mm 24.5 in | 41.6 kg 91.7 lb |  |
| HAT32A | | | | | | | | |
| Hatch 3 Seater 2 Arms | 1890 mm 74.5 in | 690 mm 27 in | 685 mm 27 in | 410 mm 16 in | 1820 mm 72 in | 620 mm 24.5 in | 52.7 kg 116.2 lb |  |
| HATSYMTREC | | | | | | | | |
| Hatch / Symbol Table | 690 mm 27 in | 510 mm 20 in | 410 mm 16 in | — | — | — | 15.3 kg 34 lb |  |



Hatch 3 seater
2 arms with oak legs.

Environmental Attributes

- NaughtOne is FISP and ISO14001 certified
- NaughtOne is FSC® certified (FSC® C134222)
- 52.7 kg total weight
- 16.7% Recyclable (foam, legs, fixings and feet)
- 81.5% Reusable (frame)
- SCS Indoor Advantage™ Gold ANSI / BIFMA Furniture Emissions Standard (M7.1 / X7.1-2011 R2021) and ANSI / BIFMA e-3-2019 (Credits 7.6.1, 7.6.2, 7.6.3)

These attributes can help you to achieve criteria towards LEED, BREEAM, Ska and WELL building certifications.



FSC® certified products available upon request (FSC® C134222)



NaughtOne offers PEFC certified products



INDOOR AIR QUALITY
CERTIFIED
FURNITURE



fisp
Furniture Industry Sustainability Programme

Where sustainable sources are quoted and a chain of custody is required by a customer, this must be indicated on the purchase order to NaughtOne. A chain of custody requested after an order has been placed or delivered may be difficult to recover.

Figures stated in this document may vary based on model and options selected. We have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages. Material variables are likely to affect the figures which may result in higher or lower percentages.

This document will be reviewed and updated periodically and is subject to change without notice.

Product Sustainability Statement

Hatch Modular seating is available in a range of sizes, configurations and finishes, but for the purpose of this document we have a specific example from the range: Hatch 3 seater 2 arms with oak legs.


Recyclable Content



Recycled Content



Material Percentage Split



CSR Statement

We care a great deal about the sustainability of our products. At every stage of the process – from design to manufacturing to shipping – we seek to minimise our environmental impact. Our 10-year warranty speaks of our commitment to making quality, durable furniture that does not need to be regularly replaced. We offer FSC® certified upholstered products and use recycled metals in our table ranges. We have manufacturing facilities in North America to reduce freight miles in our largest market and we offer an innovative Take-Back Programme that enables clients to return products to us at their end of life so we can recycle the parts. We are proud of what we have done, but we are ready to go further.

Hatch Modular Seating

A sharp-looking seating range for spaces large and small.

Designed by NaughtOne

naughtone.com

