



Symphony® f

FIBERGLASS SMOOTH PANEL

The Symphony line provides a complete line of ultra-durable acoustic solutions with a consistent, smooth ceiling visual. Combine Symphony and Adagio® products for targeted acoustics within the same space.

Features & Benefits

- Superior sound absorption (NRC 0.90-1.00)
- Superior sound attenuation (39-42 CAC) with optional CAC On-Lay Backer (Sold-separately)
- Certified clean room component to ISO Class 4 (highest among comparable products)
- Surface washability exceeds 1,000 cycles with sanitizing chemicals
- Exceeds FGI guidelines for cleanability and acoustic performance
- 30-Year System Warranty when installed with CertainTeed suspension systems
- **SmartFit panels available** – fully fabricated off-the-shelf solution to accommodate linear lighting, ventilation and utility areas with standard components
- **CertaSize® program** – non-standard sizes made to order on select products. Lead time varies. Contact your local sales rep or Customer Support

Attributes



SAG RESISTANT



BIOSHIELD®
MOLD/MILDEW
RESISTANT



EMISSION
COMPLIANT
CERTIFIED



WASHABLE W/
SANITIZING
CHEMICALS



LR 0.90



RECYCLED
CONTENT
29-35%

CERTIFICATIONS & PRODUCT DECLARATIONS



EPD AVAILABLE



HPD AVAILABLE

Photo: ©Chris Cooper

LEED® v4




RECYCLED CONTENT	up to 35%
✓ EA: Optimize Energy Performance	
✓ EA: Prereq. Min. Energy Performance	
✓ EQ: Interior Lighting	
✓ MR: PBT Source Reduction (Healthcare)	
✓ EQ: Acoustic Performance	
✓ EQ: Prereq. Min. Acoustic Performance (Schools)	
✓ EQ: Low-Emitting Materials	
✓ EQ: Daylight	
✓ MR: Material Ingredients (HPDs)	
✓ MR: Sourcing Raw Materials	
✓ MR: Environmental Product Declarations (EPDs)	
✓ MR: Construction and Demolition Waste Management Planning	


LEED® is a registered trademark of the U.S. Green Building Council.

Symphony® f

FIBERGLASS SMOOTH PANEL

Symphony f

Symphony f			FORMAT	DIMENSIONS (IN.)	NRC	CAC	RECYCLED CONTENT	PIECES/CARTON	SQ. FT./CARTON	LBS./CARTON	CARTONS/PALLET
Trim											
	NRC 1.00	1362-IOF-1	Panels	24 x 24 x 1-1/2	1.00	25	35%	16	64	34	14
		1360-IOF-1	Panels	24 x 48 x 1-1/2	1.00	25	35%	8	64	34	14
	NRC .95	1342-IOF-1	Panels	24 x 24 x 1	0.95	23/39*	31%	24	96	34	14
		1340-IOF-1	Panels	24 x 48 x 1	0.95	23/42*	31%	12	96	42	14
		1343-IOF-1	Panels	30 x 30 x 1	0.95	23	31%	12	75	26	28
		1349-IOF-1	Panels	30 x 60 x 1	0.95	23	31%	12	150	52	14
		1344-IOF-1	Panels	48 x 48 x 1	0.95	23	31%	12	192	67	7
		1342-IOF-1F	Panels - CAC Foil Backing	24 x 24 x 1	0.95	24*	31%	24	96	34	14
		1340-IOF-1F	Panels - CAC Foil Backing	24 x 48 x 1	0.95	27*	31%	12	96	42	14
		1343-IOF-1F	Panels - CAC Foil Backing	30 x 30 x 1	0.95	27*	31%	12	75	26	28
		1362-IOF-1	Panels - CAC Foil Backing	24 x 24 x 1-1/2	1.00	27*	35%	16	64	34	14
		1360-IOF-1	Panels - CAC Foil Backing	24 x 48 x 1-1/2	1.00	27*	35%	8	64	34	14
		1347-IOF-1	Planks	20 x 60 x 1	0.95	23	31%	12	100	35	21
		1341-IOF-1	Planks	24 x 60 x 1	0.95	23	31%	12	120	43	14
		1358-IOF-1	Planks	24 x 72 x 1	0.95	23	31%	12	144	51	20
		1346-IOF-1	Planks	24 x 96 x 1	0.95	23	31%	12	192	67	10
		13404-48-IOF-1	SmartFit	4 x 48 x 1	0.95	—	31%	72	96	34	14
		13404-60-IOF-1	SmartFit	4 x 60 x 1	0.95	—	32%	72	120	42	14
		13404-72-IOF-1	SmartFit	4 x 72 x 1	0.95	—	31%	72	144	50	14
		13406-48-IOF-1	SmartFit	6 x 48 x 1	0.95	—	31%	48	96	34	14
		13406-60-IOF-1	SmartFit	6 x 60 x 1	0.95	—	31%	48	120	42	14
		13406-72-IOF-1	SmartFit	6 x 72 x 1	0.95	—	31%	48	144	50	14
		13412-48-IOF-1	SmartFit	12 x 48 x 1	0.95	—	31%	24	96	34	14
		13412-60-IOF-1	SmartFit	12 x 60 x 1	0.95	—	31%	24	120	42	14
		13412-72-IOF-1	SmartFit	12 x 72 x 1	0.95	—	31%	24	144	50	14
	NRC .90	1322-IOF-1	Panels	24 x 24 x 3/4	0.90	—	30%	32	128	34	14
		1320-IOF-1	Panels	24 x 48 x 3/4	0.90	—	30%	16	128	42	14

Reveal											
	NRC 1.00	1362B-IOF-1	Panels	24 x 24 x 1-1/2	1.00	25	33%	16	64	34	14
		1360B-IOF-1	Panels	24 x 48 x 1-1/2	1.00	25	33%	8	64	34	14
	NRC .95	1342B-IOF-1	Panels	24 x 24 x 1	0.95	23/39*	30%	24	96	34	14
		13424-44B-IOF-1	Panels	24 x 44 x 1	0.95	23	30%	12	88	39	14
		1340B-IOF-1	Panels	24 x 48 x 1	0.95	23/42*	30%	12	96	42	14
		1343B-IOF-1	Panels	30 x 30 x 1	0.95	23	30%	12	75	26	28
		1349B-IOF-1	Panels	30 x 60 x 1	0.95	23	30%	12	150	52	14
		1344B-IOF-1	Panels	48 x 48 x 1	0.95	23	30%	12	192	67	7
		1342B-IOF-1F	Panels - CAC Foil Backing	24 x 24 x 1	0.95	26*	30%	24	96	34	14
		1340B-IOF-1F	Panels - CAC Foil Backing	24 x 48 x 1	0.95	27*	30%	12	96	42	14
		1347B-IOF-1	Planks	20 x 60 x 1	0.95	23	30%	12	100	35	21
		1341B-IOF-1	Planks	24 x 60 x 1	0.95	23	30%	12	120	43	14

*Optional CAC On-Lay Backer: CertainTeed Protectone panels (ordered & sold separately)

*CAC range of 26-27 achieved with CAC foil backing.


The CAC foil-backed products explicitly listed on this sheet are available as standard order offerings. CAC Foil Backing is available for the rest of the Symphony f line as a special order.


CAN'T FIND A SIZE? Contact your local Sales Representative or call 800-233-8990

Symphony® f

FIBERGLASS SMOOTH PANEL

SYMPHONY f

SYMPHONY <i>f</i>		FORMAT	DIMENSIONS (IN.)	NRC	CAC	RECYCLED CONTENT	PIECES/CARTON	SQ. FT./CARTON	LBS./CARTON	CARTONS/PALLET	
Reveal <i>(Continued)</i>											
	NRC .95	1358B-IOF-1	Planks	24 x 72 x 1	0.95	23	30%	12	144	51	14
		1346B-IOF-1	Planks	24 x 96 x 1	0.95	23	30%	12	192	65	14
		13404-48B-IOF-1	SmartFit	4 x 48 x 1	0.95	—	30%	72	96	34	14
		13404-60B-IOF-1	SmartFit	4 x 60 x 1	0.95	—	30%	72	120	42	14
		13404-72B-IOF-1	SmartFit	4 x 72 x 1	0.95	—	30%	72	144	50	14
		13406-48B-IOF-1	SmartFit	6 x 48 x 1	0.95	—	30%	48	96	34	14
		13406-60B-IOF-1	SmartFit	6 x 60 x 1	0.95	—	30%	48	120	42	14
		13406-72B-IOF-1	SmartFit	6 x 72 x 1	0.95	—	30%	48	144	50	14
		13412-24B-IOF-1	SmartFit	12 x 24 x 1	0.95	—	30%	24	48	17	28
		13412-48B-IOF-1	SmartFit	12 x 48 x 1	0.95	—	30%	24	96	34	14
		13412-60B-IOF-1	SmartFit	12 x 60 x 1	0.95	—	30%	24	120	42	14
		13412-72B-IOF-1	SmartFit	12 x 72 x 1	0.95	—	30%	24	144	50	14

Narrow Reveal											
	NRC 1.00	1362F-IOF-1	Panels	24 x 24 x 1-1/2	1.00	25	33%	16	64	34	14
		1360F-IOF-1	Panels	24 x 48 x 1-1/2	1.00	25	33%	8	64	34	14
		1342F-IOF-1	Panels	24 x 24 x 1	0.95	23/39*	29%	24	96	34	14
		1340F-IOF-1	Panels	24 x 48 x 1	0.95	23/42*	29%	12	96	42	14
		1343F-IOF-1	Panels	30 x 30 x 1	0.95	23	29%	12	75	26	28
		13430-54F-IOF-1	Panels	30 x 54 x 1	0.95	23	29%	12	135	49	14
		1349F-IOF-1	Panels	30 x 60 x 1	0.95	23	29%	12	150	52	14
		13442-48F-IOF-1	Panels	42 x 48 x 1	0.95	23	29%	12	168	60	7
		1344F-IOF-1	Panels	48 x 48 x 1	0.95	23	29%	12	192	67	7
		1342F-IOF-1F	Panels - CAC Foil Backing	24 x 24 x 1	0.95	26*	29%	24	96	34	14
		1347F-IOF-1	Planks	20 x 60 x 1	0.95	23	29%	12	100	35	21
		1341F-IOF-1	Planks	24 x 60 x 1	0.95	23	29%	12	120	43	14
	NRC .95	1358F-IOF-1	Planks	24 x 72 x 1	0.95	23	29%	12	144	51	14
		1346F-IOF-1	Planks	24 x 96 x 1	0.95	23	29%	12	192	65	10
		13404-48F-IOF-1	SmartFit	4 x 48 x 1	0.95	—	29%	72	96	34	14
		13404-60F-IOF-1	SmartFit	4 x 60 x 1	0.95	—	29%	72	120	42	14
		13404-72F-IOF-1	SmartFit	4 x 72 x 1	0.95	—	29%	72	144	50	14
		13406-48F-IOF-1	SmartFit	6 x 48 x 1	0.95	—	29%	48	96	34	14
		13406-60F-IOF-1	SmartFit	6 x 60 x 1	0.95	—	29%	48	120	42	14
		13406-72F-IOF-1	SmartFit	6 x 72 x 1	0.95	—	29%	48	144	50	14
		13406-96F-IOF-1	SmartFit	6 x 96 x 1	0.95	—	29%	48	192	67	14
		13412-24F-IOF-1	SmartFit	12 x 24 x 1	0.95	—	29%	24	48	17	28
		13412-48F-IOF-1	SmartFit	12 x 48 x 1	0.95	—	29%	24	96	34	14
		13412-60F-IOF-1	SmartFit	12 x 60 x 1	0.95	—	29%	24	120	42	14
13412-72F-IOF-1	SmartFit	12 x 72 x 1	0.95	—	29%	24	144	50	14		


*Optional CAC On-Lay Backer: CertainTeed Protectone panels (ordered & sold separately)


*CAC range of 26-27 achieved with CAC foil backing.


The CAC foil-backed products explicitly listed on this sheet are available as standard order offerings. CAC Foil Backing is available for the rest of the Symphony f line as a special order.

CAN'T FIND A SIZE? Contact your local Sales Representative or call 800-233-8990

Symphony f

Symphony f			FORMAT	DIMENSIONS (MM)	NRC	CAC	RECYCLED CONTENT	PIECES/CARTON	SQ. M/CARTON	LBS./CARTON	CARTONS/PALLET
Metric Trim											
	NRC 1.00	1362M-IOF-1	Panels	600 x 600 x 38	1.00	25	35%	16	5.8	34	14
		1360M-IOF-1	Panels	600 x 1200 x 38	1.00	25	35%	8	5.8	34	14
		1360M-IOF-1F	Panels - CAC Foil Backing	600 x 1200 x 38	1.00	27*	35%	8	5.8	34	14
	NRC .95	1340M-IOF-1F	Panels - CAC Foil Backing	600 x 1200 x 25	0.95	27*	31%	12	8.6	34	14
		1347M-IOF-1	Panels	500 x 1500 x 25	0.95	23	30%	12	9	35	21
		1342M-IOF-1	Panels	600 x 600 x 25	0.95	23	30%	24	8.6	33	14
		1343M-IOF-1	Panels	750 x 750 x 25	0.95	23	31%	12	6.8	26	28
		1344M-IOF-1	Panels	1200 x 1200 x 25	0.95	23	31%	12	17.3	67	7
		1340M-IOF-1	Panels	600 x 1200 x 25	0.95	23	31%	12	8.6	34	14
	NRC .90	1322M-IOF-1	Panels	600 x 600 x 19	0.90	—	30%	16	11.5	34	14
		1320M-IOF-1	Panels	600 x 1200 x 19	0.90	—	30%	16	11.5	34	14

Metric Reveal											
	NRC 1.00	1362MB-IOF-1F	Panels - CAC Foil Backing	600 x 600 x 38	1.00	25*	33%	16	5.8	34	14
		1347MB-IOF-1	Panels	500 x 1500 x 25	0.95	23	30%	12	9	35	21
	NRC .95	1342MB-IOF-1	Panels	600 x 600 x 25	0.95	23	30%	24	8.6	40	14
		1340MB-IOF-1	Panels	600 x 1200 x 25	0.95	23	30%	12	8.6	42	14
		1343MB-IOF-1	Panels	750 x 750 x 25	0.95	23	30%	12	6.8	26	28
		1344MB-IOF-1	Panels	1200 x 1200 x 25	0.95	23	30%	12	17.3	67	7
		1342MB-IOF-1F	Panels - CAC Foil Backing	600 x 600 x 25	0.95	26*	30%	24	8.6	40	14


Metric Narrow Reveal											
	NRC 1.00	1362MF-IOF-1	Panels	600 x 600 x 38	1.00	25	33%	16	5.8	34	14
	NRC .95	1347MF-IOF-1	Panels	500 x 1500 x 25	0.95	23	29%	12	9	35	21
		1342MF-IOF-1	Panels	600 x 600 x 25	0.95	23	29%	24	8.6	40	14
		1340MF-IOF-1	Panels	600 x 1200 x 25	0.95	23	29%	12	8.6	34	14
		1343MF-IOF-1	Panels	750 x 750 x 25	0.95	23	29%	12	6.8	26	28
		1344MF-IOF-1	Panels	1200 x 1200 x 25	0.95	23	29%	12	17.3	67	7
	1342MF-IOF-1F	Panels - CAC Foil Backing	600 x 600 x 25	0.95	26*	29%	24	8.6	40	14	

* CAC range of 26-27 achieved with CAC foil backing.

The CAC foil-backed products explicitly listed on this sheet are available as standard order offerings. CAC Foil Backing is available for the rest of the Symphony f line as a special order.


CAN'T FIND A SIZE? Contact your local Sales Representative or call 800-233-8990

Accessories


SYMPHONY f ACCESSORIES		PRODUCT NAME	PIECES/CARTON	USE
	1400-SEL-1	Fiberglass Edge Sealant	1	For re-sealing cut edges; 1 quart container
	STBAR-2	2' Stabilizer Bar	40	Recommended for all 2x5, 2x6 and 2x8 narrow reveal installations; typically 1 pc./panel for 2x5, 2 pc./panel for 2x8
	STBAR-4	4' Stabilizer Bar	40	Recommended for all 2x6 and 2x8 narrow reveal installations; typically 1 pc./panel for 2x6, 2 pc./panel for 2x8




Edge Details




Trim
9/16" EZ Stab
Elite Narrow




Trim
15/16" EZ Stab
Classic




Reveal
15/16" EZ Stab
Classic



Narrow Reveal
9/16" EZ Stab
Elite Narrow



Narrow Reveal
9/16" EZ Stab
Bolt Slot



Narrow Reveal
9/16" EZ Stab
Tier Drop

Physical Data

MATERIAL

Fiberglass

FLAME SPREAD/SMOKE DEV.

Per ASTM E84 — CAN/ULC S102

Flame Spread: 25 or less

Smoke Developed: 50 or less

(Class A per ASTM E1264)

ASTM E1264 CLASSIFICATION

ASTM E1264-22: Type XII, Form 2, Pattern G

ASTM E1264-23: Type B, Form B2, Pattern G

VOC EMISSIONS

Independently certified compliant with California Department of Public Health CDPH/EHLB/Standard Method Version 1.2, 2017.

MOLD/MILDEW RESISTANCE

Fiberglass substrate is inherently resistant to the growth of mold and mildew.

MAINTENANCE

Clean panel using a sponge/cloth dampened with water and mild liquid detergent solution. Do not soak panel. Cleanable with sanitizing chemicals.

WARRANTY

10-year 104/90 Limited Warranty increases to 30 years when installed with CertainTeed suspension systems. Full warranty information can be found at certainteed.com/warranty.



CertainTeed

CEILINGS • GYPSUM • INSULATION • ROOFING • SIDING • TRIM
20 Moores Road, Malvern, PA 19355 800-233-8990 certainteed.com