






# Terminus Straight Perimeter Trim

Terminus Straight Perimeter Trim provides an extruded aluminum channel trim for perimeter treatments of suspended ceilings.

#### **Features & Benefits**

- Provides a straight perimeter solution for the finishing of suspended ceilings, including ceiling clouds or peninsulas
- Straight trim available in straight or curved (Face-In or Face-Out)
- Square, round or angled corner post options available as well as factory-mitered corner options
- Up to seven profile heights available to meet a variety of perimeter needs
- Sturdy extruded aluminum construction with fully-painted surface
- Available in Standard White and Black. Additional color options are offered through our Post-Paint process.

#### **System Components**



### LEED® v4

| RECYCLED CONTENT | 31-45%        |                 |  |  |
|------------------|---------------|-----------------|--|--|
|                  | PRE:<br>6-11% | POST:<br>25-34% |  |  |

MR: PBT Source Reduction (Healthcare)

✓ EQ: Low-Emitting Material

✓ MR: Sourcing Raw Materials

 MR: Environmental Product Declarations (EPDs)

MR: Construction and Demolition Waste Management Planning

LEED® is a registered trademark of the U.S. Green Building Council.

# CERTIFICATIONS & PRODUCT DECLARATIONS





EPD AVAILABLE

HPD AVAILABLE

#### Declare<sup>™</sup>

Living Building Challenge Red List Free®

Declaress is a service mark of The

International Living Future Institute.



# **Terminus Straight Perimeter Trim**

| Terminus Straight<br>Perimeter Trim | DESCRIPTION   | COLOR | LENGTH<br>(IN) | TRANSITION<br>HEIGHT<br>(IN) | FACE<br>(IN) | RECYCLED<br>CONTENT<br>PRE* | RECYCLED<br>CONTENT<br>POST* | RECYCLED<br>CONTENT<br>TOTAL* |
|-------------------------------------|---|-------|----------------|------------------------------|--------------|-----------------------------|------------------------------|-------------------------------|
| Straight                            |   |       |                |                              |              |                             |                              |                               |
| TT-02 WHT                           | 2" Terminus Cloud<br>Perimeter Trim   | White | 120"           | 2"                           | 3/4"         | 11%                         | 34%                          | 45%                           |
| TT-03 WHT                           | 3" Terminus Cloud<br>Perimeter Trim   | White | 120"           | 3"                           | 3/4"         | 11%                         | 34%                          | 45%                           |
| TT-04 WHT                           | 4" Terminus Cloud<br>Perimeter Trim   | White | 120"           | 4"                           | 3/4"         | 11%                         | 34%                          | 45%                           |
| TT-06 WHT                           | 6" Terminus Cloud<br>Perimeter Trim   | White | 120"           | 6"                           | 3/4"         | 11%                         | 34%                          | 45%                           |
| TT-08 WHT                           | 8" Terminus Cloud<br>Perimeter Trim   | White | 120"           | 8"                           | 3/4"         | 11%                         | 34%                          | 45%                           |
| TT-10 WHT                           | 10" Terminus Cloud<br>Perimeter Trim  | White | 120"           | 10"                          | 3/4"         | 11%                         | 34%                          | 45%                           |
| TT-12 WHT                           | 12" Terminus Cloud<br>Perimeter Trim  | White | 120"           | 12"                          | 3/4"         | 11%                         | 34%                          | 45%                           |
| Curved                              |   |       |                |                              |              |                             |                              |                               |
| TT-02R WHT                          | Curved 2" Terminus Cloud<br>Perimeter Trim  | White | 120"           | 2"                           | 3/4"         | 11%                         | 34%                          | 45%                           |
| TT-03R WHT                          | Curved 3" Terminus Cloud<br>Perimeter Trim  | White | 120"           | 3"                           | 3/4"         | 11%                         | 34%                          | 45%                           |
| TT-04R WHT                          | Curved 4" Terminus Cloud<br>Perimeter Trim  | White | 120"           | 4"                           | 3/4"         | 11%                         | 34%                          | 45%                           |
| TT-06R WHT                          | Curved 6" Terminus Cloud<br>Perimeter Trim  | White | 120"           | 6"                           | 3/4"         | 11%                         | 34%                          | 45%                           |
| TT-08R WHT                          | Curved 8" Terminus Cloud<br>Perimeter Trim  | White | 120"           | 8"                           | 3/4"         | 11%                         | 34%                          | 45%                           |
| TT-10R WHT                          | Curved 10" Terminus Cloud<br>Perimeter Trim   | White | 120"           | 10"                          | 3/4"         | 11%                         | 34%                          | 45%                           |
| TT-12R WHT                          | Curved 12" Terminus Cloud<br>Perimeter Trim   | White | 120"           | 12"                          | 3/4"         | 11%                         | 34%                          | 45%                           |
|                                     | Curves are limited to a minimum of 24" face-in or face-out. For more information, please see the Minimum Curve Radius Technical Memo. |       |                |                              |              |                             |                              |                               |
| Corner Post-Square TTCPO-2 WHT      | 2" Square Outside   | White | 3/4"           | 2"                           | 3/4"         | 6%                          | 25%                          | 31%                           |
| TTCPO-3 WHT                         | Corner Post  3" Square Outside Corner Post  | White | 3/4"           | 3"                           | 3/4"         | 6%                          | 25%                          | 31%                           |
| TTCPO-4 WHT                         | 4" Square Outside<br>Corner Post  | White | 3/4"           | 4"                           | 3/4"         | 6%                          | 25%                          | 31%                           |
| TTCPO-6 WHT                         | 6" Square Outside<br>Corner Post  | White | 3/4"           | 6"                           | 3/4"         | 6%                          | 25%                          | 31%                           |
| TTCPO-8 WHT                         | 8" Square Outside<br>Corner Post  | White | 3/4"           | 8"                           | 3/4"         | 6%                          | 25%                          | 31%                           |
| TTCPO-10 WHT                        | 10" Square Outside<br>Corner Post   | White | 3/4"           | 10"                          | 3/4"         | 6%                          | 25%                          | 31%                           |
| TTCPO-12 WHT                        | 12" Square Outside<br>Corner Post   | White | 3/4"           | 12"                          | 3/4"         | 6%                          | 25%                          | 31%                           |
| Corner Post-Round                   |   |       |                |                              |              |                             |                              |                               |
| TTCPRO-2 WHT                        | 2" Round Outside<br>Corner Post   | White | 3/4"           | 2"                           | 3/4"         | 6%                          | 25%                          | 31%                           |
| TTCPRO-3 WHT                        | 3" Round Outside<br>Corner Post   | White | 3/4"           | 3"                           | 3/4"         | 6%                          | 25%                          | 31%                           |
| TTCPRO-4 WHT                        | 4" Round Outside<br>Corner Post   | White | 3/4"           | 4"                           | 3/4"         | 6%                          | 25%                          | 31%                           |
| TTCPRO-6 WHT                        | 6" Round Outside<br>Corner Post   | White | 3/4"           | 6"                           | 3/4"         | 6%                          | 25%                          | 31%                           |
| TTCPRO-8 WHT                        | 8" Round Outside<br>Corner Post   | White | 3/4"           | 8"                           | 3/4"         | 6%                          | 25%                          | 31%                           |
| TTCPRO-10 WHT                       | 10" Round Outside<br>Corner Post  | White | 3/4"           | 10"                          | 3/4"         | 6%                          | 25%                          | 31%                           |
|                                     |   |       |                |                              |              |                             |                              |                               |

## **Terminus Straight Perimeter Trim**

| Terminus Straight<br>Perimeter Trim         | DESCRIPTION                       | COLOR        | LENGTH<br>(IN)     | TRANSITION<br>HEIGHT<br>(IN) | FACE<br>(IN)       | RECYCLED<br>CONTENT<br>PRE* | RECYCLED<br>CONTENT<br>POST* | RECYCLED<br>CONTENT<br>TOTAL* |
|---|-----------------------------------|--------------|--------------------|------------------------------|--------------------|-----------------------------|------------------------------|-------------------------------|
| Corner Post-Angled                          |                                   |              |                    |                              |                    |                             | ·                            |                               |
| TTCPRA-2 WHT                                | 2" Angled Outside<br>Corner Post  | White        | 3/4"               | 2"                           | 3/4"               | 6%                          | 25%                          | 31%                           |
| TTCPRA-3 WHT                                | 3" Angled Outside<br>Corner Post  | White        | 3/4"               | 3"                           | 3/4"               | 6%                          | 25%                          | 31%                           |
| TTCPRA-4 WHT                                | 4" Angled Outside<br>Corner Post  | White        | 3/4"               | 4"                           | 3/4"               | 6%                          | 25%                          | 31%                           |
| TTCPRA-6 WHT                                | 6" Angled Outside<br>Corner Post  | White        | 3/4"               | 6"                           | 3/4"               | 6%                          | 25%                          | 31%                           |
| TTCPRA-8 WHT                                | 8" Angled Outside<br>Corner Post  | White        | 3/4"               | 8"                           | 3/4"               | 6%                          | 25%                          | 31%                           |
| TTCPRA-10 WHT                               | 10" Angled Outside<br>Corner Post | White        | 3/4"               | 10"                          | 3/4"               | 6%                          | 25%                          | 31%                           |
| Corner Kits (Mitered And Welded             | d)                                |              |                    |                              |                    |                             |                              |                               |
| TTCKI-2 WHT                                 | 2" Inside Corner Kit              | White        | 2"                 | 2"                           | 3/4"               | 11%                         | 34%                          | 45%                           |
| TTCKO-2 WHT                                 | 2" Outside Corner Kit             | White        | 2"                 | 2"                           | 3/4"               | 11%                         | 34%                          | 45%                           |
| TTCKI-3 WHT                                 | 3" Inside Corner Kit              | White        | 2"                 | 3"                           | 3/4"               | 11%                         | 34%                          | 45%                           |
| TTCKO-3 WHT                                 | 3" Outside Corner Kit             | White        | 2"                 | 3"                           | 3/4"               | 11%                         | 34%                          | 45%                           |
| TTCKI-4 WHT                                 | 4" Inside Corner Kit              | White        | 2"                 | 4"                           | 3/4"               | 11%                         | 34%                          | 45%                           |
| TTCKO-4 WHT                                 | 4" Outside Corner Kit             | White        | 2"                 | 4"                           | 3/4"               | 11%                         | 34%                          | 45%                           |
| TTCKI-6 WHT                                 | 6" Inside Corner Kit              | White        | 2"                 | 6"                           | 3/4"               | 11%                         | 34%                          | 45%                           |
| TTCKO-6 WHT                                 | 6" Outside Corner Kit             | White        | 2"                 | 6"                           | 3/4"               | 11%                         | 34%                          | 45%                           |
| TTCKI-8 WHT                                 | 8" Inside Corner Kit              | White        | 2"                 | 8"                           | 3/4"               | 11%                         | 34%                          | 45%                           |
| TTCKO-8 WHT                                 | 8" Outside Corner Kit             | White        | 2"                 | 8"                           | 3/4"               | 11%                         | 34%                          | 45%                           |
| TTCKI-10 WHT                                | 10" Inside Corner Kit             | White        | 2"                 | 10"                          | 3/4"               | 11%                         | 34%                          | 45%                           |
| TTCKO-10 WHT                                | 10" Outside Corner Kit            | White        | 2"                 | 10"                          | 3/4"               | 11%                         | 34%                          | 45%                           |
| TTCKI-12 WHT                                | 12" Inside Corner Kit             | White        | 2"                 | 12"                          | 3/4"               | 11%                         | 34%                          | 45%                           |
| TTCKO-12 WHT                                | 12" Outside Corner Kit            | White        | 2"                 | 12"                          | 3/4"               | 11%                         | 34%                          | 45%                           |
| *Maximum recycled centent. Decycled centent | varios by manufacturing plant     | Plack and Fo | anhan Calare ara a | railable Additional color    | o ava available un |                             |                              |                               |

<sup>\*</sup>Maximum recycled content. Recycled content varies by manufacturing plant. All pieces include splices and twist clips for installation.
Additional splices and twist clips available for order.

Black and Ecophon Colors are available. Additional colors are available upon request. Custom lengths available upon request. Additional angled corners available upon request.



#### **Physical Data**

**MATERIAL**Extruded aluminum

**FACE DIMENSION** 3/4"

**SURFACE FINISH**Fully Painted

**PROFILE HEIGHT**Profile dependent

#### WARRANTY

10-year Limited Suspension Systems warranty increases to 30 years when installed with CertainTeed ceiling panels. Full warranty information can be found at <a href="mailto:certainteed.com/warranty">certainteed.com/warranty</a>

