

KEILHAUER

Spec Sheet

Loon



Loon Specifications

Design by Tom Deacon
Made by Keilhauer


Seat	1710 Armless chair, molded nylon seat and back	1720 Armless chair, upholstered seat and molded nylon back	1730 Armless chair, upholstered seat and upholstered back pad
Seat Height	17.75"	18.25"	18.25"
Seat Width	17.25"	17.5"	17.5"
Seat Depth	18.25"	18.25"	18.25"
Seat Pan Angle	5.5°	5.5°	5.5°
Back			
Backrest Height	12.75"	12.75"	12.75"
Backrest Width	19.5"	19.5"	19.5"
Backrest Angle	101.5°	101.5°	101.5°
Backrest to Seat Angle	96°	96°	96°
Stacking			
Stacking on Floor	6	6	6
Overall Height (Floor)	41.25"	43.25"	43.25"
Overall Width (Floor)	20.25"	20.25"	20.25"
Overall Depth (Floor)	33"	33"	33"
Stacking on Dolly	10	8	8
Overall Height (Dolly)	53"	53"	53"
Overall Width (Dolly)	26.25"	26.25"	26.25"
Overall Depth (Dolly)	40"	40"	40"

Model 1710

A. Overall Height	32.5"
B. Overall Width	20.25"
C. Overall Depth	22.75"

General Stacking Information

Stacking on Dolly	10
Stacking on Floor	6




Model 1720

A. Overall Height	32.5"
B. Overall Width	20.25"
C. Overall Depth	22.75"

General Stacking Information

Stacking on Dolly	8
Stacking on Floor	6




Model 1730

A. Overall Height	32.5"
B. Overall Width	20.25"
C. Overall Depth	22.75"

General Stacking Information

Stacking on Dolly	8
Stacking on Floor	6



Construction Material

Frame	1-1/8" dia. 16GA steel tube - cold rold steel
Seat & Back	Molded nylon
Foam	High density CFC free polyurethane molded foam
Glides	Molded K-resin

KEILHAUER

Loon Specifications

Design by Tom Deacon
Made by Keilhauer

Seat	1713 Arm chair, molded nylon seat and back	1723 Arm chair, upholstered seat and molded nylon back	1733 Arm chair, upholstered seat and upholstered back pad
Seat Height	17.75"	18.25"	18.25"
Seat Width	17.25"	17.5"	17.5"
Seat Depth	18.25"	18.25"	18.25"
Seat Pan Angle	5.5°	5.5°	5.5°

Back			
Backrest Height	12.75"	12.75"	12.75"
Backrest Width	19.5"	19.5"	19.5"
Backrest Angle	101.5°	101.5°	101.5°
Backrest to Seat Angle	96°	96°	96°

Arms			
Arm Height	9"	9"	9"
Armrest Length	14.5"	14.5"	14.5"
Armrest Width	1.75"	1.75"	1.75"
Armrest Set Back	2.75"	2.75"	2.75"
Width Between Armrests	21.25"	21.25"	21.25"
Arm Height from Floor	26.75"	26.75"	26.75"

Stacking			
Stacking on Floor	6	6	6
Overall Height (Floor)	41.25"	43.25"	43.25"
Overall Width (Floor)	24.75"	24.75"	24.75"
Overall Depth (Floor)	33"	33"	33"


Stacking on Dolly	10	8	8
Overall Height (Dolly)	55"	55"	55"
Overall Width (Dolly)	26.25"	26.25"	26.25"
Overall Depth (Dolly)	40"	40"	40"

Model 1713

A. Overall Height	32.5"
B. Overall Width	24.75"
C. Overall Depth	22.75"

General Stacking Information

Stacking on Dolly	10
Stacking on Floor	6



Model 1723

A. Overall Height	32.5"
B. Overall Width	24.75"
C. Overall Depth	22.75"

General Stacking Information


Stacking on Dolly	8
Stacking on Floor	6

Model 1733

A. Overall Height	32.5"
B. Overall Width	24.75"
C. Overall Depth	22.75"

General Stacking Information

Stacking on Dolly	8
Stacking on Floor	6



Construction Material

Frame	1-1/8" dia. 16GA steel tube - cold rold steel
Seat & Back	Molded nylon
Foam	High density CFC free polyurethane molded foam
Glides	Molded K-resin

KEILHAUER

Loon Specifications

Design by Tom Deacon
Made by Keilhauer


Seat	1716 Armless chair, molded nylon seat and back, tablet left sitting	1717 Armless chair, molded nylon seat and back, tablet right sitting	1726 Armless chair, upholstered seat, molded nylon back, tablet left sitting	1727 Armless chair, upholstered seat, molded nylon back, tablet right sitting	1736 Armless chair, upholstered seat and back pad, tablet left sitting	1737 Armless chair, upholstered seat and back pad, tablet right sitting
Seat Height	17.75"	17.75"	18.25"	18.25"	18.25"	18.25"
Seat Width	17.25"	17.25"	17.5"	17.5"	17.5"	17.5"
Seat Depth	18.25"	18.25"	18.25"	18.25"	18.25"	18.25"
Seat Pan Angle	5.5°	5.5°	5.5°	5.5°	5.5°	5.5°

Back						
Backrest Height	12.75"	12.75"	12.75"	12.75"	12.75"	12.75"
Backrest Width	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
Backrest Angle	101.5°	101.5°	101.5°	101.5°	101.5°	101.5°
Backrest to Seat Angle	96°	96°	96°	96°	96°	96°

Tablet						
Tablet Size	14.91" x 9.82"	14.91" x 9.82"	14.91" x 9.82"	14.91" x 9.82"	14.91" x 9.82"	14.91" x 9.82"
Tablet Height from Seat	10.5"	10.5"	10"	10"	10"	10"
Tablet Height from Floor	28.25"	28.25"	28.25"	28.25"	28.25"	28.25"


Model 1716

A. Overall Height	32.5"
B. Overall Width	22.75"
C. Overall Depth	27.5"




Model 1717

A. Overall Height	32.5"
B. Overall Width	22.75"
C. Overall Depth	27.5"




Model 1726

A. Overall Height	32.5"
B. Overall Width	22.75"
C. Overall Depth	27.5"




Model 1727

A. Overall Height	32.5"
B. Overall Width	22.75"
C. Overall Depth	27.5"




Model 1736

A. Overall Height	32.5"
B. Overall Width	22.75"
C. Overall Depth	27.5"



Model 1737

A. Overall Height	32.5"
B. Overall Width	22.75"
C. Overall Depth	27.5"



Construction Material

Frame	1-1/8" dia. 16GA steel tube - cold rold steel
Seat & Back	Molded nylon
Foam	High density CFC free polyurethane molded foam
Glides	Molded K-resin

KEILHAUER

Loon Specifications


Design by Tom Deacon
Made by Keilhauer

Seat	1711 Armless counter stool, molded nylon seat and back	1721 Armless counter stool, upholstered seat, molded nylon back	1731 Armless counter stool, upholstered seat and back pad
Seat Height	25"	25.5"	25.5"
Seat Width	17.25"	17.5"	17.5"
Seat Depth	18.25"	18.25"	18.25"
Seat Pan Angle	5.5°	5.5°	5.5°

Back			
Backrest Height	12.75"	12.75"	12.75"
Backrest Width	19.5"	19.5"	19.5"
Backrest Angle	101.5°	101.5°	101.5°
Backrest to Seat Angle	96°	96°	96°


Model 1711

A. Overall Height	40"
B. Overall Width	20.5"
C. Overall Depth	22.75"




Model 1721

A. Overall Height	40"
B. Overall Width	20.5"
C. Overall Depth	22.75"



Model 1731

A. Overall Height	40"
B. Overall Width	20.5"
C. Overall Depth	22.75"



Construction Material

Frame	1-1/8" dia. 16GA steel tube - cold rolled steel
Seat & Back	Molded nylon
Foam	High density CFC free polyurethane molded foam
Glides	Molded K-resin

KEILHAUER


Loon Specifications

Design by Tom Deacon
Made by Keilhauer

Seat	1714 Counter stool with arms, molded nylon seat and back	1724 Counter stool with arms, upholstered seat, molded nylon back	1734 Counter stool with arms, upholstered seat and back pad
Seat Height	25"	25.5"	25.5"
Seat Width	17.25"	17.5"	17.5"
Seat Depth	18.25"	18.25"	18.25"
Seat Pan Angle	5.5°	5.5°	5.5°
Back			
Backrest Height	12.75"	12.75"	12.75"
Backrest Width	19.5"	19.5"	19.5"
Backrest Angle	101.5°	101.5°	101.5°
Backrest to Seat Angle	96°	96°	96°
Arms			
Arm Height	9"	9"	9"
Armrest Length	14.5"	14.5"	14.5"
Armrest Width	1.75"	1.75"	1.75"
Armrest Set Back	2.75"	2.75"	2.75"
Width Between Armrests	21.25"	21.25"	21.25"
Arm Height from Floor	34"	34"	34"


Model 1714

A. Overall Height	40"
B. Overall Width	24.75"
C. Overall Depth	22.75"




Model 1724

A. Overall Height	40"
B. Overall Width	24.75"
C. Overall Depth	22.75"



Model 1734

A. Overall Height	40"
B. Overall Width	24.75"
C. Overall Depth	22.75"



Construction Material	
Frame	1-1/8" dia. 16GA steel tube - cold rold steel
Seat & Back	Molded nylon
Foam	High density CFC free polyurethane molded foam
Glides	Molded K-resin

KEILHAUER


Loon Specifications

Design by Tom Deacon
Made by Keilhauer

Seat	1712 Armless bar stool, molded nylon seat and back	1722 Armless bar stool, upholstered seat, molded nylon back	1732 Armless bar stool, upholstered seat and back pad
Seat Height	30"	30.5"	30.5"
Seat Width	17.25"	17.5"	17.5"
Seat Depth	18.25"	18.25"	18.25"
Seat Pan Angle	5.5°	5.5°	5.5°
Back			
Backrest Height	12.75"	12.75"	12.75"
Backrest Width	19.5"	19.5"	19.5"
Backrest Angle	101.5°	101.5°	101.5°
Backrest to Seat Angle	96°	96°	96°


Model 1712

A. Overall Height	45"
B. Overall Width	20.5"
C. Overall Depth	22.75"




Model 1722

A. Overall Height	45"
B. Overall Width	20.5"
C. Overall Depth	22.75"



Model 1732

A. Overall Height	45"
B. Overall Width	20.5"
C. Overall Depth	22.75"



Construction Material	
Frame	1-1/8" dia. 16GA steel tube - cold rolled steel
Seat & Back	Molded nylon
Foam	High density CFC free polyurethane molded foam
Glides	Molded K-resin

KEILHAUER


Loon Specifications

Design by Tom Deacon
Made by Keilhauer

Seat	1715 Bar stool with arms, molded nylon seat and back	1725 Bar stool with arms, upholstered seat, molded nylon back	1735 Bar stool with arms, upholstered seat and back pad
Seat Height	30"	30.5"	30.5"
Seat Width	17.25"	17.5"	17.5"
Seat Depth	18.25"	18.25"	18.25"
Seat Pan Angle	5.5°	5.5°	5.5°
Back			
Backrest Height	12.75"	12.75"	12.75"
Backrest Width	19.5"	19.5"	19.5"
Backrest Angle	101.5°	101.5°	101.5°
Backrest to Seat Angle	96°	96°	96°
Arms			
Arm Height	9"	9"	9"
Armrest Length	14.5"	14.5"	14.5"
Armrest Width	1.75"	1.75"	1.75"
Armrest Set Back	2.75"	2.75"	2.75"
Width Between Armrests	21.25"	21.25"	21.25"
Arm Height from Floor	39"	39"	39"


Model 1715

A. Overall Height	45"
B. Overall Width	24.75"
C. Overall Depth	22.75"




Model 1725

A. Overall Height	45"
B. Overall Width	24.75"
C. Overall Depth	22.75"



Model 1735

A. Overall Height	45"
B. Overall Width	24.75"
C. Overall Depth	22.75"



Construction Material

Frame	1-1/8" dia. 16GA steel tube - cold rold steel
Seat & Back	Molded nylon
Foam	High density CFC free polyurethane molded foam
Glides	Molded K-resin

KEILHAUER