
KEILHAUER Spec Sheet

Sky Stool



Design by Kerr & Company Made by Keilhauer

Seat	1ST311 Polished aluminum activator, Silifo		1ST312 Polished aluminum bas activator, upholstered		1ST411 base, hand activato seat	or, Siliform	1ST412 Black base, hand upholstered	l activator,
Seat Height	LH: 13.25 - 17 MH: 17.5 - 25		LH: 13.25 - 17.25" MH: 17.5 - 25.25"		LH: 13.25 - 17.25" MH: 17.5 - 25.25"		LH: 13.25 - 17 MH: 17.5 - 25	
Seat Width	16"		16"		16"		16"	
Seat Depth	16"		16"		16"		16"	
Seat Pan Angle	0°		O°		O°		O°	
Model 1ST311	1			† =			Model 1ST312	
A. Overall Height	LH: 13.25 - 17.25" MH: 17.5 - 25.25" A	Ĭ	Ĭ	A	Ĭ	Ĭ	A. Overall Height	LH: 13.25 - 17.25" MH: 17.5 - 25.25"
B. Overall Width	24.5"						B. Overall Width	24.5"
C. Overall Depth	24.5"						C. Overall Depth	24.5"
		В	→	• •	В	0		
Model 1ST411	1			† =			Model 1ST412	
A. Overall Height	LH: 13.25 - 17.25" MH: 17.5 - 25.25" A	Ī	Ī	А	Ī	Ī	A. Overall Height	LH: 13.25 - 17.25" MH: 17.5 - 25.25"
B. Overall Width	24.5"						B. Overall Width	24.5"
C. Overall Depth	24.5"						C. Overall Depth	24.5"

Construction Material


Seat Frame	3/4" thick engineered plywood	
Seat Foam	CFC free high density polyurethane cut foam	
Seat Cover	Molded silicone rubber (Siliform) or textile	
Back Frame	Molded rigid foam with 1/4" thick AISI 1018 cold rolled steel bar	
Back Foam	Overmolded CFC free high density polyurethane flex foam	
Caster Base	Molded aluminum 380	
Handle	AISI 1018 cold rolled steel rod, molded nylon, 30% glass filled	


Design by Kerr & Company Made by Keilhauer

Seat	2ST311 Upholstered back, polished aluminum base, hand activator, Siliform seat	2ST312 Upholstered back, polished aluminum base, hand activator, upholstered seat	2ST411 Upholstered back, black base, hand activator, Siliform seat	2ST412 Upholstered back, black base, hand activator, upholstered seat
Seat Height	LH: 13.25 - 17.25" MH: 17.5 - 25.25"	LH: 13.25 - 17.25" MH: 17.5 - 25.25"	LH: 13.25 - 17.25" MH: 17.5 - 25.25"	LH: 13.25 - 17.25" MH: 17.5 - 25.25"
Seat Width	16"	16"	16"	16"
Seat Depth	16"	16"	16"	16"
Seat Pan Angle	0°	0°	0°	0°
Back				
Backrest Height	10.75"	10.75"	14.5"	14.5"
Backrest Width	16.5"	16.5"	27"	27"
Backrest Angle	93.5°	93.5°	111°	111°
Backrest to Seat Angle	93.5°	93.5°	111°	111°

Model 2ST311

A. Overall Height	LH: 25.25 - 29.25" MH: 29.5 - 37.25"
B. Overall Width	24.5"
C Overall Donth	24.5"







Model 2ST312

A. Overall Height	LH: 25.25 - 29.25" MH: 29.5 - 37.25"
B. Overall Width	24.5"
C. Overall Depth	24.5"

Model 2ST411

	LH: 25.25 - 29.25"
A. Overall Height	MH: 29.5 - 37.25"
B. Overall Width	24.5"
C. Overall Depth	24.5"





Model 2ST412

	LH: 25.25 - 29.25"
A. Overall Height	MH: 29.5 - 37.25"
B. Overall Width	24.5"
C. Overall Depth	24.5"

Construction Material


3/4" thick engineered plywood	
CFC free high density polyurethane cut foam	
Molded silicone rubber (Siliform) or textile	
Molded rigid foam with 1/4* thick AISI 1018 cold rolled steel bar	
Overmolded CFC free high density polyurethane flex foam	
Molded aluminum 380	
AISI 1018 cold rolled steel rod, molded nylon, 30% glass filled	


Design by Kerr & Company Made by Keilhauer

Seat	1ST321 Polished aluminum base, foot activator, Siliform seat	1ST322 Polished aluminum base, foot activator, upholstered seat	2ST321 Upholstered back, polished aluminum base, foot activator, Siliform seat	2ST322 Upholstered back, polished aluminum base, foot activator, upholstered seat
Seat Height	18 - 23.5"	18 - 23.5"	18 - 23.5"	18 - 23.5"
Seat Width	16"	16"	16"	16"
Seat Depth	16"	16"	16"	16"
Seat Pan Angle	0°	0°	0°	0°
Back				
Backrest Height	N/A	N/A	10.75"	10.75"
Backrest Width	N/A	N/A	16.5"	16.5"
Backrest Angle	N/A	N/A	93.5°	93.5°
Backrest to Seat Angle	N/A	N/A	93.5°	93.5°

Model 1ST321

A. Overall Height	18 - 23.5"
B. Overall Width	24.5"
C. Overall Depth	24.5"





Model 1ST322

A. Overall Height	18 - 23.5"
B. Overall Width	24.5"
C. Overall Depth	24.5"

Model 2ST321

A. Overall Height	30 - 35.5"
B. Overall Width	24.5"
C. Overall Depth	24.5"





Model 2ST322

A. Overall Height	30 - 35.5"
B. Overall Width	24.5"
C. Overall Depth	24.5"

Construction Material

3/4" thick engineered plywood
CFC free high density polyurethane cut foam
Molded silicone rubber (Siliform) or textile
Molded rigid foam with 1/4" thick AISI 1018 cold rolled steel bar
Overmolded CFC free high density polyurethane flex foam
Molded aluminum 380
AISI 1018 cold rolled steel rod, molded nylon, 30% glass filled
A C

Design by Kerr & Company Made by Keilhauer

Seat	1ST711 Polished aluminum base, foot ring, hand activator, Siliform seat	1ST712 Polished aluminum base, foot ring, hand activator, upholstered seat	1ST811 Black base, foot ring, hand activator, Silfiorm seat	1ST812 Black base, foot ring, hand activator, upholstered seat
Seat Height	22 - 32.5"	22 - 32.5"	22 - 32.5"	22 - 32.5"
Seat Width	16"	16"	16"	16"
Seat Depth	16"	16"	16"	16"
Onet Dem Annie	00	00	00	08

Seat Pan Angle Model 1ST711 Model 1ST712 22 - 32.25" A. Overall Height A. Overall Height 22 - 32.25" B. Overall Width 29.25" B. Overall Width 29.25" 29.25" C. Overall Depth 29.25" C. Overall Depth Model 1ST811 Model 1ST812 22 - 32.25" A. Overall Height A. Overall Height 22 - 32.25" B. Overall Width 29.25" B. Overall Width 29.25" C. Overall Depth 29.25" C. Overall Depth 29.25"

Construction Material


Seat Frame 3/4" thick engineered plywood	
Seat Foam	CFC free high density polyurethane cut foam
Seat Cover	Molded silicone rubber (Siliform) or textile
Back Frame	Molded rigid foam with 1/4" thick AISI 1018 cold rolled steel bar
Back Foam	Overmolded CFC free high density polyurethane flex foam
Caster Base	Molded aluminum 380
Foot Ring	Ring: oval steel AISI 1018 steel; cross section: aluminum ADC12
Handle	AISI 1018 cold rolled steel rod, molded nylon, 30% glass filled

Design by Kerr & Company Made by Keilhauer

Seat	2ST711 Upholstered back, polished aluminum base, foot ring, hand activator, Siliform seat	2ST712 Upholstered back, polished aluminum base, foot ring, hand activator, upholstered seat	2ST811 Upholstered back, black base, foot ring, hand activator, Siliform seat	2ST812 Upholstered back, black base, foot ring, hand activator, upholstered seat
Seat Height	22 - 32.5"	22 - 32.5"	22 - 32.5"	22 - 32.5"
Seat Width	16"	16"	16"	16"
Seat Depth	16"	16"	16"	16"
Seat Pan Angle	0°	0°	0°	O°
Back				
Backrest Height	10.75"	10.75"	10.75"	10.75"
Backrest Width	16.5"	16.5"	16.5"	16.5"
Backrest Angle	93.5°	93.5°	93.5°	93.5°
Backrest to Seat Angle	93.5°	93.5°	93.5°	93.5°

Model 2ST711

A. Overall Height	34 - 44.25"
B. Overall Width	29.25"
C. Overall Depth	29.25"




Model 2ST712

A. Overall Height	34 - 44.25"
B. Overall Width	29.25"
C. Overall Depth	29.25"

Model 2ST811

A. Overall Height	34 - 44.25"
B. Overall Width	29.25"
C. Overall Depth	29.25"





Model 2ST812

A. Overall Height	34 - 44.25"
B. Overall Width	29.25"
C. Overall Depth	29.25*

Construction Material

Seat Frame 3/4" thick engineered plywood	
Seat Foam	CFC free high density polyurethane cut foam
Seat Cover	Molded silicone rubber (Siliform) or textile
Back Frame	Molded rigid foam with 1/4" thick AISI 1018 cold rolled steel bar
Back Foam	Overmolded CFC free high density polyurethane flex foam
Caster Base	Molded aluminum 380
Foot Ring	Ring: oval steel AISI 1018 steel; cross section: aluminum ADC12
Handle	AISI 1018 cold rolled steel rod, molded nylon, 30% glass filled
	•

Design by Kerr & Company Made by Keilhauer

Siliform Finishes



Aluminum Base Finishes





PA00 – Polished Aluminum

BLK - Black