

KEILHAUER

Spec Sheet

Vanilla



Vanilla Specifications

Made by Keilhauer


Seat	5461 Mid back, slim line, urethane arm	5462 Mid back, slim line, polished aluminum arm	5465 Mid back, slim line, sloped polished aluminum arm with urethane cap
Seat Height	16.5 - 20.5"	16.5 - 20.5"	16.5 - 20.5"
Seat Width	20.5"	20.5"	20.5"
Seat Depth	18.5"	18.5"	18.5"
Seat Pan Angle	4°	4°	4°

Back			
Backrest Height	21.25"	21.25"	21.25"
Backrest Width	19.5"	19.5"	19.5"
Backrest Angle	107°	107°	107°
Backrest to Seat Angle	103°	103°	103°

Arm			
Arm Height	9.5"	9.5"	9.25"
Armrest Length	12.25"	12.25"	11"
Armrest Width	1.75"	1.5"	2"
Armrest Set Back	6"	6.25"	7.5"
Width Between Armrests	20"	20"	20"
Arm Height from Floor	26.5 - 30.5"	26.5 - 30.5"	26.5 - 30.5"


Model 5461

A. Overall Height	38.25 - 42.25"
B. Overall Width	25"
C. Overall Depth	27.5"




Model 5462

A. Overall Height	38.25 - 42.25"
B. Overall Width	25"
C. Overall Depth	27.5"



Model 5465

A. Overall Height	38.25 - 42.25"
B. Overall Width	25.25"
C. Overall Depth	27.5"



Construction Material

Upholstered Back	Ø5/8" steel rod - 1018 HRS, Ø1/2" steel rod - 1018 HRS, 5/16" steel plate - 1018 HRS, spring steel - 9 gauge, CFC-free polyurethane molded foam
Upholstered Seat	Nylon - 30% glass-filled, CFC-free polyurethane molded foam
Foam	CFC-free polyurethane molded foam
Arms	Urethane and upholstered arm: 5/16" thick steel plate - CRS, Ø/2" steel rod - CRS, CFC-free polyurethane molded foam Aluminum arm: Aluminum arm 319
Arm Caps	Polypropylene 10% glass-filled, CFC-free polyurethane molded foam
Caster	Nylon
Base	Cast aluminum

KEILHAUER


Vanilla Specifications

Made by Keilhauer

Seat	5463	5464	5466
	Mid back, slim line, polished aluminum arm with upholstered sleeve	Mid back, slim line, fully-upholstered arm	Mid back, slim line, sloped polished aluminum arm with upholstered cap
Seat Height	16.5 - 20.5"	16.5 - 20.5"	16.5 - 20.5"
Seat Width	20.5"	20.5"	20.5"
Seat Depth	18.5"	18.5"	18.5"
Seat Pan Angle	4°	4°	4°
Back			
Backrest Height	21.25"	21.25"	21.25"
Backrest Width	19.5"	19.5"	19.5"
Backrest Angle	107°	107°	107°
Backrest to Seat Angle	103°	103°	103°
Arm			
Arm Height	9.5"	9.75"	9.25"
Armrest Length	12.25"	12.25"	11"
Armrest Width	1.75"	2"	2"
Armrest Set Back	6.25"	6.25"	7.5"
Width Between Armrests	20"	20"	20"
Arm Height from Floor	26.5 - 30.5"	26.5 - 30.5"	26.5 - 30.5"


Model 5463

A. Overall Height	38.25 - 42.25"
B. Overall Width	25"
C. Overall Depth	27.5"




Model 5464

A. Overall Height	38.25 - 42.25"
B. Overall Width	25"
C. Overall Depth	27.5"



Model 5466

A. Overall Height	38.25 - 42.25"
B. Overall Width	25.25"
C. Overall Depth	27.5"



Construction Material

Upholstered Back	Ø5/8" steel rod - 1018 HRS, Ø1/2" steel rod - 1018 HRS, 5/16" steel plate - 1018 HRS, spring steel - 9 gauge, CFC-free polyurethane molded foam
Upholstered Seat	Nylon - 30% glass-filled, CFC-free polyurethane molded foam
Foam	CFC-free polyurethane molded foam
Arms	Urethane and upholstered arm: 5/16" thick steel plate - CRS, Ø/2" steel rod - CRS, CFC-free polyurethane molded foam Aluminum arm: Aluminum arm 319
Arm Caps	Polypropylene 10% glass-filled, CFC-free polyurethane molded foam
Caster	Nylon
Base	Cast aluminum

KEILHAUER

Vanilla Specifications

Made by Keilhauer


Seat	5531 Low back, border with piping, urethane arm	5532 Low back, border with piping, polished aluminum arm	5535 Low back, border with piping, sloped polished aluminum arm with urethane cap
Seat Height	16.5 - 20.5"	16.5 - 20.5"	16.5 - 20.5"
Seat Width	20.5"	20.5"	20.5"
Seat Depth	18.5"	18.5"	18.5"
Seat Pan Angle	4°	4°	4°

Back			
Backrest Height	18.25"	18.25"	18.25"
Backrest Width	19.5"	19.5"	19.5"
Backrest Angle	108°	108°	108°
Backrest to Seat Angle	104°	104°	104°

Arm			
Arm Height	9.5"	9.5"	9.25"
Armrest Length	12.25"	12.25"	11"
Armrest Width	1.75"	1.5"	2"
Armrest Set Back	6"	6.25"	7.5"
Width Between Armrests	20"	20"	20"
Arm Height from Floor	26.5 - 30.5"	26.5 - 30.5"	26.5 - 30.5"


Model 5531

A. Overall Height	35 - 39"
B. Overall Width	25"
C. Overall Depth	27.25"




Model 5532

A. Overall Height	35 - 39"
B. Overall Width	25"
C. Overall Depth	27.25"



Model 5535

A. Overall Height	35 - 39"
B. Overall Width	25.25"
C. Overall Depth	27.25"



Construction Material

Upholstered Back	Ø5/8" steel rod - 1018 HRS, Ø1/2" steel rod - 1018 HRS, 5/16" steel plate - 1018 HRS, spring steel - 9 gauge, CFC-free polyurethane molded foam
Upholstered Seat	Nylon - 30% glass-filled, CFC-free polyurethane molded foam
Foam	CFC-free polyurethane molded foam
Arms	Urethane and upholstered arm: 5/16" thick steel plate - CRS, Ø/2" steel rod - CRS, CFC-free polyurethane molded foam Aluminum arm: Aluminum arm 319
Arm Caps	Polypropylene 10% glass-filled, CFC-frree polyurethane molded foam
Caster	Nylon
Base	Cast aluminum

KEILHAUER

Vanilla Specifications

Made by Keilhauer



Seat	5533 Low back, border with piping, polished aluminum arm with upholstered sleeve	5534 Low back, border with piping, fully-upholstered arm	5536 Low back, border with piping, sloped polished aluminum arm with upholstered cap
Seat Height	16.5 - 20.5"	16.5 - 20.5"	16.5 - 20.5"
Seat Width	20.5"	20.5"	20.5"
Seat Depth	18.5"	18.5"	18.5"
Seat Pan Angle	4°	4°	4°

Back			
Backrest Height	18.25"	18.25"	18.25"
Backrest Width	19.5"	19.5"	19.5"
Backrest Angle	108°	108°	108°
Backrest to Seat Angle	104°	104°	104°

Arm			
Arm Height	9.5"	9.75"	9.25"
Armrest Length	12.25"	12.25"	11"
Armrest Width	1.75"	2"	2"
Armrest Set Back	6.25"	6.25"	7.5"
Width Between Armrests	20"	20"	20"
Arm Height from Floor	26.5 - 30.5"	26.5 - 30.5"	26.5 - 30.5"

Model 5533

A. Overall Height	35 - 39"
B. Overall Width	25"
C. Overall Depth	27.25"




Model 5534

A. Overall Height	35 - 39"
B. Overall Width	25"
C. Overall Depth	27.25"

Model 5536

A. Overall Height	35 - 39"
B. Overall Width	25"
C. Overall Depth	27.25"



Construction Material

Upholstered Back	Ø5/8" steel rod - 1018 HRS, Ø1/2" steel rod - 1018 HRS, 5/16" steel plate - 1018 HRS, spring steel - 9 gauge, CFC-free polyurethane molded foam
Upholstered Seat	Nylon - 30% glass-filled, CFC-free polyurethane molded foam
Foam	CFC-free polyurethane molded foam
Arms	Urethane and upholstered arm: 5/16" thick steel plate - CRS, Ø/2" steel rod - CRS, CFC-free polyurethane molded foam Aluminum arm: Aluminum arm 319
Arm Caps	Polypropylene 10% glass-filled, CFC-free polyurethane molded foam
Caster	Nylon
Base	Cast aluminum

KEILHAUER

Vanilla Specifications

Made by Keilhauer


Seat	5561 Mid back, border with piping, urethane arm	5562 Mid back, border with piping, polished aluminum arm	5565 Mid back, border with piping, sloped polished aluminum arm with urethane cap
Seat Height	16.5 - 20.5"	16.5 - 20.5"	16.5 - 20.5"
Seat Width	20.5"	20.5"	20.5"
Seat Depth	18.5"	18.5"	18.5"
Seat Pan Angle	4°	4°	4°

Back			
Backrest Height	21.5"	21.5"	21.5"
Backrest Width	19.5"	19.5"	19.5"
Backrest Angle	108°	108°	108°
Backrest to Seat Angle	104°	104°	104°

Arm			
Arm Height	9.5"	9.5"	9.25"
Armrest Length	12.25"	12.25"	11"
Armrest Width	1.75"	1.5"	2"
Armrest Set Back	6"	6.25"	7.5"
Width Between Armrests	20"	20"	20"
Arm Height from Floor	26.5 - 30.5"	26.5 - 30.5"	26.5 - 30.5"


Model 5561

A. Overall Height	38.5 - 42.5"
B. Overall Width	25"
C. Overall Depth	27.5"




Model 5562

A. Overall Height	38.5 - 42.5"
B. Overall Width	25"
C. Overall Depth	27.5"



Model 5565

A. Overall Height	38.5 - 42.5"
B. Overall Width	25"
C. Overall Depth	27.5"



Construction Material

Upholstered Back	Ø5/8" steel rod - 1018 HRS, Ø1/2" steel rod - 1018 HRS, 5/16" steel plate - 1018 HRS, spring steel - 9 gauge, CFC-free polyurethane molded foam
Upholstered Seat	Nylon - 30% glass-filled, CFC-free polyurethane molded foam
Foam	CFC-free polyurethane molded foam
Arms	Urethane and upholstered arm: 5/16" thick steel plate - CRS, Ø/2" steel rod - CRS, CFC-free polyurethane molded foam Aluminum arm: Aluminum arm 319
Arm Caps	Polypropylene 10% glass-filled, CFC-frree polyurethane molded foam
Caster	Nylon
Base	Cast aluminum

KEILHAUER

Vanilla Specifications

Made by Keilhauer



Seat	5563 Mid back, border with piping, polished aluminum arm with upholstered sleeve	5564 Mid back, border with piping, fully-upholstered arm	5566 Mid back, border with piping, sloped polished aluminum arm with upholstered cap
Seat Height	16.5 - 20.5"	16.5 - 20.5"	16.5 - 20.5"
Seat Width	20.5"	20.5"	20.5"
Seat Depth	18.5"	18.5"	18.5"
Seat Pan Angle	4°	4°	4°

Back			
Backrest Height	21.5"	21.5"	21.5"
Backrest Width	19.5"	19.5"	19.5"
Backrest Angle	108°	108°	108°
Backrest to Seat Angle	104°	104°	104°

Arm			
Arm Height	9.5"	9.75"	9.25"
Armrest Length	12.25"	12.25"	11"
Armrest Width	1.75"	2"	2"
Armrest Set Back	6.25"	6.25"	7.5"
Width Between Armrests	20"	20"	20"
Arm Height from Floor	26.5 - 30.5"	26.5 - 30.5"	26.5 - 30.5"

Model 5563

A. Overall Height	38.5 - 42.5"
B. Overall Width	25"
C. Overall Depth	27.5"




Model 5564

A. Overall Height	38.5 - 42.5"
B. Overall Width	25"
C. Overall Depth	27.5"

Model 5566

A. Overall Height	38.5 - 42.5"
B. Overall Width	25.25"
C. Overall Depth	27.5"



Construction Material

Upholstered Back	Ø5/8" steel rod - 1018 HRS, Ø1/2" steel rod - 1018 HRS, 5/16" steel plate - 1018 HRS, spring steel - 9 gauge, CFC-free polyurethane molded foam
Upholstered Seat	Nylon - 30% glass-filled, CFC-free polyurethane molded foam
Foam	CFC-free polyurethane molded foam
Arms	Urethane and upholstered arm: 5/16" thick steel plate - CRS, Ø/2" steel rod - CRS, CFC-free polyurethane molded foam Aluminum arm: Aluminum arm 319
Arm Caps	Polypropylene 10% glass-filled, CFC-free polyurethane molded foam
Caster	Nylon
Base	Cast aluminum

KEILHAUER

Vanilla Specifications

Made by Keilhauer


Seat	5571 High back, border with piping, urethane arm	5572 High back, border with piping, polished aluminum arm	5575 High back, border with piping, sloped polished aluminum arm with urethane cap
Seat Height	16.5 - 20.5"	16.5 - 20.5"	16.5 - 20.5"
Seat Width	20.5"	20.5"	20.5"
Seat Depth	18.5"	18.5"	18.5"
Seat Pan Angle	4°	4°	4°

Back			
Backrest Height	27.75"	27.75"	27.75"
Backrest Width	19.5"	19.5"	19.5"
Backrest Angle	108°	108°	108°
Backrest to Seat Angle	104°	104°	104°

Arm			
Arm Height	9.5"	9.5"	9.25"
Armrest Length	12.25"	12.25"	11"
Armrest Width	1.75"	1.5"	2"
Armrest Set Back	6"	6.25"	7.5"
Width Between Armrests	20"	20"	20"
Arm Height from Floor	26.5 - 30.5"	26.5 - 30.5"	26.5 - 30.5"


Model 5571

A. Overall Height	44.75"
B. Overall Width	25"
C. Overall Depth	27.5"




Model 5572

A. Overall Height	44.75"
B. Overall Width	25"
C. Overall Depth	27.5"



Model 5575

A. Overall Height	44.75"
B. Overall Width	25.25"
C. Overall Depth	27.5"



Construction Material

Upholstered Back	Ø5/8" steel rod - 1018 HRS, Ø1/2" steel rod - 1018 HRS, 5/16" steel plate - 1018 HRS, spring steel - 9 gauge, CFC-free polyurethane molded foam
Upholstered Seat	Nylon - 30% glass-filled, CFC-free polyurethane molded foam
Foam	CFC-free polyurethane molded foam
Arms	Urethane and upholstered arm: 5/16" thick steel plate - CRS, Ø/2" steel rod - CRS, CFC-free polyurethane molded foam Aluminum arm: Aluminum arm 319
Arm Caps	Polypropylene 10% glass-filled, CFC-free polyurethane molded foam
Caster	Nylon
Base	Cast aluminum

KEILHAUER

Vanilla Specifications

Made by Keilhauer


Seat	5573 High back, border with piping, polished aluminum arm with upholstered sleeve	5574 High back, border with piping, fully-upholstered arm	5576 High back, border with piping, sloped polished aluminum arm with upholstered cap
Seat Height	16.5 - 20.5"	16.5 - 20.5"	16.5 - 20.5"
Seat Width	20.5"	20.5"	20.5"
Seat Depth	18.5"	18.5"	18.5"
Seat Pan Angle	4°	4°	4°

Back			
Backrest Height	27.75"	27.75"	27.75"
Backrest Width	19.5"	19.5"	19.5"
Backrest Angle	108°	108°	108°
Backrest to Seat Angle	104°	104°	104°

Arm			
Arm Height	9.5"	9.75"	9.25"
Armrest Length	12.25"	12.25"	11"
Armrest Width	1.75"	2"	2"
Armrest Set Back	6.25"	6.25"	7.5"
Width Between Armrests	20"	20"	20"
Arm Height from Floor	26.5 - 30.5"	26.5 - 30.5"	26.5 - 30.5"


Model 5573

A. Overall Height	44.75"
B. Overall Width	25"
C. Overall Depth	27.5"




Model 5574

A. Overall Height	44.75"
B. Overall Width	25"
C. Overall Depth	27.5"



Model 5576

A. Overall Height	44.75"
B. Overall Width	25.25"
C. Overall Depth	27.5"



Construction Material

Upholstered Back	Ø5/8" steel rod - 1018 HRS, Ø1/2" steel rod - 1018 HRS, 5/16" steel plate - 1018 HRS, spring steel - 9 gauge, CFC-free polyurethane molded foam
Upholstered Seat	Nylon - 30% glass-filled, CFC-free polyurethane molded foam
Foam	CFC-free polyurethane molded foam
Arms	Urethane and upholstered arm: 5/16" thick steel plate - CRS, Ø/2" steel rod - CRS, CFC-free polyurethane molded foam Aluminum arm: Aluminum arm 319
Arm Caps	Polypropylene 10% glass-filled, CFC-frree polyurethane molded foam
Caster	Nylon
Base	Cast aluminum

KEILHAUER


Vanilla Specifications

Made by Keilhauer

Metal Base Finishes



PA00 – Polished
Aluminum



B – Black