

KEILHAUER
Spec Sheet

Pact Flex




Pact Flex Specifications

Design by EOOS
Made by Keilhauer

Seat	Cushion standard 25-30"	Cushion standard 31-35"	Cushion standard 36-40"	Cushion standard 41-45"	Cushion standard 46-50"	Cushion standard 51-55"	Cushion standard 56-60"
Seat Height	18"	18"	18"	18"	18"	18"	18"
Seat Width	25-30"	31-35"	36-40"	41-45"	46-50"	51-55"	56-60"
Seat Depth	18"	18"	18"	18"	18"	18"	18"
Seat Pan Angle	0°	0°	0°	0°	0°	0°	0°
Back							
Backrest Height	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"
Backrest Width	25-30"	31-35"	36-40"	41-45"	46-50"	51-55"	56-60"
Backrest Angle	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°
Backrest to Seat Angle	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°


Model 1050025
1050026
1050027
1050028
1050029
1050030

A. Overall Height 29.75"
B. Overall Width 25-30"
C. Overall Depth 22.5"




Model 1050031
1050032
1050033
1050034
1050035

A. Overall Height 29.75"
B. Overall Width 31-35"
C. Overall Depth 22.5"




Model 1050036
1050037
1050038
1050039
1050040

A. Overall Height 29.75"
B. Overall Width 36-40"
C. Overall Depth 22.5"




Model 1050041
1050042
1050043
1050044
1050045

A. Overall Height 29.75"
B. Overall Width 41-45"
C. Overall Depth 22.5"




Model 1050046
1050047
1050048
1050049
1050050

A. Overall Height 29.75"
B. Overall Width 46-50"
C. Overall Depth 22.5"




Model 1050051
1050052
1050053
1050054
1050055

A. Overall Height 29.75"
B. Overall Width 51-55"
C. Overall Depth 22.5"



Model 1050056
1050057
1050058
1050059
1050060

A. Overall Height 29.75"
B. Overall Width 56-60"
C. Overall Depth 22.5"



Construction Material	
Back	Engineered plywood, CFC-free polyurethane foam
Seats	9mm FSC baltic birch, CFC-free polyurethane foam
Frame	Engineered plywood
Legs	Cast aluminum 6061
Glides	Nylon

KEILHAUER


Pact Flex Specifications

Design by EOOS
Made by Keilhauer

Seat	Cushion REF 25-30"	Cushion REF 31-35"	Cushion REF 36-40"	Cushion REF 41-45"	Cushion REF 46-50"	Cushion REF 51-55"	Cushion REF 56-60"
Seat Height	18"	18"	18"	18"	18"	18"	18"
Seat Width	25-30"	31-35"	36-40"	41-45"	46-50"	51-55"	56-60"
Seat Depth	18"	18"	18"	18"	18"	18"	18"
Seat Pan Angle	0°	0°	0°	0°	0°	0°	0°

Back							
Backrest Height	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"
Backrest Width	25-30"	31-35"	36-40"	41-45"	46-50"	51-55"	56-60"
Backrest Angle	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°
Backrest to Seat Angle	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°

Model 1050125
1050126
1050127
1050128
1050129
1050130




A. Overall Height29.75"

B. Overall Width25-30"

C. Overall Depth22.5"

Model 1050131
1050132
1050133
1050134
1050135




A. Overall Height29.75"

B. Overall Width31-35"

C. Overall Depth22.5"

Model 1050136
1050137
1050138
1050139
1050140




A. Overall Height29.75"

B. Overall Width36-40"

C. Overall Depth22.5"

Model 1050141
1050142
1050143
1050144
1050145




A. Overall Height29.75"

B. Overall Width41-45"

C. Overall Depth22.5"

Model 1050146
1050147
1050148
1050149
1050150




A. Overall Height29.75"

B. Overall Width46-50"

C. Overall Depth22.5"

Model 1050151
1050152
1050153
1050154
1050155




A. Overall Height29.75"

B. Overall Width51-55"

C. Overall Depth22.5"

Model 1050156
1050157
1050158
1050159
1050160



A. Overall Height29.75"

B. Overall Width56-60"

C. Overall Depth22.5"

Construction Material	
Back	Engineered plywood, CFC-free polyurethane foam
Seats	9mm FSC baltic birch, CFC-free polyurethane foam
Frame	Engineered plywood
Legs	Cast aluminum 6061
Glides	Nylon

KEILHAUER


Pact Flex Specifications

Design by EOOS
Made by Keilhauer

Seat	Cushion LEF 25-30"	Cushion LEF 31-35"	Cushion LEF 36-40"	Cushion LEF 41-45"	Cushion LEF 46-50"	Cushion LEF 51-55"	Cushion LEF 56-60"
Seat Height	18"	18"	18"	18"	18"	18"	18"
Seat Width	25-30"	31-35"	36-40"	41-45"	46-50"	51-55"	56-60"
Seat Depth	18"	18"	18"	18"	18"	18"	18"
Seat Pan Angle	0°	0°	0°	0°	0°	0°	0°

Back							
Backrest Height	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"
Backrest Width	25-30"	31-35"	36-40"	41-45"	46-50"	51-55"	56-60"
Backrest Angle	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°
Backrest to Seat Angle	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°

Model 1050225
1050226
1050227
1050228
1050229
1050230




A. Overall Height29.75"

B. Overall Width25-30"

C. Overall Depth22.5"

Model 1050231
1050232
1050233
1050234
1050235




A. Overall Height29.75"

B. Overall Width31-35"

C. Overall Depth22.5"

Model 1050236
1050237
1050238
1050239
1050240




A. Overall Height29.75"

B. Overall Width36-40"

C. Overall Depth22.5"

Model 1050241
1050242
1050243
1050244
1050245




A. Overall Height29.75"

B. Overall Width41-45"

C. Overall Depth22.5"

Model 1050246
1050247
1050248
1050249
1050250




A. Overall Height29.75"

B. Overall Width46-50"

C. Overall Depth22.5"

Model 1050251
1050252
1050253
1050254
1050255




A. Overall Height29.75"

B. Overall Width51-55"

C. Overall Depth22.5"

Model 1050256
1050257
1050258
1050259
1050260



A. Overall Height29.75"

B. Overall Width56-60"

C. Overall Depth22.5"

Construction Material	
Back	Engineered plywood, CFC-free polyurethane foam
Seats	9mm FSC baltic birch, CFC-free polyurethane foam
Frame	Engineered plywood
Legs	Cast aluminum 6061
Glides	Nylon

KEILHAUER



Pact Flex Specifications

Design by EOOS
Made by Keilhauer

Seat	1050300 Cushion corner	1051300 Floor corner
Seat Height	18"	18"
Seat Width	18"	18"
Seat Depth	18"	18"
Seat Pan Angle	0°	0°
Back		
Backrest Height	11.75"	11.75"
Backrest Width	18"	18"
Backrest Angle	98.6°	98.6°
Backrest to Seat Angle	98.6°	98.6°

Model 1050300

A. Overall Height	29.75"
B. Overall Width	22.5"
C. Overall Depth	22.5"



Model 1051300

A. Overall Height	29.75"
B. Overall Width	22.5"
C. Overall Depth	22.5"

Construction Material

Back	Engineered plywood, CFC-free polyurethane foam
Seats	9mm FSC baltic birch, CFC-free polyurethane foam
Frame	Engineered plywood
Legs	Cast aluminum 6061
Glides	Nylon

KEILHAUER

Pact Flex Specifications


Design by EOOS
Made by Keilhauer

Seat	Floor standard 25-30"	Floor standard 31-35"	Floor standard 36-40"	Floor standard 41-45"	Floor standard 46-50"	Floor standard 51-55"	Floor standard 56-60"
Seat Height	18"	18"	18"	18"	18"	18"	18"
Seat Width	25-30"	31-35"	36-40"	41-45"	46-50"	51-55"	56-60"
Seat Depth	18"	18"	18"	18"	18"	18"	18"
Seat Pan Angle	0°	0°	0°	0°	0°	0°	0°

Back							
Backrest Height	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"
Backrest Width	25-30"	31-35"	36-40"	41-45"	46-50"	51-55"	56-60"
Backrest Angle	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°
Backrest to Seat Angle	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°


Model 1051025
1051026
1051027
1051028
1051029
1051030

A. Overall Height	29.75"
B. Overall Width	25-30"
C. Overall Depth	22.5"




Model 1051031
1051032
1051033
1051034
1051035

A. Overall Height	29.75"
B. Overall Width	31-35"
C. Overall Depth	22.5"




Model 1051036
1051037
1051038
1051039
1051040

A. Overall Height	29.75"
B. Overall Width	36-40"
C. Overall Depth	22.5"




Model 1051041
1051042
1051043
1051044
1051045

A. Overall Height	29.75"
B. Overall Width	41-45"
C. Overall Depth	22.5"




Model 1051046
1051047
1051048
1051049
1051050

A. Overall Height	29.75"
B. Overall Width	46-50"
C. Overall Depth	22.5"




Model 1051051
1051052
1051053
1051054
1051055

A. Overall Height	29.75"
B. Overall Width	51-55"
C. Overall Depth	22.5"



Model 1051056
1051057
1051058
1051059
1051060

A. Overall Height	29.75"
B. Overall Width	56-60"
C. Overall Depth	22.5"



Construction Material	
Back	Engineered plywood, CFC-free polyurethane foam
Seats	9mm FSC baltic birch, CFC-free polyurethane foam
Frame	Engineered plywood
Legs	Cast aluminum 6061
Glides	Nylon

KEILHAUER


Pact Flex Specifications

Design by EOOS
Made by Keilhauer

Seat	Floor REF 25-30"	Floor REF 31-35"	Floor REF 36-40"	Floor REF 41-45"	Floor REF 46-50"	Floor REF 51-55"	Floor REF 56-60"
Seat Height	18"	18"	18"	18"	18"	18"	18"
Seat Width	25-30"	31-35"	36-40"	41-45"	46-50"	51-55"	56-60"
Seat Depth	18"	18"	18"	18"	18"	18"	18"
Seat Pan Angle	0°	0°	0°	0°	0°	0°	0°

Back							
Backrest Height	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"
Backrest Width	25-30"	31-35"	36-40"	41-45"	46-50"	51-55"	56-60"
Backrest Angle	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°
Backrest to Seat Angle	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°

Model 1051125
1051126
1051127
1051128
1051129
1051130




A. Overall Height29.75"

B. Overall Width25-30"

C. Overall Depth22.5"

Model 1051131
1051132
1051133
1051134
1051135




A. Overall Height29.75"

B. Overall Width31-35"

C. Overall Depth22.5"

Model 1051136
1051137
1051138
1051139
1051140




A. Overall Height29.75"

B. Overall Width36-40"

C. Overall Depth22.5"

Model 1051141
1051142
1051143
1051144
1051145




A. Overall Height29.75"

B. Overall Width41-45"

C. Overall Depth22.5"

Model 1051146
1051147
1051148
1051149
1051150




A. Overall Height29.75"

B. Overall Width46-50"

C. Overall Depth22.5"

Model 1051151
1051152
1051153
1051154
1051155




A. Overall Height29.75"

B. Overall Width51-55"

C. Overall Depth22.5"

Model 1051156
1051157
1051158
1051159
1051160



A. Overall Height29.75"

B. Overall Width56-60"

C. Overall Depth22.5"

Construction Material	
Back	Engineered plywood, CFC-free polyurethane foam
Seats	9mm FSC baltic birch, CFC-free polyurethane foam
Frame	Engineered plywood
Legs	Cast aluminum 6061
Glides	Nylon

KEILHAUER


Pact Flex Specifications

Design by EOOS
Made by Keilhauer

Seat	Floor LEF 25-30"	Floor LEF 31-35"	Floor LEF 36-40"	Floor LEF 41-45"	Floor LEF 46-50"	Floor LEF 51-55"	Floor LEF 56-60"
Seat Height	18"	18"	18"	18"	18"	18"	18"
Seat Width	25-30"	31-35"	36-40"	41-45"	46-50"	51-55"	56-60"
Seat Depth	18"	18"	18"	18"	18"	18"	18"
Seat Pan Angle	0°	0°	0°	0°	0°	0°	0°

Back							
Backrest Height	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"	11.75"
Backrest Width	25-30"	31-35"	36-40"	41-45"	46-50"	51-55"	56-60"
Backrest Angle	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°
Backrest to Seat Angle	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°	98.6°

Model 1051225
1051226
1051227
1051228
1051229
1051230




A. Overall Height29.75"

B. Overall Width25-30"

C. Overall Depth22.5"

Model 1051231
1051232
1051233
1051234
1051235




A. Overall Height29.75"

B. Overall Width31-35"

C. Overall Depth22.5"

Model 1051236
1051237
1051238
1051239
1051240




A. Overall Height29.75"

B. Overall Width36-40"

C. Overall Depth22.5"

Model 1051241
1051242
1051243
1051244
1051245




A. Overall Height29.75"

B. Overall Width41-45"

C. Overall Depth22.5"

Model 1051246
1051247
1051248
1051249
1051250




A. Overall Height29.75"

B. Overall Width46-50"

C. Overall Depth22.5"

Model 1051251
1051252
1051253
1051254
1051255




A. Overall Height29.75"

B. Overall Width51-55"

C. Overall Depth22.5"

Model 1051256
1051257
1051258
1051259
1051260



A. Overall Height29.75"

B. Overall Width56-60"

C. Overall Depth22.5"

Construction Material	
Back	Engineered plywood, CFC-free polyurethane foam
Seats	9mm FSC baltic birch, CFC-free polyurethane foam
Frame	Engineered plywood
Legs	Cast aluminum 6061
Glides	Nylon

KEILHAUER


Pact Flex Specifications

Design by EOOS
Made by Keilhauer

Leg Finishes



PC00 - Nickel



PC01 - Onyx



PC05 - Shale




PC23 - Dark Gray



PC24 - Warm
Gray



PC25 - White



PC27 - Bronze