

Training - Table of Contents



Lok - Training

Product Information

Training Overview 3

Tables Shapes & Sizes 4

Laminate Specifications 5

Base Styles - Features 6

Nesting Details 7

Modesty Details 8-9

Screen Details 10-11

Electrical Planning - Options 12-13

How To Specify 14-15

Pricing Pages

Training Table Tops 16-37

Bases 17-63

Modesty Panels 64-66

Privacy Screens 67

Portable Slide On Screens 68-69

Instructor Stations 70-71

Podiums 72

Mobile & Fixed Screens 73

ECONO Electrical 74-75

LINK Electrical 76-77

Wire Management 78

Accessories 79


Training - Overview




rectangular
pages 22-26




trapezoid
pages 28




lecture
pages 30




crescent
pages 32




half round
pages 34



bullet
pages 36




hive
pages 37




intersect
pages 38




huddle
pages 39



one twenty
pages 40



quarter round
pages 42



wedge link
pages 43

Training - Top Shapes

Lok offers 12 training table top shapes. Tables are available in 29" and are always laminate. Compatible bases are: T Base, Cantilever T Base or In Line. Seating capacity below assumes that only one side is used.

LOK - TRAINING



rectangular

- 29"h
- 20" x 36" Seats 1
 - 20" x 48" Seats 1
 - 20" x 60" Seats 2
 - 20" x 66" Seats 2
 - 20" x 72" Seats 3
 - 20" x 84" Seats 3
 - 20" x 96" Seats 4
 - 24" x 36" Seats 1
 - 24" x 48" Seats 1
 - 24" x 60" Seats 2
 - 24" x 66" Seats 2
 - 24" x 72" Seats 3
 - 24" x 84" Seats 3
 - 24" x 96" Seats 4
 - 30" x 36" Seats 1
 - 30" x 48" Seats 1
 - 30" x 60" Seats 2
 - 30" x 72" Seats 3
 - 30" x 84" Seats 3
 - 30" x 96" Seats 4



trapezoid

- 29"h
- 24" x 48" Seats 1
 - 30" x 48" Seats 1




lecture

- 29"h
- 24" x 48" Seats 1
 - 24" x 60" Seats 2
 - 30" x 48" Seats 1
 - 30" x 60" Seats 2




crescent

- 29"h
- 24" x 48" Seats 1
 - 30" x 48" Seats 1




half round

- 29"h
- 24" x 48" Seats 2
 - 30" x 60" Seats 2




bullet

- 29"h
- 30" x 60" Seats 4
 - 30" x 66" Seats 4
 - 30" x 72" Seats 5
 - 36" x 60" Seats 4
 - 36" x 66" Seats 5
 - 36" x 72" Seats 5
 - 48" x 72" Seats 6



hive

- 29"h
- 30" x 60" Seats 4
 - 30" x 66" Seats 4
 - 30" x 72" Seats 5
 - 36" x 60" Seats 4
 - 36" x 66" Seats 5
 - 36" x 72" Seats 5
 - 48" x 72" Seats 6




intersect

- 29"h
- 24" x 60" Seats 6
 - 30" x 60" Seats 6



huddle

- 29"h
- 30" x 72" Seats 6
 - 36" x 84" Seats 6




one twenty

- 29"h
- 42" x 73" Seats 4
 - 45" x 84" Seats 4



quarter round

- 29"h
- 24" Seats 1
 - 30" Seats 1



wedge link

- 29"h
- 24" Seats 1
 - 30" Seats 1

Training - Surface Materials


Laminate Tops

Lok training table worksurfaces are offered in both TFL (Thermal Fused Laminate) and HPL (High Pressure Laminate).

The tops are 1 3/8" thick, 3 ply balanced construction.

HPL - Particle board core, HPL face and a phenolic backer sheet complete the balanced construction.

TFL - Particle board core, TFL thermally fused face and matching backer complete the balanced construction.



Eased Edge (R3)

PVC

Standard PVC Edge Colors

JSI supports 26 standard PVC edge colors listed below. These coordinate with our Standard TFL and HPL (T1) Laminates.

When selecting a Standard TFL or HPL 1 Laminate, the coordinating PVC edge color is automatically applied. When selecting a Graded-In Laminate (HPL 2), you will be prompted to choose between one of those 26 PVC edge colors to be applied to the edge.

ALB	Alabaster	MES	Mesa
BEL	Belair	MIN	Mineral
BLK	Black	MCH	Mocha
BRK	Brickdust	OBK	Outback
BBL	Bridal Blanco	PIL	Pilsner
CSK	Cask	PIN	Pinnacle Walnut
CLY	Clay	SHD	Shadow
DWH	Designer White	SLG	Slate Grey
EGR	Egret	UMB	Umber
FAW	Fawn	VAL	Valley
FLN	Flint	WAL	Walnut Heights
FLO	Florence Walnut	WEA	Weathered Ash
LOF	Loft	ZEN	Zen Grey

Standard Laminates

JSI Standard Laminate program consists of 26 solid and wood grain patterns, and establish our standard TFL and HPL (T1) laminate pricing. Each has a coordinating PVC edge color that is automatically used with the Standard Laminates.

Wood Grain Laminate

BEL	Belair	MIN	Mineral
BRK	Brickdust	MCH	Mocha
CSK	Cask	OBK	Outback
CLY	Clay	PIL	Pilsner
EGR	Egret	PIN	Pinnacle Walnut
FAW	Fawn	UMB	Umber
FLN	Flint	VAL	Valley
FLO	Florence Walnut	WAL	Walnut Heights
LOF	Loft	WEA	Weathered Ash
MES	Mesa		

Solid Laminate


ALB	Alabaster
BLK	Black
BBL	Bridal Blanco
DWH	Designer White
SHD	Shadow
SLG	Slate Grey
ZEN	Zen Grey

See pages 456-461 for Tier 2 Laminates.

Training - Base Styles


Lok provides a choice selection of bases in both function and aesthetics to serve a variety of needs. The training offering includes: T-base, Cantilever T-Base, and Inline T-Base

LOK - TRAINING




T-Base

- models offered in fixed leg with glide or caster, tilt with caster, or 9 pin adjustable height leg
- compatible with the following top shapes: bullet, crescent, half round, lecture, rectangular, trapezoid, intersect, huddle, hive, one-twenty
- base finish - select single metal finish or two-tone metal finish. See options listed below.



Cantilever T-Base

- models offered in fixed leg with glide or caster, tilt with caster, or 9 pin adjustable height leg
- compatible with the following top shapes: crescent, half round, lecture, rectangular, trapezoid
- base finish - select single metal finish or two-tone metal finish. See options listed below.




In-Line T-Base

- available in 29" h leg with caster
- compatible with the following top shapes: crescent, half round, lecture, rectangular, trapezoid
- base finish - select single metal finish or two-tone metal finish. See options listed below.
- allows tables to nest inline
- not available on 30" d rectangular tops

Single Metal Finish

- ABZ** Aged Bronze Feet & Post
- ASL** Arctic Silver Feet & Post
- GLD** Gold Feet & Post
- PEW** Pewter Feet & Post
- MBK** Matte Black Feet & Post
- SBZ** Soft Bronze Feet & Post
- SNK** Soft Nickel Feet & Post




Example

Two - Tone Metal Finish

Two-Tone Aesthetics can be achieved by specifying Polished Aluminum on the foot and a contrasting finish on the post

Polished Aluminum Feet

- ABZ** Aged Bronze Post
- ASL** Arctic Silver Post
- GLD** Gold Post
- PEW** Pewter Post
- MBK** Matte Black Post
- SBZ** Soft Bronze Post
- SNK** Soft Nickel Post




Example


9-Pin Adjustable Height

Pin adjustment located on column offers the ability to adjust tables from 26" to 34" high.

Easy operation by pushing in spring loaded latch pins, slide to desired height position and release pins to lock into place.









Latch Pin



Training - Nesting/Space Planning

Lok In line and Offset Nesting



- adapt to ever changing multi-purpose areas, providing reconfigurability
- modularity, flexibility and ease of use by a single individual with single paddle release
- tilt and lock in position for easy nested storage
- T-Base & Cantilever T-Base allows nesting applications with the offset spacing, while In Line nesting is achieved by the In Line T-Base
- offset or in line nesting limit storage space required to move the tables out of the way
- compact tilted tables easily move to another location
- wire management clips are incorporated into the horizontal top cross beam in 48" or wider tables



Training - Modesty Panels

Modesty Panels

Full table width panels provide user 9" of privacy and conceal electrical components and wire channels.



Laminate

- $\frac{3}{4}$ " thick
- 21 standard TFL or Tier 1 HPL with matching PVC edge
- additional graded in laminates, select from standard PVC edges
- supported with concealed hinge or support brackets
- $\frac{5}{8}$ " space provided between top edge of modesty panel and bottom surface of top to route electrical wires from top of table to under side


Frosted Acrylic

- $\frac{1}{4}$ " two sided frosted acrylic
- acrylic panels supported with hinge or bracket with powder-coated cover plate to conceal support hardware
- $\frac{5}{8}$ " space provided between top edge of modesty panel and bottom surface of top to route electrical wires from top of table to under side
- specify trim cap Aged Bronze, Arctic Silver, Gold, Pewter, Matte Black, Soft Bronze, Soft Nickel


3 Attachment Methods

Acrylic and laminate modesty panels can be specified with 3 different attachment methods. Select from Hinged, Removable, or Fixed - see pages 70-72.


1 Hinged Modesty Panels with Tilt Table Option



When table is tilted, modesty panel folds into place for organized storage. Magnetic hinge holds modesty panel vertical in use position and automatically releases for self-storage in tilted position




Hinged Modesty Panels allows for table nesting




Training - Modesty Panel Attachment Methods

② Removable Modesty Panels with Tilt Table Option




Removable modesty panels allows for single and dual users and storage




③ Fixed Modesty Panels

Fixed modesty panels are intended to always be attached and should not be specified in conjunction with tilt top tables.





Training - Screens

Portable Slide-On Divider Screen



Portable divider panel divides space between seats and acoustic materials muffles sound in high traffic areas



Acoustic

- screen provides 16" above and 4" user side concealment
- 1" tackable acoustic 100% polyester screens in silver or ash grey
 - acoustic rating: 0.45 - 0.90 NRC
 - fire rating: ASTM-E84 / class A
 - colorfastness to light: AACC 16.3 option 3 color change @ 20AFU = 4.5
 - vacuum to remove dust, remove spills immediately using a clean damp cloth or with soap and water
 - carpet or fabric cleaner can be used for difficult spills - always test on an inconspicuous area first
- easily repositioned by user to divide space or as end of table privacy
- can be secured to any surface 1 1/4" - 1 1/2" thickness and 20" or greater depth
- knob on underside of table temporarily clamps screen in position for easy repositioning

HPL

- particle board core
- HPL laminate surfaces - JSI standards
- matching PVC edge

Markerboard

- plywood core
- white marker HPL surfaces
- white PVC edge

Magnetic Markerboard


- plywood core
- white magnetic marker HPL surfaces
- white PVC edge

Training - Screens


Privacy Panel Screens

Full width panel to provide user privacy concealing electrical components, wire channels and equipment on table top. Screens provide 8½" below and 14" above top concealment

Privacy Panel



Privacy Acrylic Panel



Acoustic

- ½" tackable acoustic 100% polyester screens in silver or ash grey
 - acoustic rating: 0.45 – 0.90 NRC
 - fire rating: ASTM-E84 / class A
 - colorfastness to light: AACC 16.3 option 3 color change @ 20AFU = 4.5
 - vacuum to remove dust, remove spills immediately using a clean damp cloth or with soap and water
 - carpet or fabric cleaner can be used for difficult spills – always test on an inconspicuous area first

Acrylic


- ¼" two sided frosted acrylic

Privacy Panel Colors

ASH	Ash Grey
SIL	Silver Grey

Screen Mounting

- screens supported by brackets with powder coated cover plates fastened to underside of top
- mounting brackets can be fastened out for routing cables to underside of top or to install monitor arm
- screens available for approach and end of table applications
- linking kits available for shared privacy screen application between two tables approach or end applications
- screens must be removed before tilting



Trim Cap Finishes

ABZ Aged Bronze	PEW Pewter
ASL Arctic Silver	SBZ Soft Bronze
GLD Gold	SNK Soft Nickel
MBK Matte Black	


Training - Electrical - LINK System

Overview


LINK has in-surface 110 power with USB A charging. Non-direction/non-sequential power cables plug together with red, green, white and black terminal connections. Configure with single or dual circuit units to maximize power flexibility. LINK provides three power infeed models; NEMA 15amp or 20amp three prong plug single circuit, quick disconnect or hardwire to support single or dual circuit applications.

- two 110 power and dual USB type A charging
- Metal unit - black or white color selection
- Non-directional/non-sequential power
- Three building power connection infeed models to select from
- Up to eight duplex devices per infeed circuit

Components included when LINK Power selected:



Top Unit x 1




Jumper x 2

- 1 - female to female
- 1 - female to male

Above quantity shows when C (Center) is specified.

When L (Left) / R (Right) are specified, the quantity is double.
Top Unit x 2 and Jumper x 3




Electrical


Power Packages are measured and located out from the center of the table. Shown on rectangular tops, these dimensions are the same from center regardless of table shape. Power in-feed is specified separately to support building electrical connection.

LINK Components:

Ganged Tables	Power In-Feed	Power Centers	Jumpers
48" - 96" Tables - CT1			
8	1	8	16
7	1	7	14
6	1	6	12
5	1	5	10
4	1	4	8
3	1	3	6
2	1	2	4
1	1	1	2
66" - 96" Tables - LRT2			
4	1	8	12
3	1	6	9
2	1	4	6
1	1	2	3



L-CT1-C0 - Single Power in Center Location on top cutout locations




Jumper connection at edge of tables.

Training - Electrical - ECONO System


Overview

ECONO electrical system allows up to eight duplex power modules to be daisy-chained together (non-direction/non-sequential) and powered from a single power in-feed. The number of power modules connected is limited to the maximum allowed under UL Standard 962. If too many are connected, the control module disconnects all power to the system and signals red. Power is restored to the system after the extra power module(s) are disconnected, which is indicated by a green light. Econo will not work with GFI or GFCI - Ground Fault Circuit Interrupter Wall or Floor Outlets.

- Two 110 power and two data openings
- Single circuit power with 12 amp total system
- Plastic unit with retractable lid - black or grey color selection
- Over-current protection
- Up to eight duplex devices per infeed



Components included when ECONO Power selected:



Top Unit x 1



Jumper x 1

Above quantity shows when C (Center) is specified.


When L (Left) / R (Right) are specified, the quantity is double.
Top Unit x 2 and Jumper x 2

Electrical


Power is measured and located out from the center of the table. Shown on rectangular tops, these dimensions are the same from center regardless of table shape. Power in-feed is specified separately to support building electrical connection.

ECONO Components:

Ganged Tables	Power In-Feed	Power Centers	Jumpers
48" - 96" Tables - CT1			
8	1	8	8
7	1	7	7
6	1	6	6
5	1	5	5
4	1	4	4
3	1	3	3
2	1	2	2
1	1	1	1
66" - 96" Tables - LRT2			
4	1	8	8
3	1	6	6
2	1	4	4
1	1	2	2



E-CT1-CO - Single Power in Center Location on top cutout locations




Training - Cantilever Tilt Specifying

Overview

Lok Training was created with the simple a la carte, select of top, base, electrical, and screens. Pages with tops list all the necessary details to determine your budget with page references to guide you to the detail selections, including all the available options, colors and finishes. Build it your way in 5 easy steps!

1. Specify Top
 - a. power cut out (optional)
 - b. link (optional)
2. Specify Base
3. Specify Modesty Panel
 - a. (optional)
4. Specify Electrical
 - a. (optional) - not shown below
5. Specify Accessories
 - a. (optional) - not shown below



Model Number Breakdown

1 - Top

LK-TT29-2460T					
LK	TT	29	2460	T	
Lok Designator	Top Shape - Rectangular	Table Height - 29"	Top Size - 24" x 60"	Top Material - Laminate	

2 - Base

LK-CBT-TT29-2460					
LK	CBT	TT	29	2460	
Lok Designator	Base Type - Cantilever T-Base Tilt (with casters option)	29" Table Height	Table Height - 29"	Top Size - 24" x 60"	

3 - Modesty Panel


LK-MPH-60A					
LK	MP	H	60	A	
Lok Designator	Panel Type - Modesty	Function - Hinged	Panel Size - 60"	Panel Material - Frosted Acrylic	

Training - Fixed T Specifying

Overview

Lok Training table offer the many configurations and room layouts to support today's diverse learning environments. When planning a space, select the size and shape tops that best fit the space you are planning. Then select the base type that supports the function the space requires, static setting with T-Base and glides, additional knee space with cantilever T-base, easy reconfiguration by adding casters, compact storage with offset or inline tilt/nest, special height considerations with pin height adjustment.

1. Specify Top
 - a. power cut out (optional)
 - b. link (optional)
2. Specify Base
3. Specify Modesty Panel
 - a. (optional)
4. Specify Electrical
 - a. (optional) - not shown below
5. Specify Accessories
 - a. (optional) - not shown below



Model Number Breakdown

1 - Top

LK-TT29-2460T					
LK	TT	29	2460	T	
Lok Designator	Top Shape - Rectangular	Table Height - 29"	Top Size - 24" x 60"	Top Material - Laminate	

2 - Base



LK-TBF-TT29-2460					
LK	TBF	TT	29	2460	
Lok Designator	Base Type - Fixed T-Base (standard with glides)	29" Table Height	Table Height - 29"	Top Size - 24" x 60"	

3 - Modesty Panel

LK-MPH-60A					
LK	MP	H	60	A	
Lok Designator	Panel Type - Modesty	Function - Hinged	Panel Size - 60"	Panel Material - Frosted Acrylic	

Description

Rectangular Training Top



D	W	H	CTN WT	CU FT	❶ Model	TFL	Standard	Graded In
							HPL 1	HPL 2
20	36	29	22	2	LK-TT29-2036T	\$265	\$357	\$372
24	36	29	26	2	LK-TT29-2436T	\$299	\$382	\$402
30	36	29	33	3	LK-TT29-3036T	\$312	\$424	\$448
20	48	29	29	2	LK-TT29-2048T	\$299	\$411	\$431
24	48	29	35	3	LK-TT29-2448T	\$339	\$446	\$471
30	48	29	43	3	LK-TT29-3048T	\$357	\$501	\$533


Table Components: (order separately)

- base, modesty panel, electrical, and privacy screens sold and ship separately
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$64 list

Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top Cutout Location



To Order Specify


❶ Model #	❷a Laminate Selection	❷b PVC Edge Color	❸ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout

Model Number Breakdown

LK-TT29-2036T					
LK	TT	29	2036	T	
LOK	Rectangular Top Shape	Height	20" x 36"	Laminate	

Training Table Bases


Select base preference below to go with corresponding Top. **Note:** Base depth and width must match Top depth (D) and width (W).



T-Bases


(center column)

Fixed



T-Base Fixed


Width	Model	List Price
36"	LK-TBF-TT29-2036	+\$517
	LK-TBF-TT29-2436	+\$545
	LK-TBF-TT29-3036	+\$579
48"	LK-TBF-TT29-2048	+\$517
	LK-TBF-TT29-2448	+\$545
	LK-TBF-TT29-3048	+\$579



T-Base Adjustable


Width	Model	List Price
36"	LK-TBA-TT29-2036	+\$635
	LK-TBA-TT29-2436	+\$665
	LK-TBA-TT29-3036	+\$697
48"	LK-TBA-TT29-2048	+\$635
	LK-TBA-TT29-2448	+\$665
	LK-TBA-TT29-3048	+\$697

Tilt




T-Base Tilt

Width	Model	List Price
36"	LK-TBT-TT29-2036	+\$903
	LK-TBT-TT29-2436	+\$932
	LK-TBT-TT29-3036	+\$967
48"	LK-TBT-TT29-2048	+\$1,034
	LK-TBT-TT29-2448	+\$1,061
	LK-TBT-TT29-3048	+\$1,096



Inline T-Base


Width	Model	List Price
48"	LK-IBT-TT29-2048	+\$947
	LK-IBT-TT29-2448	+\$947



Cantilever T-Bases


(offset column)

Fixed



Cantilever T-Base Fixed


Width	Model	List Price
36"	LK-CBF-TT29-2036	+\$533
	LK-CBF-TT29-2436	+\$547
	LK-CBF-TT29-3036	+\$576
48"	LK-CBF-TT29-2048	+\$533
	LK-CBF-TT29-2448	+\$547
	LK-CBF-TT29-3048	+\$576



Cantilever T-Base Adj.

Width	Model	List Price
36"	LK-CBA-TT29-2036	+\$650
	LK-CBA-TT29-2436	+\$667
	LK-CBA-TT29-3036	+\$694
48"	LK-CBA-TT29-2048	+\$650
	LK-CBA-TT29-2448	+\$667
	LK-CBA-TT29-3048	+\$694

Tilt




Cantilever T-Base Tilt

Width	Model	List Price
36"	LK-CBT-TT29-2036	+\$934
	LK-CBT-TT29-2436	+\$949
	LK-CBT-TT29-3036	+\$978
48"	LK-CBT-TT29-2048	+\$1,064
	LK-CBT-TT29-2448	+\$1,080
	LK-CBT-TT29-3048	+\$1,108

See pages 6-7 for additional information on Lok Bases.

See pages 38-44 on how to order/specify Lok Bases for Rectangular Tops, including caster color options.


Training Table Modesty Panels



Fixed Modesty

Material	Model	Standard List	Graded In HPL 2
Acrylic	LK-MPF-36A	+\$329	--
	LK-MPF-48A	+\$368	--
TFL	LK-MPF-36T	+\$177	--
	LK-MPF-48T	+\$186	--
HPL	LK-MPF-36H	+\$258	+\$267
	LK-MPF-48H	+\$273	+\$286


Note: Fixed modesty panels are intended to always be attached to top and should not be specified in conjunction with Tilt T-Bases.



Hinged Modesty

Material	Model	Standard List	Graded In HPL 2
Acrylic	LK-MPH-36A	+\$351	--
	LK-MPH-48A	+\$404	--
TFL	LK-MPH-36T	+\$216	--
	LK-MPH-48T	+\$224	--
HPL	LK-MPH-36H	+\$296	+\$305
	LK-MPH-48H	+\$313	+\$325

Note: Hinged modesty panels are intended to be used with Tilt T-Bases for tilting and table nesting. Not to be specified with Fixed T-Bases.



Removable Modesty

Material	Model	Standard List	Graded In HPL 2
Acrylic	LK-MPR-36A	+\$369	--
	LK-MPR-48A	+\$407	--
TFL	LK-MPR-36T	+\$217	--
	LK-MPR-48T	+\$225	--
HPL	LK-MPR-36H	+\$297	+\$307
	LK-MPR-48H	+\$314	+\$326

Note: Removable modesty panels when used with Tilt T-bases must be removed before tilting table.

See pages 8-9 for additional information on Lok Modesty Panels.


See pages 64-66 on how to order/specify Lok Modesty Panels.

Description

Rectangular Training Top



top shape



Eased Edge (R3)

D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
							HPL 1	HPL 2
20	60	29	36	3	LK-TT29-2060T	\$329	\$459	\$485
24	60	29	43	3	LK-TT29-2460T	\$381	\$502	\$535
30	60	29	54	4	LK-TT29-3060T	\$401	\$571	\$607
20	66	29	39	3	LK-TT29-2066T	\$379	\$486	\$513
24	66	29	47	4	LK-TT29-2466T	\$455	\$537	\$573
30	66	29	60	5	LK-TT29-3066T	\$478	\$620	\$662
20	72	29	43	3	LK-TT29-2072T	\$400	\$512	\$544
24	72	29	52	4	LK-TT29-2472T	\$475	\$564	\$603
30	72	29	65	5	LK-TT29-3072T	\$501	\$649	\$694


Table Components: (order separately)

- base, modesty panel, electrical, and privacy screens sold and ship separately
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$64 list


Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top Cutout Location



LRT2 : Dual Power Left/Right Top Cutout Location



To Order Specify


① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout L-LRT2-CO Link System - Left/Right Top Dual Power Cutout E-LRT2-CO Econo System - Left/Right Top Dual Power Cutout

Model Number Breakdown


LK-TT29-2060T					
LK	TT	29	2060	T	
LOK	Rectangular Top Shape	Height	20" x 60"	Laminate	

Training Table Bases

Select base preference below to go with corresponding Top. **Note:** Base depth and width must match Top depth (D) and width (W).



T-Bases

Fixed	Width	Model	List Price
	60"	LK-TBF-TT29-2060	+\$577
		LK-TBF-TT29-2460	+\$604
		LK-TBF-TT29-3060	+\$637
	66"	LK-TBF-TT29-2066	+\$577
		LK-TBF-TT29-2466	+\$604
		LK-TBF-TT29-3066	+\$637
	72"	LK-TBF-TT29-2072	+\$587
		LK-TBF-TT29-2472	+\$615
		LK-TBF-TT29-3072	+\$649


T-Base Fixed



T-Base Adjustable


Width	Model	List Price
60"	LK-TBA-TT29-2060	+\$695
	LK-TBA-TT29-2460	+\$723
	LK-TBA-TT29-3060	+\$758
66"	LK-TBA-TT29-2066	+\$695
	LK-TBA-TT29-2466	+\$723
	LK-TBA-TT29-3066	+\$758
72"	LK-TBA-TT29-2072	+\$705
	LK-TBA-TT29-2472	+\$734
	LK-TBA-TT29-3072	+\$768

Tilt




T-Base Tilt

Width	Model	List Price
60"	LK-TBT-TT29-2060	+\$1,050
	LK-TBT-TT29-2460	+\$1,078
	LK-TBT-TT29-3060	+\$1,111
66"	LK-TBT-TT29-2066	+\$1,050
	LK-TBT-TT29-2466	+\$1,078
	LK-TBT-TT29-3066	+\$1,111
72"	LK-TBT-TT29-2072	+\$1,080
	LK-TBT-TT29-2472	+\$1,110
	LK-TBT-TT29-3072	+\$1,143




Inline T-Base


Width	Model	List Price
60"	LK-IBT-TT29-2060	+\$1,078
	LK-IBT-TT29-2460	+\$1,078
66"	LK-IBT-TT29-2066	+\$1,078
	LK-IBT-TT29-2466	+\$1,078
72"	LK-IBT-TT29-2072	+\$1,094
	LK-IBT-TT29-2472	+\$1,094



Cantilever T-Bases

Fixed	Width	Model	List Price
	60"	LK-CBF-TT29-2060	+\$590
		LK-CBF-TT29-2460	+\$606
		LK-CBF-TT29-3060	+\$635
	66"	LK-CBF-TT29-2066	+\$590
		LK-CBF-TT29-2466	+\$606
		LK-CBF-TT29-3066	+\$635
	72"	LK-CBF-TT29-2072	+\$601
		LK-CBF-TT29-2472	+\$618
		LK-CBF-TT29-3072	+\$645


Cantilever T-Base Fixed



Cantilever T-Base Adj.

Width	Model	List Price
60"	LK-CBA-TT29-2060	+\$710
	LK-CBA-TT29-2460	+\$725
	LK-CBA-TT29-3060	+\$755
66"	LK-CBA-TT29-2066	+\$710
	LK-CBA-TT29-2466	+\$725
	LK-CBA-TT29-3066	+\$755
72"	LK-CBA-TT29-2072	+\$720
	LK-CBA-TT29-2472	+\$736
	LK-CBA-TT29-3072	+\$764

Tilt




Cantilever T-Base Tilt

Width	Model	List Price
60"	LK-CBT-TT29-2060	+\$1,079
	LK-CBT-TT29-2460	+\$1,096
	LK-CBT-TT29-3060	+\$1,124
66"	LK-CBT-TT29-2066	+\$1,079
	LK-CBT-TT29-2466	+\$1,096
	LK-CBT-TT29-3066	+\$1,124
72"	LK-CBT-TT29-2072	+\$1,111
	LK-CBT-TT29-2472	+\$1,126
	LK-CBT-TT29-3072	+\$1,155


See pages 6-7 for additional information on Lok Bases.

See pages 38-44 on how to order/specify Lok Bases for Rectangular Tops, including caster color options.

Training Table Modesty Panels

	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPF-60A	+\$451	--
		LK-MPF-66A	+\$482	--
		LK-MPF-72A	+\$508	--
	TFL	LK-MPF-60T	+\$209	--
		LK-MPF-66T	+\$215	--
		LK-MPF-72T	+\$218	--
	HPL	LK-MPF-60H	+\$308	+\$323
		LK-MPF-66H	+\$317	+\$333
		LK-MPF-72H	+\$327	+\$341


Note: Fixed modesty panels are intended to always be attached to top and should not be specified in conjunction with Tilt T-Bases.

	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPR-60A	+\$510	--
		LK-MPR-66A	+\$541	--
		LK-MPR-72A	+\$566	--
	TFL	LK-MPR-60T	+\$269	--
		LK-MPR-66T	+\$273	--
		LK-MPR-72T	+\$278	--
	HPL	LK-MPR-60H	+\$368	+\$381
		LK-MPR-66H	+\$376	+\$393
		LK-MPR-72H	+\$386	+\$403

Note: Removable modesty panels when used with Tilt T-bases must be removed before tilting table.

See pages 8-9 for additional information on Lok Modesty Panels.



See pages 64-66 on how to order/specify Lok Modesty Panels.

	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPH-60A	+\$505	--
		LK-MPH-66A	+\$539	--
		LK-MPH-72A	+\$561	--
	TFL	LK-MPH-60T	+\$260	--
		LK-MPH-66T	+\$265	--
		LK-MPH-72T	+\$269	--
	HPL	LK-MPH-60H	+\$360	+\$373
		LK-MPH-66H	+\$369	+\$383
		LK-MPH-72H	+\$377	+\$395

Note: Hinged modesty panels are intended to be used with Tilt T-Bases for tilting and table nesting. Not to be specified with Fixed T-Bases.

Description

Rectangular Training Top



LAMINATE	D	W	H	CTN WT	CU FT	❶ Model	TFL	Standard HPL 1	Graded In HPL 2
	20	84	29	51	4	LK-TT29-2084T	\$425	\$571	\$606
	24	84	29	61	4	LK-TT29-2484T	\$501	\$629	\$672
	30	84	29	76	5	LK-TT29-3084T	\$523	\$718	\$771
	20	96	29	58	4	LK-TT29-2096T	\$442	\$620	\$660
	24	96	29	69	5	LK-TT29-2496T	\$520	\$688	\$735
	30	96	29	86	6	LK-TT29-3096T	\$545	\$788	\$849


Table Components: (order separately)

- base, modesty panel, electrical, and privacy screens sold and ship separately
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$64 list


Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top Cutout Location



LRT2 : Dual Power Left/Right Top Cutout Location



To Order Specify


❶ Model #	❷a Laminate Selection	❷b PVC Edge Color	❸ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout L-LRT2-CO Link System - Left/Right Top Dual Power Cutout E-LRT2-CO Econo System - Left/Right Top Dual Power Cutout

Model Number Breakdown


LK-TT29-2084T					
LK	TT	29	2084	T	
LOK	Rectangular Top Shape	Height	20" x 84"	Laminate	

Training Table Bases


Select base preference below to go with corresponding Top. Note: Base depth and width must match Top depth (D) and width (W).



T-Bases

Fixed	Width	Model	List Price
	84"	LK-TBF-TT29-2084	+\$587
		LK-TBF-TT29-2484	+\$615
		LK-TBF-TT29-3084	+\$649
	96"	LK-TBF-TT29-2096	+\$606
		LK-TBF-TT29-2496	+\$635
		LK-TBF-TT29-3096	+\$669


T-Base Fixed



T-Base Adjustable


Width	Model	List Price
84"	LK-TBA-TT29-2084	+\$705
	LK-TBA-TT29-2484	+\$734
	LK-TBA-TT29-3084	+\$768
96"	LK-TBA-TT29-2096	+\$725
	LK-TBA-TT29-2496	+\$755
	LK-TBA-TT29-3096	+\$788

Tilt




T-Base Tilt

Width	Model	List Price
84"	LK-TBT-TT29-2084	+\$1,080
	LK-TBT-TT29-2484	+\$1,110
	LK-TBT-TT29-3084	+\$1,143
96"	LK-TBT-TT29-2096	+\$1,140
	LK-TBT-TT29-2496	+\$1,167
	LK-TBT-TT29-3096	+\$1,199




Inline T-Base


Width	Model	List Price
84"	LK-IBT-TT29-2084	+\$1,125
	LK-IBT-TT29-2484	+\$1,125
96"	LK-IBT-TT29-2096	+\$1,184
	LK-IBT-TT29-2496	+\$1,184



Cantilever T-Bases

Fixed	Width	Model	List Price
	84"	LK-CBF-TT29-2084	+\$601
		LK-CBF-TT29-2484	+\$618
		LK-CBF-TT29-3084	+\$645
	96"	LK-CBF-TT29-2096	+\$623
		LK-CBF-TT29-2496	+\$637
		LK-CBF-TT29-3096	+\$666


Cantilever T-Base Fixed



Cantilever T-Base Adj.

Width	Model	List Price
84"	LK-CBA-TT29-2084	+\$720
	LK-CBA-TT29-2484	+\$736
	LK-CBA-TT29-3084	+\$764
96"	LK-CBA-TT29-2096	+\$740
	LK-CBA-TT29-2496	+\$758
	LK-CBA-TT29-3096	+\$784

Tilt




Cantilever T-Base Tilt

Width	Model	List Price
84"	LK-CBT-TT29-2084	+\$1,111
	LK-CBT-TT29-2484	+\$1,126
	LK-CBT-TT29-3084	+\$1,155
96"	LK-CBT-TT29-2096	+\$1,170
	LK-CBT-TT29-2496	+\$1,186
	LK-CBT-TT29-3096	+\$1,213

See pages 6-7 for additional information on Lok Bases.


See pages 38-44 on how to order/specify Lok Bases for Rectangular Tops, including caster color options.

Training Table Modesty Panels

	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPF-84A	+\$560	--
		LK-MPF-96A	+\$612	--
	TFL	LK-MPF-84T	+\$227	--
		LK-MPF-96T	+\$234	--
	HPL	LK-MPF-84H	+\$346	+\$364
		LK-MPF-96H	+\$363	+\$385


Fixed Modesty

Note: Fixed modesty panels are intended to always be attached to top and should not be specified in conjunction with Tilt T-Bases.

	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPH-84A	+\$614	--
		LK-MPH-96A	+\$666	--
	TFL	LK-MPH-84T	+\$278	--
		LK-MPH-96T	+\$287	--
	HPL	LK-MPH-84H	+\$397	+\$416
		LK-MPH-96H	+\$416	+\$438

Hinged Modesty

Note: Hinged modesty panels are intended to be used with Tilt T-Bases for tilting and table nesting. Not to be specified with Fixed T-Bases.

	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPR-84A	+\$621	--
		LK-MPR-96A	+\$671	--
	TFL	LK-MPR-84T	+\$287	--
		LK-MPR-96T	+\$294	--
	HPL	LK-MPR-84H	+\$405	+\$424
		LK-MPR-96H	+\$422	+\$445

Removable Modesty



Note: Removable modesty panels when used with Tilt T-bases must be removed before tilting table.

See pages 8-9 for additional information on Lok Modesty Panels.

See pages 64-66 on how to order/specify Lok Modesty Panels.

Description

Trapezoid Training Top



D	W	H	CTN WT	CU FT	❶ Model	TFL	Standard	Graded In
							HPL 1	HPL 2
24	48	29	35	3	LK-TZ29-2448T	\$387	\$502	\$513
30	48	29	43	3	LK-TZ29-3048T	\$407	\$562	\$578


Table Components: (order separately)

- base, modesty panel, electrical, and privacy screens sold and ship separately
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$64 list

Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top Cutout Location



To Order Specify


❶ Model #	❷a Laminate Selection	❷b PVC Edge Color	❸ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout

Model Number Breakdown

LK-TZ29-2448T					
LK	TZ	29	2448	T	
LOK	Trapezoid Top Shape	Height	24" x 48"	Laminate	


Training Table Bases

Select base preference below to go with corresponding Top. Note: Base depth and width must match Top depth (D) and width (W).



T-Bases

Fixed			
 T-Base Fixed	Width	Model	List Price
	48"	LK-TBF-TZ29-2448	+\$545
		LK-TBF-TZ29-3048	+\$579
T-Base Adjustable			
 T-Base Adjustable	Width	Model	List Price
	48"	LK-TBA-TZ29-2448	+\$665
		LK-TBA-TZ29-3048	+\$697
Tilt			
 T-Base Tilt	Width	Model	List Price
	48"	LK-TBT-TZ29-2448	+\$1,061
		LK-TBT-TZ29-3048	+\$1,096
 Inline T-Base	Width	Model	List Price
	48"	LK-IBT-TZ29-2448	+\$947
		LK-IBT-TZ29-3048	+\$982



Cantilever T-Bases

Fixed			
 Cantilever T-Base Fixed	Width	Model	List Price
	48"	LK-CBF-TZ29-2448	+\$547
		LK-CBF-TZ29-3048	+\$576
Cantilever T-Base Adj.			
 Cantilever T-Base Adj.	Width	Model	List Price
	48"	LK-CBA-TZ29-2448	+\$667
		LK-CBA-TZ29-3048	+\$694
Tilt			
 Cantilever T-Base Tilt	Width	Model	List Price
	48"	LK-CBT-TZ29-2448	+\$1,080
		LK-CBT-TZ29-3048	+\$1,108

See pages 6-7 for additional information on Lok Bases.

See pages 46-49 on how to order/specify Lok Bases for Trapezoid Tops, including caster color options.

Training Table Modesty Panels

 Fixed Modesty	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPF-26A	+\$326	--
		LK-MPF-30A	+\$327	--
	TFL	LK-MPF-26T	+\$171	--
		LK-MPF-30T	+\$174	--
	HPL	LK-MPF-26H	+\$255	+\$262
		LK-MPF-30H	+\$256	+\$264

Note: Fixed modesty panels are intended to always be attached to top and should not be specified in conjunction with Tilt T-Bases.

 Removable Modesty	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPR-26A	+\$365	--
		LK-MPR-30A	+\$367	--
	TFL	LK-MPR-26T	+\$213	--
		LK-MPR-30T	+\$215	--
	HPL	LK-MPR-26H	+\$294	+\$302
		LK-MPR-30H	+\$295	+\$303

Note: Removable modesty panels when used with Tilt T-bases must be removed before tilting table.

 Hinged Modesty	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPH-26A	+\$347	--
		LK-MPH-30A	+\$348	--
	TFL	LK-MPH-26T	+\$213	--
		LK-MPH-30T	+\$215	--
	HPL	LK-MPH-26H	+\$293	+\$301
		LK-MPH-30H	+\$294	+\$302



Note: Hinged modesty panels are intended to be used with Tilt T-Bases for tilting and table nesting. Not to be specified with Fixed T-Bases.

See pages 8-9 for additional information on Lok Modesty Panels.

See pages 64-66 on how to order/specify Lok Modesty Panels.

Description

Lecture Training Top



LAMINATE	D	W	H	CTN WT	CU FT	❶ Model	TFL	Standard HPL 1	Graded In HPL 2
	24	48	29	35	3	LK-LC29-2448T	\$395	\$522	\$536
	30	48	29	43	3	LK-LC29-3048T	\$508	\$583	\$599
	24	60	29	43	3	LK-LC29-2460T	\$441	\$589	\$605
	30	60	29	54	4	LK-LC29-3060T	\$580	\$665	\$683


Table Components: (order separately)

- base, modesty panel, electrical, and privacy screens sold and ship separately
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$64 list

Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top Cutout Location



To Order Specify


❶ Model #	❷a Laminate Selection	❷b PVC Edge Color	❸ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout

Model Number Breakdown

LK-LC29-2448T					
LK	LC	29	2448	T	
LOK	Lecture Top Shape	Height	24" x 48"	Laminate	


Training Table Bases

Select base preference below to go with corresponding Top. Note: Base depth and width must match Top depth (D) and width (W).




T-Bases

Fixed



T-Base Fixed


Width	Model	List Price
48"	LK-TBF-LC29-2448	+\$561
	LK-TBF-LC29-3048	+\$596
60"	LK-TBF-LC29-2460	+\$604
	LK-TBF-LC29-3060	+\$637



T-Base Adjustable


Width	Model	List Price
48"	LK-TBA-LC29-2448	+\$680
	LK-TBA-LC29-3048	+\$715
60"	LK-TBA-LC29-2460	+\$723
	LK-TBA-LC29-3060	+\$758

Tilt




T-Base Tilt

Width	Model	List Price
48"	LK-TBT-LC29-2448	+\$1,078
	LK-TBT-LC29-3048	+\$1,112
60"	LK-TBT-LC29-2460	+\$1,094
	LK-TBT-LC29-3060	+\$1,126




Inline T-Base

Width	Model	List Price
48"	LK-IBT-LC29-2448	+\$947
	LK-IBT-LC29-3048	+\$982
60"	LK-IBT-LC29-2460	+\$1,078
	LK-IBT-LC29-3060	+\$1,112




Cantilever T-Bases

Fixed



Cantilever T-Base Fixed


Width	Model	List Price
48 "	LK-CBF-LC29-2448	+\$547
	LK-CBF-LC29-3048	+\$591
60 "	LK-CBF-LC29-2460	+\$590
	LK-CBF-LC29-3060	+\$635



Cantilever T-Base Adj.

Width	Model	List Price
48 "	LK-CBA-LC29-2448	+\$667
	LK-CBA-LC29-3048	+\$711
60 "	LK-CBA-LC29-2460	+\$710
	LK-CBA-LC29-3060	+\$755

Tilt




Cantilever T-Base Tilt

Width	Model	List Price
48 "	LK-CBT-LC29-2448	+\$1,096
	LK-CBT-LC29-3048	+\$1,108
60 "	LK-CBT-LC29-2460	+\$1,080
	LK-CBT-LC29-3060	+\$1,124

See pages 6-7 for additional information on Lok Bases.

See pages 50-53 on how to order/specify Lok Bases for Lecture Tops, including caster color options.


Training Table Modesty Panels



Fixed Modesty

Note: Fixed modesty panels are intended to always be attached to top and should not be specified in conjunction with Tilt T-Bases.

Material	Model	List Price
Acrylic	LK-MPF-48A	+\$368
	LK-MPF-60A	+\$451



Removable Modesty

Note: Removable modesty panels when used with Tilt T-bases must be removed before tilting table.



See pages 8-9 for additional information on Lok Modesty Panels.

See pages 64-66 on how to order/specify Lok Modesty Panels.

Material	Model	List Price
Acrylic	LK-MPR-48A	+\$407
	LK-MPR-60A	+\$510

Description

Crescent Training Top



D	W	H	CTN WT	CU FT	❶ Model	TFL	Standard	Graded In
							HPL 1	HPL 2
24	48	29	35	3	LK-CR29-2448T	\$402	\$543	\$557
30	48	29	43	3	LK-CR29-3048T	\$513	\$603	\$620


Table Components: (order separately)

- base, electrical, and privacy screens sold and ship separately
- top does not accommodate modesty panel
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$64 list

Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top Cutout Location



To Order Specify


❶ Model #	❷a Laminate Selection	❷b PVC Edge Color	❸ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout

Model Number Breakdown

LK-CR29-2448T					
LK	CR	29	2448	T	
LOK	Crescent Top Shape	Height	24" x 48"	Laminate	


Training Table Bases

Select base preference below to go with corresponding Top. Note: Base depth and width must match Top depth (D) and width (W).



T-Bases

Fixed			
 T-Base Fixed	Width	Model	List Price
	48"	LK-TBF-CR29-2448	+\$545
		LK-TBF-CR29-3048	+\$579
T-Base Adjustable			
 T-Base Adjustable	Width	Model	List Price
	48"	LK-TBA-CR29-2448	+\$665
		LK-TBA-CR29-3048	+\$697
Tilt			
 T-Base Tilt	Width	Model	List Price
	48"	LK-TBT-CR29-2448	+\$1,061
		LK-TBT-CR29-3048	+\$1,096
 Inline T-Base	Width	Model	List Price
	48"	LK-IBT-CR29-2448	+\$947
		LK-IBT-CR29-3048	+\$982



Cantilever T-Bases

Fixed			
 Cantilever T-Base Fixed	Width	Model	List Price
	48"	LK-CBF-CR29-2448	+\$547
		LK-CBF-CR29-3048	+\$576
Cantilever T-Base Adj.			
 Cantilever T-Base Adj.	Width	Model	List Price
	48"	LK-CBA-CR29-2448	+\$667
		LK-CBA-CR29-3048	+\$694
Tilt			
 Cantilever T-Base Tilt	Width	Model	List Price
	48"	LK-CBT-CR29-2448	+\$1,080
		LK-CBT-CR29-3048	+\$1,108


See pages 6-7 for additional information on Lok Bases.

See pages 54-57 on how to order/specify Lok Bases for Crescent Tops, including caster color options.

Note: Standard Training Table Modesty Panels are not available for Crescent Top shaped tables

Description

Half Round Training Top



D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
							HPL 1	HPL 2
24	48	29	35	3	LK-HR29-2448T	\$397	\$502	\$502
30	60	29	54	4	LK-HR29-3060T	\$509	\$562	\$562


Table Components: (order separately)

- base, modesty panel, electrical, and privacy screens sold and ship separately
- specify power option or power jumper, see below
- optional set of (2) linking bracket, specify and add an additional \$64 list

Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top Cutout Location



To Order Specify


① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout

Model Number Breakdown





LK-HR29-2448T					
LK	HR	29	2448	T	
LOK	Half Round Top Shape	Height	24" x 48"	Laminate	


Training Table Bases

Select base preference below to go with corresponding Top. Note: Base depth and width must match Top depth (D) and width (W).






T-Bases

Fixed			
 T-Base Fixed	Width	Model	List Price
	48"	LK-TBF-HR29-2448	+\$545
 T-Base Adjustable	Width	Model	List Price
	48"	LK-TBA-HR29-2448	+\$665
	60"	LK-TBA-HR29-3060	+\$758
Tilt			
 T-Base Tilt	Width	Model	List Price
	48"	LK-TBT-HR29-2448	+\$947
	60"	LK-TBT-HR29-3060	+\$1,112
 Inline T-Base	Width	Model	List Price
	48"	LK-IBT-HR29-2448	+\$947
	60"	LK-IBT-HR29-3060	+\$1,112




Cantilever T-Bases

Fixed			
 Cantilever T-Base Fixed	Width	Model	List Price
	48"	LK-CBF-HR29-2448	+\$533
	60"	LK-CBF-HR29-3060	+\$635
Adjustable			
 Cantilever T-Base Adj.	Width	Model	List Price
	48"	LK-CBA-HR29-2448	+\$650
	60"	LK-CBA-HR29-3060	+\$755
Tilt			
 Cantilever T-Base Tilt	Width	Model	List Price
	48"	LK-CBT-HR29-2448	+\$949
	60"	LK-CBT-HR29-3060	+\$1,108

See pages 6-7 for additional information on Lok Bases.

See pages 58-61 on how to order/specify Lok Bases for Half Round Tops, including caster color options.

Training Table Modesty Panels

 Fixed Modesty	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPF-48A	+\$368	--
		LK-MPF-60A	+\$451	--
	TFL	LK-MPF-48T	+\$186	--
		LK-MPF-60T	+\$209	--
	HPL	LK-MPF-48H	+\$273	+\$286
		LK-MPF-60H	+\$308	+\$323

Note: Fixed modesty panels are intended to always be attached to top and should not be specified in conjunction with Tilt T-Bases.

 Removable Modesty	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPR-48A	+\$407	--
		LK-MPR-60A	+\$510	--
	TFL	LK-MPR-48T	+\$225	--
		LK-MPR-60T	+\$269	--
	HPL	LK-MPR-48H	+\$314	+\$326
		LK-MPR-60H	+\$368	+\$381

Note: Removable modesty panels when used with Tilt T-bases must be removed before tilting table.

 Hinged Modesty	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPH-48A	+\$404	--
		LK-MPH-60A	+\$505	--
	TFL	LK-MPH-48T	+\$224	--
		LK-MPH-60T	+\$260	--
	HPL	LK-MPH-48H	+\$313	+\$325
		LK-MPH-60H	+\$360	+\$373



Note: Hinged modesty panels are intended to be used with Tilt T-Bases for tilting and table nesting. Not to be specified with Fixed T-Bases.

See pages 8-9 for additional information on Lok Modesty Panels.

See pages 64-66 on how to order/specify Lok Modesty Panels.

Description

Bullet Training Top



Eased Edge (R3)


D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
							HPL 1	HPL 2
30	60	29	54	4	LK-BU29-3060T	\$441	\$589	\$605
36	60	29	61	5	LK-BU29-3660T	\$590	\$690	\$745
30	66	29	58	4	LK-BU29-3066T	\$482	\$630	\$657
36	66	29	67	5	LK-BU29-3666T	\$615	\$718	\$774
30	72	29	61	5	LK-BU29-3072T	\$517	\$662	\$709
36	72	29	73	6	LK-BU29-3672T	\$677	\$797	\$836
48	72	29	96	7	LK-BU29-4872T	\$770	\$900	\$972

Table Components: (order separately)

- base, electrical, and privacy screens sold and ship separately
- optional set of (2) linking bracket, specify and add an additional \$64 list
- specify power option, see below for options


Electrical Options/Cutout Locations:

- specify power cutout
- reference drawing below for approximate location




Select base preference below to go with corresponding Top.

Note: Base depth and width must match Top depth (D) and width (W).



(center column)

Fixed



T-Base Fixed

T-Bases

Width	Model	List Price
60"	LK-TBF-BU29-3060	+\$637
	LK-TBF-BU29-3660	+\$676
66"	LK-TBF-BU29-3066	+\$637
	LK-TBF-BU29-3666	+\$676
72"	LK-TBF-BU29-3072	+\$649
	LK-TBF-BU29-3672	+\$688
	LK-TBF-BU29-4872	+\$688

See intro page 6 for additional information on Lok Bases, including base color options.

See pricing page 62 on how to order/specify Lok Bases for Bullet Tops, including caster color options.

To Order Specify



① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None CTEC23-CO Electrical Cutout for EC23 CTEC24-CO Electrical Cutout for EC24

Model Number Breakdown


LK-BU29-3060T					
LK	BU	29	3060	T	
LOK	Bullet Top Shape	Height	30" x 60"	Laminate	

Description

Hive Training Top



top shape



Eased Edge (R3)


LAMINATE	W	D	H	CTN WT	CU FT	① Model	TFL	Standard HPL 1	Graded In HPL 2
	30	60	29	54	4	LK-HV29-3060T	\$443	\$591	\$607
	36	60	29	61	5	LK-HV29-3660T	\$592	\$692	\$747
	30	66	29	58	4	LK-HV29-3066T	\$484	\$632	\$659
	36	66	29	67	5	LK-HV29-3666T	\$618	\$720	\$777
	30	72	29	61	5	LK-HV29-3072T	\$519	\$665	\$711
	36	72	29	73	6	LK-HV29-3672T	\$679	\$800	\$838
	48	72	29	96	7	LK-HV29-4872T	\$773	\$903	\$975

Table Components: (order separately)

- base, electrical, and privacy screens sold and ship separately
- optional set of (2) ganging bracket, specify and add an additional \$64 list
- specify power option, see below for options


Electrical Options/Cutout Locations:

- specify power cutout
- reference drawing below for approximate location



(60"- 72" wide)

Select base preference below to go with corresponding Top.


Note: Base depth and width must match Top depth (D) and width (W).

(center column)

T-Bases

Width	Model	List Price
60"	LK-TBF-HV29-3060	+\$637
	LK-TBF-HV29-3660	+\$676
66"	LK-TBF-HV29-3066	+\$637
	LK-TBF-HV29-3666	+\$676
72"	LK-TBF-HV29-3072	+\$649
	LK-TBF-HV29-3672	+\$676
	LK-TBF-HV29-4872	+\$676

Fixed



T-Base Fixed

See page 6 for additional information on Lok Bases.

See page 62 on how to order/specify Lok Bases for Hive Tops, including caster color options.

To Order Specify



① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None CTEC23-CO Electrical Cutout for EC23 CTEC24-CO Electrical Cutout for EC24

Model Number Breakdown

LK-HV29-3060T					
LK	HV	29	3060	T	
LOK	Hive Top Shape	Height	30" x 60"	Laminate	

Description

Huddle Training Top



Eased Edge (R3)


W	D	H	CTN WT	CU FT	① Model	TFL	Standard HPL 1	Graded In HPL 2
30	72	29	65	5	LK-HU29-3072T	\$517	\$662	\$709
36	84	29	91	6	LK-HU29-3684T	\$751	\$823	\$887

Table Components: (order separately)

- base and electrical sold and ship separately
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$64 list

Electrical Options/Cutout Locations:


- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location



(72" - 84" wide)


Select base preference below to go with corresponding Top.

Note: Base depth and width must match Top depth (D) and width (W).



(center column)

Fixed



T-Base Fixed

T-Bases

Width	Model	List Price
72"	LK-TBF-HU29-3072	+\$1,059
84"	LK-TBF-HU29-3684	+\$1,059

See page 6 for additional information on Lok Bases.

See page 63 on how to order/specify Lok Bases for Huddle Tops, including caster color options.

To Order Specify

① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None CTEC23-CO Electrical Cutout for EC23 CTEC24-CO Electrical Cutout for EC24

Model Number Breakdown

LK-HU29-3072T					
LK	HU	29	3072	T	
LOK	Huddle Top Shape	Height	30" x 72"	Laminate	

Description

One-twenty Training Top



						 Eased Edge (R3)		
							Standard	Graded In
						TFL	HPL 1	HPL 2
LAM	D	W	H	CTN WT	CU FT	1 Model		
	42	72	29	81	6	LK-YG29-4272T	\$748	\$826
	45	84	29	95	8	LK-YG29-4584T	\$777	\$951
								\$1,033

Table Components: (order separately)

- base, modesty panel, electrical, and privacy screens sold and ship separately
- specify power option, see below


Options:

- optional set of (2) linking bracket, specify and add an additional \$64 list


Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top



LRT2 : Dual Power Left/Right Top



To Order Specify


1 Model #	2a Laminate Selection	2b PVC Edge Color	3 Electrical
	See Laminate Selection	See PVC Edge Color Options	
Model (LK)			N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout L-LRT2-CO Link System - Left/Right Top Dual Power Cutout E-LRT2-CO Econo System - Left/Right Top Dual Power Cutout

Model Number Breakdown

LK-YG29-4272T					
LK	YG	29	4272	T	
LOK	One-twenty Top Shape	Height	42" x 72"	Laminate	

Training Table Bases


Select base preference below to go with corresponding Top. Note: Base depth and width must match Top depth (D) and width (W).



T-Bases

(center column)

Fixed



T-Base Fixed

Width	Model	List Price
72"	LK-TBF-YG29-4272	+\$770
84"	LK-TBF-YG29-4584	+\$770

Training Table Modesty Panels



Fixed Modesty

Material	Model	Standard List	Graded In HPL 2
Acrylic	LK-MPF-36A	+\$329	--
	LK-MPF-42A	+\$365	--
TFL	LK-MPF-36T	+\$177	--
	LK-MPF-42T	+\$183	--
HPL	LK-MPF-36H	+\$258	+\$267
	LK-MPF-42H	+\$271	+\$283

Note: Fixed modesty panels are intended to always be attached to top and should not be specified in conjunction with Tilt T-Bases.



Removable Modesty

Material	Model	Standard List	Graded In HPL 2
Acrylic	LK-MPR-36A	+\$369	--
	LK-MPR-42A	+\$404	--
TFL	LK-MPR-36T	+\$217	--
	LK-MPR-42T	+\$223	--
HPL	LK-MPR-36H	+\$297	+\$307
	LK-MPR-42H	+\$312	+\$324

Note: Removable modesty panels when used with Tilt T-bases must be removed before tilting table.

See pages 8-9 for additional information on Lok Modesty Panels.


See pages 64-66 on how to order/specify Lok Modesty Panels.

Description

Quarter Round Training Top



top shape



Eased Edge (R3)

D	W	H	CTN WT	CU FT	❶ Model	TFL	Standard	Graded In
							HPL 1	HPL 2
24			15	2	LK-Q90-24T	\$326	\$392	\$397
30			22	2	LK-Q90-30T	\$349	\$458	\$467

Features:

- electrical sold and ship separately
- base not required; flat plates included - use for attachment between two tables

Options:

- power continued from adjacent tables with jumper; specify no (PJN) or yes
Link(PJY-L) - add \$120 list or Econo(PJY-E) - add \$133 list



To Order Specify

❶ Model #	❷a Laminate Selection	❷b PVC Edge Color	❸ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	PJY-L LINK System Jumper PJY-E ECONO System Jumper

Model Number Breakdown

LK-Q90-24T					
LK	Q	90	24	T	
LOK	Quarter Round Top Shape	90° Quarter Round	24" Depth	Laminate	

Wedge Link Training Top




LAMINATE	D	W	H	CTN WT	CU FT	① Model	TFL	Standard HPL 1	Graded In HPL 2
	24			6	1	LK-W18-24T	\$238	\$294	\$296
	30			7	1	LK-W18-30T	\$252	\$319	\$323
	24			7	1	LK-W30-24T	\$256	\$314	\$317
	30			9	1	LK-W30-30T	\$280	\$351	\$354
	24			9	1	LK-W45-24T	\$274	\$346	\$349
	30			11	2	LK-W45-30T	\$313	\$395	\$401
	24			13	2	LK-W90-24T	\$302	\$372	\$376
	30			17	2	LK-W90-30T	\$328	\$439	\$446

Features:

- electrical sold and ship separately
- base not required; flat plates included - use for attachment between two tables

Options:

- power continued from adjacent tables with jumper; specify no (PJN) or yes Link(PJY-L) - add \$120 list or Econo(PJY-E) -add \$133 list









To Order Specify

① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	PJY-L LINK System Jumper PJY-E ECONO System Jumper

Model Number Breakdown

LK-W18-24T					
LK	W	18	24	T	
LOK	Wedge Top Shape	18° Wedge	24" Depth	Laminate	


Description	D	W	H	CTN WT	CU FT	① Model	List Price
Fixed T Base for Rectangular Top	20	36	29	22	4	LK-TBF-TT29-2036	\$517
	24	36	29	23	5	LK-TBF-TT29-2436	\$545
	30	36	29	24	7	LK-TBF-TT29-3036	\$579
 36" & 48"w	20	48	29	22	4	LK-TBF-TT29-2048	\$517
	24	48	29	23	5	LK-TBF-TT29-2448	\$545
	30	48	29	24	7	LK-TBF-TT29-3048	\$579
 60" - 96"w includes a metal support rail	20	60	29	26	5	LK-TBF-TT29-2060	\$577
	24	60	29	27	6	LK-TBF-TT29-2460	\$604
	30	60	29	28	8	LK-TBF-TT29-3060	\$637
 60" - 96"w includes a metal support rail	20	66	29	26	5	LK-TBF-TT29-2066	\$577
	24	66	29	27	6	LK-TBF-TT29-2466	\$604
	30	66	29	28	8	LK-TBF-TT29-3066	\$637
 60" - 96"w includes a metal support rail	20	72	29	27	5	LK-TBF-TT29-2072	\$587
	24	72	29	28	6	LK-TBF-TT29-2472	\$615
	30	72	29	29	8	LK-TBF-TT29-3072	\$649
 60" - 96"w includes a metal support rail	20	84	29	27	5	LK-TBF-TT29-2084	\$587
	24	84	29	28	6	LK-TBF-TT29-2484	\$615
	30	84	29	29	8	LK-TBF-TT29-3084	\$649
 60" - 96"w includes a metal support rail	20	96	29	28	6	LK-TBF-TT29-2096	\$606
	24	96	29	29	7	LK-TBF-TT29-2496	\$635
	30	96	29	30	9	LK-TBF-TT29-3096	\$669




Features:

- bases include all necessary field assembly hardware

Options:



- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$45 list for casters
- specify metal finish, see below for options and two-tone capabilities

**To Order Specify**

① Model #	② Feet & Post Finish	Dual Finish		③ Glides or Casters		
Lok (LK)	See Feet & Post Finish Options  Example	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options  Example	G Glides  Standard (no upcharge)	C Casters - BL Black  +\$45	- WG White w/Grey Wheels  +\$45

LK-TBF-TT29-3072

LK	TBF	TT	29	3072	
LOK	T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Cantilever Fixed T-Base for Rectangular Top  36" & 48"w	20	36	29	22	4	LK-CBF-TT29-2036	\$533
	24	36	29	23	5	LK-CBF-TT29-2436	\$547
	30	36	29	24	7	LK-CBF-TT29-3036	\$576
	20	48	29	22	4	LK-CBF-TT29-2048	\$533
	24	48	29	23	5	LK-CBF-TT29-2448	\$547
	30	48	29	24	7	LK-CBF-TT29-3048	\$576
	20	60	29	26	5	LK-CBF-TT29-2060	\$590
	24	60	29	27	6	LK-CBF-TT29-2460	\$606
	30	60	29	28	8	LK-CBF-TT29-3060	\$635
 60" - 96"w includes a metal support rail	20	66	29	26	5	LK-CBF-TT29-2066	\$590
	24	66	29	27	6	LK-CBF-TT29-2466	\$606
	30	66	29	28	8	LK-CBF-TT29-3066	\$635
	20	72	29	27	5	LK-CBF-TT29-2072	\$601
	24	72	29	28	6	LK-CBF-TT29-2472	\$618
	30	72	29	29	8	LK-CBF-TT29-3072	\$645
	20	84	29	27	5	LK-CBF-TT29-2084	\$601
	24	84	29	28	6	LK-CBF-TT29-2484	\$618
	30	84	29	29	8	LK-CBF-TT29-3084	\$645
	20	96	29	28	6	LK-CBF-TT29-2096	\$623
	24	96	29	29	7	LK-CBF-TT29-2496	\$637
	30	96	29	30	9	LK-CBF-TT29-3096	\$666



Features:



- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster (C) - choice of Black (BL) or White/Grey (WG) Caster; add \$45 list for casters

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish		③ Glides or Casters		
Lok (LK)	See Feet & Post Finish Options  Example	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options  Example	G Glides  Standard (no upcharge)	C Casters - BL Black +\$45 	- WG White w/Grey Wheels +\$45 
LK-CBF-TT29-3072						
LK	CBF	TT	29	3072		
LOK	Cantilever T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops		


Description	D	W	H	CTN WT	CU FT	① Model	List Price
Adjustable T Base for Rectangular Top  36" & 48" w  60" - 96" w includes a metal support rail	20	36	29	22	4	LK-TBA-TT29-2036	\$635
	24	36	29	23	5	LK-TBA-TT29-2436	\$665
	30	36	29	24	7	LK-TBA-TT29-3036	\$697
	20	48	29	22	4	LK-TBA-TT29-2048	\$635
	24	48	29	23	5	LK-TBA-TT29-2448	\$665
	30	48	29	24	7	LK-TBA-TT29-3048	\$697
	20	60	29	26	5	LK-TBA-TT29-2060	\$695
	24	60	29	27	6	LK-TBA-TT29-2460	\$723
	30	60	29	28	8	LK-TBA-TT29-3060	\$758
	20	66	29	26	5	LK-TBA-TT29-2066	\$695
	24	66	29	27	6	LK-TBA-TT29-2466	\$723
	30	66	29	28	8	LK-TBA-TT29-3066	\$758
	20	72	29	27	5	LK-TBA-TT29-2072	\$705
	24	72	29	28	6	LK-TBA-TT29-2472	\$734
	30	72	29	29	8	LK-TBA-TT29-3072	\$768
	20	84	29	27	5	LK-TBA-TT29-2084	\$705
	24	84	29	28	6	LK-TBA-TT29-2484	\$734
	30	84	29	29	8	LK-TBA-TT29-3084	\$768
	20	96	29	28	6	LK-TBA-TT29-2096	\$725
	24	96	29	29	7	LK-TBA-TT29-2496	\$755
	30	96	29	30	9	LK-TBA-TT29-3096	\$788



Features:

- pin adjustment base provides range of 26"-34"
- bases include all necessary field assembly hardware

Options:



- specify metal finish, see below for options and two-tone capabilities

**To Order Specify**

① Model #	② Feet & Post Finish	Dual Finish		
Lok (LK)	See Feet & Post Finish Options  Example	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options  Example	G Glides  Standard (no upcharge)

LK-TBA-TT29-3072

LK	TBA	TT	29	3072	
LOK	T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Cantilever Adjustable T-Base for Rectangular Top  36" & 48" w	20	36	29	22	4	LK-CBA-TT29-2036	\$650
	24	36	29	23	5	LK-CBA-TT29-2436	\$667
	30	36	29	24	7	LK-CBA-TT29-3036	\$694
	20	48	29	22	4	LK-CBA-TT29-2048	\$650
	24	48	29	23	5	LK-CBA-TT29-2448	\$667
	30	48	29	24	7	LK-CBA-TT29-3048	\$694
 60" - 96" w includes a metal support rail	20	60	29	26	5	LK-CBA-TT29-2060	\$710
	24	60	29	27	6	LK-CBA-TT29-2460	\$725
	30	60	29	28	8	LK-CBA-TT29-3060	\$755
	20	66	29	26	5	LK-CBA-TT29-2066	\$710
	24	66	29	27	6	LK-CBA-TT29-2466	\$725
	30	66	29	28	8	LK-CBA-TT29-3066	\$755
	20	72	29	27	5	LK-CBA-TT29-2072	\$720
	24	72	29	28	6	LK-CBA-TT29-2472	\$736
	30	72	29	29	8	LK-CBA-TT29-3072	\$764
	20	84	29	27	5	LK-CBA-TT29-2084	\$720
	24	84	29	28	6	LK-CBA-TT29-2484	\$736
	30	84	29	29	8	LK-CBA-TT29-3084	\$764
	20	96	29	28	6	LK-CBA-TT29-2096	\$740
	24	96	29	29	7	LK-CBA-TT29-2496	\$758
	30	96	29	30	9	LK-CBA-TT29-3096	\$784



Features:

- pin adjustment base provides range of 26"-34"
- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities

To Order Specify


❶ Model #	❷ Feet & Post Finish	Dual Finish		
Lok (LK)	See Feet & Post Finish Options  Example	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options  Example	G Glides  Standard (no upcharge)

LK-CBA-TT29-3072



LK	CBA	TT	29	3072	
LOK	Cantilever T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
 Tilt T Base for Rectangular Top	20	36	29	27	5	LK-TBT-TT29-2036	\$903
	24	36	29	28	6	LK-TBT-TT29-2436	\$932
	30	36	29	28	8	LK-TBT-TT29-3036	\$967
	20	48	29	28	6	LK-TBT-TT29-2048	\$1,034
	24	48	29	29	7	LK-TBT-TT29-2448	\$1,061
	30	48	29	30	9	LK-TBT-TT29-3048	\$1,096
	20	60	29	29	6	LK-TBT-TT29-2060	\$1,050
	24	60	29	30	7	LK-TBT-TT29-2460	\$1,078
	30	60	29	31	9	LK-TBT-TT29-3060	\$1,111
	20	66	29	31	9	LK-TBT-TT29-2066	\$1,050
	24	66	29	30	7	LK-TBT-TT29-2466	\$1,078
	30	66	29	29	6	LK-TBT-TT29-3066	\$1,111
	20	72	29	30	6	LK-TBT-TT29-2072	\$1,080
	24	72	29	31	7	LK-TBT-TT29-2472	\$1,110
	30	72	29	32	9	LK-TBT-TT29-3072	\$1,143
	20	84	29	30	6	LK-TBT-TT29-2084	\$1,080
	24	84	29	31	7	LK-TBT-TT29-2484	\$1,110
	30	84	29	32	9	LK-TBT-TT29-3084	\$1,143
	20	96	29	32	6	LK-TBT-TT29-2096	\$1,140
	24	96	29	32	7	LK-TBT-TT29-2496	\$1,167
	30	96	29	33	9	LK-TBT-TT29-3096	\$1,199


- Features:**
- base nests in offset position when top is tilted
 - bases include all necessary field assembly hardware
- Options:**
- specify Black (BL) or White/Grey (WG) Caster
 - specify metal finish, see below for options and two-tone capabilities



To Order Specify

❶ Model #	❷ Feet & Post Finish	Dual Finish		❸ Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels 

LK-TBT-TT29-3072					
LK	TBT	TT	29	3072	
LOK	T-Base Tilt	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Inline Tilt T-Base for Rectangular Top 	20	48	29	28	6	LK-IBT-TT29-2048	\$947
	24	48	29	28	6	LK-IBT-TT29-2448	\$947
	20	60	29	29	7	LK-IBT-TT29-2060	\$1,078
	24	60	29	29	7	LK-IBT-TT29-2460	\$1,078
	20	66	29	29	7	LK-IBT-TT29-2066	\$1,078
	24	66	29	29	7	LK-IBT-TT29-2466	\$1,078
	20	72	29	30	7	LK-IBT-TT29-2072	\$1,094
	24	72	29	30	7	LK-IBT-TT29-2472	\$1,094
	20	84	29	31	7	LK-IBT-TT29-2084	\$1,125
	24	84	29	31	7	LK-IBT-TT29-2484	\$1,125
	20	96	29	32	7	LK-IBT-TT29-2096	\$1,184
	24	96	29	32	7	LK-IBT-TT29-2496	\$1,184



Features:


- base nests in inline position when top is tilted
- bases include all necessary field assembly hardware

Options:

- specify Black (BL) or White/Grey (WG) Caster
- specify metal finish, see below for options and two-tone capabilities

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish		③ Casters	
Lok (LK)	See Feet & Post Finish Options  Example	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options  Example	C Casters - Standard (no upcharge) - BL Black 	- WG White w/ Grey Wheels 
LK-IBT-TT29-2472					
LK	IBT	TT	29	2472	
LOK	Inline T-Base Tilt	Rectangular Top Shape	Height	Used on 24" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Cantilever Tilt T-Base for Rectangular Top	20	36	29	27	5	LK-CBT-TT29-2036	\$934
	24	36	29	28	6	LK-CBT-TT29-2436	\$949
	30	36	29	28	8	LK-CBT-TT29-3036	\$978
	20	48	29	28	6	LK-CBT-TT29-2048	\$1,064
	24	48	29	29	7	LK-CBT-TT29-2448	\$1,080
	30	48	29	30	9	LK-CBT-TT29-3048	\$1,108
	20	60	29	29	6	LK-CBT-TT29-2060	\$1,079
	24	60	29	30	7	LK-CBT-TT29-2460	\$1,096
	30	60	29	31	9	LK-CBT-TT29-3060	\$1,124
	20	66	29	29	6	LK-CBT-TT29-2066	\$1,079
	24	66	29	30	7	LK-CBT-TT29-2466	\$1,096
	30	66	29	31	9	LK-CBT-TT29-3066	\$1,124
	20	72	29	30	6	LK-CBT-TT29-2072	\$1,111
	24	72	29	31	7	LK-CBT-TT29-2472	\$1,126
	30	72	29	32	9	LK-CBT-TT29-3072	\$1,155
	20	84	29	30	6	LK-CBT-TT29-2084	\$1,111
	24	84	29	31	7	LK-CBT-TT29-2484	\$1,126
	30	84	29	32	9	LK-CBT-TT29-3084	\$1,155
	20	96	29	32	6	LK-CBT-TT29-2096	\$1,170
	24	96	29	32	7	LK-CBT-TT29-2496	\$1,186
	30	96	29	33	9	LK-CBT-TT29-3096	\$1,213



Features:

- base nests in offset position when top is tilted
- bases include all necessary field assembly hardware

Options:


- specify Black (BL) or White/Grey (WG) Caster
- specify metal finish, see below for options and two-tone capabilities

To Order Specify


① Model #	② Feet & Post Finish	Dual Finish		③ Casters	
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black 	- WG White w/ Grey Wheels 
LK-CBT-TT29-3072					
LK	CBT	TT	29	3072	
LOK	Cantilever T-Base Tilt	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Page left intentionally blank


Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Fixed T Base for Trapezoid Top	24	48	29	23	5	LK-TBF-TZ29-2448	\$545
	30	48	29	24	7	LK-TBF-TZ29-3048	\$579



- Features:**
- specify Glide (G) or Caster(C) -choice of Black(BL) or White/Grey (WG) Caster; add \$45 list for casters
- Options:**
- bases include all necessary field assembly hardware
 - specify metal finish, see below for options and two-tone capabilities





Cantilever Fixed T-Base for Trapezoid Top	24	48	29	23	5	LK-CBF-TZ29-2448	\$547
	30	48	29	24	7	LK-CBF-TZ29-3048	\$576




- Features:**
- specify Glide (G) or Caster(C) -choice of Black(BL) or White/Grey (WG) Caster; add \$45 list for casters
- Options:**
- bases include all necessary field assembly hardware
 - specify metal finish, see below for options and two-tone capabilities

To Order Specify

❶ Model #	❷ Feet & Post Finish	Dual Finish		❸ Glides or Casters		
Lok (LK)	See Feet & Post Finish Options  Example	❷a Feet Finish	❷b Post Finish	 G Glides Standard (no upcharge)	 C Casters - BL Black +\$45	 - WG White w/Grey Wheels +\$45
		See Feet Finish Options	See Post Finish Options  Example			

LK-TBF-TZ29-3072					
LK	TBF	TZ	29	3072	
LOK	T-Base Fixed	Trapezoid Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Adjustable T Base for Trapezoid Top	24	48	29	23	5	LK-TBA-TZ29-2448	\$665
	30	48	29	24	7	LK-TBA-TZ29-3048	\$697




Features:


- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities



Cantilever Adjustable T-Base for Trapezoid Top	24	48	29	23	5	LK-CBA-TZ29-2448	\$667
	30	48	29	24	7	LK-CBA-TZ29-3048	\$694




Features:


- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities




To Order Specify


❶ Model #	❷ Feet & Post Finish	Dual Finish		
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options	G Glides  Standard (no upcharge)

LK-TBF-TZ29-3072					
LK	TBA	TZ	29	3072	
LOK	T-Base Adjustable	Trapezoid Top Shape	Height	Used on 30" x 72" Tops	


Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Tilt T Base for Trapezoid Top	24	48	29	29	7	LK-TBT-TZ29-2448	\$1,061
	30	48	29	30	9	LK-TBT-TZ29-3048	\$1,096



- Features:**
- base nests in offset position when top is tilted
 - bases include all necessary field assembly hardware
- Options:**
- specify Black (BL) or White/Grey (WG) Caster
 - specify metal finish, see below for options and two-tone capabilities





Inline Tilt T-Base for Trapezoid Top	24	48	29	27	6	LK-IBT-TZ29-2448	\$947
	30	48	29	28	8	LK-IBT-TZ29-3048	\$982




- Features:**
- base nests in inline position when top is tilted
 - bases include all necessary field assembly hardware
- Options:**
- specify metal finish, see below for options and two-tone capabilities
 - specify Black (BL) or White/Grey (WG) Caster

To Order Specify

❶ Model #	❷ Feet & Post Finish	Dual Finish		❸ Casters
Lok (LK)	See Feet & Post Finish Options	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels
				

LK-TBT-TZ29-3048					
LK	TBT	TZ	29	3048	
LOK	T-Base Tilt	Trapezoid Top Shape	Height	Used on 30" x 48" Tops	

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Cantilever Tilt T-Base for Trapezoid Top	24	48	29	29	7	LK-CBT-TZ29-2448	\$1,080
	30	48	29	30	9	LK-CBT-TZ29-3048	\$1,108



**Features:**

- base nests in offset position when top is tilted
- bases include all necessary field assembly hardware


Options:

- specify Black (BL) or White/Grey (WG) Caster
- specify metal finish, see below for options and two-tone capabilities


To Order Specify

❶ Model #	❷ Feet & Post Finish	Dual Finish		❸ Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels  
LK-CBT-TZ29-2448				
LK	CBT	TZ	29	2448
LOK	Cantilever Tilt T-Base	Trapezoid Top Shape	Height	Used on 24" x 48" Tops

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Fixed T Base for Lecture Top	24	48	29	23	5	LK-TBF-LC29-2448	\$561
	30	48	29	24	7	LK-TBF-LC29-3048	\$596
	24	60	29	27	6	LK-TBF-LC29-2460	\$604
	30	60	29	28	8	LK-TBF-LC29-3060	\$637



48" w




60" w
includes a metal
support rail

Features:


- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) -choice of Black(BL) or White/Grey (WG) Caster; add \$45 list for casters



Cantilever Fixed T-Base for Lecture Top	24	48	29	22	4	LK-CBF-LC29-2448	\$547
	30	48	29	24	7	LK-CBF-LC29-3048	\$591
	24	60	29	26	5	LK-CBF-LC29-2460	\$590
	30	60	29	28	8	LK-CBF-LC29-3060	\$635



48" w



60" w
includes a metal
support rail



Features:

- bases include all necessary field assembly hardware

Options:



- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$45 list for casters

To Order Specify

❶ Model #	❷ Feet & Post Finish	Dual Finish		❸ Glides or Casters		
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish	2b Post Finish	G Glides	C Casters	- WG White w/Grey Wheels
		See Feet Finish Options	See Post Finish Options 	 Standard (no upcharge)	 + \$45	 + \$45

LK-CBF-LC29-3072						
LK	CBF	LC	29	3060		
LOK	T-Base Fixed	Lecture Top Shape	Height	Used on 30" x 72" Tops		


Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Adjustable T Base for Lecture Top	24	48	29	23	5	LK-TBA-LC29-2448	\$680
	30	48	29	24	7	LK-TBA-LC29-3048	\$715
	24	60	29	27	6	LK-TBA-LC29-2460	\$723
	30	60	29	28	8	LK-TBA-LC29-3060	\$758


Features:



- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities



Cantilever Adjustable T-Base for Lecture Top	24	48	29	22	4	LK-CBA-LC29-2448	\$667
	30	48	29	24	7	LK-CBA-LC29-3048	\$711
	24	60	29	26	5	LK-CBA-LC29-2460	\$710
	30	60	29	28	8	LK-CBA-LC29-3060	\$755




Features:

- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities

To Order Specify


❶ Model #	❷ Feet & Post Finish	Dual Finish	
Lok (LK)	See Feet & Post Finish Options	2a Feet Finish	2b Post Finish
	 Example	See Feet Finish Options	See Post Finish Options  Example

LK-CBA-LC29-3060					
LK	CBA	LC	29	3060	
LOK	Cantilever T-Base Adjustable	Lecture Top Shape	Height	Used on 30" x 60" Tops	


Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Tilt T Base for Lecture Top	24	48	29	29	7	LK-TBT-LC29-2448	\$1,078
	30	48	29	30	9	LK-TBT-LC29-3048	\$1,112
	24	60	29	30	7	LK-TBT-LC29-2460	\$1,094
	30	60	29	31	9	LK-TBT-LC29-3060	\$1,126



- Features:**
- base nests in offset position when top is tilted
 - bases include all necessary field assembly hardware
- Options:**
- specify metal finish, see below for options and two-tone capabilities





Inline Tilt T-Base for Lecture Top	24	48	29	28	6	LK-IBT-LC29-2448	\$947
	30	48	29	28	8	LK-IBT-LC29-3048	\$982
	24	60	29	29	7	LK-IBT-LC29-2460	\$1,078
	30	60	29	30	9	LK-IBT-LC29-3060	\$1,112




- Features:**
- base nests in inline position when top is tilted
 - bases include all necessary field assembly hardware
- Options:**
- specify metal finish, see below for options and two-tone capabilities
 - specify Black (BL) or White/Grey (WG) Caster

To Order Specify

❶ Model #	❷ Feet & Post Finish	Dual Finish		❸ Casters
Lok (LK)	See Feet & Post Finish Options	2a Feet Finish	2b Post Finish	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels
		See Feet Finish Options	See Post Finish Options 	

LK-TBF-TT29-3072					
LK	TBF	TT	29	3072	
LOK	T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Cantilever Tilt T-Base for Lecture Top	24	48	29	29	7	LK-CBT-LC29-2448	\$1,096
	30	48	29	30	9	LK-CBT-LC29-3048	\$1,108
	24	60	29	30	7	LK-CBT-LC29-2460	\$1,080
	30	60	29	31	9	LK-CBT-LC29-3060	\$1,124




Features:

- bases include all necessary field assembly hardware
- specify metal finish, see below for options and two-tone capabilities

Options:


- specify Black (BL) or White/Grey (WG) Caster

To Order Specify


❶ Model #	❷ Feet & Post Finish	Dual Finish		❸ Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black  - WG White w/ Grey Wheels 

LK-TBF-TT29-3072					
LK	TBA	TT	29	3072	
LOK	T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops	


Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Fixed T Base for Crescent Top	24	48	29	23	5	LK-TBF-CR29-2448	\$545
	30	48	29	24	7	LK-TBF-CR29-3048	\$579



- Features:**
- bases include all necessary field assembly hardware
- Options:**
- specify metal finish, see below for options and two-tone capabilities
 - specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$45 list for casters




Cantilever Fixed T-Base for Crescent Top	24	48	29	23	5	LK-CBF-CR29-2448	\$547
	30	48	29	24	7	LK-CBF-CR29-3048	\$576




- Features:**
- bases include all necessary field assembly hardware
- Options:**
- specify metal finish, see below for options and two-tone capabilities
 - specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$45 list for casters

To Order Specify

❶ Model #	❷ Feet & Post Finish	Dual Finish		❸ Glides or Casters		
Lok (LK)	See Feet & Post Finish Options	❷a Feet Finish	❷b Post Finish	G Glides	C Casters	- WG White w/Grey Wheels
	 Example	See Feet Finish Options	See Post Finish Options	 Standard (no upcharge)	 + \$45	 + \$45

LK-TBF-TT29-3072					
LK	TBF	TT	29	3072	
LOK	T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Adjustable T Base for Crescent Top	24	48	29	23	5	LK-TBA-CR29-2448	\$665
	30	48	29	24	7	LK-TBA-CR29-3048	\$697




Features:


- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities



Cantilever Adjustable T-Base for Crescent Top	24	48	29	23	5	LK-CBA-CR29-2448	\$667
	30	48	29	24	7	LK-CBA-CR29-3048	\$694





Features:

- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities

To Order Specify


① Model #	② Feet & Post Finish	Dual Finish	
Lok (LK)	See Feet & Post Finish Options	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options
	 Example	 Example	

LK-TBF-TT29-3072					
LK	TBA	TT	29	3072	
LOK	T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops	


Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Tilt T Base for Crescent Top	24	48	29	29	7	LK-TBT-CR29-2448	\$1,061
	30	48	29	30	9	LK-TBT-CR29-3048	\$1,096



- Features:**
- base nests in offset position when top is tilted
 - bases include all necessary field assembly hardware
- Options:**
- specify metal finish, see below for options and two-tone capabilities





Inline Tilt T-Base for Crescent Top	24	48	29	28	6	LK-IBT-CR29-2448	\$947
	30	48	29	28	8	LK-IBT-CR29-3048	\$982




- Features:**
- base nests in inline position when top is tilted
 - bases include all necessary field assembly hardware
- Options:**
- specify metal finish, see below for options and two-tone capabilities
 - specify Black (BL) or White/Grey (WG) Caster

To Order Specify

❶ Model #	❷ Feet & Post Finish	Dual Finish		❸ Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish	2b Post Finish	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels 
		See Feet Finish Options	See Post Finish Options 	

LK-TBF-TT29-3072					
LK	TBF	TT	29	3072	
LOK	T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Cantilever Tilt T-Base for Crescent Top	24	48	29	29	7	LK-CBT-CR29-2448	\$1,080
	30	48	29	30	9	LK-CBT-CR29-3048	\$1,108




Features:

- bases include all necessary field assembly hardware
- specify metal finish, see below for options and two-tone capabilities


Options:

- specify Black (BL) or White/Grey (WG) Caster


To Order Specify

❶ Model #	❷ Feet & Post Finish	Dual Finish		❸ Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels 
LK-TBF-TT29-3072				
LK	TBA	TT	29	3072
LOK	T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops


Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Fixed T Base for Half Round Top	24	48	29	23	5	LK-TBF-HR29-2448	\$545
	30	60	29	28	8	LK-TBF-HR29-3060	\$637



- Features:**
- bases include all necessary field assembly hardware
- Options:**
- specify metal finish, see below for options and two-tone capabilities
 - specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$45 list for casters




Cantilever Fixed T-Base for Half Round Top	24	48	29	23	5	LK-CBF-HR29-2448	\$533
	30	60	29	28	8	LK-CBF-HR29-3060	\$635




- Features:**
- bases include all necessary field assembly hardware
- Options:**
- specify metal finish, see below for options and two-tone capabilities
 - specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$45 list for casters

To Order Specify

❶ Model #	❷ Feet & Post Finish	Dual Finish		❸ Glides or Casters		
Lok (LK)	See Feet & Post Finish Options	2a Feet Finish	2b Post Finish	G Glides	C Casters	- WG White w/Grey Wheels
	 Example	See Feet Finish Options	See Post Finish Options	 Standard (no upcharge)	 + \$45	 + \$45

LK-TBF-TT29-3072					
LK	TBF	TT	29	3072	
LOK	T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Adjustable T Base for Half Round Top	24	48	29	23	5	LK-TBA-HR29-2448	\$665
	30	60	29	28	8	LK-TBA-HR29-3060	\$758




Features:


- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities



Cantilever Adjustable T-Base for Half Round Top	24	48	29	23	5	LK-CBA-HR29-2448	\$650
	30	60	29	28	8	LK-CBA-HR29-3060	\$755





Features:

- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities

To Order Specify


① Model #	② Feet & Post Finish	Dual Finish	
Lok (LK)	See Feet & Post Finish Options	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options
	 Example	 Example	

LK-TBF-TT29-3072					
LK	TBA	TT	29	3072	
LOK	T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops	


Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Tilt T Base for Half Round Top	24	48	29	28	6	LK-TBT-HR29-2448	\$947
	30	60	29	30	9	LK-TBT-HR29-3060	\$1,112



- Features:**
- base nests in offset position when top is tilted
 - bases include all necessary field assembly hardware
- Options:**
- specify metal finish, see below for options and two-tone capabilities




Inline Tilt T-Base for Half Round Top	24	48	29	28	6	LK-IBT-HR29-2448	\$947
	30	60	29	30	9	LK-IBT-HR29-3060	\$1,112




- Features:**
- base nests in inline position when top is tilted
 - bases include all necessary field assembly hardware
- Options:**
- specify metal finish, see below for options and two-tone capabilities
 - specify Black (BL) or White/Grey (WG) Caster

To Order Specify

❶ Model #	❷ Feet & Post Finish	Dual Finish		❸ Casters
Lok (LK)	See Feet & Post Finish Options	2a Feet Finish	2b Post Finish	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels
		See Feet Finish Options	See Post Finish Options	

LK-TBF-TT29-3072					
LK	TBF	TT	29	3072	
LOK	T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	


Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Cantilever Tilt T-Base for Half Round Top	24	48	29	28	6	LK-CBT-HR29-2448	\$949
	30	60	29	30	9	LK-CBT-HR29-3060	\$1,108




Features:


- bases include all necessary field assembly hardware
- specify metal finish, see below for options and two-tone capabilities

Options:

- specify Black (BL) or White/Grey (WG) Caster


To Order Specify

❶ Model #	❷ Feet & Post Finish	Dual Finish		❸ Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black  - WG White w/ Grey Wheels 
LK-TBF-TT29-3072				
LK	TBA	TT	29	3072
LOK	T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops


Description	D	W	H	CTN WT	CU FT	① Model	List Price
	30	60	29	28	8	LK-TBF-BU29-3060	\$637
	36	60	29	29	8	LK-TBF-BU29-3660	\$676
	30	66	29	28	8	LK-TBF-BU29-3066	\$637
	36	66	29	29	8	LK-TBF-BU29-3666	\$676
	30	72	29	29	8	LK-TBF-BU29-3072	\$649
	36	72	29	29	8	LK-TBF-BU29-3672	\$688
	48	72	29	29	8	LK-TBF-BU29-4872	\$688


Features:

- bases include all necessary top support and field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$45 list for casters




	30	60	29	28	8	LK-TBF-HV29-3060	\$637
	36	60	29	29	8	LK-TBF-HV29-3660	\$676
	30	66	29	28	8	LK-TBF-HV29-3066	\$637
	36	66	29	29	8	LK-TBF-HV29-3666	\$676
	30	72	29	29	8	LK-TBF-HV29-3072	\$649
	36	72	29	29	8	LK-TBF-HV29-3672	\$676
	48	72	29	29	8	LK-TBF-HV29-4872	\$676

Features:

- specify metal finish, see below for options and two-tone capabilities

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$45 list for casters


**To Order Specify**

① Model #	② Feet & Post Finish	Dual Finish		③ Glides or Casters		
Lok (LK)	See Feet & Post Finish Options	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options	G Glides  Standard (no upcharge)	C Casters - BL Black  +\$45	- WG White w/Grey Wheels  +\$45
	 Example		 Example			

LK-TBF-TT29-3072

LK	TBF	TT	29	3072	
LOK	T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Fixed T Base for Huddle Top	30	72	29	45	9	LK-TBF-HU29-3072	\$1,059
	36	84	29	45	9	LK-TBF-HU29-3684	\$1,059


**Features:**

- bases include all necessary top support and field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$87 list for casters

Fixed T Base for One-twenty Top	42	72	29	33	7	LK-TBF-YG29-4272	\$770
	45	84	29	33	7	LK-TBF-YG29-4584	\$770


**Features:**

- bases include all necessary top support and field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$65 list for casters

Fixed T Base for Intersect Top	24	60	29	35	8	LK-TBF-IN29-2460	\$812
	30	60	29	35	8	LK-TBF-IN29-3060	\$812



**Features:**

- bases include all necessary top support and field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$65 list for casters

To Order Specify

❶ Model #	❷ Feet & Post Finish	Dual Finish	
Lok (LK)	See Feet & Post Finish Options	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options
	 Example	 Example	


LK-TBF-TT29-3072

LK	TBA	TT	29	3072	
LOK	T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
								HPL 1	HPL 2
Fixed Laminate Modesty Panel 	¾	26	8	10	2	LK-MPF-26T	\$171		
	¾	26	8	10	2	LK-MPF-26H		\$255	\$262
	¾	30	8	10	2	LK-MPF-30T	\$174		
	¾	30	8	10	2	LK-MPF-30H		\$256	\$264
	¾	36	8	10	2	LK-MPF-36T	\$177		
	¾	36	8	10	2	LK-MPF-36H		\$258	\$267
	¾	42	8	10	3	LK-MPF-42T	\$183		
	¾	42	8	10	3	LK-MPF-42H		\$271	\$283
	¾	48	8	10	3	LK-MPF-48T	\$186		
	¾	48	8	10	3	LK-MPF-48H		\$273	\$286
	¾	60	8	11	3	LK-MPF-60T	\$209		
	¾	60	8	11	3	LK-MPF-60H		\$308	\$323
	¾	66	8	12	3	LK-MPF-66T	\$215		
	¾	66	8	12	3	LK-MPF-66H		\$317	\$333
	¾	72	8	12	4	LK-MPF-72T	\$218		
	¾	72	8	12	4	LK-MPF-72H		\$327	\$341
	¾	84	8	14	4	LK-MPF-84T	\$227		
	¾	84	8	14	4	LK-MPF-84H		\$346	\$364
	¾	96	8	15	5	LK-MPF-96T	\$234		
	¾	96	8	15	5	LK-MPF-96H		\$363	\$385


Features:

- not intended to be used on a table with tilt bases.

Description	D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
								HPL 1	HPL 2
Hinged Laminate Modesty Panel 	¾	26	8	10	2	LK-MPH-26T	\$213		
	¾	26	8	10	2	LK-MPH-26H		\$293	\$301
	¾	30	8	10	2	LK-MPH-30T	\$215		
	¾	30	8	10	2	LK-MPH-30H		\$294	\$302
	¾	36	8	10	2	LK-MPH-36T	\$216		
	¾	36	8	10	2	LK-MPH-36H		\$296	\$305
	¾	48	8	10	3	LK-MPH-48T	\$224		
	¾	48	8	10	3	LK-MPH-48H		\$313	\$325
	¾	60	8	11	3	LK-MPH-60T	\$260		
	¾	60	8	11	3	LK-MPH-60H		\$360	\$373
	¾	66	8	12	3	LK-MPH-66T	\$265		
	¾	66	8	12	3	LK-MPH-66H		\$369	\$383
	¾	72	8	12	4	LK-MPH-72T	\$269		
	¾	72	8	12	4	LK-MPH-72H		\$377	\$395
	¾	84	8	14	4	LK-MPH-84T	\$278		
	¾	84	8	14	4	LK-MPH-84H		\$397	\$416
	¾	96	8	15	5	LK-MPH-96T	\$287		
	¾	96	8	15	5	LK-MPH-96H		\$416	\$438

Features:

- not intended to be used on a table with fixed bases.
- magnetic hinge holds modesty panel in vertical position
- magnetic hinge releases for self-storage when table is tilted

Description	D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
								HPL 1	HPL 2
Removable Laminate Modesty Panel	¾	26	8	10	2	LK-MPR-26T	\$213		
	¾	26	8	10	2	LK-MPR-26H		\$294	\$302
	¾	30	8	10	2	LK-MPR-30T	\$215		
	¾	30	8	10	2	LK-MPR-30H		\$295	\$303
	¾	36	8	10	2	LK-MPR-36T	\$217		
	¾	36	8	10	2	LK-MPR-36H		\$297	\$307
	¾	42	8	10	3	LK-MPR-42T	\$223		
	¾	42	8	10	3	LK-MPR-42H		\$312	\$324
	¾	48	8	10	3	LK-MPR-48T	\$225		
	¾	48	8	10	3	LK-MPR-48H		\$314	\$326
	¾	60	8	11	3	LK-MPR-60T	\$269		
	¾	60	8	11	3	LK-MPR-60H		\$368	\$381
	¾	66	8	12	3	LK-MPR-66T	\$273		
	¾	66	8	12	3	LK-MPR-66H		\$376	\$393
	¾	72	8	12	4	LK-MPR-72T	\$278		
	¾	72	8	12	4	LK-MPR-72H		\$386	\$403
	¾	84	8	14	4	LK-MPR-84T	\$287		
	¾	84	8	14	4	LK-MPR-84H		\$405	\$424
	¾	96	8	15	5	LK-MPR-96T	\$294		
	¾	96	8	15	5	LK-MPR-96H		\$422	\$445

Features:

- when selecting removable modesty panels on a tilt training table, modesty must be removed prior to tilting

To Order Specify

① Model #	②a Laminate Selection	②b PVC Edge Color
Model (LK)	See Laminate Selection	See PVC Edge Color Options

Model Number Breakdown

LK-MPF-48H				
LK	MPF	48	H	
LOK	Modesty Panel Fixed	48" Wide	HPL Laminate	


Description	D	W	H	CTN WT	CU FT	① Model	List Price
	¼	26	8	10	2	LK-MPF-26A	\$326
	¼	30	8	10	2	LK-MPF-30A	\$327
	¼	36	8	10	2	LK-MPF-36A	\$329
	¼	42	8	10	3	LK-MPF-42A	\$365
	¼	48	8	10	3	LK-MPF-48A	\$368
	¼	60	8	11	3	LK-MPF-60A	\$451
	¼	66	8	12	3	LK-MPF-66A	\$482
	¼	72	8	12	4	LK-MPF-72A	\$508
	¼	84	8	14	4	LK-MPF-84A	\$560
	¼	96	8	15	5	LK-MPF-96A	\$612

Features:

- not intended to be used on a table with tilt bases.

Options:

- specify trim cap; Matte Black (MBK), Pewter (PEW), Arctic Silver (ASL), Soft Nickel (SNK)


	¼	26	8	10	2	LK-MPH-26A	\$347
	¼	30	8	10	2	LK-MPH-30A	\$348
	¼	36	8	10	2	LK-MPH-36A	\$351
	¼	48	8	10	3	LK-MPH-48A	\$404
	¼	60	8	11	3	LK-MPH-60A	\$505
	¼	66	8	12	3	LK-MPH-66A	\$539
	¼	72	8	12	4	LK-MPH-72A	\$561
	¼	84	8	14	4	LK-MPH-84A	\$614
	¼	96	8	15	5	LK-MPH-96A	\$666

Features:

- not intended to be used on a table with fixed bases.
- magnetic hinge holds modesty panel in vertical position

Options:

- specify trim cap; Matte Black (MBK), Pewter (PEW), Arctic Silver (ASL), Soft Nickel (SNK)

	¼	26	8	10	2	LK-MPR-26A	\$365
	¼	30	8	10	2	LK-MPR-30A	\$367
	¼	36	8	10	2	LK-MPR-36A	\$369
	¼	42	8	10	3	LK-MPR-42A	\$404
	¼	48	8	10	3	LK-MPR-48A	\$407
	¼	60	8	11	3	LK-MPR-60A	\$510
	¼	66	8	12	3	LK-MPR-66A	\$541
	¼	72	8	12	4	LK-MPR-72A	\$566
	¼	84	8	14	4	LK-MPR-84A	\$621
	¼	96	8	15	5	LK-MPR-96A	\$671


Features:

- when selecting removable modesty panels on a tilt training table, modesty must be removed prior to tilting

Options:


- specify trim cap; Matte Black (MBK), Pewter (PEW), Arctic Silver (ASL), Soft Nickel (SNK)

To Order Specify

① Model #	② Trim Cap Finish
Lok (LK)	See Trim Cap Finish Options 

Model Number Breakdown

LK-MPF-48A				
LK	MPF	48	A	
LOK	Modesty Panel Fixed	48" Wide	Acrylic	


Description	D	W	H	CTN WT	CU FT	① Model	List Price
Acoustic Privacy Screen 	½	20	23 ¾	10	2	LK-PSP-2024P	\$414
	½	24	23 ¾	10	2	LK-PSP-2424P	\$459
	½	30	23 ¾	10	2	LK-PSP-3024P	\$537
	½	36	23 ¾	10	4	LK-PSP-3624P	\$544
	½	42	23 ¾	10	4	LK-PSP-4224P	\$706
	½	48	23 ¾	10	5	LK-PSP-4824P	\$713
	½	60	23 ¾	10	6	LK-PSP-6024P	\$1,215
	½	66	23 ¾	10	7	LK-PSP-6624P	\$1,218
	½	72	23 ¾	10	7	LK-PSP-7224P	\$1,223
	½	84	23 ¾	10	8	LK-PSP-8424P	\$1,231
	½	96	23 ¾	10	9	LK-PSP-9624P	\$1,240

Features:

- when adding privacy screen on tilting training table, privacy screen must be removed prior to tilting
- acoustic privacy screen can only be installed on straight edge of tables
- 13 ¾" height above surface

Options:

- specify Ash Grey (ASH) or Silver Grey (SIL)

Frosted Acrylic Privacy Screen 	¼	20	23 ¾	10	3	LK-PSP-2024A	\$399
	¼	24	23 ¾	10	3	LK-PSP-2424A	\$438
	¼	30	23 ¾	10	3	LK-PSP-3024A	\$497
	¼	36	23 ¾	10	3	LK-PSP-3624A	\$556
	¼	42	23 ¾	10	4	LK-PSP-4224A	\$633
	¼	48	23 ¾	10	5	LK-PSP-4824A	\$675
	¼	60	23 ¾	10	6	LK-PSP-6024A	\$830
	¼	66	23 ¾	10	7	LK-PSP-6624A	\$887
	¼	72	23 ¾	10	7	LK-PSP-7224A	\$947
	¼	84	23 ¾	10	8	LK-PSP-8424A	\$1,068
	¼	96	23 ¾	10	9	LK-PSP-9624A	\$1,189

Features:

- when adding privacy screen on tilting training table, privacy screen must be removed prior to tilting
- acrylic privacy screen can be installed on rectangular, crescent or lecture tables
- 13 ¾" height above surface


Options:

- specify trim cap; Matte Black (MBK), Pewter (PEW), Arctic Silver (ASL)

Model Number Breakdown


LK-PSP-4824A					
LK	PSP	48	24	A	
LOK	Privacy Screen Panel	48" Wide	24" Height	Acrylic	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Acoustic Portable Slide On Screen	1	24	21 ½	10	2	GP-PSO-2422P	\$847
	1	28	29 ½	14	3	GP-PSO-2830P	\$1,117



- Features:**
- works with any surface material
 - works in any location, with the exception of where tilt release paddle is located on tilting tables
 - GP-PSO-2422P - 16" height above surface; GP-PSO-2830P - 24" height above surface
 - GP-PSO-2830P - not for use with surfaces 20" depth
- Options:**
- Specify Ash Grey (ASH) or Silver Grey (SIL)

Markerboard Portable Slide On Screen	1	28	29 ½	26	3	GP-PSO-2830MB	\$975
---	---	----	------	----	---	---------------	-------




- Features:**
- works with any surface material
 - works in any location, with the exception of where tilt release paddle is located on tilting tables
 - not for use with surfaces 20" depth
 - white marker laminate surfaces with white PVC edges
 - 24" height above surface

Model Number Breakdown

GP-PSO-2830MB					
GP	PSO	28	30	MB	
General Product	Portable Screen On	28" Wide	30" Height	Markerboard	

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
HPL Portable Slide On Screen	1	28	29 ½	26	3	GP-PSO-2830H	\$1,028


Features:

- works with any surface material
- works in any location, with the exception of where tilt release paddle is located on tilting tables
- 24" height above surface
- not for use with surfaces 20" depth


Options:

- specify standard JSI laminates with matching PVC edges, [see page 5](#)


Model Number Breakdown

GP-PSO-2830H					
GP	PSO	28	30	H	
General Product	Portable Screen On	28" Wide	30" Height	HPL	

Description	D	W	H	CTN WT	CU FT	① Model	TFL	Standard HPL 1
Rounded Arc Rectangular Instructor Mobile Station Left with T Base	26	66	42	51	38	LK-29IRL0-2666RT	\$2,367	\$2,536
	26	66	42	51	38	LK-29IRR0-2666RT	\$2,367	\$2,536
	26	66	42	51	38	LK-29IRL7-2666RT	\$2,528	\$2,696
	26	66	42	51	38	LK-29IRR7-2666RT	\$2,528	\$2,696
	26	72	42	56	41	LK-29IRL0-2672RT	\$2,381	\$2,559
	26	72	42	56	41	LK-29IRR0-2672RT	\$2,381	\$2,559
	26	72	42	56	41	LK-29IRL7-2672RT	\$2,540	\$2,719
	26	72	42	56	41	LK-29IRR7-2672RT	\$2,540	\$2,719



LK-29IRL7-2666RT
(door unit, left)



LK-29IRR0-2666RT
(open unit, right)


Features:

- price reflects complete station
- ships KD in multiple cartons
- one adjustable shelf in podium
- cable routing opening at back of podium slanted surface
- wire access grommets in surface of top, as well as side and bottom panel of podium
- hand of model dictates what side the podium is located from user side
- models ending in OT have open compartment, models ending in 7T have a door.
- table surface is at 29" high
- contact customer service for graded in HPL on worksurface pricing
- podium is always TFL

Options:

- order 48" fixed or removable modesty panel separately
- specify Podium grommet; None (GN) or tablet and cup holder grommets (GY) add \$98 list
- specify power option; see below

Laminate Tops "LKT" Models



Eased Edge (R3)



To Order Specify

① Model #	②a Laminate Selection	②b PVC Edge Color	③ Grommet
Model (LK)	See Laminate Selection	See PVC Edge Color Options	GN No Grommet GY Tablet and Cup Holder Grommet
			④ Electrical
			N No Cutout CTEC23-CO EC23 - Cut Out Center of Top CTEC24-CO EC24 - Cut Out Center of Top
			⑤ Caster
			C Caster - BL Black Caster - WG White Caster w/ Grey Wheels
			⑥ Metal Finish
			See Metal Finish Color Options


Model Number Breakdown

LK-29IRL0-2672RT								
LK	29	IR	L	0	26	72	R	T
LOK	Height	Rectangular Instructor Top	Left	Open Compartment	Depth	Wide	Rounded Arc	Laminate

Description	D	W	H	CTN WT	CU FT	① Model	TFL	Standard HPL 1
Interactive Instructor Mobile Station Left with T Base	31	66	42	52	44	LK-29IIL0-3166T	\$2,454	\$2,599
	31	66	42	52	44	LK-29IIR0-3166T	\$2,454	\$2,599
	31	66	42	52	44	LK-29IIL7-3166T	\$2,614	\$2,759
	31	66	42	52	44	LK-29IIR7-3166T	\$2,614	\$2,759
	31	72	42	57	48	LK-29IIL0-3172T	\$2,467	\$2,626
	31	72	42	57	48	LK-29IIR0-3172T	\$2,467	\$2,626
	31	72	42	57	48	LK-29IIL7-3172T	\$2,628	\$2,785
	31	72	42	57	48	LK-29IIR7-3172T	\$2,628	\$2,785



LK-29IIL7-3166T
(door unit, left)



LK-29IIR0-3166T
(open unit, right)


Features:

- price reflects complete station
- ships KD in multiple cartons
- one adjustable shelf in podium
- cable routing opening at back of podium slanted surface
- wire access grommets in surface of top, as well as side and bottom panel of podium
- hand of model dictates what side the podium is located from user side
- models ending in OT have open compartment, models ending in TT have a door.
- table surface is at 29" high
- contact customer service for graded in HPL on worksurface pricing
- podium is always TFL

Options:

- order 48" fixed or removable modesty panel separately
- specify Podium grommet; None (GN) or tablet and cup holder grommets (GY) add \$98 list
- specify power option; see below

Laminate Tops "LKT" Models




Eased Edge (R3)

To Order Specify

① Model #	②a Laminate Selection	②b PVC Edge Color	③ Grommet
Model (LK)	See Laminate Selection	See PVC Edge Color Options	GN No Grommet GY Tablet and Cup Holder Grommet
			④ Electrical
			N No Cutout CTEC23-CO EC23 - Cut Out Center of Top CTEC24-CO EC24 - Cut Out Center of Top
			⑤ Caster
			C Caster - BL Black Caster - WG White Caster w/Grey Wheels
			⑥ Metal Finish
			See Metal Finish Color Options


Model Number Breakdown

LK-29IIL0-3172T							
LK	29	II	L	7	26	72	T
LOK	Height	Interactive Instructor Top	Left	Door Unit	Depth	Wide	Laminate


Description	D	W	H	CTN WT	CU FT	① Model	List Price
	22	24	42	18	19	LK-PDO-2224	\$1,605
	22	24	42	18	19	LK-PDL-2224	\$1,765
	22	24	42	18	19	LK-PDR-2224	\$1,765

- Features:**
- one adjustable shelf
 - wire access grommet in bottom panel
 - cable routing opening at back of slanted surface

- Options:**
- specify grommet; None (GN) or tablet and cup holder grommets (GY) add \$98 list
 - specify caster color option, Black (BL) or White with Grey Wheels (WG)




LK-PDO-2224
(open unit)



LK-PDR-2224
(door unit, right)

Description	D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
								HPL 1	HPL 2
Adjustable Mobile Stand	22	24	29	36	14	LK-29ISA-2224T	\$1,823	\$1,929	\$1,942



- Features:**
- pneumatic height adjustment range 29" - 41"
- Options:**
- specify caster color option, Black (BL) or White with Grey Wheels (WG)
 - specify grommet; None (GN) or tablet and cup holder grommets (GY) add \$98 list


To Order Specify

① Model #	② Chasis	③ Grommet	④ Caster	⑤ Metal Finish
Model (LK)	See Laminate Selection	GN No Grommet GY Tablet and Cup Holder Grommet	C Caster - BL Black Caster - WG White Caster w/ Grey Wheels	See Metal Finish Color Options

Model Number Breakdown

LK-PDL-2224					
LK	PD	L	22	24	
Lok	Podium	Left	22" Depth	24" Wide	

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Marker Board Mobile Screen	27	36	72	75	13	LKB-MS-3672M	\$1,770
	27	48	72	95	16	LKB-MS-4872M	\$2,009


**Features:**

- marker board HPL on both surfaces
- capable for hanging flip charts on both sides

Options:

- specify caster color option, Black (BL) or White caster with Grey (WG)

Mobile Laminate Screen	27	36	72	75	13	LKB-MS-3672T	\$1,164
	27	48	72	95	16	LKB-MS-4872T	\$1,225


**Features:**

- laminate on both surfaces, [see page 5](#)

Options:

- specify caster color option, Black (BL) or White caster with Grey (WG)

Fixed Laminate Screen	27	36	72	75	13	LKB-FS-3672T	\$1,044
	27	48	72	95	16	LKB-FS-4872T	\$1,112

**Features:**


- laminate on both surfaces, [see page 5](#)
- black leveling glides

Model Number Breakdown

LKB-MS-3672M					
LKB	MS	36	72	M	
Lok	Mobile Screen	36" Wide	72" Height	Markerboard	

ECONO Power

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Electrical CT1 for Econo	36			4	1	EC-E-CT1-36	\$285
	48			4	1	EC-E-CT1-48	\$291
	60			4	1	EC-E-CT1-60	\$293
	66			4	1	EC-E-CT1-66	\$297
	72			5	1	EC-E-CT1-72	\$299
	84			5	1	EC-E-CT1-84	\$311
	96			5	1	EC-E-CT1-96	\$314




cables included:
1 male-to-male


**Features:**

- (1) econo electrical unit to be placed in top of surface
- use in conjunction with other econo electrical items
- table link bracket MUST be used in conjunction with electrical to meet code requirements
- data jack openings only accepts Type 2 jacks - two .58 x .76 hole openings (customer supplied)
- must order power infeed separately

Electrical LRT2 for Econo	66			7	1	EC-E-LRT2-66	\$567
	72			7	1	EC-E-LRT2-72	\$567
	84			8	1	EC-E-LRT2-84	\$567
	96			8	1	EC-E-LRT2-96	\$571



cables included:
2 male-to-male

**Features:**

- (2) econo electrical unit to be placed in top of surface
- use in conjunction with other econo electrical items
- data jack openings accepts Type 2 jacks - two .58 x .76 hole openings (customer supplied)
- must order power infeed separately


Options:

- specify color black (BL) or grey (SG)

3 Prong Plug - 110 Power Smart-box Infeed for Econo System				1	1	EC-PI-E-72A	\$557
--	--	--	--	---	---	-------------	-------

Features:

- 72" plug power infeed
- 20 amps/110 volts max
- 3 prong plug - 15 amp adapter plug
- single circuit use only
- use in conjunction with other econo electrical items



Electrical Jumper for Econo System	84			3	1	EC-E-J-84	\$135
------------------------------------	----	--	--	---	---	-----------	-------

Features:

- use to jump power around a corner configuration
- one male and one female H-block cable end




female

male

Data Jacks for ECONO


Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Telecom Phone Jack - Type 2				1	1	TCP201	\$73



Features:

- RJ-11 phone jack
- for use with Econo system


Telecom Data Jack - Type 2				1	1	TCP202	\$96
----------------------------	--	--	--	---	---	--------	------



Features:


- CAT6-RJ45 data jack
- for use with Econo system

TCP201 and TCP202
telecom jacks to be
used with ECONO system



Corded Power

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Moire Power Unit	3 3/8	3 3/8	2	5	1	EC23	\$516




Features:

- three 110 outlets
- dual USB-A charging ports
- 72" 3-prong - 15amp plug power feed
- 15amp/110 volt

Options:

- specify Black(BL) or White(WH)

Node Power Unit	3 3/8	3 3/8	3/8	5	1	EC24	\$412
-----------------	-------	-------	-----	---	---	------	-------




Features:

- one 110 outlet
- dual USB-A charging ports
- 72" 3-prong - 15amp plug power feed
- 15amp/110 volt

Options:

- specify Black(BL) or White(WH)

Power Strip	1 1/2	1 7/8	8	3	1	GP9ACP1-0212	\$100
-------------	-------	-------	---	---	---	--------------	-------




Features:

- power surge with 10" cord
- four electrical outlets
- includes switch
- field installed
- use in conjunction with other econo electrical items

LINK Power

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Electrical CT1 for Link		36		4	1	EC-L-CT1-36	\$631
		48		4	1	EC-L-CT1-48	\$641
		60		4	1	EC-L-CT1-60	\$655
		66		4	1	EC-L-CT1-66	\$660
		72		5	1	EC-L-CT1-72	\$666
		84		5	1	EC-L-CT1-84	\$679
		96		5	1	EC-L-CT1-96	\$692

cables included:
1 female-to-female
1 male-to-female


**Features:**

- (1) link electrical unit to be placed in top of surface
- use in conjunction with other link electrical items
- table link bracket MUST be used in conjunction with electrical to meet code requirements


Options:

- specify circuit (C1 or C2); specify color black (BL) or white (WH)
- must order power infeed separately

Electrical LRT2 for Link	66	7	1	EC-L-LRT2-66	\$1,156
	72	7	1	EC-L-LRT2-72	\$1,151
	84	8	1	EC-L-LRT2-84	\$1,162
	96	8	1	EC-L-LRT2-96	\$1,175



cables included:
2 female-to-female
1 male-to-female


**Features:**

- (2) link electrical unit to be placed in top of surface
- use in conjunction with other link electrical items
- circuit 1 - 8 units can be connected on 3 prong infeed
- circuit 1 & 2 - 16 units (8) circuit 1 & (8) circuit 2 on hardwire or quick disconnect infeed options


Options:

- specify circuit (C1 or C2); specify color black (BL) or white (WH)
- must order power infeed separately

3 Prong Plug - 110 Power Infeed for Link System	72	1	1	EC-PI-L-72-A	\$292
---	----	---	---	--------------	-------




plug included:
15 amp adapter

**Features:**

- 72" plug power infeed
- 20 amps/110 volts max
- 3 prong plug - 15 amp adapter plug
- single circuit use only
- use in conjunction with other link electrical items


Quick Disconnect Power Infeed for Link System	1	1	EC-PI-L-72-QD	\$244
---	---	---	---------------	-------

**Features:**

- must be used with QD1
- 72" modular power infeed
- 20 amps/120 volts max
- works for both single or double circuit
- use in conjunction with other link electrical items


LINK Power

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Quick Disconnect Wall Outlet for Link System				1	1	EC-L-QD1	\$125

**Features:**


- must be used with MP72
- works for both single or double circuit
- 20 amps/120 volts max
- electrical contractor responsible for connection to building power source
- use in conjunction with other link electrical items

Hardwire Power Infeed for Link System	72			1	1	EC-PI-L-72-H	\$190
---------------------------------------	----	--	--	---	---	--------------	-------

**Features:**


- 72" hardwire power infeed
- 20 amps/120 volts max
- single or two circuit
- electrical contractor responsible for connection to building power source
- use in conjunction with other link electrical items

Electrical Jumper for Link System	12			2	1	EC-L-J-12	\$121
-----------------------------------	----	--	--	---	---	-----------	-------

**Features:**

- use to jump power around a corner configuration
- use with Link EC-L-3W 3 way electrical connector when additional cable is required
- one male and one female cable end

3 way electrical connector for Link System				1	1	EC-L-3W	\$194
--	--	--	--	---	---	---------	-------

**Features:**

- branches power for infeed or T-connection
- two male and one female connector plugs
- may require repositioning of jumper cables

Wire Management

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Vertical Wire Manager	2	2 ¼	17	1	1	AVL17	\$87
	2	2 ¼	22	1	1	AVL20	\$92
	2	2 ¼	25	1	1	AVL25	\$113

**Features:**

- field installed
- use AVL17 for 29"h tables
- use AVL20 for 36"h tables
- use AVL25 for 42"h tables

Options:


- specify plastic color, Black (B) or Silver (S)

Flexible Vertical Wire Manager	1 ½	1 ½	45	4	1	45VWM	\$141
--------------------------------	-----	-----	----	---	---	-------	-------

**Features:**


- black plastic
- field installed to bottom of table top, with screws provided
- wire manager is 1 ½" diameter
- weighted base is 4" diameter
- length can be adjusted by removing individual discs as required

Wire Management Velcro Straps	1 ¾	3 ½	¼	1	1	04WVS	\$61
-------------------------------	-----	-----	---	---	---	-------	------

**Features:**


- black, set of 4
- field installed to bottom of table top, with adhesive tape provided

Cable Management Clips	2 ⅝	3 ¾	1 ⅝	1	1	0304CMC	\$59
------------------------	-----	-----	-----	---	---	---------	------

**Features:**


- black plastic
- installed to bottom of table top
- four retention loops

Wire Manager Trough	2 ½	12	2 ½	2	1	12WCT	\$128
	2 ½	24	2 ½	3	1	24WCT	\$149
	2 ½	36	2 ½	4	1	36WCT	\$164

**Features:**


- black plastic
- field installed to bottom of table top, with screws provided

Wire Management Tray	7 ½	25	3	4	1	GP9WMT1-0825	\$199
	7 ½	35	3	6	1	GP9WMT1-0835	\$245
	7 ½	45	3	8	2	GP9WMT1-0845	\$291

**Features:**


- silver powder-coated finish
- four hanging brackets (CI2C00)

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Table Link Bracket	2 ¾	3	7	1	1	LKB03TBL-LINK	\$64


Features:


- includes set of 2 brackets with attachment hardware
- can be installed on ends and approach edges of tables
- field installed
- MUST be used tables specifying electrical

Screen Link Bracket	1 ¾	2 ¾	1 ½	1	1	LKB03SCN-LINK	\$78
---------------------	-----	-----	-----	---	---	---------------	------


Features:


- links two tables along one edge with screen between tables
- set of 2 with attachment hardware
- field installed

Floor Mount Glide	3	2 ¼	½	1	1	LKB38-16ANCHOR	\$43
-------------------	---	-----	---	---	---	----------------	------


Features:

- field installed glides for mounting table base to floor
- ¼" diameter hole in the glide for mounting
- set of 4
- replaces standard leveling glide
- note: floor mounting hardware to be supplied by installer

Single Monitor Arm	4	11	10	9	1	GP5901MA	\$738
--------------------	---	----	----	---	---	----------	-------


Features:

- one-touch reposition monitor adjustment
- tension adjustment at each joint
- flat panel mount rotates for portrait or landscape viewing
- edge mount installation from above surface
- cable management routes cables below monitor arm
- quick install VESA mount adapter

Options:

- specify Black (B) or Silver (S)

Accessories/ Keyboard/ Tasklights

For an additional list of electrical units, grommets, keyboards, wire management, monitor arms & telecom jacks, please see our [accessories price list](#)

Contact your customer service representative for specific questions regarding which units can be used with Lok Training.

