

PILOT[™] SEATING

PRICE LIST

EFFECTIVE OCTOBER 3, 2022 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering Customer's Own Material (C.O.M.) Upholstery									
	Information		3						
Pilot®									
	General Information		4						
	Task Chairs		5						


Information

How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.





When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION



Architectural Walls	System 3000	M
EvokeMN	Universal Overheads	M
Genius WallsMN	Wireworks	M
	Unite	M
Casegoods		
Aristotle TackboardsMN	Residence Hall Furniture	
Likha TackboardsMN	RoomScape Furniture	M
Classroom Furniture	Screens	
Intellect Wave ChairsGB	All Terrain	K
Learn2GB	Connection Zone	B\
RuckusGB	True/Volition	K
	Genesis	K
Desking	Tattoo	M
700 Series DeskingKP	Universal	B\
Balance OverheadsMN		
Genesis DeskingMN	Seating	
True DeskingKP	400 Series Folding Chairs	B\
Universal OverheadsMN	600 Series Folding Chairs	B\
WorkZone DeskingMN	600 Series Stools	B\
	Affina Collection	Н
Files & Storage	Altus Task Chairs	G
700 Series Pedestal CushionGB	Apply Stack Chairs	G
Connection Zone PadsBW	Auditorium Folding Chairs	B\
U-Series Pedestal CushionGB	Calida Lounge Seating	Н
TattooBW	Diem Task Chairs	OI
	Doni Collection	G
Fixed Seating	Gladly Lounge Seating	V
Concerto Auditorium SeatingBW	Grazie Seating	G
Single Pedestal SeatingGB	Hiatus Sleeper Bench	Н
Jury Base SeatingGB	Hub Modular Lounge Seating	Н
Lancaster Auditorium SeatingBW	Impress Task Chairs	OI
Sequence SeatingGB	Impress Ultra Task Chairs	OI
University SeatingGB	Jessa Lounge Seating	Н
	Jubilee Lounge Seating	V
Panel Systems	Katera Guest Chair	G
All TerrainKP	Kurv Benches	Н
Balance OverheadsMN	LaResta Day Beds	Н

LimeLiteGB	
Lyra Lounge SeatingHN	
Maestro Stack Chairs GB	
Medical & Laboratory StoolsOM	
MyPlace Lounge SeatingHN	
MyWay SeatingHN	
Oath Task Chairs and StoolsGB	
Opt4GB	
Pilot Task ChairsOM	
Promenade Seating SystemBW	
RuckusGB	
Sela Lounge SeatingHN	
Sift Task ChairsGB	
Signia Task Chairs and StoolsOM	
Soltice Metal CollectionHN	
Soltice Multiple, Healthcare & Guest .HN	
Soltice II Healthcare SeatingHN	
Strive Multiple, Stack & TaskGB	
SwayBW	
TattooHN	
Torsion-on-the-Go! Nesting Chairs GB	
Torsion Air Stack and Task Seating GB	
ZoetryHN	

KI C.O.M. Manufacturing Site Addresses:

BW KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107

KI High Point
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

 GB
 KP

 KI Green Bay
 KI Pembroke

 Attn: COM Storage
 Attn: COM Storage

 1687 Westminster Drive - Gate 3
 1000 Olympic Dr.

 Green Bay, WI 54302
 Pembroke, Ontario K8A6X7

MN KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

KI
Attn: COM Storage
1110 S. Mildred Ave.
Ontario, CA 91761









Pilot Armless Chair (KI88/NA)

Pilot Task Loop Arm Chair (KI88/KR48)

Pilot Task T-Arm Chair (KI88/KR300)

Features			
Adjustable back angle	•	•	•
Extra wide seat	•	•	•
Seat depth adjustment	•	•	•
Back height adjustment	•	•	•
Warranted to 400 lbs & 24/7 use	•	•	•
General Dimensions			
Seat width	24"	24"	24"
Seat depth	17" - 19-1/2"	17" - 19-1/2"	17" - 19-1/2"
Seat height	18" - 23"	18" - 23"	18" - 23"
Back width	23-1/2"	23-1/2"	23-1/2"
Back height from seat	25"	25"	25"
Overall Dimensions			
Width	27"	27"	31-1/2"
Depth	27"	27"	27"
Height	43" - 52"	43" - 52"	43" - 52"

SPECIFICATIONS

Seat is constructed of 5/8" thick, 10-ply plywood with one solid steel reinforcement plate that spans from seat edge to seat edge and 3.75" thick molded foam. The steel reinforcement plate has welded steel t-nuts for arms and mechanism. The contoured molded foam-covered board is upholstered with fabric. The front edge of the seat has a waterfall design. The seat is attached to a seat mechanism with four 5/16" screws into steel welded t-nuts.

of the seat board which allows the seat depth to be adjusted from 17" to 19-1/2". A black dust cover fabric shrouds the seat slide. The seat slide assembly is mounted to steel attachment brackets in the mechanism and seat plate that allow the seat to slide in and out.

Seat Mechanism

Chair features infinitely locking back angle, and tilt rocking.

Pneumatic Height Adjustment

Chair features pneumatic seat height adjustment from 18" to 23".

Backrest (vertically adjustable)

Backrest is constructed of 1/2" thick 9-ply plywood and 2-1/2" body-contoured molded foam. The outer back shell is upholstered plywood. The backrest is attached to a five-position ratcheting mechanism that provides 4" of vertical adjustment along a 1/4" thick x 4" wide highstrength steel J-bar. The J-bar is fastened directly to the seat mechanism with three 5/16" bolts.

Adjustable, heavy-duty arms have 2-3/4" vertical travel (from approximately 10" - 12-3/4" above the seat). There is 1-1/4" of width adjustment per side or 2-1/2" width adjustment total.

that spans from side to side and which is mounted

Loop Armrests

Main armrest support is made of 1/4" thick by Requirements 2-1/4" wide bent steel constructions. Armrests are attached to a solid steel reinforcement plate

to the seat board for increased arm strength. Armrest pads are self-skinning soft urethane material with steel inner structures. Loop arms are sample, and additional yardage maybe requested. fixed height.

Base

Extra-wide 27" five-blade base constructed of heavy-duty composite. The center of the base has a patented non-slip ring where the pneumatic cylinder is mounted. A telescoping cylinder shroud conceals the heavy-duty pneumatic cylinder.

Casters

Heavy-duty 55mm diameter double wheels are molded of high-impact plastic with steel

INFORMATION

C.O.M. Testing and Production

Not all materials are suitable for upholstering this product. A 2-1/2 yd x 54" sample must be submitted and approved prior to acceptance of an order.

If the fabric is directional in pattern or weave, the direction must be indicated on the submitted

Test samples must be sent to:

Attn: C.O.M. Department

1110 S. Mildred Ave. Ontario, CA 91761

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

Assembly

Ship knocked-down (KD). Minimal assembly

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com





		MODEL N	IUMBER													
MODEL	Features	Basic Model	Base	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Deliverec Pricori Fabric Gi 2	Prici	vered ing ric Grade	Delivered Pricing Vinyl Group	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
Pilot Chair	No Arm	KI88/NA			68.0#			\$ 1	1896	\$ 1896	\$ 1978	\$ 2080	\$ 2154	\$ 2230	\$ 2322	\$ 3077
Oversized seat and back	Loop Arm				80.0#	2038	2065	2	2093	2093	2173	2276	2349	2429	2518	3273
Extra cushioningBack height and seat depth adjustment	T-Arm	KI88/KR30	0 🗆		80.0#	2087	2113	2	2139	2139	2222	2324	2398	2472	2564	3321
Pedestal base available in dark grey painted titanium only																

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Φ

(3)

Θ

A Select basic model.

Select base option.

C - Carpet casters

- Glides - Hard floor casters

Select upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement is 2-1/2 yards per chair of 54" wide nondirectional fabric; solid colors only. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

