

DIEM® TASK SEATING

PRICE LIST

EFFECTIVEJANUARY 31, 2025 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering	Ordering Customer's Own Material (C.O.M.) Upholstery Information 3									
Diem®	General Information		4							
Diem®	Product Color Options Task Chairs Task Stools	10 10 12)							




Ordering Customer's Own Material (C.O.M.) Upholstery

How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION



Architectural Walls		Panel Systems	
Evoke	MN	All Terrain	K
Genius	MN	Balance	1M
		Universal	1M
Casegoods		Wireworks	1M
Aristotle	MN	Unite	1M
Likha	MN		
		Residence Hall Furniture	
Classroom Furniture		RoomScape	1M
Cogni	GB		
Intellect Wave	GB	Screens	
Learn2	GB	All Terrain	K
Ruckus	GB	Connection Zone	BV
		Tributaire	BV
Desking		True/Volition	K
700 Series	KP	Genesis	K
Balance	MN	Tattoo	1M
Genesis	MN	Universal	BV
True	KP		
Universal	MN	Seating	
WorkZone	MN	600 Series	BV
		Affina	1H
Files & Storage		Altus	Gl
700 Series	GB	Apply	Gl
Connection	BW	Calida	1H
U-Series	GB	Cogni	Gl
Tattoo	BW	Diem	O
		Doni	Gl
Fixed Seating		Gladly	V0
Concerto	BW	Grazie	Gl
Single Pedestal	GB	Hub	1H
Jury Base	GB	Impress	O
Lancaster	BW	Impress Ultra	O
Sequence	GB	Intellect Wave	Gl
University	GB	Jessa	H

Jubilee	VQ
Katera	GB
Kurv Benches	HN
_earn2	GB
_imeLite	GB
_yra	HN
Medical & Laboratory Stools	OM
MyPlace	HN
MyWay	HN
Oath	GB
Opt4	GB
Pilot	OM
Promenade	BW
Ruckus	GB
Sela	HN
Sift	GB
Signia	OM
Soltice Metal	HN
Soltice	HN
Sonrisa	HN
Strive	GB
Sway	BW
Tattoo	HN
Torsion-on-the-Go!	
Torsion Air	GB
Zeker	
Zootn/	⊔N

KI C.O.M. Manufacturing Site Addresses:

KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107

KI Green Bay

Attn: COM Storage

Green Bay, WI 54302

1687 Westminster Drive - Gate 3

KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

 \underline{VQ} Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

Attn: COM Storage 1110 S. Mildred Ave

Ontario, CA 91761









Weight-Activated Task Chair, Armless (KIDE820) Weight-Activated Task Chair, 1D Arms (KIDE82B)

Weight-Activated Task Chair, 4D Arms (KIDE82C)

Features			
Weight Activated	•	•	•
Seat Depth Adjustment:			
1D arm		•	
4D arm			•
General Dimensions			
Seat width	19-1/2"	19-1/2"	19-1/2"
Seat depth	17-1/2"	17-1/2"	17-1/2"
Seat height	17-1/2 - 22-1/4"	17-1/2 - 22-1/4"	17-1/2 - 22-1/4"
Back width	17-1/2"	17-1/2"	17-1/2"
Back height (above seat)	20-1/2"	20-1/2"	20-1/2"
Inside arm distance		18-1/2"	15-3/4" - 19-1/2"
Arm height (from floor)		24-1/2" - 32-3/4"	24-3/4" - 33-3/4"
Overall Dimensions			
Width	27"	27"	27"
Depth	27"	27"	27"
Height	38-3/4" - 43-1/2"	38-3/4" - 43-1/2"	38-3/4" - 43-1/2"
Base diameter	26"	26"	26"







Weight-Activated Task Chair with Seat Depth Adjustment, Armless (KIDE840)

Weight-Activated Task Chair with Seat Depth Adjustment, 1D Arms (KIDE84B)

Weight-Activated Task Chair with Seat Depth Adjustment, 4D Arms (KIDE84C)

Features			
Weight Activated	•	•	•
Seat Depth Adjustment:	•	•	•
1D arm		•	
4D arm			•
General Dimensions			
Seat width	19-1/2"	19-1/2"	19-1/2"
Seat depth	17-1/2" - 20"	17-1/2" - 20"	17-1/2" - 20"
Seat height	18-1/4" - 23"	18-1/4" - 23"	18-1/4" - 23"
Back width	17-1/2"	17-1/2"	17-1/2"
Back height (above seat)	20-1/2"	20-1/2"	20-1/2"
Inside arm distance		18-1/2"	15-3/4" - 19-1/2"
Arm height (from floor)		24-1/2" - 32-3/4"	24-3/4" - 33-3/4"
Overall Dimensions			
Width	27"	27"	27"
Depth	27"	27"	27"
Height	38-3/4" - 43-1/2"	38-3/4" - 43-1/2"	38-3/4" - 43-1/2"
Base diameter	26"	26"	26"

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com









Weight-Activated Task Stool, Armless (KIDE920) Weight-Activated Task Stool, 1D Arms (KIDE92B)

Weight-Activated Task Stool, 4D Arms (KIDE92C)

Features			
Weight Activated	•	•	•
Seat Depth Adjustment:			
1D arm		•	
4D arm			•
General Dimensions			
Seat width	19-1/2"	19-1/2"	19-1/2"
Seat depth	17-1/2"	17-1/2"	17-1/2"
Seat height	21-1/4" - 29-1/4"	21-1/4" - 29-1/4"	21-1/4" - 29-1/4"
Back width	17-1/2"	17-1/2"	17-1/2"
Back height (above seat)	20-1/2"	20-1/2"	20-1/2"
Inside arm distance		18-1/2"	15-3/4" - 19-1/2"
Arm height (from floor)		29" - 40-1/2"	29-1/4" - 41-1/2"
Overall Dimensions			
Width	27"	27"	27"
Depth	27"	27"	27"
Height	43-1/4" - 51-1/4"	43-1/4" - 51-1/4"	43-1/4" - 51-1/4"
Base diameter	26"	26"	26"







Weight-Activated Task Stool with Seat Depth Adjustment, Armless (KIDE940)

Weight-Activated Task Stool with Seat Depth Adjustment, 1D Arms (KIDE94B)

Weight-Activated Task Stool with Seat Depth Adjustment, 4D Arms (KIDE94C)

Features			
Weight Activated	•	•	•
Seat Depth Adjustment:	•	•	•
1D arm		•	
4D arm			•
General Dimensions			
Seat width	19-1/2"	19-1/2"	19-1/2"
Seat depth	17-1/2" - 20"	17-1/2" - 20"	17-1/2" - 20"
Seat height	22" - 30"	22" - 30"	22" - 30"
Back width	17-1/2"	17-1/2"	17-1/2"
Back height (above seat)	20-1/2"	20-1/2"	20-1/2"
Inside arm distance		18-1/2"	15-3/4" - 19-1/2"
Arm height (from floor)		29" - 40-1/2"	29-1/4" - 41-1/2"
Overall Dimensions			
Width	27"	27"	27"
Depth	27"	27"	27"
Height	43-1/4" - 51-1/4"	43-1/4" - 51-1/4"	43-1/4" - 51-1/4"
Base diameter	26"	26"	26"

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com



TECHNICAL SPECIFICATIONS

Mechanism

A weight-activated mechanism passively adjusts backrest tilt tension based on occupant weight. The mechanism is made of stamped steel with a black plastic trim cover. One lever operates the height-adjust cylinder and a second lever allows the backrest tilt mechanism to move freely, or locks it in one of four positions.

Seat

Plywood seat board with $3^{1}/_{2}^{1}$ thick molded urethane foam is upholstered using a drawstring method. Optional seat depth adjustment range of 2.5".

Backrest

Reinforced nylon frame with mesh insert. Backrest frame and mesh are available in black, grey or white.

Base

Chair and stool have an injection-molded, glass-reinforced black nylon 5-blade base or a polished die-cast aluminum 5-blade base. Standard chair cylinder available in Black or Chrome. Standard stool cylinder available in Chrome only.

Casters

Casters are 55 mm O.D., double-wheel high-impact thermoplastic, and are designed for use on both commercial carpet and hard floors.

Foot Ring

Task stools are equipped with an adjustable-height foot ring consisting of a die-cast aluminum hub, four spokes, and a 20" diameter tubular steel ring. Black in color.

Arms

Optional height-adjustable arms are molded in black reinforced plastic with molded black polyurethane arm caps. Armrests mount directly to the seat board.

1D Arms


1D Arms are height-adjustable with a range of $3^{1}/_{4}$ ".

4D Arms

4D Arms are two-way adjustable, by width and height. Forward-slanting arms with ergonomic, maximum mobility arm top (button-activated and lockable arm pad; I" side-to-side, 2" forward and back, and pivoting). Adjustable-height range of $4^{1}/_{4}$ ". Adjustable width range of $1^{3}/_{4}$ " per side.








Diem Weight-Activated Task Chairs with Seat Depth Adjustment



Diem Weight-Activated Task Stools




Diem Weight-Activated Task Stools with Seat Depth Adjustment




General Information




Diem Armless Task Chair



Diem Task Arm Chair - 1D Arms




Diem Task Arm Chair - 4D Arms




Model	A Seat Width	B Seat Depth	C Seat Height	D Backrest width	E Backrest Height (above seat)	F Inside Arm Distance	G Arm Height (from floor)	H Overall Width	l Overall Depth	J Overall Height	K Base Diameter
KIDE820	191/2"	171/2"	171/2" - 221/4"	171/2"	201/2"			27"	27"	383/4" - 431/2"	26"
KIDE82B	191/2"	171/2"	171/2" - 221/4"	171/2"	201/2"	181/2"	241/2" - 323/4"	27"	27"	383/4" - 431/2"	26"
KIDE82C	191/2"	171/2"	171/2" - 221/4"	171/2"	201/2"	153/4" -191/2"	24³/₄" - 33³/₄"	27"	27"	383/4" - 431/2"	26"
KIDE840	191/2"	171/2" - 20"	181/4" - 23"	171/2"	201/2"			27"	27"	383/4" - 431/2"	26"
KIDE84B	191/2"	171/2" - 20"	181/4" - 23"	171/2"	201/2"	181/2"	241/2" - 323/4"	27"	27"	383/4" - 431/2"	26"
KIDE84C	191/2"	171/2" - 20"	181/4" - 23"	171/2"	201/2"	153/4" -191/2"	243/4" - 333/4"	27"	27"	383/4" - 431/2"	26"


Model	Weight-Activated	ID Arms	4D Arms	300 lb Weight Rating	Backrest Frame
KIDE820	*			*	*
KIDE82B	*	*		*	*
KIDE82C	*		*	*	*
KIDE840	*			*	*
KIDE84B	*	*		*	*
KIDE84C	*		*	*	*



base diameter



Diem Task Stool - 4D Arms



Model	A Seat Width	B Seat Depth	C Seat Height	D Backrest width	E Backrest Height (above seat)	F Inside Arm Distance	G Arm Height (from floor)	H Overall Width	l Overall Depth	J Overall Height	K Base Diameter
KIDE920	191/2"	171/2"	21 1/4" - 29 1/4"	171/2"	201/2"			27"	27"	431/4" - 511/4"	26"
KIDE92B	191/2"	171/2"	21 1/4" - 29 1/4"	171/2"	201/2"	181/2"	29" - 401/2"	27"	27"	431/4" - 511/4"	26"
KIDE92C	191/2"	171/2"	21 1/4" - 29 1/4"	171/2"	201/2"	15 ³ / ₄ " -19 ¹ / ₂ "	291/4" - 411/2"	27"	27"	431/4" - 511/4"	26"
KIDE940	191/2"	171/2" - 20"	22" - 30"	171/2"	201/2"			27"	27"	431/4" - 511/4"	26"
KIDE94B	191/2"	171/2" - 20"	22" - 30"	171/2"	201/2"	181/2"	29" - 401/2"	27"	27"	431/4" - 511/4"	26"
KIDE94C	191/2"	171/2" - 20"	22" - 30"	171/2"	201/2"	153/4" -191/2"	291/4" - 411/2"	27"	27"	431/4" - 511/4"	26"

Model	Weight-Activated	ID Arms	4D Arms	300 lb Weight Rating	Backrest Frame
KIDE920	*			*	*
KIDE92B	*	*		*	*
KIDE92C	*		*	*	*
KIDE940	*			*	*
KIDE94B	*	*		*	*
KIDE94C	*		*	*	*

Diem®

Product Color Options

Diem® Product Color Options

Backrest Assembly Color

Black BLBR Grey GYBR White WHBR

Backrest Assembly includes frame and coordinating mesh color.

Base Color

Aluminum base Black plastic base

Polished aluminum base requires an upcharge.

Finish Cards

View color swatches for items listed within this document.

<u>Paints</u>

Plastics/Poly

Wood/Veneer <u>Laminates</u>

Molded Edges Edge Styles

Hard Plastics

<u>Glass</u>





		MODEL NUMBER											
	MODEL	Basic Backrest Model Color		Base Seat	t olstery	Approx. Delivered Pricing Packaged Fabric Grade Weight 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Weight-Activated Task Chair, Armless Weight-activated mechanism Black, grey or white frame/mesh backrest options Black or polished aluminum base 3.5" thick upholstered seat Dual surface caster 300 pound weight rating Armless	KIDE820				45.0# \$ 608	\$ 623	\$ 632	\$ 668	\$ 718	\$ 747	\$ 776	\$ 799
DIEM													
	Weight-Activated Task Chair, 1D Arms Weight-activated mechanism Black, grey or white frame/mesh backrest options Black or polished aluminum base 3.5" thick uphoistered seat Dual surface caster 300 pound weight rating 1D (height adjustable) arms	KIDE82B				48.0# \$ 692	\$ 707	\$ 716	\$ 752	\$ 802	\$ 831	\$ 860	\$ 883
DIEM	W: 11.5 !! . 1.7 1.0! ! . 4D.4	WIDEANA SESSE				540% A 070	Φ 007	Φ 070		A 000	* 201	A 1000	A 1010
	Weight-Activated Task Chair, 4D Arms Weight-activated mechanism Black, grey or white frame/mesh backrest options Black or polished aluminum base 3.5" thick upholstered seat Dual surface caster 300 pound weight rating 4D arms	KIDE82C				54.0# \$ 852	\$ 867	\$ 876	\$ 912	\$ 962	\$ 991	\$ 1020	\$ 1043
DIEM													
		A B	•	0	(3								

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect backrest color. Refer to the **Product Color Options** page in this

*Backrest Assembly includes frame and coordinating mesh color.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133 See FR upcharge under Options.

①Select base finish. Refer to the **Product Color Options** page in this

price list. *; add \$141 for polished aluminum base.

Select seat upholstery. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 1 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added List Price: \$151

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.





		MODEL NU	MBER										
	MODEL	Basic Ba	ackrest Fire	Base e Finish		Approx. Delivered Pricing Packaged Fabric Grade Weight 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
DIEM	Weight-Activated Task Chair with Seat Depth Adjustment, Armless Weight-activated mechanism Black, grey or white frame/mesh backrest options Seat depth adjustment Black or polished aluminum base 3.5" thick upholstered seat Dual surface caster 300 pound weight rating Armless					50.0# \$ 663	\$ 678	\$ 687	\$ 723	\$ 773	\$ 802	\$ 831	\$ 854
DIEM	Weight-Activated Task Chair with Seat Depth Adjustment, 1D Arms Weight-activated mechanism Black, grey or white frame/mesh backrest options Seat depth adjustment Black or polished aluminum base 3.5" thick upholstered seat Dual surface caster 300 pound weight rating 1D (height adjustable) arms	KIDE84B				53.0# \$ 747	\$ 762	\$ 771	\$ 807	\$ 857	\$ 886	\$ 915	\$ 938
DIEM	Weight-Activated Task Chair with Seat Depth Adjustment, 4D Arms Weight-activated mechanism Black, grey or white frame/mesh back- rest options Seat depth adjustment Black or polished aluminum base 3.5" thick upholstered seat Dual surface caster 300 pound weight rating 4D arms	KIDE84C			00000	62.0# \$ 907	\$ 922	\$ 931	\$ 967	\$ 1017	\$ 1046	\$ 1075	\$ 1098
DIEIN		a	B 0	• •	3								
			U	ש פ	G								

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect backrest color. Refer to the **Product Color Options** page in this

*Backrest Assembly includes frame and coordinating mesh color.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133 See FR upcharge under Options.

①Select base finish. Refer to the **Product Color Options** page in this

price list. *Add ; add \$141 for polished aluminum base.

Select seat upholstery. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 1 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added List Price: \$151

SPECIAL SERVICES

Special Carton Marking

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.

With specially marked information N/C

Specifications and prices are subject to change without prior notice.





		MODEL NUMBER													
	MODEL	Basic Model	Backrest Color		Base S Finish U	eat pholstery	Packaged I Weight	1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
DIEMS	Weight-Activated Task Stool, Armless Weight-activated mechanism Black, grey or white frame/mesh backrest options Black or polished aluminum base 3.5" thick upholstered seat Dual surface caster 300 pound weight rating Armless Seat height range of 21.25" - 29.25"	KIDE920					48.0#	\$ 736	\$ 751	\$ 760	\$ 796	\$ 846	\$ 875	\$ 904	\$ 927
DIEMS	Weight-Activated Task Stool, 1D Arms Weight-activated mechanism Black, grey or white frame/mesh backrest options Black or polished aluminum base 3.5" thick upholstered seat Dual surface caster 300 pound weight rating 1D (height adjustable) arms Seat height range of 21.25" - 29.25"	KIDE92B					51.0#	\$ 820	\$ 835	\$ 844	\$ 880	\$ 930	\$ 959	\$ 988	\$ 1011
DILINO CONTRACTOR OF THE PROPERTY OF THE PROPE	Weight-Activated Task Stool, 4D Arms Weight-activated mechanism Black, grey or white frame/mesh backrest options Black or polished aluminum base 3.5" thick upholstered seat Dual surface caster 300 pound weight rating 4D arms Seat height range of 21.25" - 29.25"	KIDE92C					57.0#	\$ 980	\$ 995	\$ 1004	\$ 1040	\$ 1090	\$ 1119	\$ 1148	\$ 1171
DIEMS															
		A	3	Θ	O	3									

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect backrest color. Refer to the **Product Color Options** page in

*Backrest Assembly includes frame and coordinating mesh color.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133 See FR upcharge under Options.

①Select base finish. Refer to the **Product Color Options** page in this price list. *; add \$141 for polished aluminum base.

Select seat upholstery. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 1 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added List Price: \$151

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.





		MODEL I	NUMBER												
	MODEL	Basic Model		Fire Code		Seat Upholstery	Packaged	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
DIEMS	Weight-Activated Task Stool with Seat Depth Adjustment, Armless Weight-activated mechanism Black, grey or white frame/mesh back- rest options Black or polished aluminum base 3.5" thick upholstered seat Dual surface caster 300 pound weight rating Armless Seat height range of 22" - 30"	KIDE940					53.0#	\$ 791	\$ 806	\$ 815	\$ 851	\$ 901	\$ 930	\$ 959	\$ 982
DIEMS	Weight-Activated Task Stool with Seat Depth Adjustment, 1D Arms Weight-activated mechanism Black, grey or white frame/mesh back- rest options Black or polished aluminum base 3.5" thick upholstered seat Dual surface caster 300 pound weight rating 1D (height adjustable) arms Seat height range of 22" - 30"	KIDE94B					57.0#	\$ 876	\$ 891	\$ 900	\$ 936	\$ 986	\$ 1015	\$ 1044	\$ 1067
	Weight-Activated Task Stool with Seat Depth Adjustment, 4D Arms Weight-activated mechanism Black, grey or white frame/mesh back- rest options Black or polished aluminum base 3.5" thick upholstered seat Dual surface caster 300 pound weight rating 4D arms Seat height range of 22" - 30"	KIDE94C					66.0#	\$ 1035	\$ 1050	\$ 1059	\$ 1095	\$ 1145	\$ 1174	\$ 1203	\$ 1226
DIEMS		A	3	•	0	3									
		w.	•	G	U	J									

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select backrest color.

Refer to the **Product Color Options** page in this price list

*Backrest Assembly includes frame and coordinating mesh color.

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See FR upcharge under Options.

Select base finish.
 Refer to the Product Color Options page in this price list.
 *Add; add \$141 for polished aluminum

Select seat upholstery. Refer to <u>ki.com/fabrics</u>

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 1 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added List Price: \$151

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

