



# IMPRESS<sup>®</sup> SEATING

---

## PRICE LIST

EFFECTIVE JANUARY 31, 2025  
800.424.2432




<hr/>		
<b>Ordering Customer's Own Material (C.O.M.) Upholstery</b>		
Information		3
<hr/>		
<b>Impress®</b>		
General Information		4
Task Chairs and Stools		5



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION

Architectural Walls	Panel Systems	Jubilee .....VQ
Evoke..... MN	All Terrain..... KP	Katera..... GB
Genius..... MN	Balance ..... MN	Kurv Benches..... HN
	Universal ..... MN	Learn2..... GB
Casegoods	Wireworks ..... MN	LimeLite..... GB
Aristotle..... MN	Unite..... MN	Lyra ..... HN
Likha..... MN		Medical & Laboratory Stools ..... OM
	Residence Hall Furniture	MyPlace ..... HN
	RoomScape ..... MN	MyWay ..... HN
		Oath ..... GB
		Opt4 ..... GB
		Pilot ..... OM
	Screens	Promenade..... BW
	All Terrain..... KP	Ruckus..... GB
	Connection Zone..... BW	Sela ..... HN
	Tributaire..... BW	Sift ..... GB
	True/Volition ..... KP	Signia..... OM
	Genesis..... KP	Soltice Metal ..... HN
	Tattoo..... MN	Soltice..... HN
	Universal..... BW	Sonrisa ..... HN
		Strive..... GB
	Seating	Sway ..... BW
	600 Series..... BW	Tattoo..... HN
	Affina ..... HN	Torsion-on-the-Go! ..... GB
	Altus ..... GB	Torsion Air ..... GB
	Apply ..... GB	Zeker ..... HN
	Calida ..... HN	Zoetry ..... HN
	Cogni ..... GB	
	Diem ..... OM	
	Doni ..... GB	
	Gladly ..... VQ	
	Grazie ..... GB	
	Hub ..... HN	
	Impress ..... OM	
	Impress Ultra ..... OM	
	Intellect Wave ..... GB	
	Jessa ..... HN	
Classroom Furniture		
Cogni ..... GB		
Intellect Wave ..... GB		
Learn2..... GB		
Ruckus..... GB		
Desking		
700 Series ..... KP		
Balance ..... MN		
Genesis ..... MN		
True ..... KP		
Universal ..... MN		
WorkZone ..... MN		
Files & Storage		
700 Series..... GB		
Connection ..... BW		
U-Series ..... GB		
Tattoo..... BW		
Fixed Seating		
Concerto..... BW		
Single Pedestal ..... GB		
Jury Base ..... GB		
Lancaster ..... BW		
Sequence ..... GB		
University ..... GB		

KI C.O.M. Manufacturing Site Addresses:

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	<u>HN</u> KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	<u>VQ</u> KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
<u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	<u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	<u>OM</u> KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	



Task Chair (KI62/JR39)



Sled Base Chair (KI60S)



Stool (KI63)

Features			
Free-floating back	•		•
Seat slide	•		•
Back height adjustable	•		•
3 position back lock	•		•
2-1/2" thick foam cushioned seat	•	•	•
General Dimensions			
Seat width	20-1/2"	20-1/2"	20-1/2"
Seat depth	18"	18"	18"
Seat height	17-3/4" - 22-1/4"	18"	22-1/4" - 30"
Back width	20"	20"	20"
Back height (above seat)	19-1/2" - 22-1/2"	21"	19-1/2" - 22-1/2"
Overall Dimensions			
Width	26"	24"	26"
Height	37" - 45"	38-1/2"	43-1/2" - 56-1/2"



4D T-Arm  
(JR69)



Adjustable T-Arm  
(JR39)



Fixed Loop Arm  
(KR48)

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Impress  
Attn: C.O.M. Department  
1110 S. Mildred Ave  
Ontario, CA 91761

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit [ki.com](http://ki.com)



Mechanism

Stamped steel dual housing forms a sturdy cradle for the seat. There are three control levers. One lever actuates the pneumatic height cylinder, which adjusts the seat height from 22<sup>1</sup>/<sub>4</sub>" to 30", with infinite selection within the range. One lever locks the chair back angle or actuates the free-floating chair back angle movement. One lever releases the seat slide. Seat angle is fixed. Chair back angle has an approximate range of 24 degrees.

Backrest

The injection molded plastic board has embedded inserts for mounting. The board is covered with contoured molded high-resilient foam and upholstered with fabric. A textured black shroud covers the rear side.

Back Height

An easy to operate mechanism is installed on the back board for adjusting back height.

Back Foam

Molded high-resilient foam.

Seat Slide

Double spring-loaded: side-mounted, easy-to-use control. Adjustment range of 3.1" (18" - 21.1").

Seat

Constructed of a <sup>1</sup>/<sub>2</sub>" thick, saddle shape plywood with 2<sup>1</sup>/<sub>2</sub>" molded high-resilient foam and upholstered with fabric. The entire seat assembly is mounted to the mechanism with four screws.

Memory Foam

Double layer of foam. Molded memory foam is layered over molded, high-resiliency foam. Seat only.

Cylinder

10" travel range.

Pedestal Base

26" diameter, five-blade reinforced nylon base. Black only.

Standard Carpet Casters

The double 55 mm diameter Black wheels are molded of high-impact thermoplastic and are housed in a high-impact frame with a 45 mm barile to match leg of base; for Carpet Application.

Hard Floor Casters

The double 65 mm diameter Black & Grey Wheels are molded of durable heavy duty soft polyurethane and high-impact thermoplastic with a universal stem fit for many floor surfaces requiring a soft caster.

Foot Ring

Stool is equipped with an adjustable-height foot ring, consisting of a die-cast aluminum hub, four spokes, and a 20" diameter tubular steel ring. Black in color.

Adjustable T-Arm

Adjustable T-Arm (JR39) is two-way adjustable, by width and height. Black molded urethane armcap. Adjustable height range of 4<sup>1</sup>/<sub>4</sub>". Adjustable width range of 1<sup>3</sup>/<sub>4</sub>" per side. Arm ships KD (same box as the chair) and must be installed on the chair with four bolts per side (provided) with a Phillips head screwdriver (not provided).

4D T-Arm

4D T-Arm (JR69) is two-way adjustable, by width and height. Forward-slanting T-arms with ergonomic, maximum mobility arm top (button-activated arm pad; 1" lateral, 2" forward and back, and diagonal adjustability.) Adjustable height range of 4<sup>1</sup>/<sub>4</sub>". Adjustable width range of 1<sup>3</sup>/<sub>4</sub>" per side. Arm ships KD (same box as the chair) and must be installed on the chair with four bolts per side (provided) with a Phillips head screwdriver (not provided).

Fixed Loop Arm

Fixed Loop Arm (KR48) is a black molded urethane arm.

Adjustable Loop Arm

Adjustable Loop Arm (KR72) has a black molded urethane armcap. 2<sup>1</sup>/<sub>2</sub>" of height adjustment and 2" of total width adjustment.

HOW TO ORDER

Indicate the following information on order form:  
1. Quantity of each item.  
2. Model number, including options. See “How To Build a Model Number”.  
3. Any special service required.

Note: • The ☐ indicates that a choice is required.  
• The absence of the ☐ indicates that no choice is required.  
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

Select basic model.

NF

- No memory foam

MF

- Memory foam (for seat only); add \$140

Memory foam for seat only.

C

Select seat height.

NS

- Standard height (17 3/4"-22 1/4")

IPCYL4HD

- Low height (16 3/4"-19 1/2")

IPCYL6SHD

- Tall height (20 1/2"-26 3/4")

D

Select seat option.

SLD

- Sliding seat

E

Select back panel.

POLY

- Poly back (standard)

DUB2

- Upholstered back panel; add \$105

F

Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133

G

Select upholstery grade/color.  
Refer to [ki.com/fabrics](#)

H

Select base option.

C

- Carpet casters

S

- Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs with an upholstered seat and back, the requirement is 3/4 yards. For an upholstered seat only, the requirement is 1/2 yards. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=No Arm  
Added List Price=\$178

FR is also available on models with the Adjustable T-arm (JR39 arm). See Models KI62/FR39 and KI63/FR39 for pricing.

When FR version is ordered, the plastic back panel is upholstered (add upcharge). For C.O.M. yardage, see “C.O.M. Upholstery” note.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																				
			Basic Model	Mem Foam	Seat Slide	Back Panel	Fire Code	Uph. Color	Base														
MODEL	Features									Approx. Packaged Weight	Delivered Pricing Fabric Grade Soft Knit™	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing C.O.L.	Delivered Pricing Leather	
  IMPR	<b>Impress® Stool</b> <ul style="list-style-type: none"><li>• 2-1/2" thick foam cushioned seat</li><li>• Synchronized free-floating back</li><li>• Back height adjustment</li><li>• Multiple-position back lock</li><li>• Pedestal base available in black only</li><li>• FR models (no arm and FR39 arm) require the plastic back panel to be upholstered</li></ul>	No Arm	KI63/NA	<input type="checkbox"/> <input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	47.0#	\$ 1206	\$ 1026	\$ 1054	\$ 1080	\$ 1080	\$ 1120	\$ 1198	\$ 1262	\$ 1310	\$ 1361	\$ 1356	\$ 1455	
	4D T-Arm	KI63/JR69	<input type="checkbox"/> <input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	55.0#	1503	1320	1347	1378	1378	1417	1497	1557	1606	1659	1655	1751		
	Adjustable T-Arm	KI63/JR39	<input type="checkbox"/> <input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	56.0#	1411	1229	1261	1286	1286	1326	1407	1467	1515	1569	1565	1660		
	Adjustable T-Arm, Fire Retardant	KI63/FR39	<input type="checkbox"/> <input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/>	FR	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	56.0#	1857	1672	1706	1733	1733	1772	1854	1914	1962	2016	2010	2103		
	Fixed Loop Arm	KI63/KR48	<input type="checkbox"/> <input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	56.0#	1408	1224	1258	1282	1282	1318	1401	1463	1513	1562	1559	1655		
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>														

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

**NF**- No memory foam

**MF**- Memory foam (for seat only); add \$140

Memory foam for seat only.
- C**Select seat option.

**SLD**- Sliding seat
- D**Select back panel.

**DUB2**- Upholstered back panel; add \$105

**POLY**- Poly back (standard)
- E**Select fire code.

**NFR**- Compliance to TB 117-2013

**FR**- Compliance to TB 133
- F**Select upholstery grade/color.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

- G**Select base option.

**C**- Carpet casters

**S**- Hard floor casters

UPHOLSTERY INFORMATION

**C.O.M. Upholstery**  
C.O.M. requirement for less than ten chairs is 1 yard of 54” wide nondirectional fabric. For ten or more chairs with an upholstered seat and back, the requirement is 3/4 yards. For an upholstered seat only, the requirement is 1/2 yards. For complete information on ordering C.O.M. see “Ordering Customer’s Own Material (C.O.M) Upholstery.” section.

OPTIONS

**California TB133 Fire Safety Code**  
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=No Arm  
Added List Price=\$178

FR is also available on models with the Adjustable T-arm (JR39 arm). See Models KI62/FR39 and KI63/FR39 for pricing.

When FR version is ordered, the plastic back panel is upholstered (add upcharge). For C.O.M. yardage, see “C.O.M. Upholstery” note.

SPECIAL SERVICES

**Special Carton Marking**  
With specially marked information N/C

**Shipping**  
Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET  
GREEN BAY, WI 54302  
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.  
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST  
© 2023 Krueger International, Inc. All Rights Reserved.