

# SIFT° SEATING

PRICE LIST

EFFECTIVE FEBRUARY 2, 2024 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering	Ordering Customer's Own Material (C.O.M.) Upholstery Information													
Sift®														
	General Information													
	Technical Specifications													
	Product Color Options													
	Task and Guest Chairs													




#### **How to Specify**

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.





When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

#### **Production**

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

#### Testing

When KI requires testing, actual vardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

#### **Treated Materials**

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

#### Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

#### **Excess Upholstery Material**

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

#### **Cancelled or Changed Orders**

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

#### C.O.M. SHIPPING LOCATION



MN MN
MN
MN
MN
KF
BW
KP
KP
MN
BW
BW
BW
BW
HN
GB
GB
HN
OM
GB
VQ
GB
HN
OM
OM
HN
VG
GB
HN
HN
GB
HN

Maestro Stack ChairsGB
Medical & Laboratory StoolsOM
MyPlace Lounge SeatingHN
MyWay SeatingHN
Oath Task Chairs and StoolsGB
Opt4GB
Pilot Task ChairsOM
Promenade Seating SystemBW
RuckusGB
Sela Lounge SeatingHN
Sift Task ChairsGB
Signia Task Chairs and StoolsOM
Soltice Metal CollectionHN
Soltice Multiple, Healthcare & Guest .HN
Soltice II Healthcare SeatingHN
SonrisaHN
Strive Multiple, Stack & TaskGB
SwayBW
TattooHN
Torsion-on-the-Go! Nesting Chairs GB
Torsion Air Stack and Task Seating GB
ZoetryHN

#### KI C.O.M. Manufacturing Site Addresses:

KI Bonduel KI High Point Attn: COM Storage Attn: COM Storage 204 West South St. 217 Feld Avenue High Point, NC 27263 Bonduel, WI 54107

KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

<u>VQ</u>

Attn: COM Storage 1110 S. Mildred Ave Ontario, CA 91761















Armless Task Chair (SIFTNA)

4D Adjustable T-Arm Task Chair (SIFTAA)

Armless Task Stool (SIFTNA)

4D Adjustable T-Arm Task Stool (SIFTAA)

Cantilever Arm Guest Chair (SIFTGCA)

	(SIFINA)	(SIFIAA)	(SIFINA)	(SIFIAA)	(SIFIGCA)
Features					
Synchrotilt	•	•	•	•	
Seat slide	•	•	•	•	
Back lock	•	•	•	•	
Mesh seat and back	•	•	•	•	•
Upholstered Seat	•	•	•	•	•
Adjustable lumbar	•	•	•	•	•
4D adjustable T-arm		•		•	
Fixed cantilever arm					•
Black nylon or brushed aluminum base	•	•	•	•	
300 lb. tested	•	•	•	•	•
General Dimensions					
Seat width	19"	19"	19"	19"	19"
Seat depth	19"	19"	19"	19"	19"
Seat height	18-1/4" - 22-1/4"	18-1/4" - 22-1/4"	21-1/4" - 29"	21-1/4" - 29"	19-1/2"
Back width	18"	18"	18"	18"	18"
Back height (above seat)	20-1/2"	20-1/2"	20-1/2"	20-1/2"	16"
Inside arm distance		18-1/2" - 19-1/2"		18-1/2" - 19-1/2"	19"
Arm height (from floor)					26-1/8"
Overall Dimensions					
Width	27"	27"	27"	27"	22-1/4"
Depth	29-1/4"	29-1/4"	29-1/4"	29-1/4"	21-1/4"
Height	42-3/4"	42-3/4"	50-3/8"	50-3/8"	35-3/4"
Base	26"	26"	26"	26"	

### INFORMATION

# C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test sample must be sent to:

Attn: C.O.M. Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

#### INFORMATION

**Warranty** Refer to KI Terms & Conditions document or visit ki.com

# Backrest and Mesh Seat

Reinforced nylon frame with mesh material. **SoSoft** mesh material is 65% polyester and 35% nylon. Integral polypropylene lumbar support mechanism is easily adjusted by the user within a 3" range.

# Optional Upholstered Seat

Nylon seat structure with two layers of polyurethane foam with a fabric cover held in place with staples.

## Mechanism

Stamped steel mechanism provides for sturdy seat and back mounting. Height-adjustable pneumatic cylinder is actuated by a control lever beneath the seat - seat height adjusts from 18" to  $22^{1}/_{2}"$ . Back lock mechanism provides five back positions. Tension control knob adjusts the tension recline force. Spring-loaded seat slide mechanism controls seat-depth adjustment in five positions through a distance of 1.5" and is side-mounted for easy use. Synchronized 2:1 seat/back tilt mechanism has movement of 8 degrees on the seat and 16 degrees on the back.

## Arms

Adjustable T-arms have black urethane arm caps. Arm caps move forward/backward in five positions through I.5". Arm cap width adjusts in five positions through I". Arm support width can be set between I8.5" and I9.5" at assembly. Arm rest height adjusts in eleven positions through 2.75". Arm caps rotate in three positions (+/- 20 degrees).

### Base

Standard 26" diameter, five-blade, reinforced nylon base, black only. Optional 26" diameter polished aluminum five-blade base.

# **Casters**


Double 65 mm diameter black wheels are molded of reinforced plastic. Hard floor or carpet casters are available.

# Weight Capacity

Passes BIFMA x5. I-20II and KI's internal standard testing for 300-pound capacity.

# Task Stool

In addition to the standard-height unit described above, a stool-height version is available. Stools are equipped with a pneumatic cylinder allowing adjustment of seat height from  $21 \frac{1}{4}$  to 29". Task stools receive a twist-to-lock, adjustable-height, 20" diameter chrome-plated steel foot ring with black, diecast aluminum hub and spokes. Stools are available with black or polished aluminum base. Spring-loaded seat slide mechanism controls seat-depth adjustment in 4 positions through a distance of 1.25" and is side-mounted for easy use.



STATEMENT OF LINE - task chairs and task stools available with mesh seat and mesh back or with upholstered seat and mesh back - with adjustable T-arm or armless (Sift guest chair also available)



Sift® Product Color Options

Sift® Product Color Options

**Base Color** 

Aluminum base

A P

Black plastic base

Aluminum base requires an upcharge.

Finish Cards

Plastics/Poly View color swatches for items listed within this document.

<u>Paints</u>

Wood/Veneer <u>Laminates</u>

Edge Styles

Molded Edges

**Hard Plastics** <u>Glass</u>

Task and Guest Chairs



Task and Guest Chairs

									•										
			MODEL	LNUMB	ER														
	MODEL	Features	Basic Model	Base	Casters	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Task Armless Chair	Mesh Seat and Back	SIFTNA					43.0#	\$ 931										
	<ul> <li>"SoSoft" mesh back and mesh seat or uph seat</li> </ul>	Upholstered Seat	SIFTUNA	A 🗆				43.0#	N/A	837	852	860	837	860	896	946	977	1006	1036
	Adjustable lumbar																		
	<ul> <li>300 pound weight rating</li> </ul>																		
Mesh	Ships fully assembled																		
Mesh Seat																			
8																			
SIFT																			
SIFTU																			
01110	Task 4D Adjustable T-Arm Chair	Mesh Seat and Back	SIFTAA					49.0#	\$ 1110										
	<ul> <li>"SoSoft" mesh back and mesh seat or</li> </ul>	Upholstered Seat	SIFTUAA	\				49.0#	N/A	1018	1033	1040	1018	1040	1076	1129	1157	1186	1221
	uph seat  • Adjustable lumbar																		
	300 pound weight rating																		
Unh	Ships fully assembled																		
Uph. Seat																			
- <b>%</b> &																			
CIET																			
SIFT SIFTU																			
SIFIU																			
			Λ	B	<b>@</b>	<b>O</b>	G												

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of 
  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select base option.

P - Black plastic base

A - Aluminum base; add \$116

Select casters.

C - Carpet casters
S - Hard floor casters; add \$65

OSelect fire code.

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133 See FR upcharge under Options.

Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

#### OPTIONS

## California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh Added Lead Time=1 week Added List Price=\$101

Model=Upholstered Seat Added Lead Time=1 week Added List Price=\$101

#### UPHOLSTERY INFORMATION

#### C.O.M. and C.O.V. Upholstery

C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54" wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see "Ordering C.O.M., C.O.V. and C.O.L." section.

# SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 250.

Specifications and prices are subject to change without prior notice.

Task and Guest Chairs



Task and Guest Chairs

								•										
			MODEL N	UMBER														
	MODEL	Features	Basic Model	Base Caste	Fire ers Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Task Armless Stool	Mesh Seat and Back	SIFTSNA				43.0#	\$ 1075										
	"SoSoft" mesh back and mesh seat or	Upholstered Seat	SIFTSUNA				43.0#	N/A	981	998	1006	981	1006	1042	1094	1123	1152	1184
	uph seat  • Adjustable lumbar																	
	<ul> <li>300 pound weight rating</li> </ul>																	
Mach	Ships fully assembled																	
Seat																		
Mesh Seat																		
SIFTS																		
SIFSU																		
	Task 4D Adjustable T-Arm Stool	Mesh Seat and Back	SIFTSAA				49.0#	\$ 1259										
	"SoSoft" mesh back and mesh seat or	Upholstered Seat	SIFTSUAA				49.0#	N/A	1165	1179	1186	1165	1186	1224	1275	1305	1333	1366
	uph seat  • Adjustable lumbar																	
	<ul> <li>300 pound weight rating</li> </ul>																	
Uph. Seat	Ships fully assembled																	
Seat																		
SIFTS																		
SIFSU																		
			A	<b>B G</b>	0	<b>(3</b>												

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of 
  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select base option.

P - Black plastic base

A - Aluminum base; add \$116

Select casters.

C - Carpet casters
S - Hard floor casters; add \$65

OSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See FR upcharge under Options.

Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

#### OPTIONS

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh Added Lead Time=1 week Added List Price=\$101

Model=Upholstered Seat Added Lead Time=1 week Added List Price=\$101

#### UPHOLSTERY INFORMATION

#### C.O.M. and C.O.V. Upholstery

C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54" wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 250.

Specifications and prices are subject to change without prior notice.



Task and Guest Chairs



Task and Guest Chairs

			MODEL NUMBER														
	MODEL	Features	Basic Model		Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Guest Cantilever Armchair	Mesh Seat and Back	SIFTGCA			38.0#	\$ 731										
	"Suffo" mesh back and mesh seat or	Upholstered Seat	SIFTUCA			38.0#	N/A	680	697	703	680	703	741	792	822	851	881
	uph seat  • Adjustable lumbar																
	<ul> <li>300 pound weight rating</li> </ul>																
	<ul> <li>Ships fully assembled</li> </ul>																
# Mesh																	
Seat																	
SIFTG																	
SIFGU																	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code. NFR - Compliance to TB 117-2013
FR - Compliance to TB 133 B

See FR upcharge under Options.

Select upholstery grade/color. Refer to ki.com/fabrics

#### OPTIONS

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh Added Lead Time=1 week Added List Price=\$101

Model=Upholstered Seat Added Lead Time=1 week Added List Price=\$101

### UPHOLSTERY INFORMATION

#### C.O.M. and C.O.V. Upholstery

C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54" wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

#### **Special Carton Marking** With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302,

freight prepaid. Freight class 250.

Specifications and prices are subject to change without prior notice.

