



KURVTM LOUNGE FURNITURE

PRICE LIST

EFFECTIVE NOVEMBER 1, 2023
800.424.2432



Ordering Customer's Own Material (C.O.M.) Upholstery		
Information		3
Kurv™		
General Information		5
Product Color Options		6
Chair		7
Benches		8



Customer’s Own Material ■
Specifications Form
January 2023

How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.

C.O.M. must be supplied in continuous yardage.


Yardage requirements listed in price list are based on plain goods 54” wide. Fabrics less than 54” wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. Consult matrix below for additional yardage needed.

C.O.M. INCREASE MATRIX (yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or K.O.M. upholsteries).

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7”	8”–13”	14”-21”	22”-27”	28”-33”	34”-40”	41”-48”
		REPEAT	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT
54”	0	20%	25%	30%	45%	55%	70%	80%
51”-53”	15%	25%	30%	35%	50%	60%	80%	90%
48”-50”	20%	30%	35%	40%	55%	65%	85%	95%
45”-47”	30%	45%	50%	55%	60%	80%	90%	100%
36”-44”	50%	65%	70%	75%	80%	100%	110%	120%

Diagram A



Fabric with double repeat: If using a fabric with a double repeat, please follow this formula: take the total amount of the larger and half of the smaller repeat; add together to find the correct overall repeat. Example: 10” vertical with 14” horizontal would be 14+5=19.

If fabric comes in on multiple rolls, one additional yard per roll needs to be added to the yardage requirement.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. or K.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled as follows:

1. Name and address
2. Your purchase order number
3. Our style number to which fabric is to be applied
4. Supplier name and fabric name, number, and color

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order



C.O.M. SHIPPING LOCATION



Architectural Walls	System 3000..... MN	Maestro Stack Chairs GB
Evoke..... MN	Universal Overheads..... MN	Medical & Laboratory Stools..... OM
Genius Walls..... MN	Wireworks MN	MyPlace Lounge Seating HN
	Unite..... MN	MyWay Seating..... HN
Casegoods		Oath Task Chairs and Stools..... GB
Aristotle Tackboards..... MN	Residence Hall Furniture	Opt4 GB
Likha Tackboards..... MN	RoomScape Furniture MN	Pilot Task Chairs OM
		Promenade Seating System BW
Classroom Furniture	Screens	Ruckus..... GB
Intellect Wave Chairs..... GB	All Terrain..... KP	Sela Lounge Seating HN
Learn2 GB	Connection Zone..... BW	Sift Task Chairs GB
Ruckus..... GB	True/Volition KP	Signia Task Chairs and Stools OM
	Genesis..... KP	Soltice Metal Collection..... HN
Desking	Tattoo..... MN	Soltice Multiple, Healthcare & Guest .HN
700 Series Desking KP	Universal..... BW	Soltice II Healthcare Seating..... HN
Balance Overheads MN	Seating	Strive Multiple, Stack & Task GB
Genesis Desking..... MN	400 Series Folding Chairs..... BW	Sway BW
True Desking..... KP	600 Series Folding Chairs..... BW	Tattoo..... HN
Universal Overheads..... MN	600 Series Stools..... BW	Torsion-on-the-Go! Nesting Chairs GB
WorkZone Desking MN	Affina Collection..... HN	Torsion Air Stack and Task Seating GB
	Altus Task Chairs..... GB	Zoetry HN
Files & Storage	Apply Stack Chairs GB	
700 Series Pedestal Cushion..... GB	Calida Lounge Seating HN	
Connection Zone Pads..... BW	Diem Task Chairs OM	
U-Series Pedestal Cushion..... GB	Doni Collection..... GB	
Tattoo..... BW	Gladly Lounge Seating VQ	
	Grazie Seating GB	
Fixed Seating	Hub Modular Lounge Seating HN	
Concerto Auditorium Seating..... BW	Impress Task Chairs..... OM	
Single Pedestal Seating GB	Impress Ultra Task Chairs OM	
Jury Base Seating..... GB	Jessa Lounge Seating HN	
Lancaster Auditorium Seating BW	Jubilee Lounge Seating..... VQ	
Sequence Seating..... GB	Katera Guest Chair..... GB	
University Seating..... GB	Kurv Benches..... HN	
	LaResta Day Beds HN	
Panel Systems	LimeLite GB	
All Terrain..... KP	Lyra Lounge Seating..... HN	
Balance Overheads MN		

KI C.O.M. Manufacturing Site Addresses:

BW
KI Bonduel
Attn: COM Storage
204 West South St.
Bonduel, WI 54107

HN
KI High Point
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

MN
KI Manitowoc
Attn: COM Storage
1400 S. 41st St.
Manitowoc, WI 54220

VQ
KI
Attn: COM Fabrics
6892 Marlin Circle
La Palma, CA 90623

GB
KI Green Bay
Attn: COM Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

KP
KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

OM
KI
Attn: COM Storage
1110 S. Mildred Ave.
Ontario, CA 91761



Backless Bench
(24" and 29" Depth)



Wood Back Bench
(29" Depth)



Upholstered Back Bench (29" Depth)

Features			
Glides	•	•	•
Metal Elements	•	•	•
Upholstery	•	•	•
Dimensions			
Seat width	48", 60" or 78"		48", 60" or 78"
Seat depth	22"		20"
Seat height	17"		17"
Overall width	48", 60" or 78"	48", 60" or 78"	48", 60" or 78"
Overall depth	24" or 29"	29"	29"
Overall height	17"	33"	34"



Backless Tufted Seat
(24" and 29" Depth)



Wood Back Tufted Bench
(29" Depth)

Features		
Glides	•	•
Metal Elements	•	•
Upholstery	•	•
Dimensions		
Seat width	48", 60" or 78"	48", 60" or 78"
Seat depth	22"	
Seat height	17"	
Overall width	48", 60" or 78"	48", 60" or 78"
Overall depth	24" or 29"	29"
Overall height	17"	33"

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Wood Finish - Core (Benches)	
Cherry Storm on Maple	MCX
Cinnamon on Maple	MCN
Cocoa on Maple	MCA
Florence Walnut on Maple	MFC
Kensington Maple on Maple	MMA
Monticello Maple on Maple	MMT
Natural on Beech	BNA
River Cherry on Maple	MRY
Wood Finish - Core (Tables)	
Cherry Storm on Maple	MCX2
Cinnamon on Maple	MCN2
Cocoa on Maple	MCA2
Florence Walnut on Maple	MFC2
Kensington Maple on Maple	MMA2
Monticello Maple on Maple	MMT2
Natural on Beech	BNA2
River Cherry on Maple	MRY2
Leg/Back Support Finish	
Black leg (and back) support finish	BLLEG
Silver leg (and back) support finish	SLVLEG
Pewter leg (and back) support finish	PWLEG


Finish Cards

View color swatches for items listed within this document.

- Paints
- Plastics/Poly
- Wood/Veneer
- Laminates
- Molded Edges
- Edge Styles
- Hard Plastics
- Glass

Certain options referenced may not be available on GSA Schedule.



			MODEL NUMBER																					
			Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Leg/Back Support Finish	Ganging Option	Fire Code															
MODEL	Features									Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	
 KURV	29" Depth Chair	Non-contrast	540/NC	□□□□		□□□	□□□	□□□	□□□	45.0#	\$ 2035	\$ 2061	\$ 2106	\$ 2160	\$ 2197	\$ 2266	\$ 2341	\$ 2426	\$ 2606	\$ 2788	\$ 2966	\$ 3326	\$ 305	
	• Non-contrast C.O.M. = 2 yd	Contrast	540/FC	□□□□	□□□□	□□□	□□□	□□□	□□□	45.0#	2123	2146	2191	2245	2282	2352	2424	2512	2696	2872	3053	3410	305	
	• 1 = Back (Fabric Contrast 1) C.O.M. = 1 yd																							
	• 2 = Seat (Fabric Contrast 2) C.O.M. = 1.5 yd																							
• Ganging includes three brackets per connection																								
			A	B	C	D	E	F	G															

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)
- C**Select fabric contrast 2. Refer to [ki.com/fabrics](#)
- D**Select wood finish color. Refer to the **Product Color Options** page in this price list.
- E**Select leg/back support finish. Refer to the **Product Color Options** page in this price list.
- F**Select ganging option.

NGG

GDV

- Non-ganging

- Ganging; add \$37

Ganging upcharge is per connection.

- G**Select fire code.

NFR

FR

- Compliance to TB 117-2013

- Compliance to TB 133

See pricing column for TB133 upcharge.

INFORMATION

C.O.M. Requirements
C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements
Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Minimum Fabric/Leather Quantity
Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, a Product Modification Request is

required. Contact Customer Service for details.

Construction
Seat and back are 9 ply cross-laminated curved veneer. Cushioning of high density polyurethane foam. Legs and back supports are silver powder coat - standard. Glides are adjustable, brushed aluminum - standard. Attached cushions.

Gangers
Ganging device is 11-gauge steel powder coated black. 3-3/8" wide x 5/8" deep x 1/16" thick. Ganging device is connected to both units by screwing the device into the underside of the bench's wood shell. The screws are included with the ganging device.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled unless replacement parts which ship knocked down, FOB High Point, NC 27263, freight prepaid.** Freight class 175

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																				
			Basic Model	Non-Contrast or Fabric Contrast 1	Wood Finish	Leg/ Back Support Finish	Ganging Option	Fire Code															
MODEL		Features							Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price	
	24" Depth Bench (48", 60", 78" Width)		Non-contrast	448	□□□□	□□□	□□□	□□□	□□□	62.0#	\$ 2055	\$ 2132	\$ 2154	\$ 2176	\$ 2193	\$ 2226	\$ 2256	\$ 2297	\$ 2375	\$ 2455	\$ 2537	\$ 2698	\$ 247
	• Non-contrast C.O.M = 1.5 yd (48"), 2 yd (60"), 3 yd (78")		Non-contrast	460	□□□□	□□□	□□□	□□□	□□□	77.0#	2338	2452	2482	2518	2543	2592	2638	2699	2818	2937	3061	3300	279
	• Ganging includes three brackets per connection		Non-contrast	478	□□□□	□□□	□□□	□□□	□□□	100.0#	2698	2850	2890	2937	2970	3036	3098	3178	3338	3501	3659	3980	308
	• Back options not available																						
	• Corner element and table not available																						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1.
Refer to [ki.com/fabrics](#)
- C**Select wood finish color.
Refer to the **Product Color Options** page in this price list.
- D**Select leg/back support finish.
Refer to the **Product Color Options** page in this price list.
- E**Select ganging option.

NGG

- Non-ganging

GDV

- Ganging; add \$37

Ganging upcharge is per connection.
- F**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133

See pricing column for TB133 upcharge.

INFORMATION

C.O.M. Requirements
C.O.M. yardage requirements listed above are based on plain goods 54” wide. If less than 54” wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements
Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Minimum Fabric/Leather Quantity
Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, a Product Modification Request is

required. Contact Customer Service for details.

Construction
Seat and back are 9 ply cross-laminated curved veneer. Cushioning of high density polyurethane foam. Legs and back supports are silver powder coat - standard. Glides are adjustable, brushed aluminum - standard. Attached cushions.

Gangers
Ganging device is 11-gauge steel powder coated black. 3-3/8” wide x 5/8” deep x 1/16” thick. Ganging device is connected to both units by screwing the device into the underside of the bench’s wood shell. The screws are included with the ganging device.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled unless replacement parts which ship knocked down, FOB High Point, NC 27263, freight prepaid.** Freight class 175

Specifications and prices are subject to change without prior notice.

KURV

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1.
Refer to [**ki.com/fabrics**](http://ki.com/fabrics)
- C** Select wood finish color.
Refer to the **Product Color Options** page in this price list.
- D** Select leg/back support finish.
Refer to the **Product Color Options** page in this price list.
- E** Select ganging option.

NGG	- Non-ganging
GDV	- Ganging; add \$37

 Ganging upcharge is per connection.
- F** Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

 See pricing column for TB133 upcharge.

C.O.M. Requirements
C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to Ki-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq. ft.).

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

For California Technical Bulletin 133 compliant models, a Product Modification Request is

Construction
Seat and back are 9 ply cross-laminated curved veneer. Cushioning of high density polyurethane foam. Legs and back supports are silver powder coat - standard. Glides are adjustable, brushed aluminum - standard. Attached cushions.

Seat and back are 9 ply cross-laminated curved veneer. Cushioning of high density polyurethane foam. Legs and back supports are silver powder coat - standard. Glides are adjustable, brushed aluminum - standard. Attached cushions.

Ganging device is 11-gauge steel powder coated black. 3-3/8" wide x 5/8" deep x 1/16" thick. Ganging device is connected to both units by screwing the device into the underside of the bench's wood shell. The screws are included with the ganging device.

With specially marked information N/C

**Ships assembled unless replacement parts
which ship knocked down, FOB High Point, NC
27263, freight prepaid. Freight class 175**

Specifications and prices are subject to change without prior notice.

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

Select basic model.

B

Select non-contrast or fabric contrast 1.
Refer to [ki.com/fabrics](#)

C

Select fabric contrast 2.
Refer to [ki.com/fabrics](#)

D

Select wood finish color.
Refer to the **Product Color Options** page in this price list.

E

Select leg/back support finish.
Refer to the **Product Color Options** page in this price list.

F

Select ganging option.

NGG	- Non-ganging
GDV	- Ganging; add \$37

Ganging upcharge is per connection.

G

Select fire code.

NFR	- Compliance to TB 117-2013
------------	-----------------------------

FR

- Compliance to TB 133
See pricing column for TB133 upcharge.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54” wide. If less than 54” wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is

required. Contact Customer Service for details.

Construction

Seat and back are 9 ply cross-laminated curved veneer. Cushioning of high density polyurethane foam. Legs and back supports are silver powder coat - standard. Glides are adjustable, brushed aluminum - standard. Attached cushions.

Gangers

Ganging device is 11-gauge steel powder coated black. 3-3/8” wide x 5/8” deep x 1/16” thick. Ganging device is connected to both units by screwing the device into the underside of the bench’s wood shell. The screws are included with the ganging device.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled unless replacement parts which ship knocked down, FOB High Point, NC 27263, freight prepaid.** Freight class 175

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER																			
		Basic Model	Non-Contrast or Fabric Contrast 1	Wood Finish	Leg/ Back Support Finish	Ganging Option	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather		
 KRVT	24” Depth Tufted Bench (48”, 60”, 78” Width)	Non-contrast	448T	□□□□	□□□	□□□	□□□	62.0#	\$ 2591	\$ 2690	\$ 2719	\$ 2750	\$ 2771	\$ 2812	\$ 2854	\$ 2911	\$ 3016	\$ 3123	\$ 3230	\$ 3444	
	• Non-contrast C.O.M = 2 yd (48”), 2.25 yd (60”), 3 yd (78”)	Non-contrast	460T	□□□□	□□□	□□□	□□□	77.0#	3025	3138	3169	3206	3230	3277	3326	3385	3508	3625	3746	3987	
	• Ganging includes three brackets per connection	Non-contrast	478T	□□□□	□□□	□□□	□□□	100.0#	3533	3687	3726	3773	3805	3870	3933	4015	4172	4334	4496	4814	
	• Back options not available																				
	• Corner element and table not available																				
			A	B	C	D	E														

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1.
Refer to ki.com/fabrics
- C** Select wood finish color.
Refer to the **Product Color Options** page in this price list.
- D** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- E** Select ganging option.
NGG - Non-ganging
GDV - Ganging; add \$37
Ganging upcharge is per connection.

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq. ft.).

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Tufted models are not TB133 compliant.

Seat and back are 9 ply cross-laminated curved veneer. Cushioning of high density polyurethane foam. Legs and back supports are silver powder coat - standard. Glides are adjustable, brushed aluminum - standard. Attached cushions.




Ganging device is 11-gauge steel powder coated black. 3-3/8" wide x 5/8" deep x 1/16" thick. Ganging device is connected to both units by screwing the device into the underside of the bench's wood shell. The screws are included with the ganging device.

With specially marked information N/C

**Ships assembled unless replacement parts
which ship knocked down, FOB High Point, NC
27263, freight prepaid. Freight class 175**

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																	
			Basic Model	Non-Contrast or Fabric Contrast 1	Wood Finish	Leg/Back Support Finish	Ganging Option													
MODEL	Features						Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	
 KRVVT	29" Depth Tufted Bench (48", 60", 78" Width) <ul style="list-style-type: none">Non-contrast C.O.M = 1.75 yd (48"), 3.25 yd (60"), 3.5 yd (78")Ganging includes three brackets per connection	Non-contrast	548T	□□□□	□□□	□□□	□□□	62.0# \$ 3142	\$ 3260	\$ 3323	\$ 3393	\$ 3442	\$ 3537	\$ 3632	\$ 3751	\$ 3988	\$ 4229	\$ 4468	\$ 4942	
		Non-contrast	560T	□□□□	□□□	□□□	□□□	77.0# 3487	3644	3719	3812	3875	3851	4125	4281	4596	4909	5221	5850	
		Non-contrast	578T	□□□□	□□□	□□□	□□□	100.0# 4047	4233	4323	4433	4505	4651	4798	4981	5343	5711	6073	6802	
  KRVVT	29" Depth Tufted Bench with Wood Back (48", 60", 78" Width) <ul style="list-style-type: none">Non-contrast C.O.M = 1.75 yd (48"), 3.25 yd (60"), 3.5 yd (78")Ganging includes three brackets per connection	Non-contrast	548WT	□□□□	□□□	□□□	□□□	72.0# \$ 3864	\$ 3986	\$ 4042	\$ 4116	\$ 4164	\$ 4262	\$ 4353	\$ 4474	\$ 4710	\$ 4948	\$ 5189	\$ 5495	
		Non-contrast	560WT	□□□□	□□□	□□□	□□□	90.0# 4343	4499	4572	4665	4730	4857	4982	5137	5447	5766	6082	6700	
		Non-contrast	578WT	□□□□	□□□	□□□	□□□	115.0# 4941	5124	5212	5323	5399	5543	5687	5872	6235	6597	6968	7690	
			A	B	C	D	E													

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)
- C**Select wood finish color. Refer to the **Product Color Options** page in this price list.
- D**Select leg finish. Refer to the **Product Color Options** page in this price list.
- E**Select ganging option.

NGG

- Non-ganging

GDV

- Ganging; add \$37

Ganging upcharge is per connection.

INFORMATION

C.O.M. Requirements
C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements
Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Minimum Fabric/Leather Quantity
Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft.).

California TB133 Fire Safety Code
Tufted models are not TB133 compliant.

Construction
Seat and back are 9 ply cross-laminated curved veneer. Cushioning of high density polyurethane foam. Legs and back supports are silver powder coat - standard. Glides are adjustable, brushed aluminum - standard. Attached cushions.

Gangers
Ganging device is 11-gauge steel powder coated black. 3-3/8" wide x 5/8" deep x 1/16" thick. Ganging device is connected to both units by screwing the device into the underside of the bench's wood shell. The screws are included with the ganging device.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled unless replacement parts which ship knocked down, FOB High Point, NC 27263, freight prepaid.** Freight class 175

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2023 Krueger International, Inc. All Rights Reserved.