

STRIVE[®] SEATING

PRICE LIST

EFFECTIVE MAY 9, 2025 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering Customer's Own Material (C.O.M.) Upholstery Information	3
Strive® Stack Seating General Information	4
Product Color Options Stack Chairs	10 11
Stack/Nesting Strive® Dolly	21
Strive® Stack Seating Cafe Stool	22
Strive® High Density General Information	23
Product Color Options	26
Stack Chair and Dolly	27
Stack Stools	28
Strive® Nesting	
General Information Product Color Options	29 31
Chairs	32
Strive® Nesting Chairs	33
Strive® Tandem Seating	
General Information Product Color Options	34 35
36	33
Strive® Task Seating	
General Information	41
Product Color Options	45
Chairs Stools	46 49
Situlis	49






How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.





When directional or patterned fabrics are used, they often require more vardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION



Architectural Walls	Panei Systems	
EvokeMN	All Terrain	KP
GeniusMN	Balance	MN
	Universal	MN
Casegoods	Wireworks	MN
AristotleMN	Unite	MN
LikhaMN		
	Residence Hall Furniture	
Classroom Furniture	RoomScape	MN
CogniGB		
Intellect WaveGB	Screens	
Learn2GB	All Terrain	KF
RuckusGB	Connection Zone	BW
	Tributaire	BW
Pesking	True/Volition	KF
700 SeriesKP	Genesis	KF
Balance MN	Tattoo	MN
Genesis MN	Universal	BW
TrueKP		
Universal MN	Seating	
WorkZone MN	600 Series	BW
	Affina	HN
iles & Storage	Altus	GE
700 SeriesGB	Apply	GE
ConnectionBW	Calida	HN
U-SeriesGB	Cascha	VT
TattooBW	Clamber	HN
	Cogni	GB
ixed Seating	Diem	OM
ConcertoBW	Doni	GB
Single PedestalGB	Gladly	VQ
Jury BaseGB	Grazie	GB
LancasterBW	Hub	HN
SequenceGB	Impress	OM
UniversityGB	Impress Ultra	OM

ntellect Wave	GB
lessa	HN
Jubilee	VQ
(atera	GB
Kurv Benches	HN
.earn2	GB
imeLite	
yra	HN
Medical & Laboratory Stools	
MyPlace	HN
MyWay	HN
Dath	GB
Opt4	GB
Pilot	OM
Promenade	BW
Ruckus	GB
Sela	HN
Sift	GB
Signia	
Soltice Metal	HN
Soltice	HN
Sonrisa	HN
Strive	GB
Sway	BW
「attoo	HN
orsion-on-the-Go!	GB
orsion Air	GB
Zeker	HN
oetry	HN

KI C.O.M. Manufacturing Site Addresses:

KI Bonduel KI High Point Attn: COM Storage Attn: COM Storage 204 West South St. 217 Feld Avenue High Point, NC 27263 Bonduel, WI 54107

KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761

Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

 \underline{VQ}

Attn: COM Storage 2803 South Taylor Drive Sheboygan, WI 53081









Four-Leg Cantilever Arm Chair

Armless Four-Leg Chair

Four-Leg Loop Arm Chair

	(SLNAU)	(SLCAP)	(SLLAU)
Features			
Stackable	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•
Flex back	•	•	•
General Dimensions			
Seat width	18"	18"	18"
Seat depth	18"	18"	18"
Seat height (upholstered add 1")	18"	18"	18"
Overall Dimensions			
Width	20-3/4"	25"	25"
Depth	21-3/4"	21-3/4"	21-3/4"
Height	32-1/2"	32-1/2"	32-1/2"
Arms to floor		26-1/4"	26-1/4"
Stacking on Dolly			
Overall width	24"	25"	25"
Overall depth - poly	40"	40"	40"
Quantity/height - poly	15 Chairs/61" High	15 Chairs/62" High	15 Chairs/63" High
Overall depth - upholstered	45"	45"	45"
Quantity/height - upholstered	8 Chairs/50" High	8 Chairs/51" High	8 Chairs/51" High
Stacking on Floor			
Width	20-3/4"	25"	25"
Depth	27-1/2"	27-1/2"	27-1/2"
Quantity/height	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High

INFORMATION	
-------------	--

C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

Stacking Vinyl, Polyurethane, and Imitation **Leather Upholstered Chairs**

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.









			4 .					
	Armless Four-Leg Chair with Casters (SLNAPC)	Four-Leg Cantilever Arm Chair with Casters (SLCAUC)	Four-Leg Loop Arm Chair with Casters (SLLAUC)	Armless Sled Base Chair (SSNAP)	Sled Base Cantilever Arm Chair (SSCAU)			
Features								
Stackable	•	•	•	•	•			
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•			
Flex back	•	•	•	•	•			
General Dimensions								
Seat width	18"	18"	18"	18"	18"			
Seat depth	18"	18"	18"	18"	18"			
Seat height (upholstered add 1")	18-1/4"	18-1/4"	18-1/4"	18-1/4"	18-1/4"			
Tablet to chair back clearance								
Overall Dimensions								
Width	21-1/4"	25"	25"	20-3/4"	25"			
Depth	22-1/2"	22-1/2"	22-1/2"	21-3/4"	21-3/4"			
Height	32-1/2"	32-1/2"	32-1/2"	32-1/2"	32-1/2"			
Arms to floor		26-1/2"	26-1/2"		26-1/2"			
Stacking on Dolly								
Width				24"	25"			
Depth - poly				48"	48"			
Quantity/height - poly				15 Chairs/64" High	15 Chairs/64" High			
Depth - upholstered				48"	48"			
Quantity/height - upholstered				8 Chairs/50" High	8 Chairs/50" High			
Stacking on Floor								
Width	20-3/4"	25"	25"	20-3/4"	25"			
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"	27-1/2"			
Quantity/height	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High			

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com






















	Four-Leg Armless Cafe Stool - 24" or 30" Seat Height (SLSNAU)	Four-Leg Loop Arm Cafe Stool - 24" or 30" Seat Height (SLSLAP)	Four-Leg Cantilever Arm Cafe Stool - 24" or 30" Seat Height (SLSCAUB)	Transport Dolly (SCDA.BL)
Features				
Stackable	•	•	•	
Poly, upholstered seat, or upholstered seat/back	•	•	•	
Flex back	•	•	•	
General Dimensions				
Seat width	18"	18"	18"	
Seat depth	18"	18"	18"	
Seat height (upholstered add 1")	24" / 30"	24" / 30"	24" / 30'	
Overall Dimensions				
Width	25"	25"	25"	24"
Depth	23-1/2" / 25"	23-1/2" / 25"	23-1/2 / 25"	29"
Height	39-1/4" / 45-1/4"	39-1/4" / 45-1/4"	39-1/4" / 45-1/4"	16-1/2"
Arms to floor	32-1/2" / 38-1/2"	32-1/2" / 38-1/2"	32-1/2" / 38-1/2"	
Stacking on Floor				
Width	25-7/8"	25-7/8"	25-7/8"	
Depth	28"	28"	28"	
Quantity/height	4 Chairs/48" or 54" High	4 Chairs/48" or 54" High	4 Chairs/48" or 54" High	

INFORMATION

C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

Stacking Vinyl, Polyurethane, and Imitation **Leather Upholstered Chairs**

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

General Information



Four-Leg Tablet Arm Chair



Four-Leg Oversize Tablet Arm Chair



Sled Base Tablet Arm Chair



Sled Base Oversize Tablet Arm Chair
(CLOVIADDU)

Features Stackable

Flex back

General Dimensions

Seat width

Seat depth

Overall Dimensions

Width (Use Position)

Depth (Use Position)

Height Arms to floor

Poly, upholstered seat, or upholstered seat/back

Seat height (upholstered add 1")

Tablet to chair back clearance





18"

18"

16-1/4"

26-1/2"

28" - 33-1/2" 33"

27-3/4"



Four-Leg ChangeUp Tablet Arm Chair with Casters

18"

18"

18"

16-1/4"

26-1/2"

28" - 33-1/2"

33-1/4"

27-3/4"



Strive® Stack Seating

Sled Base ChangeUp Tablet Arm Chair

18"

18"

18" 16-1/4"

26"

28" - 33-1/2"

33-1/4"

27-3/4"

	(SLTAPRH)	(SLOVTAURH)	(SSTAPRH)	(SLOVTAPRH)
Conturno				
Features				
Stackable				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
Flex back	•	•	•	•
General Dimensions				
Seat width	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"
Seat height (upholstered add 1")	18"	18"	18"	18"
Tablet to chair back clearance	14"	14"	14"	14"
Overall Dimensions				
Width (Use Position)	24"	24"	24"	24"
Depth (Use Position)	27-3/4"	31"	27-3/4"	31"
Height	33"	33"	33-1/4"	33-1/4"
Arms to floor	28-1/2"	28-1/2"	28-1/2"	28-1/2"

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Design

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

General Information



TECHNICAL SPECIFICATIONS

Backrest

Injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire.

Seat and Shroud

Injection-molded polypropylene.

Optional Upholstered Seat

Molded urethane foam is attached to an injection-molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners. Note: upholstered seat is required with translucent poly backs.

Optional Upholstered Back

A 1/2" thick ure than e foam is attached to an injection-molded polypropylene back board, then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners which are exposed and are color matched to the polypropylene.

Frames

Legs are $^{7}/_{8}$ " O.D. by 13-gauge tubular steel. Cross members are 1" O.D. by 14-gauge tubular steel and $^{7}/_{16}$ " diameter solid steel. All joints are welded. Frames are available in 4-leg or sled base configurations. Standard 4-leg rear legs angle 14° from vertical. Wallsaver rear legs angle 23° from vertical.

Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint, or bright nickel-chrome plating.

Arms

Optional cantilever arms or loop arms are available. When equipped with arms, the supporting structure is a continuation of the rear leg finished to match the frame color. The armcaps are injection-molded glass filled polypropylene matching the frame finish (when frame finish is Chrome, hammertones, or Starlight Silver metallic, armcaps match the seat and back color; when back is Diamond translucent, armcaps are Light Tone; when back is Pewter translucent, armcaps are Flannel; when back is Bronze translucent, armcaps are Chocolate). The armcaps are attached to the steel structure by means of screws.

Glides

Upper and lower ends of leg tubes are capped with polypropylene end caps matching leg color (chrome frames and hammertone frames match the seat and back color). Three optional glide types are available for leg chairs: swivel poly/nylon, swivel steel and swivel felt glides. The swivel function allows the bottom of the glide to correctly match un-even floor conditions, resulting in less wear. Poly/nylon and felt glides are interchangeable and have easy-on/easy-off replaceable glide caps, which makes field replacement easy and efficient. Swivel poly glides are available in Stone color only. Optional glides for the sled base are co-extruded to provide a softer (non-skid) surface to protect the floor, but do not glide. Sled base chairs are also available with black nylon (plastic) glides and stainless steel glides.

Casters

4-leg chairs may be ordered with carpet casters instead of glides (does not apply to café stools). Casters are double-wheel (60 mm) high-impact thermoplastic and are available in black only.

Tablet Arm

Tablet support loop is a continuation of the rear leg and is available in left- or right-handed models. A formed steel hinge is welded to the top of the support structure, and secured with screws to the underside of the writing surface. Writing surface is $9^{1}/_{2}$ " x $20^{3}/_{4}$ " x $12^{1}/_{2}$ " plywood care of $5^{1}/_{8}$ " thick, I I-ply hardwood, surfaced with .030" high-pressure laminate top and plain backer undersurface. Edges are lacquered and sealed.

4-Leg Café Stool

4-leg models on glides are available in 24" and 30" seat heights. Stool-height units are equipped with a reinforcing foot ring made of a $\frac{1}{2}$ " diameter wire ring, which is open in the back to allow stacking of armless and cantilever arm stools.

Transport Dolly

Frame construction is welded tubular steel with a black powder-coated finish and 5" wheels (two swivel and two fixed). The dolly fits 4-leg or sled base chairs and has a capacity of fifteen poly chairs or eight upholstered chairs.

ChangeUp[™] Tablet Arm

ChangeUp tablet support is integral to the chair frame and consists of a $^{7}/_{8}$ " diameter solid steel rod welded to the front and rear support tubes. A three-piece molded plastic armrest is included and attached to the chair frame using a $\#10 \times 2^{1}/_{2}$ " Phillips pan head tapping screw.

The tablet mechanism consists a die-cast aluminum housing, upper and lower plastic bearings, and I I-gauge steel clamp and tablet board support plates. The tablet mechanism is clamped onto the chair frame over two plastic bushing halves and a $^5/_{16}$ " diameter by $1^3/_4$ " hardened steel pin with a die-cast aluminum cap secured with two $^1/_4$ -20 x $^3/_4$ " button socket head cap screws. The pin creates a solid 90° up/down pivot stop and the bushings provide a smooth, quiet operation. In the use position, the tablet mechanism rotates outward from the chair back an additional 20° and permits approximately $3^1/_2$ " of adjustment for ingress/egress without stowing the tablet.

The tablet worksurface is 21" wide by $13^{1}/2$ " deep (235 square inches) is secured to the tablet board support plate with twelve $\#12 \times {}^{5}/_{8}$ " Phillips flat head tapping screws. The tablet board is made of 18 mm Baltic Birch plywood with .040" high-pressure laminate top surface and .02" thick phenolic backer surface for an overall board thickness of approximately ${}^{3}/_{4}$ ". Edges are lacquered with a clear finish and sealed. The factory installed tablet assembly is not field installable and may not be removed.

Compliance

Support frame, mechanism and worksurface passes KI's internal testing for 250-pound weight capacity.

Strive® Stack Seating General Information




SLSNAP

SLSCAP

SLSLAP


All models are available in polypropylene seat/backrest, upholstered seat/ polypropylene backrest, or upholstered seat/backrest.






DIMENSIONS


Strive Armless 4-Leg Chair




Strive 4-Leg Cantilever Armchair




Strive Armless 4-Leg Chair with Casters




Strive 4-Leg Loop Armchair




Strive Armless Sled Base Chair




Strive Armless Sled Base Chair




Strive 4-Leg Tablet Armchair




Strive Armless 4-Leg Café Stool




Strive 4-Leg Arm Café Stool




Strive 4-Leg Oversized Tablet Armchair




Strive 4-Leg Cantilever Arm Café Stool





Strive Armless 4-Leg Café Stool





Strive 4-Leg ChangeUp Tablet Armchair











Strive® Stack Seating Product Color Options



LBZ LBQ LBT LBK LBW LC0 LCX LCI LCC LRI LDR LDG LFC LFH LFW LGN LGE LHE LHY LID LIT LKM LLB LMT LNA LON LPW LRY LSR LAZ LTV LWL LWN LWY

rame Color		Seat and Back Color - Polypropylene		Tablet Arm Color - Laminate
Black	BL	Non Flame-Retardant		Beigewood
Blue Grey	GR	Black	PBL	Belair
Bronze Metallic	ZM	Blue Grey	PGR	Biltmore Cherry
Cayenne	CY	Cayenne	PCY	Black
Champagne Metallic	CM	Cool Grey	PCG	Brighton Walnut
Chrome	CH	Cottonwood	PC0	Castle Oak
Cool Grey	CG	Diamond Translucent	PDT	Cherry Storm
Cottonwood	CO	Earthen Clay	PEY	Classic Linen
Earthen Clay	EY	Everglade Shade	PEV	Cocobala
Espresso Metallic	EX	Flannel	PFN	Crisp Linen
Everglade Shade	EV	Hazy Jade	PHJ	Designer White
Flannel	FN	Honey Bee	PHY	Dove Grey
Glitz Metallic	GZ	Light Tone	PLG	Florence Walnut
Hazy Jade	HJ	Mardi Gras	PMG	Friston Ash
Honey Bee	HY	Misty Brown	PMY	Frosty White
Light Tone	LG	Nemo	PNE	Graphite Nebula
Mardi Gras	MG	Nordic	PND	Grey
Misty Brown	MY	Pewter Translucent	PPT	High Rise
Nemo	NE	Poppy Red	PPR	Hollyberry
Nordic	ND	Purple Haze	PPH	Island
Poppy Red	PR	Rainforest	PRQ	Italian Silver Ash
Purple Haze	PH	Raw Jasper	PRJ	Kensington Maple
Rainforest	RQ	Rubber Ducky	PRK	Lapis Blue
Raw Jasper	RJ	Sand	PSA	Monticello Maple
Rubber Ducky	RK	Sky Blue	PSK	North Sea
Sand	SA	Surf's Up	PSP	Ocean
Sky Blue	SK	Tarragon	PTQ	Pinnacle Walnut
Starlight Silver Metallic	SX	Twilight Shadow	PTI	River Cherry
Surf's Up	SP	Ultra Blue	PUB	Shadow Zephyr
Tarragon	TQ	Warm Grey	PWG	Sterling Ash
Twilight Shadow	TI	Zesty Lime	PZL	Titanium Evolv
Ultra Blue				
	UB	Diamond Translucent and Powter Translucent are on	ılv availahla on	White Nebula
Warm Grey	UB WG	Diamond Translucent and Pewter Translucent are on upholstered seat models.	lly available on	White Nebula White Sand

Armcaps and glides match the frame color with the following exceptions:
-When frame color is chrome or metallic, the armcaps and glides

will match poly color.

-When back is diamond translucent, armcaps are light tone. -When back is pewter translucent, armcaps are flannel.

Casters for four-leg chairs are always black.


Seat and Back Color - Polypropylene Flame-Retardant

PBL Black

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

*NOTE: When FR upholstery is selected, FR poly (black only) must be selected. NFR poly is not available with FR upholstery.





Δ

0

GSelect upholstery grade/color. Refer to ki.com/fabrics

Θ

0

(3

(3)

Θ



Approx.

20.0#

23.0#

23.0#

Delivered

Pricing

stered

\$ 254

N/A

N/A

Packaged Unuphol-

Delivered

Fabric Grade

336

406

1 & C.O.M.

Pricing

Delivered

374

444

Pricing

Delivered

390

459

Pricing

Fabric Grade Fabric Grade

Delivered

336

406

Pricing

C.O.V.

Delivered

Vinyl Group

390

459

Pricing

Delivered

Pallas Fabric

387

458

Pricing

Delivered

Pricing

Group P1

436

508

Delivered

Group P2

462

534

Pricing

Delivered

Group P3

491

562

Pricing

Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric

Delivered

Group P4

515

584

Pricing

.P																		
.U																		
.UB																		
	Four-Leg Armless Chair with Casters	Polypropylene, Casters	SLNAPC				26.0# \$	302										
	Flex back Stacking (Courties should be used if	Uph. Seat, Casters					29.0#	N/A	384	421	441	384	441	441	488	515	542	566
	 Stacking (Caution should be used if stacking to prevent casters from damag- 	Uph. Seat/Back, Casters	SLNAUBC				29.0#	N/A	455	491	510	455	510	509	558	584	610	637
	ing chair and frame)																	
	Stacking on dollies is NOT recommend-																	
og ∏ og ∭	ed																	
(8)																		
.P																		
.U																		
IIR																		

HOW TO ORDER

SLUB

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the **Product Color Options** page in this price list. Select poly seat and back color.

Refer to the **Product Color Options** page in this price list.

• Select casters.

C - Carpet casters (black only)
S - Hard floor casters (black only) - Hard floor casters (black only)

Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013

- Compliance to TB 133

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

freight prepaid. Freight class 125.

Shipping Ships assembled, FOB Green Bay, WI 54302,



Strive® Stack Seating
Stack Chairs

MODEL NUMBER																					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	_	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unuphol- stered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Four-Leg Cantilever Arm Chair	Polypropylene	SLCAP							23.0#	\$ 330										
	Flex back Stacking	Upholstered Seat	SLCAU							26.0#	N/A	414	450	463	414	463	463	514	540	567	592
	Chacking	Upholstered Seat/Back	SLCAUB							26.0#	N/A	483	519	535	483	535	535	583	609	638	660
SLP																					
SLU																					
SLUB																					
	Four-Leg Cantilever Arm Chair with	Polypropylene, Casters	SLCAPC							28.0#	\$ 379										
	Casters	Uph. Seat, Casters	SLCAUC							31.0#	N/A	461	499	517	461	517	515	565	592	618	643
	 Flex back Stacking (Caution should be used if stacking to prevent casters from damag- ing chair and frame) Stacking on dollies is NOT recommend- ed 	Uph. Seat/Back, Casters	SLCAUBC							31.0#	N/A	532	568	585	532	585	583	633	660	689	712
SLP																					
SLU																					
SLUB																					
			•	3	Θ	0	Э	•	Ф												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the Product Color Options page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this price list.

OSelect casters.

C - Carpet casters (black only)
S - Hard floor casters (black only)

Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select fire code.

FR - Compliance to TB 133

NFR - Compliance to TB 117-2013

GSelect upholstery grade/color. Refer to ki.com/fabrics

C.O.M. Upholstery

UPHOLSTERY INFORMATION

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Delivered

Fabric Grade

427

497

478

548

1 & C.O.M.

Pricing

Delivered

463

535

517

585

Pricing

Delivered

484

550

535

603

Pricing

Fabric Grade Fabric Grade

Delivered

427

497

478

548

Pricing

C.O.V.

Delivered

Vinyl Group

484

550

535

603

Pricing

Delivered

Pallas Fabric

483

550

532

600

Pricing

Delivered

Group P1

532

600

579

649

Pricing

Delivered

Group P2

558

625

607

676

Pricing

Strive® Stack Seating

Delivered

Group P3

583

651

638

705

Pricing

Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric

Delivered

Group P4

607

676

657

727

Pricing

			MODEL N	IUMBEF	R							
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight	Deli Pric Unu ster	ing ipho
	Four-Leg Loop Arm Chair	Polypropylene	SLLAP							25.0#	\$	34
	Flex backStacking	Upholstered Seat	SLLAU							27.0#		N,
	Stacking	Upholstered Seat/Back	SLLAUB							27.0#		N.
o												
U												
.UB												
	Four-Leg Loop Arm Chair with Casters	Polypropylene, Casters	SLLAPC							30.0#	\$	39
	Flex back Steeking (Coution should be used if	Upholstered Seat, Casters	SLLAUC							32.0#		N
	 Stacking (Caution should be used if stacking to prevent casters from damag- ing chair and frame) 	Uph. Seat/Back, Casters	SLLAUBC							32.0#		N/
	Stacking on dollies is NOT recommend- ed											
08)												
.P 												
.U .UB												
.UB			A	B	•	0	•	•	G			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the Product Color Options page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this price list.

• Select casters.

- Carpet casters (black only) - Hard floor casters (black only)

Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Strive® Stack Seating

Delivered

Pallas Fabric Pallas Fabric Pallas Fabric Group P3

727

727

797

797

806

806

875

875

Pricing

Delivered

701

701

770

770

780

780

849

849

Delivered

Group P4

751

821

821

830 830

899

899

751

Pricing

			MODEL NUM	BER					_										
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Upholstery Color	F	Approx. Packaged Weight	Delivered Pricing Unuphol- stered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1
	Four-Leg Tablet Arm Chair	Polypropylene, Left Hand	SLTAPLH								33.0#	\$ 491							
	Flex backNONSTACKING	Polypropylene, Right Hand	SLTAPRH								33.0#	491							
	1 NONSTACKING	Uph. Seat, Left Hand	SLTAULH								35.0#	N/A	573	609	625	573	625	624	675
		Uph. Seat, Right Hand	SLTAURH								35.0#	N/A	573	609	625	573	625	624	675
		Uph. Seat/Back, Left Hand	SLTAUBLH								35.0#	N/A	643	678	696	643	696	694	744
" "		Uph. Seat/Back, Right Hand	SLTAUBRH								35.0#	N/A	643	678	696	643	696	694	744
- -																			
SLP																			
SLU																			
SLUB	Four-Leg Oversize Tablet Arm Chair	Polypropylene, Left Hand	SLOVTAPLH								33.0#	\$ 573							
	Oversized tablet	Polypropylene, Right Hand	SLOVTAPRH								33.0#	573							
	Flex back	Uph. Seat, Left Hand	SLOVTAULH								35.0#	N/A	652	688	704	652	704	703	754
	• NONSTACKING	Uph. Seat, Right Hand	SLOVTAURH								35.0#	N/A	652	688	704	652	704	703	754
		Uph. Seat/Back, Left Hand	SLOVTAUBLH								35.0#	N/A	721	757	773	721	773	772	823
		Uph. Seat/Back, Right Hand	SLOVTAUBRH								35.0#	N/A	721	757	773	721	773	772	823
l a		, ,																	
SLP																			
SLU																			
SLUB																			
			A	B	G	0	(3	(3	œ										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the **Product Color Options** page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this price list.

OSelect glide option.

- Felt Glides - Plastic glides - Steel glides

Select tablet arm color. Refer to the **Product Color Options** page in this

price list. Select fire code.

FR - Compliance to TB 133 NFR - Compliance to TB 117-2013 **G**Select upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Delivered

1 & C.O.M.

806

806

876

876

Pricing

Delivered Pricing Fabric Grade

Unupholstered

724

N/A

N/A

N/A

N/A

\$ 724

Delivered

Fabric Grade

842

842

914

914

Pricing

Delivered

Fabric Grade

860

860

929

929

Pricing

Delivered

Vinyl Group

860

860

929

929

Pricing

Delivered

806

806

876

876

Pricing

C.O.V.

Delivered

Pallas Fabric

855

855

928

928

Pricing

Delivered

Pallas Fabric

943

943

977

977

Pricing

Strive® Stack Seating

Delivered

Group P2

Pallas Fabric

932

932

1003

1003

Pricing

Delivered

Pallas Fabric

960

960

1031

1031

Group P3

Pricing

		MODEL NUM	BER						
	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Upholstery Color	Approx. Packaged Weight
	Polypropylene, Left Hand	SLCUTAPLH							34.0#
h1_	Polypropylene, Right Hand	SLCUTAPRH							34.0#
	Upholstered Seat, Left Hand	SLCUTAULH							36.5#
	Upholstered Seat, Right Hand	SLCUTAURH							36.5#
	Upholstered Seat/Back, Left Hand	SLCUTAUBLH							37.7#
	Upholstered Seat/Back, Right Hand	SLCUTAUBRH							37.7#
SLP									
SLU SLUB									
Four-Leg ChangeUp Tablet Arm Chair with Glides									
Flexing BackLarge work surface (21"W x 13.3"D)									
 Work surface flips and folds Work surface has 20 degrees of ingress/egress movement 									
Work surface rated to 250 pounds Chair rated to 400 pounds									
add to 100 pounds		A	•	•	•	(3	G	Ф	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the Product Color Options page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this price list.

OSelect glide option.

- Felt Glides - Plastic glides

- Steel glides Select tablet arm color. Refer to the **Product Color Options** page in this

price list.

Select fire code. FR - Compliance to TB 133
NFR - Compliance to TB 117-2013 See Upholstery Information for TB133

upcharge.

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Unupholstered

772

N/A

N/A

N/A

N/A

\$ 772

Approx. Packaged

33.0#

33.0#

35.5#

35.5#

36.7#

36.7#

Weight

Delivered

1 & C.O.M.

854

854

924

924

Pricing

Delivered Pricing Fabric Grade

Delivered

Fabric Grade

891

891

960

960

Pricing

Delivered

Fabric Grade

910

910

980

980

Pricing

Delivered

Vinyl Group

910

910

980

980

Pricing

Delivered

854

854

924

924

Pricing

C.O.V.

Delivered

Pallas Fabric

910

910

978

978

Pricing

Delivered

Pallas Fabric

958

958

1028

1028

Pricing



Delivered

Group P2

Pallas Fabric

985

985

1054

1054

Pricing

Delivered

Pallas Fabric

1012

1012

1080

1080

Group P3

Pricing

		MODEL NUMBER							
	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Tablet Arm Color	Fire Code	Upholstery Color	
	Polypropylene, Left Hand	SLCUTAPCLH							
	Polypropylene, Right Hand	SLCUTAPCRH							
	Upholstered Seat, Left Hand	SLCUTAUCLH							
	Upholstered Seat, Right Hand	SLCUTAUCRH							
	Upholstered Seat/Back, Left Hand	SLCUTAUBCLH							
// //	Upholstered Seat/Back, Right Hand	SLCUTAUBCRH							
g									
SLP									
SLU									
SLUB									
Four-Leg ChangeUp Tablet Arm Chair with Casters									
Flexing Back Lexing Back Lexing Back									
 Large work surface (21"W x 13.3"D) Work surface flips and folds 									
Work surface has 20 degrees of									
ingress/egress movementWork surface rated to 250 pounds									
Chair rated to 400 pounds									
		A	3	Θ	O	3	3	О	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the **Product Color Options** page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this price list.

• Select casters.

S - Hard floor casters (black only)
C - Carpet casters - Carpet casters

Select tablet arm color. Refer to the **Product Color Options** page in this price list.

Select fire code.

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133 See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Strive® Stack Seating
Stack Chairs

									•											
			MODEL N	UMBER																
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color			Upholstery Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Four-Leg Wallsaver Armless Chair	Polypropylene	SLNAPWS			S				\$ 310										
	Flex backStacking	Upholstered Seat	SLNAUWS						23.0#	N/A	390	424	446	390	446	443	491	519	546	570
	 Wallsaver rear legs touch base of wall 	Upholstered Seat/Back	SLNAUBWS			S			23.0#	N/A	459	496	514	459	514	512	562	586	615	640
	preventing chair back from contacting wall surface																			
SLP																				
SLU																				
SLUB																				
	Four-Leg Wallsaver Cantilever Arm Chair	** **	SLCAPWS							\$ 384										
	Flex backStacking	Upholstered Seat	SLCAUWS						26.0#	N/A	465	504	521	465	521	519	568	597	622	646
	 Wallsaver rear legs touch base of wall 	Upholstered Seat/Back	SLCAUBWS			S			26.0#	N/A	536	573	590	536	590	590	639	664	692	716
	preventing chair back from contacting wall surface																			
SLP																				
SLU																				
SLUB		D. I.	OL LABINO			0			05.0 "	A 101										
	Four-Leg Wallsaver Loop Arm Chair • Flex back	Polypropylene Upholstered Seat	SLLAPWS SLLAUWS			ა ი			25.0# 27.0#	\$ 404 N/A	485	521	537	485	537	536	584	612	640	660
	 Stacking 	Upholstered Seat/Back	SLLAUWS			s c			27.0#	N/A	552	590	606	552	606	604	652	681	707	731
	 Wallsaver rear legs touch base of wall preventing chair back from contacting 	Opholstered ocav back	OLLAUDWO			0			21.0#	IV/A	332	330	000	332	000	004	032	001	101	751
	wall surface																			
SLP																				
SLU																				
SLUB																				
			A	3	Θ	0	•	G												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the Product Color Options page in this price list.

Select seat and back color. Refer to the **Product Color Options** page in this

Select glide option.

S - Steel glides

Select fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

Select upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302,

freight prepaid. Freight class 125.



MODEL NUMBER Delivered Delivered Delivered Delivered Delivered Delivered Delivered Delivered Delivered Pricing Seat & Approx. Delivered Pricing Pricing Pricing Delivered Pricing Pricing Pricing Pricing Pricing Basic Frame Back Glide Fire Upholstery Packaged Pricing Fabric Grade Fabric Grade Fabric Grade Pricing Vinyl Group Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric MODEL **Features** Model Color Color Option Code Weight 1 & C.O.M. C.O.V. Group P1 Group P4 Sled Base Armless Chair SSNAP 22.0# \$ 289 Polypropylene Flex back Upholstered Seat SSNAU 25.0# N/A 421 421 524 548 370 409 421 370 471 497 Stacking SSNAUB Upholstered Seat/Back 25.0# N/A 440 474 491 440 491 491 540 567 593 617 SSU SSUB Sled Base Cantilever Arm Chair SSCAP 24.0# \$ 366 Polypropylene Flex back Upholstered Seat SSCAU 27.0# N/A 448 484 499 448 499 497 546 575 602 624 Stacking Upholstered Seat/Back SSCAUB 27.0# N/A 515 550 568 515 568 566 615 644 670 694 SSU SSUB $oldsymbol{\Omega}$ 0 Θ 0 **(3**) •

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the **Product Color Options** page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this

• Select glide option.

NG - No glides - Felt glides - Black plastic glides - Non-skid glides GSS - Stainless steel glide

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES

Special Carton Marking With specially marked information

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Strive® Stack Seating

Strive® Stack Seating Stack Chairs



Strive® Stack Seating Stack Chairs

			MODEL NUM	MBER																
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Fire Color Code	Upholstery Color	Approx. Packageo Weight	Delivere Pricing Unupho stered	Pricing	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Sled Base Tablet Arm Chair	Polypropylene, Left Hand	SSTAPLH]	31.0#	\$ 54	8									
	Flex backNONSTACKING	Polypropylene, Right Hand	SSTAPRH]	31.0#	54	8									
	NONSTACKING	Uph. Seat, Left Hand	SSTAULH						33.0#	N/	'A 631	667	686	631	686	680	731	761	784	809
		Uph. Seat, Right Hand	SSTAURH						33.0#	N/	'A 631	667	686	631	686	680	731	761	784	809
		Upholstered Seat/Back	SSTAUBLH						33.0#	N/	'A 698	735	755	698	755	750	800	832	853	878
		Upholstered Seat/Back	SSTAUBRH						33.0#	N/	'A 698	735	755	698	755	750	800	832	853	878
•																				
SSP																				
SSU																				
SSUB	0.15 0 : 7.1.4	B	0000/774 DL LL						04.0	A 00										
	Sled Base Oversize Tablet Arm Chair Oversized tablet	Polypropylene, Left Hand	SSOVTAPLH							\$ 63										
	Flex back	Polypropylene, Right Hand	SSOVTAPRH SSOVTAULH						31.0# 33.0#	63 N/		740	767	712	767	760	011	940	866	889
	NONSTACKING	Uph. Seat, Left Hand	SSOVTAURH						33.0#	IV/		748 748	767	712	767	762 762	811 811	840 840	866	889
		Uph. Seat, Right Hand Uph. Seat/Back, Left Hand	SSOVTAURH						33.0#	N/		815	836	712	836	833	880	910	934	958
		Uph. Seat/Back, Right Hand	SSOVTAUBRH						33.0#	N/		815	836	781	836	833	880	910	934	958
		opii. ocal/back, riigiit riailu	JOOVIAODIIII						00.07	TW/	Α /01	013	030	701	030	000	000	310	334	330
SSP																				
SSU																				
SSUB																				
			•	3	•	0	9 9	О												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the **Product Color Options** page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this

Select glide option.

NG - No glides - Felt glides - Black plastic glides - Non-skid glides GSS - Stainless steel glide

Select tablet arm color. Refer to the **Product Color Options** page in this price list.

Select fire code.

NFR - Compliance to TB 117-2013

- Compliance to TB 133

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Approx. Packaged

35.0#

35.0#

37.5#

37.5#

38.7#

38.7#

Weight

Delivered

1 & C.O.M.

840

840

908

908

Pricing

Delivered Pricing Fabric Grade

Unupholstered

759

N/A

N/A

N/A

N/A

\$ 759

Delivered

Fabric Grade

879

879

944

944

Pricing

Delivered

Fabric Grade

891

891

960

960

Pricing

Delivered

Vinyl Group

891

891

960

960

Pricing

Delivered

840

840

908

908

Pricing

C.O.V.

Delivered

Group P0

Pallas Fabric

891

891

960

960

Pricing

Delivered

Pallas Fabric

941

941

1010

1010

Pricing

Strive® Stack Seating

Delivered

Group P2

Pallas Fabric

967

967

1037

1037

Pricing

Delivered

Pallas Fabric

994

994

1063

1063

Group P3

Pricing

		MODEL NUMBER							
	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Upholstery Color	
	Polypropylene, Left Hand	SSCUTAPLH							
	Polypropylene, Right Hand	SSCUTAPRH							
	Upholstered Seat, Left Hand	SSCUTAULH							
	Upholstered Seat, Right Hand	SSCUTAURH							
	Upholstered Seat/Back, Left Hand	SSCUTAUBLH							
	Upholstered Seat/Back, Right Hand	SSCUTAUBRH							
SSP									
SSU									
SSUB									
Sled Base ChangeUp Tablet Arm Chair									
 Flexing Back Large work surface (21"W x 13.3"D) Work surface flips and folds Work surface has 20 degrees of ingress/egress movement Work surface rated to 250 pounds Chair rated to 400 pounds 									
		A	3	Θ	0	(3	•	@	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the Product Color Options page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this

• Select glide option.

NG - No alides - Felt glides - Black plastic glides - Non-skid glides GSS - Stainless steel glide

Select tablet arm color. Refer to the **Product Color Options** page in this price list.

Select fire code.

FR - Compliance to TB 133 NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Strive® Stack Seating

				•	
		MODEL NUMBER			
	MODEL	Basic Model	Approx. Packaged Weight	Delivered Pricing	
	Transport Dolly for 4-Leg and Sled Base Chairs	SCDA.BL	31.0#	\$ 559	
	Easy maneuverability with 5" casters: two fixed two swivel				
	Rugged weld tubular steel frame Black powder-coated finish				
	·				
HRDPT					
	Universal Dolly Handle	UDH.BL	8.0#	\$ 199	
	Field installable				
	Provides convenient handle for relocat- ing dolly when empty or loaded.				
	ing dolly when empty or loadedOverall dolly height with handle is 37"				
HRDPT					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

(A)

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Cafe Stool



MODEL NUMBER Delivered Pricing Delivered Seat & Approx. Pricing Pricing Pricing Pricing Pricing Pricing Pricing Pricing Pricing Basic Seat Frame Back Glide Fire Upholstery Packaged Unuphol-Fabric Grade Fabric Grade Fabric Grade Pricing Vinyl Group Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric MODEL **Features** Model Height Color Color Option Code stered 1 & C.O.M. C.O.V. Group P1 Group P2 Group P3 Group P4 Four-Leg Armless Cafe Stool SLSNAP 31.0# \$ 379 Polypropylene Flex back Upholstered Seat SLSNAU 33.0# N/A 592 643 461 499 517 461 517 515 565 618 Stacking Upholstered Seat/Back SLSNAUB 33.0# N/A 532 568 585 532 585 583 633 660 689 712 · Two seat heights SLSU SLSUB Four-Leg Cantilever Arm Cafe Stool Polypropylene SLSCAP 33.0# 458 · Flex back **Upholstered Seat** SLSCAU 35.0# N/A 538 576 593 538 593 592 642 667 694 718 Stacking SLSCAUB 658 Upholstered Seat/Back 35.0# N/A 607 645 662 607 662 710 735 764 788 · Two seat heights SLSP SLSU SLSUB Four-Leg Loop Arm Cafe Stool SLSLAP 35.0# \$ 473 Polypropylene Flex back SLSLAU 733 Upholstered Seat 37.0# N/A 554 593 609 554 609 607 686 712 656 NONSTACKING SLSLAUB 678 Upholstered Seat/Back 37.0# N/A 624 662 624 678 676 725 755 781 804 · Two seat heights SLSP

HOW TO ORDER

SLSU SLSUB

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select seat height.

24 - 24" Seat Height

30 - 30" Seat Height

Select frame color.

Refer to the **Product Color Options** page in this price list.

• Select poly seat and back color.

Refer to the **Product Color Options** page in this price list.

Select glide option.

- Felt Glides - Plastic glides

Select fire code.

- Compliance to TB 133

- Steel glides

IFR - Compliance to TB 117-2013

Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

Θ

0

9

•

Θ

Δ

3

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 complian

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

SPECIAL SERVICES

Special Carton Marking

With specially marked information N

Strive® Stack Seating

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Strive® High Density General Information








High Density Stacking Chair with Poly Seat (SWNA)



High Density Stacking Chair with Uph. Seat Pad (SWNAU)











	High Density Stacking Stool with Poly Seat, 24" Height (SWSNA/24)	High Density Stacking Stool with Uph Seat, 24" Height (SWSNAU/24)	High Density Stacking Stool with Poly Seat, 30" Height (SWSNA/30)	High Density Stacking Stool with Uph Seat, 30" Height (SWSNAU/30)
Features				
Stackable	•	•	•	•
Poly or upholstered seat	•	•	•	•
Flex back	•	•	•	•
General Dimensions				
Seat width	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Seat depth	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat height	24"	24"	30"	30"
Overall Dimensions				
Width	19-1/2"	19-1/2"	19-1/2"	19-1/2"
Depth	23-1/2"	23-1/2"	24-1/2"	24-1/2"
Height	38-1/2"	38-1/2"	44-1/2"	44-1/2"
Stacking on Dolly				
Overall width	21"	21"	21"	21"
Overall depth	49-1/2"	52"	51-1/2"	54"
Quantity/height	20 Stools/66" High	10 Stools/54-1/2" High	20 Stools/69" High	10 Stools/58" High
Stacking on Floor				
Width	19-1/2"	19-1/2"	19-1/2"	19-1/2"
Depth	31"	31"	32"	32"
Quantity/height	6 Stools/43-1/2" High	5 Stools/47" High	6 Stools/49-1/2" High	5 Stools/53" High

INFORMATION

C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Strive® High Density





ransport Dolly for Chairs

Transport Dolly for Stools (WSSD.BL)

Overall Dimensions		
Width	22-3/8"	21"
Depth	25-5/8"	26-1/2"

TECHNICAL SPECIFICATIONS

Seat

Injection-molded polypropylene seat.

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire. Top of backrest has an integral handle for ease of lifting and stacking.

Chair & Stool Frames & Finishes

⁷/₁₆" solid steel rod, all joints welded. Finished in bright nickel-chrome or with electrostatically-applied epoxy powder-coat paint.

Optional Upholstered Seat

Molded urethane foam (soy based) is attached to an injection-molded polypropylene seat board, the upholstered using a draw-string process. The assembled seat pad is attached to the seat by means or hidden fasteners. Note: upholstered seat is required with translucent poly backs.

Transport Dolly


Tubular and plate steel welded together. 5" casters: two fixed, two swivel. Powder-coated finish.

_ . . .


STATEMENT OF LINE

All models are available in polypropylene seat/backrest or upholstered seat/polypropylene backrest.

Strive High-Density Sled Base Stack Chair




Strive High-Density Sled Base Stack Stools







Strive High-Density Sled Base Chair -Polypropylene Seat & Backrest




Strive High-Density Sled Base Chair -Upholstered Seat & Polypropylene Backrest




Strive High-Density 24" Sled Base Stool -Polypropylene Seat & Backrest




Strive High-Density 24" Sled Base Stool -Upholstered Seat & Polypropylene Backrest



Strive High-Density 30" Sled Base Stool -Polypropylene Seat & Backrest



Strive High-Density 30" Sled Base Stool -Upholstered Seat & Polypropylene Backrest



Strive® High Density Product Color Options



Frame Color	
Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Chrome	CH
Cool Grey	CG
Cottonwood	CO
Earthen Clay	EY
Espresso Metallic	EX
Everglade Shade	EV
Flannel	FN
Glitz Metallic	GZ
Hazy Jade	HJ
Honey Bee	HY
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Poppy Red	PR
Purple Haze	PH
Rainforest	RQ
Raw Jasper	RJ
Rubber Ducky	RK
Sand	SA
Sky Blue	SK
Starlight Silver Metallic	SX
Surf's Up	SP
Tarragon	TQ
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL

Armcaps and glides match the frame color with the following

exceptions:
-When frame color is chrome or metallic, the armcaps and glides will match poly color.

-When back is diamond translucent, armcaps are light tone. -When back is pewter translucent, armcaps are flannel.

View color swatches for items listed within this document.

Casters for four-leg chairs are always black.

	Seat and Back Color - Polypropylene	
BL	Non Flame-Retardant	
GR	Black	PBL
ZM	Blue Grey	PGR
CY	Cayenne	PCY
CM	Cool Grey	PCG
CH	Cottonwood	PC0
CG	Diamond Translucent*	PDT
CO	Earthen Clay	PEY
EY	Everglade Shade	PEV
EX	Flannel	PFN
EV	Hazy Jade	PHJ
FN	Honey Bee	PHY
GZ	Light Tone	PLG
HJ	Mardi Gras	PMG
HY	Misty Brown	PMY
LG	Nemo	PNE
MG	Nordic	PND
MY	Pewter Translucent*	PPT
NE	Poppy Red	PPR
ND	Purple Haze	PPH
PR	Rainforest	PRQ
PH	Raw Jasper	PRJ
RQ	Rubber Ducky	PRK
RJ	Sand	PSA
RK	Sky Blue	PSK
SA	Surf's Up	PSP
SK	Tarragon	PTQ
SX	Twilight Shadow	PTI
SP	Ultra Blue	PUB

*Diamond Translucent and Pewter Translucent are only available on upholstered seat models.

Seat and Back Color - Polypropylene Flame-Retardant

Warm Grey

Zesty Lime

PBL Black

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

*NOTE: When FR upholstery is selected, FR poly (black only) must be selected. NFR poly is not available with FR upholstery.

PWG PZL

Strive® High Density Stack Chair and Dolly





										•									
			MODEL	NUMBER	7														
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Upholstery Color	Glide Option	Fire Code	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Armless Chair	Polypropylene	SWNA						17.0#	\$ 249									
	Flex back	Upholstered Seat	SWNAU						17.0#	N/A	332	370	384	384	383	431	460	488	512
SWSCP																			
SWSCU																			
011000	Transport Dolly - HD Chair		WSCD.BL	_					30.0#	\$ 553									
STA01	 Accomodates up to 30 poly HD chairs of 	r								,									
	15 upholstered HD chairsEasy maneuverability with 5" casters:																		
	two fixed, two swivel																		
	Black powder-coated finish																		
	Universal Dolly Handle		UDH.BL						9.0#	\$ 199									
	Field installableProvides convenient handle for relocat-																		
	ing dolly when empty or loaded • Overall dolly height with handle is 37"																		
	 Overall dolly height with handle is 37" 																		
<u> </u>																			
HRDPT																			
			(A	•	Θ	O	•	•											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

BSelect frame color.

Refer to the **Product Color Options** page in this

- Polycarbonate glides

- Stainless steel glides

A Select basic model.

Refer to the Product Color Options page in this price list.

Select seat and back color.

• Select upholstery grade/color. Refer to ki.com/fabrics

- Ganging polycarbonate glides - Ganging steel glides
- No glides

- Replaceable Felt Glides

NS - PVC non-skid glides

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Strive® High Density





MODEL NUMBER		
Delivered Delive	Pricing Ibric Pallas Fabric	Delivered Pricing Pallas Fabric Group P4
Armless Stool Polypropylene SWSNA 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂		
• Flex Back • Two seat heights (24" & 30") Upholstered Seat SWSNAU	612	636
24" H stool specified for use with 36" H tables		
30" H stool specified for use with 42" H		
tables		
SWSSP		
SWSSU		
Transport Dolly - Stool Accompdates up to 20 poly stools or 10 31.0# \$ 559		
upholstered stools		
Easy maneuverability with 5" casters: two fixed, two swivel		
Black powder-coated finish		
HRDPT		
• Field installable		
ing dolly when empty or loaded • Overall dolly height with handle is 37"		
ing dolly when empty or loaded • Overall dolly height with handle is 37"		
HRDPT		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select seat height.

24 - 24" Seat Height
30 - 30" Seat Height - 30" Seat Height

Select frame color.

Refer to the **Product Color Options** page in this price list.

DSelect seat and back color. Refer to the **Product Color Options** page in this

Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

G - Ganging polycarbonate glides

GS - Ganging steel glides
NG - No glides

- Polycarbonate glides - PVC non-skid glides

S - Stainless steel glides

GSelect fire code.

FR - Compliance to TB 133

- Compliance to TB 117-2013

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Strive® Nesting

General Information











Cantilever Armchair
(SNCAU)

Armless Chair

Tablet Arm Chair (SNTAURH)

n Chair (SNTAURH) Oversize Tablet Arm Chair

	()	(=====,		
Factures				
Features				
Poly or upholstered seat	•	•	•	•
Flex back	•	•	•	•
Flip-up seat	•	•	•	•
Integral handle	•	•	•	•
Nesting	•	•	•	•
General Dimensions				
Seat width	17"	17"	17"	17"
Seat depth	18"	18"	18"	18"
Seat height (upholstered add 1")	16-1/2"	16-1/2"	16-1/2"	16-1/2"
Tablet to chair back clearance			14"	14"
Overall Dimensions				
Width	23"	23"	24"	24"
Depth	22-3/4"	22-3/4"	29"	32"
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"
Top of arm to floor	25-1/2"		28-1/4"	28-1/4"
Nesting (two chairs) (upholstered add 1")	28-1/2"	28-1/2"	34-3/4"	37-3/4"

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Nesting - For each additional chair, add 5-3/4"

(upholstered add 1")

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

TECHNICAL SPECIFICATIONS

Seat and Backrest

Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels, and assembled using hidden fasteners. The seat is available in a poly version or upholstered. For the upholstered version, molded urethane foam (1" depth) is applied to the seat board. Fabric is then upholstered over the foam using a drawstring process. Note: upholstered seat is required with translucent poly backs.

Backrest is injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire. Backrest is available poly only. Backrest has an integral, molded "handle".

Seat flips up to allow chairs to nest for storage and transport.

Seat assembly and backrest are field replaceable.

Frame

The legs are 1", 13-gauge high-strength steel tubing. All frame joints are welded.

Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30 gloss epoxy powder-coat paint, or bright nickel chrome plating.

Casters/Glides

Double wheels (60 mm) of high-impact thermoplastic. High-impact plastic frame. Casters are always black. Carpet or hard floor. Bell glide (2" high) made of high-impact plastic also available, black only.

Arms

Optional fixed-position T-arms are available. Arm supports are a continuation of the frame crossmember tube, with injection-molded polypropylene arm caps attached by screws. The armcaps are injection-molded glass filled polypropylene matching the frame finish (when frame finish is Chrome, hammertones, or Starlight Silver metallic, armcaps match the seat and back color; when back is Diamond trnaslucent, armcaps are Light Tone; when back is Pewter translucent, armcaps are Flannel).

Tablet Arm


An optional tablet arm is available on either the right or left-hand side. When so equipped, the tablet arm support structure is a continuation of the frame crossmember tube. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is $9^1/2^n \times 20^3/4^n \times 12^1/2^n$ and oversize tablet is $15^1/2^n \times 22^1/2^n \times 14^n$ plywood core of $5^1/2^n$ thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet arm flips up for easy access. Edges are lacquered and sealed.

INFORMATION

Warranty

Refer to $\check{\text{KI}}$ Terms & Conditions document or visit ki.com

DIMENSIONS



Nesting Footprint Calculation: Overall Length of a Row = 24.25" (1 chair) + 6.5" (additional chairs)

Examples:

2 Chairs:

24.25" (1 chair) + 6.5" (1 chair) = 30.75"

16 Chairs:

24.25" (1 chair) + 6.5" (15 chairs) = 121.75"

STATEMENT OF LINE

Strive Nesting Armless Chair





Strive Nesting Cantilever Armchair





STATEMENT OF LINE

Strive Nesting Tablet Arm Chair









Strive Nesting Oversized Tablet Arm Chair











LBZ

LBQ LBT

LBK LBW

LC0 LCX

LCI

LCC LRI

LDR

LDG

LFC LFH

LFW LGN

LGE

LHE LHY

LID

LIT

LKM

LLB LMT

LNA

LON

LPW

LRY LSR

LAZ

LTV

LWL

LWN

LWY

rame Color		Seat and Back Color - Polypropylene		Tablet Arm Color - Lamina
Black	BL	Non Flame-Retardant	DDI	Beigewood
Blue Grey	GR	Black	PBL	Belair
Bronze Metallic	ZM	Blue Grey	PGR	Biltmore Cherry
Cayenne	CY	Cayenne	PCY	Black
Champagne Metallic	CM	Cool Grey	PCG	Brighton Walnut
Chrome	СН	Cottonwood	PCO	Castle Oak
Cool Grey	CG	Diamond Translucent	PDT	Cherry Storm
Cottonwood	CO	Earthen Clay	PEY	Classic Linen
Earthen Clay	EY	Everglade Shade	PEV	Cocobala
Espresso Metallic	EX	Flannel	PFN	Crisp Linen
Everglade Shade	EV	Hazy Jade	PHJ	Designer White
Flannel	FN	Honey Bee	PHY	Dove Grey
Glitz Metallic	GZ	Light Tone	PLG	Florence Walnut
Hazy Jade	HJ	Mardi Gras	PMG	Friston Ash
Honey Bee	HY	Misty Brown	PMY	Frosty White
Light Tone	LG	Nemo	PNE	Graphite Nebula
Mardi Gras	MG	Nordic	PND	Grey
Misty Brown	MY	Pewter Translucent	PPT	High Rise
Nemo	NE	Poppy Red	PPR	Hollyberry
Nordic	ND	Purple Haze	PPH	Island
Poppy Red	PR	Rainforest	PRQ	Italian Silver Ash
Purple Haze	PH	Raw Jasper	PRJ	Kensington Maple
Rainforest	RQ	Rubber Ducky	PRK	Lapis Blue
Raw Jasper	RJ	Sand	PSA	Monticello Maple
Rubber Ducky	RK	Sky Blue	PSK	North Sea
Sand	SA	Surf's Up	PSP	Ocean
Sky Blue	SK	Tarragon	PTQ	Pinnacle Walnut
Starlight Silver Metallic	SX	Twilight Shadow	PTI	River Cherry
Surf's Up	SP	Ultra Blue	PUB	Shadow Zephyr
Tarragon	TQ	Warm Grey	PWG	Sterling Ash
Twilight Shadow	TI	Zesty Lime	PZL	Titanium Evolv
Ultra Blue	UB			White Nebula
Warm Grey	WG	Diamond Translucent and Pewter Translucent are on	ly available on	White Sand
Zesty Lime	ZL	upholstered seat models.		Windsor Mahogany

Armcaps and glides match the frame color with the following exceptions:
-When frame color is chrome or metallic, the armcaps and glides

will match poly color.

-When back is diamond translucent, armcaps are light tone. -When back is pewter translucent, armcaps are flannel.

View color swatches for items listed within this document.

Casters for four-leg chairs are always black.

Seat and Back Color - Polypropylene Flame-Retardant

PBL Black

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

*NOTE: When FR upholstery is selected, FR poly (black only) must be selected. NFR poly is not available with FR upholstery.

Strive® Nesting





				•					
		MODEL NUMBER							
	MODEL	Basic Frame Back Model Color Color Base Code Color	Approx. Packaged Delivered Weight Pricing	Pricing Prici	ivered Delivered cing Pricing pric Grade Fabric Grade 3	Delivered Pricing Pricing Vinyl Group C.O.V. 2V	Delivered Delivered Pricing Pricing Pallas Fabric Pallas Fabric Group P0 Group P1	Delivered Delivered Pricing Pricing Pallas Fabric Pallas F Group P2 Group I	Pricing Fabric Pallas Fabric
SNP	Armless Chair with Poly Seat Flex back Nests	SNNAP	23.0# \$ 540						
	Armless Chair with Upholstered Seat Flex back Nests	SNNAU DD DDD DDDD DDDD	23.0# N/A	\$ 618 \$	652 \$ 670	\$ 618 \$ 670	\$ 667 \$ 716	\$ 741 \$ 76	9 \$ 791
SNU	Arm Chair with Poly Seat Flex back Nests	SNCAP	25.0# \$ 613						
SNU	Arm Chair with Upholstered Seat Flex back Nests	SNCAU DD DDD DDDD	25.0# N/A	\$ 693 \$	727 \$ 744	\$ 693 \$ 744	\$ 740 \$ 789	\$ 813 \$ 84	\$ 865
		A B O D G							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the Product Color Options page in this price list.

Select poly seat and back color Refer to the **Product Color Options** page in this

• Select base option.

- Bell glides (black only)
- Carpet casters (black only) - Hard floor casters (black only)

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added list price=\$13

Model=Upholstered Seat Added list price=\$91

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Strive® Nesting Chairs





										•										
		MODEL NU	MBER																	
	MODEL	Basic Model	Frame	Poly Seat/ Back Color Bas	Tablet Arm se Color	Fire U	pholstery olor	Approx. Packaged Weight	Р	elivered ricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Tablet Arm Chair with Poly Seat • Flex back	SNTAPRH						28.0#	\$	769										
	• Nests	SNTAPLH						28.0#		769										
SNP		ONTALIBLE						00.0"		81/8	A 047	Φ 004	Φ 007	A 047	A 007	Φ 005	A 044	* 222	A 007	* 1000
	Tablet Arm Chair with Upholstered Seat • Flex back	SNTAURH						28.0# 28.0#		N/A N/A	\$ 847 847	\$ 881 881	\$ 897 897	\$ 847 847	\$ 897 897	\$ 895 895	\$ 944 944	\$ 968 968	\$ 997 997	\$ 1020 1020
CANIL	Nests	ONIAGEN						20.0#		IVA	047	001	031	041	037	000	344	300	331	1020
SNU		SNOVTAPRH						28.0#	•	847										
	Oversize Tablet Arm Chair with Poly Sea Flex back Nests	SNOVTAPLH						28.0#	ų.	847										
SNP		01101/7711/011																	A 10=0	*
	Oversize Tablet Arm Chair with Uphol- stered Seat Flex back Nests	SNOVTAURH SNOVTAULH						28.0# 28.0#		N/A N/A	\$ 926 926	\$ 959 959	\$ 977 977	\$ 926 926	\$ 977 977	\$ 972 972	\$ 1022 1022	\$ 1049 1049	\$ 1076 1076	\$ 1097 1097
SNU																				
		A	•	Θ (9	(3	Θ													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the **Product Color Options** page in this price list.

Select poly seat and back color Refer to the **Product Color Options** page in this

• Select base option.

- Bell glides (black only)
- Carpet casters (black only) - Hard floor casters (black only)

Select tablet arm color.

Refer to the **Product Color Options** page in this price list.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

GSelect upholstery grade/color. Refer to ki.com/fabrics

C.O.M. Upholstery

UPHOLSTERY INFORMATION

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added list price=\$13

Model=Upholstered Seat Added list price=\$91

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Strive® Tandem Seating












1-Place Unit	
(1 Seat, 0 In-Line Ta	able)


2-Place Unit (1 Seat, 1 In-Line Table; 2 Seat, 0 In-Line Table)


3-Place Unit (2 Seats, 1 In-Line Table; 3 Seats, 0 In-Line Table)

4-Place Unit (3 Seats, 1 In-Line Table; 4 Seats, 0 In-Line Table)

Features				
Arm	•	•	•	•
Corner tables	•	•	•	•
In-line tables	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"
Seat height	17"	17"	17"	17"
Unit width (with arms)	28"	50"	72"	94"
Unit width (no arms)	20"	44"	66"	86"
Unit height	33"	33"	33"	33"
Corner table top	30" x 30"	30" x 30"	30" x 30"	30" x 30"
In-line table	20" x 20"	20" x 20"	20" x 20"	20" x 20"
Table height (all table models)	17"	17"	17"	17"
Width between arms (inside arm)	18"	18"	18"	18"
Arm height from floor	25-3/4"	25-3/4"	25-3/4"	25-3/4"







		DIMENSIONS	
		No Arms	With Arms
A1	2-Place Unit	441/2"	441/2"
A2	3-Place Unit	661/2"	661/2"
А3	4-Place Unit	851/2"	921/2"
В	Additional Places	22"	22"
С	Seat Width	18"	
D	Table Width	20"	
Е	Table Height	17"	
F	Unit Height	33"	
G	Seat Height	17"	
Н	Beam Center to Front of Seat	101/4"	
1	Beam Center to Back of Back	11"	
J	Beam Center to Foot End	111/2"	
K	Seat Center to Corner Table		
	Mounting Side	131/2"	
L	Beam Center to Corner Table		
	Mounting Side	20"	
M	Beam Center to Corner Table Back	10"	
N	Corner Table Width	30"	
0	Beam Center to Back of Flexed Back	(141/4"	

SPECIFICATIONS

Tandem Base

Cast aluminum alloy leg section. 14-gauge 1x2" seamless steel column. Upright and base are painted monochromatic with beam and yoke. Columns are welded to a plate which clamps onto beam.

Frame Finish

Baked-on, electrostatically-applied 45 gloss epoxy powder coating.

Injection-molded polypropylene seat attached directly to the structure.

Underseat Structure

Support structure is die-formed 13-gauge steel welded to a 1" OD x 14-gauge tubular steel cross member.

Injection molded polypropylene with integral steel cantilever springs. The combination of

the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

Tandem Arm

Oval tubular steel arm support with self-skinning urethane armrests measuring 101/4" long x 4" wide. The tubular arm support is welded to a yoke and then fastened to the beam via a coverplate.

Optional Upholstered Seat or Seat & Back

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

In-Line Table

Solid core top is 20" x 20" x 7/8" with a vinyl bullnose edge.

Solid core top is 30" x 30" x 7/8" with a vinyl

bullnose edge.

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Strive® Tandem Seating Product Color Options



Strive® Tandem Seating Product Color Options

Frame Color		Seat and Back Color - Polypropylene		Surface Finish - Laminate	
Black	BL	Non Flame-Retardant		Beigewood	LBZ
Blue Grey	GR	Black	PBL	Belair	LBQ
Cool Grey	CG	Blue Grey	PGR	Biltmore Cherry	LBT
Earthen Clay	EY	Cayenne	PCY	Black	LBK
Everglade Shade	EV	Cool Grey	PCG	Brighton Walnut	LBW
Flannel	FN	Earthen Clay	PEY	Castle Oak	LC0
Hazy Jade	HJ	Everglade Shade	PEV	Cherry Storm	LCX
Light Tone	LG	Flannel	PFN	Classic Linen	LCI
Mardi Gras	MG	Hazy Jade	PHJ	Cocobala	LCC
Misty Brown	MY	Honey Bee	PHY	Crisp Linen	LRI
Nemo	NE	Light Tone	PLG	Designer White	LDR
Poppy Red	PR	Mardi Gras	PMG	Dove Grey	LDG
Purple Haze	PH	Misty Brown	PMY	Florence Walnut	LFC
Rainforest	RQ	Nemo	PNE	Friston Ash	LFH
Raw Jasper	RJ	Nordic	PND	Frosty White	LFW
Rubber Ducky	RK	Poppy Red	PPR	Graphite Nebula	LGN
Sand	SA	Purple Haze	PPH	Grey	LGE
Sky Blue	SK	Rainforest	PRQ	High Rise	LHE
Surf's Up	SP	Raw Jasper	PRJ	Hollyberry	LHY
Tarragon	TQ	Rubber Ducky	PRK	Island	LID
Twilight Shadow	TI	Sand	PSA	Italian Silver Ash	LIT
Ultra Blue	UB	Sky Blue	PSK	Kensington Maple	LKM
Warm Grey	WG	Surf's Up	PSP	Lapis Blue	LLB
Zesty Lime	ZL	Tarragon	PTQ	Monticello Maple	LMT
		Twilight Shadow	PTI	North Sea	LNA
Edge Color		Ultra Blue	PUB	Ocean	LON
Belair	EBQ	Warm Grey	PWG	Pinnacle Walnut	LPW
Black	EBL	Zesty Lime	PZL	River Cherry	LRY
Blue Grey	EGR	Accordance to the second bank and a second bank as	less are a sense and	Shadow Zephyr	LSR
Cool Grey	ECG	Arm pad matches seat and back color for black, bwarm grey. Otherwise it is always black.	nue grey, sand and	Sterling Ash	LAZ
Earthen Clay	EEY	manni groyi. Othor moo it io amayo basin		Titanium Evolv	LTV
Everglade Shade	EEV	TRANSLUCENT colors are available on the uphols	stered seat models	White Nebula	LWL
Flannel	EFN	only.		White Sand	LWN
Frosty White	EFW	Seat and Back Color - Polypropylene		Windsor Mahogany	LWY
Hazy Jade	EHJ	Flame-Retardant			
Honey Bee	EHY	Black	PBL		
Light Tone	ELG				
Mardi Gras	EMG	Arm pad matches seat and back color for black, b warm grey. Otherwise it is always black.	lue grey, sand and		
Misty Brown	EMY	waith grey. Otherwise it is always black.			
Nemo	ENE	The above seating product can be manufactured			
Nordic	END	appropriate flame-retardant materials for complia	nce to California		
Poppy Red	EPR	Technical Bulletin 133.			
Purple Haze	EPH				
Rubber Ducky	ERK	*NOTE: When ED and all the second	/hladaanha		
Sand	ESA	*NOTE: When FR upholstery is selected, FR poly be selected. NFR poly is not available with FR uph			
Sky Blue	ESK	50 5010515d. Will the poly 15 Hot available Will I'll upi	iolotory.		
Configura	ECD.				

Finish Cards

View color swatches for items listed within this document.

Surf's Up

Ultra Blue Warm Grey

Zesty Lime

Twilight Shadow

<u>Paints</u> Plastics/Poly

ESP

ETI EUB

EWG EZL

<u>Laminates</u>

Wood/Veneer

<u>Molded Edges</u>

Edge Styles


Hard Plastics

<u>Glass</u>

Strive® Tandem Seating



Strive® Tandem Seating



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number"
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the Product Color Options page in this

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013 See pricing column for TB133 upcharge.

DSelect seat/back color.

Refer to the Product Color Options page in this

 Select surface finish for table. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections

Select table edge color. Refer to the Product Color Options page in this

Edge color offerings are based on edge style

selections

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added List Price = Per Model: see above "TB133" add to list price" upcharge. Added Lead Time = None

SPECIAL SERVICES

Special Carton Marking With specially marked information

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.




Strive® Tandem Seating

91

91

91

181



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number"
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model

BSelect frame color.

Refer to the **Product Color Options** page in this Select upholstery grade/color. price list.

Select seat/back color. Refer to the Product Color Options page in this

• Select surface finish for table. Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

Select table edge color.

Refer to the Product Color Options page in this Edge color offerings are based on edge style selections.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See pricing column for TB133 upcharge.

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Added List Price = Per Model: see above "TB133 add to list price" upcharge. Added Lead Time = None

SPECIAL SERVICES


Special Carton Marking

With specially marked information

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.



Strive® Tandem Seating



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number"
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.
- Refer to the **Product Color Options** page in this Select upholstery grade/color. price list.
- Select seat/back color. Refer to the Product Color Options page in this
- Select surface finish for table. Refer to the **Product Color Options** page in this
- Surface finish offerings are based on edge style
- Select table edge color. Refer to the Product Color Options page in this
- Edge color offerings are based on edge style selections.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See pricing column for TB133 upcharge.

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Added List Price = Per Model: see above "TB133 add to list price" upcharge. Added Lead Time = None

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.



Strive® Tandem Seating

Delivered

Pallas Fabric

\$ 1010

Group P4


\$ 1010

TB133

add to list

\$

Pricing



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number"
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model
- BSelect frame color. Refer to the **Product Color Options** page in this Select upholstery grade/color. price list.
- Select seat/back color. Refer to the Product Color Options page in this
- Select surface finish for table. Refer to the **Product Color Options** page in this
- Surface finish offerings are based on edge style
- Select table edge color.

selections.

Refer to the Product Color Options page in this Edge color offerings are based on edge style

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See pricing column for TB133 upcharge.

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholsterv

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

Delivered

\$

Fabric Grade

Delivered

\$ 839

Pricing

C.O.V.

Delivered

Vinyl Group

Pricina

2V

\$ Delivered

Pallas Fabric

Pricina

Delivered

\$

Pallas Fabric

Delivered

Pallas Fabric

Group P2

Delivered

Pallas Fabric

Group P3

\$

models, add the following upcharge:

Added List Price = Per Model: see above "TB133 add to list price" upcharge. Added Lead Time = None

SPECIAL SERVICES Special Carton Marking

With specially marked information

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.



Strive® Tandem Seating

								· ·
			MODEL N	IUMBER				
						T		
							Annroy	
			Basic	Frame	Surface	Edge	Approx. Packaged	Delivered
	MODEL	Features	Basic Model	Frame Color	Surface Finish	Color	Weight	Pricing
	Corner Table	Connects 2 units					0.0#	\$ 760
	 Number of tables per arrangement 		1.4.					• 11
	 Plastic laminate with vinyl bullnose edge)						
	 For mounting modular units at a 90° 							
	angle							
	 Two required for U-shaped configuration One required for L-shaped configuration 	1						
MSCT	• One required for L-snaped configuration							
	Back Ganging Bar Connects 2 units back-to-back		DOP.GANG	ПП			8.0#	\$ 254
HRDPT								•
	 Powder coated to match base 							
	 Sold in pairs 							
			A	(3)	0	O		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select frame color.

 Refer to the **Product Color Options** page in this
- Select surface finish for table.

 Refer to the **Product Color Options** page in this
- Select table edge color.
 Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

opina

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.









Task Cantilever Armchair

Armless Task Stool

ChangeUp Tablet Arm Task Chair

Features			
Poly, upholstered seat, or upholstered seat/back	•	•	•
Flex back	•	•	
General Dimensions			
Seat width	18"	18"	18"
Seat depth	18"	18"	18"
Seat height (upholstered - add 1")	17-1/4" - 22-1/4"	22-1/4" - 32-1/2"	17-1/4" - 22-1/4"
Overall Dimensions			
Width	27-1/2"	27-1/2"	29-1/2"
Depth	27-1/2"	27-1/2"	31" - 35-1/4"
Height	32-3/4" - 37-3/4"	37-3/4" - 48"	32-3/4" - 37-3/4"
Arms to floor	26" - 31"		27" - 33"

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product
Modification Request written specifying the direction the fabric is to be applied.

Task chairs and task stools ship knockdown. Minimal assembly is required.

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

General Information



Strive® Task Seating

Backrest

Injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire.

Seat and Shroud

Injection-molded polypropylene, attached directly to the structure.

Optional Upholstered Seat

Molded urethane foam is attached to an injection-molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners. Note: Upholstered seat is required with translucent poly backs.

Optional Upholstered Back

A $\frac{1}{2}$ thick urethane foam is attached to an injection-molded polypropylene back board, then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners, which are exposed and are color-matched to the polypropylene.

Underseat Structure

Support structure is 13-gauge steel die-formed, welded to a 1" O.D. by 14-gauge tubular steel cross member.

Frame Finishes

Baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint.

Base

Injection-molded, glass-reinforced nylon 5-blade base (black or warm grey for task chair and stool). Casters have high-impact thermoplastic double-wheels. A single control paddle under the seat operates the height-adjusting pneumatic cylinder.

Casters

Casters are double-wheel (60 mm) high-impact thermoplastic. High-impact plastic frame. Casters are monochromatic with base. Carpet or hard floor casters are offered. Hard floor casters are black only.

Arms

When equipped with optional cantilever arms, the supporting structure is $^{7}/_{8}$ " O.D. by I3-gauge tubular steel, welded directly to the seat support structure, and matching the seat and back color. The armcaps are injection-molded glass filled polypropylene, matching the seat and back color (when back is Diamond translucent, armcaps are Light Tone; when back is Pewter translucent, armcaps are Flannel). The armcaps are attached to the steel structure by means of screws.

Task Stool

In addition to the standard-height task chair, a stool-height version is available. Task stools are equipped with a pneumatic cylinder, allowing adjustment of seat heights from 22" to 32½. Task stools receive a twist-to-lock, adjustable-height, 20" diameter chrome-plated steel foot ring with black, diecast aluminum hub and spokes. Stools are only offered with black or warm grey bases. The cylinders are available in black only.

ChangeUp[™] Tablet Arm

Change Up tablet support is integral to the chair frame and consists of a $^{7}/_{8}$ " diameter solid steel rod welded to the front and rear support tubes. A three-piece molded plastic armrest is included and attached to the chair frame using a # $10 \times 2^{1}/_{2}$ " Phillips pan head tapping screw.

The tablet mechanism consists a die-cast aluminum housing, upper and lower plastic bearings, and II-gauge steel clamp and tablet board support plates. The tablet mechanism is clamped onto the chair frame over two plastic bushing halves and a $^5/_{16}$ " diameter by $^{13}/_{4}$ " hardened steel pin with a die-cast aluminum cap secured with two $^{1}/_{4}$ -20 x $^{3}/_{4}$ " button socket head cap screws. The pin creates a solid 90° up/down pivot stop and the bushings provide a smooth, quiet operation. In the use position, the tablet mechanism rotates outward from the chair back an additional 20° and permits approximately $^{31}/_{2}$ " of adjustment for ingress/egress without stowing the tablet.

The tablet worksurface is 21" wide by $13^1/2$ " deep (235 square inches) is secured to the tablet board support plate with twelve # $12 \times 5/8$ " Phillips flat head tapping screws. The tablet board is made of 18 mm Baltic Birch plywood with .040" high-pressure laminate top surface and .02" thick phenolic backer surface for an overall board thickness of approximately 3/4". Edges are lacquered with a clear finish and sealed. The factory installed tablet assembly is not field installable and may not be removed.


Weight Rating

ChangeUp tablet arm can support a 250 lb static load.


Compliance

Strive seating is desined and manufactured to meet or exceed required ANSI/BIFMA X5. I- 20II Seating. Seat functional weight rating for Strive task chair is 400 lb, and seat functional weight rating for Strive task stool is 350 lb, as conducted by and within KI's Accredited Test Lab.


Strive Task Cantilever Armchair



Strive Task Cantilever Arm Stool





Strive Task ChangeUp Tablet Armchair




Note: The ChangeUp tablet worksurface is designed to be level when in use and may appear to have a slight upward angle when not in use.

ChangeUp Tablet Arm












Strive Task Armless Chair



Strive Task Cantilever Armchair



Strive Task Armless Stool




Strive Task Cantilever Arm Stool






Strive Task Cantilever Armchair



Strive Task Cantilever Arm Stool





Strive® Task Seating
Product Color Options

Base/Caster Color	
Black	I
Warm Grey	V
Hard floor casters are black only.	
Base color selection for black includes; black b and black carpet or hard floor casters.	ase, black cylinder
Base color selection for warm grey includes; w warm grey cylinder and warm grey carpet cast casters not available in warm grey.	
Stool cylinder is always black.	
Shell Color - Polypropylene Non-Flame Retardant	
Black	PI
Blue Grey	PG
Cayenne	PO
Cool Grey	PO
Cottonwood	PC
Diamond Translucent	PI
Earthen Clay	PI
Everglade Shade	PI
Flannel	PI
Hazy Jade	PI
Honey Bee	PH
Light Tone	PI
Mardi Gras	PM
Misty Brown	PN
Nemo	PI
Nordic	PI

Tablet Arm Color - Laminate LBZ Beigewood LBQ Belair LBT Biltmore Cherry LBK Black LBW Brighton Walnut Castle Oak LC0 LCX Cherry Storm Classic Linen LCI Cocobala LCC Crisp Linen LRI LDR Designer White LDG Dove Grey Florence Walnut LFC LFH Friston Ash LFW Frosty White Graphite Nebula LGN Grey LGE High Rise LHE LHY Hollyberry LID Island Italian Silver Ash LIT Kensington Maple LKM Lapis Blue LLB LMT Monticello Maple North Sea LNA

LON

LPW

LRY

LSR

LAZ

LTV

LWL

LWN

LWY

Diamond Translucent and Pewter Translucent are only available on upholstered seat models.

Shell Color - Polypropylene Flame Retardant

Pewter Translucent

Poppy Red

Purple Haze

Rainforest

Raw Jasper

Sand Sky Blue

Surf's Up

Tarragon

Ultra Blue

Warm Grey Zesty Lime

Twilight Shadow

Rubber Ducky

PBL

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Steel tube arm support and armcaps will match poly seat and back.

*NOTE: When FR upholstery is selected, FR poly (black only) must be selected. NFR poly is not available with FR upholstery.

Hard Plastics Molded Edges Finish Cards <u>Paints</u> Wood/Veneer View color swatches for items listed within this document. Plastics/Poly **Laminates Edge Styles** <u>Glass</u>

Pinnacle Walnut

River Cherry

Sterling Ash

Titanium Evolv

White Nebula

Windsor Mahogany

White Sand

PPT

PPR

PPH

PRQ

PRJ

PRK

PSA

PSK

PSP

PTQ PTI

PUB

PWG

PZL

Shadow Zephyr



Strive® Task Seating

MODEL NUMBER Delivered Delivered Delivered Delivered Delivered Delivered Delivered Delivered Delivered Seat/ Delivered Pricing Pricing Delivered Pricing Pricing Pricing Pricing Pricing Pricing Pricing Approx. Upholstery Basic Base Fire Back Packaged Pricing Fabric Grade Fabric Grade Fabric Grade Pricing Vinyl Group Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric MODEL Model Color Code Features Color Casters Color Weight Unupholstered 1 & C.O.M. C.O.V. 2V Group P0 Group P1 Group P2 Group P3 Group P4 Task Armless Chair Polypropylene SPDNAP 32.0# \$ 430 Flex back **Upholstered Seat** SPDNAU 35.0# N/A 515 552 570 515 570 567 617 645 673 697 Upholstered Seat/Back **SPDNAUB** 35.0# N/A 584 622 640 584 640 639 688 715 743 767 SPDP SPDU SPDUB Task Cantilever Armchair 35.0# \$ 511 SPDCAP Polypropylene Flex back SPDCAU 38.0# 648 750 773 Upholstered Seat N/A 593 631 648 593 646 696 721 SPDCAUB 716 Upholstered Seat/Back 38.0# N/A 662 698 717 662 717 766 793 819 842 SPDU SPDUB

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base color.

Refer to the **Product Color Options** page in this Includes base, cylinder, and carpet casters

(

0

Θ

0

(3)

ø

(hard floor casters are always black).

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

• Select poly seat and back color. Refer to the Product Color Options page in this

Select caster option.

- Hard floor casters (black only)

- Carpet casters

Select upholstery grade/color. Refer to ki.com/fabrics

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

SPECIAL SERVICES

Special Carton Marking With specially marked information

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.





MODEL NUMBER Delivered Delivered Delivered Delivered Delivered Delivered Delivered Delivered Pricing Pricing Seat & Tablet Approx. Pricing Pricing Pricing Delivered Pricing Pricing Pricing Delivered Pricing Fabric Grade Arm Base Fire Back Upholstery Packaged Fabric Grade Fabric Grade Pricing Vinyl Group Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Features Model Color Code Color Casters Color Weight Unupholstered 1 & C.O.M. C.O.V. Group P3 Polypropylene, Left Hand SPDCUTAPLH 43.0# SPDCUTAPRH 43.0# 900 Polypropylene, Right Hand Upholstered Seat, Left Hand SPDCUTAULH | **---**45.5# N/A 985 1022 1039 985 1039 1037 1086 1115 1143 Upholstered Seat, Right Hand SPDCUTAURH 45.5# N/A 985 1022 1039 985 1039 1037 1086 1115 1143 SPDCUTAUBLH Upholstered Seat/Back, Left Hand 46.7# N/A 1054 1091 1110 1054 1110 1109 1157 1185 1213 Upholstered Seat/Back, Right Hand 46.7# N/A 1054 1091 1054 1109 1157 1185 1110 1110 1213 SPDU SPDUB Task ChangeUp Tablet Arm Chair · Flexing Back • Large work surface (21"W x 13.3"D) · Work surface flips and folds · Work surface has 20 degrees of ingress/egress movement

HOW TO ORDER

Indicate the following information on order form:

 Work surface rated to 250 pounds · Chair rated to 400 pounds

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Refer to the **Product Color Options** page in this price list.
- Select fire code.
- Compliance to TB 117-2013 See Upholstery Information for TB133
- Refer to the **Product Color Options** page in this
- Select casters.
 - Hard floor casters (black only)
 - Carpet casters
- Select tablet arm color. Refer to the **Product Color Options** page in this price list.

A Select basic model.

BSelect base color.

A

(3)

Θ

0

Select upholstery grade/color.

Refer to ki.com/fabrics

(3)

(3)

Θ

FR - Compliance to TB 133

upcharge.

• Select poly seat and back color.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.



Strive® Task Seating

										•										
					}															
	MODEL	Features	Basic Model	Base Color	Fire	Poly Seat/ Back Color	Casters	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Task Armless Stool	Polypropylene	SPSNAP						37.0#	\$ 552										
	Flex back	Upholstered Seat	SPSNAU						39.0#	N/A	638	673	692	638	692	689	738	768	795	814
		Upholstered Seat/Back	SPSNAUB						39.0#	N/A	705	743	761	705	761	759	808	837	865	886
SPSP																				
SPSU																				
SPSUB																				
	Task Cantilever Arm Stool	Polypropylene	SPSCAP						39.0#	\$ 631										
	Flex back	Upholstered Seat	SPSCAU						41.0#	N/A	715	750	769	715	769	766	813	842	872	894
		Upholstered Seat/Back	SPSCAUB						41.0#	N/A	783	819	838	783	838	835	883	913	940	962
SPSP																				
SPSU																				
SPSUB																				
			A	3	Θ	0	•	•												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the **Product Color Options** page in this

Includes base, cylinder, and carpet casters (hard floor casters are always black).

Select fire code.

NFR - Compliance to TB 117-2013

- Compliance to TB 133

OSelect poly seat and back color. Refer to the Product Color Options page in this

Select caster option.
S - Hard floor casters (black only)

- Carpet casters

Select upholstery grade/color. Refer to ki.com/fabrics

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material" (C.O.M) Upholstery." section.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

