

DONI[®] SEATING

PRICE LIST

EFFECTIVE MAY 5, 2025 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.


lering	Customer's Own Material (C.O.M. Information) Upholstery	
ni®			
	Guest Chair General Information	n	
	Guest Chair Technical Specificat	tions	
	Guest Chair Color Options		
	Guest Chairs		
	Stack Chair General Information	1	1
	Stack Chair Technical Specificat	tions	
	Stack Chair Color Options		1
	Stack Chairs		1
	Cafe Stools		3
	Task Chair General Information		3
	Task Chair Technical Specification	ons	
	Task Chair Color Options		3
	Task Chairs		3
	Task Stools		3
	Tandem Seating General Inform	ation	4
	Tandem Seating Color Options		4
	Tandem Seating		4
	•		



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION



Architectural Walls Evoke	Panel Systems All Terrain Balance Universal Wireworks Unite
	Residence Hall Furniture
Classroom Furniture	RoomScape
CogniGB	•
Intellect WaveGB	Screens
Learn2GB	All Terrain
RuckusGB	Connection Zone
	Tributaire
Desking	True/Volition
700 SeriesKP	Genesis
Balance MN	Tattoo
Genesis MN	Universal
TrueKP	
Universal MN	Seating
WorkZone MN	600 Series
	Affina
Files & Storage	Altus
700 SeriesGB	Apply
ConnectionBW	Calida
U-SeriesGB	Cascha
TattooBW	Clamber
	Cogni
Fixed Seating	Diem
ConcertoBW	Doni
Single PedestalGB	Gladly
Jury BaseGB	Grazie
LancasterBW	Hub
SequenceGB	Impress
UniversityGB	Impress Ultra

Panel Systems	
All Terrain	KP
Balance	MN
Universal	MN
Wireworks	MN
Unite	MN
Residence Hall Furniture	
RoomScape	MNI
коопізсаре	IVIIN
Screens	
All Terrain	КР
Connection Zone	BW
Tributaire	BW
True/Volition	KP
Genesis	КР
Tattoo	MN
Universal	BW
Seating	
600 Series	RW
Affina	
Altus	
Apply	
Calida	
Cascha	
Clamber	
Cogni	
Diem	
Doni	
Gladly	VQ
Grazie	
Hub	HN
Impress	OM
Impress Ultra	OM

Intellect Wave	GB
Jessa	HN
Jubilee	VQ
Katera	GB
Kurv Benches	HN
Learn2	GB
LimeLite	GB
Lyra	HN
Medical & Laboratory Stools	OM
MyPlace	HN
MyWay	HN
Oath	GB
Opt4	
Pilot	OM
Promenade	BW
Ruckus	GB
Sela	HN
Sift	GB
Signia	OM
Soltice Metal	HN
Soltice	HN
Sonrisa	HN
Strive	GB
Sway	BW
Tattoo	HN
Torsion-on-the-Go!	GB
Torsion Air	GB
Zeker	
Zoetry	HN

KI C.O.M. Manufacturing Site Addresses:

Attn: COM Storage 204 West South St. Bonduel, WI 54107

KI Green Bay

Attn: COM Storage

Green Bay, WI 54302

1687 Westminster Drive - Gate 3

KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

<u>OM</u> Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761

 $\underline{\mathsf{VT}}$ Attn: COM Storage

2803 South Taylor Drive Sheboygan, WI 53081









Armless Fourstar Swivel Base

Armless Tapered Steel Leg Chair Armless Tapered Wood Leg Chair Armless Wire Tower Base Chair

Features				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered add 1")	18"	18"	18"	18"
Overall Dimensions				
Width	27-1/2"	19-3/8"	19-3/8"	19-3/8"
Depth	21"	21"	21"	21"
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

<u>Color Match Process - Poly Seating Information</u> can be found here.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Guest Chair Technical Specifications



Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Wire Tower Base

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Legs are ⁷/₁₆" diameter steel wire, fully gusseted with ⁵/₁₆" diameter wire. All joints are welded and frames are finished in bright nickel-chrome plating.

Wood Leg Base

The seat plate is die-cast aluminum, finished with baked-on electrostatically-applied epoxy powder-coat paint. Legs are turned from Beech, stained, and clear-coat finished. A steel insert with tapped end is inserted and pinned in each leg, then each leg assembly is attached to the seat plate with one 1/4-20 screw. X-brace is made of two zinc plated steel cable assemblies that attach to the legs with #10-24 screws.

Tapered Steel Leg Base

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Inner leg wires are made of $\frac{1}{2}$ diameter steel wire and are plug welded to tapered tubular legs. All joints are welded and the frames are finished in either baked-on electrostatically-applied epoxy powder-coat paint or bright nickel-chrome plating.


Fourstar Swivel Base

The under-seat support structure is a die-drawn 12-gauge steel plate. A 3/4" diameter steel pin is welded to the seat plate, allowing the seat to swivel on a nylon bushing housed in the base. Seat structure is finished with baked-on electrostatically-applied epoxy powder-coat paint. The fixed-height base is constructed of a polished die-cast aluminum fourstar base and a chrome-plated steel tube column.

Glides

The tapered steel legs and wood legs are equipped with swivel glides in a bright steel finish. The floor contact surface on the tapered steel leg is steel, and on the wood legs is natural nylon. The wire tower base can be equipped with black nylon or felt glides. Fourstar swivel base is equipped with black nylon glides only.

DIMENSIONS



STATEMENT OF LINE

All models are available in polypropylene seat/backrest, upholstered seat/ polypropylene backrest, or upholstered seat/backrest.









DNZ100

Doni[®]
Guest Chair Color Options



·	
Tapered Steel Leg Color	
Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Chrome	CH
Cool Grey	CG
Cottonwood	CO
Earthen Clay	EY
Espresso Metallic	EX
Everglade Shade	EV
Flannel	FN
Glitz Metallic	GZ
Hazy Jade	HJ
Honey Bee	HY
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Poppy Red	PR
Purple Haze	PH
Rainforest	RQ
Raw Jasper	RJ
Rubber Ducky	RK
Sky Blue	SK
Starlight Silver Metallic	SX
Surf's Up	SP
Tarragon	TQ
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL
ood Leg Model Finish	
Cherry Storm on Beech	BCX
Cinnamon on Beech	BCN
Cocoa on Beech	BCA
Eclypse Black on Beech	BEB
Florence Walnut on Beech	BFC
Monticello Maple on Beech	BMT
Natural on Beech	BNA
River Cherry on Beech	BRY
II stain colors are acceptable for California Techni	ical Bulletin 133.

Fourstar Swivel Base Color	
Polished Aluminum	PA
W Town Barr Oak	
Wire Tower Base Color	
Chrome	СН
SOLID COLOR Seat and Back Polypropylene Non Flame-Retardant	
Black	PBL
Blue Grey	PGR
Cayenne	PCY
Cool Grey	PCG
Cottonwood	PC0
Earthen Clay	PEY
Everglade Shade	PEV
Flannel	PFN
Hazy Jade	PHJ
Honey Bee	PHY
Light Tone	PLG
Misty Brown	PMY
Nemo	PNE
Nordic	PND
Purple Haze	PPH
Rainforest	PRQ
Raw Jasper	PRJ
Surf's Up	PSP
Tarragon	PTQ
Twilight Shadow	PTI
Ultra Blue	PUB
Warm Grey	PWG
Zesty Lime	PZL
SOLID COLOR Seat and Back Polynronylene	

Zesty Lime	PZL
SOLID COLOR Seat and Back Polypropylen Flame-Retardant	е
Black	PBL
The above seating product can be manufactured us	sing the appropria

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance of California Technical Bulletin 133. TWO-TONE COLOR Seat and Back - Polypropylene Non Flame-Retardant

Outside/Inside

nside/inside	
Outside Black/Inside Cool Grey	OBL/ICG
Outside Black/inside Cottonwood	OBL/ICO
Outside Black/Inside Light Tone	OBL/ILG
Outside Black/Inside Warm Grey	OBL/IWG
Outside Blue Grey/inside Cool Grey	OGR/ICG
Outside Blue Grey/inside Cottonwood	OGR/ICO
Outside Cayenne/Inside Cool Grey	OCY/ICG
Outside Cayenne/Inside Cottonwood	OCY/ICO
Outside Cayenne/Inside Light Tone	OCY/ILG
Outside Cayenne/Inside Warm Grey	OCY/IWG
Outside Cool Grey/inside Cottonwood	OCG/ICO
Outside Everglade Shade/Inside Cool Grey	OEV/ICG
Outside Everglade Shade/Inside Cottonwood	OEV/ICO
Outside Everglade Shade/Inside Light Tone	OEV/ILG
Outside Everglade Shade/Inside Warm Grey	OEV/IWG

Outside Flames/Janida Coal Cust	OEN/100
Outside Flannel/Inside Cool Grey Outside Flannel/Inside Cottonwood	OFN/ICG OFN/ICO
Outside Flannel/Inside Light Tone	OFN/ILG
3	
Outside Flannel/inside Warm Grey	OFN/IWG
Outside Misty Brown/inside Cottonwood	OMY/ICO OMY/ILG
Outside Misty Brown/Inside Light Tone	***************************************
Outside Nordic/inside Cool Grey	OND/ICG
Outside Nordic/Inside Cottonwood	OND/ICO
Outside Nordic/Inside Light Tone	OND/ILG
Outside Nordic/Inside Warm Grey	OND/IWG
Outside Purple Haze/Inside Cool Grey	OPH/ICG
Outside Purple Haze/Inside Cottonwood	OPH/ICO
Outside Purple Haze/Inside Light Tone	OPH/ILG
Outside Purple Haze/Inside Warm Grey	OPH/IWG
Outside Rainforest/Inside Cool Grey	ORQ/ICG
Outside Rainforest/Inside Cottonwood	ORQ/ICO
Outside Rainforest/Inside Light Tone	ORQ/ILG
Outside Rainforest/Inside Warm Grey	ORQ/IWG
Outside Raw Jasper/Inside Cool Grey	ORJ/ICG
Outside Raw Jasper/Inside Cottonwood	ORJ/ICO
Outside Raw Jasper/Inside Light Tone	ORJ/ILG
Outside Raw Jasper/Inside Warm Grey	ORJ/IWG
Outside Surf's Up/inside Cool Grey	OSP/ICG
Outside Surfs Up/Inside Cottonwood	OSP/ICO
Outside Surfs Up/Inside Light Tone	OSP/ILG
Outside Surfs Up/Inside Warm Grey	OSP/IWG
Outside Tarragon/Inside Cool Grey	OTQ/ICG
Outside Tarragon/Inside Cottonwood	OTQ/ICO
Outside Tarragon/Inside Light Tone	OTQ/ILG
Outside Tarragon/Inside Warm Grey	OTQ/IWG
Outside Twilight Shadow/Inside Cool Grey	OTI/ICG
Outside Twilight Shadow/Inside Cottonwood	OTI/ICO
Outside Twilight Shadow/Inside Light Tone	OTI/ILG
Outside Twilight Shadow/Inside Warm Grey	OTI/IWG
Outside Ultra Blue/inside Cottonwood	OUB/ICO
Outside Ultra Blue/Inside Warm Grey	OUB/IWG
Outside Warm Grey/Inside Cottonwood	OWG/ICO

Finish Cards Wood/Veneer Molded Edges **Hard Plastics** <u>Paints</u> View color swatches for items listed within this document. Plastics/Poly <u>Laminates</u> Edge Styles <u>Glass</u>



Approx. Delivered

Unupholstered

639

N/A

N/A

706

N/A

Packaged Pricing

Weight

22.0#

24.5#

26.0#

22.0#

24.5#

Delivered

Fabric Grade

781

812

1 & C.O.M.

Pricing

Delivered

Fabric Grade

791

824

859

Pricing

Delivered

Fabric Grade

810

842

876

Pricing

Delivered

Vinyl Group

810

842

876

Pricing

Delivered

Pallas Fabric

822

854

Pricing

Delivered

Pricing

Group P1

Pallas Fabric

868

903

936

Delivered

Pricing

Pallas Fabric

888

920

Delivered

Group P3

Pallas Fabric

912

944

Pricing



Delivered


Pallas Fabric

945

980

Group P4

Pricing



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

FR - Compliance to TB 133

NFR - Compliance to TB 117-2013
See Upholstery Information for TB133
upcharge.

Select solid poly color.

Refer to the **Product Col**

Refer to the **Product Color Options** page in this price list.

Select outside/inside poly color.

Refer to the **Product Color Options** page in this price list

Select glide option.

GPL - Plastic glides

Select upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.





		MODEL NUMBER																	
	Features	Basic Model	Fire Code	Solid	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Prici Unupholstered	Delivered Pricing ing Fabric Grade I 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DNY100							22.5#	\$ 480									
F \	Solid Color, Upholstered Seat	DNY200							25.0#	N/A	619	632	650	650	662	710	728	751	786
	Solid Color, Upholstered Seat/Back	DNY300							26.5#	N/A	652	664	684	684	694	743	761	785	821
	Two-Tone, Polypropylene	DNYA00							22.5#	545									
	Two-Tone, Upholstered Seat	DNYB00	NFR						25.0#	N/A	686	697	717	717	728	774	795	819	853
// //																			
a A																			
DNY1																			
DNY2																			
DNY3																			
DNYA																			
DNYB																			
Tapered Steel Leg Armless Chair																			
Solid or two-tone colored shell																			
Unlimited color match17 degrees of hip articulation																			
Task and stack chair models available																			
 400 pound approved 																			
		Φ	$oldsymbol{\Theta}$	Θ	O	€	•	Θ											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133 - Compliance to TB 133

See Upholstery Information for TB133 upcharge. Select solid poly color.

Refer to the **Product Color Options** page in this

Select outside/inside poly color.
Refer to the **Product Color Options** page in this

Select frame color. Refer to the **Product Color Options** page in this

Select glide option.

GFT - Felt glides

GNL - Plastic/Nylon Glides

GSL - Steel glides

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Doni[®] **Guest Chairs**



Approx. Packaged

Weight

18.0#

20.5#

22.0#

18.0#

20.5#

Delivered

1 & C.O.M.

919

954

Pricing

Delivered Pricing Fabric Grade

Unupholstered

N/A

N/A

845

N/A

\$ 777

Delivered

Fabric Grade

930

963

Pricing

Delivered

Fabric Grade

950

984

1017

Pricing

Delivered

Vinyl Group

950

984

1017

Pricing

Delivered

Pallas Fabric

960

994

1028

Group P0

Pricing

Delivered

Group P1

Pallas Fabric

1009

1041

1074

Pricing

Delivered

Group P2

Pallas Fabric

1028

1061

1094

Pricing

Delivered

Group P3

Pallas Fabric

1052

1085

1117

Pricing



Delivered

Pallas Fabric

1086

1119

1152

Group P4

Pricing

		MODEL N	UMBER						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Wood Leg Finish	Glide Option	Upholstery Color	
	Solid Color, Polypropylene	DNW100					GPL		
	Solid Color, Upholstered Seat	DNW200					GPL		
	Solid Color, Upholstered Seat/Back	DNW300					GPL		
	Two-Tone, Polypropylene	DNWA00	NFR				GPL		
	Two-Tone, Upholstered Seat	DNWB00	NFR				GPL		
//— <u> </u> /\\									
<i>V</i> \									
Ų									
DNW1									
DNW2									
DNW3									
DNWA									
DNWB									
Tapered Wood Leg Armless Chair									
Solid or two-tone colored shell									
Wood legs available in 8 finishes									
Unlimited color match Transport of his articulation									
 17 degrees of hip articulation Task and stack chair models available 									
300 pound approved									
		Δ	•	Θ	•	3	G	В	
		w	U	G	U	G	J	U	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code. FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Select solid poly color.

Refer to the **Product Color Options** page in this

• Select outside/inside poly color. Refer to the **Product Color Options** page in this

Select wood leg finish color. Refer to the **Product Color Options** page in this price list.

Select glide option.

GPL - Plastic glides

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Doni[®]
Guest Chairs



Approx. Delivered

Unupholstered

N/A

N/A

480

N/A

\$ 414

Packaged Pricing

Weight

17.5#

20.0#

21.5#

17.5#

20.0#

Delivered

Fabric Grade

553

586

619

1 & C.O.M.

Pricing

Delivered

Fabric Grade

565

598

632

Pricing

Delivered

Fabric Grade

584

617

650

Pricing

Delivered

Vinyl Group

584

617

650

Pricing

Delivered

Pallas Fabric

596

629

662

Pricing

Delivered

Group P1

Pallas Fabric

643

676

710

Pricing

Delivered

Pricing

Pallas Fabric

662

694

728

Group P2

Delivered

Group P3

Pallas Fabric

685

718

751

Pricing



Delivered

Pallas Fabric

719

753

786

Group P4

Pricing

MODEL NUMBER Solid Outside/Inside Basic Fire Glide Upholstery MODEL Features Model Code Color Color Option Wire Tower Base Armless Chair Solid Color, Polypropylene DNZ100 · Solid or two-tone colored shell Solid Color, Upholstered Seat · Chrome base Solid Color, Upholstered Seat/ Back DNZ300 · Unlimited color match Two-Tone, Polypropylene DNZA00 NFR • 17 degrees of hip articulation Frames finished in bright nickel-chrome Two-Tone, Upholstered Seat NFR DNZB00 plating Task and stack chair models available 400 pound approved DNZ1 DNZ2 DNZ3 DNZA DNZB A **(3**) • Θ 0 **(3**)

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013
See Upholstery Information for TB133

upcharge.

Select solid poly color.

Refer to the **Product Color Options** page in this price list

Select outside/inside poly color.
 Refer to the **Product Color Options** page in this price list

Select glide option.

GFT - Felt glides
GPL - Plastic glides

Select upholstery grade/color.
Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Features Stackable

Seat depth

add 1") **Overall Dimensions**

Width

Depth

Height

Arms to floor Stacking on Dolly Overall width

Overall depth

Stacking on Floor Width

Depth Quantity/height

Quantity/height - poly

Quantity/height - upholstered

Poly, upholstered seat, or upholstered seat/back **General Dimensions** Seat width

Seat height (upholstered





Four-Leg Armless Chair

19-1/4"

18-3/4"

18"

22-1/4"

21-1/2"

33-3/4"

25"

42"

12 Chairs / 69" High

6 Chairs / 50" High

22-1/4"

34"

6 Chairs / 49" High



18"

25-3/8"

42"

12 Chairs / 69" High

6 Chairs / 50" High

25-3/8"

34"

6 Chairs / 49" High





25-3/8"

42"

12 Chairs / 69" High


6 Chairs / 50" High

25-3/8"

34'

6 Chairs / 49" High

Four-Leg Arm Chair Four-Leg Armless Chair with Casters with Casters 19-1/4" 19-1/4" 18-3/4" 18-3/4" 18" 18" 23-1/4" 25-3/8" 22-1/8 22-1/8 33-3/4" 33-3/4"













	Sled Base Armless Chair	Sled Base Arm Chair	24" Cafe Stool	30" Cafe Stool	Transport Dolly
Features					
Stackable	•	•			
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	
General Dimensions					
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"	
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"	
Seat height (upholstered add 1")	18"	18"	24"	30"	
Overall Dimensions					
Width	22-1/4"	25-3/8"	21"	22-1/2"	23-3/4"
Depth	22-1/8"	22-1/8"	21"	21-1/2"	35-1/2"
Height	33-3/4"	33-3/4"	39-3/4"	45-3/4"	62-1/4"
Arms to floor		26-1/2"			
Stacking on Dolly					
Overall width	25"	25-3/8"			
Overall depth	42"	42"			
Quantity/height - poly	12 Chairs / 69" High	12 Chairs / 69" High			
Quantity/height - upholstered	6 Chairs / 50" High	6 Chairs / 50" High			
Stacking on Floor					
Width	22"	25-3/8"			
Depth	34"	34"			
Quantity/height	6 Chairs / 49" High	6 Chairs / 49" High			

COM Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: COM. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

Stacking Vinyl, Polyurethane, and Imitation **Leather Upholstered Chairs**

25"

42"

12 Chairs / 69" High

6 Chairs / 50" High

23-1/4"

34"

6 Chairs / 49" High

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant Whatever you imagine, whatever you require, KI's the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com





Four Leg ChangeUp Tablet Arm Chair with Glides



Four Leg ChangeUp Tablet Arm Chair with Casters



Sled Base ChangeUp Tablet Arm Chair

Features			
Stackable			
Poly, upholstered seat, or upholstered seat/back	•	•	•
General Dimensions			
Seat width	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered add 1")	18"	18"	18"
Tablet to chair back clearance	16-1/4"	16-1/4"	16-1/4"
Overall Dimensions			
Width	25-3/4"	25-3/4"	25"
Depth	28" - 32-1/4"	28" - 32-1/4"	28-1/2" - 33"
Height	33-3/4"	33-3/4"	33-3/4"
Arms to floor	27-1/4"	27-1/4"	27-1/4"

C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 vd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details

Color Match program lets you pick your color!

Stacking Vinyl, Polyurethane, and Imitation **Leather Upholstered Chairs** If stacking frequently and for long periods of time,

it is recommended that upholstery other than vinyl polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant Whatever you imagine, whatever you require, KI's the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

Color Match Process - Poly Seating Information

TECHNICAL SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest, seat, and shroud are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17-degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

4-leg and Caster Frames

Legs are made from ⁷/₈" O.D. by 13-gauge tubular steel. A single ring of ¹/₂" diameter steel wire forms the crossmember. All joints are welded. An optional wallsaver configuration is available. The wallsaver configuration maintains 1/2" gap between backrest and wall by locking the backrest mechanisms in the upright position.

Sled Frames

Sled side frames are made from ³/₄" O.D. by 13-gauge tubular steel. A single ring of ¹/₂" diameter steel wire forms the crossmember. All joints are welded.

Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint, or bright nickel-chrome plating.

Arms

Optional armrests are available. When equipped with arms, the support structure is a continuation of the rear leg, finished to match the frame color. The armrests are injection-molded glass-reinforced polypropylene. Arm color matches the frame finish, (except Chrome, hammertone, and metallic finishes; which match the outer shell poly color). The steel frame tube is inserted into a socket molded into the armrest, and secured with a screw.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack Chair Technical Specifications

Stack Chair Technical Specifications

DN2111

DNC111

Glides

4-Leg Chairs

The bottom ends of the tubes are formed to be vertical where they meet the floor and the glides are pressed into them. Three glide options are available; felt, plastic, and steel. Felt and plastic glides have a swivel base and have easy-on/easy-off replaceable caps, which makes field replacement simple and efficient (plastic & felt caps are interchangeable). Steel glides have a non-swivel base and do not have interchangeable caps. No color options are available for glides.

Sled Base Chairs

Four glide options are available; non-skid, plastic, steel, and felt. Glides are attached to the chair frame with one screw each. All glides have easy-on/easy-off replaceable caps, which makes field replacement simple and efficient. All caps are interchangeable. No color options are available for the glides. Sled base chairs may also be ordered without glides.

Casters

4-leg chairs may be ordered with casters instead of glides. Casters are 50 mm O.D., double-wheel high-impact thermoplastic, available with hard or soft wheel surface, in black only.

Gangers

Optional gangers are available on armless 4-leg and sled base chairs only. Gangers are made of chrome-plated ³/₁₆" diameter steel wire, mounted to the chair with an injection-molded nylon hub.

Transport Dolly

Frame construction is welded tubular steel with black powder-coated finish and 5" wheels (two swivel and two fixed). The dolly fits 4-leg or sled base chairs and has a capacity of twelve poly chairs or six upholstered.

ChangeUp[™] Tablet Arm

Change Up tablet support is integral to the chair frame and consists of a 7/8" diameter solid steel rod welded to the front and rear support tubes. A three-piece molded plastic armrest is included and attached to the chair frame using a $\#10 \times 2^{1}/2$ " Phillips pan head tapping screw.

The tablet mechanism consists a die-cast aluminum housing, upper and lower plastic bearings, and II-gauge steel clamp and tablet board support plates. The tablet mechanism is clamped onto the chair frame over two plastic bushing halves and a 5/16" diameter by 13/4" hardened steel pin with a die-cast aluminum cap secured with two $\frac{1}{4}$ -20 x $\frac{3}{4}$ " button socket head cap screws. The pin creates a solid 90° up/down pivot stop and the bushings provide a smooth, quiet operation. In the use position, the tablet mechanism rotates outward from the chair back an additional 20° and permits approximately $3^{1}/2^{n}$ of adjustment for ingress/egress without stowing the tablet.

The tablet worksurface is 21" wide by $13^{1}/2$ " deep (235 square inches) is secured to the tablet board support plate with twelve # 12 x 5/8" Phillips flat head tapping screws. The tablet board is made of 18 mm Baltic Birch plywood with .040" high-pressure laminate top surface and .02" thick phenolic backer surface for an overall board thickness of approximately 3/4". Edges are lacquered with a clear finish and sealed. The factory installed tablet assembly is not field installable and may not be removed.


ChangeUp tablet arm can support a 250 lb static load.

Compliance

Doni seating is designed and manufactured to meet or exceed required ANSI/BIFMA X5.1-2011 Seating. Seat functional weight rating for Doni stack chair is 400 lb, as conducted by and within KI's Accredited Test Lab



DN119R



DN219R


DN319R

Doni[®]
Stack Chair Technical Specifications


Stack Chair Technical Specifications





Doni 4-Leg ChangeUp Tablet Armchair with Glides




ChangeUp Tablet Arm












Doni 4-Leg Armless Chair



Doni 4-Leg Armchair




Doni 4-Leg Armless Chair with Casters




Doni[®]
Stack Chair Technical Specifications




Stack Chair Technical Specifications









Doni[®] Stack Chair Color Options



Doni[®] Stack Chair Color Options

Frame Color		Twilight Shadow	PTI	Outside Tarragon/Inside Cottonwood	OTQ/ICO
Black	BL	Ultra Blue	PUB	Outside Tarragon/Inside Light Tone	OTQ/ILG
Blue Grey	GR	Warm Grey	PWG	Outside Tarragon/Inside Warm Grey	OTQ/IWG
Bronze Metallic	ZM	Zesty Lime	PZL	Outside Twilight Shadow/Inside Cool Grey	OTI/ICG
Cayenne	CY			Outside Twilight Shadow/Inside Cottonwood	OTI/ICO
Champagne Metallic	CM	SOLID COLOR Seat and Back Polypropylene		Outside Twilight Shadow/Inside Light Tone	OTI/ILG
Chrome	СН	Flame-Retardant		Outside Twilight Shadow/Inside Warm Grey	OTI/IWG
Cool Grey	CG	Black	PBL	Outside Ultra Blue/inside Cottonwood	OUB/ICO
Cottonwood	CO	The above seating product can be manufactured using the a	ppropriate	Outside Ultra Blue/Inside Warm Grev	OUB/IWG
Earthen Clay	EY	flame-retardant materials for compliance of California Techn		Outside Warm Grey/Inside Cottonwood	OWG/ICO
Espresso Metallic	EX	133.			0 11 0,10 0
Everglade Shade	EV	TWO-TONE COLOR Seat and Back - Polypropylene		ChangeUp Table Arm Color - Laminate	
Flannel	FN	Non Flame-Retardant		Beigewood	LBZ
Glitz Metallic	GZ	Non Flame-Hetardant		Belair	LBQ
	HJ	Outside/Inside		Biltmore Cherry	LBT
Hazy Jade		Outside Black/Inside Cool Grey	OBL/ICG	Black	LBK
Honey Bee	HY	Outside Black/inside Cottonwood	OBL/ICO	Brighton Walnut	LBW
Light Tone	LG	Outside Black/Inside Light Tone	OBL/ILG	Castle Oak	LC0
Mardi Gras	MG	Outside Black/Inside Light Tolle Outside Black/Inside Warm Grey	OBL/ILG	Cherry Storm	LCX
Misty Brown	MY	Outside Blue Grey/inside Cool Grey	OGR/ICG	Classic Linen	LCI
Nemo	NE		OGR/ICG	Cocobala	LCC
Nordic	ND	Outside Blue Grey/inside Cottonwood		Crisp Linen	LRI
Poppy Red	PR	Outside Cayenne/Inside Cool Grey	OCY/ICG	Designer White	LDR
Purple Haze	PH	Outside Cayenne/Inside Cottonwood	OCY/ICO	Dove Grey	LDG
Rainforest	RQ	Outside Cayenne/Inside Light Tone	OCY/ILG	Florence Walnut	LFC
Raw Jasper	RJ	Outside Cayenne/Inside Warm Grey	OCY/IWG		
Rubber Ducky	RK	Outside Cool Grey/inside Cottonwood	OCG/ICO	Friston Ash	LFH
Sky Blue	SK	Outside Everglade Shade/Inside Cool Grey	OEV/ICG	Frosty White	LFW
Starlight Silver Metallic	SX	Outside Everglade Shade/Inside Cottonwood	OEV/ICO	Graphite Nebula	LGN
Surf's Up	SP	Outside Everglade Shade/Inside Light Tone	OEV/ILG	Grey	LGE
Tarragon	TQ	Outside Everglade Shade/Inside Warm Grey	OEV/IWG	High Rise	LHE
Twilight Shadow	TI	Outside Flannel/Inside Cool Grey	OFN/ICG	Hollyberry	LHY
Ultra Blue	UB	Outside Flannel/Inside Cottonwood	OFN/ICO	Island	LID
Warm Grey	WG	Outside Flannel/Inside Light Tone	OFN/ILG	Italian Silver Ash	LIT
Zesty Lime	ZL	Outside Flannel/inside Warm Grey	OFN/IWG	Kensington Maple	LKM
Zooty Elino	22	Outside Misty Brown/inside Cottonwood	OMY/ICO	Lapis Blue	LLB
SOLID COLOR Seat and Back Polypropylene		Outside Misty Brown/Inside Light Tone	OMY/ILG	Monticello Maple	LMT
Non Flame-Retardant		Outside Nordic/inside Cool Grey	OND/ICG	North Sea	LNA
Black	PBL	Outside Nordic/Inside Cottonwood	OND/ICO	Ocean	LON
Blue Grey	PGR	Outside Nordic/Inside Light Tone	OND/ILG	Pinnacle Walnut	LPW
Cayenne	PCY	Outside Nordic/Inside Warm Grey	OND/IWG	River Cherry	LRY
Cool Grey	PCG	Outside Purple Haze/Inside Cool Grey	OPH/ICG	Shadow Zephyr	LSR
Cottonwood	PCO	Outside Purple Haze/Inside Cottonwood	OPH/ICO	Sterling Ash	LAZ
Earthen Clay	PEY	Outside Purple Haze/Inside Light Tone	OPH/ILG	Titanium Evolv	LTV
Everglade Shade	PEV	Outside Purple Haze/Inside Light Tolle Outside Purple Haze/Inside Warm Grey	OPH/IWG	White Nebula	LWL
Flannel	PFN			White Sand	LWN
Hazy Jade	PHJ	Outside Rainforest/Inside Cool Grey	ORQ/ICG	Windsor Mahogany	LWY
Honey Bee	PHY	Outside Rainforest/Inside Cottonwood	ORQ/ICO	Willuson Manogariy	LWI
Light Tone	PLG	Outside Rainforest/Inside Light Tone	ORQ/ILG		
Misty Brown	PMY	Outside Rainforest/Inside Warm Grey	ORQ/IWG		
Nemo	PNE	Outside Raw Jasper/Inside Cool Grey	ORJ/ICG		
		Outside Raw Jasper/Inside Cottonwood	ORJ/ICO		
Nordic	PND	Outside Raw Jasper/Inside Light Tone	ORJ/ILG		
Purple Haze	PPH	Outside Raw Jasper/Inside Warm Grey	ORJ/IWG		
Rainforest	PRQ	Outside Surf's Up/inside Cool Grey	OSP/ICG		
Raw Jasper	PRJ	Outside Surfs Up/Inside Cottonwood	OSP/ICO		
Surf's Up	PSP	Outside Surfs Up/Inside Light Tone	OSP/ILG		
Tarragon	PTQ	Outside Surfs Up/Inside Warm Grey	OSP/IWG		
		Outside Tarragon/Inside Cool Grey	OTQ/ICG		

Finish Cards <u>Paints</u> Molded Edges **Hard Plastics** Wood/Veneer View color swatches for items listed within this document. Plastics/Poly <u>Glass</u> <u>Laminates</u> Edge Styles



Approx.

Weight

Packaged

19.0#

21.5#

23.0#

19.0#

21.5#

Delivered

1 & C.O.M.

487

521

553

Pricing

Delivered Pricing Fabric Grade

Unupholstered

N/A

N/A

414

N/A

\$ 346

Delivered

Fabric Grade

497

532

565

Pricing

Delivered

Fabric Grade

518

550

584

Pricing

Delivered

Vinyl Group

518

550

584

Pricing

Delivered

Pallas Fabric

527

562

596

Group P0

Pricing

Delivered

Group P1

Pallas Fabric

576

610

643

Pricing

Delivered

Pallas Fabric

596

629

662

Pricing

Delivered

Group P3

Pallas Fabric

618

651

685

Pricing



Delivered

Pallas Fabric

652

686

719

Group P4

Pricing

		MODEL	NUMBER	ł					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	
	Solid Color, Polypropylene	DN1100							
	Solid Color, Upholstered Seat	DN1200							
l \	Solid Color, Upholstered Seat/Back	DN1300							
	Two-Tone, Polypropylene	DN1A00	NFR						
	Two-Tone, Upholstered Seat	DN1B00	NFR						
0 \ U									
U									
DN11									
DN12									
DN13									
DN1A									
DN1B									
Four-Leg Armless Chair									
 Solid or two-tone colored shell Unlimited color match 									
17 degrees of hip articulation									
· Task and guest chair models available									
400 pound approved Steeling									
Stacking									
		A	3	Θ	O	ⅎ	•	œ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133 See Upholstery Information for TB133 upcharge.

Select solid poly color. Refer to the **Product Color Options** page in this

• Select outside/inside poly color. Refer to the **Product Color Options** page in this

Select frame color. Refer to the **Product Color Options** page in this price list.

Select glide option. GFT - Felt glides - Plastic glides GSL - Steel glides

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Doni® Stack Chairs





		MODEL	. NUMBEF	UMBER															
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Caster Type	Upholstery Color	Approx. Packaged Weight	Delivered Pricir Unupholstered	Delivered Pricing ng Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DN2100			00101			00101	19.5#	\$ 392	1 0.0.111.				aroup r o	aroup i i	Group 12	Group 1 o	атоарт т
	Solid Color, Upholstered Seat	DN2200							22.0#	N/A	535	544	565	565	575	622	642	666	699
\\	Solid Color, Upholstered Seat/Back	DN2300							23.5#	N/A	567	577	598	598	609	656	675	698	733
	Two-Tone, Polypropylene	DN2A00							19.5#	459									
	Two-Tone, Upholstered Seat	DN2B00	NFR						22.0#	N/A	600	611	632	632	642	689	708	732	767
3 3																			
DN21																			
DN22																			
DN23																			
DN2A																			
DN2B																			
Four-Leg Armless Chair with Casters																			
Solid or two-tone colored shell																			
Unlimited color match																			
17 degrees of hip articulationTask and guest chair models availabl	a																		
 400 pound approved 																			
Stacking. Caution should be exer-																			
cised to prevent casters from marrin components such as frames, fabric,]																		
etc., and to prevent casters from																			
becoming "hung up" underneath the																			
seat of the chair																			
		A	•	Θ	O	3	•	Ф											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

- Compliance to TB 133 See Upholstery Information for TB133 upcharge.

Select solid poly color.

Refer to the **Product Color Options** page in this

Refer to the **Product Color Options** page in this

Select frame color.

Refer to the **Product Color Options** page in this

Select casters.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code. NFR - Compliance to TB 117-2013 **G**Select upholstery grade/color.

Refer to ki.com/fabrics

OSelect outside/inside poly color.

CHC - Hard floor casters CCC - Carpet casters

UPHOLSTERY INFORMATION

COM. UpholsteryCOM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Doni® Stack Chairs





		MODEL	NUMBER	}															
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DN1111							20.5#	\$ 418									
	Solid Color, Upholstered Seat	DN1211							23.0#	N/A	559	570	590	590	600	648	667	690	725
	Solid Color, Upholstered Seat/Back	DN1311							24.5#	N/A	592	603	622	622	635	681	699	724	759
	Two-Tone, Polypropylene	DN1A11							20.5#	485									
	Two-Tone, Upholstered Seat	DN1B11	NFR						23.0#	N/A	624	637	656	656	667	715	733	758	793
// \\ u \\																			
u U																			
U DN11																			
DN12																			
DN13																			
DN1A																			
DN1B																			
Four-Leg Arm Chair																			
Solid or two-tone colored shellUnlimited color match																			
 17 degrees of hip articulation 																			
Task and guest chair models availab400 pound approved	e																		
400 pound approvedStacking																			
Calling																			
		•	•	Θ	• O	•	•	Э											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

- Compliance to TB 133 See Upholstery Information for TB133 upcharge.

Select solid poly color. Refer to the **Product Color Options** page in this

OSelect outside/inside poly color. Refer to the **Product Color Options** page in this

Select frame color.

Refer to the **Product Color Options** page in this price list.

Select glide option.

GFT - Felt glides - Plastic glides GSL - Steel glides

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.





										•									
		MODEL	. NUME	BER															
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color		Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DN2111							21.0#	\$ 463					· · · · · · · · · · · · · · · · · · ·	·		· ·	·
	Solid Color, Upholstered Seat	DN2211							23.5#	N/A	606	616	637	637	646	694	714	737	771
/ />	Solid Color, Upholstered Seat/Back	DN2311							25.0#	N/A	639	649	670	670	680	728	746	770	806
	Two-Tone, Polypropylene	DN2A11	NFR						21.0#	532									
	Two-Tone, Upholstered Seat	DN2B11	NFR						23.5#	N/A	672	683	702	702	714	761	781	804	838
DN21																			
DN22																			
DN23																			
DN2A																			
DN2B																			
Four-Leg Arm Chair with Casters																			
 Solid or two-tone colored shell Unlimited color match 17 degrees of hip articulation 																			
 Task and guest chair models available 	e																		
400 pound approved																			
 Stacking. Caution should be exercised to prevent casters from marrin 	n																		
components such as frames, fabric,	9																		
etc., and to prevent casters from																			
becoming "hung up" underneath the seat of the chair																			
2222 0. 0.0 0.00.																			
		A	•	Θ	O	•	•	G											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

A Select basic model.

BSelect fire code.

- Compliance to TB 133 See Upholstery Information for TB133 upcharge.

Select solid poly color.

Refer to the **Product Color Options** page in this

HOW TO BUILD A MODEL NUMBER

GSelect upholstery grade/color.

Refer to ki.com/fabrics

NFR - Compliance to TB 117-2013

OSelect outside/inside poly color. Refer to the **Product Color Options** page in this

Select frame color.

Refer to the **Product Color Options** page in this

Select casters.

CHC - Hard floor casters

CCC - Carpet casters

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Doni[®] Stack Chairs



Approx. Packaged

Weight

19.0#

21.5#

23.0#

19.0#

21.5#

Delivered

1 & C.O.M.

553

586

619

Pricing

Delivered Pricing Fabric Grade

Unupholstered

N/A

N/A

480

N/A

\$ 414

Delivered

Fabric Grade

565

598

632

Pricing

Delivered

Fabric Grade

584

617

650

Pricing

Delivered

Vinyl Group

584

617

650

Pricing

Delivered

Pallas Fabric

596

629

662

Group P0

Pricing

Delivered

Group P1

Pallas Fabric

643

676

710

Pricing

Delivered

Group P2

Pallas Fabric

662

694

728

Pricing

Delivered

Group P3

Pallas Fabric

685

718

751

Pricing



Delivered

Pallas Fabric

719

753

786

Group P4

Pricing

	MODEL 1	IUMBER						
	Basic	Fire	Poly Solid	Poly Outside/Inside	Frame	Glide	Upholstery	
	Model	Code		Color	Color	Option	Color	
Two-Tone, Upholstered Seat	DNHB00	NFR						
	Ø	B	•	0	•	•	Œ	
		Features Solid Color, Polypropylene Solid Color, Upholstered Seat Solid Color, Upholstered Seat/Back Two-Tone, Polypropylene Two-Tone, Upholstered Seat DNHA00 DNHB00	Features Solid Color, Polypropylene Solid Color, Upholstered Seat Solid Color, Upholstered Seat/Back Two-Tone, Polypropylene Two-Tone, Upholstered Seat DNH800 NFR NFR	Features Solid Color, Polypropylene Solid Color, Upholstered Seat Solid Color, Upholstered Seat/Back Two-Tone, Polypropylene Two-Tone, Upholstered Seat DNHB00 NFR NFR NFR	Features Solid Color, Polypropylene Solid Color, Upholstered Seat Solid Color, Upholstered Seat/Back Two-Tone, Polypropylene Two-Tone, Upholstered Seat DNHB00 DNHB	Features Basic Model Code Color Color Color Solid Color, Polypropylene Solid Color, Upholstered Seat Solid Color, Upholstered Seat/Back Two-Tone, Polypropylene Two-Tone, Upholstered Seat DNHB00 NFR DNHB00 NFR DNHB00 NFR DNHB00 NFR DNHB00 NFR	Poly Outside/Inside Color Poly Outside C	Basic Model Code Color Color

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

- Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select solid poly color. Refer to the **Product Color Options** page in th

①Select outside/inside poly color. Refer to the **Product Color Options** page in th

Select frame color. Refer to the **Product Color Options** page in th price list.

Select glide option. GFT - Felt glides - Plastic glides GSL - Steel glides

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.







		MODEL	. NUMBER	ł															
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pricin Unupholstered	Delivered Pricing g Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene								19.0#	\$ 400									
	Solid Color, Upholstered Seat	DNC200							21.5#	N/A	540	550	571	571	581	631	648	672	707
l \	Solid Color, Upholstered Seat/Back	DNC300							23.0#	N/A	573	584	604	604	615	663	681	706	740
	Two-Tone, Polypropylene	DNCA00	NFR						19.0#	465									
	Two-Tone, Upholstered Seat	DNCB00	NFR						21.5#	N/A	607	617	638	638	648	696	715	738	772
() U																			
U																			
DNC1																			
DNC2																			
DNC3																			
DNCA																			
DNCB																			
Four-Leg Armless Wallsaver Chair																			
 Solid or two-tone colored shell Unlimited color match 																			
 Task and guest chair models availab 	e																		
400 pound approved																			
 Stacking 																			
		Δ	3	0	0	•	•	Ө											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code. - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select solid poly color. Refer to the **Product Color Options** page in this

OSelect outside/inside poly color. Refer to the **Product Color Options** page in this

Select frame color.

Refer to the **Product Color Options** page in this price list.

Select glide option. GFT - Felt glides - Plastic glides GSL - Steel glides

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Doni[®] Stack Chairs



Approx.

Weight

Packaged

20.5#

23.0#

24.5#

20.5#

23.0#

Delivered

1 & C.O.M.

612

645

678

Pricing

Delivered Pricing Fabric Grade

Unupholstered

N/A

N/A

538

N/A

\$ 471

Delivered

Fabric Grade

622

656

Pricing

Delivered

Fabric Grade

643

676

710

Pricing

Delivered

Vinyl Group

643

676

710

Pricing

Delivered

Pallas Fabric

652

686

719

Group P0

Pricing

Delivered

Group P1

Pallas Fabric

701

734

Pricing

Delivered

Pallas Fabric

719

753

Pricing

Delivered

Group P3

Pallas Fabric

744

775

810

Pricing



Delivered

Pallas Fabric

777

811

Group P4

Pricing

		MODEL	MIIMRER	}				
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color
	Solid Color, Polypropylene	DNC111						
	Solid Color, Upholstered Seat	DNC211						
	Solid Color, Upholstered Seat/Back	DNC311						
	Two-Tone, Polypropylene	DNCA11	NFR					
	Two-Tone, Upholstered Seat	DNCB11	NFR					
U								
ONC1								
DNC2 DNC3								
ONCA								
DNCB								
Four-Leg Wallsaver Arm Chair								
Tour Log Wansavor Arm Onan								
Solid or two-tone colored shell								
Unlimited color match								
 Task and guest chair models available 400 pound approved 								
Stacking								
-								
		(A)	B	Θ	O	3	3	Ф

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

_

Select fire code.

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133 See Upholstery Information for TB133 upcharge.

Select solid poly color.

Refer to the **Product Color Options** page in this

Select outside/inside poly color.

Refer to the **Product Color Options** page in this

Select frame color.

Refer to the **Product Color Options** page in this price list.

Select glide option. GFT - Felt glides GPL - Plastic glides GSL - Steel glides

GSelect upholstery grade/color. Refer to <u>ki.com/fabrics</u>

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Doni® Stack Chairs



Approx.

Packaged

20.0#

22.5#

24.0#

20.0#

22.5#

Weight

Delivered

1 & C.O.M.

500

535

567

Pricing

Delivered Pricing Fabric Grade

Unupholstered

N/A

N/A

424

N/A

\$ 359

Delivered

Fabric Grade

511

544

577

Pricing

Delivered

Fabric Grade

532

565

598

Pricing

Delivered

Vinyl Group

532

565

598

Pricing

Delivered

Pallas Fabric

541

575

609

Group P0

Pricing

Delivered

Group P1

Pallas Fabric

590

622

656

Pricing

Delivered

Group P2

Pallas Fabric

609

642

675

Pricing

Delivered

Group P3

Pricing Pallas Fabric

633

666

698



Delivered

Group P4

Pallas Fabric

667

699

733

Pricing

		MODEL	NUMBER	ì				
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color
—	Solid Color, Polypropylene	DN3100						
	Solid Color, Upholstered Seat	DN3200						
	Solid Color, Upholstered Seat/Back	DN3300						
	Two-Tone, Polypropylene	DN3A00	NFR					
	Two-Tone, Upholstered Seat	DN3B00	NFR					
DN31								
DN32								
DN33								
DN3A								
DN3B								
Sled Base Armless Chair								
 Solid or two-tone colored shell 								
 Unlimited color match 17 degrees of hip articulation								
Task and guest chair models available								
 400 pound approved 								
 Stacking 								
		Δ	ß	Θ	O	ⅎ	(3)	e

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select solid poly color. Refer to the **Product Color Options** page in this

• Select outside/inside poly color. Refer to the **Product Color Options** page in this

Select frame color. Refer to the **Product Color Options** page in this price list.

Select glide option. GNG - No glides - Non-skid glides

GPL - Plastic glides - Steel glides - Felt glides

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Doni[®] Stack Chairs



Approx.

Weight

Packaged

21.5#

24.0#

25.5#

21.5#

24.0#

Delivered

1 & C.O.M.

572

606

639

Pricing

Delivered Pricing Fabric Grade

Unupholstered

N/A

N/A

497

N/A

\$ 430

Delivered

Fabric Grade

583

616

649

Pricing

Delivered

Fabric Grade

603

637

670

Pricing

Delivered

Vinyl Group

603

637

670

Pricing

Delivered

Pallas Fabric

613

646

680

Group P0

Pricing

Delivered

Group P1

Pallas Fabric

662

694

728

Pricing

Delivered

Pallas Fabric

680

714

746

Pricing

Delivered

Group P3

Pallas Fabric

705

737

770

Pricing



Delivered

Pallas Fabric

738

771

806

Group P4

Pricing

		MODEL	MINDED	,					
		MODEL	NUMBER						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	
	Solid Color, Polypropylene	DN3111							
	Solid Color, Upholstered Seat	DN3211							
	Solid Color, Upholstered Seat/Back	DN3311							
	Two-Tone, Polypropylene	DN3A11	NFR						
	Two-Tone, Upholstered Seat	DN3B11	NFR						
DN31									
DN32									
DN33									
DN3A									
DN3B									
Sled Base Arm Chair									
Solid or two-tone colored shell									
 Unlimited color match 17 degrees of hip articulation									
Task and guest chair models available									
 400 pound approved 									
 Stacking 									
		A	③	Θ	O	•	•	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select solid poly color. Refer to the **Product Color Options** page in this

②Select outside/inside poly color.
Refer to the **Product Color Options** page in this price list.

 Select frame color. Refer to the **Product Color Options** page in this price list.

Select glide option.

GNG - No glides GNS - Non-skid glides GPL - Plastic glides GSL - Steel glides - Felt glides

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Approx. Packaged

20.0#

22.5#

24.0#

20.0#

22.5#

Weight

Delivered

1 & C.O.M.

567

600

635

Pricing

Delivered Pricing Fabric Grade

Unupholstered

N/A

N/A

492

N/A

\$ 424

Delivered

Fabric Grade

577

611

644

Pricing

Delivered

Fabric Grade

598

632

664

Pricing

Delivered

Vinyl Group

598

632

664

Pricing

Delivered

Pallas Fabric

609

642

675

Group P0

Pricing

Delivered

Group P1

Pallas Fabric

656

689

721

Pricing

Delivered

Group P2

Pallas Fabric

675

708

741

Pricing

Delivered

Group P3

Pricing Pallas Fabric

698

732

766



Delivered

Group P4

Pallas Fabric

733

799

Pricing

		MODEL	NUMBER	}				
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color
	Solid Color, Polypropylene	DNJ100						
	Solid Color, Upholstered Seat	DNJ200						
	Solid Color, Upholstered Seat/Back	DNJ300						
	Two-Tone, Polypropylene	DNJA00	NFR					
	Two-Tone, Upholstered Seat	DNJB00	NFR					
DNJ1								
DNJ2								
DNJ3								
DNJA								
DNJB								
Sled Base Armless Ganging Chair								
Solid or two-tone colored shell								
Unlimited color match17 degrees of hip articulation								
Task and guest chair models available								
 400 pound approved 								
 Stacking 								
		A	3	Θ	O	3	•	Θ

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133

upcharge.

Select solid poly color.

Refer to the **Product Color Options** page in this price list.

Select outside/inside poly color.
 Refer to the **Product Color Options** page in this price list

Select frame color.

Refer to the **Product Color Options** page in this price list.

GNG - No glides
GNS - Non-skid glides
GPL - Plastic glides
GSL - Steel glides
GFT - Felt glides

Select upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.







	MODEL NUMBER								
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Tablet Arm Color	Upholstery Color
	Solid Color, Polypropylene, Left Hand	DN119L							
	Solid Color, Polypropylene, Right Hand	DN119R							
A	Solid Color, Upholstered Seat, Left Hand	DN129L							
	Solid Color, Upholstered Seat, Right Hand	DN129R							
/ /	Solid Color, Upholstered Seat/Back, Left Hand	DN139L							
" " "	Solid Color, Upholstered Seat/Back, Right Hand	DN139R							
DN11	Two-Tone, Polypropylene, Left Hand	DN1A9L	NFR						
DN12	Two-Tone, Polypropylene, Right Hand	DN1A9R	NFR						
DN13	Two-Tone, Upholstered Seat, Left Hand	DN1B9L	NFR						
DN1A	Two-Tone, Upholstered Seat, Right Hand	DN1B9R	NFR						
DN1B									
Four-Leg ChangeUp Tablet Arm Chair with Glides									
Solid or two-tone colored shell									
 Unlimited color match 17 degrees of hip articulation Large work surface (21"W x 13.3"D) 									
Work surface flips and folds Work surface has 20 degrees of ingress/egress movement									
Work surface rated to 250 pounds Chair rated to 400 pounds									
		(A)	3	Θ	Ð	3	•	Ф	0

Pa	oprox. ackaged 'eight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	29.0#	\$ 815								
	40.5#	815								
	43.5#	N/A	957	967	988	988	997	1045	1065	1088
	43.5#	N/A	957	967	988	988	997	1045	1065	1088
	45.5#	N/A	990	1002	1020	1020	1031	1080	1098	1121
	45.5#	N/A	990	1002	1020	1020	1031	1080	1098	1121
	40.5#	883								
	41.0#	883								
	43.5#	N/A	1023	1035	1054	1054	1065	1112	1131	1155
	43.5#	N/A	1023	1035	1054	1054	1065	1112	1131	1155

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code. NFR - Compliance to TB 117-2013 - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select solid poly color. Refer to the **Product Color Options** page in this

Select outside/inside poly color.
Refer to the **Product Color Options** page in this

Select frame color.
Refer to the **Product Color Options** page in this price list.

Select glide option. GFT - Felt glides - Plastic glides GSL - Steel glides

Select tablet arm color.

Refer to the **Product Color Options** page in this price list.

Select upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Doni[®] Stack Chairs





		MODEL	MIIMDED)					
		MODEL	NUMBER						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Caster Type	Tablet Arm Color	Upholstery Color
	Solid Color, Polypropylene, Left Hand	DN219L							
\	Solid Color, Polypropylene, Right Hand	DN219R							
A P	Solid Color, Upholstered Seat, Left Hand	DN229L							
	Solid Color, Upholstered Seat, Right Hand	DN229R							
/	Solid Color, Upholstered Seat/Back, Left Hand	DN239L							
8 8	Solid Color, Upholstered Seat/Back, Right Hand	DN239R							
DN21	Two-Tone, Polypropylene, Left Hand	DN2A9L	NFR						
DN22	Two-Tone, Polypropylene, Right Hand	DN2A9R	NFR						
DN23	Two-Toni, Upholstered Seat, Left Hand	DN2B9L	NFR						
DN2A	Two-Tone, Upholstered Seat, Right Hand	DN2B9R	NFR						
DN2B									
Four-Leg ChangeUp Tablet Arm Chair with Casters									
 Solid or two-tone colored shell Unlimited color match 17 degrees of hip articulation Large work surface (21"W x 13.3"D) Work surface flips and folds 									
Work surface has 20 degrees of ingress/egress movement Work surface rated to 250 pounds									
		A	•	Θ	O	(3	•	Θ	0

Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
41.0#	\$ 862								
41.0#	862								
44.0#	N/A	1004	1013	1035	1035	1044	1091	1111	1136
44.0#	N/A	1004	1013	1035	1035	1044	1091	1111	1136
46.0#	N/A	1037	1047	1068	1068	1078	1125	1144	1167
46.0#	N/A	1037	1047	1068	1068	1078	1125	1144	1167
41.0#	929								
41.0#	929								
46.0#	N/A	1070	1081	1102	1102	1111	1159	1178	1202
44.0#	N/A	1070	1081	1102	1102	1111	1159	1178	1202

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

000000 20000 11100001

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133

upcharge.

Select solid poly color.

Refer to the **Product Color Options** page in this price list

Select outside/inside poly color.
Refer to the **Product Color Options** page in this price list.

Select frame color.

Refer to the **Product Color Options** page in this price list.

Select casters.

CHC - Hard floor casters
CCC - Carpet casters

Select tablet arm color.
 Refer to the **Product Color Options** page in this price list.

Select upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Approx.

Weight

42.5# 42.5#

45.5#

45.5#

47.5#

47.5#

42.5#

42.5#

45.5#

47.5#

Delivered

1 & C.O.M.

970

970

1004

1004

1037

1037

Pricing

Packaged Delivered Pricing Fabric Grade

Unupholstered

828

N/A

N/A

N/A

N/A

894

894

N/A

N/A

Delivered

Fabric Grade

981

981

1013

1013

1047

1047

Pricing

Delivered

Fabric Grade

1002

1002

1035

1035

1068

1068

Pricing

Delivered

Pricing

Vinyl Group

1002

1002

1035

1035

1068

1068

Delivered

Pallas Fabric

1011

1011

1044

1044

1078

1078

Group P0

Pricing

Delivered

Pallas Fabric

1059

1059

1091

1091

1125

1125

Group P1

Pricing

Delivered

Pallas Fabric

1078

1078

1111

1111

1144

1144

Group P2

Pricing



Delivered

Pallas Fabric

1103

1103

1136

1136

1167

1167

Group P3

Pricing

		MODEL	NUMBEF	}					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Tablet Arm Color	Upholstery Color
	Solid Color, Polypropylene, Left Hand	DN319L							
\	Solid Color, Polypropylene, Right Hand	DN319R							
A P	Solid Color, Upholstered Seat, Left Hand	DN329L							
	Solid Color, Upholstered Seat, Right Hand	DN329R							
/	Solid Color, Upholstered Seat/Back, Left Hand	DN339L							
	Solid Color, Upholstered Seat/Back, Right Hand	DN339R							
DN31	Two-Tone, Polypropylene, Left Hand	DN3A9L	NFR						
DN32	TWo-Tone, Polypropylene, Right Hand	DN3A9R	NFR						
DN33	Two-Tone, Upholstered Seat, Left Hand	DN3B9L	NFR						
DN3A	Two-Tone, Upholstered Seat, Right Hand	DN3B9R	NFR						
DN3B									
Sled Base ChangeUp Tablet Arm Chai	ir								
Solid or two-tone colored shell									
· Unlimited color match									
• 17 degrees of hip articulation									
 Large work surface (21"W x 13.3"D) Work surface flips and folds)								
Work surface has 20 degrees of									
ingress/egress movement									
Work surface rated to 250 pounds Chair rated to 400 pounds									
Shall rated to 100 pourido									
		A	$oldsymbol{\Theta}$	Θ	O	ⅎ	•	Θ	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

FR - Compliance to TB 133 NFR - Compliance to TB 117-2013 See Upholstery Information for TB133

upcharge. Select solid poly color.

Refer to the **Product Color Options** page in this Select upholstery grade/color.

- Select outside/inside poly color. Refer to the **Product Color Options** page in this
- Select frame color. Refer to the **Product Color Options** page in this price list.

Select glide option. GNG - No glides - Non-skid glides GPL - Plastic glides - Steel glides GFT - Felt glides

GSelect tablet arm color. Refer to the **Product Color Options** page in this price list.

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.





		MODEL NUI	MBER																
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DN4100H24			1				20.5#	\$ 525									
[Solid Color, Upholstered Seat	DN4200H24							23.0#	N/A	667	677	697	697	708	757	773	798	834
	Solid Color, Upholstered Seat/Back	DN4300H24							24.5#	N/A	699	711	731	731	741	789	808	833	866
	Two-Tone, Polypropylene	DN4A00H24	NFR						20.5#	592									
	Two-Tone, Upholstered Seat	DN4B00H24	NFR						23.0#	N/A	733	744	764	764	773	823	840	865	900
DN41																			
DN42 DN43																			
DN4A																			
DN4B																			
Four-Leg Armless Cafe Stool - 24"																			
Height																			
Solid or two-tone colored shell Unlimited color match																			
 17 degrees of hip articulation 																			
 Task, stack and lounge chair models available 																			
 400 pound approved 																			
receiver end																			
				Θ	• • • • • • • • • • • • • • • • • • •	•	•	В											
		w	•	9	U	9	•	U											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select solid poly color. Refer to the **Product Color Options** page in this

Select outside/inside poly color.
Refer to the **Product Color Options** page in this

Select frame color. Refer to the **Product Color Options** page in this price list.

Select glide option.

GNL - Plastic/Nylon Glides

GSL - Steel glides

GFT - Felt glides

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. UpholsteryCOM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.







		MODEL NU	IMDED																i
		WODEL NO	JIVIDEN	Poly	Poly				Approx.		Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing	
	Features	Basic Model	Fire Code	Solid	Outside/Inside Color	Frame Color		Upholstery Color	Packaged Weight	Delivered Pricing Unupholstered	Fabric Grade 1 & C.O.M.	Fabric Grade 2	Fabric Grade 3	Vinyl Group 2V	Pallas Fabric Group P0	Pallas Fabric Group P1	Pallas Fabric Group P2	Pallas Fabric Group P3	
	Solid Color, Polypropylene	DN4100H30					000		22.0#	\$ 525						·		· · · · · · · · · · · · · · · · · · ·	ŕ
	Solid Color, Upholstered Seat	DN4200H30							24.5#	N/A	667	677	697	697	708	757	773	798	
	Solid Color, Upholstered Seat/Back	DN4300H30							26.0#	N/A	699	711	731	731	741	789	808	833	
	Two-Tone, Polypropylene	DN4A00H30	NFR						22.0#	592									
	Two-Tone, Upholstered Seat	DN4B00H30	NFR						24.5#	N/A	733	744	764	764	773	823	840	865	
/ \																			
2																			
1																			
·Leg Armless Cafe Stool - 30" ht																			
III.																			
lid or two-tone colored shell																			
llimited color match degrees of hip articulation																			
sk, stack and lounge chair models																			
ailable																			
0 pound approved																			
				_															
		A	₿	Θ	0	ⅎ	•	œ											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to <u>ki.com/fabrics</u>

Select solid poly color.

Refer to the **Product Color Options** page in this

OSelect outside/inside poly color.
Refer to the **Product Color Options** page in this

Select frame color.

Refer to the **Product Color Options** page in this price list.

Select glide option.

GFT - Felt glides

GNL - Plastic/Nylon Glides

GSL - Steel glides

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.







MODEL Transport D	Basic Model	Approx.	
	Basic	Approx.	
Transnort D		Packaged Weight	Delivered Pricing
וומוופאטונ ח	Dolly owder-coat finish DNCD.BL	43.0#	\$ 565
Black pov	owder-coat finish		
\			
Ц ррот			
	it DCK	0.0#	¢ 67
• Includes	s one male and one female	0.0π	
ganger lo	loop per kit		
• All necess	essary nardware included art is installed under the chair		
Assembly	oly instructions provided		
• Gangers	s are field installable		
HRDPT • 1 Kil requ	quired per chair		
ganger lo All necess Each part Assembly Gangers 1 kit requi	it s one male and one female loop per kit sesary hardware included art is installed under the chair oly instructions provided s are field installable quired per chair	0.0#	\$ 67

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

(

A Select basic model.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.















Armless Task Chair Task Armchair ChangeUp Tablet Arm Task Armless Task Stool Task Arm Stool Chair

Features					
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•
General Dimensions					
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered - add 1")	17-1/2" - 22-1/2"	17-1/2" - 22-1/2"	17-1/2" - 22-1/2"	22-1/2" - 32-3/4"	22-1/2" - 32-3/4"
Overall Dimensions					
Width	27-1/2"	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Height	33-1/4" - 38-1/4"	33-1/4" - 38-1/4"	33-1/4" - 38-1/4"	38-1/4" - 48-1/2"	38-1/4" - 48-1/2"
Arms to floor		26" - 31"			31" - 41-1/4"

STATEMENT OF LINE

All models are available in polypropylene seat/backrest, upholstered seat/ polypropylene backrest, or upholstered seat/backrest.









INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Desig

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Task Chair Technical Specifications



Task Chair Technical Specifications

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17-degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Under-Seat Structure

Support structure is a die-drawn 12-gauge steel plate. Structure is finished with baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint coordinated with base selection.

Arms

Optional armrests are available. When equipped with arms, a support structure is ⁷/₈" O.D. by I3-gauge tubular steel welded directly to the seat structure plate. The steel support tube is inserted into a socket molded into the armrest, and secured with a screw. Armrests are molded from glass-reinforced polypropylene. Structure and armrests are Warm Grey when Warm Grey base is selected, or Black when Black or aluminum is selected.

Base

The base is a 26" injection-molded glass-reinforced nylon 5-blade base. A single paddle under the seat operates the height-adjusting pneumatic cylinder. Standard chair base and cylinder available in Black or Warm Grey. Standard stool base available in Black or Warm Grey. Standard stool cylinder available in Black only. An optional polished die-cast aluminum 5-blade base is also available on both chairs and stools.

Casters

Casters are 60 mm O.D., double-wheel, high-impact thermoplastic and are available with hard (warm grey or black) or soft (black only) wheel surface.

Foot Ring

Task stools are equipped with a twist-to-lock, adjustable-height, 20" diameter chrome-plated steel foot ring with black, die-cast aluminum hub and spokes.

ChangeUp[™] Tablet Arm

Change Up tablet support is integral to the chair frame and consists of a $^{7}/_{8}$ " diameter solid steel rod welded to the front and rear support tubes. A three-piece molded plastic armrest is included and attached to the chair frame using a # $10 \times 2^{1}/_{2}$ " Phillips pan head tapping screw.

The tablet mechanism consists a die-cast aluminum housing, upper and lower plastic bearings, and II-gauge steel clamp and tablet board support plates. The tablet mechanism is clamped onto the chair frame over two plastic bushing halves and a ${}^{5}/_{16}{}^{"}$ diameter by ${}^{13}/_{4}{}^{"}$ hardened steel pin with a die-cast aluminum cap secured with two ${}^{1}/_{4}$ -20 x ${}^{3}/_{4}{}^{"}$ button socket head cap screws. The pin creates a solid 90° up/down pivot stop and the bushings provide a smooth, quiet operation. In the use position, the tablet mechanism rotates outward from the chair back an additional 20° and permits approximately $3{}^{1}/_{2}{}^{"}$ of adjustment for ingress/egress without stowing the tablet.

The tablet worksurface is 21" wide by $13^1/2$ " deep (235 square inches) is secured to the tablet board support plate with twelve # $12 \times 5^1/8$ " Phillips flat head tapping screws. The tablet board is made of 18 mm Baltic Birch plywood with .040" high-pressure laminate top surface and .02" thick phenolic backer surface for an overall board thickness of approximately $3^1/4$ ". Edges are lacquered with a clear finish and sealed. The factory installed tablet assembly is not field installable and may not be removed.

Weight Rating

ChangeUp tablet arm can support a 250 lb static load

Compliance

Doni seating is designed and manufactured to meet or exceed required ANSI/BIFMA X5. I-20II Seating. Seat functional weight rating for Doni task chair is 400 lb, and seat functional weight rating for Doni task stool is 350 lb, as conducted by and within KI's Accredited Test Lab.


Task Chair Technical Specifications




Doni®

DIMENSIONS

Doni Task Armchair




Doni Armless Stool




DIMENSIONS

Doni ChangeUp Tablet Arm Task Chair



ChangeUp Tablet Arm



Task Chair Color Options



Doni® Task Chair Color Options

Base/Caster Color	
Black	BL
Warm Grey	WG
Polished Aluminum	PA

Polished Aluminum requires an upcharge.

Base color selection for black includes; black base, black cylinder and black carpet or hard floor casters.

Base color selection for warm grey includes; warm grey base, warm grey cylinder and warm grey carper casters (hard floor casters not available in warm grey). Stool cylinder is always black.

Base color selection for polished aluminum includes; polished aluminum base, black cylinder and black carpet or hard floor casters.

SOLID COLOR Seat and Back Polypropylene Non Flame-Retardant

Non Flamo Hotardant				
В	llack	PBL		
В	llue Grey	PGR		
C	ayenne	PCY		
C	cool Grey	PCG		
C	ottonwood	PC0		
Е	arthen Clay	PEY		
Е	verglade Shade	PEV		
F	lannel	PFN		
Н	lazy Jade	PHJ		
Н	loney Bee	PHY		
L	ight Tone	PLG		
N	Misty Brown	PMY		
N	lemo	PNE		
N	lordic	PND		
Р	Purple Haze	PPH		
R	ainforest	PRQ		
R	aw Jasper	PRJ		
S	Surf's Up	PSP		
Ta	arragon	PTQ		
T	wilight Shadow	PTI		
U	lltra Blue	PUB		
V	Varm Grey	PWG		
Z	esty Lime	PZL		

SOLID COLOR Seat and Back Polypropylene Flame-Retardant

PBL

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance of California Technical Bulletin 133.

TWO-TONE COLOR Seat and Back - Polypropylene Non Flame-Retardant

Outside/Inside

)ı	tside/Inside	
	Outside Black/Inside Cool Grey	OBL/ICG
	Outside Black/inside Cottonwood	OBL/ICO
	Outside Black/Inside Light Tone	OBL/ILG
	Outside Black/Inside Warm Grey	OBL/IWG
	Outside Blue Grey/inside Cool Grey	OGR/ICG
	Outside Blue Grey/inside Cottonwood	OGR/ICO
	Outside Cayenne/Inside Cool Grey	OCY/ICG
	Outside Cayenne/Inside Cottonwood	OCY/ICO
	Outside Cayenne/Inside Light Tone	OCY/ILG
	Outside Cayenne/Inside Warm Grey	OCY/IWG
	Outside Cool Grey/inside Cottonwood	OCG/ICO
	Outside Everglade Shade/Inside Cool Grey	OEV/ICG
	Outside Everglade Shade/Inside Cottonwood	OEV/ICO
	Outside Everglade Shade/Inside Light Tone	OEV/ILG
	Outside Everglade Shade/Inside Warm Grey	OEV/IWG
	Outside Flannel/Inside Cool Grey	OFN/ICG
	Outside Flannel/Inside Cottonwood	OFN/ICO
	Outside Flannel/Inside Light Tone	OFN/ILG
	Outside Flannel/inside Warm Grey	OFN/IWG
	Outside Misty Brown/inside Cottonwood	OMY/ICO
	Outside Misty Brown/Inside Light Tone	OMY/ILG
	Outside Nordic/inside Cool Grey	OND/ICG
	Outside Nordic/Inside Cottonwood	OND/ICO
	Outside Nordic/Inside Light Tone	OND/ILG
	Outside Nordic/Inside Warm Grey	OND/IWG
	Outside Purple Haze/Inside Cool Grey	OPH/ICG
	Outside Purple Haze/Inside Cottonwood	OPH/ICO
	Outside Purple Haze/Inside Light Tone	OPH/ILG
	Outside Purple Haze/Inside Warm Grey	OPH/IWG
	Outside Rainforest/Inside Cool Grey	ORQ/ICG
	Outside Rainforest/Inside Cottonwood	ORQ/ICO
	Outside Rainforest/Inside Light Tone	ORQ/ILG
	Outside Rainforest/Inside Warm Grey	ORQ/IWG
	Outside Raw Jasper/Inside Cool Grey	ORJ/ICG
	Outside Raw Jasper/Inside Cottonwood	ORJ/ICO
	Outside Raw Jasper/Inside Light Tone	ORJ/ILG
	Outside Raw Jasper/Inside Warm Grey	ORJ/IWG
	Outside Surf's Up/inside Cool Grey	OSP/ICG
	Outside Surfs Up/Inside Cottonwood	OSP/ICO
	Outside Surfs Up/Inside Light Tone	OSP/ILG
	Outside Surfs Up/Inside Warm Grey	OSP/IWG
	Outside Tarragon/Inside Cool Grey	OTQ/ICG
	Outside Tarragon/Inside Cottonwood	OTQ/ICO
	Outside Tarragon/Inside Light Tone	OTQ/ILG
	Outside Tarragon/Inside Warm Grey	OTQ/IWG
	Outside Twilight Shadow/Inside Cool Grey	OTI/ICG
	Outside Twilight Shadow/Inside Cottonwood	OTI/ICO
	Outside Twilight Shadow/Inside Light Tone	OTI/ILG
	Outside Twilight Shadow/Inside Warm Grey	OTI/IWG
	Outside Ultra Blue/inside Cottonwood	OUB/ICO
	Outside Ultra Blue/Inside Warm Grey	OUB/IWG

ChangeUp Tablet Arm Color - Laminate	
Beigewood	
Doloir	

"	iangcop labict Aim outer Laminate	
	Beigewood	LBZ
	Belair	LBQ
	Biltmore Cherry	LBT
	Black	LBK
	Brighton Walnut	LBW
	Castle Oak	LCO
	Cherry Storm	LCX
	Classic Linen	LCI
	Cocobala	LCC
	Crisp Linen	LRI
	Designer White	LDR
	Dove Grey	LDG
	Florence Walnut	LFC
	Friston Ash	LFH
	Frosty White	LFW
	Graphite Nebula	LGN
	Grey	LGE
	High Rise	LHE
	Hollyberry	LHY
	Island	LID
	Italian Silver Ash	LIT
	Kensington Maple	LKM
	Lapis Blue	LLB
	Monticello Maple	LMT
	North Sea	LNA
	Ocean	LON
	Pinnacle Walnut	LPW
	River Cherry	LRY
	Shadow Zephyr	LSR
	Sterling Ash	LAZ
	Titanium Evolv	LTV
	White Nebula	LWL
	White Sand	LWN
	Windsor Mahogany	LWY

Finish Cards **Hard Plastics Paints** Wood/Veneer **Molded Edges** View color swatches for items listed within this document. Plastics/Poly <u>Laminates</u> **Edge Styles** <u>Glass</u>

Outside Warm Grey/Inside Cottonwood

OWG/ICO





Delivered

Pallas Fabric

839

873

Group P4

Pricing

											•						
			MODEL	NUMBE	R												
		Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1
		Solid Color, Polypropylene	DN5100							24.0#	\$ 534						
	F	Solid Color, Upholstered Seat	DN5200							26.5#	N/A	673	684	705	705	715	762
		Solid Color, Upholstered Seat/Back	DN5300							28.0#	N/A	707	717	737	737	747	796
		Two-Tone, Polypropylene	DN5A00	NFR						24.0#	599						
		Two-Tone, Upholstered Seat	DN5B00	NFR						26.5#	N/A	740	750	770	770	782	829
DN51 DN52 DN53 DN5A DN5B Task Ar	rmless Chair																
 Unlin 	d or two-tone colored shell mited color match egrees of hip articulation																
• 400 p	pound approved																
 Stack able 	k and guest chair models avail-																
able																	
			•	•	Θ	O	3	•	O								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

upcharge.

NFR - Compliance to TB 117-2013 - Compliance to TB 133 See Upholstery Information for TB133

Select solid poly color. Refer to the **Product Color Options** page in this

DSelect outside/inside poly color. Refer to the **Product Color Options** page in this

Select base color.
Refer to the **Product Color Options** page in this *Add \$108 for polished aluminum base.

Select caster option. CCC - Carpet casters

CHC - Hard floor casters (black only)

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Delivered

Pallas Fabric

782

813

847

Pricing

Delivered

Group P3

Pallas Fabric

806

838

872

Pricing

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.





		MODEL	NUMBER															
	Features	Basic Model	Code C	oly Poly olid Outsid	ide/Inside r	Base Color	Caster Uphols Type Color	Approx. y Packaged Weight	Delivered Pricinç Unupholstered	Delivered Pricing g Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DN5111						26.0#	\$ 604									
[]_	Solid Color, Upholstered Seat	DN5211							N/A	745	757	774	774	786	835	853	876	912
	Solid Color, Upholstered Seat/Back	DN5311							N/A	777	789	809	809	821	867	887	910	944
	Two-Tone, Polypropylene	DN5A11						26.0#	671									
	Two-Tone, Upholstered Seat	DN5B11	NFR					□ 28.5#	N/A	811	823	841	841	853	901	919	943	978
DN51																		
DN52																		
DN53																		
DN5A																		
DN5B																		
Task Cantilever Armchair																		
Solid or two-tone colored shell																		
 Unlimited color match 																		
17 degrees of hip articulation400 pound approved																		
 Stack and guest chair models avail- 																		
able																		
		A	- B	<u> </u>	•	(3	a e											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

upcharge.

NFR - Compliance to TB 117-2013 - Compliance to TB 133 See Upholstery Information for TB133

Select solid poly color. Refer to the **Product Color Options** page in this

OSelect outside/inside poly color. Refer to the **Product Color Options** page in this

Select base color.

Refer to the **Product Color Options** page in this *Add \$108 for polished aluminum base.

Select caster option. CCC - Carpet casters

CHC - Hard floor casters (black only)

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.



Approx. Packaged

27.0#

29.5#

31.0#

27.0#

29.5#

Weight

Delivered

1 & C.O.M.

786

821

853

Pricing

Delivered Pricing Fabric Grade

Unupholstered

N/A

N/A

712

N/A

\$ 645

Delivered

Fabric Grade

797

832

Pricing

Delivered

Fabric Grade

815

849

883

Pricing

Delivered

Vinyl Group

815

849

Pricing

Delivered

Pallas Fabric

828

862

Group P0

Pricing

Delivered

Group P1

Pallas Fabric

875

908

Pricing

Delivered

Pallas Fabric

894

928

Pricing

Delivered

Group P3

Pallas Fabric

918

953

985

Pricing



Delivered

Pallas Fabric

954

986

Group P4

Pricing

		MODEL	NUMBER	ł				
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color
<u>_</u>	Solid Color, Polypropylene	DN6100						
	Solid Color, Upholstered Seat	DN6200						
	Solid Color, Upholstered Seat/Back	DN6300						
	Two-Tone, Polypropylene	DN6A00	NFR					
	Two-Tone, Upholstered Seat	DN6B00	NFR					
DN61								
DN62								
DN63								
DN6A								
DN6B								
Task Armiess Stool								
 Solid or two-tone colored shell Unlimited color match 								
17 degrees of hip articulation								
 400 pound approved 								
 Stack and guest chair models available 								
anie								
		Δ	B	Θ	O	3	•	Ө

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select fire code.

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133
See Upholstery Information for TB133
upcharge.

Select solid poly color.

Refer to the **Product Color Options** page in this price list

Select outside/inside poly color.

Refer to the **Product Color Options** page in this

Select base color.

Refer to the **Product Color Options** page in this price list.

*Add \$108 for polished aluminum base.

Select caster option.

CCC - Carpet casters

CHC - Hard floor casters (black only)

GSelect upholstery grade/color. Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.





		MODEL	. NUMBER	R															
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Solid Color, Polypropylene	DN6111							29.0#	\$ 717									
	Solid Color, Upholstered Seat	DN6211							31.5#	N/A	860	868	889	889	900	946	966	990	1024
	Solid Color, Upholstered Seat/Back	DN6311							33.0#	N/A	891	903	921	921	933	982	998	1023	1058
	Two-Tone, Polypropylene	DN6A11	NFR						29.0#	784									
	Two-Tone, Upholstered Seat	DN6B11	NFR						31.5#	N/A	924	936	956	956	966	1015	1032	1057	1091
a u																			
DN61																			
DN62																			
DN63																			
DN6A																			
DN6B																			
Task Cantilever Arm Stool																			
Solid or two-tone colored shell																			
Unlimited color match																			
 17 degrees of hip articulation 																			
400 pound approvedStack and guest chair models avail-																			
able																			
		(A)	3	Θ	O	3	•	Θ											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code. NFR - Compliance to TB 117-2013 - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select solid poly color. Refer to the **Product Color Options** page in this

OSelect outside/inside poly color. Refer to the **Product Color Options** page in this

Select base color.

Refer to the **Product Color Options** page in this *Add \$108 for polished aluminum base.

Select caster option.

CCC - Carpet casters CHC - Hard floor casters (black only)

GSelect upholstery grade/color. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

COM. Upholstery COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.





Approx.

Weight

43.0#

43.0#

46.0#

46.0#

48.0#

48.0#

43.0#

43.0#

46.0#

46.0#

Delivered

1 & C.O.M.

1143

1143

1177

1177

1209

1209

Pricing

Packaged Delivered Pricing Fabric Grade

Unupholstered

1003

N/A

N/A

N/A

N/A

1069

1069

N/A

N/A

\$ 1003

Delivered

Fabric Grade

1153

1153

1187

1187

1219

1219

Pricing

Delivered

Fabric Grade

1175

1175

1206

1206

1240

1240

Pricing

Delivered

Pricing

Vinyl Group

1175

1175

1206

1206

1240

1240

Delivered

Pallas Fabric

1185

1185

1217

1217

1252

1252

Group P0

Pricing

Delivered

Pallas Fabric

1232

1232

1266

1266

1299

1299

Group P1

Pricing

Delivered

Pallas Fabric

1252

1252

1283

1283

1317

1317

Group P2

Pricing



Delivered

Pallas Fabric

Group P3

1274

1274

1308

1308

1341

1341

Pricing

		MODEL	NIIMRER	!					
		MODEL	NOMBLI						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Tablet Arm Color	Upholstery Color
	Solid Color, Polypropylene, Left Hand	DN519L							
\	Solid Color, Polypropylene, Right Hand	DN519R							
	Solid Color, Upholstered Seat, Left Hand	DN529L							
	Solid Color, Upholstered Seat, Right Hand	DN529R							
	Solid Color, Upholstered Seat/Back, Left Hand	DN539L							
8 7 8	Solid Color, Upholstered Seat/Back, Right Hand	DN539R							
N51	Two-Tone, Polypropylene, Left Hand	DN5A9L	NFR						
N52	Two-Tone, Polypropylene, Right Hand	DN5A9R	NFR						
N53	Two-Tone, Upholstered Seat, Left Hand	DN5B9L	NFR						
N5A N5B	Two-Tone, Upholstered Seat, Right Hand	DN5B9R	NFR						
ChangeUp Tablet Arm Task Chair									
Solid or two-tone colored shell Unlimited color match									
17 degrees of hip articulation									
Large work surface (21"W x 13.3"D)									
Work surface flips and folds Work surface has 20 degrees of									
ingress/egress movement									
Work surface rated to 250 pounds									
Chair rated to 400 pounds									
		A		•	•	3	G	(A)	•

OT WOL	ORDER		

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select fire code.

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select solid poly color.

Refer to the **Product Color Options** page in this

Select outside/inside poly color.
 Refer to the **Product Color Options** page in this price list

Select base color.
Refer to the **Product Color Options** page in this price list.
*Add \$108 for polished aluminum base.

Select casters.

CCC - Carpet casters

CCC - Carpet casters
CHC - Hard floor casters (black only)

Select tablet arm color.

Refer to the **Product Color Options** page in this price list.

Select upholstery grade/color. Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

COM. Upholstery

COM. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$13 Model=Solid Color, Upholstered Seat Added List Price=\$83 Model=Solid Color, Upholstered Seat/Back Added List Price=\$120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.





	1-Place Unit	2-Place Unit	3-Place Unit	4-Place Unit
Features				
Corner tables	•	•	•	•
In-line tables	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height	17"	17"	17"	17"
Unit width	20"	44"	66"	86"
Unit height	33"	33"	33"	33"
Corner table top	30" x 30"	30" x 30"	30" x 30"	30" x 30"
In-line table	20" x 20"	20" x 20"	20" x 20"	20" x 20"
Table height (all table models)	17"	17"	17"	17"

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Under-seat Structure

Support structure is a die-drawn 12-gauge steel plate. Structure is finished with baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint.

Tandem Base

Cast aluminum alloy leg section. 14-gauge 1" x 2" seamless steel column. Upright and base are painted monochromatic with beam and yoke. Columns are welded to a plate which clamps onto beam.

In-Line Table

Solid core top is 20" x 20" x $\frac{7}{8}$ " with a vinyl bullnose edge.

Corner Table

Solid core top is 30" \times 30" \times 7/8" with a vinyl bullnose edge.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. \times 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Doni[®] Tandem Seating Color Options



Doni[®]
Tandem Seating Color Options

Frame Color		Surface Finish - Laminate		Ultra Blue	PUB
Black	BL	Beigewood	LBZ	Warm Grey	PWG
Blue Grey	GR	Belair	LBQ	Zesty Lime	PZL
Cayenne	CY	Biltmore Cherry	LBT	00110 00100 0 1 1 0 1 0 1	
Cool Grey	CG	Black	LBK	SOLID COLOR Seat and Back Polypropylene	
Cottonwood	CO	Brighton Walnut	LBW	Flame-Retardant	
Earthen Clay	EY	Castle Oak	LCO	Black	PBL
Everglade Shade	EV	Cherry Storm	LCX	The above seating product can be manufactured using	the appropriate
Flannel	FN	Classic Linen	LCI	flame-retardant materials for compliance of California	
Hazy Jade	HJ	Cocobala	LCC	133.	
Honey Bee	HY	Crisp Linen	LRI	TWO TONE COLOR Cost and Book Bolymony	one
Light Tone	LG	Designer White	LDR	TWO-TONE COLOR Seat and Back - Polypropyl Non Flame-Retardant	ene
Mardi Gras	MG	Dove Grey	LDG	Non i lame-netardant	
		•	LFC	Outside/Inside	
Misty Brown	MY	Florence Walnut		Outside Black/Inside Cool Grey	OBL/ICG
Nemo	NE	Friston Ash	LFH	Outside Black/Inside Light Tone	OBL/ILG
Nordic	ND	Frosty White	LFW	Outside Black/Inside Warm Grey	OBL/IWG
Poppy Red	PR	Graphite Nebula	LGN	Outside Cayenne/Inside Cool Grey	OCY/ICG
Purple Haze	PH	Grey	LGE		
Rainforest	RQ	High Rise	LHE	Outside Cayenne/Inside Cottonwood	OCY/ICO
Raw Jasper	RJ	Hollyberry	LHY	Outside Cayenne/Inside Light Tone	OCY/ILG
Rubber Ducky	RK	Island	LID	Outside Cayenne/Inside Warm Grey	OCY/IWG
Sky Blue	SK	Italian Silver Ash	LIT	Outside Everglade Shade/Inside Cool Grey	OEV/ICG
Surf's Up	SP	Kensington Maple	LKM	Outside Everglade Shade/Inside Cottonwood	OEV/ICO
Tarragon	TQ	Lapis Blue	LLB	Outside Everglade Shade/Inside Light Tone	0EV/ILG
Twilight Shadow	TI	Monticello Maple	LMT	Outside Everglade Shade/Inside Warm Grey	OEV/IWG
Ultra Blue	UB	North Sea	LNA	Outside Flannel/Inside Cool Grey	OFN/ICG
Warm Grey	WG	Ocean	LON	Outside Flannel/Inside Cottonwood	OFN/ICO
Zesty Lime	ZL	Pinnacle Walnut	LPW	Outside Flannel/Inside Light Tone	OFN/ILG
		River Cherry	LRY	Outside Misty Brown/Inside Light Tone	OMY/ILG
Edge Color		Shadow Zephyr	LSR	Outside Nordic/Inside Cottonwood	OND/ICO
Black	EBL	Sterling Ash	LAZ	Outside Nordic/Inside Light Tone	OND/ILG
Blue Grey	EGR	Titanium Evolv	LTV	Outside Nordic/Inside Warm Grey	OND/IWG
Cayenne	ECY	White Nebula	LWL	Outside Purple Haze/Inside Cool Grey	OPH/ICG
Cool Grey	ECG	White Sand	LWN	Outside Purple Haze/Inside Cottonwood	OPH/ICO
Earthen Clay	EEY	Windsor Mahogany	LWY	Outside Purple Haze/Inside Light Tone	OPH/ILG
Everglade Shade	EEV	windsor wanoguny	LVV	Outside Purple Haze/Inside Warm Grey	OPH/IWG
Flannel	EFN	SOLID COLOR Seat and Back Polypropylene		Outside Rainforest/Inside Cool Grey	ORQ/ICG
Frosty White	EFW	Non Flame-Retardant		Outside Rainforest/Inside Cottonwood	ORQ/ICO
Hazy Jade	EHJ	Black	PBL	Outside Rainforest/Inside Light Tone	ORQ/ILG
Honey Bee	EHY	Blue Grey	PGR	Outside Rainforest/Inside Warm Grey	ORQ/IWG
Light Tone	ELG	Cayenne	PCY	Outside Raw Jasper/Inside Cool Grey	ORJ/ICG
Mardi Gras	EMG	Cool Grey	PCG	Outside Raw Jasper/Inside Cottonwood	ORJ/ICO
Misty Brown	EMY	Cottonwood	PC0	Outside Raw Jasper/Inside Light Tone	ORJ/ILG
Nemo	ENE	Earthen Clay	PEY	Outside Raw Jasper/Inside Warm Grey	ORJ/IWG
Nordic	END	Everglade Shade	PEV	Outside Surfs Up/Inside Cottonwood	OSP/ICO
Poppy Red	EPR	Flannel	PFN	Outside Surfs Up/Inside Light Tone	OSP/ILG
Purple Haze	EPH	Hazy Jade	PHJ	Outside Surfs Up/Inside Warm Grey	OSP/IWG
Rubber Ducky	ERK	Honey Bee	PHY	'	
Sand	ESA	Light Tone	PLG	Outside Tarragon/Inside Cool Grey	OTQ/ICG
Sky Blue	ESK	Misty Brown	PMY	Outside Tarragon/Inside Cottonwood	OTQ/ICO
Surf's Up	ESP	Nemo	PNE	Outside Tarragon/Inside Light Tone	OTQ/ILG
•		Nordic	PND	Outside Tarragon/Inside Warm Grey	OTQ/IWG
Twilight Shadow	ETI	Purple Haze	PPH	Outside Twilight Shadow/Inside Cool Grey	OTI/ICG
Ultra Blue	EUB			Outside Twilight Shadow/Inside Cottonwood	OTI/ICO
Warm Grey	EWG	Rainforest Raw Japan	PRQ	Outside Twilight Shadow/Inside Light Tone	OTI/ILG
Zesty Lime	EZL	Raw Jasper	PRJ	Outside Twilight Shadow/Inside Warm Grey	OTI/IWG
		Surf's Up	PSP	Outside Ultra Blue/Inside Warm Grey	OUB/IWG
		Tarragon	PTQ	Outside Warm Grey/Inside Cottonwood	OWG/ICO
		Twilight Shadow	PTI		

Finish Cards	<u>Paints</u>	Wood/Veneer	<u>Molded Edges</u>	Hard Plastics
View color swatches for items listed within this document.	Plastics/Poly	<u>Laminates</u>	Edge Styles	<u>Glass</u>



Doni® Tandem Seating

									•	
			MODEL NU	MBER						
			Pagio	Eramo	Po Eiro So		rfano Edgo	Approx. Packaged	Delivered	FR add to list
	MODEL	Features	Basic Model	Frame Color	Fire So	olid Su olor Fin	rface Edge ish Color	Weight	Pricing	price
	Polypropylene - No Arm, SOLID COLOR	1 Seat, 0 In-Line Table						25.0#	\$ 757	\$ 13
	Optional in-line tables1 seat, 0 in-line table models must	1 Seat, 1 In-Line Table	DND10S1T1					37.0#	1670	13
	connect to a corner table	2 Seat, 0 In-Line Table	DND10S2T0					43.0#	1509	27
	Corner table is ordered separately	2 Seat, 1 In-Line Table	DND10S2T1					57.0#	2421	27
	ı	3 Seat, 0 In-Line Table						63.0#	2264	40
		3 Seat, 1 In-Line Table						77.0#	3177	40
		4 Seat, 0 In-Line Table						87.0#	3021	53
DND1		3 Seat, 2 In-Line Table	DND10S3T2					96.0#	4089	40
		4 Seat, 1 In-Line Table	DND10S4T1					103.0#	3931	53
		5 Seat, 0 In-Line Table	DND10S5T0					108.0#	3778	67
			A	3	•	D	9			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the **Product Color Options** page in this price list.

- Select fire code.
- FR Fire retardant

NFR - No Fire Retardant See pricing column for TB133 upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this
- price list. Select surface finish for table.
- price list.
- Select table edge color.

 Refer to the **Product Color Options** page in this price list.

Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

Tandem Seating



Doni® Tandem Seating

			MODEL NU	MBER					
	MODEL	Features	Basic Model	Frame Color		Poly Outside/Inside Color	Surface Finish	Edge Color	Approx. Packaged Delivered Weight Pricing
	Polypropylene - No Arm, TWO-TONE	1 Seat, 0 In-Line Table	DNDA0S1T0		NFR				25.0# \$ 823
	Optional in-line tables1 seat, 0 in-line table models must	1 Seat, 1 In-Line Table	DNDA0S1T1		NFR				37.0# 1736
	connect to a corner table	2 Seat, 0 In-Line Table	DNDA0S2T0		NFR				43.0# 1641
	Corner table is ordered separately	2 Seat, 1 In-Line Table	DNDA0S2T1		NFR				57.0# 2553
		3 Seat, 0 In-Line Table	DNDA0S3T0		NFR				63.0# 2463
		3 Seat, 1 In-Line Table	DNDA0S3T1		NFR				77.0# 3376
		4 Seat, 0 In-Line Table	DNDA0S4T0		NFR				87.0# 3286
DNDA		3 Seat, 2 In-Line Table	DNDA0S3T2		NFR				96.0# 4288
		4 Seat, 1 In-Line Table	DNDA0S4T1		NFR				103.0# 4198
		5 Seat, 0 In-Line Table	DNDA0S5T0		NFR				108.0# 4109
			A	3	Θ	o	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the **Product Color Options** page in this

Select fire code.

NFR - No Fire Retardant

① Select outside/inside poly color.
Refer to the **Product Color Options** page in this price list.

Select surface finish for table. Refer to the **Product Color Options** page in this

Select table edge color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.





MODEL	Features	Basic Model	Frame	Poly Fire Solid Code Color		Edge Upholstery	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
Upholstered Seat - No Arm, SOLID	1 Seat, 0 In-Line Table	DND20S1T() 🗆				□ 28.0#	\$ 897	\$ 907	\$ 928	\$ 928	\$ 939	\$ 986	\$ 1004	\$ 1029	\$ 1063	\$ 83
COLOR	1 Seat, 1 In-Line Table	DND20S1T	1 🗆 🗆				□ 39.0#	1809	1821	1839	1839	1852	1899	1918	1941	1975	83
Optional in-line tables Least 0 in line table models must	2 Seat, 0 In-Line Table	DND20S2T0					48.0#	1791	1812	1853	1853	1873	1970	2006	2054	2123	167
1 seat, 0 in-line table models must connect to a corner table	2 Seat, 1 In-Line Table	DND20S2T	1 🗆 🗆				□ 62.0#	2703	2725	2765	2765	2786	2883	2919	2967	3036	167
Corner table is ordered separately	3 Seat, 0 In-Line Table	DND20S3T0			_		□ 68.0#	2687	2719	2777	2777	2810	2955	3010	3082	3186	252
	3 Seat, 1 In-Line Table	DND20S3T	1 🗆 🗆				82.0#	3600	3632	3690	3690	3724	3866	3923	3994	4099	252
	4 Seat, 0 In-Line Table	DND20S4T0]		92.0#	3586	3628	3709	3709	3752	3944	4018	4112	4251	336
DND2	3 Seat, 2 In-Line Table	DND20S3T2	2 🗆				101.0#	4512	4544	4603	4603	4635	4779	4835	4908	5011	252
	4 Seat, 1 In-Line Table	DND20S4T	1 00				101.0#	4496	4538	4618	4618	4661	4852	4927	5022	5162	336
	5 Seat, 0 In-Line Table	DND20S5T0					113.0#	4482	4535	4635	4635	4688	4928	5021	5141	5314	419
		A	•	9 0	•	9 0											

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

BSelect frame color. Refer to the **Product Color Options** page in this price list.

GSelect upholstery grade/color. Refer to ki.com/fabrics

- Select fire code.
- NFR Compliance to TB 117-2013 - Compliance to TB 133
- See pricing column for TB133 upcharge.

② Select solid poly color.
Refer to the **Product Color Options** page in this price list.

- Select surface finish for table.
- Refer to the **Product Color Options** page in this price list.

Select table edge color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.





			MODEL NUMBER																	
	MODEL	Features	Basic Model	Frame Color	Fire Code	Poly Outside/Inside Color	Surface Finish	Edge Color	Upholstery Color	Approx. Package Weight	. P ed F	Delivered Pricing Fabric Grade I & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Upholstered Seat - No Arm, TWO-TONE Optional in-line tables 1 seat, 0 in-line table models must connect to a corner table Corner table is ordered separately	1 Seat, 0 In-Line Table	DNDB0S1T0		NFR					28.0#)# \$	963	\$ 973	\$ 994	\$ 994	\$ 1004	\$ 1054	\$ 1070	\$ 1095	\$ 1130
		1 Seat, 1 In-Line Table	DNDB0S1T1		NFR					39.0#)#	1875	1887	1906	1906	1918	1966	1984	2007	2043
		2 Seat, 0 In-Line Table	DNDB0S2T0		NFR					48.0#)#	1925	1946	1985	1985	2006	2102	2141	2188	2255
		2 Seat, 1 In-Line Table	DNDB0S2T1		NFR					62.0#)#	2837	2859	2897	2897	2919	3014	3051	3100	3169
		3 Seat, 0 In-Line Table	DNDB0S3T0		NFR					68.0#)#	2887	2918	2978	2978	3010	3154	3209	3281	3385
		3 Seat, 1 In-Line Table	DNDB0S3T1		NFR					82.0#)#	3798	3831	3889	3889	3923	4067	4121	4194	4298
		4 Seat, 0 In-Line Table	DNDB0S4T0		NFR					92.0#)#	3851	3894	3975	3975	4018	4209	4282	4378	4518
DNDB		3 Seat, 2 In-Line Table	DNDB0S3T2		NFR					101.0#)#	4712	4744	4802	4802	4835	4979	5035	5106	5210
		4 Seat, 1 In-Line Table	DNDB0S4T1		NFR					101.0#)#	4762	4803	4884	4884	4927	5118	5194	5289	5428
		5 Seat, 0 In-Line Table	DNDB0S5T0		NFR					113.0#)#	4816	4868	4969	4969	5021	5261	5355	5472	5647
			Φ	3	Θ	0	(3	(3	Ѳ											

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③Select frame color.

 Refer to the **Product Color Options** page in this price list.
- Select fire code.

price list.

NFR - Compliance to TB 117-2013

- ① Select outside/inside poly color.
 Refer to the **Product Color Options** page in this
- Select surface finish for table.

 Refer to the **Product Color Options** page in this price list.
- Select table edge color.
 Refer to the **Product Color Options** page in this price list.
- **G**Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

Doni® Tandem Seating





		MODEL N	UMBER															
MODEL	Features	Basic Model		Poly Fire Solid Code Colo	Surface Finish		Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
Upholstered Seat and Back - No Arm	1 Seat, 0 In-Line Table	DND30S1T0						33.0#	\$ 930	\$ 941	\$ 960	\$ 960	\$ 971	\$ 1020	\$ 1037	\$ 1062	\$ 1096	\$ 120
SOLID COLOR	1 Seat, 1 In-Line Table	DND30S1T1	1 00 1					47.0#	1842	1854	1873	1873	1885	1932	1950	1974	2010	120
Optional in-line tables 1 seat, 0 in-line table models must	2 Seat, 0 In-Line Table	DND30S2T0						58.0#	1858	1878	1919	1919	1939	2036	2075	2121	2190	239
connect to a corner table	2 Seat, 1 In-Line Table	DND30S2T1	1 🖂 🗎					72.0#	2770	2791	2831	2831	2852	2948	2986	3034	3104	239
Corner table is ordered separately	3 Seat, 0 In-Line Table	DND30S3T0						83.0#	2786	2818	2878	2878	2912	3053	3110	3182	3284	359
	3 Seat, 1 In-Line Table	DND30S3T1	1 🗆 🗆					97.0#	3699	3730	3791	3791	3823	3965	4023	4094	4198	359
	4 Seat, 0 In-Line Table	DND30S4T0						108.0#	3718	3762	3842	3842	3884	4076	4149	4247	4383	480
DND3	3 Seat, 2 In-Line Table	DND30S3T2	2 🗆					116.0#	4612	4643	4703	4703	4736	4878	4936	5008	5111	359
	4 Seat, 1 In-Line Table	DND30S4T1	1 00					127.0#	4629	4671	4751	4751	4793	4985	5060	5156	5294	480
	5 Seat, 0 In-Line Table	DND30S5T0	0					138.0#	4648	4701	4801	4801	4855	5095	5187	5308	5481	599
		A	₿	Θ 0	•	(3	œ											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the **Product Color Options** page in this price list.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See pricing column for TB133 upcharge.

② Select solid poly color.
Refer to the **Product Color Options** page in this price list.

Select surface finish for table.

Refer to the **Product Color Options** page in this price list.

Select table edge color.

Refer to the **Product Color Options** page in this price list.

GSelect upholstery grade/color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

Doni[®]
Tandem Seating



Doni[®]
Tandem Seating

								•
			MODEL NUMBER					
		Features	Basic Model	Frame Color	Surface Finish	Edge Color	Approx. Packaged Weight	Delivered Pricing
	Corner Table	Connects 2 units	TCT				14.0#	\$ 760
	 Number of tables per arrangement Plastic laminate with vinyl bullnose edge For mounting modular units at a 90° 							
	angleTwo required for U-shaped configuration							
MSCT	One required for L-shaped configuration	•						
M901								
	Back Ganging Bar Connects 2 units back-to-back Powder coated to match base Sold in pairs		DOP.GANG				8.0#	\$ 254
HRDPT								
	oold in pairs							
			A	B	Θ	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.
- Refer to the **Product Color Options** page in this
- Select surface finish for table.

 Refer to the **Product Color Options** page in this
- Select table edge color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

