

# PORTICO® TABLES

PRICE LIST

EFFECTIVE APRIL 2, 2025 800.424.2432 2

# Contents

Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

# Portico™ TablesGeneral Information3Product Color Options4Fixed Leg5Fixed Leg with Modesty Panel8Fixed Leg with PowerUp®9Folding Leg10Folding Leg with Modesty Panel12Folding Leg with PowerUp®13Flip-Top14Flip-Top with Modesty Panel15Lightweight Folding Leg16Portico™ Plus Tables18Storage and Accessories20











Square Table, LX Base

Square Flip-Top Table, LX

Round Table, LX Base

Rectangular Table, T Base Trapezoidal Table, T Base

Features					
Fixed, folding, flip-top bases				•	•
Four edge styles	•	•	•	•	•
Lightweight top option				•	•
Casters Option	•	•	•	•	•



square corner (74P)



Laminate; 74P edge; Laminate; 1"x 1-3/4" Adjustable Glides wood bullnose edge; .62" radius corner



(by Product Modification Request)



Self-Leveling Glides Ganging Device for Portico Plus



Portico Plus Quarter Round Ganging Device



Rectangular Table, Quick-Rectangular Table, TT Base Release Modesty Panel



Rectangular Table, Folding **Modesty Panel** 



Portico™ Plus Tables

Features				
Fixed, folding bases	•	•	•	•
Four edge styles	•			•
Ganging				•
Modesty panel and wire management		•	•	
Casters Option	•	•	•	•



Laminate; 74P edge; Laminate; 3/8" x square corner (74P)




1-1/4" wood band edge: square corner: corner joint is not mitered (34S)



Laminate: 3/8" x 1-3/4" wood band edge: square corner: corner joint is not mitered (36S)



Grommet location for tables 36" or smaller Grommet location for tables 42" or deeper



### **SPECIFICATIONS**

### Bases

The Portico double pedestal base table employs 14-gauge, 1-3/4" round steel upright columns and 16-gauge, 1-3/4" x 7/8" elliptical steel foot tubes in fixed, folding or flip-top models.

Portico includes T, TT, LX and cantilevered T base combinations. LX bases consist of 14-gauge, 3" round steel upright columns and 16-gauge, 1-3/4" x 7/8" elliptical steel foot tubes. Fixed table columns are welded to an 8" x 8" formedsteel plate.

Portico bases are available in powder coat or bright chrome finish with plastic trim pieces (end caps and column caps). Plastic end caps are secured via a "forcefit." The column cap is secured via a #8 x 3/4" tap screw.

Adjustable glides are secured to the foot tubes by threaded inserts. Self-leveling glides are available by Product Modification Request only.

### Portico Table's Folding Mechanism

Built of 11-gauge, black zinc finish steel, the folding mechanism easily releases and folds leg tightly to table bottom and securely locks with two polypropylene clips. When opened, legs engage into place for a tight, rigid fit between leg and mechanism. Built-in nylon bumpers keep tables separated to prevent marring when tables are stacked on edge.

### **Table Surfaces**

1-1/8" thick high-density particleboard core with high-pressure laminate top and phenolic backing sheet. Tops are pre-drilled. KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

### Flip-Top

Standard flip-top table does not have a detachable top.

### Portico Plus Ganging Mechanism

Built of black high-strength nylon, userfriendly ganger with pegs draws tables together. No tools are required when joining tables. Ganger

is self-storing under table top. Mounting screws are provided. Tops are predrilled for placement of ganging pegs. Two gangers per table.

CAUTION: Gangers are not retrofittable to earlier purchased tables.

### **Folding Modesty Panels**

.685" thick particleboard faced on both sides with laminate that matches table top. Modesty panels are 6-1/4" high by length of table. Mounting brackets are black and packed with the base. Table top and panel are pre-drilled. Lower edge of panel extends 8-1/4" from underside of table. Panel ships k.d.

### Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-two step process.

### Powder-Coated Finish

Hybrid powder coating is electrostatically applied. The dry coating is then fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant.

hard, tough and mar-resistant.

### Quick-Release Modesty Panels

.685" thick particleboard faced on both sides with laminate that matches table top laminate. Lower edge of modesty panel extends 7-1/4" from underside of table.

Panel is easily removed from the table without tools. It locks into two 11-gauge steel retaining brackets and is removed by pulling down on vinyl-coated stainless steel release levers. Modesty panel is shipped k.d.

### Portico Table Truck

Black powder-coated finish. Two swivel and two rigid 6" diameter casters with heavy-duty roller bearings. Rectangular or square table storage. Truck measures 60" long by 30" wide. Felt is standard on top edges. Six-table capacity is standard. Four-table capacity for short fold.

### Portico Lightweight Table

Top is 5-ply construction consisting of .050" thick laminate, 5.2mm 3-ply plywood, .75"

thick high-density particleboard frame with honeycomb core, 5.2mm 3-ply plywood and .040" HPL backer.

### Portico with PowerUp

Portico tables are available with one or two power/data modules, centrally located 4-1/4" from the front edge of table top.

PowerUp is a UL Listed, Relocatable Power Tap, which mounts flush into the table top. When flipped up, cover open, one (1) duplex receptacle and two (2) data ports are exposed. The underside of the table is provided with a hinged plastic channel (cord management trough) which covers the bottom of the power supply cords and data lines.

The PowerUp module is 6-1/4" long by 3" wide by 2-1/2" high when opened. It is provided with a 9 ft. or 15 ft., 3-conductor cord and is rated 120V a/c, 15A. The cover snaps into the upright position to allow cords to be unplugged without the cover closing. The data ports are molded to accept AT&T "M" Series, RJ45 jacks. The module can be modified to accept various brand jacks.

Cords are further managed by the vertical leg wire manager of PowerUp.

### **Under-Table Wire Management**

Constructed of high quality black velcro. Harness is fastened to table bottom with screws. Shipped assembled. Wire management options HO, HW and WO are only available on rectangle tables 96" and smaller (not available on any cantilever, flip-top or folding tables).

### Leg Wireways

Scuff-resistant, high-impact rigid plastic. Two separate wire channels per leg. Fastened to legs with full length adhesive bond. Black only. One wireway per leg. Shipped assembled. Two leg wireways per top. Not available on 18" x 60" fixed base tables, 18" x 60" and 24" x 60" cantilevered base and folding tables.

### Grommets

Plastic grommets are 3" diameter and recessed into table top. Cap is removable and has retractable slot cover. Two grommets per

base tables, 18" x 60" and 24" x 60" cantilevered base and folding tables. Grommet location for tables that are 36" deep and smaller will be on the corners of the table. Grommet location for the tables 42" deep and larger will be the centerline of

top. Grommets not available on 18" x 60" fixed

the table. See graphics above.

### Warranty

INFORMATION

Refer to KI Terms & Conditions document or visit ki.com

# Portico<sup>™</sup> Tables Product Color Options

# Portico<sup>™</sup> Tables Product Color Options

Surface FinishGrade 1 Standard Laminate		Edge Color for 74P Edge		Edge Color for 15W Edge		Grommet Color	
Beigewood	LBZ	Akira	EAK	Biltmore Cherry on Maple (sample not available)	MBT	Black grommet	GBL
Belair	LBQ	Beigewood	EBZ	Brighton Walnut on Maple (sample not available)	MBW	Blue Grey grommet	GGR
Biltmore Cherry	LBT	Belair	EBQ	Castle Oak	VOK	Cool Grey grommet	GCG
Black	LBK	Biltmore Cherry	EBT	Cherry Storm on Maple	MCX	Flannel grommet	GFN
Brighton Walnut	LBW	Black	EBL	Cinnamon on Maple	MCN	Misty Brown grommet	GMY
Castle Oak	LCO	Black Hills Oak	EBH	Cocoa on Maple	MCA	Sand grommet	GSA
Casual Linen	LCU	Blue Grey	EGR	Florence Walnut on Maple	MFC	Warm Grey grommet	GWG
Cherry Storm	LCX	Brighton Walnut	EBW	Kensington Maple on Maple	MMA		
Cocobala	LCC	Castle Oak	ECO	Monticello Maple on Maple	MMT	Plastic End Cap Color	
Crisp Linen	LRI	Cayenne	ECY	River Cherry on Maple	MRY	Black	PBL
Designer White	LDR	Cherry Storm	ECX	,		Blue Grey	PGR
Dove Grey	LDG	Cocobala	ECC	Base Finish		Cayenne	PCY
Florence Walnut	LFC	Cool Grey	ECG	Black	BL	Cool Grey	PCG
Friston Ash	LFH	Cumberland Walnut	ECJ	Blue Grey	GR	Earthen Clay	PEY
Frosty White	LFW	Dering Forest	EDF	Bronze Metallic	ZM	Everglade Shade	PEV
Graphite Nebula	LGN	Designer White	EDR	Cayenne	CY	Flannel	PFN
Grey	LGE	Earthen Clay	EEY	Champagne Metallic	CM	Hazy Jade	PHJ
High Rise	LHE	Everglade Shade	EEV	Chrome	CH	Honey Bee	PHY
Hollyberry	LHY	Fawn Cypress	EFQ	Cool Grey	CG	Light Tone	PLG
Island	LID	Flannel	EFN	Cottonwood	CO	Mardi Gras	PMG
Italian Silver Ash	LIT	Florence Walnut	EFC	Earthen Clay	EY	Misty Brown	PMY
Kensington Maple	LKM	Friston Ash	EFH	Espresso Metallic	EX	Nemo	PNE
Lapis Blue	LLB	Frosty White	EFW	Everglade Shade	EV	Nordic	PND
Monticello Maple	LMT	Hartley Walnut	EHW	Flannel	FN	Poppy Red	PPR
North Sea	LNA	Hazy Jade	EHJ	Glitz Metallic	GZ	Purple Haze	PPH
Ocean	LON		EHY	Hazy Jade	HJ	Rainforest	PRQ
	LPW	Honey Bee Italian Silver Ash	EIT	Honey Bee	HY	Raw Jasper	PRJ
Pinnacle Walnut				Light Tone	LG	Rubber Ducky	PRK
River Cherry	LRY	Kensington Maple	EKM	Mardi Gras	MG	Sand	PSA
Shadow Zephyr	LSR	Light Tone	ELG	Misty Brown	MY	Sky Blue	PSK
Sterling Ash	LAZ	Mardi Gras	EMG	Nemo	NE	Surf's Up	PSP
Titanium Evolv	LTV	Misty Brown	EMY	Nordic	ND	Tarragon	PTQ
White Nebula	LWL	Monticello Maple	EMT	Poppy Red	PR	Twilight Shadow	PTI
White Sand	LWN	Multiplex	EMB	Purple Haze	PH	Ultra Blue	PUB
Windsor Mahogany	LWY	Nemo	ENE	Rainforest	RQ	Warm Grey	PWG
Surface FinishGrade 2 Standard Laminate		Nordic	END	Raw Jasper	RJ	Zesty Lime	PZL
Akira	LAK	Pinnacle Walnut	EPW	Rubber Ducky	RK		
Black Alicante	LBY	Poppy Red	EPR	Sand	SA		
Black Hills Oak	LBH	Purple Haze	EPH	Sky Blue	SK		
Calcutta Marble	LCQ	Rainforest	ERQ	Starlight Silver Metallic	SX		
Dering Forest	LDF	Raleigh Walnut	ERW	Surf's Up	SP		
Fawn Cypress	LFQ	River Cherry	ERY	Tarragon	TQ		
Ice Mist	LIM	Rubber Ducky	ERK	Twilight Shadow	TI		
Markerboard White	LMK	Sand	ESA	Ultra Blue	UB		
Valley Forge Elm	LVF	Sky Blue	ESK	Warm Grey	WG		
White River Forest	LWR	Solano Walnut	ESG	Zesty Lime	ZL		
Willia Hiver Forest	LWIT	Sterling Ash	EAZ	203ty Limb	21		
Surface FinishGrade 3 Standard Laminate		Surf's Up	ESP	Module Color			
Black Velvet	LBV	Tarragon	ETQ	Black module	MBL		
Cumberland Walnut	LCJ	Twilight Shadow	ETI	Blue Grey module	MGR		
Designer White Velvet	LDE	Ultra Blue	EUB	Cool Grey module	MCG		
Hartley Walnut	LHW	Valley Forge Elm	EVF	Flannel module	MFN		
Nile Velvet	LNL	Warm Grey	EWG	Misty Brown module	MMY		
Raleigh Walnut	LRW	White River Forest	EWR	Sand module	MSA		
Solano Walnut	LSG	Windsor Mahogany	EWY	Warm Grey module	MWG		
		Zesty Lime	EZL				



Portico<sup>™</sup> Tables

										•		
				MODE	L NUMBI	ER			Plastic	Approx. 1-3/4" Wood	Laminate Grade 2	Laminate Grade 3
	MODEL	Features	AxBxCxD	Basic Model	Edge Style	Edge Color	Surface Finish	Base	End Cap Color	Packaged 74P Edge Bullnose Weight (74P) (15W)	add to list price	add to list price
	Square Tables, LX Base	LX Base	30 x 30"	PS25FX						52.0# \$ 958 \$ 1163	\$ 25	
	oqualo lubioo, EX buoo	LX Base	36 x 36"	PS3FX			I			68.0# 1009 1337	35	225
	A	LX Base	42 x 42"	PS35FX						85.0# 1374 1863	35	225
PFIX												
	Square Tables, TT Base	38" TT Base	48 x 48"	PS4F						111.0# \$ 1482	\$ 35	\$ 225
DELIV B	<b>A</b>											
PFIX	Round Tables, LX Base	LX Base	30" Diameter	PR25FX						65.0# \$ 972	\$ 25	\$ 170
	House Tablos, Ex Saco	LX Base	36" Diameter	PR3FX						73.0# 1055 1694	35	
A		LX Base	42" Diameter							86.0# 1374 2017	35	
PFIX												
	Round Tables, TT Base	TT Base	48" Diameter	PR4F						132.0# \$ 1400	\$ 35	\$ 225
	A	32" TT Base	60" Diameter	PR5F						166.0# 1998 3370	50	350
all												
	•											
PFIX												
	Trapezoid Tables, T Base	T Base	24 x 24 x 24 x 48"	PT24F						62.0# \$ 1269	\$ 18	\$ 115
C/	<ul> <li>24x24x24x48 = 21"D</li> <li>30x30x30x60 = 26"D</li> </ul>	T Base	30 x 30 x 30 x 60"	PT35F						70.0# 1399 2135	18	115
	• 30x30x30x60 = 26 D • 36x36x36x72 = 31"D	T Base	36 x 36 x 36 x 72"	PT36F						112.0# 1867 3010	25	170
PFIX	• 24x24x24x48 available with glides only											
	Rectangular Tables, LX Base	LX Base	24 x30"	P225FX						45.0# \$ 972 \$ 1159	\$ 18	\$ 115
$\times$	A	LX Base	24 x36"	P23FX						47.0# 998 1231	18	115
		LX Base	30 x36"	P253FX						52.0# 1013 1328	25	
_												
PFIX												
				A	<b>B</b>	•	0	<b>(3</b>	•			

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

74P - 74P edge
15W - 1-3/4" Wood bullnose

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

DSelect surface finish.

Refer to the **Product Color Options** page in this

Select base finish. Refer to the **Product Color Options** page in this

Select plastic end cap color. Refer to the **Product Color Options** page in this

### FINISH INFORMATION

### Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

### **Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

### OPTIONS

### **Base Options**

Black only. Add a "/C" to end of model number

for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

### Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The maximum height is 42".

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

### Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.



			MODEL	NUMBER	Plastic	Approx.		1-3/4" Wood	Laminate Grade 2	Laminate Grade 3
			Basic	Edge Edge Sui			74P Edge	Bullnose	add to list	add to list
MODEL	Features	AxB		Style Color Fin		Weight	(74P)	(15W)	price	price
Rectangular Tables, T Base	T Base	18 x 48"	P154F				\$ 964	\$ 1224	\$ 18	\$ 115
A A	T Base	18 x 60"		000   000   0C			1051	1366	18	115
B	T Base	18 x 72"		000   000   OC			1070	1515	18	115
	T Base	18 x 84"		000   000   0t			1212	1786	35	
PFIX	T Base	18 x 96"					1260	1923	35	225
	T Base	24 x 48"					989	1363	18	115
	T Base	24 x 60"	P25F				1111	1493	25	170
	T Base	24 x 72"					1168	1716	25	
	T Base	24 x 84"					1328	1922	50	
	T Base	24 x 96"					1394	2067	50	350
	T Base	30 x 48"					1036	1488	25	170
	T Base	30 x 60"					1178	1623	25	170
	T Base	30 x 72"					1269	1860	25	170
	T Base	30 x 84"					1443	2180	50	
	T Base	30 x 96" 36 x 48"	P258F P34F	000   000   00 000   000   00			1532 1150	2280 1661	50 35	350 225
	T Base	36 x 60"					1243	1902	50	350
	T Base	36 x 72"					1400	2158	50	350
	T Base	36 x 84"					1758	2201	70	450
	T Base	36 x 96"					1859	2255	70	450
	Two 32" TT Bases	42 x 60"					\$ 1898	\$ 2305	\$ 50	\$ 350
		42 x 72"					2055	2512	50	350
• Tables with four TT bases have a two	Two 32" TT Bases	42 x 84"					2279	2687	70	
editate B	Two 32" TT Bases	42 x 96"					2389	2834	70	
PFIX	Two 38" TT Bases	48 x 60"		aaa   aaa   a			1990	2406	50	350
	Two 38" TT Bases	48 x 72"	P46F			146.0#	2146	2743	50	350
	Two 38" TT Bases	48 x 84"					2389	2872	70	450
	Two 38" TT Bases	48 x 96"	P48F	000   000   00		185.0#	2520	2968	70	450
	Three 32" TT Bases	42 x 120"		000   000   00			3064	3933	100	675
	Three 38" TT Bases	48 x 120"	P410F	000 000 00		250.0#	3232	4113	100	675
	Three 38" TT Bases			000 000 00		280.0#	3782	4352	100	675
	Four 38" TT Bases	60 x 192"	P516F			450.0#	6421	8038	200	1350
			A	B @	D <b>G</b>					
			•	-						

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge
15W - 1-3/4" Wood bullnose

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

selections.

- DSelect surface finish.
  - Refer to the **Product Color Options** page in this
- Select base finish.

Refer to the **Product Color Options** page in this

Select plastic end cap color. Refer to the **Product Color Options** page in this

### FINISH INFORMATION

### Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

### **Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

### OPTIONS

### **Base Options**

Casters:

Black only. Add a "/C" to end of model number for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

### Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The maximum height is 42".

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

### Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

				MODEL	NUMBER						
	MODEL	Features	AxBxC	Basic Model	Edge Style	Edge Surfac	ce Base Finish	Plastic End Cap	Approx. 1-3/4" Wood Packaged 74P Edge Bullnose Weight (74P) (15W)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Rectangular Tables, Cantilevered, T Basi		18 x 48"	P154C					53.0# \$ 1012 \$ 1224	\$ 18	\$ 115
	nootangarar rabioo, cananororoa, r bac	Cantilevered T Base		P155C					65.0# 1051 1366	18	115
		Cantilevered T Base		P156C					67.0# 1070 1515	18	115
B		Cantilevered T Base		P24C					70.0# 1088 1310	18	115
PFIX		Cantilevered T Base		P25C					75.0# 1111 1493	25	170
		Cantilevered T Base		P26C					90.0# 1168 1716	25	170
	Racetrack Tables (Oval), T and TT Bases		36 x 72"	P036F		000 00			115.0# \$ 1962 \$ 2528	\$ 50	\$ 350
		TT Base	42 x 84"	P07F					135.0# 3050 3225	70	450
		TT Base	48 x 96"	P048F					180.0# 3276 3306	70	450
PFIX											
C	Boat Shape Tables, TT Base	Three TT Bases	36 x 48 x 144"						260.0# \$ 4340	\$ 100	\$ 675
A A	Tables with four TT bases have a two- piece top	Four TT Bases	36 x 48 x 144"	P412B24					260.0# 4788 5261	100	675
B B	productop	Four TT Bases	42 x 60 x 192"	P516B2					425.0# 6973 8839	200	1350
PFIX		T.D.	40 04 75 4/0"	DO0.45					00.0	A 70	
C C	Crescent Tables, T Base	T Base		PC24F					66.0# \$ 1807 \$ 2087	\$ 70	\$ 450
		T Base	60 x 24 x 94" 48 x 30 x 75-1/2"	PC25F PC254F					91.0# 2450 2968 89.0# 1813 2025	100 70	675
B		T Base	60 x 30 x 94"	PC254F					107.0# 2473 2968	100	450 675
PEIX		T Base	60 x 36 x 94"	PC35F					126.0# 2394 3010	100	675
TTIX		T Base	72 x 36 x 113"	PC36F					151.0# 3718 3036	200	1350
	Half Round Tables, T Base	T Base	30 x 60"	PH255F					74.0# \$ 1623 \$ 1989	\$ 25	\$ 170
A	, , , , , , , , , , , , , , , , , , , ,	T Base	36 x 72"	PH36F					101.0# 2017 2428	50	350
PFIX											
				A	B	<b>9 0</b>	<b>(3</b>	<b>(3</b>			

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge
15W - 1-3/4" Wood bullnose

Select edge color.

selections.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

DSelect surface finish. Refer to the **Product Color Options** page in this

Select base finish.

Refer to the **Product Color Options** page in this

Select plastic end cap color. Refer to the **Product Color Options** page in this

### FINISH INFORMATION

### Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

### **Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

### OPTIONS

### Base Options

Casters:

Black only. Add a "/C" to end of model number for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

### Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The maximum height is 42".

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

### Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Fixed Leg with Modesty Panel



Portico<sup>™</sup> Tables

Fixed Leg with Modesty Panel

				MODELN	LIMPED						
				MODEL N	UMBEK						
										ıminate	Laminate
								Plastic	Approx. Gr	rade 2	Grade 3
	MODEL	Features	AxB			Edge Surfac Color Finish		End Cap Color			add to list
				P155F/M	-					ice \$ 18	price \$ 115
	Rectangular Tables, Fixed Leg, Modesty Panel, T Base	T Base	18 x 60"	P155F/Q					77.0# 1255	18	115
A		T Base	18 x 72"	P156F/M					80.0# 1333	18	115
<u> </u>	folding mechanism (M) or quick release	T Base	18 x 72"	P156F/Q					80.0# 1333	18	115
PFIXM	mechanism (Q)  • Modesty panel only available in black	T Base	18 x 84"	P157F/M					89.0# 1464	35	225
T T IZANYI	bullnose edge	T Base		P157F/Q					89.0# 1464	35	225
	•	T Base	18 x 96"	P158F/M					99.0# 1477	35	225
		T Base		P25F/M					89.0# 1323	25	170
		T Base	24 x 60"	P25F/Q					89.0# 1323	25	170
		T Base	24 x 72"						107.0# 1436	25	170
		T Base	24 x 72"	P26F/Q					107.0# 1436	25	170
		T Base	24 x 84"	P27F/M					116.0# 1588	50	350
		T Base	24 x 84"	P27F/Q					116.0# 1588	50	350
		T Base	24 x 96"	P28F/M					125.0# 1654	50	350
		T Base	24 x 96"	P28F/Q					125.0# 1654	50	350
		T Base	30 x 60"	P255F/M					110.0# 1395	25	170
		T Base	30 x 60"	P255F/Q					110.0# 1395	25	170
		T Base	30 x 72"	P256F/M					128.0# 1532	25	170
		T Base	30 x 72"	P256F/Q					128.0# 1532	25	170
		T Base	30 x 84"	P257F/M					138.0# 1713	50	350
		T Base	30 x 84"	P257F/Q					138.0# 1713	50	350
		T Base	30 x 96"	P258F/M					153.0# 1795	50	350
		T Base	30 x 96"	P258F/Q					153.0# 1795	50	350
	Rectangular Tables, Fixed Leg, Modesty	Cantilevered T Base							77.0# \$ 1255	\$ 18	\$ 115
A	Panel, Cantilevered T Base  • Modesty panels available with standard		18 x 72"	P156C/M					80.0# 1283	18	115
<u> </u>	folding mechanism (M) or quick release	Cantilevered T Base		P156C/Q					80.0# 1283	18	115
DEIVA	mechanism (Q)		24 x 60"	P25C/M					89.0# 1323	25	170
PFIXM	<ul> <li>Modesty panel only available in black bullnose edge</li> </ul>	Cantilevered T Base		P25C/Q					89.0# 1323	25	170
	builliose euge	Cantilevered T Base	24 X /2"	P26U/Q					107.0# 1436	25	170
				A	$oldsymbol{\Theta}$	<b>9 0</b>	<b>(3</b>	•			

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

DSelect surface finish. Refer to the Product Color Options page in this

Select base finish. Refer to the **Product Color Options** page in this price list.

Select plastic end cap color. Refer to the **Product Color Options** page in this price list.

### FINISH INFORMATION

### Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

### **Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

### **OPTIONS**

### Base Options

Casters:

Black only. Add a "/C" to end of model number for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

### Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The maximum height is 42".

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

### Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Fixed Leg with PowerUp®



# Portico<sup>™</sup> Tables

Fixed Leg with PowerUp®

			MODEL N	UMBER										
								D				Laminate		minate
			Basic	Edge	Edge	Surface	Base	Plastic End Cap	Cord	Module	Approx. Packaged	1-3/4" Wood Grade 2 74P Edge Bullnose add to list		ade 3 d to list
	Features	AxB	Model	Style	Color	Finish		Color	(feet)	Color	Weight	(74P) (15W) price	pric	
	T Base	24 x 60"	PD25F/1								78.0#	\$ 1376     \$ 1759		\$ 170
	T Base	24 x 60"	PD25F/2								78.0#	1483 1866 25		170
	T Base	24 x 72"	PD26F/1								93.0#	1436 1980 25		170
	T Base	24 x 72"	PD26F/2								93.0#	1541 2089 25		170
	T Base	30 x 60"	PD255F/1								96.0#	1442 1883 25		170
	T Base	30 x 60"	PD255F/2								96.0#	1553 1995 25		170
PPUX	T Base	30 x 72"	PD256F/1								111.0#	1532 2122 25		170
Fixed Leg, Rectangular Tables with	T Base	30 x 72"	PD256F/2								111.0#	1639 2230 25		170
PowerUp®														
Available with one module (1) or two														
modules (2)														
	Cantilevered T Base	24 x 60"	PD25C/1								78.0#	\$ 1376       \$ 1759	(	\$ 170
PPUX	Cantilevered T Base	24 x 60"	PD25C/2								78.0#	1483 1866 25		170
Fixed Cantilevered Leg, Rectangular	Cantilevered T Base	24 x 72"	PD26C/1								93.0#	1436 1980 25		170
Tables with PowerUp®	Cantilevered T Base	24 x 72"	PD26C/2								93.0#	1541 2089 25		170
<ul> <li>Available with one module (1) or two</li> </ul>														
modules (2)														
	T Base	24 x 60"	PD25FQ/1								92.0#	\$ 1586 N/A \$ 25	9	\$ 170
	T Base	24 x 60"	PD25FQ/2								92.0#	1695 N/A 25		170
	T Base	24 x 72"	PD26FQ/1								110.0#	1694 N/A 25		170
	T Base	24 x 72"	PD26FQ/2								110.0#	1804 N/A 25		170
	T Base	30 x 60"	PD255FQ/1								113.0#	1656 N/A 25		170
~	T Base	30 x 60"	PD255FQ/2								113.0#	1763 N/A 25		170
PPUXQ	T Base	30 x 72"	PD256FQ/1								131.0#	1794 N/A 25		170
Fixed Leg, Quick Release Modes-	T Base	30 x 72"	PD256FQ/2								131.0#	1904 N/A 25		170
ty Panel, Rectangular Tables w/														
PowerUp <sup>®</sup>														
<ul> <li>Available with one module (1) or two</li> </ul>														
modules (2)														
	Cantilevered T Base										92.0#	\$ 1586 N/A \$ 25		\$ 170
PPUXQ	Cantilevered T Base		PD25CQ/2								92.0#	1695 N/A 25		170
Fixed Cantilevered Leg, QR Modesty	Cantilevered T Base	24 x 72"	PD26CQ/1								110.0#	1695 N/A 25		170
Panel, Rect Tables w/PowerUp®	Cantilevered T Base	24 x 72"	PD26CQ/2								110.0#	1806 N/A 25		170
<ul> <li>Available with one module (1) or two</li> </ul>														
modules (2)														

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge
15W - 1-3/4" Wood bullnose

Select edge color.

selections.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

A

**(3**)

 $\mathbf{\Theta}$ 

DSelect surface finish.

Refer to the **Product Color Options** page in this

Select base finish.

Refer to the **Product Color Options** page in this

Select plastic end cap color. Refer to the **Product Color Options** page in this

### **G**Select cord length (feet).

**O** 

- 9' cord length

**(3**)

Œ

0

- 15' cord length

Select module color.

**(3**)

Refer to the Product Color Options page in this price list.

### FINISH INFORMATION

### Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

### **Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

### **OPTIONS**

### **Base Options**

Black only. Add a "/C" to end of model number for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

### Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The maximum height is 42".

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

### Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.



Portico™

				MODEL	NUMBER					
	MODEL	Features	A x B	Basic Model	Edge Edg Style Col	le Surface	Base Finish	Plastic End Cap Color	Approx. 1-3/4" Wood Grade 2 Gra	aminate rade 3 dd to list rice
	Square Tables, TT Base	38" TT Base	60 x 60"	PS5ST						\$ 35
	A									
	Round Tables, TT Base	32" TT Base, Short Fold	I 60" Diameter	PR5ST					177.0# \$ 2705	\$ 350
S	Rectangular Tables, T Base	T Base	18 x 60"	P155ST						\$ 115
	A	T Base	18 x 72"	P156ST					78.0# 1562 1834 18	115
В	i -	T Base	18 x 84"	P157ST					86.0# 1773 2142 35	22
		T Base T Base, Short Fold	18 x 96" 24 x 48"	P158ST					92.0# 1821 2174 35 71.0# 1591 2017 18	22
		T Base, Short Fold	24 x 48 24 x 60"	P24ST P25ST					71.0# 1591 2017 18 85.0# 1613 2047 25	115 170
		T Base	24 x 72"	P26ST					95.0# 1660 2092 25	17
		T Base	24 x 84"	P27ST					105.0# 1889 2653 50	35
		T Base	24 x 96"	P28ST					115.0# 2015 2730 50	35
		T Base, Short Fold	30 x 48"	P254ST					82.0# 1689 2042 25	17
		T Base	30 x 60"	P255ST					100.0# 1711 2080 25	17
		T Base	30 x 72"	P256ST					112.0# 1782 2213 25	170
		T Base	30 x 84"	P257ST					120.0# 2008 2672 50	350
		T Base	30 x 96"	P258ST					130.0# 2092 2646 50	350
		T Base	36 x 60"	P35ST					108.0# 1804 2320 50	350
		T Base	36 x 72"	P36ST					125.0# 1962 2438 50	350
		T Base	36 x 84"	P37ST					133.0# 2320 2822 70	450
		T Base	36 x 96"	P38ST						450

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge
15W - 1-3/4" Wood bullnose

Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

- DSelect surface finish.
  - Refer to the **Product Color Options** page in this
- Select base finish.

Refer to the **Product Color Options** page in this

Select plastic end cap color. Refer to the Product Color Options page in this

### FINISH INFORMATION

### Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

### **Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

### INFORMATION

### Overall Thickness

The overall thickness of a folded Portico® table will vary depending on the table size. If the table requires a short fold base, the folded thickness will be 6-3/4". If the table uses a standard folding base, the folded thickness will be 4-1/4".

### OPTIONS

### **Base Options**

Casters: Black only. Add a "/C" to end of model number for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

### SPECIAL SERVICES

# **Special Carton Marking**

With specially marked information N/C

### Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.



Portico™

								•						
	MODEL	F4	A D	MODEL	Edge Edge Surface	Base	Plastic End Cap	Approx. Package		74P Edge	1-3/4" Woo Bullnose	add to list	Gra ado	aminate rade 3 Id to list
	MODEL	Features	A x B	Model	Style Color Finish	Finish	Color	Weight		(74P)	(15W)	price		ice 050
	Rectangular Tables, TT Base	32" TT Base	42 x 72"	P356ST				132.0#		\$ 2567	\$ 3295	\$ 50		\$ 350
A		32" TT Base	42 x 84"	P357ST				150.0#		2790	3644	70		450
B		32" TT Base	42 x 96"	P358ST				170.0#		2904	3733	70		450
		38" TT Base	48 x 72"	P46ST				147.0♯		2688	3424	50		350
PFLD		38" TT Base	48 x 84"	P47ST				165.0#		2932	3760	70		450
		38" TT Base	48 x 96"	P48ST				185.0∄		2945	3949	70		450
		38" TT Base	48 x 108"	P49ST				250.0#	#	3350	4298	100		675
	Racetrack Tables (Oval), TT Base	32" TT Base	36 x 72"	P036ST				120.0#	# :	\$ 2540	\$ 2860	\$ 50	;	\$ 350
A A		38" TT Base	48 x 96"	P048ST				190.0#	#	3639	4362	70		450
B B														
PFLD														
C	Crescent Tables, T Base	T Base, Short Fold	48 x 24 x 75 1/2"	PC24ST				96.0#	# :	\$ 1717	\$ 2297	\$ 70	:	\$ 450
		T Base, Short Fold	60 x 24 x 94"	PC25ST				111.0#	#	2362	2943	100		675
B		T Base, Short Fold	48 x 30 x 75 1/2"	PC254ST				109.0#	#	1661	2297	70		450
		T Base	60 x 30 x 94"	PC255ST				127.0#	#	2362	2841	100		675
PFLD		T Base	60 x 36 x 94"	PC35ST				146.0#	#	2305	2862	100		675
		T Base	72 x 36 x 113"	PC36ST				171.0∌	#	3782	4195	200		1350
	Half Round Tables, T Base	T Base, Short Fold	30 x 60"	PH255ST				74.0∜	# :	\$ 2224	\$ 3092	\$ 25		\$ 170
		T Base, Short Fold	36 x 72"	PH36ST				101.0∌	#	2559	3674	50		350
ن سي														

### **HOW TO ORDER**

PFLD

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

0

**B** 

0

**(3** 

A Select basic model.

Select edge style.

74P - 74P edge
15W - 1-3/4" Wood bullnose

Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

DSelect surface finish.

Refer to the **Product Color Options** page in this

Select base finish.

Refer to the **Product Color Options** page in this

Select plastic end cap color. Refer to the **Product Color Options** page in this

### FINISH INFORMATION

### Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

### **Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

### INFORMATION

### Overall Thickness

The overall thickness of a folded Portico® table will vary depending on the table size. If the table requires a short fold base, the folded thickness will be 6-3/4". If the table uses a standard folding base, the folded thickness will be 4-1/4".

### OPTIONS

### **Base Options**

Casters: Black only. Add a "/C" to end of model number for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

### SPECIAL SERVICES

# **Special Carton Marking**

With specially marked information N/C

### Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Folding Leg with Modesty Panel



# Portico<sup>™</sup> Tables

Folding Leg with Modesty Panel

					MODEL N	IIMRFR					
				-					_		
											aminate
					Basic	Edgo Edgo	Surface	Base End C			rade 3 dd to list
	MODE	L	Features		Model	Edge Edge Style Color	Finish	Base   End C Finish   Color	Weight		rice
		gular Tables, Folding Leg, Modes-			P155ST/M						\$ 115
	ty Pane	I, T Base	T Base		P156ST/M				91.0#	1823	115
	• Mode	esty panels available with standard	T Base	18 x 84"	P157ST/M					2041 35	225
~	toldir mech	ng mechanism (M) or quick release nanism (Q)	T Base		P158ST/M				] 111.0#	2087 35	225
PFLDM			T Base		P25ST/M				99.0#	1822 25	170
	bullne	ose edge	T Base	24 x 60"	P25ST/Q				99.0#	1822 25	170
			T Base	24 x 72"	P26ST/M				112.0#	1927 25	170
			T Base	24 x 72"	P26ST/Q				112.0#	1927 25	170
			T Base	24 x 84"	P27ST/M				125.0#	2154 50	350
			T Base	24 x 84"	P27ST/Q				125.0#	2154 50	350
			T Base	24 x 96"	P28ST/M				] 138.0#	2196 50	350
			T Base	24 x 96"	P28ST/Q				] 138.0#	2196 50	350
			T Base	30 x 60"	P255ST/M				] 137.0#	1921 25	170
			T Base	30 x 60"	P255ST/Q				] 137.0#	1921 25	170
			T Base	30 x 72"	P256ST/M				140.0#	1970 25	170
			T Base	30 x 72"	P256ST/Q				] 140.0#	1970 25	170
			T Base	30 x 84"	P257ST/M				144.0#	2270 50	350
			T Base	30 x 84"	P257ST/Q				] 144.0#	2270 50	350
			T Base		P258ST/M					2266 50	350
			T Base	30 x 96"	P258ST/Q				157.0#	2266 50	350
					A	<b>B O</b>	O	<b>9 G</b>	)		

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.
74P - 74P edge

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style

Select surface finish. Refer to the **Product Color Options** page in this price list.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select plastic end cap color.

Refer to the **Product Color Options** page in this price list.

OPTIONS

### **Base Options**

Black only. Add a "/C" to end of model number for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

### FINISH INFORMATION

### Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.

Contact KI.

### **Additional Stains**

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

### INFORMATION

### Overall Thickness

The overall thickness of a folded Portico® table will vary depending on the table size. If the table requires a short fold base, the folded thickness will be 6-3/4". If the table uses a standard folding base, the folded thickness will be 4-1/4".

### SPECIAL SERVICES

### Special Carton Marking

-

### Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

With specially marked information N/C

Folding Leg with PowerUp®



Portico<sup>™</sup> Tables

Folding Leg with PowerUp®

			MOD	EL NUN	/IBER							
	MODEL	Features	A x B Basic	ı	Edge Edge Surface Style Color Finish	Base Finish	Plastic End Cap Color	Cord (feet)	Module Color	Laminate Approx. 1-3/4" Wood Grade 2 Packaged 74P Edge Bullnose add to lis Weight (74P) (15W) price	t i	Laminate Grade 3 add to list price
	Folding Leg, Rectangular Tables with	T Base	24 x 60" PD25	ST/1						88.0# \$ 1920	25	\$ 170
	PowerUp®	T Base	24 x 60" PD25	ST/2						88.0# 2025 2461	25	170
	<ul> <li>Available with one module (1) or two modules (2)</li> </ul>	T Base	24 x 72" PD26	ST/1						98.0# 1969 2483	25	170
	modules (2)	T Base	24 x 72" PD26	ST/2							25	170
~		T Base	30 x 60" PD25								25	170
		T Base	30 x 60" PD25								25	170
PPUD		T Base	30 x 72" PD25								25	170
		T Base	30 x 72" PD25								25	170
	Folding Leg, Quick Release Modesty	T Base	24 x 60" PD25								25	\$ 170
	Panel, Rectangular Tables w/PowerUp®  • Available with one module (1) or two		24 x 60" PD25								25	170
	modules (2)	T Base	24 x 72" PD26								25	170
		T Base	24 x 72" PD26								25	170
		T Base		5STQ/1							25	170
DDUDO		T Base		5STQ/2							25	170
PPUDQ		T Base T Base		6STQ/1 6STQ/2							25 25	170 170
		ו שמשט	00 X 72 1 D20	00 I Q/Z		<b>3</b>	<b>a</b>		•	100.0# Z400 IW/A	20	170

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

74P - 74P edge
15W - 1-3/4" Wood bullnose

Select edge color. Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

DSelect surface finish. Refer to the **Product Color Options** page in this

Select base finish. Refer to the **Product Color Options** page in this price list.

Select plastic end cap color. Refer to the **Product Color Options** page in this price list.

### **G**Select cord length (feet).

price list.

- 9' cord length

- 15' cord length

Select module color. Refer to the Product Color Options page in this

### FINISH INFORMATION

### Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

### **Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

### INFORMATION

### Overall Thickness

The overall thickness of a folded Portico® table will vary depending on the table size. If the table requires a short fold base, the folded thickness will be 6-3/4". If the table uses a standard folding base, the folded thickness will be 4-1/4".

### OPTIONS

### **Base Options** Casters:

Black only. Add a "/C" to end of model number for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

### SPECIAL SERVICES

### **Special Carton Marking**

### Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

With specially marked information N/C



Portico<sup>™</sup> Tables

				MODEL	NUMBER	l								
								Plastic	Approx.	<u> </u>	1-3/4" Wood	Laminate d Grade 2		iminate rade 3
				Basic	Edge	Edge Su	rface Base			74P Edge	Bullnose	add to list		ld to list
	MODEL	Features	AxBxCxD		Edge Style	Color Fin	ish Finis	sh Color	Weight	(74P)	(15W)	price	prio	
	Square Tables, LX Base	LX Base	30 x 30"	PS25FT					50.0#	\$ 1165	\$ 1399	\$ 25		\$ 170
A	<ul> <li>Tables 30" x 30" have a height of 29" only</li> </ul>	LX Base	36 x 36"	PS3FT					65.0#	1213	1586	35		225
	····y													
# B														
DEL D														
PFLP	Davind Tables, LV Davis	I V Daga	20" Diameter	DDOCET					40.0#	ф. 1470	ф 1770	ф. ОГ		r 170
	Round Tables, LX Base	LX Base	30" Diameter 36" Diameter	PR25FT PR3FT					42.0# 55.0#	\$ 1173 1262	\$ 1772 1961	\$ 25		\$ 170
A A		LX Base	42" Diameter	PR35FT					69.0#	1581	2299	35 35		225 225
		LA Dase	42 Diameter	FNOOFI					09.0#	1301	2299			223
PFLP														
	Rectangular Tables, T Base	T Base	24 x 48"	P24FT					67.0#	\$ 1488	\$ 1794	\$ 18		\$ 115
A	• Tables 36" x 48"-72" have a maximum height of 29"	T Base	24 x 60"	P25FT					77.0#	1517	1934	25		170
B B	neight of 29	T Base	24 x 72"						88.0#	1568	2157	25		170
-		T Base	30 x 48"	P254FT					78.0#	1549	1852	25		170
PFLP		T Base	30 x 60"	P255FT					97.0#	1568	2060	25		170
		T Base	30 x 72"	P256FT					110.0#	1681	2192	25		170
		T Base	36 x 48"						89.0#	1667	2048	35		225
		T Base	36 x 60"	P35FT					105.0#	1711	2290	50		350
		T Base	36 x 72"	P36FT				_	121.0#	1812	2321	50		350
	Racetrack Tables (Oval), T Base	T Base	36 x 72"	P036FT					121.0#	\$ 2281	\$ 2837	\$ 50	,	\$ 350
В														
PFLP														
R	Trapezoid Tables, T Base	T Base	24 x 24 x 24 x 48"	PT24FT					66.0#	\$ 1934	\$ 2417	\$ 18	: 5	\$ 115
	<ul> <li>24x24x24x48 = 21"D</li> </ul>	T Base	30 x 30 x 30 x 60"	PT35FT					73.0#	1989	2566	25		170
	<ul><li>30x30x30x60 = 26"D</li><li>36x36x36x72 = 31"D</li></ul>	T Base	36 x 36 x 36 x 72"	PT36FT					116.0#	2559	3480	50		350
D '														
PFLP	• 24x24x24x48 available with glides only													
				A	<b>B</b>	<b>(</b>	0 6	•						

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge
15W - 1-3/4" Wood bullnose

Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

- OSelect surface finish.
  - Refer to the Product Color Options page in this
- Select base finish.

Refer to the **Product Color Options** page in this

Select plastic end cap color. Refer to the **Product Color Options** page in this

### FINISH INFORMATION

### Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

### **Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

### OPTIONS

### Base Options

Casters: Black only. Add a "/C" to end of model number for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

### Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Flip-Top with Modesty Panel



Portico<sup>™</sup> Tables

Flip-Top with Modesty Panel

MODEL NUMBER															
									Plastic	Approx		Laminate Grade 2	Laminate Grade 3		
	MODEL	Features		Basic Model	Edge Style	Edge Color	Surface Finish		End Cap Color	Approx. Packaged Weight	74P Edge (74P)	add to list price	add to list price		
	Rectangular Tables, Flip Top, Modesty	T Base	24 x 60"	P25FT/M						91.0#	\$ 1727	\$ 25	\$ 170		
	Panel, T Base	T Base	24 x 60"	P25FT/Q						91.0#	1727	25	170		
A HA	<ul> <li>Modesty panels available with standard folding mechanism (M) or quick release</li> </ul>	T Base	24 x 72"	P26FT/M						105.0#	1834	25	170		
B	mechanism (Q)	T Base	24 x 72"	P26FT/Q						105.0#	1834	25	170		
PFLPM	Modesty panel only available in black	T Base	30 x 60"	P255FT/M						114.0#	1711	25	170		
	bullnose edge	T Base	30 x 60"	P255FT/Q						114.0#	1711	25	170		
		T Base								130.0#	1942	25	170		
		T Base	30 x 72"	P256FT/Q						130.0#	1942	25	170		
				A	<b>B</b>	•	0	<b>(3</b>	<b>(3</b>						

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

  74P 74P edge
- Select edge color. Refer to the **Product Color Options** page in this Edge color offerings are based on edge style
- DSelect surface finish. Refer to the **Product Color Options** page in this
- Select base finish. Refer to the **Product Color Options** page in this price list.
- Select plastic end cap color. Refer to the **Product Color Options** page in this price list.

### FINISH INFORMATION

### Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

### **Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

### OPTIONS

### Base Options

Casters: Black only. Add a "/C" to end of model number for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

### SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

### Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Lightweight Folding Leg



Portico<sup>™</sup> Tables

									•					
			MODEL	NUMBER										
							DI 11			Laminate	Laminate			
			Basic	Edge	Edna Surface	Raca	Plastic End Cap	Approx. Packaged	74P Edge	Grade 2 add to list	Grade 3 add to list			
MODEL	Features	AxB	Model	Style	Edge Surface Color Finish	Finish	Color	Weight	(74P)	price	price			
Rectangular Tables, T Base	T Base	18 x 60'	" PL155ST					48.0#	\$ 1675	\$ 18	3 \$ 115			
A A	T Base	18 x 72'	" PL156ST					53.0#	1684	18	3 115			
B B	T Base	18 x 84'	" PL157ST					57.0#	1920	35	5 225			
	T Base	24 x 60'	)"   PL25ST   □[					55.0#	55.0# 1736	25	5 170			
PLFD	T Base	24 x 72'	" PL26ST					61.0#	1799	25	5 170			
	T Base	24 x 84'	" PL27ST					66.0#	2038	50	350			
	T Base	30 x 60'	" PL255ST					61.0#	1847	25	5 170			
	T Base	30 x 72'	" PL256ST					67.0#	1927	25	5 170			
	T Base	30 x 84'	" PL257ST					74.0#	2166	50	350			
	T Base	36 x 60'	" PL35ST					66.0#	1942	50	350			
	T Base	36 x 72'	" PL36ST					74.0#	2120	50	350			
	T Base	36 x 84'	" PL37ST					82.0#	2499	70	450			
			A	<b>B</b>	<b>9 0</b>	<b>3</b>	()							

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

Select edge color. Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

OSelect surface finish. Refer to the **Product Color Options** page in this price list.

 Select base finish. Refer to the **Product Color Options** page in this price list.

Select plastic end cap color. Refer to the **Product Color Options** page in this price list.

### FINISH INFORMATION

### Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

### OPTIONS

### Base Options

Casters: Black only. Add a "/C" to end of model number for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

### SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Lightweight Folding Leg



Portico<sup>™</sup> Tables

Lightweight Folding L

				MODEL NUI	MBER									
	MODEL	Features	AxB	Basic Model	Edge Style		Surface Finish	Base	Plastic End Cap Color		Module Color	Approx. Packaged 74P Edge Weight (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Folding Leg, Lightweight, Rectangular	T Base	24 x 60"	PLD25ST/1								58.0# \$ 2047	\$ 25	\$ 170
	Tables with PowerUp®	T Base	24 x 60"	PLD25ST/2								58.0# 2157	25	170
	<ul> <li>Available with one module (1) or two modules (2)</li> </ul>	T Base	24 x 72"	PLD26ST/1								64.0# 2100	25	170
	modulos (2)	T Base	24 x 72"	PLD26ST/2								64.0# 2209	25	170
~		T Base	30 x 60"									64.0# 2154	25	170
		T Base	30 x 60"									64.0# 2262	25	170
PPUL		T Base	30 x 72"									70.0# 2231	25	170
		T Base		PLD256ST/2				_				70.0# 2416	25	170
	Folding Leg, LW, Rectangular w/Quick	T Base	24 x 60"									72.0# \$ 2399	\$ 25	\$ 170
	Release Modesty Panel and PowerUp®  • Available with one module (1) or two	T Base	24 x 60"									72.0# 2508	25	170
	modules (2)	T Base	24 x 72"	PLD26STQ/1								81.0# 2540	25	170
	. ,	T Base	24 x 72"									81.0# 2646	25	170
-		T Base	30 x 60"									78.0# 2508	25	170
DDIII O		T Base	30 x 60"									78.0# 2617	25	170
PPULQ		T Base	30 x 72"									87.0# 2664	25	170
		T Base	30 x 72"	PLD256STQ/2								87.0# 2775	25	170
				A	$oldsymbol{eta}$	$\mathbf{\Theta}$	0	<b>(3</b>	<b>(3</b> )	Œ	0			

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

74P - 74P edge

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

Select surface finish.

Refer to the **Product Color Ont** 

Refer to the **Product Color Options** page in this price list.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select plastic end cap color.

Refer to the **Product Color Options** page in this price list.

Select cord length (feet).

9 - 9' cord length

- 15' cord length

Select module color.

Refer to the **Product Color Options** page in this price list.

### FINISH INFORMATION

### Additional Laminate Offering

KI offers laminates beyond those offered in the Casters: standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

### OPTIONS

### Base Options

Black only. Add a "/C" to end of model number for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

# SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

### Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Portico<sup>™</sup> Plus Tables



# Portico<sup>™</sup> Tables

				MODEL N	IUMBER					
	MODEL	Features	AxBxCxD	Basic Model	Edge Edge Style Colo	Surface Finish	Base Finish	Plastic End Cap Color	Laminate Approx. 3/8" Wood 1-3/4" Wood Grade 2 Packaged 74P Edge Band Edge Band Edge add to list Weight (74P) (34S) (36S) price	Laminate Grade 3 add to list price
	Rectangular Tables, T Base-Fixed	T Base	24 x 48"	PP24F					66.0# \$ 1009 \$ 1147 \$ 1310 \$ 18	\$ 115
A A		T Base	24 x 60"	PP25F					76.0# 1131 1289 1458 25	170
B	B B	T Base	30 x 48"	PP254F					76.0# 1088 1262 1416 25	170
•		T Base	30 x 60"	PP255F					89.0# 1212 1437 1616 25	170
PPFX		T Base	36 x 60"	PP35F					101.0# 1338 1597 1758 50	350
		T Base	36 x 72"	PP36F					117.0# 1477 1770 1982 50	350
	Rectangular Tables, T Base-Folding	T Base, Short Fold	24 x 48"	PP24ST					74.0# \$ 1594	\$ 115
A A		T Base	24 x 60"	PP25ST					86.0# 1681 1868 2010 25	170
B 1		T Base, Short Fold	30 x 48"	PP254ST					84.0# 1634 1946 2097 25	170
		T Base	30 x 60"	PP255ST					99.0# 1786 2014 2236 25	170
PPFD		T Base	36 x 60"	PP35ST					111.0# 1840 2083 2468 50	350
		T Base	36 x 72"	PP36ST	<del>                    _     _</del>				126.0# 2049 2254 2474 50	350
B J	Trapezoid Tables, T Base-Fixed • 24x24x24x48 = 21"D	T Base	24 x 24 x 24 x 48"						52.0# \$ 1111 \$ 1436 \$ 1469 \$ 18	\$ 115
	• 30x30x30x60 = 26"D	T Base	30 x 30 x 30 x 60"	PPT255F					67.0# 1350 1582 1716 25	170
	• 36x36x36x72 = 31"D	T Base	36 x 36 x 36 x 72"	PPT36F					84.0# 1648 1957 2203 50	350
PPFX	• 24x24x24x48 available with glides only									
C	Crescent Tables, T Base-Fixed	T Base	48 x 24 x 75 1/2"	PPC24F					73.0# \$ 1613	\$ 450
		T Base	60 x 24 x 94"	PPC25F					89.0# 2185 2520 3425 100	675
B		T Base	48 x 30 x 75 1/2"	PPC254F					80.0# 1619 2042 2527 70	450
DDEV		T Base	60 x 30 x 94"	PPC255F					100.0# 2203 2640 3586 100	675
PPFX		T Base T Base	60 x 36 x 94" 72 x 36 x 113"	PPC35F PPC36F					108.0# 2137 2550 3477 100 132.0# 3447 4380 5676 200	675
	Crescent Tables, T Base-Folding	T Base, Short Fold	48 x 24 x 75 1/2"	PPC36F PPC24ST					81.0# \$ 2224 \$ 2532 \$ 3015 \$ 70	1350 \$ 450
C C	Grescent lables, I base-rolully	T Base, Short Fold	60 x 24 x 94"	PPC24ST					99.0# 2692 3156 3922 100	\$ 450 675
		T Base, Short Fold	48 x 30 x 75 1/2"	PPC254ST					88.0# 2233 2461 3040 70	450
B		T Base	60 x 30 x 94"	PPC255ST					110.0# 2779 3015 3918 100	675
PPFD		T Base	60 x 36 x 94"	PPC35ST					118.0# 2692 3154 4095 100	675
1115		T Base	72 x 36 x 113"	PPC36ST					142.0# 4018 5250 6394 200	1350
		1 2000	12 4 00 4 110	<b>A</b>	<b>3 6</b>		<b>3</b>	<b>9</b>	112.011 4010 0200 0004 200	1000

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - 3/8" Wood band edge - 1-3/4" Wood band edge

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

• Select surface finish.

price list.

Refer to the **Product Color Options** page in this

Select base finish. Refer to the **Product Color Options** page in this

Select plastic end cap color. Refer to the **Product Color Options** page in this

### price list.

### Additional Laminate Offering

FINISH INFORMATION

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

### **Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details

### OPTIONS

### Base Options

Casters:

Black only. Add a "/C" to end of model number for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

### Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The maximum height is 42".

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

### Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.



Portico<sup>™</sup> Tables

								·				
			MODEL N	UMBER								
											Laminate	
			D	Edua	E-1 0	D	Plastic	Approx.	3/8" Wood	1-3/4" Wood	Grade 2	
MODEL	Features	AxBxC	Basic Model	Edge Style	Edge Sur Color Fini	race Base sh Finis	End Cap h Color	Packaged 74P Edge Weight (74P)	Band Edge (34S)	Band Edge (36S)	add to list price	
Quarter Round-No Base		24 X 24"	PPQ2					19.0# \$ 517	\$ 725	\$ 964	\$ 18	
To be used with Plus Tables only		30 X 30"	PPQ25					30.0# 618	873	1163	25	j
		36 X 36"	PPQ3			10		49.0# 772	1085	1356	35	j
В												
X												
Half Round Table, T Base-Fixed	T Base	24 X 48"	PPH24F					57.0# \$ 1283	\$ 1582	\$ 2068	\$ 18	
A	T Base	30 X 60"	PPH255F					75.0# 1706	1873	2334	25	
<u>B</u> 1	T Base	36 x 72"	PPH36F					97.0# 2060	2433	2797	50	)
X			BBUGEEGE					07.0%		A 27/5		
Half Round Table, T Base-Folding	T Base, Short Fold		PPH255ST					85.0# \$ 2277	\$ 2393	\$ 2745	\$ 25	
A	T Base, Short Fold	d 36 x 72"	PPH36ST					107.0# 2585	2802	3157	50	)
<del></del>												
			A	$\mathbf{G}$	•	D (	<b>(3</b> )					

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - 3/8" Wood band edge - 1-3/4" Wood band edge price list.

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

selections

• Select surface finish.

Refer to the **Product Color Options** page in this

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select plastic end cap color.

Refer to the **Product Color Options** page in this

### FINISH INFORMATION

### Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

### Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact customer service for details.

### OPTIONS

### Base Options

Casters:

Black only. Add a "/C" to end of model number for casters. Casters are factory installed, not field installable. Casters are all locking. Upcharge is list \$73 per table.

### Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The maximum height is 42".

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

### Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 85.

Storage and Accessories



Portico<sup>™</sup> Tables

					•		
			MODEL NUMBER				
				Approx			
			Basic	Approx. Packaged	Delivered		
	MODEL	Features	Model	Weight	Pricing		
	Table Truck • Minimum table sizes are 48" rectangula	ar	BTT	90.0#	\$ 1777		
1 11111	or 48" round/square	A1					
	<ul> <li>Maximum table sizes are 48" x 96" rectangular and 60" round/square</li> </ul>						
	<ul> <li>Six-table capacity; with short fold bases</li> </ul>	S,					
	4-table capacity						
HRDPT	<ul> <li>Black finish only</li> <li>Table truck dimensions 5' long, 30" wic</li> </ul>	de					
	and 4" high  • Used to store Folding Tables only						
	Under-Table Wire Management  • Constructed of easy-to-use, high quality	V					
<b>\</b> .>	black velcro						
•	<ul> <li>Harness is fastened to table bottom wit screws</li> </ul>	in					
	SEE PRICING BELOW						
	Leg Wireways	-					
	<ul><li>Scuff-resistant, high-impact rigid plasti</li><li>Two separate wire channels per leg</li></ul>	C					
	<ul> <li>Fastened to legs with adhesive bond</li> </ul>						
	<ul><li>One wireway per leg; black only</li><li>SEE PRICING BELOW</li></ul>						
3							
	Grommets • Plastic grommets are 3" diameter and						
	recessed into table top						
	<ul> <li>Cap is removable and has retractable slot cover</li> </ul>						
	<ul> <li>Two grommets per top</li> </ul>						
	SEE PRICING BELOW						
	Self-Leveling Glide, Black • Set of 4	Set of 4	SLTG.4	0.2#	\$ 65		
HRDPT	<ul> <li>Allows for 3/16" of self-leveling adjust-</li> </ul>						
	ment						
				]			
			A				

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

### OPTIONS

Accessory Options Under-Table Wire Management, Leg Wireways, and Grommets are Accessory Options. Add the following to the end of the model number:

Under-Table Wire Management and Leg Wireways selections are: HO = Under-Table Wire Management; Upcharge

WO = Leg Wireways; Upcharge is \$26 HW = Under-Table Wire Management and Leg

Wireways; Upcharge is \$92 Wire Management options HO, HW and WO are ONLY available on rectangular tables 96" and smaller (NOT available on any cantilever, flip-top or folding tables).

Grommet Selections are: Gxx=grommet with color designator; Upcharge is \$24

Refer to Product Color Options page. Grommet option is available on rectangle tables 96" and smaller, except for all 18"x 60" and

24"x60" cantilevered fixed and folding tables (24"x60" tables with standard fixed bases are

No accessory options are available on PowerUp® tables or flip-top tables.

### SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

