

# MEDICAL & LABORATORY STOOLS

PRICE LIST

EFFECTIVE OCTOBER 3, 2022 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering Customer's Own Material (C.O.M.) Upholstery								
Info	rmation							
Medical and Lat	oratory							
	eral Information							
Cto.								

## Ordering Customer's Own Material (C.O.M.) Upholstery




#### **How to Specify**

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.





When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

#### **Production**

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

#### **Testing**

When KI requires testing, actual vardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

#### **Treated Materials**

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

#### Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

#### **Excess Upholstery Material**

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

#### **Cancelled or Changed Orders**

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

#### C.O.M. SHIPPING LOCATION



Architectural Walls	System 3000	MN
EvokeMN	Universal Overheads	MN
Genius WallsMN	Wireworks	MN
	Unite	MN
Casegoods		
Aristotle TackboardsMN	Residence Hall Furniture	
Likha TackboardsMN	RoomScape Furniture	MN
Classroom Furniture	Screens	
Intellect Wave ChairsGB	All Terrain	KP
Learn2 GB	Connection Zone	BW
RuckusGB	True/Volition	KP
	Genesis	KP
Desking	Tattoo	MN
700 Series DeskingKP	Universal	BW
Balance OverheadsMN		
Genesis DeskingMN	Seating	
True DeskingKP	400 Series Folding Chairs	
Universal OverheadsMN	600 Series Folding Chairs	
WorkZone DeskingMN	600 Series Stools	
	Affina Collection	
Files & Storage	Altus Task Chairs	
700 Series Pedestal CushionGB	Apply Stack Chairs	
Connection Zone PadsBW	Auditorium Folding Chairs	
U-Series Pedestal CushionGB	Calida Lounge Seating	
TattooBW	Diem Task Chairs	
	Doni Collection	
Fixed Seating	Gladly Lounge Seating	
Concerto Auditorium SeatingBW	Grazie Seating	
Single Pedestal SeatingGB	Hiatus Sleeper Bench	
Jury Base Seating	Hub Modular Lounge Seating	
Lancaster Auditorium SeatingBW	Impress Task Chairs	
Sequence SeatingGB	Impress Ultra Task Chairs	
University SeatingGB	Jessa Lounge Seating	
D 10 1	Jubilee Lounge Seating	
Panel Systems	Katera Guest Chair	
All TerrainKP	Kurv Benches	
Balance OverheadsMN	LaResta Day Beds	HN

LimeLite	. GE
Lyra Lounge Seating	AH.
Maestro Stack Chairs	. GE
Medical & Laboratory Stools	OM
MyPlace Lounge Seating	AH.
MyWay Seating	
Oath Task Chairs and Stools	. GE
Opt4	. GE
Pilot Task Chairs	OM
Promenade Seating System	.BW
Ruckus	. GE
Sela Lounge Seating	AH.
Sift Task Chairs	. GE
Signia Task Chairs and Stools	.ON
Soltice Metal Collection	.HN
Soltice Multiple, Healthcare & Guest	.HN
Soltice II Healthcare Seating	.HN
Strive Multiple, Stack & Task	. GE
Sway	
Tattoo	.HN
Torsion-on-the-Go! Nesting Chairs	. GE
Torsion Air Stack and Task Seating	. GE
Zoetry	AH.

#### KI C.O.M. Manufacturing Site Addresses:

KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107

KI Green Bay

Attn: COM Storage

Green Bay, WI 54302

1687 Westminster Drive - Gate 3

KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

Attn: COM Storage

1110 S. Mildred Ave.

Ontario, CA 91761

VQAttn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

## Medical and Laboratory General Information













	KICL12	KICL13	KICL14	KICL15
Features				
Upholstered seat	•	•	•	•
Casters	•	•	•	•
Pneumatic seat height adjustment	•	•	•	•
General Dimensions				
Seat height	16" - 21"	22" - 32"	16" - 21"	16" - 21"
Overall height	16" - 21"	22" - 32"	16" - 21"	28" - 36"
Seat diameter	16"	16"	16"	16"
Back size				13"W x 9"H
Overall width	19"	19"	19"	25"

#### **SPECIFICATIONS**

#### Medical & Laboratory Stools are shipped unassembled.

## **Upholstered Seat**

The seat has a unibody molded 2-1/2" HR foam on plywood.

#### Pneumatic Ring

The KICL12 and KICL13 stools offer height adjustment with a pneumatic 360-degree, hand-activated ring. The KICL14 and KICL15 stools offer height adjustment with a pneumatic 360-degree, foot-activated ring.

#### Pneumatic Cylinder

Cylinders have a 5" range, except the KICL13 stool KICL which has a 10" range.

The KICL12, KICL13, and KICL14 have a 20" base. The KICL15 has a 24" base. All bases are die-cast aluminum with a chrome finish.

#### Casters

All stools have safety soft casters, which minimizes movement when chair is not in use.

### INFORMATION

#### C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Department 1110 S. Mildred Ave. Ontario, CA 91761

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Product Modification Request.

#### INFORMATION

## Warranty

Refer to KI Terms & Conditions document or visit ki.com

## Medical and Laboratory



Medical and Laboratory

								•							
		MODEL NUMBER													
	MODEL			Upholstery Color	Approx. Packaged Weight	1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	<ul> <li>KICL12 Stool</li> <li>5" Seat height range</li> <li>360-degree, hand activation pneumatic</li> </ul>	KICL12			28.0#	\$ 393	\$ 460	\$ 468	\$ 393	\$ 468	\$ 448	\$ 497	\$ 524	\$ 554	\$ 577
EXAM	KICL13 Stool  10" Seat height range  360-degree, hand activation pneumatic  18" chrome footring				28.0#	\$ 544	\$ 612	\$ 619	\$ 544	\$ 619	\$ 599	\$ 648	\$ 677	\$ 706	\$ 731
EXAM	KICL14 Stool  • 5" Seat height range  • 360-degree, foot activation pneumatic	KICL14			28.0#	\$ 562	\$ 629	\$ 637	\$ 562	\$ 637	\$ 618	\$ 669	\$ 693	\$ 720	\$ 745
	KICL15 Stool  5" Seat height range  360-degree, foot activation pneumatic	KICL15			33.0#	\$ 757	\$ 837	\$ 858	\$ 757	\$ 858	\$ 842	\$ 894	\$ 930	\$ 970	\$ 998
EXAM				•											
		Φ	•	Θ											

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133 See Options for TB133 upcharge.

Select upholstery grade/color. Refer to ki.com/fabrics

#### OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge: Model = Upholstered Added Lead Time-1 Week Added List Price=\$126

#### OPTIONS

C.O.M. Upholstery C.O.M. requirement for KICL12, KICL13, and KICL14 is 3/4 yards per chair of 54" wide nondirectional fabric. C.O.M. requirement for KICL15 is 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering Customer's Own Material (C.O.M.) Upholstery" section.

## SPECIAL SERVICES

### **Special Carton Marking** With specially marked information N/C

Shipping Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

