



SIGNATM TASK SEATING

PRICE LIST

EFFECTIVE FEBRUARY 12, 2025
800.424.2432




Ordering Customer's Own Material (C.O.M.) Upholstery		
Information		3
Signia™		
General Information		4
Technical Specifications		6
Product Color Options		11
Task Chairs, Mesh Back		12
Task Stools, Mesh Back		14
Task Chairs, Fabric Back		18
Task Stools, Fabric Back		20



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION



Architectural Walls
Evoke..... MN
Genius..... MN

Casegoods
Aristotle.....MN
Likha.....MN

Classroom Furniture
CogniGB
Intellect WaveGB
Learn2.....GB
Ruckus.....GB

Desking
700 SeriesKP
Balance MN
Genesis MN
TrueKP
Universal MN
WorkZone MN

Files & Storage
700 Series.....GB
ConnectionBW
U-Series.....GB
Tattoo.....BW

Fixed Seating
Concerto.....BW
Single PedestalGB
Jury BaseGB
Lancaster.....BW
SequenceGB
UniversityGB

Panel Systems
All Terrain.....KP
Balance MN
Universal MN
Wireworks MN
Unite..... MN

Residence Hall Furniture
RoomScape..... MN

Screens
All Terrain.....KP
Connection Zone.....BW
Tributaire.....BW
True/VolitionKP
Genesis.....KP
Tattoo..... MN
Universal.....BW

Seating
600 Series.....BW
AffinaHN
AltusGB
ApplyGB
CalidaHN
CogniGB
DiemOM
DoniGB
GladlyVQ
GrazieGB
HubHN
ImpressOM
Impress UltraOM
Intellect WaveGB
JessaHN

JubileeVQ
Katera.....GB
Kurv Benches.....HN
Learn2.....GB
LimeLite.....GB
LyraHN
Medical & Laboratory Stools.....OM
MyPlaceHN
MyWayHN
OathGB
Opt4.....GB
PilotOM
PromenadeBW
Ruckus.....GB
SelaHN
SiftGB
Signia.....OM
Soltice MetalHN
Soltice.....HN
SonrisaHN
StriveGB
SwayBW
Tattoo.....HN
Torsion-on-the-Go!GB
Torsion Air.....GB
ZekerHN
ZoetryHN

KI C.O.M. Manufacturing Site Addresses:

BW
KI Bonduel
Attn: COM Storage
204 West South St.
Bonduel, WI 54107

HN
KI High Point
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

MN
KI Manitowoc
Attn: COM Storage
1400 S. 41st St.
Manitowoc, WI 54220

VQ
KI
Attn: COM Fabrics
6892 Marlin Circle
La Palma, CA 90623

GB
KI Green Bay
Attn: COM Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

KP
KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

OM
KI
Attn: COM Storage
1110 S. Mildred Ave.
Ontario, CA 91761



Basic Synchrotilt Task Chair,
Mesh Back, Armless
(KISN86M0)



Basic Synchrotilt Task Chair,
Mesh Back, 1D Arms
(KISN86MB)



Basic Synchrotilt Task Chair,
Mesh Back, 4D Arms
(KISN86MC2)



Basic Synchrotilt Task Chair,
Mesh Back, Conference Arms
(KISN86MM)

Features				
Basic Synchrotilt	7” incline	7” incline	7” incline	7” incline
Seat Depth Adjustment	3” travel	3” travel	3” travel	3” travel
Quick Tension Adjustment (7 positions)	*	*	*	*
Back Travel Limiter (6 positions)	*	*	*	*
General Dimensions				
Seat width	18-1/4"	18-1/4"	18-1/4"	18-1/4"
Seat depth	17" - 20"	17" - 20"	17" - 20"	17" - 20"
Seat height	17-1/2" - 22"	17-1/2" - 22"	17-1/2" - 22"	17-1/2" - 22"
Back width	16"	16"	16"	16"
Back height (above seat)	21"	21"	21"	21"
Inside arm distance		20"	16" - 19-7/8"	19-1/2"
Arm height (from floor)		24" - 32-1/4"	25" - 32-1/2"	26-1/2" - 31-1/2"
Overall Dimensions				
Width	26"	26"	26"	26"
Depth	26"	26"	26"	26"
Height	38-1/2" - 43"	38-1/2" - 43"	38-1/2" - 43"	38-1/2" - 43"
Base diameter	26" dia	26" dia	26" dia	26" dia



Advanced Synchrotilt Task Chair,
Mesh Back, Armless
(KISN88M0)



Advanced Synchrotilt Task Chair,
Mesh Back, 1D Arms
(KISN88MB)



Advanced Synchrotilt Task Chair,
Mesh Back, 4D Arms
(KISN88MC2)



Advanced Synchrotilt Task Chair,
Mesh Back, Conference Arms
(KISN88MM)

Features				
Advanced Synchrotilt (Forward Tilt)	*	*	*	*
Seat Depth Adjustment	3” travel	3” travel	3” travel	3” travel
Quick Tension Adjustment (7 positions)	*	*	*	*
Back Travel Limiter (6 positions)	*	*	*	*
General Dimensions				
Seat width	18-1/4"	18-1/4"	18-1/4"	18-1/4"
Seat depth	17" - 20"	17" - 20"	17" - 20"	17" - 20"
Seat height	17-1/2" - 22"	17-1/2" - 22"	17-1/2" - 22"	17-1/2" - 22"
Back width	16"	16"	16"	16"
Back height (above seat)	22-3/8"	22-3/8"	22-3/8"	22-3/8"
Inside arm distance		20"	16" - 19-7/8"	19-1/2"
Arm height (from floor)		24" - 32-1/4"	25" - 32-1/2"	26-1/2" - 31-1/2"
Overall Dimensions				
Width	26"	26"	26"	26"
Depth	26"	26"	26"	26"
Height	40" - 44-3/8"	40" - 44-3/8"	40" - 44-3/8"	40" - 44-3/8"
Base diameter	26" dia	26" dia	26" dia	26" dia

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit
ki.com



Basic Synchrotilt Task Chair,
Fabric Back, Armless
(KISN86F0)



Basic Synchrotilt Task Chair,
Fabric Back, 1D Arms
(KISN86FB)



Basic Synchrotilt Task Chair,
Fabric Back, 4D Arms
(KISN86FC2)



Basic Synchrotilt Task Chair,
Fabric Back, Conference Arms
(KISN86FM)

Features				
Basic Synchrotilt	7" incline	7" incline	7" incline	7" incline
Seat Depth Adjustment	3" travel	3" travel	3" travel	3" travel
Quick Tension Adjustment (7 positions)	*	*	*	*
Back Travel Limiter (6 positions)	*	*	*	*
Forward tilt				
General Dimensions				
Seat width	18-1/8"	18-1/8"	18-1/8"	18-1/8"
Seat depth	17" - 20"	17" - 20"	17" - 20"	17" - 20"
Seat height	17-1/2" - 22"	17-1/2" - 22"	17-1/2" - 22"	17-1/2" - 22"
Back width	16-1/8"	16-1/8"	16-1/8"	16-1/8"
Back height (above seat)	21-3/8"	21-3/8"	21-3/8"	21-3/8"
Inside arm distance		20"	16"- 19-7/8"	19-1/2"
Arm height (from floor)		24" - 32-1 /4"	25" - 32-1/2"	26-1/2" - 31-1/2"
Overall Dimensions				
Width	26"	26"	26"	26"
Depth	26"	26"	26"	26"
Height	38-1/2" - 43"	38-1/2" - 43"	38-1/2" - 43"	38-1/2" - 43"
Base diameter	26" dia	26" dia	26" dia	26" dia



Advanced Synchrotilt Task
Chair, Fabric Back, Armless
(KISN88F0)



Advanced Synchrotilt Task Chair,
Fabric Back, 1D Arms
(KISN88FB)



Advanced Synchrotilt Task Chair,
Fabric Back, 4D Arms
(KISN88FC2)



Advanced Synchrotilt Task Chair,
Fabric Back, Conference Arms
(KISN88FM)

Features				
Advanced Synchrotilt (Forward Tilt)	*	*	*	*
Seat Depth Adjustment	3" travel	3" travel	3" travel	3" travel
Quick Tension Adjustment (7 positions)	*	*	*	*
Back Travel Limiter (6 positions)	*	*	*	*
General Dimensions				
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat depth	17" - 20"	17" - 20"	17" - 20"	17" - 20"
Seat height	17-1/2" - 22"	17-1/2" - 22"	17-1/2" - 22"	17-1/2" - 22"
Back width	16-1/4"	16-1/4"	16-1/4"	16-1/4"
Back height (above seat)	21-1/2"	21-1/2"	21-1/2"	21-1/2"
Inside arm distance		20"	16"- 19-7/8"	19-1/2"
Arm height (from floor)		24" - 32-1 /4"	25" - 32-1/2"	26-1/2" - 31-1/2"
Overall Dimensions				
Width	26"	26"	26"	26"
Depth	26"	26"	26"	26"
Height	40" - 44-3/8"	40" - 44-3/8"	40" - 44-3/8"	40" - 44-3/8"
Base diameter	26" dia	26" dia	26" dia	26" dia



Basic Synchrotilt Task Stool, Mesh Back, Armless (KIS96M0)



Basic Synchrotilt Task Stool, Mesh Back, 1D Arms (KISN96MB)



Basic Synchrotilt Task Stool, Mesh Back, 4D Arms (KISN96MC2)



Basic Synchrotilt Task Stool, Mesh Back, Conference Arms 4D Arms (KISN96MM)

Features				
Basic Synchrotilt	7” incline	7” incline	7” incline	7” incline
Seat Dept h Adjustment	3” travel	3” travel	3” travel	3” travel
Quick Tension Adjustment (7 positions)	*	*	*	*
Back Travel Limiter (6 positions)	*	*	*	*
General Dimensions				
Seat width	18-1/4"	18-1/4”	18-1/4”	18-1/4”
Seat depth	17" - 20”	17” - 20”	17” - 20”	7” - 20”
Seat height	21-3/4” - 29-1/2”	21-3/4” - 29-1/2”	21-3/4” - 29-1/2”	21-3/4” - 29-1/2”
Back width	16”	16”	16”	16”
Back height (above seat)	21”	21”	21”	20”
Inside arm distance		20"	16"- 19-7/8”	19-1/2”
Arm height (from floor)		28-1/4" - 39-3/4"	29-1/4" - 40"	26-1/2” - 31-1/2”
Overall Dimensions				
Width	26"	26"	26"	26”
Depth	26"	26"	26"	26”
Height	42-3/4" - 50-1/2"	42-3/4” - 50-1/2”	42-3/4” - 50-1/2”	42-3/4” - 50-1/2”
Base diameter	26” dia	26” dia	26” dia	26” dia



Basic Synchrotilt Task Stool, Fabric Back, Armless (KISN96F0)



Basic Synchrotilt Task Stool, Fabric Back, 1D Arms (KISN96FB)



Basic Synchrotilt Task Stool, Fabric Back, 4D Arms (KISN96FC2)



Basic Synchrotilt Task Stool, Fabric Back, Conference Arms, (KISN96FM)

Features				
Basic Synchrotilt	7” incline	7” incline	7” incline	7” incline
Seat Depth Adjustment	3” travel	3” travel	3” travel	3” travel
Quick Tension Adjustment (7 positions)	*	*	*	*
Back Travel Limiter (6 positions)	*	*	*	*
General Dimensions				
Seat width	18-1/8"	18-1/8”	18-1/8”	18-1/8”
Seat depth	17" - 20”	17” - 20”	17” - 20”	17” - 20”
Seat height	21-3/4” - 29-1/2”	21-3/4” - 29-1/2”	21-3/4” - 29-1/2”	21-3/4” - 29-1/2”
Back width	16-1/8"	16-1/8”	16-1/8”	16-1/8”
Back height (above seat)	21-3/8”	21-3/8”	21-3/8”	21-3/8”
Inside arm distance		20"	16"- 19-7/8”	19-1/2”
Arm height (from floor)		28-1/4" - 39-3/4"	29-1/4" - 40”	26-1/2” - 31-1/2”
Overall Dimensions				
Width	26"	26"	26"	26”
Depth	26"	26"	26"	26”
Height	42-3/4" - 50-1/2"	42-3/4” - 50-1/2”	42-3/4” - 50-1/2”	42-3/4” - 50-1/2”
Base diameter	26” dia	26” dia	26” dia	26” dia



Mechanism

Basic Syncrotilt Mechanism

The mechanism housing is constructed of stamped steel, shrouded with a black plastic trim cover. Seat height lever adjusts the pneumatic cylinder with 4 1/2” of travel, from 17 1/2” to 22”. The backrest tension knob has seven distinct adjustment positions. The backrest travel knob has five tilt-stop positions, from upright to full recline. The seat depth lever provides for 3” of seat front-to-backrest travel, from 17” to 20”.

Advanced Syncrotilt Mechanism

The mechanism housing is constructed of stamped steel, shrouded with a black plastic trim cover. Seat height lever adjusts the pneumatic cylinder with 4 1/2” of travel, from 17 1/2” to 22”. The backrest tension knob has seven distinct adjustment positions. The backrest travel knob has five tilt-stop positions, from upright to full recline. The seat depth lever provides for 3” of seat front to backrest travel, from 17” to 20”. Full rotation of the backrest angle knob clicks into 48 distinct micro-positions, equaling 7-degrees of total change. The forward tilt lever is inward of the backrest travel knob and flips down to adjust forward tilt angle, then recline the backrest until a click sound is heard to engage the 2-degrees of forward seat angle change. Flip the forward tilt lever up, recline against the backrest and hear a click sound to return the seat to level.

Seat

Plywood seat board with high resiliency (HR) foam with simple waterfall front edge. Optional seat depth adjustment range of 3”.

Backrest

Reinforced nylon frame available in black or grey, with mesh insert available in black, blue, or grey. An upholstered option is available to cover the front of the mesh, for added comfort and aesthetic choices, which uses a 1.15 lb polyurethane open cell cut foam, that passed CA TB-I77 standard. The back of the upholstered backrest is always black mesh. The backrest upholstery is evenly tensioned and stapled over the top of the foam and mesh, then clamped between the inner and outer nylon frame.

Base

Chair and stool have an injection-molded, glass-reinforced black or cool grey nylon 5-blade base or a polished die-cast aluminum 5-blade base. The chair and stool cylinders are available in either Black or Chrome.

Casters

Casters are 55 mm O.D., double-wheel high-impact thermoplastic, and are designed for use on both commercial carpet and hard floor.

Chair and stool have an injection-molded, glass-reinforced black or cool grey nylon 5-blade base or a polished die-cast aluminum 5-blade base. The chair and stool cylinders are available in either Black or Chrome.

Casters

Casters are 55 mm O.D., double-wheel high-impact thermoplastic, and are designed for use on both commercial carpet and hard floor.

Foot Ring

Task stools are equipped with an adjustable-height foot ring, consisting of a die-cast aluminum hub, four spokes, and a 20” diameter tubular steel ring. Black in color.

Arms

Optional height-adjustable arms are molded in black reinforced plastic with molded black polyurethane arm caps. Armrests mount directly to the seat board.

1D Arms

1D Arms are height-adjustable with a range of 6 1/2” to 14 3/4” above the seat.

4D Arms

4D Arms are two-way adjustable, by width and height. Forward-slanting arms with ergonomic, maximum mobility arm top (button-activated and lockable arm pad; 3 7/8” side-to-side, 2” forward and back, and pivoting). Adjustable height ranges from 7 1/2” to 15” above the seat.

Conference Arms

Conference arms are made of ADC 12 aluminum and go through a 5-step polishing process to achieve a mirror finish. Each arm features a leather covered arm pad consisting of a plastic upholstery liner and 6 mm thick foam pad. Conference arms are not adjustable.


Adjustable Lumbar

Adjustable lumbar is optional on all Signia chairs. Framework is of polyurethane and lumbar pad is upholstered over a foam pad of 3/4” nominal thickness. Upholstery is 100% polyester and is tested to exceed 1,000,000 double rubs. The lumbar pad is 8 1/2” wide by 5 3/4” high and has a height-adjustment range of 2 1/2”. Lumbar pad and framework are available in black or cool grey.


Compliance

Passes BIFMA x5.1-2017 and KI’s internal standard testing for 300-pound capacity.


Signia Mesh Back Task Chairs




Basic Syncrotilt
Armless
KISN86M0



Basic Syncrotilt
1D Arms
KISN86MB




Basic Syncrotilt
4D Arms
KISN86MC2



Basic Syncrotilt
Conference Arms
KISN86MM



Advanced Syncrotilt
Armless
KISN88M0



Advanced Syncrotilt
1D Arms
KISN88MB




Advanced Syncrotilt
4D Arms
KISN88MC2




Advanced Syncrotilt
Conference Arms
KISN88MM


Signia Mesh Back Task Stools




Basic Syncrotilt
Armless
KISN96M0



Basic Syncrotilt
1D Arms
KISN96MB




Basic Syncrotilt
4D Arms
KISN96MC2




Basic Syncrotilt
Conference Arms
KISN96MM


Signia Upholstered Back Task Chairs



Basic Syncrotilt
Armless
KISN86F0




Basic Syncrotilt
1D Arms
KISN86FB



Basic Syncrotilt
4D Arms
KISN86FC2




Basic Syncrotilt
Conference Arms
KISN86FM




Advanced Syncrotilt
Armless
KISN88F0



Advanced Syncrotilt
1D Arms
KISN88FB




Advanced Syncrotilt
4D Arms
KISN88FC2




Advanced Syncrotilt
Conference Arms
KISN88FM


Signia Upholstered Back Task Stools




Basic Syncrotilt
Armless
KISN96F0



Basic Syncrotilt
1D Arms
KISN96FB




Basic Syncrotilt
4D Arms
KISN96FC2




Basic Syncrotilt
Conference Arms
KISN96FM

DIMENSIONS


Signia Armless Task Chairs - (model KISN88F0 shown)




Signia Task Arm Chairs - 1D Arms - (model KISN88FB shown)




Signia Task Arm Chairs - 4D Arms - (model KISN88FC2 shown)




Signia Task Arm Chairs - Conference Arms - (model KISN88FM shown)




Signia Task Arm Stool - 1D Arms - (model KISN96FB shown)






Signia Lumbar Adjustable - (model KISN88F0 shown)



Signia Task Arm Stools - Conference Arms - (model KISN96FM shown)





Mesh Color

Black	SBL
Blue	SBU
Grey	SCG

Base Finish

Aluminum base	A
Black plastic base	P
Cool Grey plastic base	CG



*Polished Aluminum requires an upcharge.

Back/Arm Frame Finish

Black	BLBR
Cool Grey	CGBR

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.



		MODEL NUMBER															
		Basic Model	Fire Code	Mesh Color	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Seat Upholstery								
Features										Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
 SG8M0 Basic Synchrotilt Task Chair, Mesh Back, Armless <ul style="list-style-type: none">• Mesh back• 3-1/2" thick upholstered seat• Dual surface caster• 400 pound weight rating• 24/7 multi-shift use	Armless	KISN86M0	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	52.0#	\$ 850	\$ 854	\$ 862	\$ 907	\$ 960	\$ 1018	\$ 1037
 SG8MM Basic Synchrotilt Task Chair, Mesh Back, Conference Arms <ul style="list-style-type: none">• Polished reverse cantilever arm with black leather arm pad• Mesh back• 3-1/2" thick upholstered seat• Dual surface caster• 400 pound weight rating• 24/7 multi-shift use	Fixed Conference Arms	KISN86MM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	57.0#	\$ 1082	\$ 1086	\$ 1094	\$ 1139	\$ 1192	\$ 1250	\$ 1269
		A	B	C	D	E	F	G	H								

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133
- C**Select mesh color.

SBL

- Black

SBU

- Blue

SCG

- Grey

Refer to ki.com/fabrics
- D**Select lumbar support.

NLS

- No lumbar support

WLS

- With lumbar support; add \$136

- F**Select back/arm frame finish.
Refer to the **Product Color Options** page in this price list.
NOTE: Only select if polished aluminum base.
- G**Select caster.

MSC

- Multi-surface caster
- H**Select seat upholstery.
Refer to ki.com/fabrics

ESelect base finish.
Refer to the **Product Color Options** page in this price list.
*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

UPHOLSTERY INFORMATION

C.O.M. Upholstery
Mesh Back: C.O.M. requirement for 10 or less mesh back chairs is 1 yard of 54” wide nondirectional fabric. For orders of 11 or more mesh back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see “Ordering Customer’s Own Material (C.O.M) Upholstery” section.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																	
		Basic Model	Fire Code	Mesh Color	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Seat Upholstery										
MODEL		Features	Basic Model	Fire Code	Mesh Color	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Seat Upholstery	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	
	Basic Synchrotilt Task Chair, Mesh Back, 1D Arms <ul style="list-style-type: none">• 1D (height adjustable) arm• Mesh back• 3-1/2" thick upholstered seat• Dual surface caster• 400 pound weight rating• 24/7 multi-shift use	1D Arms	KISN86MB	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	56.0#	\$ 895	\$ 899	\$ 907	\$ 952	\$ 1005	\$ 1063	\$ 1082	
SG8M1																			
	Basic Synchrotilt Task Chair, Mesh Back, 4D Arms <ul style="list-style-type: none">• 4D (height, width, pivot, length) arm• Mesh back• 3-1/2" thick upholstered seat• Dual surface caster• 400 pound weight rating• 24/7 multi-shift use	4D Arms	KISN86MC2	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	58.0#	\$ 1024	\$ 1028	\$ 1036	\$ 1081	\$ 1134	\$ 1192	\$ 1211	
SG8M4																			
			A	B	C	D	E	F	G	H									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133
- C**Select mesh color.

SBL

- Black

SBU

- Blue

SCG

- Grey

Refer to [ki.com/fabrics](#)
- D**Select lumbar support.

NLS

- No lumbar support

WLS

- With lumbar support; add \$136
- E**Select base finish.

Refer to the **Product Color Options** page in this price list.

*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum

base is selected, a back/arm color selection is required.

- F**Select back/arm frame finish.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.
- G**Select caster.

MSC

- Multi-surface caster
- H**Select seat upholstery.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
Mesh Back: C.O.M. requirement for 10 or less mesh back chairs is 1 yard of 54" wide nondirectional fabric. For orders of 11 or more mesh back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER															
		Basic Model	Fire Code	Mesh Color	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Seat Upholstery								
Features										Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
 SG8M0 Advanced Synchronitilt Task Chair, Mesh Back, Armless <ul style="list-style-type: none">• Mesh back• 3-1/2" thick upholstered seat• Dual surface caster• 400 pound weight rating• 24/7 multi-shift use	Armless	KISN88M0	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	54.0#	\$ 991	\$ 995	\$ 1003	\$ 1048	\$ 1101	\$ 1159	\$ 1178
 SG8MM Advanced Synchronitilt Task Chair, Mesh Back, Conference Arms <ul style="list-style-type: none">• Polished reverse cantilever arm with black leather arm pad• Mesh back• 3-1/2" thick upholstered seat• Dual surface caster• 400 pound weight rating• 24/7 multi-shift use	Fixed Conference Arms	KISN88MM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	59.0#	\$ 1223	\$ 1227	\$ 1235	\$ 1280	\$ 1333	\$ 1391	\$ 1410

A

B

C

D

E

F

G

H

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

Select basic model.

B

Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133

C

Select mesh color.

D

Select lumbar support.

NLS

- No lumbar support

WLS

- With lumbar support; add \$136

E

Select base finish.

Refer to the **Product Color Options** page in this price list.

*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

F

Select back/arm frame finish.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.

G

Select caster.

MSC

- Multi-surface caster

H

Select seat upholstery.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
Mesh Back: C.O.M. requirement for 10 or less mesh back chairs is 1 yard of 54” wide nondirectional fabric. For orders of 11 or more mesh back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see “Ordering Customer’s Own Material (C.O.M) Upholstery” section.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER															
		Basic Model	Fire Code	Mesh Color	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Seat Upholstery								
	MODEL	Features															
	Advanced Synchrotilt Task Chair, Mesh Back, 1D Arms	1D Arms	KISN88MB	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>								
	<ul style="list-style-type: none">• 1D (height adjustable) arm• Mesh back• 3-1/2" thick upholstered seat• Dual surface caster• 400 pound weight rating• 24/7 multi-shift use																
SG8M1																	
	MODEL	Features															
	Advanced Synchrotilt Task Chair, Mesh Back, 4D Arms	4D Arms	KISN88MC2	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>								
	<ul style="list-style-type: none">• 4D (height, width, pivot, length) arm• Mesh back• 3-1/2" thick upholstered seat• Dual surface caster• 400 pound weight rating• 24/7 multi-shift use																
SG8M4																	
			A	B	C	D	E	F	G	H							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133
- C**Select mesh color.

SBL

- Black

SBU

- Blue

SCG

- Grey

Refer to ki.com/fabrics
- D**Select lumbar support.

NLS

- No lumbar support

WLS

- With lumbar support; add \$136
- E**Select base finish.

Refer to the **Product Color Options** page in this price list.

*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum

base is selected, a back/arm color selection is required.

- F**Select back/arm frame finish.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.
- G**Select caster.

MSC

- Multi-surface caster
- H**Select seat upholstery.

Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

C.O.M. Upholstery
Mesh Back: C.O.M. requirement for 10 or less mesh back chairs is 1 yard of 54” wide nondirectional fabric. For orders of 11 or more mesh back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see “Ordering Customer’s Own Material (C.O.M) Upholstery” section.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



	Features	MODEL NUMBER															
		Basic Model	Fire Code	Mesh Color	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Seat Upholstery	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
 SG9M0 Basic Synchrotilt Task Stool, Mesh Back, Armless <ul style="list-style-type: none">• Mesh back• 3-1/2" thick upholstered seat• Dual surface caster• 400 pound weight rating• Seat height range of 21-3/4" - 29-1/2"• 24/7 multi-shift use	Armless	KISN96M0	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	58.0#	\$ 952	\$ 956	\$ 964	\$ 1009	\$ 1062	\$ 1120	\$ 1139
 SG9MM Basic Synchrotilt Task Stool, Mesh Back, Conference Arms <ul style="list-style-type: none">• Polished reverse cantilever arm with black leather arm pad• Mesh back• 3-1/2" thick upholstered seat• Dual surface caster• 400 pound weight rating• Seat height range of 21-3/4" - 29-1/2"• 24/7 multi-shift use	Fixed Conference Arms	KISN96MM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	63.0#	\$ 1184	\$ 1188	\$ 1196	\$ 1241	\$ 1294	\$ 1352	\$ 1371
		A	B	C	D	E	F	G	H								

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133

CSelect mesh color.

Refer to [ki.com/fabrics](#)

DSelect lumbar support.

NLS

- No lumbar support

WLS

- With lumbar support; add \$136

ESelect base finish.

Refer to the **Product Color Options** page in this price list.

*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

FSelect back/arm frame finish.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.

GSelect caster.

MSC

- Multi-surface caster

HSelect seat upholstery.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
Mesh Back: C.O.M. requirement for 10 or less mesh back chairs is 1 yard of 54" wide nondirectional fabric. For orders of 11 or more mesh back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		Features	MODEL NUMBER															
			Basic Model	Fire Code	Mesh Color	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Seat Upholstery								
	Basic Synchrotilt Task Stool, Mesh Back, 1D Arms <ul style="list-style-type: none">• 1D (height adjustable) arm• Mesh back• 3-1/2" thick upholstered seat• Dual surface caster• 400 pound weight rating• Seat height range of 21-3/4" - 29-1/2"• 24/7 multi-shift use	1D Arms	KISN96MB	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	62.0#	\$ 995	\$ 999	\$ 1007	\$ 1052	\$ 1105	\$ 1163	\$ 1182
SG9M1																		
	Basic Synchrotilt Task Stool, Mesh Back, 4D Arms <ul style="list-style-type: none">• 4D (height, width, pivot, length) arm• Mesh back• 3-1/2" thick upholstered seat• Dual surface caster• 400 pound weight rating• Seat height range of 21-3/4" - 29-1/2"• 24/7 multi-shift use	4D Arms	KISN96MC2	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	64.0#	\$ 1126	\$ 1130	\$ 1138	\$ 1183	\$ 1236	\$ 1294	\$ 1313
SG9M4																		
			A	B	C	D	E	F	G	H								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133
- C**Select mesh color.
- Refer to [ki.com/fabrics](#)
- D**Select lumbar support.

NLS

- No lumbar support

WLS

- With lumbar support; add \$136
- E**Select base finish.

Refer to the **Product Color Options** page in this price list.

*add \$130 for polished aluminum base.

- F**Select back/arm frame finish.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.
- G**Select caster.

MSC

- Multi-surface caster
- H**Select seat upholstery.

Refer to [ki.com/fabrics](#)

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

Mesh Back: C.O.M. requirement for 10 or less mesh back chairs is 1 yard of 54" wide nondirectional fabric. For orders of 11 or more mesh back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

			MODEL NUMBER														
			Basic Model	Fire Code	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Upholstery Color								
MODEL	Features									Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Basic Synchrotilt Task Chair, Fabric Back, Armless	Armless	KISN86F0	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	52.0#	\$ 979	\$ 983	\$ 991	\$ 1036	\$ 1089	\$ 1147	\$ 1166
	<ul style="list-style-type: none">Fabric cushioned front/black mesh back3-1/2" thick upholstered seatDual surface caster400 pound weight rating24/7 multi-shift use																
SG8F0																	
	Basic Synchrotilt Task Chair, Fabric Back, Conference Arms	Fixed Conference Arms	KISN86FM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	57.0#	\$ 1211	\$ 1215	\$ 1223	\$ 1268	\$ 1321	\$ 1379	\$ 1398
	<ul style="list-style-type: none">Polished reverse cantilever arm with black leather arm padFabric cushioned front/black mesh back3-1/2" thick upholstered seatDual surface caster400 pound weight ratingSeat height range of 21-3/4" - 29-1/2"24/7 multi-shift use																
SG8FM																	
			A	B	C	D	E	F	G								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133
- C**Select lumbar support.

NLS

- No lumbar support

WLS

- With lumbar support; add \$136
- D**Select base finish.

Refer to the **Product Color Options** page in this price list.

*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

- E**Select back/arm frame finish.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.
- F**Select caster.

MSC

- Multi-surface caster
- G**Select upholstery color.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

C.O.M. Upholstery

Fabric Back: C.O.M. requirement for 10 or less fabric back chairs is 2 yards of 54" wide nondirectional fabric. For orders of 11 or more fabric back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information



N/C

Shipping

Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER															
		Basic Model	Fire Code	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Upholstery Color									
MODEL	Features								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	
	Basic Synchrotilt Task Chair, Fabric Back, 1D Arms	1D Arms	KISN86FB	□□□	□□□	□□	□□□□	MSC	□□□□	56.0#	\$ 1022	\$ 1026	\$ 1034	\$ 1079	\$ 1132	\$ 1190	\$ 1209
	• 1D (height adjustable) arm																
	• Fabric cushioned front/black mesh back																
	• 3-1/2" thick upholstered seat																
	• Dual surface caster																
	• 400 pound weight rating																
• 24/7 multi-shift use																	
SG8F1																	
	Basic Synchrotilt Task Chair, Fabric Back, 4D Arms	4D Arms	KISN86FC2	□□□	□□□	□□	□□□□	MSC	□□□□	58.0#	\$ 1154	\$ 1158	\$ 1166	\$ 1211	\$ 1264	\$ 1322	\$ 1341
	• 4D (height, width, pivot, length) arm																
	• Fabric cushioned front/black mesh back																
	• 3-1/2" thick upholstered seat																
	• Dual surface caster																
	• 400 pound weight rating																
• 24/7 multi-shift use																	
SG8F4																	
		A	B	C	D	E	F	G									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect fire code.

CSelect lumbar support.

DSelect base finish.

ESelect back/arm frame finish.

FSelect caster.

GSelect upholstery color.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

NOTE: *add \$130 for polished aluminum base.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

Fabric Back: C.O.M. requirement for 10 or less fabric back chairs is 2 yards of 54” wide nondirectional fabric. For orders of 11 or more fabric back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see “Ordering Customer’s Own Material (C.O.M) Upholstery” section.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER														
			Basic Model	Fire Code	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Upholstery Color								
MODEL	Features								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	
	Advanced Synchrotilt Task Chair, Fabric Back, Armless <ul style="list-style-type: none">Fabric cushioned front/black mesh back3-1/2" thick upholstered seatDual surface caster400 pound weight rating24/7 multi-shift use	Armless	KISN88F0	□□□	□□□	□□	□□□□	MSC	□□□□	54.0#	\$ 1121	\$ 1125	\$ 1133	\$ 1178	\$ 1231	\$ 1289	\$ 1308
SG8F0																	
	Advanced Synchrotilt Task Chair, Fabric Back, Conference Arms <ul style="list-style-type: none">Polished reverse cantilever arm with black leather arm padFabric cushioned front/black mesh back3-1/2" thick upholstered seatDual surface caster400 pound weight ratingSeat height range of 21-3/4" - 29-1/2"24/7 multi-shift use	Fixed Conference Arms	KISN88FM	□□□	□□□	□□	□□□□	MSC	□□□□	59.0#	\$ 1353	\$ 1357	\$ 1365	\$ 1410	\$ 1463	\$ 1521	\$ 1540
SG8FM																	
			A	B	C	D	E	F	G								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133
- C**Select lumbar support.

NLS

- No lumbar support

WLS

- With lumbar support; add \$136
- D**Select base finish.

Refer to the **Product Color Options** page in this price list.

*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

- E**Select back/arm frame finish.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.
- F**Select caster.

MSC

- Multi-surface caster
- G**Select upholstery color.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery
Fabric Back: C.O.M. requirement for 10 or less fabric back chairs is 2 yards of 54” wide nondirectional fabric. For orders of 11 or more fabric back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see “Ordering Customer’s Own Material (C.O.M) Upholstery” section.



SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER															
		Basic Model	Fire Code	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Upholstery Color									
MODEL	Features								Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	
	Advanced Synchrotilt Task Chair, Fabric Back, 1D Arms <ul style="list-style-type: none">• 1D (height adjustable) arm• Fabric cushioned front/black mesh back• 3-1/2" thick upholstered seat• Dual surface caster• 400 pound weight rating• 24/7 multi-shift use	1D Arms	KISN88FB	□□□	□□□	□□	□□□□	MSC	□□□□	58.0#	\$ 1161	\$ 1165	\$ 1173	\$ 1218	\$ 1271	\$ 1329	\$ 1348
SG8F1																	
	Advanced Synchrotilt Task Chair, Fabric Back, 4D Arms <ul style="list-style-type: none">• 4D (height, width, pivot, length) arm• Fabric cushioned front/black mesh back• 3-1/2" thick upholstered seat• Dual surface caster• 400 pound weight rating• 24/7 multi-shift use	4D Arms	KISN88FC2	□□□	□□□	□□	□□□□	MSC	□□□□	60.0#	\$ 1290	\$ 1294	\$ 1302	\$ 1347	\$ 1400	\$ 1458	\$ 1477
SG8F4																	
		A	B	C	D	E	F	G									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

CSelect lumbar support.

NLS	- No lumbar support
WLS	- With lumbar support; add \$136

DSelect base finish.

Refer to the **Product Color Options** page in this price list.

*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

ESelect back/arm frame finish.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.

FSelect caster.

MSC - Multi-surface caster

GSelect upholstery color.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery

Fabric Back: C.O.M. requirement for 10 or less fabric back chairs is 2 yards of 54" wide nondirectional fabric. For orders of 11 or more fabric back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see “Ordering Customer’s Own Material (C.O.M) Upholstery” section.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER														
		Basic Model	Fire Code	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Upholstery Color								
	MODEL															
	Features															
	Basic Synchrotilt Task Stool, Fabric Back, Armless	KISN96F0	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>								
	Armless															
	<ul style="list-style-type: none">Fabric cushioned front/black mesh back3-1/2" thick upholstered seatDual surface caster400 pound weight ratingSeat height range of 21-3/4" - 29-1/2"24/7 multi-shift use															
SG9F0																
	MODEL															
	Features															
	Basic Synchrotilt Task Stool, Fabric Back, Conference Arms	KISN96FM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	MSC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>								
	Fixed Conference Arms															
	<ul style="list-style-type: none">Polished reverse cantilever arm with black leather arm padFabric cushioned front/black mesh back3-1/2" thick upholstered seatDual surface caster400 pound weight ratingSeat height range of 21-3/4" - 29-1/2"24/7 multi-shift use															
SG9FM																
		A	B	C	D	E	F	G								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133
- C**Select lumbar support.

NLS

- No lumbar support

WLS

- With lumbar support; add \$136
- D**Select base finish.

Refer to the **Product Color Options** page in this price list.

*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

- E**Select back/arm frame finish.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.
- F**Select caster.

MSC

- Multi-surface caster
- G**Select upholstery color.

Refer to [ki.com/fabrics](https://www.ki.com/fabrics)

UPHOLSTERY INFORMATION

C.O.M. Upholstery

Fabric Back: C.O.M. requirement for 10 or less fabric back chairs is 2 yards of 54" wide nondirectional fabric. For orders of 11 or more fabric back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see “Ordering Customer’s Own Material (C.O.M) Upholstery” section.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER														
		Basic Model	Fire Code	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Upholstery Color								
	MODEL															
	Features															
	1D Arms	KISN96FB	□□□	□□□	□□	□□□□	MSC	□□□□	62.0#	\$ 1122	\$ 1126	\$ 1134	\$ 1179	\$ 1232	\$ 1290	\$ 1309
	Basic Synchrotilt Task Stool, Fabric Back, 1D Arms															
	• 1D (height adjustable) arm															
	• Fabric cushioned front/black mesh back															
	• 3-1/2" thick upholstered seat															
SG9FB	• Dual surface caster															
	• 400 pound weight rating															
	• Seat height range of 21-3/4" - 29-1/2"															
	• 24/7 multi-shift use															
	MODEL															
	Features															
	4D Arms	KISN96FC2	□□□	□□□	□□	□□□□	MSC	□□□□	64.0#	\$ 1256	\$ 1260	\$ 1268	\$ 1313	\$ 1366	\$ 1424	\$ 1443
	Basic Synchrotilt Task Stool, Fabric Back, 4D Arms															
	• 4D (height, width, pivot, length) arm															
	• Fabric cushioned front/black mesh back															
	• 3-1/2" thick upholstered seat															
SG9F4	• Dual surface caster															
	• 400 pound weight rating															
	• Seat height range of 21-3/4" - 29-1/2"															
	• 24/7 multi-shift use															
		A	B	C	D	E	F	G								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133

CSelect lumbar support.

NLS

- No lumbar support

WLS

- With lumbar support; add \$136

DSelect base finish.

Refer to the **Product Color Options** page in this price list.

*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

ESelect back/arm frame finish.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.

FSelect caster.

MSC

- Multi-surface caster

GSelect upholstery color.

Refer to [ki.com/fabrics](#)

UPHOLSTERY INFORMATION

C.O.M. Upholstery

Fabric Back: C.O.M. requirement for 10 or less fabric back chairs is 2 yards of 54" wide nondirectional fabric. For orders of 11 or more fabric back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see “Ordering Customer’s Own Material (C.O.M) Upholstery” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2023 Krueger International, Inc. All Rights Reserved.