

GENESIS® DESKING

PRICE LIST

EFFECTIVE APRIL 2, 2025 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Genesis® E)esking		
	General Information		3
Genesis® S	Specifications		4
Genesis® E)esking		
	Product Color Options		5
Genesis® V	Vorksurfaces		
	Basic Rectangular		6
	Tripod Corner Fixed Height		11
	Tripod Corner Pin and Crank	• ,	12
	Tripod Corner Electric Height		14
	Reduction Tripod Corner Fixe	· ·	16
	Reduction Tripod Corner Pin		18
	Reduction Tripod Corner Crar	• •	19
	Reduction Tripod Corner Elec	tric Height Adjustable	20
	Square Shoe Fixed Height	atalia a	28
	Square Shoe Pin Height Adju		30 31
	Square Shoe Crank Height Ac Square Shoe Electric Height A	•	32
	Reduction Square Shoe Fixed		40
	Reduction Square Shoe Pin H	· ·	42
	Reduction Square Shoe Cran	,	43
	Reduction Square Shoe Elect	• •	44
	"P" Shaped Peninsula	no noight najaotabio	52
	Arcade Peninsula		54
	Two-Legged Corner		56
Balance® S	Storage and Accessories		
	Overhead Storage		39
	Balance® Accessories		40
Universal	Storage and Accessories		
	Overhead Storage		41
	LED Task Lights		42
	Accessories		44
Storage Ac			
	Paper Management		45
Accessorie			
	Privacy Screens		47
	Electrical		52
Accessorie	s Worksurfaces		56





Freestanding Design

Features	
Rectangular worksurface	•
Corner worksurface	•
Peninsula worksurface	•
Fixed-height base	•
Pin-adjustable base	•
Crank-adjustable base	•
Electric-adjustable base	•
Wire management	•

Modesty panel



INFORMATION

ANSI Requirements
All fixed and adjustable tables meet or exceed ANSI/BIFMA 1998 requirements for desk products. The adjustable tables meet the ANSI/HFS 100-1988 standard for adjustability and knee clearance.

ADA Requirements

The tables meet the ADA specification for wheelchair access and height of surfaces.

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com



Genesis tables are available in fixed height as well as adjustable. All fixed and adjustable tables meet or exceed ANSI/BIFMA 1998 requirements for desk products. The adjustable tables meet the ANSI/HFS 100-1988 standard for adjustability and knee clearance. The tables meet the ADA specifications for wheelchair access and height of surfaces. The metal components of Genesis tables are powder coated for appearance and durability. All plastic components are color matched in accordance with the KI color program.

TABLE BASE SPECIFICATIONS

Fixed-Height Tables

Each leg assembly is comprised of a 2" x 3" x 14-gauge steel tube that is welded to a steel foot. and on the other end, to worksurface support. The 14-gauge, draw-formed foot provides strength and room for carpet levelers in a low profile. sculpted component. The worksurface support is an 11-gauge steel, draw-formed component that provides high strength to support large, cantilevered loads. Extruded aluminum covers are attached to the front and back of the upright tubing. Leg assemblies are modified in the factory so that finished heights with glides is 29".

Pin-Adjustable Tables

Each leg assembly is comprised of 1-3/8" x 2-3/4" x 16-gauge steel tube that telescopes inside a 2" x 3" x 14-gauge steel outer leg tube. Nylon bushings ensure a smooth, telescoping action between the tubes. A 14-gauge, draw-formed foot is welded to the outer leg tube, and provides strength and room for carpet levelers in a low profile, sculpted component. An 11-gauge steel, draw-formed worksurface support is welded to the inner tube, and provides strength to support large, cantilevered loads. Extruded aluminum covers are attached to the front and back of the upright tubing for visual appeal. A spring steel button, protruding through holes in both tubes, allows for adjustment in one-inch increments from 24" to 31".

Crank-Adjustable Tables

Each leg assembly is comprised of 1-3/8" x 2-3/4" x 16-gauge steel tube that telescopes inside a 2" x 3" x 14-gauge steel outer leg tube. Nylon bushings ensure a smooth, telescoping action between the tubes. A 14-gauge, draw-formed foot is welded to the outer leg tube, and provides strength and room for carpet levelers in a low profile, sculpted component. An 11-gauge steel, draw-formed worksurface support is welded to the inner tube, and provides strength to support large, cantilevered loads on the worksurface. Extruded aluminum covers are attached to the front and back of the upright tubing for visual appeal. The table is manually adjustable from 22" to 33" or 27" to 43" by turning a crank. The crank raises or lowers the table at a rate of 1 inch per 10 revolutions. A lifting mechanism inside of each leg provides a uniform lifting force to the worksurface, regardless of the loading condition. Each mechanism is comprised of a steel acme-threaded rod turning through a delrin lead nut. The delrin nut provides a silent operation, low friction, and excellent wear characteristics. The acme rods deliver a lifting force to the underside of the surface supports. Precision needle roller bearings provide a smooth quiet interface between the rotating acme rods and the surface supports. The lifting mechanisms

are synchronized via a 1/4" pitch roller chain that spans the distance between the table legs. The chain engages each acme-threaded rod through a delrin sprocket that is attached to the rod.

Electric-Adjustable Tables

Each leg assembly is comprised of a triple telescoping steel tube with an overall dimension of 4.3" x 2.28" Extruded aluminum covers are attached to the back of the upright tubing for visual appeal. The table is electrically adjustable from 24" to 51" by pressing a button. Motors raise or lower the table at a rate of 1.4 inches per second. The motors drive a lifting mechanism inside of each leg to provide a uniform lifting force to the worksurface, regardless of the loading condition. The parallel connectors synchronize the motors electronically. The controller keeps track of each motor revolution, and ensures that the motors remain in perfect synchronization. The user interface occurs at the switch. The basic controller includes up/down buttons and three memory presets. The deluxe also includes a digital display indicating the height of the worksurface.

WORKSURFACE SPECIFICATIONS

74P. EP and KN Worksurfaces

74P, elliptical-postform (EP) and Knife-edge (KN) worksurfaces are constructed of 1-1/8" thick, 45-pound density particleboard. A .030" minimum thickness laminate provides a durable writing surface. The backer is a .030" minimum thickness melamine sheet. This provides a balanced construction that gives greater strength and prevents warping. All mounting holes are pre-drilled for easier table assembly and maximum holding power. A steel channel is provided for extra structure on tables with unsupported spans over 51". The 74P and KN surfaces are available in curvilinear or traditional shapes. The elliptical-postform surfaces are available in traditional shapes.

MP Worksurfaces

Membrane pressed worksurfaces are constructed of 1-1/8" thick, high-density fiberboard. A .021" thick vinyl foil sheet is applied to the core under heat and pressure. The vinvl foil includes a .005" thick urethane topcoat for surface protection. All mounting holes are pre-drilled for easier table assembly and maximum holding power. A steel channel is provided for extra structure on tables with unsupported spans over 51". Membrane pressed worksurfaces are available in curvilinear or transitional shapes. Peninsula and square shoe shapes are not available

Powder-Coated Finish

Epoxy powder coating is electrostatically applied. The dry coating is then fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and

Wire Management Trough

Troughs are formed from 16-gauge cold rolled steel and powder coated to match the table base. Trough is 5" tall: width on the bottom of the trough is 3.9" and opens up to 6.4" at the top. On fixed-height tables, the wire management trough is attached to the back of the legs with 4 thread-forming screws.

Modesty Panel

Modesty panels are constructed of rigidized cold rolled steel, 18-gauge to 16-gauge in thickness. The 8" modesty panels are suspended from the worksurface via 11-gauge steel brackets. There is a 1" gap between the panels and the worksurface in order to pass wires, and the panels are inset from the back edge by 1". Modesty panels can be used on all types of Genesis Desking, regardless of adjustability. However, the modesty panel will conflict with a wire trough on adjustable tables and the two accessories should not be specified together. All corner tables and square shoes use two modesty panels along the back edges. Peninsula tables use one panel along the 48" back edge only so as not to interfere with conferencing

Universal and Balance Overhead-Note different stanchion for overhead

The overhead storage unit shall have door(s)

Balance Overhead Storage

that are mechanically assisted in such a way as to keep the door(s) balanced throughout its operation such that the action of both opening and closing is automatically controlled such that the door doesn't spring open or slam closed. The overhead storage unit structure and mechanical assist mechanism shall have a Lifetime warranty. The overhead storage unit shall comply with the Americans with Disabilities Act ADA 4.2.5 and 4.2.6 whereby a user shall not reach higher than 48" from the floor to the front of the unit or no higher than 54" to the side. The overhead storage unit shall comply with the Americans with Disabilities Act ADA 4.27.4 whereby the door shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to operate the door (open and close) shall be no greater than five foot pounds. The door of the overhead storage unit shall open to the outside of the cabinet to help prevent the storage of unsightly papers on the top of the cabinet, yet there shall be a narrow space at the rear of the cabinet to allow plants or other small items to be displayed. The overhead storage unit shall accommodate standard American size three ring binders as well as A4 and Folscap sized binders, up to 13-3/4" high. The overhead storage unit shall be available with an upper door that can be upholstered in fabric as well as offered in solid colored, translucent, and high-pressure laminate.

Universal Overhead Cabinet

The product shall be offered in widths of 24", 30", 36", 42", 48", 54" and 60". The overall dimensions of the end panels shall be 16-1/2" high and 14-1/2" deep. The shelf depth shall be 13-1/4". Each cabinet shall include separate brackets, which allow for either on or off-module mounting. Off-module cabinet shall mount into slots in vertical posts. Cabinet must be same width as the panel to which it is mounted. Off-module cabinet shall mount into the integral track in the horizontal rail, allow ing cabinet to slide along track. Door fronts shall be offered in steel fabric and laminate versions with a dual-durometer extruded handle. The door front will operate on a rack and pinion gear system and will utilize a center lock mechanism. The door front will store recessed inside the

cabinet with the handle exposed. The steel door front shall be of honeycomb core constructions. with a powder coat finish. The construction of the fabric door front shall be identical to the steel door front except that the outer surface of the door front is covered with fabric. The laminate door front shall be high-pressure laminate covering a particleboard core. The overhead stanchions mount to the under surface of any fixed desk with overhead grommets.

Shelf Dividers

Shelf dividers shall be offered in the same color trim as the panels. The shelf dividers shall be powder coated steel. Installation and removal shall be accomplished without the use of tools or

Accessories

Task lights shall be available which suspend from the shelf and overhead cabinet. The task light shall mount flush with the underside of the shelf and overhead cabinet. Task lights shall be offered in standard panel trim colors. The task light shall have a 9' cord. Task lights will be available in three versions: standard high-power factor ballast. variable (high/low) high-power factor ballast and electronic ballast. All three options include a cool white lamp. Cords can be concealed by tucking between the reveal along tiles.

Privacy Screens

Privacy screens shall be available to provide sit down privacy or standup privacy within Genesis workstations. Screens shall be 3/4" thick, 18" through 38" high and available to fit all worksurfaces. Screens shall attach to the back of the legs providing a stationary height for the screen even when attached to an adjustable height desk. Screens are mounted 1" to 1-1/2" from the worksurface edge. Privacy screens shall be designed for straight-line applications. They shall include mounting brackets for attachment. Screens shall be available for straight applications in 24", 30", 36", 42", 48", 54", 60", 66" and 72" widths. The 66" and 72" widths shall consist of a pair of screens (1) 30" screen plus (1) 36" screen for the 66" application and (2) 36" screens with splice for 72" applications. Screens may be used to serve two worksurfaces placed hack-to-back Privacy screens shall be useable on worksurfaces with overhead storage units to close the opening between the worksurface and the bottom shelf. Privacy screens will consist of two different aluminum extrusion profiles. each with die-cast corner connectors to create a rectangular frame. The frames will be either upholstered or painted, depending on the options. Between the two assembled frames, different core materials can be inserted. The screen material shall be made of 1/2" or 3/4" thick tackable core light or a 10 mm thick non-tackable translucent plastic. The extruded aluminum frame shall be .060" thick. The attachment bracket shall be made of 7 gauge steel. End-of-run privacy screens shall be available in 24" and 30" widths to match the depth of the fixed height worksurface that it will be used on. End-of-run privacy screens attach to the underside of the worksurface End-of-run privacy screens shall have the same height and finishes as the regular privacy screens

10-Wire Electrical Distribution System

The 10-wire system is available in two configurations (6-2-2 and 4-4-2). The UL label is green for 6-2-2 and blue for 4-4-2 applications. These numbers refer to the quantity of hot, neutral and ground wires configured in each system. Both 6-2-2 and 4-4-2 systems may be brought into the system from the ceiling, the wall or the floor, through the use of top feeds and base feeds. Genesis 10-wire electrical will be able to integrate with KI's WireWorks panel system with the addition of the appropriate connectors. The 10wire electrical distribution system will consist of a 10-wire harness, table-to-table connectors and a 10-wire infeed kit. The 2.16" wide double-sided rigid 10-wire harness shall mount inside the wire management trough and shall be available in widths to span the worksurface. The 30" to 66" wide worksurface harness kit shall accommodate (2) 15 amp duplex receptacles and the 72" wide worksurface harness kit shall accommodate up to (4) 15 amp duplex receptacles. Receptacles shall be available to access the up to 6 circuits within the harness and must be ordered separately. Both 10-wire circuits are rated at 120 VAC@ 20 amps. All receptacles are rated at 15 amps. The specifics of each wiring configuration are detailed below.

Note: The two 10-wire systems (4-4-2 and 6-2-2) cannot be mixed together. The wiring systems must be separate. There are different receptacles for each system, and different connectors specific to each system. Keved connectors will not allow the 2 systems to be mixed.

6-2-2 Configuration

The 6-2-2 configuration of the 10-wire system will have three "convenience" circuits (1, 2 and 3) which will each have their own hot wire, will share an oversized neutral wire and will share the building ground wire. Circuits 4, 5 and 6 are "isolated ground" circuits that will each have their own hot wire, will share an oversized neutral wire, and will share an isolated ground wire. The advantage of this system is that it will be able to have 6 circuits coming in via one top feed or base feed. This will cut down on the number of feed points on an installation. The number 4, 5 and 6 receptacles will be colored orange to designate that they are on the isolated ground while the number 1 2 and 3 receptacles come in standard trim colors

4-4-2 Configuration

The 4-4-2 configuration of the 10-wire system will have two "convenience" circuits (1 and 2), which will each have their own hot wire, their own neutral wire and will share the building ground wire. Circuits 3 and 4 receptacles are the "isolated ground" which will each have their own hot wire, their own neutral wire, and will share an isolated ground wire. The advantage of this system is that all of the circuits will have their own neutral wires and it has two circuits (3 and 4) that use an isolated ground. The number 3 and 4 receptacles will be colored orange to designate that they are on the isolated ground, while the number 1 and 2 receptacles come in standard trim colors.

10-Wire Power Infeed Kit

The 10-wire power infeed kit shall provide power from fixed floor or wall sources to the 10-wire harness. It shall include 6' of plastic covered flexible conduit. To connect the hardwire end of a 10-wire

top feed or base feed to your building, use a 3/4" Romex connector on the conduit.

10-Wire Power Table-to-Table Connector

10-wire table-to-table connector shall consist of a sleeved flexible harness, which provides power connections from adjoining desks. The jumper shall have a length of 27".

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

Genesis® Desking Product Color Options



Genesis® Desking
Product Color Options

Laminate Selections for; Surface Finish, Baland Overhead Storage Upper Door and Universal Ov		Raleigh Walnut Solano Walnut	LRW LSG	Flannel edge/PowerUp Light Tone edge/PowerUp	EFN ELG	Balance Overhead Storage Upper Door Color		Blue Grey Clear	GR CL
Storage Door		Spruce Velvet	LSC	Misty Brown edge/PowerUp	EMY	Black	UBL	Cool Grey	CG
•		Oprudo vervet	200	Sand edge/PowerUp	ESA	Blue Grey	UGR	Light Tone	LG
Surface FinishGrade 1 Standard Laminate;		Edge Color for 74P Edge		Warm Grey edge/PowerUp	EWG	Cool Grey	UCG	Misty Brown	MY
Beigewood	LBZ	Akira edge/Sand PowerUp	EAK	warm droy ougon owerop	LWG	Light Tone	ULG	Sand	SA
Belair	LBQ	Beigewood edge/Black PowerUp	EBZ	Edge Color for KN Edge		Misty Brown	UMY	Warm Grey	WG
Biltmore Cherry	LBT	Belair edge/Black PowerUp	EBQ	Akira edge/Sand PowerUp	EAK	Sand	USA	Wallin Groy	WG
Black	LBK	Biltmore Cherry edge/Black PowerUp	EBT	Black edge/PowerUp	EBL	Translucent	UTR	Privacy Screens Paint Color	
Brighton Walnut	LBW	Black edge/PowerUp	EBL	Black Hills Oak edge/Black PowerUp	EBH	Warm Grey	UWG	Black	BL
Castle Oak	LC0	Black Hills Oak edge/Black PowerUp	EBH	Blue Grey edge/PowerUp	EGR	Wallin Groy	owa	Blue Grey	GR
Cherry Storm	LCX	Blue Grey edge/PowerUp	EGR	Cool Grey edge/PowerUp	ECG	Balance Overhead Storage Edge Color for Lamii	nate Door	Champagne Metallic	CM
Classic Linen	LCI	Brighton Walnut edge/Black PowerUp	EBW	Cumberland Walnut edge/Misty Brown PowerUp	ECJ	Black laminate door edge	EBL	Cool Grey	CG
Cocobala	LCC	Castle Oak edge/Black PowerUp	ECO	Dering Forest edge/Black PowerUp	EDF	Blue Grey laminate door edge	EGR	Earthen Clay	EY
Crisp Linen	LRI	Cherry Storm edge/Black PowerUp	ECX	Earthen Clay edge/Black PowerUp	EEY	Cool Grey laminate door edge	ECG	Espresso Metallic	EX
Designer White	LDR	Cocobala edge/Black PowerUp	ECC	Everglade Shade edge/Black PowerUp	EEV	Light Tone laminate door edge	ELG	Everglade Shade	EV
Dove Grey	LDG	Cool Grey edge/PowerUp	ECG	Fawn Cypress trim/Sand PowerUp	EFQ	Misty Brown laminate door edge	EMY	Flannel	FN
Florence Walnut	LFC	Cumberland Walnut edge/Misty Brown PowerUp	ECJ	Flannel edge/PowerUp	EFN	Sand laminate door edge	ESA	Hazy Jade	HJ
Friston Ash	LFH	Dering Forest edge/Black PowerUp	EDF	Frosty White edge/Light Tone PowerUp	EFW	Warm Grey laminate door edge	EWG	Honey Bee	НҮ
Frosty White	LFW	Designer White edge/Cool Grey PowerUp	EDR	Hartley Walnut edge/Warm Grey PowerUp	EHW			Light Tone	LG
Graphite Nebula	LGN	Earthen Clay edge/Black PowerUp	EEY	Hazy Jade edge/Black PowerUp	EHJ	Balance Overhead Storage Paint Color		Misty Brown	MY
Grey	LGE	Everglade Shade edge/Black PowerUp	EEV	Light Tone edge/PowerUp	ELG	Black	BL	Sand	SA
High Rise	LHE	Fawn Cypress trim/Sand PowerUp	EFQ	Misty Brown edge/PowerUp	EMY	Blue Grey	GR	Starlight Silver Metallic	SX
Hollyberry	LHY	Flannel edge/PowerUp	EFN	Rainforest edge/Black PowerUp	ERQ	Bronze Metallic	ZM	Twilight Shadow	TI
Island	LID	Florence Walnut edge/Black PowerUp	EFC	Raleigh Walnut edge/Sand PowerUp	ERW	Cayenne	CY	Warm Grey	WG
Italian Silver Ash	LIT	Friston Ash edge/Black PowerUp	EFH	Sand edge/PowerUp	ESA	Champagne Metallic	CM	Wallin Gloy	wa
Kensington Maple	LKM	Frosty White edge/Light Tone PowerUp	EFW	Solano Walnut edge/Black PowerUp	ESG	Cool Grey	CG	Electrical Door Color	
Lapis Blue	LLB	Hartley Walnut edge/Warm Grey PowerUp	EHW	Tarragon edge/Black PowerUp	ETQ	Cottonwood	CO	Black	DBL
Monticello Maple	LMT	Hazy Jade edge/Black PowerUp	EHJ	Twilight Shadow edge/Black PowerUp	ETI	Earthen Clay	EY	Blue Grey	DGR
North Sea	LNA	Italian Silver Ash edge/Black PowerUp	EIT		EVG	Espresso Metallic	EX	Light Tone	DLG
Ocean	LON	•	EKM	Valley Forge Elm edge/Misty Brown PowerUp	EWG	Everglade Shade	EV	Sand	DSA
Pinnacle Walnut	LPW	Kensington Maple edge/Black PowerUp		Warm Grey edge/PowerUp	EWR	Flannel	FN	Warm Grey	DWG
River Cherry	LRY	Light Tone edge/PowerUp	ELG EMY	White River Forest edge/Sand PowerUp	EWN	Glitz Metallic	GZ		
Shadow Zephyr	LSR	Misty Brown edge/PowerUp		Edge color selection will apply to the trim, edge, PowerUp	module	Hazy Jade	HJ	Electrical Receptacle Color	
Sterling Ash	LAZ	Monticello Maple edge/Black PowerUp	EMT	and crank grommet. Trim color does not apply to the men	mbrane	Honey Bee	HY	Black	BL
Titanium Evolv		Multiplex edge/Black PowerUp	EMB	edge selection.		Light Tone	LG	Blue Grey	GR
	LTV LWL	Pinnacle Walnut edge/Black PowerUp	EPW	Crank handle is Black only.		Misty Brown	MY	Cool Grey	CG
White Soud		Rainforest edge/Black PowerUp	ERQ	•		Nordic	ND	Light Tone	LG
White Sand	LWN	Raleigh Walnut edge/Sand PowerUp	ERW	Edge Color for MP Edge		Rainforest	RQ	Misty Brown	MY
Windsor Mahogany	LWY	River Cherry edge/Black PowerUp	ERY	New Rock Maple	MNR	Raw Jasper	RJ	Sand	SA
Surface FinishGrade 2 Standard Laminate		Sand edge/PowerUp	ESA	Speckled Grey	MGS	Sand	SA	Warm Grey	WG
Akira	LAK	Solano Walnut edge/Black PowerUp	ESG	Speckled Sand	MNS	Starlight Silver Metallic	SX	Balance and Hallanes I One hands I ask Onlaw	
Black Alicante	LBY	Sterling Ash edge/Black PowerUp	EAZ	The membrane color sections are only available on memb	rana	Tarragon	TQ	Balance and Universal Overheads Lock Color	
Black Hills Oak	LBH	Tarragon edge/Black PowerUp	ETQ	edges (MP).	Jiane	Twilight Shadow	TI	Black	BLL
Calcutta Marble	LCQ	Twilight Shadow edge/Black PowerUp	ETI			Warm Grey	WG	Satin Chrome	SCL
Dering Forest	LDF	Valley Forge Elm edge/Misty Brown PowerUp	EVG	Worksurface Base Finish and Electrical Base Fini	ish				
Fawn Cypress	LFQ	Warm Grey edge/PowerUp	EWG	Black w/black trough	BL	Universal Overhead Storage and Accessories Pa	aint Color		
Ice Mist	LIM	White River Forest edge/Sand PowerUp	EWR	Blue Grey w/blue grey trough	GR	Black	BL		
Markerboard White	LMK	Windsor Mahogany edge/Black PowerUp	EWY	Champagne Metallic w/light tone trough	CM	Blue Grey	GR		
Valley Forge Elm	LVF	Edge color selection will apply to the trim, edge, PowerUp	modula	Cool Grey w/cool grey trough	CG	Champagne Metallic	CM		
White River Forest	LWR	and crank grommet. Trim color does not apply to the mem		Espresso Metallic w/black trough	EX	Espresso Metallic	EX		
Wille nivel Folest	LVVN	edge selection.		Flannel w/black trough	FN	Light Tone	LG		
Surface FinishGrade 3 Standard Laminate		Woodgrain adda_arank grammat Crank handle in Plants	dv	Light Tone w/light tone trough	LG	Sand	SA		
Black Velvet	LBV	Woodgrain edge=crank grommet. Crank handle is Black or	ııy.	Misty Brown w/Misty Brown trough	MY	Starlight Silver Metallic	SX		
Cumberland Walnut	LCJ	Edge Color for EP Edge		Sand w/sand trough	SA	Warm Grey	WG		
Designer White Velvet	LDE	Black edge/PowerUp	EBL	Starlight Silver w/warm grey trough	SX	Cool Grey	CG		
Hartley Walnut	LHW	Blue Grey edge/PowerUp	EGR	Warm Grey w/warm grey trough	WG	Misty Brown	MY		
Nile Velvet	LNL	Cool Grey edge/PowerUp	ECG			•	****		
101701	LIVE	Seer and dayour own op	LUU	PowerUp module will match base color.		Paper Management Trim Color			



Genesis® Worksurfaces

		MODEL NUM	IBER																
											Approx.					Laminate Grade 2	Laminate Grade 3	Modesty Panel	Wire Trough
	D = W	Basic	Edge Module	Modesty	Wire	Overhead	Trans.			Surface	Packaged	74P Edge	Elliptical Postformed Edge	Knife Edge	Membrane Edge	add to list	add to list	add to list	add to list
	D x W	Model	Style Location	Panel	Trough	Grommet	-		Color	Finish	Weight	(74P)	(EP)	(KN)	(MP)	price	price	price	price
^	24 x 30"	GSTR2430S/F									64.0#	\$ 1199	\$ 1243	\$ 1267	\$ 1267	\$ 18	\$ 115	\$ 158	\$ 494
	24 x 36"	GSTR2436S/F									70.0#	1235	1275	1329	1329	18	115	167	545
	24 x 42"	GSTR2442S/F									75.0#	1288	1332	1349	1349	18	115	178	563
	24 x 48"	GSTR2448S/F									81.0#	1297	1337	1354	1354	18	115	191	642
Overhead Grommets	24 x 54"	GSTR2454S/F									88.0#	1354	1396	1568	1568	25	170	199	664
Overhead Grommets Shown	24 x 60"	GSTR2460S/F									94.0#	1366	1403	1586	1586	25	170	235	684
GSTR	24 x 66"	GSTR2466S/F									100.0#	1426	1461	1708	1708	25	170	242	921
Fixed Height	24 x 72"	GSTR2472S/F									110.0#	1436	1469	1709	1709	25	170	270	949
Rectangular surface with straight	30 x 30"	GSTR3030S/F									73.0#	1202	1255	1274	1274	25	170	158	494
front	30 x 36"	GSTR3036S/F									80.0#	1236	1294	1332	1332	25	170	167	545
 Fixed height at 29" 	30 x 42"	GSTR3042S/F									87.0#	1295	1328	1353	1353	25	170	178	563
 Adjustable glides 	30 x 48"	GSTR3048S/F									94.0#	1301	1337	1357	1357	25	170	191	642
	30 x 54"	GSTR3054S/F									103.0#	1357	1423	1540	1540	25	170	199	664
	30 x 60"	GSTR3060S/F									110.0#	1371	1437	1546	1546	25	170	235	684
	30 x 66"	GSTR3066S/F									117.0#	1431	1496	1708	1708	25	170	242	921
	30 x 72"	GSTR3072S/F									129.0#	1438	1502	1709	1709	25	170	270	949
		A	3 9	0	(3	(3	(0	0	•									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge - Elliptical postformed edge - Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data - Left module: add \$146 PUL - Right module; add \$146 - Center module; add \$146 PUB - Both left and right modules; add \$296

PUL and PUR option only available on worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only. PUC and OGY may not both be selected for 66" and 72" wide.

• Select modesty panel option.

NM - No modesty panel - With modesty panel See pricing column for full modesty panel

upcharge. Add upcharge to unit price for "WM" option.

Add upcharge to unit price for "WW" option.

Select wire trough and power option. NW - No wire trough - Wire trough

Select overhead grommet.

TB

OGN - Overhead grommets no **OGY** - Overhead grommets yes

GSelect transition legs. TS - No transition foot - Left transition foot - Right transition foot

- Both transition feet Select base finish. Refer to the **Product Color Options** page in this price list.

Select edge/PowerUp module color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

Select surface finish. Refer to the **Product Color Options** page in

edge worksurfaces.

this price list. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Basic Rectangular



Genesis® Worksurfaces

Basic Rectangular

			MODEL NUM	BER														
			IIIO DE L'IIO III						Angrai	av.					Laminate Grade 2	Laminate Grade 3	Modesty Panel	Wire
	MODEL	D x W			Module Location	Modesty Panel	Wire Trough	Edge Surface Color Finish	Approx Packag Weight	ged	74P Edge (74P)	Elliptical Postformed (EP)	Edge Knife Edge (KN)	Membrane Edge (MP)	add to list price	add to list price	add to list price	Trough add to list price
	Pin Height Adjustable	24 x 30"	GSTR2430S/P						66.0	.0#	\$ 1363	\$ 1405	\$ 1437	\$ 1437	\$ 18	\$ 115	\$ 158	\$ 494
	Rectangular surface with straight front Height adjusts from 24", 21" in 1"	24 x 36"	GSTR2436S/P						72.0	.0#	1398	1439	1493	1493	18	115	167	545
	 Height adjusts from 24"-31" in 1" increments 	24 x 42"	GSTR2442S/P						78.0	.0#	1453	1496	1510	1510	18	115	178	563
	Adjustable glides	24 x 48"	GSTR2448S/P						84.0	.0#	1458	1502	1518	1518	18	115	191	642
	Wire trough and modesty panel should	24 x 54"	GSTR2454S/P						92.0	.0#	1540	1581	1755	1755	25	170	199	664
GSTR	not be ordered together on adjustable tables	24 x 60"	GSTR2460S/P						98.0	.0#	1550	1591	1770	1770	25	170	235	684
	tables	24 x 66"	GSTR2466S/P						104.0	.0#	1612	1650	1898	1898	25	170	242	921
		24 x 72"	GSTR2472S/P						115.0	.0#	1616	1660	1902	1902	25	170	270	949
		30 x 30"	GSTR3030S/P						75.0	.0#	1367	1423	1438	1438	25	170	158	494
		30 x 36"	GSTR3036S/P						82.0	.0#	1399	1454	1496	1496	25	170	167	545
		30 x 42"	GSTR3042S/P						90.0	.0#	1455	1484	1517	1517	25	170	178	563
		30 x 48"	GSTR3048S/P						97.0	.0#	1464	1518	1520	1520	25	170	191	642
		30 x 54"	GSTR3054S/P						106.0	.0#	1542	1609	1728	1728	25	170	199	664
		30 x 60"	GSTR3060S/P						114.0	.0#	1557	1619	1735	1735	25	170	235	684
		30 x 66"	GSTR3066S/P						122.0	.0#	1614	1681	1902	1902	25	170	242	921
		30 x 72"	GSTR3072S/P						134.0	.0#	1621	1690	1903	1903	25	170	270	949

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Collect Busic Hiodel.

Select edge style.

74P - 74P edge

EP - Elliptical postformed edge

KN - Knife edge

MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$146
PUR - Right module; add \$146
PUC - Center module; add \$146
PUB - Both left and right modules; add
\$296

PUL and PUR option only available on worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only.

Select modesty panel option.

NM - No modesty panel

WM - With modesty panel
See pricing column for full modesty panel
upcharge.
Add upcharge to unit price for "WM" option.

Select wire trough and power option.

NW - No wire trough

WW - Wire trough

Add upcharge to unit price for "WW" option.

Select base finish.
Refer to the **Product Color Options** page in this price list.

Select edge/PowerUp module color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style

selections.

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only

available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge work-surfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information $$\operatorname{\hbox{\it N/C}}$$

pping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.



Genesis® Worksurfaces

			MODEL NUMB	ER														
									An	prox.					Laminate Grade 2	Laminate Grade 3	Modesty Panel	Wire Trough
	MODEL	D x W			Module Location	Wire Trough	Base Finish	Edge Surface Color Finish	Pad	ckaged	74P Edge (74P)	Elliptical Postformed Edge (EP)	Knife Edge (KN)	Membrane Edge (MP)	add to list price	add to list price	add to list price	add to list price
	Crank Height Adjustable	24 x 30"	GSTR2430S/CR							69.0#	\$ 1693	\$ 1740	\$ 1763	\$ 1763	\$ 18	\$ 115	\$ 158	\$ 494
	 Rectangular surface with straight front Height adjusts from 22"-33" 	24 x 36"	GSTR2436S/CR							76.0#	1729	1769	1822	1822	18	115	167	545
	Adjustable glides	24 x 42"	GSTR2442S/CR							82.0#	1785	1826	1843	1843	18	115	178	563
	 Worksurfaces are undersized by 1/4" 	24 x 48"	GSTR2448S/CR							89.0#	1789	1834	1852	1852	18	115	191	642
	from side-to-side and 1/4" from back-to-	24 x 54"	GSTR2454S/CR							96.0#	1852	1892	2064	2064	25	170	199	664
GSTR	front from the stated dimensions • Wire trough and modesty panel should	24 x 60"	GSTR2460S/CR						1	03.0#	1861	1904	2080	2080	25	170	235	684
	not be ordered together on adjustable	24 x 66"	GSTR2466S/CR						1	09.0#	1918	1960	2206	2206	25	170	242	921
	tables	24 x 72"	GSTR2472S/CR						1	21.0#	1924	1964	2207	2207	25	170	270	949
		30 x 30"	GSTR3030S/CR							78.0#	1695	1753	1767	1767	25	170	158	494
		30 x 36"	GSTR3036S/CR							86.0#	1731	1786	1826	1826	25	170	167	545
		30 x 42"	GSTR3042S/CR							94.0#	1788	1813	1851	1851	25	170	178	563
		30 x 48"	GSTR3048S/CR						1	02.0#	1797	1829	1855	1855	25	170	191	642
		30 x 54"	GSTR3054S/CR						1	11.0#	1855	1916	2035	2035	25	170	199	664
		30 x 60"	GSTR3060S/CR						1	19.0#	1865	1928	2043	2043	25	170	235	684
		30 x 66"	GSTR3066S/CR						1	27.0#	1921	1991	2207	2207	25	170	242	921
		30 x 72"	GSTR3072S/CR						1	40.0#	1929	1997	2209	2209	25	170	270	949

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - Elliptical postformed edge - Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data - Left module: add \$146 PUL - Right module; add \$146 - Center module; add \$146 PUB - Both left and right modules; add \$296

PUL and PUR option only available on worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only.

OSelect modesty panel option. NM - No modesty panel

WM - With modesty panel See pricing column for full modesty panel Add upcharge to unit price for "WM" option.

Select wire trough and power option. NW - No wire trough - Wire trough Add upcharge to unit price for "WW" option.

Select base finish. Refer to the **Product Color Options** page in this price list.

Select edge/PowerUp module color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style

selections.

Select surface finish. Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections. Laminate finishes are only

available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.



Genesis® Worksurfaces

			MODEL NUMBE	ER								6								
											Angrous	, l						Laminate Grade 3	Modesty Panel	Wire Trough
			Basic	Edge	Module	Modesty	Wire	Base		Surface	Approx Packag		74P Edge	Elliptical Postformed Edge	Knife Edge	Membrane Edge		add to list	add to list	add to list
	MODEL	D x W	Model	Style	Location	Panel	Trough	Finish	Color	Finish	Weight	t	(74P)	(EP)	(KN)	(MP)	price	price	price	price
\sim	Crank Sit/Stand Height Adjustable	24 x 30"	GSTR2430SS/CR								74.0	0#	\$ 1907	\$ 1953	\$ 1975	\$ 1975	\$ 18	\$ 115	\$ 158	\$ 494
<u> </u>	Rectangular surface with straight frontHeight adjusts from 27"-43"	24 x 36"	GSTR2436SS/CR								81.0	0#	1936	1982	2035	2035	18	115	167	545
	Adjustable glides	24 x 42"	GSTR2442SS/CR								87.0	0#	1997	2039	2056	2056	18	115	178	563
	 Worksurfaces are undersized by 1/4" 	24 x 48"	GSTR2448SS/CR								94.0	0#	2003	2044	2063	2063	18	115	191	642
	from side-to-side	24 x 54"	GSTR2454SS/CR								101.0	0#	2063	2103	2276	2276	25	170	199	664
	 Wire trough and modesty panel should not be ordered together on adjustable 	24 x 60"	GSTR2460SS/CR								108.0	0#	2075	2114	2290	2290	25	170	235	684
GSTR	tables	24 x 66"	GSTR2466SS/CR								114.0	0#	2131	2168	2415	2415	25	170	242	921
		24 x 72"	GSTR2472SS/CR								126.0	0#	2141	2173	2416	2416	25	170	270	949
		30 x 30"	GSTR3030SS/CR								83.0	0#	1910	1964	1979	1979	25	170	158	494
		30 x 36"	GSTR3036SS/CR								91.0	0#	1939	1998	2039	2039	25	170	167	545
		30 x 42"	GSTR3042SS/CR								99.0	0#	1999	2030	2060	2060	25	170	178	563
		30 x 48"	GSTR3048SS/CR								107.0	0#	2006	2050	2065	2065	25	170	191	642
		30 x 54"	GSTR3054SS/CR								116.0	0#	2065	2129	2246	2246	25	170	199	664
		30 x 60"	GSTR3060SS/CR								124.0	0#	2078	2143	2255	2255	25	170	235	684
		30 x 66"	GSTR3066SS/CR								132.0	0#	2135	2203	2416	2416	25	170	242	921
		30 x 72"	GSTR3072SS/CR								144.0	0#	2145	2209	2422	2422	25	170	270	949

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - Elliptical postformed edge - Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data - Left module: add \$146 PUL - Right module; add \$146 - Center module; add \$146 PUB - Both left and right modules; add \$296

PUL and PUR option only available on worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only.

OSelect modesty panel option. NM - No modesty panel

WM - With modesty panel See pricing column for full modesty panel Add upcharge to unit price for "WM" option.

Select wire trough and power option. NW - No wire trough - Wire trough Add upcharge to unit price for "WW" option.

Select base finish. Refer to the **Product Color Options** page in this price list.

Select edge/PowerUp module color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style

selections.

Select surface finish. Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections. Laminate finishes are only

available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Basic Rectangular



Genesis® Worksurfaces

Basic Rectangular

			MODEL NU	IMBER							ć								
																Laminate	Laminate	Modesty	Wire
	MODEL	D x W	Basic Model		Module Location	Modesty Panel	Wire Trough	Base Finish	Surface Finish	Approx Packagı Weight	ed	74P Edge (74P)	Elliptical Postformed Edge (EP)	Knife Edge (KN)	Membrane Edge (MP)	Grade 2 add to list price	Grade 3 add to list price	Panel add to list price	Trough add to list price
	Electric Height Adjustable Single	24 x 36"	GSRE2436S							97.0)#	\$ 3248	\$ 3293	\$ 3346	\$ 3346	\$ 18	\$ 115	\$ 167	\$ 545
	Rectangular surface with straight front National Additional Conference Odn 547	24 x 42"	GSRE2442S							104.0)#	3329	3368	3385	3385	18	115	178	563
	Height adjusts from 24"-51"Standard or deluxe up/down switch	24 x 48"	GSRE2448S							110.0)#	3356	3402	3412	3412	18	115	191	642
	Adjustable glides	24 x 54"	GSRE2454S							117.0)#	3447	3491	3642	3642	25	170	199	664
	 Worksurfaces are undersized by 	24 x 60"	GSRE2460S							123.0)#	3469	3507	3649	3649	25	170	235	684
	1-1/4" from side-to-side and 1/2" from back-tofront from the stated dimensions	30 x 36"	GSRE3036S							108.0)#	3251	3308	3350	3350	25	170	167	545
GSRE	Wire trough and modesty panel should	30 x 42"	GSRE3042S							116.0)#	3333	3369	3394	3394	25	170	178	563
	not be ordered together on adjustable	30 x 48"	GSRE3048S							123.0)#	3362	3409	3414	3414	25	170	191	642
	tables	30 x 54"	GSRE3054S							132.0)#	3450	3520	3660	3660	25	170	199	664
		30 x 60"	GSRE3060S							140.0)#	3473	3533	3685	3685	25	170	235	684

HOW TO ORDER

Indicate the following information on order form:

Quantity of each item.

2. Model number, including options. See "How To Build a Model Number".

3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select pasic model

3 Select edge style.

74P - 74P edge

EP - Elliptical postformed edge

KN - Knife edge

MP - Membrane edge

©Select control style

- Standard up/down switch - Deluxe up/down switch; add \$152

Select PowerUp module location.
 Select only one from the following and add the appropriate uncharge to the base price.

appropriate upcharge to the base price.

PUN - No data

PUL - Left module; add \$146

PUR - Right module; add \$146

PUC - Center module; add \$146

PUB - Both left and right modules; add
\$296

PUL and PUR option only available on worksurfaces 42" wide or greater. PUB option only available on 60", 66" and 72" wide only.

Select modesty panel option.

NM - No modesty panel

WM - With modesty panel

See pricing column for full modesty panel

upcharge.

Add upcharge to unit price for "WM" option.

Select wire trough and power option.

NW - No wire trough

WW - Wire trough

Add upcharge to unit price for "WW" option.

© Select base finish. Refer to the **Product Color Options** page in this

price list.

Select edge/PowerUp module color.

Refer to the Product Color Options page in this price list.

Edge color offerings are based on edge style

Select surface finish.

selections.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge, (EP) elliptical postformed edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Tripod Corner Fixed Height



Genesis® Worksurfaces

Right

Wire

Trough

price

add to list

\$ 537

583

655

679

583

655

679

Left

Wire

Trough

add to list

\$ 537

583

655

679

583

655

679

Modesty

Panels

price

\$

466

485

506

531

485

506

531

Tripod Corner Fixed Height

Both

Wire

price

Troughs

add to list

\$ 1079

1165


1307

1357

1165

1307

1357



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number'
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

B

Θ

0

(3)

(3)

0

0

0

0

A Select basic model.

BSelect edge style.

74P - 74P edge - Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUL - Left module: add \$146 - Right module: add \$146 PUR PUB - Both left and right modules; add

• Select modesty panel option.

NM - No modesty panel - LH modesty only - RH modesty only

- Both modesty panels

See pricing column for full modesty panel upcharge.

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option. - No wire trough - Wire trough LH only

- Wire trough RH only - Wire trough Both Add upcharge to unit price for "WL", "WR" and

BSelect overhead grommet.

"WW" options.

- Overhead grommets no - Overhead grommets left - Overhead grommets right

GSelect transition legs.

- No transition foot - Left transition foot - Right transition foot TR - Both transition feet

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select edge/PowerUp/crank grommet color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge. PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to the **Product Color Options** page in

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Tripod Corner Pin and Crank Height Adjustable



Genesis® Worksurfaces

Tripod Corner Pin and Crank Height Adjustable

											•										
		MODEL NUMBER																			
																LH	RH	Both	Left	Right	Both
										Approv	\checkmark			Laminate Grade 2	Laminate Grade 3	Modesty Panel	Modesty Panel	Modesty Panels	Wire Trough	Wire Trough	Wire Troughs
		Basic	Edge	Module	Modesty	Wire	Base	Edge	Surface	Approx. Packaged	74P Edge	Knife Edge	Membrane Edge	add to list	add to list	add to list	add to list	add to list	add to list	add to list	add to list
	D x W x W x D	Model	Style	Location		Trough			Finish	Weight	(74P)	(KN)	(MP)	price	price	price	price	price	price	price	price
	24 x 42 x 42 x 24"	GCCT24424224S/P								108.0#	\$ 2082	\$ 2222	\$ 2222	\$ 50	\$ 350	\$ 241	\$ 241	\$ 485	\$ 583	\$ 583	\$ 1165
	24 x 48 x 48 x 24"	GCCT24484824S/P								125.0#	2170	2313	2313	50	350	251	251	506	655	655	1307
	24 x 54 x 54 x 24"	GCCT24545424S/P								143.0#	2375	2497	N/A	70	450	267	267	531	679	679	1357
	30 x 42 x 42 x 30"	GCCT30424230S/P								114.0#	2082	2289	2289	50	350	241	241	485	583	583	1165
	30 x 48 x 48 x 30"	GCCT30484830S/P								133.0#	2170	2377	2377	50	350	251	251	506	655	655	1307
GCCT	30 x 54 x 54 x 30"	GCCT30545430S/P								152.0#	2375	2566	N/A	70	450	267	267	531	679	679	1357
Tripod Corner Pin Height Adjustable																					
Corner surface with cockpit front																					
Three-legged table base																					
 Height adjusts from 24"-31" in 1" increments 																					
Adjustable glides																					
 Wire trough and modesty panel 																					
should not be ordered together on adjustable tables																					
aujustable tables																					
		GCCT24424224S/CR								115.0#	\$ 2586	\$ 2728	\$ 2728	\$ 50	\$ 350	\$ 241	\$ 241	\$ 485	\$ 583	\$ 583	\$ 1165
	24 x 48 x 48 x 24"									132.0#	2682	2819	2819	50	350	251	251	506	655	655	1307
U	24 x 54 x 54 x 24"	GCCT24545424S/CR								150.0#	2881	3003	N/A	70	450	267	267	531	679	679	1357
	30 x 42 x 42 x 30"	GCCT30424230S/CR								121.0#	2586	2795	2795	50	350	241	241	485	583	583	1165
0007	30 x 48 x 48 x 30" 30 x 54 x 54 x 30"	GCCT30484830S/CR GCCT30545430S/CR								140.0# 160.0#	2682 2881	2886	2886 N/A	50 70	350	251	251	506	655	655	1307 1357
GCCT	30 X 54 X 54 X 30	GUU1303434305/UK								100.0#	2001	3067	IN/A	70	450	267	267	531	679	679	1307
Tripod Corner Crank Height Adjustabl	e																				
 Corner surface with cockpit front 																					
Three-legged table base Height adjusts from 89" 99"																					
Height adjusts from 22"-33"Adjustable glides																					
Worksurfaces are undersized by																					
1/4" from side-to-side and 1/4"																					
from back-to-front from the stated dimensions																					
Wire trough and modesty panel																					
should not be ordered together on																					
adjustable tables																					
		A	B	Θ	0	3	(3	(•												

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

- Left module: add \$146 PUL - Right module: add \$146 PUR PUB - Both left and right modules; add

OSelect modesty panel option.

upcharge.

NM - No modesty panel - LH modesty only - RH modesty only WM - Both modesty panels See pricing column for full modesty panel

Add upcharge to unit price for "LM", "RM" and

"WM" options.

Select wire trough and power option. - No wire trough - Wire trough LH only - Wire trough RH only

- Wire trough Both Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to the **Product Color Options** page in this price list.

GSelect edge/PowerUp/crank grommet color. Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

①Select surface finish.

Refer to the Product Color Options page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Tripod Corner Electric Height Adjustable



Genesis® Worksurfaces

Tripod Corner Electric Height Adjustable

		MODEL NUMBE	ER																			
											Approx.				Laminate Grade 2	Laminate Grade 3	LH Modesty Panel	RH Modesty Panel	Both Modesty Panels	Left Wire Trough	Right Wire Trough	Both Wire Troughs
	D W W D	Basic Model	Edge		Module	Modesty		Base	Edge	Surface	Packaged	74P Edge	Knife Edge	Membrane Edge	add to list	add to list	add to list	add to list	add to list	add to list	add to list	add to list
	D x W x W x D	mous.	Style		Location	_	Trough			Finish	Weight	(74P)	(KN)	(MP)	price	price	price	price	price	price	price	price
		GCTE24424224S									136.0#	\$ 5180	\$ 5272	\$ 5272	\$ 50	\$ 350	\$ 241	\$ 241	\$ 485	\$ 583	\$ 583	\$ 1165
											153.0#	5223	5361	5361	50	350	251	251	506	655	655	1307
	24 x 54 x 54 x 24"	GCTE24545424S									171.0#	5117	5393	N/A	70	450	267	267	531	679	679	1357
	30 x 42 x 42 x 30"										143.0#	5091	5342	5342	50	350	241	241	485	583	583	1165
	30 x 48 x 48 x 30"	GCTE30484830S									161.0#	5135	5432	5432	50	350	251	251	506	655	655	1307
	30 x 54 x 54 x 30"	GCTE30545430S									180.0#	5178	5448	N/A	70	450	267	267	531	679	679	1357
GCTE																						
Tripod Corner Electric Height Adjust- able Single																						
 Corner surface with cockpit front 																						
Three-legged table base																						
Height adjusts from 24"-51"Standard or deluxe up/down switch																						
Adjustable glides																						
 Worksurfaces are undersized by 																						
1-1/4" from side-to-side and 1/2" from back-to-front from the stated																						
dimensions																						
 Wire trough and modesty panel 																						
should not be ordered together on																						
adjustable tables																						
		A	B	•	0	•	(3)	О	•	0												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

- Knife edge - Membrane edge

Select electric control style. - Standard up/down switch

- Deluxe up/down switch; add \$152

• Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data - Left module; add \$146 - Right module; add \$146 PUB - Both left and right modules; add Select edge/PowerUp color. \$296

Select modesty panel option.

NM - No modesty panel LM - LH modesty only

- RH modesty only

- Both modesty panels See pricing column for full modesty panel upcharge.

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

"WW" options.

NW - No wire trough - Wire trough LH only - Wire trough RH only ww - Wire trough Both Add upcharge to unit price for "WL", "WR" and

GSelect base finish. Refer to the **Product Color Options** page in this

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module. Trim

color doesn't apply to the membrane edge selection.

Select surface finish. Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping


Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Reduction Tripod Corner Fixed Height



Genesis® Worksurfaces

Reduction Tripod Corner Fixed Height



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

KN - Knife edge
MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$146
PUR - Right module; add \$146
PUB - Both left and right modules; add
\$296

• Select modesty panel option.

NM - No modesty panel
LM - LH modesty only
RM - RH modesty only

WM - Both modesty panels See pricing column for full modesty panel upcharge. Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

- No wire trough
NL - Wire trough LH only
NR - Wire trough RH only

WW - Wire trough Both
Add upcharge to unit price for "WL", "WR" and
"WW" options.

Select overhead grommet.

OGN - Overhead grommets no
OGL - Overhead grommets left
OGR - Overhead grommets right

GSelect transition legs.

S - No transition foot
L - Left transition foot
R - Right transition foot
B - Both transition feet

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select edge/PowerUp/crank grommet color. Refer to the Product Color Options page in this price list.

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to the **Product Color Options** page in this price list.

this price list.
Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 100.

Reduction Tripod Corner Fixed Height



Genesis® Worksurfaces

Reduction Tripod Corner Fixed Height



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

BSelect edge style.

- Knife edge - Membrane edge

Select only one from the following and add the

- No data - Left module: add \$146 - Right module; add \$146 PUB \$296

• Select modesty panel option.

NM - No modesty panel IМ - LH modesty only - RH modesty only

- Both modesty panels See pricing column for full modesty panel

A Select basic model.

74P - 74P edge

Select PowerUp module location. appropriate upcharge to the base price.

- Both left and right modules; add

upcharge.

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option. - No wire trough - Wire trough LH only

- Wire trough RH only - Wire trough both Add upcharge to unit price for "WL", "WR" and

BSelect overhead grommet.

- Overhead grommets no - Overhead grommets left - Overhead grommets right

GSelect transition legs.

"WW" options.

- No transition foot - Left transition foot - Right transition foot TR - Both transition feet

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select edge/PowerUp/crank grommet color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to the **Product Color Options** page in

this price list. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering KI offers laminates beyond those offered in the

standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES Special Carton Marking

With specially marked information

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Reduction Tripod Corner Pin Height Adjustable



Genesis® Worksurfaces

Reduction Tripod Corner Pin Height Adjustable

											•										
		MODEL NUMBER	?													LH	RH	Both	Left	Right	Both
										Approx.				Laminate Grade 2	Laminate Grade 3	Modesty Panel	Modesty Panel	Modesty Panels	Wire Trough	Wire Trough	Wire Troughs
	D x W x W x D	Basic Model		Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Color	Surface Finish	Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	add to list	add to list	add to list	add to list	add to list	add to list price	add to list	add to list
	24 x 42 x 42 x 30"	GCCT24424230S/P								112.0#	\$ 2082	\$ 2289	\$ 2289	\$ 50	\$ 350	\$ 241	\$ 241	\$ 485	\$ 583	\$ 583	\$ 1165
	24 x 48 x 48 x 30"	GCCT24484830S/P								129.0#	2170	2377	2377	50	350	251	251	506	655	655	1307
	24 x 54 x 54 x 30"									148.0#	2375	2566	N/A	70	450	267	267	531	679	679	1357
U																					
GCCT																					
Reduction Tripod Corner Pin Height																					
Adjustable-Left																					
Corner surface with cockpit front																					
Three-legged table baseHeight adjusts from 24"-31" in 1"																					
increments																					
 Adjustable glides 																					
 Wire trough and modesty panel should not be ordered together on 																					
adjustable tables																					
	30 x 42 x 42 x 24"	GCCT30424224S/P								112.0#	\$ 2082	\$ 2289	\$ 2289	\$ 50	\$ 350	\$ 241	\$ 241	\$ 485	\$ 583	\$ 583	\$ 1165
	30 x 48 x 48 x 24"	GCCT30484824S/P								129.0#	2170	2377	2377	50	350	251	251	506	655	655	1307
	30 x 54 x 54 x 24"	GCCT30545424S/P								148.0#	2375	2566	N/A	70	450	267	267	531	679	679	1357
GCCT																					
Reduction Tripod Corner Pin Height Adjustable-Right																					
Corner surface with cockpit front These learned table because the cockpit front The cockpit front table because th																					
Three-legged table baseHeight adjusts from 24"-31" in 1"																					
increments																					
Adjustable glides																					
 Wire trough and modesty panel should not be ordered together on 																					
adjustable tables																					
		A	B	· ·	•	(3	3	G	•	ı											
		•	\mathbf{v}	G	U	J		U	\mathbf{w}												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.
74P - 74P edge

- Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

- Left module; add \$146 - Right module; add \$146 PUB - Both left and right modules; add \$296

• Select modesty panel option.

NM - No modesty panel - LH modesty only - RH modesty only

- Both modesty panels

See pricing column for full modesty panel upcharge.

Add upcharge to unit price for "LM", "RM" and "WM" options.

this price list.

Surface finish offerings are based on edge

style selections. Laminate finishes are only

available on (74P) 74P edge and (KN) knife

edge worksurfaces. The membrane color

selections are only available on the (MP)

membrane edge worksurfaces.

Select wire trough and power option.

- No wire trough - Wire trough LH only - Wire trough RH only

- Wire trough Both Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to the **Product Color Options** page in this price list.

GSelect edge/PowerUp/crank grommet color. Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to the **Product Color Options** page in FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Reduction Tripod Corner Crank Height Adjustable



Genesis® Worksurfaces

Reduction Tripod Corner Crank Height Adjustable



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style. **74P** - 74P edge - Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

- No data - Left module: add \$146 - Right module; add \$146 PUB - Both left and right modules; add \$296

• Select modesty panel option.

NM - No modesty panel - LH modesty only - RH modesty only

- Both modesty panels

See pricing column for full modesty panel upcharge.

Add upcharge to unit price for "LM", "RM" and "WM" options.

this price list.

Surface finish offerings are based on edge

style selections. Laminate finishes are only

available on (74P) 74P edge and (KN) knife

edge worksurfaces. The membrane color

selections are only available on the (MP)

membrane edge worksurfaces.

Select wire trough and power option.

- No wire trough - Wire trough LH only - Wire trough RH only

- Wire trough Both Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to the **Product Color Options** page in this price list.

GSelect edge/PowerUp/crank grommet color. Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to the **Product Color Options** page in FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Reduction Tripod Corner Electric Height Adjustable



Genesis® Worksurfaces

Reduction Tripod Corner Electric Height Adjustable

		MODEL NUMB	ER																			
										Approx	x.				Laminate Grade 2	Laminate Grade 3	LH Modesty Panel	RH Modesty Panel	Both Modesty Panels	Left Wire Trough	Right Wire Trough	Both Wire Troughs
	D x W x W x D	Basic Model	Edge Style	Electrical Control	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Su Color Fin	Approx face Packag ish Weight	ged it	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	add to list price	add to list price	add to list price	add to list price	add to list price	add to list price	add to list price	add to list price
	24 x 42 x 42 x 30"	GCTE24424230S								□□ 140.0	0#	\$ 5180	\$ 5342	\$ 5342	\$ 50	\$ 350	\$ 241	\$ 241	\$ 485	\$ 583	\$ 583	\$ 1165
	24 x 48 x 48 x 30"	GCTE24484830S								□□ 157.0	0#	5223	5432	5432	50	350	251	251	506	655	655	1307
	24 x 54 x 54 x 30"	GCTE24545430S								□□ 176.0	0#	5264	5448	N/A	70	450	267	267	531	679	679	1357
GCTE																						
Reduction Tripod Corner Electric																						
Height Adjustable Single-Left																						
Corner surface with cockpit frontThree-legged table base																						
Height adjusts from 24"-51"																						
 Standard or deluxe up/down switch 																						
Adjustable glides																						
 Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" 																						
from back-to-front from the stated																						
dimensions																						
 Wire trough and modesty panel should not be ordered together on 																						
adjustable tables																						
,																						
		A	B	•	0	(3	(3	(0	0												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - Knife edge - Membrane edge

Select electric control style. - Standard up/down switch

- Deluxe up/down switch; add \$152

• Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data - Left module; add \$146 - Right module; add \$146 PUB - Both left and right modules; add Select edge/PowerUp color. \$296

Select modesty panel option.

NM - No modesty panel LM - LH modesty only

- RH modesty only - Both modesty panels

"WW" options.

See pricing column for full modesty panel upcharge.

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough - Wire trough LH only - Wire trough RH only ww - Wire trough Both Add upcharge to unit price for "WL", "WR" and

GSelect base finish. Refer to the **Product Color Options** page in this

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module. Trim

color doesn't apply to the membrane edge selection.

Select surface finish. Refer to the **Product Color Options** page in

this price list. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Reduction Tripod Corner Electric Height Adjustable



Genesis® Worksurfaces

Reduction Tripod Corner Electric Height Adjustable

		MODEL NUMBI	ER																		
										Арргох.				Laminate Grade 2	Laminate Grade 3	LH Modesty Panel	RH Modesty Panel	Both Modesty Panels	Left Wire Trough	Right Wire Trough	Both Wire Troughs
	D x W x W x D	Basic Model	Edge Electrical Style Control	Module Location	Modesty Panel	Wire Trough	Base Finish		urface inish	Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	add to list price	add to list price	add to list price	add to list price	add to list price	add to list price	add to list price	add to list price
	30 x 42 x 42 x 24"	GCTE30424224S								140.0#	\$ 5180	\$ 5342	\$ 5342	\$ 50	\$ 350	\$ 241	\$ 241	\$ 485	\$ 583	\$ 583	\$ 1165
	30 x 48 x 48 x 24"	GCTE30484824S								157.0#	5223	5432	5432	50	350	251	251	506	655	655	1307
	30 x 54 x 54 x 24"	GCTE30545424S								176.0#	5264	5448	N/A	70	450	267	267	531	679	679	1357
U																					
GCTE																					
Reduction Tripod Corner Electric																					
Height Adjustable Single-Right																					
Corner surface with cockpit front																					
Three-legged table base																					
Height adjusts from 24"-51"Standard or deluxe up/down switch																					
Adjustable glides																					
Worksurfaces are undersized by																					
1-1/4" from side-to-side and 1/2" from back-to-front from the stated																					
dimensions																					
Wire trough and modesty panel																					
should not be ordered together on adjustable tables																					
aajastasio tasios																					
		A	3 9	0	(3	(3	O	0	0												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

- Knife edge - Membrane edge

Select electric control style.

- Standard up/down switch - Deluxe up/down switch; add \$152

• Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data - Left module; add \$146 PUR - Right module; add \$146 - Both left and right modules; add Select edge/PowerUp color. PUB \$296

Select modesty panel option.

NM - No modesty panel - LH modesty only

- RH modesty only

"WW" options.

- Both modesty panels See pricing column for full modesty panel upcharge.

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough - Wire trough LH only - Wire trough RH only ww - Wire trough Both Add upcharge to unit price for "WL", "WR" and

GSelect base finish. Refer to the **Product Color Options** page in this

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module. Trim

color doesn't apply to the membrane edge selection.

Select surface finish. Refer to the **Product Color Options** page in

this price list. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Square Shoe Fixed Height



Genesis® Worksurfaces

Right

Wire

Trough

price

add to list

\$ 655

655

655

655

655

655

655

655

655

655

Left

Wire

Trough

price

add to list

\$ 679

701

862

961

970

679

701

862

961

970

Modesty

add to list

\$ 521

531

542

554

589

521

531

542

554

589

Panels

price

Square Shoe Fixed Height

Both

Wire

Troughs

price

add to list

\$ 1332

1353

1516

1614

1621

1332

1353

1516

1614

1621

		MODEL NUMBER											> /					
															Laminate	Laminate	LH Modesty	RH Modesty
	D x L x W x D	Basic Model	Edge Style	Module Location	Modesty Panel	Wire Trough	Overhead Grommet	Trans. Legs	Base Finish	Surface Finish	Approx. Packager Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	Grade 2 add to list price	Grade 3 add to list price	Panel add to list price	Panel add to list price
~	24 x 54 x 48 x 24"	GSSH24544824S/F									125.0#	\$ 1993	\$ 2057	\$ 2057	\$ 50	\$ 350	\$ 268	\$ 251
6	24 x 60 x 48 x 24"	GSSH24604824S/F									132.0#		2060	2060	50	350	277	251
	24 x 66 x 48 x 24	GSSH24664824S/F									138.0#	2044	2091	2091	50	350	288	251
U	24 x 72 x 48 x 24"	GSSH24724824S/F									145.0#		2160	2160	50	350	298	251
	24 x 84 x 48 x 24"	GSSH24844824S/F									158.0#	2198	2201	2201	70	450	337	251
	30 x 54 x 48 x 30"	GSSH30544830S/F									134.0#	1993	2057	2057	50	350	268	251
GSSH	30 x 60 x 48 x 30"	GSSH30604830S/F									142.0#	1998	2060	2060	50	350	277	251
Basic Square Shoe Fixed Height-Left	30 x 66 x 48 x 30"	GSSH30664830S/F									150.0#	2044	2091	2091	50	350	288	251
Extended corner surface	30 x 72 x 48 x 30"	GSSH30724830S/F									158.0#	2103	2160	2160	50	350	298	251
Three-legged table base	30 x 84 x 48 x 30"	GSSH30844830S/F									173.0#	2198	2201	2201	70	450	337	251
Fixed height at 29"Adjustable glides																		
OCR OCL																		
OCR-OCL																		
OCR = Overhead rightOCL = Overhead left																		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

(A)

(3)

Θ

0

(3)

G

G

(1)

0

•

A Select basic model.

BSelect edge style. **74P** - 74P edge - Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

- Left module: add \$146 - Right module: add \$146 PUB - Both left and right modules; add

• Select modesty panel option.

NM - No modesty panel - LH modesty only - RH modesty only

- Both modesty panels See pricing column for full modesty panel upcharge.

Add upcharge to unit price for "LM", "RM" and price list. "WM" options.

Select wire trough and power option. - No wire trough - Wire trough LH only

- Wire trough RH only - Wire trough both Add upcharge to unit price for "WL", "WR" and

"WW" options. Select overhead grommet.

OGN - Overhead grommets no - Overhead grommets left - Overhead grommets right OGL not available on 84" worksurfaces.

GSelect transition legs.

TS - No transition foot - Left transition foot - Right transition foot - Both transition feet TR

Select base finish. Refer to the Product Color Options page in this

Select edge/PowerUp color. Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to the **Product Color Options** page in Surface finish offerings are based on edge

style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering KI offers laminates beyond those offered in the

standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.



Approx.

125.0#

132.0#

138.0#

145.0#

158.0#

134.0#

142.0#

150.0#

158.0#

173.0#

Packaged 74P Edge

(74P)

\$ 1993

1998

2044

2103

2198

1993

1998

2044

2103

2198

Genesis® Worksurfaces

Right

Wire

Trough

price

add to list

\$ 679

701

862

961

970

679

701

862

961

970

Left

Wire

Trough

add to list

\$ 655

655

655

655

655

655

655

655

655

655

Modesty

add to list

\$ 521

531

542

554

589

521

531

542

554

589

Panels

price

RH

Modesty

add to list

\$

268

277

288

298

337

268

277

288

298

337

Panel

Modesty

add to list

\$ 251

251

251

251

251

251

251

251

251

251

Panel

price

Laminate

Grade 3

price

add to list

\$ 350

350

350

350

450

350

350

350

350

450

Laminate

Grade 2

price

\$

add to list

50

50

50

50

70

50

50

50

70

Membrane

Edge

(MP)

\$ 2057

2060

2091

2160

2201

2057

2060

2091

2160

2201

Knife Edge

\$ 2057

2060

2091

2160

2201

2057

2060

2091

2160

2201

(KN)

Square Shoe Fixed Height

Both

Wire

Troughs

add to list

\$ 1332

1353

1516

1614

1621

1332

1353

1516

1614

1621

		MODEL NUMBER										
	D x L x W x D	Basic Model	Edge Style	Module Location	Modesty Panel	Wire Trough	Overhead Grommet	Trans. Legs	Base Finish	Edge Color	Surface Finish	
	24 x 48 x 54 x 24"	GSSH24485424S/F										П
	24 x 48 x 60 x 24"	GSSH24486024S/F										
	24 x 48 x 66 x 24"	GSSH24486624S/F										
V	24 x 48 x 72 x 24"	GSSH24487224S/F										
	24 x 48 x 84 x 24"	GSSH24488424S/F										
	30 x 48 x 54 x 30"	GSSH30485430S/F										
GSSH	30 x 48 x 60 x 30"	GSSH30486030S/F										
Basic Square Shoe Fixed Height-Right	30 x 48 x 66 x 30"	GSSH30486630S/F										
Extended corner surface	30 x 48 x 72 x 30"	GSSH30487230S/F										
 Three-legged table base 	30 x 48 x 84 x 30"	GSSH30488430S/F										
Fixed height at 29"Adjustable glides												
- Adjustable glides												
OCR OCL												
OCR-OCL												
OCR = Overhead rightOCL = Overhead left												
		A	B	Θ	0	(3	(3	(0	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style. **74P** - 74P edge - Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the

appropriate upcharge to the base price. - Left module: add \$146 PUL - Right module: add \$146 PUR PUB - Both left and right modules; add

• Select modesty panel option.

NM - No modesty panel - LH modesty only - RH modesty only

- Both modesty panels

See pricing column for full modesty panel upcharge.

Add upcharge to unit price for "LM", "RM" and price list. "WM" options.

Select wire trough and power option. - No wire trough

- Wire trough LH only - Wire trough RH only - Wire trough both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select overhead grommet.

OGN - Overhead grommets no - Overhead grommets left - Overhead grommets right OGR not available on 84" worksurfaces.

GSelect transition legs.

TS - No transition foot - Left transition foot - Right transition foot TR - Both transition feet

Select base finish. Refer to the Product Color Options page in this

Select edge/PowerUp color.

Refer to the Product Color Options page in this

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to the Product Color Options page in this

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Square Shoe Pin Height Adjustable



Genesis® Worksurfaces

Square Shoe Pin Height Adjustable

		MODEL NUMBER																			
																LH	RH	Both	Left	Right	Both
														Laminate	Laminate	Modesty	Modesty	Modesty	Wire	Wire	Wire
										prox.				Grade 2	Grade 3	Panel	Panel	Panels	Trough	Trough	Troughs
	DxLxWxD	Basic	Edge	Module	Modesty	Wire	Base			ckaged	74P Edge	Knife Edge	Membrane Edge	add to list							
			Style			Trough	_	Color Fir		eight	(74P)	(KN)	(MP)	price							
	24 x 54 x 48 x 24"	GSSH24544824S/P								132.0#	\$ 2273	\$ 2334	\$ 2334	\$ 50	\$ 350	\$ 268	\$ 251	\$ 521	\$ 679	\$ 655	\$ 1332
	24 x 60 x 48 x 24"	GSSH24604824S/P								139.0#	2279	2336	2336	50	350	277	251	531	701	655	1353
	24 x 66 x 48 x 24	GSSH24664824S/P								146.0#	2309	2369	2369	50	350	288	251	542	862	655	1516
	24 x 72 x 48 x 24"	GSSH24724824S/P								152.0#	2406	2464	2464	50	350	298	251	554	961	655	1614
	24 x 84 x 48 x 24"	GSSH24844824S/P								166.0#	2440	2501	2501	70	450	337	251	589	970	655	1621
	30 x 54 x 48 x 30"	GSSH30544830S/P								141.0#	2273	2334	2334	50	350	268	251	521	679	655	1332
GSSH	30 x 60 x 48 x 30"	GSSH30604830S/P								149.0#	2279	2336	2336	50	350	277	251	531	701	655	1353
Basic Square Shoe Pin Height Adjust-	30 x 66 x 48 x 30"	GSSH30664830S/P								157.0#	2309	2369	2369	50	350	288	251	542	862	655	1516
able-Left	30 x 72 x 48 x 30"	GSSH30724830S/P								165.0#	2406	2464	2464	50	350	298	251	554	961	655	1614
Extended corner surface	30 x 84 x 48 x 30"	GSSH30844830S/P							□□ 1	182.0#	2440	2501	2501	70	450	337	251	589	970	655	1621
 Three-legged table base 																					
Height adjusts from 24"-31" in 1"																					
increments • Adjustable glides																					
Wire trough and modesty panel																					
should not be ordered together on																					
adjustable tables																					
	24 x 48 x 54 x 24"	GSSH24485424S/P							1	132.0#	\$ 2273	\$ 2334	\$ 2334	\$ 50	\$ 350	\$ 251	\$ 268	\$ 521	\$ 655	\$ 679	\$ 1332
	24 x 48 x 60 x 24"	GSSH24486024S/P							1	139.0#	2279	2336	2336	50	350	251	277	531	655	701	1353
	24 x 48 x 66 x 24"	GSSH24486624S/P							□□	146.0#	2309	2369	2369	50	350	251	288	542	655	862	1516
U	24 x 48 x 72 x 24"	GSSH24487224S/P							□□ 1	152.0#	2406	2464	2464	50	350	251	298	554	655	961	1614
	24 x 48 x 84 x 24"	GSSH24488424S/P							1	166.0#	2440	2501	2501	70	450	251	337	589	655	970	1621
	30 x 48 x 54 x 30"	GSSH30485430S/P							□□ 1	141.0#	2273	2334	2334	50	350	251	268	521	655	679	1332
GSSH	30 x 48 x 60 x 30"	GSSH30486030S/P							□□ 1	149.0#	2279	2336	2336	50	350	251	277	531	655	701	1353
Basic Square Shoe Pin Height Adjust-	30 x 48 x 66 x 30"	GSSH30486630S/P							□□ 1	157.0#	2309	2369	2369	50	350	251	288	542	655	862	1516
able-Right	30 x 48 x 72 x 30"	GSSH30487230S/P							□□ 1	165.0#	2406	2464	2464	50	350	251	298	554	655	961	1614
Extended corner surface	30 x 48 x 84 x 30"	GSSH30488430S/P							1	182.0#	2440	2501	2501	70	450	251	337	589	655	970	1621
Three-legged table base																					
 Height adjusts from 24"-31" in 1" 																					
increments																					
Adjustable glidesWire trough and modesty panel																					
should not be ordered together on																					
adjustable tables																					
			_		-	-	-	•	Φ.												

HOW TO ORDER

Indicate the following information on order form:

Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

KN - Knife edge

MP - Membrane edge

Select PowerUp module location.

Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$146
PUR - Right module; add \$146

Select modesty panel option.

NM - No modesty panel

"WM" options.

NM - No modesty panel

LM - LH modesty only

RM - RH modesty only

WM - Both modesty panels

See pricing column for full modesty panel upcharge.

Add upcharge to unit price for "LM", "RM" and

Select wire trough and power option.

W - No wire trough
/L - Wire trough LH only
/R - Wire trough RH only
/W - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to the **Produ**

Refer to the **Product Color Options** page in this price list.

GSelect edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

(1) Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife

Additional Laminate O

edge worksurfaces. The membrane color

selections are only available on the (MP)

membrane edge worksurfaces.

Additional Laminate Offering KI offers laminates beyond those offered in the

standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

pping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Square Shoe Crank Height Adjustable



Genesis® Worksurfaces

Square Shoe Crank Height Adjustable

		MODEL NUMBER									7	7								
													Laminate	Laminate	LH Modestv	RH Modestv	Both Modestv	Left Wire	Right Wire	Both Wire
									Approx.	↓		V	Grade 2	Grade 3	Panel	Panel	Panels	Trough	Trough	Troughs
	D x L x W x D	Basic Model	Edge Style	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Surfac	e Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	add to list price							
	24 x 54 x 48 x 24"	GSSH24544824S/CR							139.0#	\$ 2773	\$ 2827	\$ 2827	\$ 50	\$ 350	\$ 268	\$ 251	\$ 521	\$ 679	\$ 655	\$ 1332
	24 x 60 x 48 x 24"	GSSH24604824S/CR							146.0#	2776	2834	2834	50	350	277	251	531	701	655	1353
	24 x 66 x 48 x 24	GSSH24664824S/CR							153.0#	2816	2866	2866	50	350	288	251	542	862	655	1516
	24 x 72 x 48 x 24"	GSSH24724824S/CR							161.0#	2878	2938	2938	50	350	298	251	554	961	655	1614
	24 x 84 x 48 x 24"	GSSH24844824S/CR							175.0#	2918	2980	2980	70	450	337	251	589	970	655	1621
GSSH	30 x 54 x 48 x 30"	GSSH30544830S/CR							148.0#	2773	2827	2827	50	350	268	251	521	679	655	1332
Basic Square Shoe Crank Height	30 x 60 x 48 x 30"	GSSH30604830S/CR							157.0#	2776	2834	2834	50	350	277	251	531	701	655	1353
Adjustable-Left	30 x 66 x 48 x 30"	GSSH30664830S/CR							165.0#	2816	2866	2866	50	350	288	251	542	862	655	1516
Extended corner surface Three learned table base	30 x 72 x 48 x 30"	GSSH30724830S/CR							173.0#	2878	2938	2938	50	350	298	251	554	961	655	1614
Three-legged table baseHeight adjusts from 22"-33"	30 x 84 x 48 x 30"	GSSH30844830S/CR							190.0#	2918	2980	2980	70	450	337	251	589	970	655	1621
 Adjustable glides 																				
 Worksurfaces are undersized by 1/4" from side-to-side and 1/4" 																				
from back-to-front from the stated																				
dimensions																				
 Wire trough and modesty panel should not be ordered together on 																				
adjustable tables																				
	24 x 48 x 54 x 24"	GSSH24485424S/CR							139.0#	\$ 2773	\$ 2827	\$ 2827	\$ 50	\$ 350	\$ 251	\$ 268	\$ 521	\$ 655	\$ 679	\$ 1332
	24 x 48 x 60 x 24"	GSSH24486024S/CR							146.0#	2776	2834	2834	50	350	251	277	531	655	701	1353
	24 x 48 x 66 x 24"	GSSH24486624S/CR								2816	2866	2866	50	350	251	288	542	655	862	1516
	24 x 48 x 72 x 24"	GSSH24487224S/CR							161.0#	2878	2938	2938	50	350	251	298	554	655	961	1614
GSSH	24 x 48 x 84 x 24"	GSSH24488424S/CR							175.0#	2918	2980	2980	70	450	251	337	589	655	970	1621
	30 x 48 x 54 x 30" 30 x 48 x 60 x 30"	GSSH30485430S/CR GSSH30486030S/CR							148.0# 157.0#	2773 2776	2827 2834	2827 2834	50 50	350 350	251 251	268 277	521 531	655 655	679 701	1332 1353
Basic Square Shoe Crank Height Adjustable-Right	30 x 48 x 60 x 30"	GSSH30486630S/CR							165.0#	2776	2834	2834	50	350	251	288	542	655	862	1516
Extended corner surface	30 x 48 x 72 x 30"	GSSH30487230S/CR							173.0#	2878	2938	2938	50	350	251	298	554	655	961	1614
Three-legged table base	30 x 48 x 84 x 30"	GSSH30488430S/CR							190.0#	2918	2980	2980	70	450	251	337	589	655	970	1621
 Height adjusts from 22"-33" 																				
Adjustable glidesWorksurfaces are undersized by																				
1/4" from side-to-side and 1/4"																				
from back-to-front from the stated																				
dimensionsWire trough and modesty panel																				
should not be ordered together on																				
adjustable tables																				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

- Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the

appropriate upcharge to the base price. - Left module: add \$146 PUL - Right module: add \$146 PUB - Both left and right modules; add

OSelect modesty panel option.

upcharge.

NM - No modesty panel - LH modesty only - RH modesty only

WM - Both modesty panels See pricing column for full modesty panel Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option. - No wire trough

- Wire trough LH only - Wire trough RH only - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to the **Product Color Options** page in this price list.

GSelect edge/PowerUp color. Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

FINISH INFORMATION

Refer to the **Product Color Options** page in

Surface finish offerings are based on edge

style selections. Laminate finishes are only

available on (74P) 74P edge and (KN) knife

edge worksurfaces. The membrane color

selections are only available on the (MP)

membrane edge worksurfaces.

this price list.

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Square Shoe Electric Height Adjustable



Genesis® Worksurfaces

Square Shoe Electric Height Adjustable

		MODEL NUMBE	R																		
										Annuar				Laminate	Laminate	LH Modesty	RH Modesty	Both Modesty	Left Wire	Right Wire	Both Wire
		Basic	Edge	Electrical	Module	Modesty	Wire	Base	Edge Surface	Approx. Packaged	74P Edge	Knife Edge	Membrane Edge	Grade 2 add to list	Grade 3 add to list	Panel add to list	Panel add to list	Panels add to list	Trough add to list	Trough add to list	Troughs add to list
	DxLxWxD	Model	Style	Control	Location		Trough			Weight	(74P)	(KN)	(MP)	price	price	price	price	price	price	price	price
	24 x 54 x 48 x 24"	GSHE24544824S								160.0#	\$ 5357	\$ 5420	\$ 5420	\$ 50	\$ 350	\$ 268	\$ 251	\$ 521	\$ 679	\$ 655	\$ 1332
	24 x 60 x 48 x 24"	GSHE24604824S								167.0#	5360	5423	5423	50	350	277	251	531	701	655	1353
	24 x 66 x 48 x 24"	GSHE24664824S								174.0#	5433	5497	5497	50	350	288	251	542	862	655	1516
	24 x 72 x 48 x 24"	GSHE24724824S								181.0#	5508	5567	5567	50	350	298	251	554	961	655	1614
	24 x 84 x 48 x 24"	GSHE24844824S								195.0#	5585	5644	5644	70	450	337	251	589	970	655	1621
	30 x 54 x 48 x 30"	GSHE30544830S								169.0#	5357	5420	5420	50	350	268	251	521	679	655	1332
GSHE	30 x 60 x 48 x 30"	GSHE30604830S								177.0#	5360	5423	5423	50	350	277	251	531	701	655	1353
Basic Square Shoe Electric Height	30 x 66 x 48 x 30"	GSHE30664830S								186.0#	5433	5497	5497	50	350	288	251	542	862	655	1516
Adjustable Single-Left	30 x 72 x 48 x 30"	GSHE30724830S								194.0#	5508	5567	5567	50	350	298	251	554	961	655	1614
	30 x 84 x 48 x 30"	GSHE30844830S								210.0#	5585	5644	5644	70	450	337	251	589	970	655	1621
Extended corner surfaceThree-legged table base																					
Height adjusts from 24"-51"																					
Standard or deluxe up/down switch																					
Adjustable glides																					
 Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" 																					

HOW TO ORDER

Indicate the following information on order form:

from back-to-front from the stated

 Wire trough and modesty panel should not be ordered together on

dimensions

adjustable tables

1. Quantity of each item.

2. Model number, including options. See "How To Build a Model Number".

3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Knife edge - Membrane edge

Select electric control style.

• Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data - Left module; add \$146 PUR - Right module: add \$146 PUB \$296

Select modesty panel option.

NM - No modesty panel - LH modesty only

A

(3)

 Θ

0

(3)

(3)

G

0

Select edge style.

74P - 74P edge

- Standard up/down switch - Wire trough Both - Deluxe up/down switch; add \$152 Add upcharge to unit price for "WL", "WR" and

> Select base finish. Refer to the **Product Color Options** page in this price list.

"WM" options.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

selections. The color selection will apply to the trim, edge, PowerUp module and crank

- RH modesty only

- Both modesty panels

See pricing column for full modesty panel

Select wire trough and power option.

NW - No wire trough

Add upcharge to unit price for "LM", "RM" and

- Wire trough LH only

- Wire trough RH only

grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish. Refer to the **Product Color Options** page in

membrane edge worksurfaces.

this price list. Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP)

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Square Shoe Electric Height Adjustable



Genesis® Worksurfaces

Square Shoe Electric Height Adjustable

		MODEL NUMBE	R																		
										Approx.				Laminate Grade 2	Laminate Grade 3	LH Modesty Panel	RH Modesty Panel	Both Modesty Panels	Left Wire Trough	Right Wire Trough	Both Wire Troughs
		Basic	Edge	Electrical	Module	Modesty	Wire	Base	Edge Surface	Packaged	74P Edge	Knife Edge	Membrane Edge	add to list	add to list	add to list	add to list	add to list	add to list	add to list	add to list
	DxLxWxD	Model	Style	Control	Location	Panel	Trough	Finish	Color Finish	Weight	(74P)	(KN)	(MP)	price	price	price	price	price	price	price	price
	24 x 48 x 54 x 24"	GSHE24485424S								160.0#	\$ 5357	\$ 5420	\$ 5420	\$ 50	\$ 350	\$ 251	\$ 268	\$ 521	\$ 655	\$ 679	\$ 1332
	24 x 48 x 60 x 24"	GSHE24486024S								167.0#	5360	5423	5423	50	350	251	277	531	655	701	1353
	24 x 48 x 66 x 24"	GSHE24486624S								174.0#	5433	5497	5497	50	350	251	288	542	655	862	1516
U	24 x 48 x 72 x 24"	GSHE24487224S								181.0#	5508	5567	5567	50	350	251	298	554	655	961	1614
	24 x 48 x 84 x 24"	GSHE24488424S								195.0#	5585	5644	5644	70	450	251	337	589	655	970	1621
	30 x 48 x 54 x 30"	GSHE30485430S								169.0#	5357	5420	5420	50	350	251	268	521	655	679	1332
GSHE	30 x 48 x 60 x 30"	GSHE30486030S								177.0#	5360	5423	5423	50	350	251	277	531	655	701	1353
Basic Square Shoe Electric Height	30 x 48 x 66 x 30"	GSHE30486630S								186.0#	5433	5497	5497	50	350	251	288	542	655	862	1516
Adjustable Single-Right	30 x 48 x 72 x 30"	GSHE30487230S								194.0#	5508	5567	5567	50	350	251	298	554	655	961	1614
	30 x 48 x 84 x 30"	GSHE30488430S								210.0#	5585	5644	5644	70	450	251	337	589	655	970	1621
Extended corner surface There is a read to be in a read																					
Three-legged table baseHeight adjusts from 24"-51"																					
Standard or deluxe up/down switch																					
Adjustable glides																					
Worksurfaces are undersized by 1.1/4" from side to side and 1/2"																					
1-1/4" from side-to-side and 1/2" from back-to-front from the stated																					

HOW TO ORDER

dimensions

adjustable tables

· Wire trough and modesty panel should not be ordered together on

Indicate the following information on order form:

1. Quantity of each item.

2. Model number, including options. See "How To Build a Model Number".

3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

(3)

 Θ

0

(3)

(3)

G

0

A Select basic model.

Select edge style.

74P - 74P edge - Knife edge - Membrane edge

Select electric control style.

- Standard up/down switch - Deluxe up/down switch; add \$152

• Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data - Left module; add \$146 PUR - Right module: add \$146 PUB \$296

Select modesty panel option.

NM - No modesty panel - LH modesty only

- RH modesty only

- Both modesty panels See pricing column for full modesty panel

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough - Wire trough LH only - Wire trough RH only - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank

grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Reduction Square Shoe Fixed Height



Genesis® Worksurfaces

Reduction Square Shoe Fixed Height

		MODEL NUMBER																				
								_		Арргох.				Membrane	Laminate Grade 2	Laminate Grade 3	LH Modesty Panel	RH Modesty Panel	Both Modesty Panels	Left Wire Trough	Right Wire Trough	Both Wire Troughs
	D x L x W x D		Module Location	Modesty Panel	Wire Trough	Overhead Grommet	Trans. Legs	Base Finish	Surface Finish	Package Weight		74P Edge (74P)	Knife Edge (KN)	Edge (MP)	add to list price	add to list price	add to list price	add to list price	add to list price	add to list price	add to list price	add to list price
	24 x 54 x 48 x 30"	GSSH24544830S/F								130.0#	# \$	1993	\$ 2057	\$ 2057	\$ 50	\$ 350	\$ 268	\$ 251	\$ 521	\$ 679	\$ 655	\$ 1332
6	24 x 60 x 48 x 30"	GSSH24604830S/F								136.0#	#	1998	2060	2060	50	350	277	251	531	701	655	1353
	24 x 66 x 48 x 30"	GSSH24664830S/F								143.0#	#	2044	2091	2091	50	350	288	251	542	862	655	1516
U	24 x 72 x 48 x 30"	GSSH24724830S/F								149.0#	#	2103	2160	2160	50	350	298	251	554	961	655	1614
	24 x 84 x 48 x 30"	GSSH24844830S/F								162.0#	#	2198	2201	2201	70	450	337	251	589	970	655	1621
	30 x 54 x 48 x 24"	GSSH30544824S/F								131.0#	#	1993	2057	2057	50	350	268	251	521	679	655	1332
GSSH	30 x 60 x 48 x 24"	GSSH30604824S/F								139.0#	#	1998	2060	2060	50	350	277	251	531	701	655	1353
Reduction Basic Square Shoe Fixed	30 x 66 x 48 x 24"	GSSH30664824S/F								146.0#	#	2044	2091	2091	50	350	288	251	542	862	655	1516
Height-Left	30 x 72 x 48 x 24"	GSSH30724824S/F								154.0#	#	2103	2160	2160	50	350	298	251	554	961	655	1614
Extended corner surfaceThree-legged table baseFixed height at 29"Adjustable glides	30 x 84 x 48 x 24"	GSSH30844824S/F								170.0#	#	2198	2201	2201	70	450	337	251	589	970	655	1621
OCR OCI OCI																						

HOW TO ORDER

OCR-OCI

• OCR = Overhead right OCL = Overhead left

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

0

Θ

0

(3)

(3)

(

0

0

A Select basic model.

Select edge style.

74P - 74P edge

- Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the

appropriate upcharge to the base price. - Left module: add \$146 - Right module: add \$146 PUR PUB - Both left and right modules; add

• Select modesty panel option.

NM - No modesty panel - LH modesty only - RH modesty only

WM - Both modesty panels See pricing column for full modesty panel Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option. - No wire trough

- Wire trough LH only - Wire trough RH only - Wire trough Both Add upcharge to unit price for "WL", "WR" and

Select overhead grommet.

OGN - Overhead grommets no - Overhead grommets left - Overhead grommets right

GSelect transition legs.

"WW" options.

- No transition foot - Left transition foot - Right transition foot - Both transition feet

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select edge/PowerUp color.

Refer to the **Product Color Options** page in

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.


Refer to the **Product Color Options** page in

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.


FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.



Basic Model: GSSH**24486030**S/F



GSSH30604824S/F

With specially marked information

SPECIAL SERVICES

Special Carton Marking

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Specifications and prices are subject to change without prior notice.

Options are always specified left to right from the

Reduction Square Shoe Fixed Height



Genesis® Worksurfaces

Reduction Square Shoe Fixed Height

		MODEL NUMBER																			
														Laminate	Laminate	LH Modesty	RH Modesty	Both Modesty	Left Wire	Right Wire	Both Wire
									Approx.	Ì	V	Me	embrane	Grade 2	Grade 3	Panel	Panel	Panels	Trough	Trough	Troughs
	D x L x W x D	Basic Model	Edge Module Style Locatio	y Wire Trough	Overhead Grommet	Trans. Legs		Surface Finish	Packaged Weight	74P E (74P)	dge Knife E (KN)	dge Edg (M		add to list price							
	24 x 48 x 54 x 30"	GSSH24485430S/F							131.0#	\ /	. ,	,	2057	\$ 50	\$ 350	\$ 251	\$ 268	\$ 521	\$ 655	\$ 679	\$ 1332
	24 x 48 x 60 x 30"	GSSH24486030S/F							139.0#		98 206		2060	50	350	251	277	531	655	701	1353
, · · · · · · · · · · · · · · · · · · ·	24 x 48 x 66 x 30"	GSSH24486630S/F							146.0#	20	144 209)1	2091	50	350	251	288	542	655	862	1516
	24 x 48 x 72 x 30"	GSSH24487230S/F							154.0#	21	03 216	0	2160	50	350	251	298	554	655	961	1614
	24 x 48 x 84 x 30"	GSSH24488430S/F							170.0#	21	98 220	1	2201	70	450	251	337	589	655	970	1621
	30 x 48 x 54 x 24"	GSSH30485424S/F							130.0#	19	193 205	57	2057	50	350	251	268	521	655	679	1332
GSSH	30 x 48 x 60 x 24"								136.0#		98 206		2060	50	350	251	277	531	655	701	1353
Reduction Basic Square Shoe Fixed	30 x 48 x 66 x 24"								143.0#		144 209		2091	50	350	251	288	542	655	862	1516
Height-Right	30 x 48 x 72 x 24"	GSSH30487224S/F							149.0#		03 216		2160	50	350	251	298	554	655	961	1614
Extended corner surfaceThree-legged table base	30 x 48 x 84 x 24"	GSSH30488424S/F							162.0#	21	98 220)1	2201	70	450	251	337	589	655	970	1621
 Fixed height at 29" 																					
Adjustable glides																					

HOW TO ORDER

OCR-OCI

• OCR = Overhead right OCL = Overhead left

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

0

Θ

0

(3)

(3)

(

0

A Select basic model.

Select edge style.

74P - 74P edge

- Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

- Left module: add \$146 - Right module: add \$146 PUB - Both left and right modules; add

OSelect modesty panel option.

NM - No modesty panel - LH modesty only - RH modesty only

- Both modesty panels See pricing column for full modesty panel

- Both transition feet

Add upcharge to unit price for "LM", "RM" and

Select wire trough and power option.

- No wire trough - Wire trough LH only - Wire trough RH only

- Wire trough Both Add upcharge to unit price for "WL", "WR" and "WW" options.

Select overhead grommet.

OGN - Overhead grommets no - Overhead grommets left - Overhead grommets right

GSelect transition legs.

"WM" options.

- No transition foot - Left transition foot - Right transition foot

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select edge/PowerUp color.

Refer to the **Product Color Options** page in

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.


Refer to the **Product Color Options** page in

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering


KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.



Basic Model: 3SSH24486030S/F

INFORMATION

Options are always specified left to right from the



SPECIAL SERVICES

Special Carton Marking

With specially marked information

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Reduction Square Shoe Pin Height Adjustable



Genesis® Worksurfaces

Reduction Square Shoe Pin Height Adjustable

										<u> </u>											
		MODEL NUMBER																			
							\top									LH	RH	Both	Left	Right	Both
														Laminate	Laminate	Modesty	Modesty	Modesty	Wire	Wire	Wire
									Approx.					Grade 2	Grade 3	Panel	Panel	Panels	Trough	Trough	Troughs
	D x L x W x D	Basic Model	Edge	Module	Modesty		Base	Edge Surf		74P Ec		Knife Edge	Membrane Edge	add to list							
			Style	Location	Panel	Trough	_	Color Finis		(74P)		(KN)	(MP)	price							
	24 x 54 x 48 x 30"	GSSH24544830S/P								\$ 22		\$ 2334	\$ 2334	\$ 50	\$ 350	\$ 268	\$ 251	\$ 521	\$ 679	\$ 655	\$ 1332
	24 x 60 x 48 x 30"	GSSH24604830S/P									79	2336	2336	50	350	277	251	531	701	655	1353
	24 x 66 x 48 x 30"	GSSH24664830S/P									109	2369	2369	50	350	288	251	542	862	655	1516
	24 x 72 x 48 x 30"	GSSH24724830S/P									06	2464	2464	50	350	298	251	554	961	655	1614
	24 x 84 x 48 x 30"	GSSH24844830S/P									40	2501	2501	70	450	337	251	589	970	655	1621
	30 x 54 x 48 x 24"	GSSH30544824S/P									.73	2334	2334	50	350	268	251	521	679	655	1332
GSSH	30 x 60 x 48 x 24"	GSSH30604824S/P									79	2336	2336	50	350	277	251	531	701	655	1353
Reduction Square Shoe Pin Height	30 x 66 x 48 x 24"	GSSH30664824S/P									09	2369	2369	50	350	288	251	542	862	655	1516
Adjustable-Left	30 x 72 x 48 x 24"	GSSH30724824S/P									06	2464	2464	50	350	298	251	554	961	655	1614
 Extended corner surface 	30 x 84 x 48 x 24"	GSSH30844824S/P							□ 178.0#	24	40	2501	2501	70	450	337	251	589	970	655	1621
Three-legged table base																					
 Height adjusts from 24"-31" in 1" increments 																					
Adjustable glides																					
Wire trough and modesty panel																					
should not be ordered together on																					
adjustable tables																					
$\overline{}$	24 x 48 x 54 x 30"	GSSH24485430S/P							□ 137.0#	\$ 22	.73	\$ 2334	\$ 2334	\$ 50	\$ 350	\$ 251	\$ 268	\$ 521	\$ 655	\$ 679	\$ 1332
	24 x 48 x 60 x 30"	GSSH24486030S/P							□ 145.0#	22	79	2336	2336	50	350	251	277	531	655	701	1353
	24 x 48 x 66 x 30"	GSSH24486630S/P							□ 153.0#	23	109	2369	2369	50	350	251	288	542	655	862	1516
	24 x 48 x 72 x 30"	GSSH24487230S/P							□ 162.0#	24	06	2464	2464	50	350	251	298	554	655	961	1614
	24 x 48 x 84 x 30"	GSSH24488430S/P							□ 178.0#	24	40	2501	2501	70	450	251	337	589	655	970	1621
	30 x 48 x 54 x 24"	GSSH30485424S/P							□ 136.0#	22	.73	2334	2334	50	350	251	268	521	655	679	1332
GSSH	30 x 48 x 60 x 24"	GSSH30486024S/P							□ 143.0#	22	79	2336	2336	50	350	251	277	531	655	701	1353
Reduction Square Shoe Pin Height	30 x 48 x 66 x 24"	GSSH30486624S/P							□ 150.0#	23	109	2369	2369	50	350	251	288	542	655	862	1516
Adjustable-Right	30 x 48 x 72 x 24"	GSSH30487224S/P							□ 157.0#	24	06	2464	2464	50	350	251	298	554	655	961	1614
Extended corner surface	30 x 48 x 84 x 24"	GSSH30488424S/P							□ 170.0#	24	40	2501	2501	70	450	251	337	589	655	970	1621
Three-legged table base																					
Height adjusts from 24"-31" in 1"																					
increments • Adjustable glides																					
 Adjustable glides Wire trough and modesty panel 																					
should not be ordered together on																					
adjustable tables																					
		•	•	<u> </u>	-	G	- 6	A 4	`												
		A	3	•	O	(3	•	()	,												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the

appropriate upcharge to the base price. - Left module: add \$146 PUL - Right module: add \$146 PUR PUB - Both left and right modules; add

OSelect modesty panel option.

upcharge.

NM - No modesty panel - LH modesty only - RH modesty only - Both modesty panels See pricing column for full modesty panel Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

- No wire trough - Wire trough LH only - Wire trough RH only

- Wire trough Both Add upcharge to unit price for "WL", "WR" and "WW" options.

Select base finish.

Refer to the **Product Color Options** page in this price list.

GSelect edge/PowerUp color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

①Select surface finish.


Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.


FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.







GSSH30604824S/F

SPECIAL SERVICES

Special Carton Marking

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

With specially marked information N/C

Specifications and prices are subject to change without prior notice.

Options are always specified left to right from the

Reduction Square Shoe Crank Height Adjustable



Genesis® Worksurfaces

Reduction Square Shoe Crank Height Adjustable

		MODEL NUMBER Basic	Edge	Module	Modesty	Wire	Base	Edge	Surface	Approx. Packaged	74P Edge	e	Knife Edge	Membrane Edge	Laminate Grade 2 add to list	Laminate Grade 3 add to list	LH Modesty Panel add to list	RH Modesty Panel add to list	Both Modesty Panels add to list	Left Wire Trough add to list	Right Wire Trough add to list	Both Wire Troughs add to list
	DxLxWxD	Model	Style	Location	Panel	Trough	Finish	Color	Finish	Weight	(74P)		(KN)	(MP)	price	price	price	price	price	price	price	price
	24 x 54 x 48 x 30"	GSSH24544830S/CR								143.0#	\$ 2773		\$ 2827	\$ 2827	\$ 50	\$ 350	\$ 268	\$ 251	\$ 521	\$ 679	\$ 655	\$ 1332
	24 x 60 x 48 x 30"	GSSH24604830S/CR								150.0#	2776		2834	2834	50	350	277	251	531	701	655	1353
	24 x 66 x 48 x 30"	GSSH24664830S/CR								157.0#	2816		2866	2866	50	350	288	251	542	862	655	1516
	24 x 72 x 48 x 30"	GSSH24724830S/CR								165.0#	2878		2938	2938	50	350	298	251	554	961	655	1614
	24 x 84 x 48 x 30"	GSSH24844830S/CR								179.0#	2918		2980	2980	70	450	337	251	589	970	655	1621
	30 x 54 x 48 x 24"	GSSH30544824S/CR								146.0#	2773		2827	2827	50	350	268	251	521	679	655	1332
GSSH	30 x 60 x 48 x 24"	GSSH30604824S/CR								155.0#	2776		2834	2834	50	350	277	251	531	701	655	1353
Reduction Basic Square Shoe Crank	30 x 66 x 48 x 24"	GSSH30664824S/CR								163.0#	2816		2866	2866	50	350	288	251	542	862	655	1516
Height Adjustable-Left	30 x 72 x 48 x 24"	GSSH30724824S/CR								172.0#	2878		2938	2938	50	350	298	251	554	961	655	1614
 Extended corner surface Three-legged table base Height adjusts from 22"-33" Adjustable glides Worksurfaces are undersized by 1/4" from side-to-side and 1/4" from back-to-front from the stated 	30 x 84 x 48 x 24"	GSSH30844824S/CR								189.0#	2918		2980	2980	70	450	337	251	589	970	655	1621
dimensions																						
 Wire trough and modesty panel should not be ordered together on 																						
adjustable tables																						
	24 x 48 x 54 x 30"	GSSH24485430S/CR								144.0#	\$ 2773		\$ 2827	\$ 2827	\$ 50	\$ 350	\$ 251	\$ 268	\$ 521	\$ 655	\$ 679	\$ 1332
	24 x 48 x 60 x 30"	GSSH24486030S/CR								153.0#	2776		2834	2834	50	350	251	277	531	655	701	1353
	24 x 48 x 66 x 30"	GSSH24486630S/CR								161.0#	2816		2866	2866	50	350	251	288	542	655	862	1516
	24 x 48 x 72 x 30"	GSSH24487230S/CR								170.0#	2878		2938	2938	50	350	251	298	554	655	961	1614
	24 x 48 x 84 x 30"	GSSH24488430S/CR								187.0#	2918		2980	2980	70	450	251	337	589	655	970	1621
	30 x 48 x 54 x 24"	GSSH30485424S/CR								145.0#	2773		2827	2827	50	350	251	268	521	655	679	1332
GSSH	30 x 48 x 60 x 24"	GSSH30486024S/CR								152.0#	2776		2834	2834	50	350	251	277	531	655	701	1353
Reduction Basic Square Shoe Crank	30 x 48 x 66 x 24"	GSSH30486624S/CR								159.0#	2816		2866	2866	50	350	251	288	542	655	862	1516
Height Adjustable-Right	30 x 48 x 72 x 24"	GSSH30487224S/CR								167.0#	2878		2938	2938	50	350	251	298	554	655	961	1614
 Extended corner surface Three-legged table base Height adjusts from 22"-33" Adjustable glides 	30 x 48 x 84 x 24"	GSSH30488424S/CR								181.0#	2918		2980	2980	70	450	251	337	589	655	970	1621
Worksurfaces are undersized by 1/4" from pide to pide and 1/4"																						
1/4" from side-to-side and 1/4" from back-to-front from the stated																						
dimensions																						
 Wire trough and modesty panel 																						
should not be ordered together on																						
adjustable tables																						
		A	3	Θ	O	(3	(Ө	0													

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

- Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

- Left module: add \$146 - Right module: add \$146 PUB - Both left and right modules; add

• Select modesty panel option.

NM - No modesty panel - LH modesty only - RH modesty only - Both modesty panels

See pricing column for full modesty panel upcharge.

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

- No wire trough - Wire trough LH only - Wire trough RH only - Wire trough Both

Add upcharge to unit price for "WL", "WR" and "WW" options.

Refer to the **Product Color Options** page in this price list.

Select base finish.

GSelect edge/PowerUp color. Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections. The color selection will apply to the

trim, edge, PowerUp module and crank grommet. Trim color doesn't apply to the membrane edge selection.

①Select surface finish.

Refer to the **Product Color Options** page in FINISH INFORMATION

this price list.

Surface finish offerings are based on edge

style selections. Laminate finishes are only

available on (74P) 74P edge and (KN) knife


edge worksurfaces. The membrane color

selections are only available on the (MP)


membrane edge worksurfaces.

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.







GSSH30604824S/F

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Specifications and prices are subject to change without prior notice.

Options are always specified left to right from the

Reduction Square Shoe Electric Height Adjustable



Genesis® Worksurfaces

Reduction Square Shoe Electric Height Adjustable

		MODEL NUMBE	R																		
														Laminate	Laminate	LH Modesty	RH Modesty	Both Modesty	Left Wire	Right Wire	Both Wire
	D x L x W x D	Basic Model	Edge Style	Electrical Control	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Surface Color Finish	Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	Grade 2 add to list price	Grade 3 add to list price	Panel add to list price	Panel add to list price	Panels add to list price	Trough add to list price	Trough add to list price	Troughs add to list price
	24 x 54 x 48 x 30"	GSHE24544830S								164.0#	\$ 5357	\$ 5420	\$ 5420	\$ 50	\$ 350	\$ 268	\$ 251	\$ 521	\$ 679	\$ 655	\$ 1332
	24 x 60 x 48 x 30"	GSHE24604830S								171.0#	5360	5423	5423	50	350	277	251	531	701	655	1353
✓	24 x 66 x 48 x 30"	GSHE24664830S								178.0#	5433	5497	5497	50	350	288	251	542	862	655	1516
	24 x 72 x 48 x 30"	GSHE24724830S								185.0#	5508	5567	5567	50	350	298	251	554	961	655	1614
	24 x 84 x 48 x 30"	GSHE24844830S								199.0#	5585	5644	5644	70	450	337	251	589	970	655	1621
	30 x 54 x 48 x 24"	GSHE30544824S								166.0#	5357	5420	5420	50	350	268	251	521	679	655	1332
GSHE	30 x 60 x 48 x 24"	GSHE30604824S								174.0#	5360	5423	5423	50	350	277	251	531	701	655	1353
Reduction Basic Square Shoe Electric	30 x 66 x 48 x 24"	GSHE30664824S								182.0#	5433	5497	5497	50	350	288	251	542	862	655	1516
Height Adjustable Single-Left	30 x 72 x 48 x 24"	GSHE30724824S								190.0#	5508	5567	5567	50	350	298	251	554	961	655	1614
	30 x 84 x 48 x 24"	GSHE30844824S								206.0#	5585	5644	5644	70	450	337	251	589	970	655	1621
Extended corner surface Three-legged table base Height adjusts from 24"-51" Standard or deluxe up/down switch																					
 Adjustable glides Worksurfaces are undersized by 1-1/4" from side-to-side and 1/2" 																					

HOW TO ORDER

Indicate the following information on order form:

from back-to-front from the stated

 Wire trough and modesty panel should not be ordered together on

dimensions

adjustable tables

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

A

(3)

 Θ

0

(3)

(3)

G

0

- Membrane edge

- Standard up/down switch - Deluxe up/down switch; add \$152

• Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data - Left module; add \$146 PUR - Right module: add \$146 - Both left and right modules; add Select edge/PowerUp color. PUB \$296

Select modesty panel option.

NM - No modesty panel - LH modesty only

- Knife edge

Select electric control style.

NW - No wire trough - Wire trough LH only - Wire trough RH only - Wire trough Both Add upcharge to unit price for "WL", "WR" and

"WM" options.

GSelect base finish.

Refer to the **Product Color Options** page in this price list.

- RH modesty only

- Both modesty panels

Add upcharge to unit price for "LM", "RM" and

See pricing column for full modesty panel

Select wire trough and power option.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style

selections. The color selection will apply to the trim, edge, PowerUp module and crank

grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.


Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.


FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.



Basic Model: GSSH**24486030**S/F



GSSH30604824S/F

Options are always specified left to right from the

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Reduction Square Shoe Electric Height Adjustable



Genesis® Worksurfaces

Reduction Square Shoe Electric Height Adjustable

MODEL NUMBER																					
														Laminate	Laminate	LH Modesty	RH Modesty	Both Modesty	Left Wire	Right Wire	Both Wire
	D x L x W x D	Basic Model	Edge Style	Electrical Control	Module Location	Modesty Panel	Wire Trough	Base Finish	Edge Surface Color Finish	Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	Grade 2 add to list price	Grade 3 add to list price	Panel add to list price	Panel add to list price	Panels add to list price	Trough add to list price	Trough add to list price	Troughs add to list price
	24 x 48 x 54 x 30"	GSHE24485430S								166.0#	\$ 5357	\$ 5420	\$ 5420	\$ 50	\$ 350	\$ 251	\$ 268	\$ 521	\$ 655	\$ 679	\$ 1332
	24 x 48 x 60 x 30"	GSHE24486030S								174.0#	5360	5423	5423	50	350	251	277	531	655	701	1353
	24 x 48 x 66 x 30"	GSHE24486630S								182.0#	5433	5497	5497	50	350	251	288	542	655	862	1516
	24 x 48 x 72 x 30"	GSHE24487230S								190.0#	5508	5567	5567	50	350	251	298	554	655	961	1614
	24 x 48 x 84 x 30"	GSHE24488430S								206.0#	5585	5644	5644	70	450	251	337	589	655	970	1621
	30 x 48 x 54 x 24"	GSHE30485424S								164.0#	5357	5420	5420	50	350	251	268	521	655	679	1332
GSHE	30 x 48 x 60 x 24"	GSHE30486024S								171.0#	5360	5423	5423	50	350	251	277	531	655	701	1353
Reduction Basic Square Shoe Electric	30 x 48 x 66 x 24"	GSHE30486624S								178.0#	5433	5497	5497	50	350	251	288	542	655	862	1516
Height Adjustable Single-Right	30 x 48 x 72 x 24"	GSHE30487224S								185.0#	5508	5567	5567	50	350	251	298	554	655	961	1614
	30 x 48 x 84 x 24"	GSHE30488424S								199.0#	5585	5644	5644	70	450	251	337	589	655	970	1621
Extended corner surfaceThree-legged table base																					
Height adjusts from 24"-51" Standard or deliver up (device autital)																					
Standard or deluxe up/down switchAdjustable glides																					
Worksurfaces are undersized by																					
1-1/4" from side-to-side and 1/2"																					

HOW TO ORDER

Indicate the following information on order form:

from back-to-front from the stated

 Wire trough and modesty panel should not be ordered together on

dimensions

adjustable tables

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

A

(3)

 Θ

0

(3)

(3)

G

0

- Membrane edge

- Standard up/down switch - Deluxe up/down switch; add \$152

• Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data - Left module; add \$146 PUR - Right module: add \$146 - Both left and right modules; add Select edge/PowerUp color. PUB \$296

Select modesty panel option.

NM - No modesty panel

- Knife edge

Select electric control style.

- LH modesty only

- RH modesty only - Both modesty panels

See pricing column for full modesty panel

Add upcharge to unit price for "LM", "RM" and "WM" options.

Select wire trough and power option.

NW - No wire trough - Wire trough LH only - Wire trough RH only - Wire trough Both Add upcharge to unit price for "WL", "WR" and

GSelect base finish. Refer to the **Product Color Options** page in this

price list.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge, PowerUp module and crank

grommet. Trim color doesn't apply to the membrane edge selection.

Select surface finish.


Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife modification request process. Please note, edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.


FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.



Basic Model: GSSH**24486030**S/F



SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Specifications and prices are subject to change without prior notice.

Options are always specified left to right from the



Genesis® Worksurfaces

		MODEL NUMB	rn																
		MODEL NOMB	ER .							Approx.				Laminat Grade 2	Laminate Grade 3	LH Modesty Panel	RH Modesty Panel	Both Modesty Panels	Wire Trough
	D x W x L	Basic Model	Edge Modul Style Location		y Wire Trough	Overhead Grommet		Base Edge Finish Color	Surface Finish	Packaged Weight	74I (74	P Edge	Knife Edge (KN)	add to lis price		add to list	add to list	add to list	add to list
	60 x 48 x 24"	GSTP604824S/F	-	_			_	IIIISII COIOI	_	131.0#		2369	\$ 2562		price 50 \$ 3	price 50 \$ 257	price \$ 191	price \$ 449	price \$ 642
	66 x 48 x 24"	GSTP664824S/F								139.0#		2462	\$ 2562 2688	Ф		i0 \$ 257	\$ 191 191		
	72 x 48 x 24"	GSTP724824S/F								147.0#		2402	2735			i0 200 i0 277	191	461 469	642 642
	84 x 48 x 24"	GSTP844824S/F								155.0#		2567	2763						642
	60 x 48 x 30"	GSTP604830S/F								139.0#						50 288 50 257	191	479	
GSTP	66 x 48 x 30"	GSTP604830S/F								139.0#		2369 2462	2562 2688			50 257 50 268	191 191	449 461	642 642
		GSTP704830S/F								147.0#									
Fixed Height-Left	72 x 48 x 30" 84 x 48 x 30"	GSTP844830S/F								162.0#		2473 2567	2735 2763			0 277 0 288	191 191	469 479	642 642
Corner surface with conferencing erFixed height at 29"Adjustable glides	d																		
	24 x 48 x 60"	GSTP244860S/F								131.0#	\$	2369	\$ 2562	\$	50 \$ 3	0 \$ 191	\$ 257	\$ 449	\$ 642
	24 x 48 x 66"	GSTP244866S/F								139.0#		2462	2688		50 3	0 191	268	461	642
	24 x 48 x 72"	GSTP244872S/F								147.0#		2473	2735		50 3	0 191	277	469	642
	24 x 48 x 84"	GSTP244884S/F								155.0#		2567	2763		70 4	0 191	288	479	642
	30 x 48 x 60"	GSTP304860S/F								139.0#		2369	2562		50 3	0 191	257	449	642
GSTP	30 x 48 x 66"	GSTP304866S/F								147.0#		2462	2688		50 3	0 191	268	461	642
Fixed Height-Right	30 x 48 x 72"	GSTP304872S/F								155.0#		2473	2735		50 3	0 191	277	469	642
	30 x 48 x 84"	GSTP304884S/F								162.0#		2567	2763		70 4	0 191	288	479	642
Corner surface with conferencing erFixed height at 29"Adjustable glides	d																		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 74P 74P edge

- Knife edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data - Left module; add \$146 - Right module: add \$146 PUR PUB - Both left and right modules; add \$296

• Select modesty panel options.

NM - No modesty panel I M - LH modesty only - RH modesty only - Both modesty panels

See pricing column for full modesty panel Add upcharge to unit price for "LM", "RM" and

"WM" option.

Select wire trough and power option. NW - No wire trough

WW - Wire trough

Add upcharge to unit price for "WW" option.

Select overhead grommet.

OGN - Overhead grommets no **OGY** - Overhead grommets yes

GSelect transition legs.

- No transition foot - Left transition foot - Right transition foot - Both transition feet

TR, TL and TB not allowed on 24" deep dual

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select edge color. Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering KI offers laminates beyond those offered in the

standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.



Genesis® Worksurfaces

			MODEL NUMBI	ER																
											Approx	Χ.			Laminate Grade 2	Laminate Grade 3	LH Modesty Panel	RH Modesty Panel	Both Modesty Panels	Wire Trough
	MODEL	DxWxL	Basic Model	Edge Style		Modesty Panel	Wire Trough	Base Finish		Surface Finish	Packag Weight	ged	74P Edge (74P)	Knife Edge (KN)	add to list price	add to list price	add to list price	add to list price	add to list price	add to list price
	Pin Height Adjustable-Left	60 x 48 x 24"	GSTP604824S/P								135.0	0#	\$ 2670	\$ 2862	\$ 50	\$ 350	\$ 257	\$ 191	\$ 449	\$ 642
	 Corner surface with conferencing end Height adjusts from 24"-31" in 1" 	66 x 48 x 24"	GSTP664824S/P								143.0	0#	2762	2985	50	350	268	191	461	642
	increments	72 x 48 x 24"	GSTP724824S/P								151.0	0#	2772	3032	50	350	277	191	469	642
	Adjustable glides	84 x 48 x 24"	GSTP844824S/P								159.0	0#	2867	3064	70	450	288	191	479	642
*	 Wire trough and modesty panel should not be ordered together on adjustable 	60 x 48 x 30"	GSTP604830S/P								143.0		2670	2862	50	350	257	191	449	642
GSTP	tables	66 x 48 x 30"	GSTP664830S/P								151.0		2762	2985	50	350	268	191	461	642
		72 x 48 x 30"	GSTP724830S/P								159.0		2772	3032	50	350	277	191	469	642
		84 x 48 x 30"	GSTP844830S/P								166.0	0#	2867	3064	70	450	288	191	479	642
	Pin Height Adjustable-Right	24 x 48 x 60"	GSTP244860S/P								135.0	0#	\$ 2670	\$ 2862	\$ 50	\$ 350	\$ 191	\$ 257	\$ 449	\$ 642
	 Corner surface with conferencing end Height adjusts from 24"-31" in 1" 	24 x 48 x 66"	GSTP244866S/P								143.0	0#	2762	2985	50	350	191	268	461	642
	increments	24 x 48 x 72"	GSTP244872S/P								151.0		2772	3032	50	350	191	277	469	642
	 Adjustable glides 	24 x 48 x 84"	GSTP244884S/P								159.0	0#	2867	3064	70	450	191	288	479	642
V	Wire trough and modesty panel should not be ordered together an adjustable.	30 x 48 x 60"	GSTP304860S/P								143.0	0#	2670	2862	50	350	191	257	449	642
GSTP	not be ordered together on adjustable tables	30 x 48 x 66"	GSTP304866S/P								151.0	0#	2762	2985	50	350	191	268	461	642
		30 x 48 x 72"	GSTP304872S/P								159.0	0#	2772	3032	50	350	191	277	469	642
		30 x 48 x 84"	GSTP304884S/P								166.0	0#	2867	3064	70	450	191	288	479	642
			A	3	Θ	0	(3	(3)	(0										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 74P 74P edge - Knife edge
- Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN	- No data
PUL	- Left module; add \$146
PUR	- Right module; add \$146
PUB	 Both left and right modules; add
\$296	

Select mod	lesty panel.
NM	- No modesty panel
LM	- LH modesty only
RM	- RH modesty only
WM	- Both modesty panels
See pricing	a column for full modesty nanel

Add upcharge to unit price for "LM", "RM" and

"WM" options.

Select wire trough and power option. NW - No wire trough

WW - Wire trough

Add upcharge to unit price for "WW" option.

Select base finish.

Refer to the **Product Color Options** page in this price list.

GSelect edge color.

Refer to the Product Color Options page in this price list. Edge color offerings are based on edge style

selections. The color selection will apply to the trim, edge and PowerUp module.

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering KI offers laminates beyond those offered in the

standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.



Genesis® Worksurfaces

									▼										
		MODEL NUMBI	ER							(Laminate	Laminate	LH Modesty	RH Modesty	Both Modesty	Wire
	DxWxL	Basic Model		Modesty Panel	Wire Trough	Overhead Grommet	Base Finish	Surface Finish	Approx. Package Weight	(74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	Grade 2 add to list price	Grade 3 add to list price	Panel add to list price	Panel add to list price	Panels add to list price	Trough add to list price
	60 x 48 x 24"	GSAP604824S/F							127.0 _i		\$ 2193	\$ 2291	\$ 2291	\$ 50	\$ 350	\$ 277	\$ 251	\$ 531	\$ 642
4	66 x 48 x 24"	GSAP664824S/F							135.0 _i		2283	2415	2415	50	350	288	251	542	642
	72 x 48 x 24"	GSAP724824S/F							143.0 _i		2291	2464	2464	50	350	298	251	554	642
	84 x 48 x 24"	GSAP844824S/F							151.0 _i		2389	2495	2495	70	450	337	251	589	642
	60 x 48 x 30"	GSAP604830S/F							135.0 _i		2193	2291	2291	50	350	277	251	531	642
GSAP	66 x 48 x 30"	GSAP664830S/F							143.0 _i		2283	2415	2415	50	350	288	251	542	642
Fixed Height-Left	72 x 48 x 30"	GSAP724830S/F							151.0 _i		2291	2464	2464	50	350	298	251	554	642
Corner surface with conferencing erFixed height at 29"Adjustable glides	84 x 48 x 30" d	GSAP844830S/F							158.0i	#	2389	2495	2495	70	450	337	251	589	642
	24 x 48 x 60"	GSAP244860S/F							127.0 _i	# 5	\$ 2193	\$ 2291	\$ 2291	\$ 50	\$ 350	\$ 251	\$ 277	\$ 531	\$ 642
	24 x 48 x 66"	GSAP244866S/F							135.0a	#	2283	2415	2415	50	350	251	288	542	642
	24 x 48 x 72"	GSAP244872S/F							143.0i	#	2291	2464	2464	50	350	251	298	554	642
	24 x 48 x 84"	GSAP244884S/F							151.0a	#	2389	2495	2495	70	450	251	337	589	642
	30 x 48 x 60"	GSAP304860S/F							135.0 _i	#	2193	2291	2291	50	350	251	277	531	642
GSAP	30 x 48 x 66"	GSAP304866S/F							143.0a	#	2283	2415	2415	50	350	251	288	542	642
Fixed Height-Right	30 x 48 x 72"	GSAP304872S/F							151.0 _i		2291	2464	2464	50	350	251	298	554	642
O	30 x 48 x 84"	GSAP304884S/F							158.0 _i	#	2389	2495	2495	70	450	251	337	589	642
Corner surface with conferencing erFixed height at 29"Adjustable glides	a																		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

- Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

- Left module: add \$146 - Right module: add \$146 PUB - Both left and right modules; add

OSelect modesty panel.

NM - No modesty panel - LH modesty only RM - RH modesty only

WM - Both modesty panels See pricing column for full modesty panel upcharge.

Add upcharge to unit price for "LM", "RM" and Edge color offerings are based on edge style FINISH INFORMATION "WM" options.

Select wire trough and power option. NW - No wire trough WW - Wire trough

Add upcharge to unit price for "WW" option.

Select overhead grommet. OGN - Overhead grommets no - Overhead grommets yes

GSelect transition legs.

TS - No transition foot - Left transition foot - Right transition foot - Both transition feet

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select edge color.

Refer to the **Product Color Options** page in this price list.

selections. The color selection will apply to the trim, edge and PowerUp module.

Select surface finish.

Refer to the **Product Color Options** page in this price list

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.



Genesis® Worksurfaces

			MODEL NUMBI	FR							•									
			IIIODEE NOIIIDI							Ac	prox.				Laminate Grade 2	Laminate Grade 3	LH Modesty Panel	RH Modesty Panel	Both Modesty Panels	Wire Trough
	MODEL	D x W x L	Basic Model			Modesty Panel	Wire Trough	Base Finish	Edge Surface Color Finish	Pa	ckaged	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	add to list price	add to list price	add to list price	add to list price	add to list price	add to list price
	Pin Height Adjustable-Left	60 x 48 x 24"	GSAP604824S/P	,							131.0#	\$ 2492	\$ 2588	\$ 2588	\$ 50	\$ 350	\$ 277	\$ 251	\$ 531	\$ 642
***	Corner surface with conferencing end	66 x 48 x 24"	GSAP664824S/P								139.0#	2582	2717	2717	50	350	288	251	542	642
	 Height adjusts from 24"-31" in 1" increments 	72 x 48 x 24"	GSAP724824S/P								147.0#	2587	2763	2763	50	350	298	251	554	642
	Adjustable glides	84 x 48 x 24"	GSAP844824S/P								155.0#	2688	2792	2792	70	450	337	251	589	642
Ų	Wire trough and modesty panel should	60 x 48 x 30"	GSAP604830S/P								139.0#	2492	2588	2588	50	350	277	251	531	642
GSAP	not be ordered together on adjustable tables	66 x 48 x 30"	GSAP664830S/P							•	147.0#	2582	2717	2717	50	350	288	251	542	642
	tubios	72 x 48 x 30"	GSAP724830S/P							•	155.0#	2587	2763	2763	50	350	298	251	554	642
		84 x 48 x 30"	GSAP844830S/P								162.0#	2688	2792	2792	70	450	337	251	589	642
	Pin Height Adjustable-Right		GSAP244860S/P							-	131.0#	\$ 2492	\$ 2588	\$ 2588	\$ 50	\$ 350	\$ 251	\$ 277	\$ 531	\$ 642
	 Corner surface with conferencing end Height adjusts from 24"-31" in 1" 	24 x 48 x 66"	GSAP244866S/P								139.0#	2582	2717	2717	50	350	251	288	542	642
	increments	24 x 48 x 72"	GSAP244872S/P								147.0#	2587	2763	2763	50	350	251	298	554	642
	Adjustable glides	24 x 48 x 84"	GSAP244884S/P								155.0#	2688	2792	2792	70	450	251	337	589	642
	 Wire trough and modesty panel should not be ordered together on adjustable 	30 x 48 x 60"	GSAP304860S/P								139.0#	2492	2588	2588	50	350	251	277	531	642
GSAP	tables	30 x 48 x 66"	GSAP304866S/P								147.0#	2582	2717	2717	50	350	251	288	542	642
		30 x 48 x 72"	GSAP304872S/P								155.0#	2587	2763	2763	50	350	251	298	554	642
		30 x 48 x 84"	GSAP304884S/P								162.0#	2688	2792	2792	70	450	251	337	589	642
			Δ	B	G	0	(3	•	(1)											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

- Left module: add \$146 - Right module: add \$146 PUB - Both left and right modules; add

Select modesty panel.

NM - No modesty panel - LH modesty only RM - RH modesty only

WM - Both modesty panels See pricing column for full modesty panel

Select edge style.

74P - 74P edge

Select base finish. Refer to the **Product Color Options** page in this price list.

Add upcharge to unit price for "WW" option.

Select wire trough and power option.

- Wire trough

NW - No wire trough

Add upcharge to unit price for "LM", "RM" and edge worksurfaces.

GSelect edge color. Refer to the **Product Color Options** page in this

price list. Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

Select surface finish.

"WM" options.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections. Laminate finishes are only

available on (74P) 74P edge and (KN) knife

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Two-Legged Corner



Genesis® Worksurfaces

Two-Legged Corne

														~			
			MODEL NUN	/IBER													
															Laminate	Laminate	Modesty
			Basic	Edge	Module				Surface	Approx. Packaged	74P Edge	Knife		rane Edge	Grade 2 add to list	Grade 3 add to list	Panel add to list
	MODEL	W x H	Model	Style	Location	Panel	Finish	Color	Finish	Weight	(74P)	(KN)	(MP)		price	price	price
	Fixed Height	24 x 42"	GC2C2442S/F							278.0#	\$ 1403	\$ 1	572 \$ 15	72	\$ 18	\$ 115	\$ 479
	Corner surfaceFixed height at 29"	24 x 48"	GC2C2448S/F							290.0#	1494	1	665 16	65	18	115	501
4	Adjustable glides	24 x 54"	GC2C2454S/F							304.0#	1694	1	821 18	21	25	170	525
	 For cross-brace specify GXBRxx (for 	30 x 42"	GC2C3042S/F							278.0#	1461	1	639 16	39	25	170	479
	rectangles)	30 x 48"	GC2C3048S/F							290.0#	1557	1	733 17	33	25	170	501
GC2C		30 x 54"	GC2C3054S/F							304.0#	1747	1	821 18	21	25	170	525
			A	B	•	O	(3	(3	G								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select pasic mode

Select edge style.

74P - 74P edge

KN - Knife edge

MP - Membrane edge

Select PowerUp module location.
Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$146
PUB - Right module; add \$146
PUB - Both left and right modules; add
\$296

• Select modesty panel.

NM - No modesty panel
WM - With modesty panel
See pricing column for full modesty panel
upcharge.
Add upcharge to unit price for "WM" option.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

GSelect surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 100.

Genesis® Worksurfaces



Genesis® Worksurfaces

			MODEL NUMB	BER												
								Approx.					Laminate Grade 2	Lamin Grade	3	Modesty Panel
	MODEL	WxH	Basic Model	Edge Style	Module Location		Edge Surface Color Finish	Packaged Weight	74P (74P	Edge ')	Knife Edge (KN)	Membrane Edge (MP)	add to lis price	t add to price		add to list price
	Pin Height Adjustable	24 x 42"						76.0#	\$ 1	·	\$ 1737	\$ 1737	·	18 \$	115	\$ 479
	Corner surface with conferencing end Height adjusts from 24", 21" in 1"	24 x 48"	GC2C2448S/P					97.0#	1	662	1828	1828		18	115	501
	 Height adjusts from 24"-31" in 1" increments Adjustable glides 	24 x 54"	GC2C2454S/P					120.0#	1	861	1986	1986		25	170	525
		30 x 42"	GC2C3042S/P					81.0#	1	630	1810	1810		25	170	479
	Wire trough and modesty panel should	30 x 48"	GC2C3048S/P					102.0#		726	1902	1902		25	170	501
GC2C	not be ordered together on adjustable tables	30 x 54"	GC2C3054S/P					125.0#	1	866	1990	1990		25	170	525
	Crank Height Adjustable Corner surface with conferencing end	24 x 42"						80.0#	\$ 1		\$ 2072	\$ 2072	\$	18 \$	115	\$ 479
(.	Height adjusts from 22"-33"	24 x 48"						101.0#		1990	2159	2159		18	115	501
	Adjustable glides	24 x 54"	GC2C2454S/CR			1		124.0#		2193	2314	2314		25	170	525
	Worksurfaces are undersized by 1/4"	30 x 42"	GC2C3042S/CR					85.0#		962	2141	2141		25	170	479
~	from side-to-side and 1/4" from back-to- front from the stated dimensions							106.0#		2055	2230	2230		25	170	501
GC2C	Wire trough and modesty panel should	30 x 54"	GC2C3054S/CR					129.0#	2	2198	2320	2320		25	170	525
	not be ordered together on adjustable															
	tables															

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

- Knife edge - Membrane edge

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

- Left module: add \$146 - Right module: add \$146 PUB - Both left and right modules; add

DSelect modesty panel.

NM - No modesty panel WM - With modesty panel See pricing column for full modesty panel upcharge. Add upcharge to unit price "WM" option.

Select base finish.

Refer to the **Product Color Options** page in this price list.

a a a

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

GSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Genesis® Worksurfaces

Two-Legged Corner



Approx.

Weight

102.0#

123.0#

146.0#

123.0#

146.0#

Packaged 74P Edge

(74P)

\$ 3463

3553

3596

3553

3780

Knife Edge

\$ 3626

3719

3725

3783

3787

Membrane Edge

\$ 3626

3719

3725

3783

3787

Genesis® Worksurfaces

Laminate

Grade 3

price

add to list

\$ 115

115

170

170

170

Laminate

Grade 2

price

add to list

18

18

25

25

25

Two-Legged Corner

Modesty

add to list

\$ 479

501

525

501

525

Panel

price

			MODEL NU	MBER							
	MODEL	WxH	Basic Model	Edge Style	Electrical Control	Module Location	Modesty Panel	Base Finish	Edge Color	Surface Finish	
	Electric Height Adjustable Single	24 x 42"	GC2E2442S								Г
	 Corner surface with conferencing end Height adjusts from 24"-51" 	24 x 48"	GC2E2448S								
	Standard or deluxe up/down switch	24 x 54"	GC2E2454S								
	 Adjustable glides 	30 x 48"	GC2E3048S								
*	Worksurfaces are undersized by 1-1/4"	30 x 54"	GC2E3054S								
GC2E	from side-to-side and 1/2" from back-to- front from the stated dimensions										
	Wire trough and modesty panel should										
	not be ordered together on adjustable										
	tables										
			A	B	G	O	3	(3)	œ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

P - 74P edge - Knife edge - Membrane edge

©Select electric control style.

- Standard up/down switch - Deluxe up/down switch; add \$152

Select PowerUp module location. Select only one from the following and add the appropriate upcharge to the base price.

PUN - No data
PUL - Left module; add \$146
PUR - Right module; add \$146
PUB - Both left and right modules; add
\$296

BSelect modesty panel option.

NM - No modesty panel
WM - With modesty panel

See pricing column for full modesty panel

Add upcharge to unit price for "WM" option.

Select base finish.

Refer to the **Product Color Options** page in this price list.

GSelect edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style

Edge color offerings are based on edge style selections. The color selection will apply to the trim, edge and PowerUp module.

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) 74P edge and (KN) knife edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking With specially marked information

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Balance® Storage and Accessories Overhead Storage



Balance® Storage and Accessories Overhead Storage

			MODEL NUN	IBER						
	MODEL	W	Basic Model	Cabinet Paint Color	Fabric Color	Upper Door Solid Color	Upper Door Laminate	Laminate Door Edge Color	Lock Option	Lock Color
•	Balance® Overhead Cabinet-Fabric Upper	30"	BLCF30/GB0							
	Door	36"	BLCF36/GBO							
	 Fabric covered upper door Painted cabinet and lower door 	42"	BLCF42/GBO							
	Shelf dividers available separately	48"	BLCF48/GBO							
	Cabinet is fully assembled	54"	BLCF54/GBO							
	 Door stores above top of cabinet 	60"	BLCF60/GB0							
7										
ВОН										
	Balance® Overhead Cabinet-Solid Color	30"	BLCS30/GB0							
	Upper DoorColored or translucent extruded polypro-	36"	BLCS36/GBO							
	pylene door	42	BLCS42/GB0							
	 Painted cabinet and lower door 	48"	BLCS48/GB0							
	Shelf dividers available separatelyCabinet is fully assembled	54"	BLCS54/GBO							
	Door stores above top of cabinet	60"	BLCS60/GB0							
	·									
ВОН										
^	Balance® Overhead Cabinet Laminate	30"	BLCL30/GBO							
	Upper Door	36"	BLCL36/GBO							
	 Laminate covered upper door Painted cabinet and lower door 	42"	BLCL42/GBO							
	Shelf dividers available separately	48"	BLCL48/GBO							
	Cabinet is fully assembled	54"	BLCL54/GBO							
	Door stores above top of cabinet	60"	BLCL60/GB0							
ВОН										
DOTT			A		•	•	(3	(3		· O

Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
50.0#	N/A	\$ 1843	\$ 1858	\$ 1879	\$ 1911	\$ 1938	N/A	N/A
56.0#	N/A	1879	1892	1921	1952	1976	N/A	N/A
62.0#	N/A	1920	1932	1963	1990	2022	N/A	N/A
68.0#	N/A	2010	2024	2052	2085	2115	N/A	N/A
74.0#	N/A	2148	2162	2198	2227	2263	N/A	N/A
80.0#	N/A	2173	2187	2219	2257	2291	N/A	N/A
50.0#	\$ 1716						N/A	N/A
56.0#	1755						N/A	N/A
62.0#	1793						N/A	N/A
68.0#	1880						N/A	N/A
74.0#	1997						N/A	N/A
80.0#	2024						N/A	N/A
50.0#	\$ 2037						\$ 18	\$ 115
56.0#	2111						18	115
62.0#	2189						18	115
68.0#	2292						18	115
74.0#	2479						18	115
80.0#	2518						18	115

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect cabinet paint color. Refer to the **Product Color Options** page in this
- Select upper door fabric. Refer to ki.com/fabrics
- Select upper door solid color.
 Refer to the **Product Color Options** page in this price list.
- Select upper door laminate color. Refer to the **Product Color Options** page in this
- Select laminate door edge color. Refer to the **Product Color Options** page in this
- GSelect lock option.

 KA Key alike

NLC - No lock core KS - Key standard

Select lock color.

Refer to the Product Color Options page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

Balance® Storage and Accessories



Balance® Storage and Accessories Balance® Accessories

			MODEL NUMBER			
	MODEL	Features W	Basic Model	Approx. Packaged Weight	Delivered Pricing	
	P-Series Keys	Lock Core/2 Key Set - Black	2.KP20522	0.4#	\$ 15	
HRDPT	Double bit design Double bit design	Lock Core/2 Key Set - Satin Chrome	2.KP20522.SC	0.4#	15	
	 Range of 200 different core/key numbers available 	Master Key	2.KP20550	0.2#	11	
	Must specify lock number(s) requested Extra when ordering cut key or lock core/key Blan Output Description: Blan Blan	Extractor Key	2.KP20551	0.2#	11	
		Blank Key	2.KP20552	0.2#	3	
		Cut Key	2.KP20557	0.2#	4	



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Universal Storage and Accessories Overhead Storage



Universal Storage and Accessories Overhead Storage

										—							
			MODEL	NUMBER													
	MODEL	W F	Basic Model	Assembly		Laminate Color	Lock Option	Lock Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Hairana I. Sahaia Basa Ossahard Oshind	30" (GUOF30						39.0#	N/A	\$ 1205	\$ 1214	\$ 1244	\$ 1266	\$ 1290	N/A	N/A
	Universal - Fabric Door Overhead Cabinet	36" (GUOF36						45.0#	N/A	1243	1253	1277	1304	1330	N/A	N/A
	 Steel end panels, bottom and top shelf 		GUOF42						51.0#	N/A	1267	1282	1307	1332	1360	N/A	N/A
	with powder-coated finish • Fabric-covered door	48" (GUOF48						57.0#	N/A	1304	1316	1341	1368	1394	N/A	N/A
	Tablic Governa door	54" (GUOF54						63.0#	N/A	1455	1475	1500	1531	1561	N/A	N/A
		60" (GUOF60						69.0#	N/A	1524	1536	1568	1597	1628	N/A	N/A
GUOF																	
			GUOS30						39.0#	\$ 1122						N/A	N/A
	door with nowder-coated finish		GUOS36						45.0#	1150						N/A	N/A
		42" (GUOS42						51.0#	1185						N/A	N/A
		48" (GUOS48						57.0#	1267						N/A	N/A
		54" (GUOS54						63.0#	1344						N/A	N/A
		60" (GUOS60						69.0#	1409						N/A	N/A
4																	
GUOS	Universal - Laminate Door Overhead	30" (GUOL30						39.0#	\$ 1197						\$ 18	\$ 115
			GUOL36						45.0#	1249						18	115
	Steel end panels, bottom and top shelf								51.0#	1297						18	115
	with powder-coated finish								57.0#	1343						18	115
	High-pressure laminate on particleboard door		GUOL54						63.0#	1478						18	115
	uooi		GUOL60						69.0#	1546						18	115
		30	GOLOU						00.0#	- 1340						10	110
GUOL																	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$175

- Unassembled

Select paint color.

Refer to the **Product Color Options** page in this

OSelect fabric color. Refer to ki.com/fabrics

Select laminate color. Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike

GSelect lock color.

NLC - No lock core - Key standard

 Θ

0

Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Universal Storage and Accessories LED Task Lights



Universal Storage and Accessories LED Task Lights

		MODEL NUMBER		
			Approx.	
	MODEL	W Basic W Model	Packaged Weight	Delivered Pricing
	Single Unit - Overhead LED Task Light	12" LEDTK.12.SGL.GN	1.2#	\$ 147
	Attaches to the bottom of overhead	17" LEDTK.17.SGL.GN	1.6#	188
	storage cabinets or shelving		2.1#	230
	 Task lights are specified by the cabinet width to which they are attached. See 	44" LEDTK.44.SGL.GN	2.3#	264
	"INFORMATION" at bottom of price list	44 LEDTK.44.3GL.GN	Σ.3π	204
HRDPT	page for sizing chart.			
TITLDI I	Slim profile mounts effortlesly via			
	magnets or screw-in bracket • Attachment hardware included			
	Touch and hold dimmability with last-			
	state memory			
	Silver anodized aluminum body/black pleating and cape.			
	plastic end caps • 9' power supply			
	 Includes 2 cord managers 			
	Starter Unit - Overhead LED Task Light	12" LEDTK.12.DCP.GN	1.2#	\$ 192
	 Attaches to the bottom of overhead 	17" LEDTK.17.DCP.GN	1.6#	240
	storage cabinets or shelving	31" LEDTK.31.DCP.GN	2.1#	283
	 Task lights are specified by the cabinet width to which they are attached. See 	44" LEDTK.44.DCP.GN	2.3#	321
	"INFORMATION" below for sizing chart.			
HRDPT	Slim profile mounts effortlesly via			
	magnets or screw-in bracket • Attachment hardware included			
	Touch and hold dimmability with last-			
	state memory			
	 Silver anodized aluminum body/black plastic end caps 			
	Daisy chain with Adder units			
	 11' power supply 			
	Includes 2 cord managers			
	 Refer to Interlinking Combination table below for optimal performance of daisy 			
	chained fixtures			
		A		
		VA		

Indicate the following information on order form: 1. Quantity of each item.

2. Model number, including options. See "How To Build a Model Number".

3. Any special service required.

HOW TO ORDER

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION LED TASK LIGHT CABINET WIDTH Cabinet Light Cabinet
Width
24"
30"
36"
42"
48"
54"
60"
66"
72" Width 12" or 17" 17" 17" 31" 31" 44" 44" 44" 44"

INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (DAISY CHAIN)

of

12"	17"	31"	44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0
2	0	2	0
2	0	0	1

INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN)

# of	# of	# of	# 01
12"	17"	31"	44"
1	4	0	0
1	3	0	0
1	2	11	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Universal Storage and Accessories LED Task Lights



Universal Storage and Accessories LED Task Lights

		MODEL NUMBER			
	MODEL \	Basic Model	Approx. Packaged Weight	Delivered Pricing	
	Adder Unit - Overhead LED Task Light 1	2" LEDTK.12.DCA.GN	1.2#	\$ 95	
	 Attaches to the bottom of overhead 	7" LEDTK.17.DCA.GN	1.6#	109	
		1" LEDTK.31.DCA.GN	2.1#	152	
	width to which they are attached. See	4" LEDTK.44.DCA.GN	2.3#	188	
	"INFORMATION" below for sizing chart.				
HRDPT	Slim profile mounts effortlesly via				
	magnets or screw-in bracket • Attachment hardware included				
	Touch and hold dimmability with last-				
	state memory				
	 Silver anodized aluminum body/black plastic end caps 				
	Daisy chain with Starter units				
	18' jumper cord and connect to starter				
	unit • Includes 2 cord managers				
	Does not inloude power supply; must				
	purchase starter unit with power supply				
	Controlled by the on/off/dimmer of the starter unit				
	Refer to Interlinking Combination table				
	below for optimal performance of daisy				
	chained fixtures				
		A			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

2. Model number, including options. See "How To Build a Model Number".

3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION LED TASK LIGHT CABINET WIDTH Cabinet Light Cabinet
Width
24"
30"
36"
42"
48"
54"
60"
66"
72" Width width
12" or 17"
17"
17"
31"
31"
44"
44"

44"

# UI	# 01	# UI	# UI
12"	17"	31"	44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0
0	0	0	_

INTERLOCKING SPECIFICATIONS
INTERLINKING COMBINATIONS

(DAISY CHAIN)

INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN)

# of	# of	# of	# 0
12"	17"	31"	44
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
_ 1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Universal Storage and Accessories



Universal Storage and Accessories Accessories

							▼	
				MODEL NUN	/IBER			
						Approx.		
	MODEL	Features	WxH	Basic Model	Paint	Packaged	Delivered	
		reatures			Color	Weight	Pricing	
\wedge	Shelf KitsPowder-coated steel end panels and		30"	GUSS30		23.0#	\$ 790	
	bottom shelf		36"	GUSS36		29.0#	807	
الالالال	Accepts shelf dividers		42"	GUSS42		35.0#	823	
WILLIAM STREET	 Field installable to compatible Genesis® 		48"	GUSS48		41.0#	837	
L. L	surfaces		54"	GUSS54		47.0#	877	
			60"	GUSS60		53.0#	898	
4								
GUSS								
	Tool Rail Kits Accommodates paper management components Attaches between overhead uprights Field installable Shelf Divider Steel shelf dividers with powder-coated finish		30"	GTBS30		3.0#	\$ 158	ľ
			36"	GTBS36		4.0#	167	
			42"	GTBS42		4.0#	175	
			48"	GTBS48		5.0#	186	
GTBS			54"	GTBS54		6.0#	210	
			60"	GTBS60		6.0#	235	
	Shelf Divider		7-1/4 x 11-1/2"			1.0#	\$ 35	Ť
	 Steel shelf dividers with powder-coated 		.,				Ψ 00	
8	 Fits shelves and overheads 							
HRDPT								
וווערו	P-Series Keys	Lock Core/2 Key Set - Black		2.KP20522		0.4#	\$ 15	
HRDPT	- Daubla bit danian					0.4#		
ואטאו	 Range of 200 different core/key numbers 	Lock Core/2 Key Set - Satin Chrome		2.KP20522.SC			15	
				2.KP20550		0.2#	11	
	Must specify lock number(s) requested when ordering out key or lock corp/ley.	Extractor Key		2.KP20551		0.2#	11	
	when ordering cut key or lock core/key sets			2.KP20552		0.2#	3	
	5515	Cut Key		2.KP20557		0.2#	4	
				A	(3)			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect paint color.

Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Storage Accessories Paper Management



Storage Accessories
Paper Management

						-	
			MODEL N	UMBER			
			.		Approx.	D. II.	
	MODEL	II W D	Basic Model	Trim	Packaged	Delivered	
	MODEL	HxWxD		Color	Weight	Pricing	
	Paper Tray • Plastic construction	2 x 9-1/2 x 14"	PLL		1.0#	\$ 52	
	 Plastic construction 						
	 Stores letter or legal size documents 						
	 Suspends from tool rail 						
\	Suitable for free-standing worksurface of	or					
	overhead location						
HRDPT							
•	Diagonal Storage	2-1/2 x 7 x 12-1/2"	PDS		4.0#	\$ 52	
	 Plastic construction 						
	 Suspends only from tool rail 						
	Suitable for free-standing Worksurface						
	or overhead location						
	 Three slanted partitions per unit 						
	Dividers in black only						
HRDPT							
			A	B			
			•	9			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Storage Accessories Paper Management



Storage Accessories
Paper Management

			MODEL NU	MBER		
	MODEL	H x W x D	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
	Accessory Tray	2 x 9-1/2 x 10"	PAT		6.0#	\$ 43
	Injection molded plasticStores stamps, tape dispenser, post-it					
	pads and paper clips					
\	pads and paper clips • Suspends from tool rail					
HRDPT						
	Pencil Cup	4 x 4 x 3-1/2"	PPC		1.0#	\$ 43
	Injection molded plastic Suspends from tool rail					
	- Suspenus nom touridi					
HRDPT						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

B

A

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories Electrical



Accessories

						-	
		M	ODEL NU	UMBER			
					Ar	DTOX.	
		Bas	sic	Base	Door Pa	ckaged Delivere	
	MODEL	L Mo		Finish		ight Pricing	
	Straight Wire Trough	30" GW				10.0# \$ 51	
	To be used to house ridged wirewayCannot be use with modesty panel on	36" GW				13.0#	
	adjustable height surfaces		VTR42			15.0#	
	, ,	48" GW	VTR48			18.0#	4
			VTR54			21.0#	
		60" GW	VTR60			23.0#	
GWTR			VTR66			26.0#	
			VTR72			29.0#	5
8	Corner Wire Trough - Right	36" GW				12.0# \$ 55	
a	To be used to house ridged wirewayTo be mounted on the right side of the		VTC42R			15.0#	
	corner/square shoe unit when sitting at		VTC48R			18.0#	0
	the desk	54" GW	VTC54R			21.0#	6
		60" GW	VTC60R			23.0#	
GWTC		66" GW	VTC66R			26.0#	7
			VTC72R			29.0#	
		84" GW	VTC84R			34.0#	
	Corner Wire Trough - Left	36" GW				12.0# \$ 55	
	To be used to house ridged wirewayTo be mounted on the left side of the	42" GW	VTC42L			15.0#	8
	corner/square shoe unit when sitting at		VTC48L			18.0#	
	the desk	54" GW	VTC54L			21.0#	6
		60" GW	VTC60L			23.0#	8
		66" GW	VTC66L			26.0#	
GWTC		72" GW	VTC72L			29.0#	3
		84" GW	VTC84L			34.0#	0
			A	ß	•		
			•	•	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base finish. Refer to the **Product Color Options** page in this price list.

Select door color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Accessories Electrical



Accessories

			MODEL NU	IMBER			
					Approx.	B	
	MODEL	Features L	Basic Model	Base Finish	Packaged Weight	Delivered Pricing	
	Wire Trough End Cap	LH end cap for corner condition	GWTECLH		1.0#	\$ 79	
		RH end cap for corner condition	GWTECRH		1.0#	79	
		LH end cap for table end	GWTELH		0.6#	77	
		RH end cap for table end	GWTERH		0.6#	77	
		Titl one dap for table one	GWILI		0.011	**	
HRDPT							
	Wire Trough Data Face Plate		GWTD		0.2#	\$ 45	
	Wire Trough Data Face Plate • Data tree is included					, .	
_							
HRDPT							
	Rigid Wireway • For use with 6-2-2 power	30	" G6DS30		4.0#	\$ 175	
	 For use with 6-2-2 power 	36	" G6DS36		5.0#	182	
		42	" G6DS42		5.0#	186	
		48			8.0#	195	
a periodical section of the section		54			8.0#	199	
HRDPT		60			11.0#	224	
		66	" G6DS66		11.0#	238	
		72			12.0#	250	
			" G6DS84		13.0#	274	
Green .	Rigid Wireway • For use with 4-2-2 power		" G4DS30		4.0#	\$ 175	
	For use with 4-2-2 power	36			5.0#	182	
		42			5.0#	186	
		48			8.0#	195	
الماسمال		54			8.0#	199	
HRDPT		60			11.0#	224	
		66			11.0#	238	
		72			12.0#	250	
		84	" G4DS84		13.0#	274	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base finish.

Refer to the **Product Color Options** page in this price list.

3

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Accessories





							▼	
			MODEL N	JMBER				
			Basic		Pagantagla	Approx. Packaged	Delivered	
	MODEL	Features I		Finish Col	or Receptacle or Color	Weight	Pricing	
	Jumpers	No power	8" GCJ.18			4.0#	\$ 182	
	Fills gap at trough	No power 2				4.0#	189	
	21" use when screen is present18" for adjacent table	4-4-2	8" GCJ.418			5.0#	334	
	To Tot adjacont table	4-4-2	21" GCJ.421			5.0#	347	
			8" GCJ.618			5.0#	334	
		6-2-2	21" GCJ.621			5.0#	347	
GCJ								
	Infeeds		'2" GEIFF442			4.0#	\$ 283	
	Base infeedSpecify 4-4-2 or 6-2-2 power	6-2-2	'2" GEIFF622			4.0#	283	
	opening 4 4 2 of 0 2 2 power							
HRDPT								
<i>6</i> 2	Receptacles - Shared Ground 6-2-2	Circuit 1	GE.RECP6.1			0.2#	\$ 47	
	 Includes the modular duplex 15 amp receptacle that snaps onto a rigid wireway Available in two 10-wire styles. Note: 	Circuit 2	GE.RECP6.2			0.2#	47	
08 108	Available in two 10-wire styles. Note:	Circuit 3	GE.RECP6.3			0.2#	47	
	10-wire styles must match on all electri-	Circuit 4	GE.RECP6.4			0.2#	47	
	cal parts	Circuit 5	GE.RECP6.5			0.2#	47	
HRDPT		Circuit 6	GE.RECP6.6			0.2#	47	
	Receptacles - Shared Ground 4-4-2	Circuit 1	GE.RECP4.1			0.2#	\$ 47	
	 Includes the modular duplex 15 amp receptacle that snaps onto a rigid wireway 	Circuit 2	GE.RECP4.2			0.2#	47	
00 100	ceptacle that snaps onto a rigid wirewayAvailable in two 10-wire styles. Note:	Circuit 3	GE.RECP4.3			0.2#	47	
	10-wire styles must match all electrical	Circuit 3	GE.RECP4.3			0.2#	47	
	parts	Circuit 4	GE.RECP4.4			0.2#	47	
HRDPT								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select base finish. Refer to the **Product Color Options** page in this price list.

B O

0

- Select door color. Refer to the **Product Color Options** page in this price list.
- Select receptacle color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Accessories



Accessories

						•
		MOD	EL NUME	BER		
					-	
					Approx.	
	MODEL	W Basic W Mode	Pain	nt Base	Packaged	Delivered Printing
				or Finish	Weight	Pricing
		30" GXBR			2.0#	\$ 48
	Only necessary when using mini cable	36" GXBR			2.0#	55
	tray	42" GXBR			3.0#	56
		48" GXBR			3.0#	61
GXBR		54" GXBR			4.0#	70
		60" GXBR	60		4.0#	79
		66" GXBR			5.0#	80
		72" GXBR			5.0#	83
	Cross-Braces for Corners/Shoes (for one	36" GXBR	36C		2.0#	\$ 86
	side only)	42" GXBR	42C		3.0#	91
		48" GXBR	48C		3.0#	92
	 Only necessary when using mini cable tray 	54" GXBR	54C		3.0#	94
	Cross-brace is non-directional	60" GXBR	60C		4.0#	111
GXBR		66" GXBR	66C		4.0#	114
		72" GXBR	72C		5.0#	117
		84" GXBR	84C		6.0#	141
		24" GXBT			5.0#	\$ 117
	Allow cables to be stored within tray	48" GXBT	.48 🗆		9.0#	157
	48" must be used on 54" tables or widerWhen cable trays are specified on					
	CORNER UNITS & SQUARE SHOES, 24"					
HRDPT	trays will fit under lengths of 36" - 54"					
	and 48" trays will fit under lengths of					
	60" - 84"					
	Fixed Height Ganging Kit	GANG	i.24		1.0#	\$ 6
<i>•</i> "\	3 3 3 3	GANG			2.0#	14
* *						
1 B						
•						
HRDPT						
THIOT I					1	
		Œ) (3	9 0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.

Refer to the **Product Color Options** page in this price list.

Select base finish.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Accessories Worksurfaces



Accessories Worksurfaces

					•				
		MODEL NUI	MBER	Annroy				Laminate Grade 2	Laminate Grade 3
	MODEL	Basic E W Model S	dge Edge Su tyle Color Fir	Approx. face Packaged sh Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	add to list price	add to list price
	Ouarter Round Transitional Surface • Two splice plates provided for 24" • Four splice plates provided for 30" • For use with fixed height workstations	24" GTQR24		19.0#	\$ 428 485	\$ 462 546	\$ 462 546	\$ 18 25	\$ 115 170
GTOR	For use with fixed neight workstations only For use as conferencing corner Wireway option not available								
GIUN	 Modesty panel not required 24" surface has radius of 26-2/3" and 30" surface has a radius of 35" Only one privacy screen can be used 								
	with this surface	24" CTOP24P		21.0#	\$ 474	¢ 505	Ф <u>БО</u> Б	ф 10	¢ 115
	Quarter Round Transitional Surface • Two splice plates provided for 24" • Four splice plates provided for 30" • For use with fixed height workstations				531	\$ 505 589	\$ 505 589	\$ 18 25	\$ 115 170
	only For use as conferencing corner Wireway option not available Modesty panel not required								
GTQR	 24" surface has radius of 26-2/3" and 30" surface has a radius of 35" 								
		A	B 0	<u></u>					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

- 74P eage - Knife edge - Membrane edge

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. Trim color doesn't apply to the membrane edge selection.

DSelect surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Accessories Worksurfaces



Accessories Worksurfaces

				▼			
	MODEL	MODEL NUMBER Basic Edge Edge Surface Model Style Color Finish	Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Membrane Edge (MP)	Laminate Laminate Grade 2 Grade 3 add to list add to list price price
	Square Transitional Surface	24" GTSQ24	25.0#	\$ 428	\$ 462	\$ 462	\$ 18 \$ 115
\sim	For use with fixed height workstations	30" GTSQ30	39.0#	485	546	546	25 170
	only • For use as conferencing corner						
	Wireway option not available						
	 Modesty panel not required 						
GTSQ	 Only one privacy screen can be used with this surface 						
		24" GTSQ24P	27.0#	\$ 474	\$ 505	\$ 505	\$ 18 \$ 115
	For use with fixed height workstations only	30" GTSQ30P 🗆 🗆 🗆 🗆 🗆	41.0#	531	589	589	25 170
	For use as conferencing corner						
	 Wireway option not available 						
	Modesty panel not required						
GTSQ							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

B O

0

A Select basic model.

Select edge style.

74P - 74P edge

- Knife edge - Membrane edge

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections. Trim color doesn't apply to the membrane edge selection.

DSelect surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections. Laminate finishes are only available on (74P) edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

Accessories Worksurfaces



Accessories Worksurfaces

					•								
		MODEL NUMBER							Laminate	Laminate			
	MODEL		ase Edge Surface nish Color Finish	Approx. Packaged Weight	74P Edge (74P)	Elliptical Postformed Edge (EP)	Knife Edge (KN)	Membrane Edge (MP)	Grade 2 add to list price	Grade 3 add to list price			
		30" GTRA30 □□□ □		25.0#	\$ 416	\$ 430	\$ 463	\$ 463	\$ 18	\$ 115			
		- 36" GTRA36 □□□ □		29.0#	448	468	501	501	18	115			
				33.0#	481	502	542	542	18	115			
	screen	48" GTRA48 □□□ □		37.0#	515	542	579	579	18	115			
	 Receiving surface must have overhead 	54" GTRA54 □□□ □		41.0#	548	578	617	617	18	115			
	grommet	grommet	grommet	grommet	60" GTRA60		44.0#	584	613	656	656	18	115
		66" GTRA66 □□□ □		54.0#	707	740	795	795	18	115			
GTRA		72" GTRA72 🗆 🗆		58.0#	760	798	855	855	18	115			
		A B	6 0 3										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

4P - 74P edge
P - Elliptical postformed edge
N - Knife edge
P - Membrane edge

Select base finish.

Refer to the **Product Color Options** page in this price list.

DSelect edge color.

Refer to the **Product Color Options** page in this

edge color offerings are based on edge style selections. Trim color doesn't apply to the membrane edge selection.

Select surface finish.

Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge

style selections. Laminate finishes are only available on (74P) edge and (KN) knife edge worksurfaces. The membrane color selections are only available on the (MP) membrane edge worksurfaces

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

nipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 100.

