



SERENADETM TABLES & STORAGE

PRICE LIST

EFFECTIVE APRIL 2, 2025
800.424.2432



Serenade™ Conference Tables		
Technical Specifications		3
Product Color Options		5
Maple-Half/Full Drum Leg		6
Maple-Panel Leg		8
Laminate-Half/Full Drum Leg		10
Laminate-Panel Leg		14
Serenade™ Conference Tables w/Single Circuit Electrical		
Maple-Half/Full Drum Leg		18
Maple-Panel Leg		20
Laminate-Half/Full Drum Leg		22
Laminate-Panel Leg		26
Serenade™ Credenzas		
Maple		30
Laminate - Wood Edge		31
Laminate - 74P Edge		32
Serenade™ Gathering Tables		
Technical Specifications		33
General Information		35
Product Color Options		36
29" High (Standard Height)		37
42" High (Cafe Height)		49
Serenade™ Gathering Tables w/Single Circuit Electrical		
29" High (Standard Height)		61
42" High (Standard Height)		71
Serenade™ Gathering Tables		
Accessories		81
Serenade™ Tables		
Accessories		82



PRODUCT SPECIFICATIONS ■
Serenade™ Conference Collection

November 2024

TECHNICAL SPECIFICATIONS

Conference Tabletop

Tabletops are constructed of 1 1/8" thick, 45 lb density particle board core, with a 1/32" veneer or 1/32" laminate finished top surface and 1/32" thick phenolic backing. Serenade is available in four top shapes - rectangle, racetrack, boat and sight line. The top shape can be specified with one of six different styles of wood edging or 74P edge with laminate tops. Edging is present on all sides, with several selected edge styles providing radius or square corners.

Tops specified at 144" or longer require two piece construction using steel joinery for vertical and lateral joint strength along the entire width of the top. The veneer pattern is reverse slip matched. All joinery is hidden on the underside of the top.

Conference Table Base

Bases are offered in six styles (base size is dependent upon the top size):

- Panel base - 4" wide (5/8" thick particle board with veneer surface. The veneer one-sided surface thickness is 41/64").
- Column base - 12" wide, base is wide enough to cover a four-receptacle floor outlet for power wiring (5/8" thick particle board with veneer surface. The veneer one-sided surface thickness is 41/64").
- Veneer drum - 18", 20", 23" and 33" diameter.
- Veneer half drum - 18", 20", 23" and 33" diameter.
- Metal drum - 18", 24" and 28" diameter; available in all KI standard powder-coated paints.
- Synthesis base - 32" and 38" TT legs available.

All bases feature adjustable glides 1" in diameter, 5/16"-18 threaded for level setup within 2" of adjustable height. Tables sized 168" or longer are configured with three bases; all other table sizes are configured with two bases. All enclosed bases are available with an access door for easy power source access.

Conference Table Modesty Panel - (panel and column bases only)

Modesty panel (base "stringer") is constructed of 5/8" thick particle board with veneer surface. The veneer one-sided surface thickness is 41/64". Modesty panel is 12" high by x 11 1/2" wide. Power/ data options and cables are routed and hidden within the modesty panel for an organized and clean appearance. The panel and column base models include silver perforated metal covers on the short sides of the base assembly.

Conference Credenza

Credenza is offered in two heights: conference height (29") and buffet height (36"). Both heights feature standard adjustable shelves. The buffet height credenza offers two adjustable shelves per cabinet; conference height offers one adjustable shelf per cabinet.

The credenza top is constructed of 1 1/8" thick particle board, with either a 1/32" veneer surface, solid or 74P edge wood front edge and veneer surface on three sides or 1/32" laminate finished, solid wood front edge and laminate surface on three sides. All credenza components are constructed of 5/8" thick particle board. The entire back of the credenza matches the tabletop surface, veneer or laminate. The veneer and laminate thickness is 21/32" for all two-sided surface sides, doors, shelves and trim.

Door hinges are constructed of steel, spring loaded for soft-close, fully adjustable for gap and flush closure, hidden and flush mounted. Door pulls are offered in three styles: square bar, curved and straight. Pulls are available in two colors: black and silver. Adjustable 1" diameter 5/16"-18 threaded floor glides provide level setup within 1 1/2" total adjustability.



TECHNICAL SPECIFICATIONS

Power Modules

Dean In-Surface Power Module

Dean in-surface power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be adapted to fit various brands of data jacks using the data tree, which ships with Dean in-surface power module. Data connectors are not supplied with the module and are purchased by the customer. The Dean In-Surface module is 8.12" long by 2.31" wide by 2.5" high and fits securely into a 7.81" x 1.93" cutout. The power module is secured to the worksurface with screws from the underside of the table. The module has a molded plastic faceplate with steel trim and an aluminum housing. The Dean in-surface power module with 3-prong plug is rated at 15 amps/120 volts, and is UL listed. The Dean in-surface power module with the Pattern connector is rated at 15 amps/120 volts and is ETL listed.

Cord length options are either 9' or 15' with a 3-prong plug, or is 20" with a Pattern connector. Color options are Black, Warm Grey, Cool Grey, or Cottonwood.

Double Ellora B In-Surface Power Module

Double Ellora B in-surface power module is a two-sided, in-surface power module which consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A and one USB-C port, 2 amps per port, on each side of the double power module. Module area is 10.19" long by 8.31" wide by 2.71" high when open. The pop-up module housing is of painted aluminum and steel, with smooth plastic faceplates for the ports. The surface trim and hinged soft-close covers are of painted aluminum. The covers allow for cable routing when closed. All metal surfaces of the module are powder-coat painted in four select colors. The Double Ellora B in-surface power module with 3-prong plug is rated at 15 amps/120 volts and is UL listed. The Double Ellora B in-surface power module with the Pattern connector is rated at 15 amps/120 volts and is ETL listed.

Cord length options are either 9' or 15' with a 3-prong plug, or is 20" with a Pattern connector. Color options are Black, Warm Grey, Cool Grey, or Cottonwood.

Vault Power Module

Available on conference tabletops only. The optional Vault power module is a power and data module constructed of stained aluminum, flush with the surface of the tabletop. Surface cutout must be 14.5" x 4.0125", overall size of the module is 15.875" x 4.375" x 4.375".

Standard configuration includes one VGA and one HDMI connection as standard, as well as three power outlets and two RJ-45 cat5e data connections. The module is opened and closed by touching the red and green arrows on the surface of the module. The module also contains a photo-electronic eye that prevents closure when power, VGA or HDMI cords are plugged in. The power cord length is 12 feet.

Electrical

Pattern Single-Circuit Electrical System

Pattern electrical system is a single circuit system that allows up to eighteen power modules or 50' of power jumpers to be powered from a single 15-amp power supply cord (in either direction). Tables in a single run that are using the same infeed must be ganged together while using proper wire management between them. Tables ordered with the Pattern Electrical System include associated Pattern power modules, gangers, and wire management. Pattern infeeds and table-to-table jumper quantities must be ordered separate from the tables and depend on how many total tables and configuration.

Pattern is a non-sequential system with a ground fault interrupter (GFI/GFCI) compatible infeed. The Pattern electrical system is ETL Listed, evaluated to safety standard UL 962A (USA) and CAN/ CSA-C22.2 No. 308 (Canada).



TECHNICAL SPECIFICATIONS

Electrical (cont.)

Pattern Single-Circuit Electrical System (cont.)

Pattern Power Distribution Blocks

Pattern power distribution blocks are standalone connectors, each containing four port locations. Distribution blocks are included with appropriate power jumper and power infeed kits, so do not need to be ordered separately. Distribution blocks bring the power infeed, power jumpers, and power modules together and allow power to be efficiently supplied to each table. Two distribution block types are included with the Pattern system, grey and white.

Pattern Table-to-Table Power Jumper Kits

Pattern table-to-table jumper power kits come with one grey distribution block and an appropriately sized power jumper. Jumpers are nonsequential and are keyed on each end to connect between distribution blocks. Table-to-table power jumper kits are ordered separately, according to layout configuration.

Pattern Power Infeed Kits

The Pattern power infeed kit must be ordered separately. Site configurations vary and will affect the number of power infeeds required. The number and size of tables, as well as the number of receptacles per table and amperage needs in each ganging configuration will determine the number of power infeed kits required at any given installation. Infeeds can be installed anywhere in the run. Kit comes with one grey Pattern power distribution block, one 12" power jumper, one white Pattern power distribution block and Pattern power infeed cord. Power infeed consists of a 15-amp plug on one end of the 108" cord and a keyed connector at the opposite end of the cord. A Pattern quick-release tool is also included to assist with disconnecting connector ends from distribution blocks.



Surface Finish--Grade 1 Standard Laminate

Beigewood
Belair
Biltmore Cherry
Black
Brighton Walnut
Castle Oak
Casual Linen
Cherry Storm
Cocobala
Crisp Linen
Designer White
Dove Grey
Florence Walnut
Friston Ash
Frosty White
Graphite Nebula
Grey
High Rise
Hollyberry
Island
Italian Silver Ash
Kensington Maple
Lapis Blue
Monticello Maple
North Sea
Ocean
Pinnacle Walnut
River Cherry
Shadow Zephyr
Sterling Ash
Titanium Evolv
White Nebula
White Sand
Windsor Mahogany

Surface Finish--Grade 2 Standard Laminate

Akira
Black Alicante
Black Hills Oak
Calcutta Marble
Dering Forest
Fawn Cypress
Ice Mist
Markerboard White
Valley Forge Elm
White River Forest

Surface Finish--Grade 3 Standard Laminate

Black Velvet
Cumberland Walnut
Designer White Velvet
Hartley Walnut
Nile Velvet
Raleigh Walnut
Solano Walnut
Spruce Velvet

Stain Color

LBZ	Cocoa on Maple
LBQ	Cinnamon on Maple
LBT	Cherry Storm on Maple
LBK	Florence Walnut on Maple
LBW	Kensington Maple on Maple
LCO	Monticello Maple on Maple
LCU	River Cherry on Maple

Edge Color for Wood Edges

LCC	Cocoa on Maple
LRI	Cinnamon on Maple
LDR	Cherry Storm on Maple
LDG	Florence Walnut on Maple
LFC	Kensington Maple on Maple
LFH	Monticello Maple on Maple
LFW	River Cherry on Maple

Edge Color for 74P Edge

LGE	Akira
LHE	Beigewood
LHY	Belair
LID	Biltmore Cherry
LIT	Black
LKM	Black Hills Oak
LLB	Blue Grey
LMT	Brighton Walnut
LNA	Castle Oak
LON	Cayenne
LPW	Cherry Storm
LRY	Cocobala
LSR	Cool Grey
LAZ	Cumberland Walnut
LTV	Dering Forest
LWL	Designer White
LWN	Earthen Clay
LWY	Everglade Shade

LAK	Fawn Cypress
LBY	Flannel
LBH	Florence Walnut
LCQ	Friston Ash
LDF	Frosty White
LFQ	Hartley Walnut
LIM	Hazy Jade
LMK	Honey Bee
LVF	Italian Silver Ash
LWR	Kensington Maple

LBV	Light Tone
LCJ	Mardi Gras
LDE	Misty Brown
LHW	Monticello Maple
LNL	Multiplex
LRW	Nemo
LSG	Nordic
LSC	Pinnacle Walnut

MCA	Raleigh Walnut
MCN	River Cherry
MCX	Rubber Ducky
MFC	Sand
MMA	Sky Blue
MMT	Solano Walnut
MRY	Sterling Ash
	Surf's Up
	Tarragon
	Twilight Shadow
MCA	Ultra Blue
MCN	Valley Forge Elm
MCX	Warm Grey
MFC	White River Forest
MMA	Windsor Mahogany
MMT	Zesty Lime
MRY	

Dean, Double Ellora B Power Module Color
(Corded, Pattern)

EAK	Black
EBZ	Cool Grey
EBQ	Cottonwood
EBT	Warm Grey

Base Finish

EBH	Black
EGR	Blue Grey
EBW	Bronze Metallic
ECO	Cayenne
ECY	Champagne Metallic
ECX	Cool Grey
ECC	Cottonwood
ECG	Earthen Clay
ECJ	Espresso Metallic
EDF	Everglade Shade
EDR	Flannel
EEY	Glitz Metallic
EEV	Hazy Jade
EFQ	Honey Bee
EFN	Light Tone
EFC	Mardi Gras
EFH	Misty Brown
EFW	Nemo
EHW	Nordic
EHJ	Poppy Red
EHY	Purple Haze
EIT	Rainforest
EKM	Raw Jasper
ELG	Rubber Ducky
EMG	Sand
EMY	Sky Blue
EMT	Starlight Silver Metallic
EMB	Surf's Up
ENE	Tarragon
END	Twilight Shadow
EPW	Ultra Blue
EPR	Warm Grey
EPH	Zesty Lime
ERQ	

ERW
ERY
ERK
ESA
ESK
ESG
EAZ
ESP
ETQ
ETI
EUB
EVF
EWG
EWR
EWY
EZL

MBL
MCG
MCO
MWG

BL
GR
ZM
CY
CM
CG
CO
EY
EX
EV
FN
GZ
HJ
HY
LG
MG
MY
NE
ND
PR
PH
RQ
RJ
RK
SA
SK
SX
SP
TQ
TI
UB
WG
ZL

Finish Cards

View color swatches for items listed within this document.

<u>Paints</u>	<u>Wood/Veneer</u>	<u>Molded Edges</u>	<u>Hard Plastics</u>
<u>Plastics/Poly</u>	<u>Laminates</u>	<u>Edge Styles</u>	<u>Glass</u>

Certain options referenced may not be available on GSA Schedule.



Serenade™ Conference Tables

Maple-Half/Full Drum Leg



Serenade™ Conference Tables

Maple-Half/Full Drum Leg

			MODEL NUMBER									
MODEL			A x B	Basic Model	Stain Color	Edge Style	Power Option	Module Color	Cord (feet)	Access Panel	Approx. Packaged Weight	Delivered Pricing
 SEHM	Racetrack Tables, Half/Full Drum Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Half and Full cylinder veneer bases (full cylinders are the middle base on tables 144" and longer) • 144", 168", 192" and 240" have a two piece top • One power module available on 72", 96" and 120" centered • Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SEO3672HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		165.0#	\$ 10041
		48 x 96"	SEO4896HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		225.0#	11027
		48 x 120"	SEO48120HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		265.0#	11340
		48 x 144"	SEO48144HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		310.0#	15534
		48 x 168"	SEO48168HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		410.0#	16742
		48 x 192"	SEO48192HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		430.0#	17948
		60 x 144"	SEO60144HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		370.0#	19410
		60 x 168"	SEO60168HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		420.0#	20919
		60 x 192"	SEO60192HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		470.0#	22702
		60 x 240"	SEO60240HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		570.0#	26901
 SEHM	Rectangular Tables, Half/Full Drum Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Half and Full cylinder veneer bases (full cylinders are the middle base on tables 144" and longer) • 144", 168", 192" and 240" have a two piece top • One power module available on 72", 96" and 120" centered • Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SER3672HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		174.0#	\$ 9439
		48 x 96"	SER4896HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		240.0#	10422
		48 x 120"	SER48120HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		280.0#	10964
		48 x 144"	SER48144HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		325.0#	15083
		48 x 168"	SER48168HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		403.0#	16215
		48 x 192"	SER48192HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		443.0#	17345
		60 x 144"	SER60144HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		385.0#	18845
		60 x 168"	SER60168HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		495.0#	20253
		60 x 192"	SER60192HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		510.0#	22833
		60 x 240"	SER60240HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐		590.0#	26375
			A	B	C	D	E	F	G			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select stain color
Refer to the **Product Color Options** page in this price list.
- C**Select edge style
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4" wood bullnose, radius corner |
| 14S | - 1-1/4" wood bullnose, square corner |
| 36R | - 1-3/4" square wood, radius corner |
| 36S | - 1-3/4" square wood, square corner |
| 24R | - 1-1/4" square wood , radius corner |
| 24S | - 1-1/4" square wood, square corner |
| 15W | - 1-3/4" wood bullnose |
| 44R | - 1-1/4" beveled wood, radius corner |
| 44S | - 1-1/4" beveled wood, square corner |

- CR** - Reed edge
- D**Select power option.
- | | |
|------------|---|
| NP | - No module |
| MD1 | - Module, Dean in-surface w/USB-A/C (1) ; add \$354 |
| MT1 | - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1349 |
| MT2 | - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2649 |
| MD2 | - Modules, Dean in-surface w/USB-A/C (2) ; add \$707 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select cord length.
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |
- G**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$181 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Maple-Half/Full Drum Leg



Serenade™ Conference Tables

Maple-Half/Full Drum Leg

			MODEL NUMBER										
			Basic Model	Stain Color	Edge Style	Power Option	Module Color	Cord (feet)	Access Panel	Approx. Packaged Weight	Delivered Pricing		
MODEL			A x B x C										
 SEHM	Boat Shape Tables, Half/Full Drum Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Half and Full cylinder veneer bases (full cylinders are the middle base on tables 144" and longer) • 144", 168" and 192" have a two piece top • One power module available on 72", 96" and 120" centered • Two power modules available on 144", 168" and 192" one on each half	36 x 72 x 30"	SEB3672HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	170.0#	\$ 9741		
		48 x 96 x 36"	SEB4896HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	235.0#	10948		
		48 x 120 x 36"	SEB48120HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	275.0#	12154		
		48 x 144 x 36"	SEB48144HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	320.0#	15418		
		54 x 144 x 42"	SEB54144HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	345.0#	17170		
		54 x 168 x 42"	SEB54168HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	425.0#	17771		
		60 x 192 x 48"	SEB60192HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	535.0#	19277		
 SEHM	Sightline Tables, Half/Full Drum Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Half and Full cylinder veneer bases (full cylinders are the middle base on tables 144" and longer) • 144" and 168" have a two piece top • One power module available on 120" centered • Two power modules available on 144" and 168" one on each half	60 x 120 x 36"	SES60120HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	265.0#	\$ 14950		
		60 x 144 x 36"	SES60144HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	265.0#	18785		
		60 x 168 x 36"	SES60168HM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	265.0#	20386		
			A	B	C	D	E	F	G				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select stain color
Refer to the **Product Color Options** page in this price list.
- C**Select edge style

14R - 1-1/4" wood bullnose, radius corner

14S - 1-1/4" wood bullnose, square corner

36R - 1-3/4" square wood, radius corner

36S - 1-3/4" square wood, square corner

24R - 1-1/4" square wood , radius corner

24S - 1-1/4" square wood, square corner

15W - 1-3/4" wood bullnose

44R - 1-1/4" beveled wood, radius corner

44S - 1-1/4" beveled wood, square corner

- CR** - Reed edge
- D**Select power option.

NP - No module

MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354

MT1 - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1349

MT2 - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2649

MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select cord length.

9 - 9' cord length

15 - 15' cord length
- G**Select access panel.

NAP - No access panel

WAP - With access panel; add \$181

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Conference Tables

Maple-Panel Leg



Serenade™ Conference Tables

Maple-Panel Leg

			MODEL NUMBER									
			Basic Model	Stain Color	Edge Style	Power Option	Module Color	Cord (feet)	Access Panel			
MODEL		A x B								Approx. Packaged Weight	Delivered Pricing	
 SEPM	Racetrack Tables, Panel Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144", 168", 192" and 240" have a two piece top • One power module available on 72", 96" and 120" centered • Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SEO3672PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	165.0#	\$ 8274	
		48 x 96"	SEO4896PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	225.0#	9421	
		48 x 120"	SEO48120PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	265.0#	10506	
		48 x 144"	SEO48144PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	310.0#	12637	
		48 x 168"	SEO48168PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	410.0#	15353	
		48 x 192"	SEO48192PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	430.0#	16559	
		60 x 144"	SEO60144PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	370.0#	14447	
		60 x 168"	SEO60168PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	420.0#	17585	
		60 x 192"	SEO60192PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	470.0#	20584	
		60 x 240"	SEO60240PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	570.0#	27440	
 SEPM	Rectangular Tables, Panel Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144", 168", 192" and 240" have a two piece top • One power module available on 72", 96" and 120" centered • Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SER3672PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	174.0#	\$ 7797	
		48 x 96"	SER4896PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	240.0#	8941	
		48 x 120"	SER48120PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	280.0#	10209	
		48 x 144"	SER48144PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	325.0#	12283	
		48 x 168"	SER48168PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	403.0#	14935	
		48 x 192"	SER48192PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	443.0#	16083	
		60 x 144"	SER60144PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	385.0#	14001	
		60 x 168"	SER60168PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	495.0#	17060	
		60 x 192"	SER60192PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	510.0#	19767	
		60 x 240"	SER60240PM	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	590.0#	26901	
			A	B	C	D	E	F	G			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select stain color
Refer to the **Product Color Options** page in this price list.
- C**Select edge style

14R - 1-1/4" wood bullnose, radius corner

14S - 1-1/4" wood bullnose, square corner

36R - 1-3/4" square wood, radius corner

36S - 1-3/4" square wood, square corner

24R - 1-1/4" square wood , radius corner

24S - 1-1/4" square wood, square corner

15W - 1-3/4" wood bullnose

44R - 1-1/4" beveled wood, radius corner

44S - 1-1/4" beveled wood, square corner

- CR** - Reed edge
- D**Select power option.

NP - No module

MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354

MT1 - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1349

MT2 - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2649

MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select cord length.

9 - 9' cord length

15 - 15' cord length
- G**Select access panel.

NAP - No access panel

WAP - With access panel; add \$181

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER										
			Basic Model	Stain Color	Edge Style	Power Option	Module Color	Cord (feet)	Access Panel	Approx. Packaged Weight	Delivered Pricing		
MODEL			A x B x C										
 SEPM	Boat Shape Tables, Panel Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144", 168" and 192" have a two piece top • One power module available on 72", 96" and 120" centered • Two power modules available on 144", 168" and 192" one on each half	36 x 72 x 30"	SEB3672PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	170.0#	\$ 8036		
		48 x 96 x 36"	SEB4896PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	235.0#	9424		
		48 x 120 x 36"	SEB48120PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	275.0#	10511		
		48 x 144 x 36"	SEB48144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	12643		
		54 x 144 x 42"	SEB54144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	13791		
		54 x 168 x 42"	SEB54168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	425.0#	15841		
		60 x 192 x 48"	SEB60192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	535.0#	17832		
 SEPM	Sightline Tables, Panel Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144" and 168" have a two piece top • One power module available on 120" centered • Two power modules available on 144" and 168" one on each half	60 x 120 x 36"	SES60120PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	\$ 12283		
		60 x 144 x 36"	SES60144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	14001		
		60 x 168 x 36"	SES60168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	17060		
			A	B	C	D	E	F	G				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select stain color
Refer to the **Product Color Options** page in this price list.
- C**Select edge style
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4" wood bullnose, radius corner |
| 14S | - 1-1/4" wood bullnose, square corner |
| 36R | - 1-3/4" square wood, radius corner |
| 36S | - 1-3/4" square wood, square corner |
| 24R | - 1-1/4" square wood , radius corner |
| 24S | - 1-1/4" square wood, square corner |
| 15W | - 1-3/4" wood bullnose |
| 44R | - 1-1/4" beveled wood, radius corner |
| 44S | - 1-1/4" beveled wood, square corner |

- CR** - Reed edge
- D**Select power option.
- | | |
|------------|---|
| NP | - No module |
| MD1 | - Module, Dean in-surface w/USB-A/C (1) ; add \$354 |
| MT1 | - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1349 |
| MT2 | - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2649 |
| MD2 | - Modules, Dean in-surface w/USB-A/C (2) ; add \$707 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select cord length.
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |
- G**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$181 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables

Laminate-Half/Full Drum Leg

		MODEL NUMBER													
		Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel						
MODEL		A x B									Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
 SEHL	Racetrack Tables, Half/Full Drum Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SEO3672HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	165.0#	\$ 6179	\$ 170	\$ 1150	
		48 x 96"	SEO4896HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	225.0#	8496	190	1250
		48 x 120"	SEO48120HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	265.0#	9773	240	1575
		48 x 144"	SEO48144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	310.0#	12466	270	1825
		48 x 168"	SEO48168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	410.0#	13815	330	2275
		48 x 192"	SEO48192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	430.0#	14232	330	2275
		60 x 144"	SEO60144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	370.0#	15261	300	2075
		60 x 168"	SEO60168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	420.0#	15865	450	3100
		60 x 192"	SEO60192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	470.0#	16767	450	3100
		60 x 240"	SEO60240HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	570.0#	20338	550	3770
		 SEHL	Racetrack Tables, Half/Full Drum Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SEO3672HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	165.0#	\$ 4779	\$ 170
48 x 96"	SEO4896HL74P			☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	225.0#	6996	190	1250
48 x 120"	SEO48120HL74P			☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	265.0#	8173	240	1575
48 x 144"	SEO48144HL74P			☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	310.0#	10746	270	1825
48 x 168"	SEO48168HL74P			☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	410.0#	12015	330	2275
48 x 192"	SEO48192HL74P			☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	430.0#	12332	330	2275
60 x 144"	SEO60144HL74P			☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	370.0#	12761	300	2075
60 x 168"	SEO60168HL74P			☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	420.0#	12865	450	3100
60 x 192"	SEO60192HL74P			☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	470.0#	13267	450	3100
60 x 240"	SEO60240HL74P			☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	570.0#	16338	550	3770
				A	B	C	D	E	F	G	H				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect wood edge style.

14R - 1-1/4" wood bullnose, radius corner

36R - 1-3/4" square wood, radius corner

24R - 1-1/4" square wood , radius corner

15W - 1-3/4" wood bullnose

44R - 1-1/4" beveled wood, radius corner

CR - Reed edge

CSelect edge color.

Refer to the **Product Color Options** page in this price list.

DSelect power option.

NP - No module

MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354

MT1 - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1349

MT2 - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2649

MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707

ESelect module color.

Refer to the **Product Color Options** page in this price list.

FSelect cord length.

9 - 9' cord length

15 - 15' cord length

GSelect surface finish.

Refer to the **Product Color Options** page in this price list.

HSelect access panel.

NAP - No access panel

WAP - With access panel; add \$181

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables

Laminate-Half/Full Drum Leg

		MODEL NUMBER												
		Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel					
MODEL		A x B								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
 SEHL	Rectangular Tables, Half/Full Drum Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SER3672HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	174.0#	\$ 5333	\$ 170	\$ 1150	
		48 x 96"	SER4896HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	240.0#	6676	190	1250
		48 x 120"	SER48120HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	280.0#	7634	240	1575
		48 x 144"	SER48144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	325.0#	9852	270	1825
		48 x 168"	SER48168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	403.0#	11843	330	2275
		48 x 192"	SER48192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	443.0#	11843	330	2275
		60 x 144"	SER60144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	385.0#	11946	300	2075
		60 x 168"	SER60168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	495.0#	13624	450	3100
		60 x 192"	SER60192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	510.0#	13624	450	3100
		60 x 240"	SER60240HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	590.0#	15385	550	3770
 SEHL	Rectangular Tables, Half/Full Drum Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SER3672HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	174.0#	\$ 4433	\$ 170	\$ 1150	
		48 x 96"	SER4896HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	240.0#	5476	190	1250
		48 x 120"	SER48120HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	280.0#	6034	240	1575
		48 x 144"	SER48144HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	325.0#	7902	270	1825
		48 x 168"	SER48168HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	403.0#	9443	330	2275
		48 x 192"	SER48192HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	443.0#	9443	330	2275
		60 x 144"	SER60144HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	385.0#	9446	300	2075
		60 x 168"	SER60168HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	495.0#	10724	450	3100
		60 x 192"	SER60192HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	510.0#	10324	450	3100
		60 x 240"	SER60240HL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	590.0#	11885	550	3770
			A	B	C	D	E	F	G	H				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- 14R** - 1-1/4" wood bullnose, radius corner
- 14S** - 1-1/4" wood bullnose, square corner
- 36R** - 1-3/4" square wood, radius corner
- 36S** - 1-3/4" square wood, square corner
- 24R** - 1-1/4" square wood , radius corner
- 24S** - 1-1/4" square wood, square corner
- 15W** - 1-3/4" wood bullnose
- 44R** - 1-1/4" beveled wood, radius corner
- 44S** - 1-1/4" beveled wood, square corner
- CR** - Reed edge

CSelect edge color.
Refer to the **Product Color Options** page in this

price list.

- D**Select power option.
- NP** - No module
- MD1** - Module, Dean in-surface w/USB-A/C (1) ; add \$354
- MT1** - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1349
- MT2** - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2649
- MD2** - Modules, Dean in-surface w/USB-A/C (2) ; add \$707

ESelect module color.
Refer to the **Product Color Options** page in this price list.

- F**Select cord length.
- 9** - 9' cord length
- 15** - 15' cord length

GSelect surface finish.
Refer to the **Product Color Options** page in this price list.

- H**Select access panel.
- NAP** - No access panel
- WAP** - With access panel; add \$181

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables

Laminate-Half/Full Drum Leg

			MODEL NUMBER											
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel			Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
MODEL			A x B x C								Approx. Packaged Weight	Delivered Pricing		
 SEHL	Boat Shape Tables, Half/Full Drum Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168" and 192" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168" and 192" one on each half	36 x 72 x 30"	SEB3672HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	170.0#	\$ 6179	\$ 170	\$ 1150
		48 x 96 x 36"	SEB4896HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	235.0#	8129	190	1250
		48 x 120 x 36"	SEB48120HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	275.0#	9263	240	1575
		48 x 144 x 36"	SEB48144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	12222	270	1825
		54 x 144 x 42"	SEB54144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	14536	300	2075
		54 x 168 x 42"	SEB54168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	425.0#	15140	450	3100
		60 x 192 x 48"	SEB60192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	535.0#	16041	450	3100
 SEHL	Boat Shape Tables, Half/Full Drum Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168" and 192" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168" and 192" one on each half	36 x 72 x 30"	SEB3672HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	170.0#	\$ 4479	\$ 170	\$ 1150
		48 x 96 x 36"	SEB4896HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	235.0#	6629	190	1250
		48 x 120 x 36"	SEB48120HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	275.0#	7663	240	1575
		48 x 144 x 36"	SEB48144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	10522	270	1825
		54 x 144 x 42"	SEB54144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	12536	300	2075
		54 x 168 x 42"	SEB54168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	425.0#	12640	450	3100
		60 x 192 x 48"	SEB60192HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	535.0#	13041	450	3100
			A	B	C	D	E	F	G	H				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood edge style.
- 14R** - 1-1/4" wood bullnose, radius corner
- 14S** - 1-1/4" wood bullnose, square corner
- 36R** - 1-3/4" square wood, radius corner
- 36S** - 1-3/4" square wood, square corner
- 24R** - 1-1/4" square wood , radius corner
- 24S** - 1-1/4" square wood, square corner
- 15W** - 1-3/4" wood bullnose
- 44R** - 1-1/4" beveled wood, radius corner
- 44S** - 1-1/4" beveled wood, square corner
- CR** - Reed edge
- C** Select edge color.
Refer to the **Product Color Options** page in this

- price list.
- D** Select power option.
- NP** - No module
- MD1** - Module, Dean in-surface w/USB-A/C (1) ; add \$354
- MT1** - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1349
- MT2** - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2649
- MD2** - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
- E** Select module color.
Refer to the **Product Color Options** page in this price list.
- F** Select cord length.
- 9** - 9' cord length
- 15** - 15' cord length
- G** Select surface finish.
Refer to the **Product Color Options** page in this price list.

- H** Select access panel.
- NAP** - No access panel
- WAP** - With access panel; add \$181

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables

Laminate-Half/Full Drum Leg

		MODEL NUMBER											
		Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel				
MODEL		A x B x C								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEHL	Sightline Tables, Half/Full Drum Leg	60 x 120 x 36"	SES60120HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	265.0#	\$ 11070	\$ 300	\$ 2075
	• High pressure laminate (HPL) • HPL wood grain is run the length of the table	60 x 144 x 36"	SES60144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	265.0#	14669	300	2075
	• Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer)	60 x 168 x 36"	SES60168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	265.0#	15275	450	3100
	• 144" and 168" have a two piece top • One power module available on 120" centered • Two power modules available on 144" and 168" one on each half												
 SEHL	Sightline Shape Tables, Half/Full Drum Leg - 74P Edge	60 x 120 x 36"	SES60120HL74P		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	265.0#	\$ 8870	\$ 300	\$ 2075
	• High pressure laminate (HPL) • HPL wood grain is run the length of the table	60 x 144 x 36"	SES60144HL74P		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	265.0#	12369	300	2075
	• Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer)	60 x 168 x 36"	SES60168HL74P		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	265.0#	12775	450	3100
	• 144" and 168" have a two piece top • One power module available on 120" centered • Two power modules available on 144" and 168" one on each half												
			A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- 14R

- 1-1/4" wood bullnose, radius corner
- 14S

- 1-1/4" wood bullnose, square corner
- 36R

- 1-3/4" square wood, radius corner
- 36S

- 1-3/4" square wood, square corner
- 24R

- 1-1/4" square wood , radius corner
- 24S

- 1-1/4" square wood, square corner
- 15W

- 1-3/4" wood bullnose
- 44R

- 1-1/4" beveled wood, radius corner
- 44S

- 1-1/4" beveled wood, square corner
- CR

- Reed edge

CSelect edge color.
Refer to the **Product Color Options** page in this

price list.

- D**Select power option.
- NP

- No module
- MD1

- Module, Dean in-surface w/USB-A/C (1) ; add \$354
- MT1

- Module, Double Ellora B in-surface w/USB-A/C (1); add \$1349
- MT2

- Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2649
- MD2

- Modules, Dean in-surface w/USB-A/C (2) ; add \$707

ESelect module color.
Refer to the **Product Color Options** page in this price list.

- F**Select cord length.
- 9

- 9' cord length
- 15

- 15' cord length

GSelect surface finish.
Refer to the **Product Color Options** page in this price list.

HSelect access panel.

- NAP

- No access panel
- WAP

- With access panel; add \$181

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Laminate-Panel Leg



Serenade™ Conference Tables

Laminate-Panel Leg

		MODEL NUMBER												
		Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel					
MODEL		A x B								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
 SEPL	Racetrack Tables, Panel Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168", 192" and 240" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SE03672PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	165.0#	\$ 6974	\$ 170	\$ 1150	
		48 x 96"	SE04896PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	225.0#	9378	190	1250	
		48 x 120"	SE048120PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	10192	240	1575	
		48 x 144"	SE048144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	310.0#	12143	270	1825	
		48 x 168"	SE048168PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	410.0#	15625	330	2275	
		48 x 192"	SE048192PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	430.0#	16253	330	2275	
		60 x 144"	SE060144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	370.0#	14342	300	2075	
		60 x 168"	SE060168PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	420.0#	17262	450	3100	
		60 x 192"	SE060192PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	470.0#	18846	450	3100	
		60 x 240"	SE060240PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	570.0#	24512	550	3770	
 SEPL	Racetrack Tables, Panel Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168", 192" and 240" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SE03672PL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	165.0#	\$ 5574	\$ 170	\$ 1150	
		48 x 96"	SE04896PL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	225.0#	7878	190	1250	
		48 x 120"	SE048120PL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	8592	240	1575	
		48 x 144"	SE048144PL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	310.0#	10443	270	1825	
		48 x 168"	SE048168PL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	410.0#	13825	330	2275	
		48 x 192"	SE048192PL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	430.0#	14353	330	2275	
		60 x 144"	SE060144PL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	370.0#	11842	300	2075	
		60 x 168"	SE060168PL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	420.0#	14262	450	3100	
		60 x 192"	SE060192PL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	470.0#	15346	450	3100	
		60 x 240"	SE060240PL74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	570.0#	20512	550	3770	
			A	B	C	D	E	F	G	H				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect wood edge style.

14R - 1-1/4" wood bullnose, radius corner

36R - 1-3/4" square wood, radius corner

24R - 1-1/4" square wood , radius corner

15W - 1-3/4" wood bullnose

44R - 1-1/4" beveled wood, radius corner

CR - Reed edge

CSelect edge color.

Refer to the **Product Color Options** page in this price list.

DSelect power option.

NP - No module

MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354

MT1 - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1349

MT2 - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2649

MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707

ESelect module color.

Refer to the **Product Color Options** page in this price list.

FSelect cord length.

9 - 9' cord length

15 - 15' cord length

GSelect surface finish.

Refer to the **Product Color Options** page in this price list.

HSelect access panel.

NAP - No access panel

WAP - With access panel; add \$181

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Laminate-Panel Leg



Serenade™ Conference Tables

Laminate-Panel Leg

		MODEL NUMBER													
MODEL		A x B	Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel		Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPL	Rectangular Tables, Panel Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168", 192" and 240" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SER3672PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		174.0#	\$ 6128	\$ 170	\$ 1150
		48 x 96"	SER4896PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		240.0#	7561	190	1250
		48 x 120"	SER48120PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		280.0#	8053	240	1575
		48 x 144"	SER48144PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		325.0#	9528	270	1825
		48 x 168"	SER48168PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		403.0#	13654	330	2275
		48 x 192"	SER48192PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		443.0#	13868	330	2275
		60 x 144"	SER60144PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		385.0#	11029	300	2075
		60 x 168"	SER60168PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		495.0#	15022	450	3100
		60 x 192"	SER60192PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		510.0#	15334	450	3100
		60 x 240"	SER60240PL	☐ ☐ ☐	☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		590.0#	19559	550	3770
 SEPL	Rectangular Tables, Panel Leg - 74P - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168", 192" and 240" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168", 192" and 240" one on each half	36 x 72"	SER3672PL74P		☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		174.0#	\$ 5228	\$ 170	\$ 1150
		48 x 96"	SER4896PL74P		☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		240.0#	6361	190	1250
		48 x 120"	SER48120PL74P		☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		280.0#	6453	240	1575
		48 x 144"	SER48144PL74P		☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		325.0#	7578	270	1825
		48 x 168"	SER48168PL74P		☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		403.0#	11254	330	2275
		48 x 192"	SER48192PL74P		☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		443.0#	11468	330	2275
		60 x 144"	SER60144PL74P		☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		385.0#	8529	300	2075
		60 x 168"	SER60168PL74P		☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		495.0#	12122	450	3100
		60 x 192"	SER60192PL74P		☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		510.0#	12034	450	3100
		60 x 240"	SER60240PL74P		☐ ☐ ☐	☐	☐	☐	☐	☐ ☐		590.0#	16059	550	3770

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- 14R** - 1-1/4" wood bullnose, radius corner
- 14S** - 1-1/4" wood bullnose, square corner
- 36R** - 1-3/4" square wood, radius corner
- 36S** - 1-3/4" square wood, square corner
- 24R** - 1-1/4" square wood , radius corner
- 24S** - 1-1/4" square wood, square corner
- 15W** - 1-3/4" wood bullnose
- 44R** - 1-1/4" beveled wood, radius corner
- 44S** - 1-1/4" beveled wood, square corner
- CR** - Reed edge

CSelect edge color.
Refer to the **Product Color Options** page in this

price list.

- D**Select power option.
- NP** - No module
- MD1** - Module, Dean in-surface w/USB-A/C (1) ; add \$354
- MT1** - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1349
- MT2** - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2649
- MD2** - Modules, Dean in-surface w/USB-A/C (2) ; add \$707

ESelect module color.
Refer to the **Product Color Options** page in this price list.

- F**Select cord length.
- 9** - 9' cord length
- 15** - 15' cord length

GSelect surface finish.
Refer to the **Product Color Options** page in this price list.

- H**Select access panel.
- NAP** - No access panel
- WAP** - With access panel; add \$181

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables

Laminate-Panel Leg



Serenade™ Conference Tables

Laminate-Panel Leg

			MODEL NUMBER											
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel				
MODEL			A x B x C								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPL	Boat Shape Tables, Panel Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168" and 192" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168" and 192" one on each half	36 x 72 x 30"	SEB3672PL	□□□	□□□	□□	□□	□□	□□	□□□	170.0#	\$ 6974	\$ 170	\$ 1150
		48 x 96 x 36"	SEB4896PL	□□□	□□□	□□	□□	□□	□□	□□□	235.0#	9065	190	1250
		48 x 120 x 36"	SEB48120PL	□□□	□□□	□□	□□	□□	□□	□□□	275.0#	10310	240	1575
		48 x 144 x 36"	SEB48144PL	□□□	□□□	□□	□□	□□	□□	□□□	320.0#	12091	270	1825
		54 x 144 x 42"	SEB54144PL	□□□	□□□	□□	□□	□□	□□	□□□	345.0#	13975	300	2075
		54 x 168 x 42"	SEB54168PL	□□□	□□□	□□	□□	□□	□□	□□□	425.0#	16715	450	3100
		60 x 192 x 48"	SEB60192PL	□□□	□□□	□□	□□	□□	□□	□□□	535.0#	18377	450	3100
 SEPL	Boat Shape Tables, Panel Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168" and 192" have a two piece top - One power module available on 72", 96" and 120" centered - Two power modules available on 144", 168" and 192" one on each half	36 x 72 x 30"	SEB3672PL74P		□□□	□□	□□	□□	□□	□□□	170.0#	\$ 5574	\$ 170	\$ 1150
		48 x 96 x 36"	SEB4896PL74P		□□□	□□	□□	□□	□□	□□□	235.0#	7565	190	1250
		48 x 120 x 36"	SEB48120PL74P		□□□	□□	□□	□□	□□	□□□	275.0#	8710	240	1575
		48 x 144 x 36"	SEB48144PL74P		□□□	□□	□□	□□	□□	□□□	320.0#	10391	270	1825
		54 x 144 x 42"	SEB54144PL74P		□□□	□□	□□	□□	□□	□□□	345.0#	11975	300	2075
		54 x 168 x 42"	SEB54168PL74P		□□□	□□	□□	□□	□□	□□□	425.0#	14215	450	3100
		60 x 192 x 48"	SEB60192PL74P		□□□	□□	□□	□□	□□	□□□	535.0#	15377	450	3100
			A	B	C	D	E	F	G	H				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood edge style.
- 14R** - 1-1/4" wood bullnose, radius corner
 - 14S** - 1-1/4" wood bullnose, square corner
 - 36R** - 1-3/4" square wood, radius corner
 - 36S** - 1-3/4" square wood, square corner
 - 24R** - 1-1/4" square wood , radius corner
 - 24S** - 1-1/4" square wood, square corner
 - 15W** - 1-3/4" wood bullnose
 - 44R** - 1-1/4" beveled wood, radius corner
 - 44S** - 1-1/4" beveled wood, square corner
 - CR** - Reed edge

C Select edge color.
Refer to the **Product Color Options** page in this

price list.

- D** Select power option.
- NP** - No module
 - MD1** - Module, Dean in-surface w/USB-A/C (1) ; add \$354
 - MT1** - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1349
 - MT2** - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2649
 - MD2** - Modules, Dean in-surface w/USB-A/C (2) ; add \$707

E Select module color.
Refer to the **Product Color Options** page in this price list.

- F** Select cord length.
- 9** - 9' cord length
 - 15** - 15' cord length

G Select surface finish.
Refer to the **Product Color Options** page in this price list.

- H** Select access panel.
- NAP** - No access panel
 - WAP** - With access panel; add \$181

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER												
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Cord (feet)	Surface Finish	Access Panel					
MODEL			A x B x C									Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPL	Sightline Tables, Panel Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144" and 168" have a two piece top - One power module available on 120" centered - Two power modules available on 144" and 168" one on each half	60 x 120 x 36"	SES60120PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		265.0#	\$ 12536	\$ 300	\$ 2075	
		60 x 144 x 36"	SES60144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		265.0#	14539	300	2075	
		60 x 168 x 36"	SES60168PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐		265.0#	17312	450	3100	
 SEPL	Sightline Tables, Panel Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144" and 168" have a two piece top - One power module available on 120" centered - Two power modules available on 144" and 168" one on each half	60 x 120 x 36"	SES60120PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	\$ 10336	\$ 300	\$ 2075	
		60 x 144 x 36"	SES60144PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	12239	300	2075	
		60 x 168 x 36"	SES60168PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	14812	450	3100	
			A	B	C	D	E	F	G	H					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4” wood bullnose, radius corner |
| 14S | - 1-1/4” wood bullnose, square corner |
| 36R | - 1-3/4” square wood, radius corner |
| 36S | - 1-3/4” square wood, square corner |
| 24R | - 1-1/4” square wood , radius corner |
| 24S | - 1-1/4” square wood, square corner |
| 15W | - 1-3/4” wood bullnose |
| 44R | - 1-1/4” beveled wood, radius corner |
| 44S | - 1-1/4” beveled wood, square corner |
| CR | - Reed edge |
- C**Select edge color.
Refer to the **Product Color Options** page in this

- price list.
- D**Select power option.
- | | |
|------------|---|
| NP | - No module |
| MD1 | - Module, Dean in-surface w/USB-A/C (1) ; add \$354 |
| MT1 | - Module, Double Ellora B in-surface w/USB-A/C (1); add \$1349 |
| MT2 | - Modules, Double Ellora B in-surface w/USB-A/C (2); add \$2649 |
| MD2 | - Modules, Dean in-surface w/USB-A/C (2) ; add \$707 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select cord length.
- | | |
|-----------|-------------------|
| 9 | - 9’ cord length |
| 15 | - 15’ cord length |
- G**Select surface finish.
Refer to the **Product Color Options** page in this price list.

- H**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$181 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables w/Single Circuit Electrical

Maple-Half/Full Drum Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Maple-Half/Full Drum Leg

			MODEL NUMBER								
			Basic Model	Stain Color	Edge Style	Power Option	Module Color	Access Panel			
MODEL			A x B							Approx. Packaged Weight	Delivered Pricing
 SEPHM	Racetrack Tables, Half/Full Drum Leg	48 x 144"	SEPO48144HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	310.0#	\$ 15534	
	• Maple veneer is plain sliced (flat cut)	48 x 168"	SEPO48168HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	410.0#	16742	
	• Veneer is run cross grain	48 x 192"	SEPO48192HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	430.0#	17948	
	• Half and Full cylinder veneer bases (full cylinders are the middle base on tables 144" and longer)	60 x 144"	SEPO60144HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	370.0#	19410	
	• 144", 168", 192" and 240" have a two piece top	60 x 168"	SEPO60168HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	420.0#	20919	
	• Two power modules, one on each half	60 x 192"	SEPO60192HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	470.0#	22702	
	• All electrical components (including infeed kits and jumpers) are included	60 x 240"	SEPO60240HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	570.0#	26901	
 SEPHM	Rectangular Tables, Half/Full Drum Leg	48 x 144"	SEPR48144HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	325.0#	\$ 15083	
	• Maple veneer is plain sliced (flat cut)	48 x 168"	SEPR48168HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	403.0#	16215	
	• Veneer is run cross grain	48 x 192"	SEPR48192HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	443.0#	17345	
	• Half and Full cylinder veneer bases (full cylinders are the middle base on tables 144" and longer)	60 x 144"	SEPR60144HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	385.0#	18845	
	• 144", 168", 192" and 240" have a two piece top	60 x 168"	SEPR60168HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	495.0#	20253	
	• Two power modules, one on each half	60 x 192"	SEPR60192HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	510.0#	22833	
	• All electrical components (including infeed kits and jumpers) are included	60 x 240"	SEPR60240HM	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	590.0#	26375	
			A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.	D Select power option. PMD2 - Pattern modules, Dean in-surface (2) ; add \$1389 PMT2 - Pattern modules, Double Ellora B in-surface (2); add \$3199
B Select stain color Refer to the Product Color Options page in this price list.	E Select module color. Refer to the Product Color Options page in this price list.
C Select edge style 14R - 1-1/4" wood bullnose, radius corner 14S - 1-1/4" wood bullnose, square corner 36R - 1-3/4" square wood, radius corner 36S - 1-3/4" square wood, square corner 24R - 1-1/4" square wood , radius corner 24S - 1-1/4" square wood, square corner 15W - 1-3/4" wood bullnose 44R - 1-1/4" beveled wood, radius corner 44S - 1-1/4" beveled wood, square corner	F Select access panel. NAP - No access panel WAP - With access panel; add \$181

CR - Reed edge

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Conference Tables w/Single Circuit Electrical

Maple-Half/Full Drum Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Maple-Half/Full Drum Leg

			MODEL NUMBER									
			Basic Model	Stain Color	Edge Style	Power Option	Module Color	Access Panel				
MODEL			A x B x C								Approx. Packaged Weight	Delivered Pricing
 SEPHM	Boat Shape Tables, Half/Full Drum Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Half and Full cylinder veneer bases (full cylinders are the middle base on tables 144" and longer) • 144", 168" and 192" have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	48 x 144 x 36"	SEPB48144HM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	\$ 13369		
		54 x 144 x 42"	SEPB54144HM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	14847		
		54 x 168 x 42"	SEPB54168HM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	425.0#	18225		
		60 x 192 x 48"	SEPB60192HM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	535.0#	21058		
 SEPHM	Sightline Tables, Half/Full Drum Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Half and Full cylinder veneer bases (full cylinders are the middle base on tables 144" and longer) • 144" and 168" have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	60 x 144 x 36"	SEPS60144HM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	\$ 16323		
		60 x 168 x 36"	SEPS60168HM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	20698		
			A	B	C	D	E	F				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select stain color
Refer to the **Product Color Options** page in this price list.
- C**Select edge style

14R - 1-1/4" wood bullnose, radius corner

14S - 1-1/4" wood bullnose, square corner

36R - 1-3/4" square wood, radius corner

36S - 1-3/4" square wood, square corner

24R - 1-1/4" square wood , radius corner

24S - 1-1/4" square wood, square corner

15W - 1-3/4" wood bullnose

44R - 1-1/4" beveled wood, radius corner

44S - 1-1/4" beveled wood, square corner

- CR** - Reed edge
- D**Select power option.

PMD2 - Pattern modules, Dean in-surface (2) ; add \$1389

PMT2 - Pattern modules, Double Ellora B in-surface (2); add \$3199
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select access panel.

NAP - No access panel

WAP - With access panel; add \$181

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Conference Tables w/Single Circuit Electrical

Maple-Panel Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Maple-Panel Leg

			MODEL NUMBER							
			Basic Model	Stain Color	Edge Style	Power Option	Module Color	Access Panel		
MODEL			A x B						Approx. Packaged Weight	Delivered Pricing
 SEPPM	Racetrack Tables, Panel Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144", 168", 192" and 240" have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEPO48144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	310.0#	\$ 12637
		48 x 168"	SEPO48168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	410.0#	15353
		48 x 192"	SEPO48192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	430.0#	16559
		60 x 144"	SEPO60144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	370.0#	14447
		60 x 168"	SEPO60168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	420.0#	17585
		60 x 192"	SEPO60192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	470.0#	20584
		60 x 240"	SEPO60240PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	570.0#	27440
 SEPPM	Rectangular Tables, Panel Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144", 168", 192" and 240" have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEPR48144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	325.0#	\$ 12283
		48 x 168"	SEPR48168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	403.0#	14935
		48 x 192"	SEPR48192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	443.0#	16083
		60 x 144"	SEPR60144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	385.0#	14001
		60 x 168"	SEPR60168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	495.0#	17060
		60 x 192"	SEPR60192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	510.0#	19767
		60 x 240"	SEPR60240PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	590.0#	26901
			A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select stain color
Refer to the **Product Color Options** page in this price list.
- C**Select edge style
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4" wood bullnose, radius corner |
| 14S | - 1-1/4" wood bullnose, square corner |
| 36R | - 1-3/4" square wood, radius corner |
| 36S | - 1-3/4" square wood, square corner |
| 24R | - 1-1/4" square wood , radius corner |
| 24S | - 1-1/4" square wood, square corner |
| 15W | - 1-3/4" wood bullnose |
| 44R | - 1-1/4" beveled wood, radius corner |
| 44S | - 1-1/4" beveled wood, square corner |

- CR** - Reed edge
- D**Select power option.
- | | |
|-------------|---|
| PMD2 | - Pattern modules, Dean in-surface (2) ; add \$1389 |
| PMT2 | - Pattern modules, Double Ellora B in-surface (2); add \$3199 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$181 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Conference Tables w/Single Circuit Electrical

Maple-Panel Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Maple-Panel Leg

			MODEL NUMBER								
			Basic Model	Stain Color	Edge Style	Power Option	Module Color	Access Panel			
MODEL			A x B x C							Approx. Packaged Weight	Delivered Pricing
 SEPPM	Boat Shape Tables, Panel Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144", 168" and 192" have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	48 x 144 x 36"	SEPB48144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	\$ 12643	
		54 x 144 x 42"	SEPB54144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	13791	
		54 x 168 x 42"	SEPB54168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	425.0#	15841	
		60 x 192 x 48"	SEPB60192PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	535.0#	17832	
 SEPPM	Sightline Tables, Panel Leg • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144" and 168" have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	60 x 144 x 36"	SEPS60144PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	\$ 14001	
		60 x 168 x 36"	SEPS60168PM	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	17060	
			A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select stain color
Refer to the **Product Color Options** page in this price list.
- C**Select edge style

14R - 1-1/4" wood bullnose, radius corner

14S - 1-1/4" wood bullnose, square corner

36R - 1-3/4" square wood, radius corner

36S - 1-3/4" square wood, square corner

24R - 1-1/4" square wood , radius corner

24S - 1-1/4" square wood, square corner

15W - 1-3/4" wood bullnose

44R - 1-1/4" beveled wood, radius corner

44S - 1-1/4" beveled wood, square corner

- CR** - Reed edge
- D**Select power option.

PMD2 - Pattern modules, Dean in-surface (2) ; add \$1389

PMT2 - Pattern modules, Double Ellora B in-surface (2); add \$3199
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select access panel.

NAP - No access panel

WAP - With access panel; add \$181

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg

			MODEL NUMBER										
			Basic Model	Edge Style	Edge Color	Power Option	Surface Finish	Access Panel					
MODEL			A x B							Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPHL	Racetrack Tables, Half/Full Drum Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEP048144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	310.0#	\$ 12466	\$ 270	\$ 1825	
		48 x 168"	SEP048168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	410.0#	13815	330	2275	
		48 x 192"	SEP048192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	430.0#	14232	330	2275	
		60 x 144"	SEP060144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	370.0#	15261	300	2075	
		60 x 168"	SEP060168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	420.0#	15865	450	3100	
		60 x 192"	SEP060192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	470.0#	16767	450	3100	
		60 x 240"	SEP060240HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	570.0#	20338	550	3770	
 SEPHL	Racetrack Tables, Half/Full Drum Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEP048144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	310.0#	\$ 10746	\$ 270	\$ 1825	
		48 x 168"	SEP048168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	410.0#	12015	330	2275	
		48 x 192"	SEP048192HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	430.0#	12332	330	2275	
		60 x 144"	SEP060144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	370.0#	12761	300	2075	
		60 x 168"	SEP060168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	420.0#	12865	450	3100	
		60 x 192"	SEP060192HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	470.0#	13267	450	3100	
		60 x 240"	SEP060240HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	570.0#	16338	550	3770	
			A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood edge style.
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4" wood bullnose, radius corner |
| 36R | - 1-3/4" square wood, radius corner |
| 24R | - 1-1/4" square wood , radius corner |
| 15W | - 1-3/4" wood bullnose |
| 44R | - 1-1/4" beveled wood, radius corner |
| CR | - Reed edge |

- C** Select edge color.
Refer to the **Product Color Options** page in this price list.
- D** Select power option.
- | | |
|-------------|---|
| PMD2 | - Pattern modules, Dean in-surface (2) ; add \$1389 |
| PMT2 | - Pattern modules, Double Ellora B in-surface (2); add \$3199 |

- E** Select module color.
Refer to the **Product Color Options** page in this price list.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$181 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg

			MODEL NUMBER											
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Surface Finish	Access Panel					
MODEL			A x B								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPHL	Rectangular Tables, Half/Full Drum Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEPR48144HL	□□□	□□□	□□	□□	□□	□□□	325.0#	\$ 9852	\$ 270	\$ 1825	
		48 x 168"	SEPR48168HL	□□□	□□□	□□	□□	□□	□□	□□□	403.0#	11843	330	2275
		48 x 192"	SEPR48192HL	□□□	□□□	□□	□□	□□	□□	□□□	443.0#	11843	330	2275
		60 x 144"	SEPR60144HL	□□□	□□□	□□	□□	□□	□□□	385.0#	11946	300	2075	
		60 x 168"	SEPR60168HL	□□□	□□□	□□	□□	□□	□□□	495.0#	13624	450	3100	
		60 x 192"	SEPR60192HL	□□□	□□□	□□	□□	□□	□□□	510.0#	13624	450	3100	
		60 x 240"	SEPR60240HL	□□□	□□□	□□	□□	□□	□□□	590.0#	15385	550	3770	
 SEPHL	Rectangular Tables, Half/Full Drum Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEPR48144HL74P		□□□	□□	□□	□□	□□□	325.0#	\$ 7902	\$ 270	\$ 1825	
		48 x 168"	SEPR48168HL74P		□□□	□□	□□	□□	□□□	403.0#	9443	330	2275	
		48 x 192"	SEPR48192HL74P		□□□	□□	□□	□□	□□□	443.0#	9443	330	2275	
		60 x 144"	SEPR60144HL74P		□□□	□□	□□	□□	□□□	385.0#	9446	300	2075	
		60 x 168"	SEPR60168HL74P		□□□	□□	□□	□□	□□□	495.0#	10724	450	3100	
		60 x 192"	SEPR60192HL74P		□□□	□□	□□	□□	□□□	510.0#	10324	450	3100	
		60 x 240"	SEPR60240HL74P		□□□	□□	□□	□□	□□□	590.0#	11885	550	3770	
				A	B	C	D	E	F	G				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4" wood bullnose, radius corner |
| 14S | - 1-1/4" wood bullnose, square corner |
| 36R | - 1-3/4" square wood, radius corner |
| 36S | - 1-3/4" square wood, square corner |
| 24R | - 1-1/4" square wood , radius corner |
| 24S | - 1-1/4" square wood, square corner |
| 15W | - 1-3/4" wood bullnose |
| 44R | - 1-1/4" beveled wood, radius corner |
| 44S | - 1-1/4" beveled wood, square corner |
| CR | - Reed edge |

CSelect edge color.
Refer to the **Product Color Options** page in this

- price list.
- D**Select power option.
- | | |
|-------------|---|
| PMD2 | - Pattern modules, Dean in-surface (2) ; add \$1389 |
| PMT2 | - Pattern modules, Double Ellora B in-surface (2); add \$3199 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$181 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg

			MODEL NUMBER											
MODEL			A x B x C	Basic Model	Edge Style	Edge Color	Power Option	Module Color	Surface Finish	Access Panel				
 SEPHL	Boat Shape Tables, Half/Full Drum Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168" and 192" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144 x 36"	SEPB48144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	\$ 12222	\$ 270	\$ 1825
		54 x 144 x 42"	SEPB54144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	14536	300	2075
		54 x 168 x 42"	SEPB54168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	425.0#	15140	450	3100
		60 x 192 x 48"	SEPB60192HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	535.0#	16041	450	3100
 SEPHL	Boat Shape Tables, Half/Full Drum Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144", 168" and 192" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144 x 36"	SEPB48144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	\$ 10522	\$ 270	\$ 1825
		54 x 144 x 42"	SEPB54144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	12536	300	2075
		54 x 168 x 42"	SEPB54168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	425.0#	12640	450	3100
		60 x 192 x 48"	SEPB60192HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	535.0#	13041	450	3100
				A	B	C	D	E	F	G				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4" wood bullnose, radius corner |
| 14S | - 1-1/4" wood bullnose, square corner |
| 36R | - 1-3/4" square wood, radius corner |
| 36S | - 1-3/4" square wood, square corner |
| 24R | - 1-1/4" square wood , radius corner |
| 24S | - 1-1/4" square wood, square corner |
| 15W | - 1-3/4" wood bullnose |
| 44R | - 1-1/4" beveled wood, radius corner |
| 44S | - 1-1/4" beveled wood, square corner |
| CR | - Reed edge |

CSelect edge color.
Refer to the **Product Color Options** page in this

- price list.
- D**Select power option.
- | | |
|-------------|---|
| PMD2 | - Pattern modules, Dean in-surface (2) ; add \$1389 |
| PMT2 | - Pattern modules, Double Ellora B in-surface (2); add \$3199 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$181 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Half/Full Drum Leg

			MODEL NUMBER											
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Surface Finish	Access Panel					
MODEL			A x B x C							Approx. Packaged Weight	Delivered Pricing			
 SEPHL	Sightline Tables, Half/Full Drum Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144" and 168" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	60 x 144 x 36"	SEPS60144HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	\$ 14669	\$	300	\$ 2075
		60 x 168 x 36"	SEPS60168HL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	15275		450	3100
 SEPHL	Sightline Shape Tables, Half/Full Drum Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table - Half and Full cylinder HPL bases (full cylinders are the middle base on tables 144" and longer) 144" and 168" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	60 x 144 x 36"	SEPS60144HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	\$ 12369	\$	300	\$ 2075
		60 x 168 x 36"	SEPS60168HL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	12775		450	3100
													</	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4" wood bullnose, radius corner |
| 14S | - 1-1/4" wood bullnose, square corner |
| 36R | - 1-3/4" square wood, radius corner |
| 36S | - 1-3/4" square wood, square corner |
| 24R | - 1-1/4" square wood , radius corner |
| 24S | - 1-1/4" square wood, square corner |
| 15W | - 1-3/4" wood bullnose |
| 44R | - 1-1/4" beveled wood, radius corner |
| 44S | - 1-1/4" beveled wood, square corner |
| CR | - Reed edge |

CSelect edge color.
Refer to the **Product Color Options** page in this

- price list.
- D**Select power option.
- | | |
|-------------|---|
| PMD2 | - Pattern modules, Dean in-surface (2) ; add \$1389 |
| PMT2 | - Pattern modules, Double Ellora B in-surface (2); add \$3199 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$181 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg

			MODEL NUMBER											
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Surface Finish	Access Panel					
MODEL			A x B								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Racetrack Tables, Panel Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEP048144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	310.0#	\$ 12143	\$ 270	\$ 1825	
		48 x 168"	SEP048168PL	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	410.0#	15625	330	2275		
		48 x 192"	SEP048192PL	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	430.0#	16253	330	2275		
		60 x 144"	SEP060144PL	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	370.0#	14342	300	2075		
		60 x 168"	SEP060168PL	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	420.0#	17262	450	3100		
		60 x 192"	SEP060192PL	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	470.0#	18846	450	3100		
		60 x 240"	SEP060240PL	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	570.0#	24572	550	3770		
	Racetrack Tables, Panel Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEP048144PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	310.0#	\$ 10443	\$ 270	\$ 1825	
		48 x 168"	SEP048168PL74P		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	410.0#	13825	330	2275		
		48 x 192"	SEP048192PL74P		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	430.0#	14353	330	2275		
		60 x 144"	SEP060144PL74P		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	370.0#	11842	300	2075		
		60 x 168"	SEP060168PL74P		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	420.0#	14262	450	3100		
		60 x 192"	SEP060192PL74P		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	470.0#	15346	450	3100		
		60 x 240"	SEP060240PL74P		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	570.0#	20512	550	3770		
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select wood edge style.

14R

- 1-1/4" wood bullnose, radius corner

36R

- 1-3/4" square wood, radius corner

24R

- 1-1/4" square wood , radius corner

15W

- 1-3/4" wood bullnose

44R

- 1-1/4" beveled wood, radius corner

CR

- Reed edge
- C** Select edge color.

Refer to the **Product Color Options** page in this price list.
- D** Select power option.

PMD2

- Pattern modules, Dean in-surface (2) ; add \$1389

PMT2

- Pattern modules, Double Ellora B in-surface (2); add \$3199
- E** Select module color.

Refer to the **Product Color Options** page in this price list.
- F** Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G** Select access panel.

NAP

- No access panel

WAP

- With access panel; add \$181

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg

			MODEL NUMBER											
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Surface Finish	Access Panel					
MODEL			A x B								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPPL	Rectangular Tables, Panel Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEPR48144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	325.0#	\$ 9528	\$ 270	\$ 1825	
		48 x 168"	SEPR48168PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	403.0#	13654	330	2275	
		48 x 192"	SEPR48192PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	443.0#	13868	330	2275	
		60 x 144"	SEPR60144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	385.0#	11029	300	2075	
		60 x 168"	SEPR60168PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	495.0#	15022	450	3100	
		60 x 192"	SEPR60192PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	510.0#	15334	450	3100	
		60 x 240"	SEPR60240PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	590.0#	19559	550	3770	
 SEPPL	Rectangular Tables, Panel Leg - 74P - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168", 192" and 240" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144"	SEPR48144PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	325.0#	\$ 7578	\$ 270	\$ 1825	
		48 x 168"	SEPR48168PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	403.0#	11254	330	2275	
		48 x 192"	SEPR48192PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	443.0#	11468	330	2275	
		60 x 144"	SEPR60144PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	385.0#	8529	300	2075	
		60 x 168"	SEPR60168PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	495.0#	12122	450	3100	
		60 x 192"	SEPR60192PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	510.0#	12034	450	3100	
		60 x 240"	SEPR60240PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	590.0#	16059	550	3770	
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4" wood bullnose, radius corner |
| 14S | - 1-1/4" wood bullnose, square corner |
| 36R | - 1-3/4" square wood, radius corner |
| 36S | - 1-3/4" square wood, square corner |
| 24R | - 1-1/4" square wood , radius corner |
| 24S | - 1-1/4" square wood, square corner |
| 15W | - 1-3/4" wood bullnose |
| 44R | - 1-1/4" beveled wood, radius corner |
| 44S | - 1-1/4" beveled wood, square corner |
| CR | - Reed edge |

CSelect edge color.
Refer to the **Product Color Options** page in this

price list.

- D**Select power option.
- | | |
|-------------|---|
| PMD2 | - Pattern modules, Dean in-surface (2) ; add \$1389 |
| PMT2 | - Pattern modules, Double Ellora B in-surface (2); add \$3199 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$181 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg

			MODEL NUMBER											
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Surface Finish	Access Panel					
MODEL			A x B x C								Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPPL	Boat Shape Tables, Panel Leg - Wood Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168" and 192" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144 x 36"	SEPB48144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	\$ 12091	\$ 270	\$ 1825	
		54 x 144 x 42"	SEPB54144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	345.0#	13975	300	2075	
		54 x 168 x 42"	SEPB54168PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	425.0#	16715	450	3100		
		60 x 192 x 48"	SEPB60192PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	535.0#	18377	450	3100		
 SEPPL	Boat Shape Tables, Panel Leg - 74P Edge - High pressure laminate (HPL) - HPL wood grain is run the length of the table 4" panel leg with a connecting stringer - Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly 144", 168" and 192" have a two piece top - Two power modules, one on each half - All electrical components (including infeed kits and jumpers) are included	48 x 144 x 36"	SEPB48144PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	320.0#	\$ 10391	\$ 270	\$ 1825	
		54 x 144 x 42"	SEPB54144PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	345.0#	11975	300	2075		
		54 x 168 x 42"	SEPB54168PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	425.0#	14215	450	3100		
		60 x 192 x 48"	SEPB60192PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	535.0#	18377	450	3100		
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select wood edge style.
- | | |
|------------|---------------------------------------|
| 14R | - 1-1/4" wood bullnose, radius corner |
| 14S | - 1-1/4" wood bullnose, square corner |
| 36R | - 1-3/4" square wood, radius corner |
| 36S | - 1-3/4" square wood, square corner |
| 24R | - 1-1/4" square wood , radius corner |
| 24S | - 1-1/4" square wood, square corner |
| 15W | - 1-3/4" wood bullnose |
| 44R | - 1-1/4" beveled wood, radius corner |
| 44S | - 1-1/4" beveled wood, square corner |
| CR | - Reed edge |

CSelect edge color.
Refer to the **Product Color Options** page in this

- price list.
- D**Select power option.
- | | |
|-------------|---|
| PMD2 | - Pattern modules, Dean in-surface (2) ; add \$1389 |
| PMT2 | - Pattern modules, Double Ellora B in-surface (2); add \$3199 |
- E**Select module color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select access panel.
- | | |
|------------|--------------------------------|
| NAP | - No access panel |
| WAP | - With access panel; add \$181 |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg



Serenade™ Conference Tables w/Single Circuit Electrical

Laminate-Panel Leg

			MODEL NUMBER												
			Basic Model	Edge Style	Edge Color	Power Option	Module Color	Surface Finish	Access Panel						
MODEL			A x B x C							Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price			Laminate Grade 3 add to list price
	Sightline Tables, Panel Leg - Wood Edge • High pressure laminate (HPL) • HPL wood grain is run the length of the table • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144" and 168" have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	60 x 144 x 36"	SEPS60144PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	\$ 14539	\$	300	\$	2075
		60 x 168 x 36"	SEPS60168PL	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	17312		450		3100
	Sightline Tables, Panel Leg - 74P Edge • High pressure laminate (HPL) • HPL wood grain is run the length of the table • 4" panel leg with a connecting stringer • Panel bases include a perforated steel insert (SX painted) on the short ends of the assembly • 144" and 168" have a two piece top • Two power modules, one on each half • All electrical components (including infeed kits and jumpers) are included	60 x 144 x 36"	SEPS60144PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	\$ 12239	\$	300	\$	2075
		60 x 168 x 36"	SEPS60168PL74P		☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	265.0#	14812		450		3100

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select wood edge style.

14R

- 1-1/4” wood bullnose, radius corner

14S

- 1-1/4” wood bullnose, square corner

36R

- 1-3/4” square wood, radius corner

36S

- 1-3/4” square wood, square corner

24R

- 1-1/4” square wood , radius corner

24S

- 1-1/4” square wood, square corner

15W

- 1-3/4” wood bullnose

44R

- 1-1/4” beveled wood, radius corner

44S

- 1-1/4” beveled wood, square corner

CR

- Reed edge

- C

Select edge color.

Refer to the **Product Color Options** page in this

- price list.
- D

Select power option.

PMD2

- Pattern modules, Dean in-surface (2) ; add \$1389

PMT2

- Pattern modules, Double Ellora B in-surface (2); add \$3199
- E

Select module color.

Refer to the **Product Color Options** page in this price list.
- F

Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G

Select access panel.

NAP

- No access panel

WAP

- With access panel; add \$181

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.





Serenade™ Credenzas

Maple



Serenade™ Credenzas

Maple

				MODEL NUMBER					
				Basic Model	Edge Style	Pull Option	Stain Color		
MODEL		Features	A x B x C					Approx. Packaged Weight	Delivered Pricing
 SCRZM	Conference Height-2 Door • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Contains 1 adjustable shelf	2 Door	22 x 36 x 29"	SE2D3629CM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	118.0#	\$ 5395
 SCRZM	Conference Height-3 Door • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Contains 1 adjustable shelf	3 Door	22 x 54 x 29"	SE3D5429CM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	170.0#	\$ 6843
 SCRZM	Buffet Height-2 Door • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Contains 2 adjustable shelves	2 Door	22 x 36 x 36"	SE2D3636BM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	145.0#	\$ 5790
 SCRZM	Buffet Height-3 Door • Maple veneer is plain sliced (flat cut) • Veneer is run cross grain • Contains 2 adjustable shelves	3 Door	22 x 54 x 36"	SE3D5436BM	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	210.0#	\$ 7369
				A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|------------|---------------------------------------|
| 14S | - 1-1/4" Wood bullnose, square corner |
| 24S | - 1-1/4" Square wood, square corner |
| 44S | - 1-1/4" Beveled wood, square corner |
| CR | - Reed edge |
- C** Select pull style.
- | | |
|------------|-------------------|
| BCR | - Black curved |
| SCR | - Silver curved |
| SSQ | - Silver square |
| SST | - Silver straight |
- D** Select stain color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES





Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



				MODEL NUMBER								Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
				Basic Model	Edge Color	Pull Option	Surface Finish						
 SCRZL	MODEL	Features	A x B x C										
	Conference Height-2 Door - 74P Edge	2 Door	22 x 36 x 29"	SE2D3629CL-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	118.0#		\$ 4700		\$ 122	\$ 800
	- High pressure laminate (HPL) - HPL wood grain is run the length of the surface - Contains 1 adjustable shelf												
 SCRZL	MODEL	Features	A x B x C										
	Conference Height-3 Door - 74P Edge	3 Door	22 x 54 x 29"	SE3D5429CL-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	170.0#		\$ 5998		\$ 159	\$ 1100
	- High pressure laminate (HPL) - HPL wood grain is run the length of the surface - Contains 1 adjustable shelf												
 SCRZL	MODEL	Features	A x B x C										
	Buffet Height-2 Door - 74P Edge	2 Door	22 x 36 x 36"	SE2D3636BL-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	145.0#		\$ 5095		\$ 124	\$ 805
	- High pressure laminate (HPL) - HPL wood grain is run the length of the surface - Contains 2 adjustable shelves												
 SCRZL	MODEL	Features	A x B x C										
	Buffet Height-3 Door - 74P Edge	3 Door	22 x 54 x 36"	SE3D5436BL-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	210.0#		\$ 6525		\$ 161	\$ 1120
	- High pressure laminate (HPL) - HPL wood grain is run the length of the surface - Contains 2 adjustable shelves												

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select edge color.
Refer to the **Product Color Options** page in this price list.
- C

Select pull style.

BCR

- Black curved

SCR

- Silver curved

SSQ

- Silver square

SST

- Silver straight

D

Select surface finish.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



PRODUCT SPECIFICATIONS ■
Serenade™ Gathering Table

November 2024

TECHNICAL SPECIFICATIONS

Tabletop

Tabletops are constructed of 2" thick, 45 lb density particle board core with 1/32" laminate finished top surface and 1/32" thick phenolic backing.

Panel Legs

End panel legs are constructed of 2" thick, 45 lb density particle board core finished with 1/32" laminate on both the front and back surface. The ends are finished with 1/32" Self Edge or matching laminate. The bottom is finished with black laminate. Tables 108"-144" wide come with an inset support leg constructed of 2" thick, 45 lb density particle board core finished with 1/32" laminate on both the front and back surface. 24" deep tables contain a 12" wide inset leg which is centered at the rear of the table to allow more leg clearance on the user side of the table. 30"-48" deep tables contain an 18" wide leg that is placed directly in the middle of the table construction to allow user clearance on both sides of the table. Adjustable glides are 1" diameter, 5/16"-18 threaded floor glides and offer 1 1/2" of adjustability. These panel structures are secured to the tabletop with hardware and 9-gauge steel mounting plates.

Stringers & Modesty Panels

Tables are fitted with either 73/4" tall (on 29"H models) or 113/4" tall (on 42"H models) stringers or full-height modesty panels. These stringers and modesty panels are constructed of 1" thick, 45 lb density particle board core finished with 1/32" laminate on both the front and back surface. Power and data options and cables are routed and hidden within the stringers when specified. These panel structures are secured to the tabletop with hardware and 9-gauge steel mounting plates. On 18"-24" deep tables, the stringer or modesty panel is located to the rear of the tabletop allowing user seating or standing access from only one side of the table. On 30"-48" deep tables, the stringer or modesty panel is located along the center line of the tabletop, allowing user seating or standing access from both sides of the table.

Power Modules

4-Port Power Module

The USB/AC power module houses two AC simplex receptacles (rated at 15 amps/125 volts), two USB-A ports and two USB-C ports (rated at 2.1-amps/5-volts per port) (2.0 & 3.0 compatible, no data). All circuitry is contained in an extruded aluminum housing and the entire electrical power module assembly is UL listed, having a UL spill test rating for protection against liquids. Modules come with a 15' power cord with a three prong grounded plug, specified 14AWG, 15-amp NEMA rated three conductor SJT. The power cord is strain relief mounted to the rear of the housing. The power module is available in three powder-coat colors (Black, White, Silver).

Dean In-Surface Power Module

Dean in-surface power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be adapted to fit various brands of data jacks using the data tree, which ships with Dean in-surface power module. Data connectors are not supplied with the module and are purchased by the customer. The Dean In-Surface module is 8.12" long by 2.31" wide by 2.5" high and fits securely into a 7.81" x 1.93" cutout. The power module is secured to the worksurface with screws from the underside of the table. The module has a molded plastic faceplate with steel trim and an aluminum housing. The Dean in-surface power module with 3-prong plug is rated at 15 amps/120 volts, and is UL listed. The Dean in-surface power module with the Pattern connector is rated at 15 amps/120 volts and is ETL listed.

Cord length options are either 9' or 15' with a 3-prong plug, or is 20" with a Pattern connector. Color options are Black, Warm Grey, Cool Grey, or Cottonwood.



TECHNICAL SPECIFICATIONS

Power Modules (cont.)

Nacre In-Surface Pop-Up Power Module

Nacre in-surface pop-up power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand data jacks. Data tree ships with Nacre power modules, providing different data face plates to accompany different data connectors. Data connectors are not supplied with the module and are purchased separately by the customer. The Nacre power module is 7.25" long by 3.31" wide by 2.92" high and fits securely into a 6.94" x 3" cutout. The power module is press fit into the worksurface cutout and secured with spring loaded metal tabs. The module has a molded plastic face that can rotate via a dampened spring-loaded mechanism inside a molded plastic sleeve. The Nacre in-surface pop-up power module with 3-prong plug is rated at 15 amps/120 volts, and is UL listed. The Nacre in-surface pop-up power module with the Pattern connector is rated at 15 amps/120 volts and is ETL listed.

Cord length options are either 9' or 15' with a 3-prong plug, or is 20" with a Pattern connector. Color options are Black, Warm Grey, Cool Grey, or Cottonwood.

Node® In-Surface Power Module

Node in-surface power module consists of one simplex receptacle port (rated at 15 amps/125 volts), includes one USB-A port, and one USB-C port, 2 amps per port. Node is 3.38" in diameter by 3.30" tall and fits securely into a 3" diameter cutout. The module is secured from underneath the table with a twist-on clamping collar. The module housing is made of plastic with a powder-coat painted aluminum faceplate. The Node power module with 3-prong plug is rated at 15 amps/120 volts and is UL listed. The Node power module with the Pattern connector is rated at 15 amps/120 volts and is ETL listed.

Cord length options are either 9' or 15' with a 3-prong plug or is 20" with a Pattern connector. Color options are Black, Warm Grey, Cool Grey, or Cottonwood.

PowerUp® Module with 3-Prong Plug

Tables are available with one or two PowerUp modules per table. Tables with widths of 84" or less always get one module while tables with widths of 96" or more always get two modules. The PowerUp module is a UL listed relocatable power tap, which is a surface-mounted power module with a plastic cover. When open, two simplex power receptacles and two data jack openings are exposed. The module is 31/4" wide x 7" long and 21/4" tall when opened and fits securely into a 61/4" x 3" cutout, still allowing removal without tools. It is provided with a 15 ft cord and 3-prong plug, rated 120VAC, 15A. The module is constructed of polycarbonate with a textured finish, meeting UL 94 V-0 Flame Class minimum requirements. The module has two simplex receptacles, rated at 15 Amps/125 Volts and two locations for data connectors. Snap-in data plates hold data connectors and allow the standard module to accommodate most manufacturers. The data connectors are not supplied with the module and are purchased by the customer. The module has a dampened spring-loaded mechanism to allow the unit to open for use and close when not in use. The power receptacles open above the plane of the tabletop to avoid accidental spills into the receptacle. Data jacks remain stationary to avoid excess wear and tear on the wire connections and promote transmission of data communication. Data ports are molded to accept RJ45 jacks, but can be modified to accept various brands of jacks. Data connectors are not supplied with the module and are purchased separately.

Villa™ Power Module with 3-Prong Plug

Tables are available with one or two Villa power modules per table. Tables with widths of 84" or less always get one module while tables with widths of 96" or more always get two modules.

The Villa power module is an Interek ETL Listed Furniture Power Distribution Unit surface module that mounts below a 61/4" x 3" grommet cutout in the tabletop. The module is 31/2" wide x 63/4" long and 2" tall when opened. It is provided with a 15 ft cord and 3-prong plug, rated 120VAC, 15A. When open, two simplex power receptacles, two USB charging ports and one data jack opening are exposed. An additional simplex receptacle is located at the underside. The module can be modified to fit various brand jacks. Data connectors are not supplied with the module and are purchased by the customer. Metal grommet cover is included.



TECHNICAL SPECIFICATIONS

Electrical

Tables 60"-96" wide receive one power module, or grommet centered along the length of the tabletop. Tables 108"-144" wide receive two power modules, or grommets each centered between the center and end legs. Tables 18"-24" deep have the power module or modules positioned at 6" from the rear edge of the tabletop to the center of the module cutout. Tables 30"-48" deep have the power module or modules to be centered from the front edge to back on the tabletop.

Pattern Single-Circuit Electrical System

Pattern electrical system is a single circuit system that allows up to eighteen power modules or 50' of power jumpers to be powered from a single 15-amp power supply cord (in either direction). Tables in a single run that are using the same infeed must be ganged together while using proper wire management between them. Tables ordered with the Pattern Electrical System include associated Pattern power modules, gangers, and wire management. Pattern infeeds and table-to-table jumper quantities must be ordered separate from the tables and depend on how many total tables and configuration.

Pattern is a non-sequential system with a ground fault interrupter (GFI/GFCI) compatible infeed. The Pattern electrical system is ETL Listed, evaluated to safety standard UL 962A (USA) and CAN/ CSA-C22.2 No. 308 (Canada).

Pattern Power Distribution Blocks

Pattern power distribution blocks are standalone connectors, each containing four port locations. Distribution blocks are included with appropriate power jumper and power infeed kits, so do not need to be ordered separately. Distribution blocks bring the power infeed, power jumpers, and power modules together and allow power to be efficiently supplied to each table. Two distribution block types are included with the Pattern system, grey and white.

Pattern Table-to-Table Power Jumper Kits

Pattern table-to-table jumper power kits come with one grey distribution block and an appropriately sized power jumper. Jumpers are nonsequential and are keyed on each end to connect between distribution blocks. Table-to-table power jumper kits are ordered separately, according to layout configuration.

Pattern Power Infeed Kits

The Pattern power infeed kit must be ordered separately. Site configurations vary and will affect the number of power infeeds required. The number and size of tables, as well as the number of receptacles per table and amperage needs in each ganging configuration will determine the number of power infeed kits required at any given installation. Infeeds can be installed anywhere and comes with one white Pattern power distribution block and Pattern power infeed cord. Power infeed consists of a 15-amp plug on one end of the 108" cord and a keyed connector at the opposite end of the cord. A Pattern quick-release tool is also included to assist with disconnecting connector ends from distribution blocks.

Integrated Leg Wireway

When power is specified, each end panel and middle leg comes standard with a vertical integrated wireway cavity that measures 1³/₈" x 3¹/₄". This is designed for passing cords and cables through the leg. Access is through a 2¹/₂" hole near the top, at the inside of the leg and a 2¹/₂" hole near the bottom of the leg. Chrome finished covers are provided to cover the bottom access holes. Where center table legs are needed with power specifications the grommet access is on both sides of the leg at the top and bottom.

Velcro® Wire Management

The Velcro® wire manager is constructed of 2" x 4¹/₂" Velcro® hook and loop material. Wire manager is provided with adhesive backing and screws for attachment to the underside of the top. Tops are not pre-drilled for locating wire manager, so the manager may be applied in any convenient location. One wire manager is included for each power module ordered. Field installed.

TECHNICAL SPECIFICATIONS

Accessories

Bag Hook

The hook is constructed of 1/4" steel rod with a Chrome finish. It is attached to the underside of the top with two screws (provided). On 18"-24" deep tabletops, coat hooks may only be used on the front, user side of the table. On 30"-48" deep tabletops, coat hooks may be used on both sides of the table. 60" & 72" wide tables may use up to two hooks per side. 84" & 96" wide tables may use up to three hooks per side. 108", 120" & 144" wide tables may use up to four hooks per side.

Footrest

The optional footrest is constructed of a 1 1/2" diameter, 12-gauge DOM steel tube, milled at each end, containing welded-in inserts with a tapered slot. #12 x 1" Phillips screws, installed into end leg panels at 6" from the edge of the leg panel and 6 1/2" up from the bottom of the panel capture the tapered slot in the insert at the outside ends of the footrest tubes and hold the footrest in place. In specific width conference tables (see below), a two-piece footrest design is required, utilizing a center foot support which connects the two outer footrest halves together using #10-24 x 1/2" Torque thread cutting screws. The foot support also mounts to the conference table's middle leg panel using a #12 x 1" Phillips screw with tapered insert design. The center foot support is of milled and welded construction and contains a 1" diameter, 5/16-18 threaded floor glide offering 1 1/2" of adjustability. 60"-90" wide tables use the one-piece footrest. 108"-144" wide tables use the two-piece footrest construction, with the center foot support. On 18"-24" deep tabletops, the footrest may only be used on the front, user side of the table. On 30"-48" deep tables, footrests may be used on both sides of the table. The footrest and center foot support may be specified as bright nickel-chrome plated, or finished in either Starlight Silver, Black or Flannel powder-coat paint.


Ganging Kit

Ganging kits consist of two 12-gauge steel plates. Ganging plates are secured between the glide stems of two adjacent table legs to join the two tables together. Ganging kits are shipped standard with tables with Pattern single-circuit electrical system, and are required to be used on such tables. Ganging kits can be ordered separately for all other tables without Pattern single-circuit electrical system.




STATEMENT OF LINE

Serenade Gathering Tables - Standard Height




Single-Sided
(2-legs)

SEGS1860L SEGS2460L
SEGS1872L SEGS2472L
SEGS1884L SEGS2484L
SEGS1896L SEGS2496L




Single-Sided
(3-legs)

SEGS24108L
SEGS24120L
SEGS24144L



Dual-Sided
(2-legs)


SEGS3060L SEGS3660L SEGS4260L SEGS4860L
SEGS3072L SEGS3672L SEGS4272L SEGS4872L
SEGS3084L SEGS3684L SEGS4284L SEGS4884L
SEGS3096L SEGS3696L SEGS4296L SEGS4896L



Dual-Sided
(3-legs)


SEGS30108L SEGS36108L SEGS42108L SEGS48108L
SEGS30120L SEGS36120L SEGS42120L SEGS48120L
SEGS30144L SEGS36144L SEGS42144L SEGS48144L

Serenade Gathering Tables with Single Circuit Electrical - Standard Height




Single-Sided
(2-legs)

SEGH1860L SEGH2460L
SEGH1872L SEGH2472L
SEGH1884L SEGH2484L
SEGH1896L SEGH2496L




Single-Sided
(3-legs)

SEGS24108L
SEGS24120L
SEGS24144L



Dual-Sided
(2-legs)

SEGH3060L SEGH3660L SEGH4260L SEGH4860L
SEGH3072L SEGH3672L SEGH4272L SEGH4872L
SEGH3084L SEGH3684L SEGH4284L SEGH4884L
SEGH3096L SEGH3696L SEGH4296L SEGH4896L




Dual-Sided
(3-legs)

SEGH30108L SEGH36108L SEGH42108L SEGH48108L
SEGH30120L SEGH36120L SEGH42120L SEGH48120L
SEGH30144L SEGH36144L SEGH42144L SEGH48144L


STATEMENT OF LINE

Serenade Gathering Tables - Café Height




Single-Sided
(2-legs)

SEPG2472S
SEPG2496S




Single-Sided
(3-legs)

SEPG24120S
SEPG24144S



Dual-Sided
(2-legs)


SEPG3072S SEPG3672S SEPG4272S SEPG4872S
SEPG3096S SEPG3696S SEPG4296S SEPG4896S



Dual-Sided
(3-legs)


SEPG30120S SEPG36120S SEPG42120S SEPG48120S
SEPG30144S SEPG36144S SEPG42144S SEPG48144S

Serenade Gathering Tables with Single Circuit Electrical - Café Height




Single-Sided
(2-legs)

SEPG2472H
SEPG2496H




Single-Sided
(3-legs)

SEPG24120H
SEPG24144H



Dual-Sided
(2-legs)

SEPG3072H SEPG3672H SEPG4272H SEPG4872H
SEPG3096H SEPG3696H SEPG4296H SEPG4896H



Dual-Sided
(3-legs)

SEPG30120H SEPG36120H SEPG42120H SEPG48120H
SEPG30144H SEPG36144H SEPG42144H SEPG48144H



Grade 1 Standard Laminate / Top Laminate - Contrast 1		Leg Laminate - Contrast 2		Italian Silver Ash	SLIT
Beigewood	LBZ	Beigewood	LLBZ	Kensington Maple	SLKM
Belair	LBQ	Belair	LLBQ	Lapis Blue	SLLB
Biltmore Cherry	LBT	Biltmore Cherry	LLBT	Markerboard White	SLMK
Black	LBK	Black	LLBK	Monticello Maple	SLMT
Brighton Walnut	LBW	Brighton Walnut	LLBW	North Sea	SLNA
Castle Oak	LCO	Castle Oak	LLCO	Ocean	SLON
Casual Linen	LCU	Cherry Storm	LLCX	Pinnacle Walnut	SLPW
Cherry Storm	LCX	Classic Linen	LLCI	River Cherry	SLRY
Cocobala	LCC	Cocobala	LLCC	Shadow Zephyr	SLSR
Crisp Linen	LRI	Crisp Linen	LLRI	Sterling Ash	SLAZ
Designer White	LDR	Designer White	LLDR	Titanium Evolv	SLTV
Dove Grey	LDG	Dove Grey	LLDG	White Nebula	SLWL
Florence Walnut	LFC	Florence Walnut	LLFC	White Sand	SLWN
Friston Ash	LFH	Friston Ash	LLFH	Windsor Mahogany	SLWY
Frosty White	LFW	Frosty White	LLFW	Dean, Double Ellora B, Nacre, Node Power Module Color (Corded, Pattern)	
Graphite Nebula	LGN	Graphite Nebula	LLGN	Black	MBL
Grey	LGE	Grey	LLGE	Cool Grey	MCG
High Rise	LHE	High Rise	LLHE	Cottonwood	MCO
Hollyberry	LHY	Hollyberry	LLHY	Warm Grey	MWG
Island	LID	Island	LLID	Dean, Nacre, Node Grommet Color	
Italian Silver Ash	LIT	Italian Silver Ash	LLIT	Black grommet	GBL
Kensington Maple	LKM	Kensington Maple	LLKM	Blue Grey grommet	GGR
Lapis Blue	LLB	Lapis Blue	LLLB	Bronze Metallic grommet	GZM
Monticello Maple	LMT	Markerboard White	LLMK	Champagne Metallic grommet	GCM
North Sea	LMT	Monticello Maple	LLMT	Cool Grey grommet	GCG
Ocean	LNA	North Sea	LLNA	Cottonwood grommet	GCO
Ocean	LON	Ocean	LLON	Flannel grommet	GFN
Pinnacle Walnut	LPW	Pinnacle Walnut	LLPW	Misty Brown grommet	GMY
River Cherry	LRY	River Cherry	LLRY	Starlight Silver grommet	GSX
Shadow Zephyr	LSR	Shadow Zephyr	LLSR	Warm Grey grommet	GWG
Sterling Ash	LAZ	Sterling Ash	LLAZ	Footrest Finish	
Titanium Evolv	LTV	Titanium Evolv	LLTV	Black	FTBL
White Nebula	LWL	White Nebula	LLWL	Chrome	FTCH
White Sand	LWN	White Sand	LLWN	Flannel	FTFN
Windsor Mahogany	LWY	Windsor Mahogany	LLWY	Starlight Silver Metallic	FTSX
Grade 2 Standard Laminate		Stringer/Modesty Panel Laminate - Contrast 3			
Akira	LAK	Beigewood	SLBZ		
Black Alicante	LBY	Belair	SLBQ		
Black Hills Oak	LBH	Biltmore Cherry	SLBT		
Calcutta Marble	LCQ	Black	SLBK		
Dering Forest	LDF	Brighton Walnut	SLBW		
Fawn Cypress	LFQ	Castle Oak	SLCO		
Ice Mist	LIM	Cherry Storm	SLCX		
Markerboard White	LMK	Classic Linen	SLCI		
Valley Forge Elm	LVF	Cocobala	SLCC		
White River Forest	LWR	Crisp Linen	SLRI		
Grade 3 Standard Laminate		Designer White	SLDR		
Black Velvet	LBV	Dove Grey	SLDG		
Cumberland Walnut	LCJ	Florence Walnut	SLDG		
Designer White Velvet	LDE	Friston Ash	SLFC		
Hartley Walnut	LHW	Frosty White	SLFH		
Nile Velvet	LNL	Graphite Nebula	SLFW		
Raleigh Walnut	LRW	Grey	SLGN		
Solano Walnut	LSG	High Rise	SLGE		
Spruce Velvet	LSC	Hollyberry	SLHE		
		Island	SLHY		
			SLID		

Finish Cards

View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges

Hard Plastics

Plastics/Poly

Laminates

Edge Styles

Glass

Certain options referenced may not be available on GSA Schedule.


Serenade™ Gathering Tables

29" High (Standard Height)



Serenade™ Gathering Tables

29" High (Standard Height)

				MODEL NUMBER												
				Basic Model	Modesty Panel	Laminate Color	Power Option	Grom./Module Color	Cord (feet)							
MODEL				Features	A x B						Approx. Packaged Weight	Delivered Pricing		Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEGSLS	Rectangle Tables-18"D • One-sided table • 2" thick panel construction • Laminate self edge • Fixed base at 29" high • One grommet/module available on 60", 72", 84" and 96" centered • 8" high stringer or full modesty panel • All top sizes are one-piece construction	Non-contrast Laminate	18 x 60"	SEGS1860L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐		151.0#	\$ 2762		\$ 330	\$ 95	\$ 635
		Non-contrast Laminate	18 x 72"	SEGS1872L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐		173.0#	3026		428	95	635
		Non-contrast Laminate	18 x 84"	SEGS1884L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐		195.0#	3421		527	130	845
		Non-contrast Laminate	18 x 96"	SEGS1896L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐		217.0#	3552		559	130	845
				A	B	C	D	E	F							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect modesty panel.

MP

ST

- Full modesty panel

- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

CSelect laminate color.

Refer to the **Product Color Options** page in this price list.

DSelect power option.

NNN

MD1

MA1

M01

GA1

GD1

G01

- No grommets or power

- Module, Dean in-surface w/USB-A/C (1) ; add \$354

- Module, Nacre pop-up w/USB-A/C (1); add \$420

- Module, Node in-surface w/USB-A/C (1) ; add \$264

- Grommet, Nacre (1); add \$209

- Grommet, Dean (1); add \$209

- Grommet, Node (1); add \$144

ESelect grommet/module color.

Refer to the **Product Color Options** page in this price list.

FSelect cord length (feet).

9

15

- 9' cord length

- 15' cord length

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Diagram illustrating the components of a one-sided table construction:

- 1: Top panel
- 2: Base
- 3: Stringer/modesty panel

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3. Refer to the **Product Color Options** page in this price list.

F Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-

AVC (1)	; add \$354
MA1	- Module, Nacre pop-up w/USB-AVC (1); add \$420
MO1	- Module, Node in-surface w/USB-AVC (1); add \$264
GA1	- Grommet, Nacre (1); add \$209
GD1	- Grommet, Dean (1); add \$209
GO1	- Grommet, Node (1); add \$144

G Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

H Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

Special Carton Marking

With specially marked information N/C

Shipping

**Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 85.**

Specifications and prices are subject to change without prior notice.



24 x 60 shown

SEGS

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel
upcharge.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-A/C (1); add \$354
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1	- Module, Node in-surface w/USB-A/C (1); add \$264
GA1	- Grommet, Nacre (1); add \$209
GD1	- Grommet, Dean (1); add \$209
GO1	- Grommet, Node (1); add \$144

9	- 9' cord length
15	- 15' cord length

Specifications and prices are subject to change without prior notice.



Diagram of a 24 x 108 inch bench showing components 1, 2, and 3.

Rectangle Tables-24"D

- One-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 29" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 8" high stringer or full laminate panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel
upcharge.

- C** Select top laminate color 1.

Refer to the **Product Color Options** page in this price list.

- D** Select leg laminate color 2.

Refer to the **Product Color Options** page in this price list.

- E** Select stringer/modesty panel laminate color 3.

Refer to the **Product Color Options** page in this price list.

- F** Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-

- A/C (1) ; add \$354

MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420

M01 - Module, Node in-surface w/USB-A/C (1) ; add \$264

GA1	- Grommet, Nacre (1); add \$209
------------	---------------------------------

GD1	- Grommet, Dean (1); add \$209
GD1	- Grommet, Dean (1); add \$209

GO1	- Grommet, Node (1); add \$144
MA2	- Modules, Nacra pop-up w/ISP

MAZ -Modules, Nacle pop-up w/USB-A/C (2); add \$839

MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707

M02 - Modules, Node in-surface w/USB-A/C (2); add \$528

GA2 - Grommets, Nacre (2); add \$408

GD2	- Grommets, Dean (2); add \$408
G02	- Grommets, Node (2); add \$276

- G** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- H** Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables

29" High (Standard Height)



Serenade™ Gathering Tables

29" High (Standard Height)

			MODEL NUMBER											
			Basic Model	Modesty Panel	Laminate Color	Power Option	Grom./Module Color	Cord (feet)						
MODEL	Features	A x B							Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
 SEGSLS	Rectangle Tables-30"D	Non-contrast Laminate	30 x 60"	SEGS3060L/NC	☐	☐	☐	☐	224.0#	\$ 3026	\$ 330	\$ 125	\$ 870	
	• Two-sided table	Non-contrast Laminate	30 x 72"	SEGS3072L/NC	☐	☐	☐	☐	254.0#	3289	428	125	870	
	• 2" thick panel construction	Non-contrast Laminate	30 x 84"	SEGS3084L/NC	☐	☐	☐	☐	283.0#	3816	527	220	1475	
	• Laminate self edge	Non-contrast Laminate	30 x 96"	SEGS3096L/NC	☐	☐	☐	☐	313.0#	3947	559	220	1475	
	• Fixed base at 29" high	Non-contrast Laminate	30 x 108"	SEGS30108L/NC	☐	☐	☐	☐	368.0#	5395	658	270	1820	
	• Middle inset leg on 108", 120", and 144" tables	Non-contrast Laminate	30 x 120"	SEGS30120L/NC	☐	☐	☐	☐	398.0#	5527	658	300	2045	
	• One grommet/module available on 60", 72", 84" and 96" centered	Non-contrast Laminate	30 x 144"	SEGS30144L/NC	☐	☐	☐	☐	455.0#	6054	790	300	2045	
	• Two grommets/modules available on 108", 120" and 144", one centered on each half													
	• 8" high stringer or full modesty panel													
	• All top sizes are one-piece construction													
			A	B	C	D	E	F						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- | | |
|-----------|-------------------------------|
| MP | - Full modesty panel |
| ST | - Stringer/half modesty panel |
- See pricing column for full modesty panel upcharge.
- C**Select laminate color.
Refer to the **Product Color Options** page in this price list.
- D**Select power option.
- | | |
|------------|---|
| NNN | - No grommets or power |
| MD1 | - Module, Dean in-surface w/USB-A/C (1) ; add \$354 |
| MA1 | - Module, Nacre pop-up w/USB-A/C (1); add \$420 |
| MO1 | - Module, Node in-surface w/USB-A/C (1) ; add \$264 |
| GA1 | - Grommet, Nacre (1); add \$209 |
| GD1 | - Grommet, Dean (1); add \$209 |
| G01 | - Grommet, Node (1); add \$144 |

- | | |
|------------|--|
| MA2 | - Modules, Nacre pop-up w/USB-A/C (2); add \$839 |
| MD2 | - Modules, Dean in-surface w/USB-A/C (2) ; add \$707 |
| MO2 | - Modules, Node in-surface w/USB-A/C (2); add \$528 |
| GA2 | - Grommets, Nacre (2); add \$408 |
| GD2 | - Grommets, Dean (2); add \$408 |
| G02 | - Grommets, Node (2); add \$276 |

- E**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- F**Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



30 x 108 shown

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 8" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select modesty panel.
- | | |
|-----------|-------------------------------|
| MP | - Full modesty panel |
| ST | - Stringer/half modesty panel |
- See pricing column for full modesty panel upgrade.
- C** Select top laminate color 1.
- Refer to the **Product Color Options** page in this price list.
- D** Select leg laminate color 2.
- Refer to the **Product Color Options** page in this price list.
- E** Select stringer/modesty panel laminate color 3.
- Refer to the **Product Color Options** page in this price list.
- F** Select power option.
- | | |
|------------|---------------------------------|
| NNN | - No grommets or power |
| MD1 | - Module, Dean in-surface w/USB |

- A/C (1); add \$354
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1 - Module, Node in-surface w/USB-A/C (1); add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$839
MD2 - Modules, Dean in-surface w/USB-A/C (2); add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
GO2 - Grommets, Node (2); add \$276

- G** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- H** Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

Special Carton Marking

With specially marked information N/C

Shipping

**Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 85.**

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables

29" High (Standard Height)



Serenade™ Gathering Tables

29" High (Standard Height)

			MODEL NUMBER										
			Basic Model	Modesty Panel	Laminate Color	Power Option	Grom./Module Color	Cord (feet)					
MODEL	Features	A x B							Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEGS	Rectangle Tables-36"D	Non-contrast Laminate	36 x 60"	SEGS3660L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	264.0#	\$ 3816	\$ 330	\$ 200	\$ 1375
	• Two-sided table	Non-contrast Laminate	36 x 72"	SEGS3672L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	297.0#	4210	428	200	1375
	• 2" thick panel construction	Non-contrast Laminate	36 x 84"	SEGS3684L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	331.0#	4869	527	240	1575
	• Laminate self edge	Non-contrast Laminate	36 x 96"	SEGS3696L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	365.0#	5000	559	240	1575
	• Fixed base at 29" high	Non-contrast Laminate	36 x 108"	SEGS36108L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	422.0#	6975	658	320	2170
	• Middle inset leg on 108", 120", and 144" tables	Non-contrast Laminate	36 x 120"	SEGS36120L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	456.0#	7106	658	350	2395
	• One grommet/module available on 60", 72", 84" and 96" centered	Non-contrast Laminate	36 x 144"	SEGS36144L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	521.0#	7633	790	350	2395
	• Two grommets/modules available on 108", 120" and 144", one centered on each half												
	• 8" high stringer or full modesty panel												
	• All top sizes are one-piece construction												
			A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.
- C**Select laminate color.
Refer to the **Product Color Options** page in this price list.
- D**Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-A/C (1) ; add \$354
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1	- Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1	- Grommet, Nacre (1); add \$209
GD1	- Grommet, Dean (1); add \$209
G01	- Grommet, Node (1); add \$144

- | | |
|------------|--|
| MA2 | - Modules, Nacre pop-up w/USB-A/C (2); add \$839 |
| MD2 | - Modules, Dean in-surface w/USB-A/C (2) ; add \$707 |
| MO2 | - Modules, Node in-surface w/USB-A/C (2); add \$528 |
| GA2 | - Grommets, Nacre (2); add \$408 |
| GD2 | - Grommets, Dean (2); add \$408 |
| G02 | - Grommets, Node (2); add \$276 |

ESelect grommet/module color.
Refer to the **Product Color Options** page in this price list.

FSelect cord length (feet).

9	- 9' cord length
15	- 15' cord length


SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



MODEL NUMBER												
Basic Model	Modesty Panel	Top Lam. Color 1	Leg Lam. Color 2	Stringer/Modesty Panel Lam. Color 3	Power Option	Grom./Module Color	Cord (feet)	Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
SEGS3660L/CL	□□	□□□	□□□	□□□	□□	□□□	□□	264.0#	\$ 3816	\$ 330	\$ 50	\$ 350
SEGS3672L/CL	□□	□□□	□□□	□□□	□□	□□□	□□	297.0#	4210	428	50	350
SEGS3684L/CL	□□	□□□	□□□	□□□	□□	□□□	□□	331.0#	4869	527	70	450
SEGS3696L/CL	□□	□□□	□□□	□□□	□□	□□□	□□	365.0#	5000	559	70	450
SEGS36108L/CL	□□	□□□	□□□	□□□	□□	□□□	□□	422.0#	6975	658	100	700
SEGS36120L/CL	□□	□□□	□□□	□□□	□□	□□□	□□	456.0#	7106	658	100	700
SEGS36144L/CL	□□	□□□	□□□	□□□	□□	□□□	□□	521.0#	7633	790	100	700
								</				

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

- F** Select power option.
- | | |
|------------|----------------------------------|
| NNN | - No grommets or power |
| MD1 | - Module, Dean in-surface w/USB- |

G Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- H** Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables

29" High (Standard Height)



Serenade™ Gathering Tables

29" High (Standard Height)

				MODEL NUMBER										
				Basic Model	Modesty Panel	Laminate Color	Power Option	Grom./Module Color	Cord (feet)					
MODEL	Features	A x B								Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEGSL	Rectangle Tables-42"D	Non-contrast Laminate	42 x 60"	SEGS4260L/NC	☐	☐	☐	☐	☐	302.0#	\$ 4079	\$ 330	\$ 200	\$ 1375
	• Two-sided table	Non-contrast Laminate	42 x 72"	SEGS4272L/NC	☐	☐	☐	☐	☐	339.0#	4474	428	200	1375
	• 2" thick panel construction	Non-contrast Laminate	42 x 84"	SEGS4284L/NC	☐	☐	☐	☐	☐	376.0#	5264	527	240	1575
	• Laminate self edge	Non-contrast Laminate	42 x 96"	SEGS4296L/NC	☐	☐	☐	☐	☐	414.0#	5395	559	240	1575
	• Fixed base at 29" high	Non-contrast Laminate	42 x 108"	SEGS42108L/NC	☐	☐	☐	☐	☐	475.0#	7369	658	320	2145
	• Middle inset leg on 108", 120", and 144" tables	Non-contrast Laminate	42 x 120"	SEGS42120L/NC	☐	☐	☐	☐	☐	512.0#	7633	658	350	2395
	• One grommet/module available on 60", 72", 84" and 96" centered	Non-contrast Laminate	42 x 144"	SEGS42144L/NC	☐	☐	☐	☐	☐	585.0#	8159	790	350	2395
	• Two grommets/modules available on 108", 120" and 144", one centered on each half													
	• 8" high stringer or full modesty panel													
	• All top sizes are one-piece construction													
				A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|-----------|-------------------------------|
| MP | - Full modesty panel |
| ST | - Stringer/half modesty panel |
- See pricing column for full modesty panel upcharge.
- C** Select laminate color.
Refer to the **Product Color Options** page in this price list.
- D** Select power option.
- | | |
|------------|---|
| NNN | - No grommets or power |
| MD1 | - Module, Dean in-surface w/USB-A/C (1) ; add \$354 |
| MA1 | - Module, Nacre pop-up w/USB-A/C (1); add \$420 |
| MO1 | - Module, Node in-surface w/USB-A/C (1) ; add \$264 |
| GA1 | - Grommet, Nacre (1); add \$209 |
| GD1 | - Grommet, Dean (1); add \$209 |
| G01 | - Grommet, Node (1); add \$144 |

- | | |
|------------|--|
| MA2 | - Modules, Nacre pop-up w/USB-A/C (2); add \$839 |
| MD2 | - Modules, Dean in-surface w/USB-A/C (2) ; add \$707 |
| MO2 | - Modules, Node in-surface w/USB-A/C (2); add \$528 |
| GA2 | - Grommets, Nacre (2); add \$408 |
| GD2 | - Grommets, Dean (2); add \$408 |
| G02 | - Grommets, Node (2); add \$276 |

- E** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- F** Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Diagram of a 42 x 108 inch table showing components 1, 2, and 3.

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 29" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 8" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

F Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB

A/C (1); add \$354
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1 - Module, Node in-surface w/USB-A/C (1); add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
G01 - Grommet, Node (1); add \$144
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$839
MD2 - Modules, Dean in-surface w/USB-A/C (2); add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
G02 - Grommets, Node (2); add \$276

G Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

H Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables

29" High (Standard Height)



Serenade™ Gathering Tables

29" High (Standard Height)

			MODEL NUMBER										
			Basic Model	Modesty Panel	Laminate Color	Power Option	Grom./Module Color	Cord (feet)					
MODEL	Features	A x B							Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEGSL	Rectangle Tables-48"D	Non-contrast Laminate	48 x 60"	SEGS4860L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	339.0#	\$ 4210	\$ 330	\$ 200	\$ 1375
	• Two-sided table	Non-contrast Laminate	48 x 72"	SEGS4872L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	380.0#	4606	428	200	1375
	• 2" thick panel construction	Non-contrast Laminate	48 x 84"	SEGS4884L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	421.0#	5527	527	240	1575
	• Laminate self edge	Non-contrast Laminate	48 x 96"	SEGS4896L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	463.0#	5658	559	240	1575
	• Fixed base at 29" high	Non-contrast Laminate	48 x 108"	SEGS48108L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	528.0#	7501	658	320	2145
	• Middle inset leg on 108", 120", and 144" tables	Non-contrast Laminate	48 x 120"	SEGS48120L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	569.0#	7633	658	350	2395
	• One grommet/module available on 60", 72", 84" and 96" centered	Non-contrast Laminate	48 x 144"	SEGS48144L/NC	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	650.0#	8290	790	350	2395
	• Two grommets/modules available on 108", 120" and 144", one centered on each half												
	• 8" high stringer or full modesty panel												
	• All top sizes are one-piece construction												
			A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select modesty panel.

MP - Full modesty panel
ST - Stringer/half modesty panel
See pricing column for full modesty panel upcharge.
- C**Select laminate color.

Refer to the **Product Color Options** page in this price list.
- D**Select power option.

NNN - No grommets or power
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
G01 - Grommet, Node (1); add \$144

- MA2** - Modules, Nacre pop-up w/USB-A/C (2); add \$839
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
G02 - Grommets, Node (2); add \$276

- E**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.
- F**Select cord length (feet).

9 - 9' cord length
15 - 15' cord length

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



48 x 108 shown

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 29" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 8" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

- C** Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.
- D** Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.
- E** Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

- F** Select power option.
- | | |
|------------|----------------------------------|
| NNN | - No grommets or power |
| MD1 | - Module, Dean in-surface w/USB- |

- A/C (1) ; add \$354
MA1 - Module, Nacre pop-up w/USB-A/C (1) ; add \$420
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$839
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
GO2 - Grommets, Node (2); add \$276

- G** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- H** Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables

42" High (Cafe Height)



Serenade™ Gathering Tables

42" High (Cafe Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select laminate color.

Refer to the **Product Color Options** page in this price list.

D Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-A/C (1) ; add \$354
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1	- Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1	- Grommet, Nacre (1); add \$209
GD1	- Grommet, Dean (1); add \$209
GO1	- Grommet, Node (1); add \$144

Refer to the **Product Color Options** page in this price list.

F Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

G Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

H Select footrest finish

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.




Diagram illustrating the components of a rectangular table:

- 1: Top panel
- 2: Leg
- 3: Stringer/modesty panel

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3. Refer to the **Product Color Options** page in this price list.

F Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-

AVC (1)	; add \$354
MA1	- Module, Nacre pop-up w/USB-AVC (1); add \$420
MO1	- Module, Node in-surface w/USB-AVC (1); add \$264
GA1	- Grommet, Nacre (1); add \$209
GD1	- Grommet, Dean (1); add \$209
GO1	- Grommet, Node (1); add \$144

G Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

H Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

1 Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

J Select footrest finish
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables

42" High (Cafe Height)



Serenade™ Gathering Tables

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select laminate color.
Refer to the **Product Color Options** page in this price list.

D Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-A/C (1); add \$354
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1	- Module, Node in-surface w/USB-A/C (1); add \$264
GA1	- Grommet, Nacre (1); add \$209
GD1	- Grommet, Dean (1); add \$209
GO1	- Grommet, Node (1); add \$144

MA2	- Modules, Nacre pop-up w/USB-A/C (2); add \$839
MD2	- Modules, Dean in-surface w/USB-A/C (2); add \$707
MO2	- Modules, Node in-surface w/USB-A/C (2); add \$528
GA2	- Grommets, Nacre (2); add \$408
GD2	- Grommets, Dean (2); add \$408
GO2	- Grommets, Node (2); add \$276

E Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

F Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

G Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

H Select footrest finish
Refer to the **Product Color Options** page in this

price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



24 x 108 shown

Rectangle Tables-24"D

- One-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 12" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction
- Includes 1 footrest when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel
upcharge.

- C** Select top laminate color 1.

Refer to the **Product Color Options** page in this price list.

- D** Select leg laminate color 2.

Refer to the **Product Color Options** page in this price list.

Select stringer/modesty panel laminate color 3. Refer to the **Product Color Options** page in this price list.

- F** Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-

- A/C (1) ; add \$354

MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420

GA1	- Grommet, Nacre (1); add \$209
GD1	- Grommet, Dean (1); add \$209
G01	- Grommet, Node (1); add \$144
MA2	- Modules, Nacre pop-up w/USB-A/C (2); add \$839
MD2	- Modules, Dean in-surface w/USB-A/C (2); add \$707
MO2	- Modules, Node in-surface w/USB-A/C (2); add \$528
GA2	- Grommets, Nacre (2); add \$408
GD2	- Grommets, Dean (2); add \$408
G02	- Grommets, Node (2); add \$276

- G** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- H** Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

- 1 Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

- J** Select footrest finish

Refer to the **Product Color Options** page in this price list.


Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



30 x 60 shown

SEGLH

Rectangle Tables-30"D

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 12" high stringer or full modesty panel
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select laminate color.

Refer to the **Product Color Options** page in this price list.

D Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-A/C (1) ; add \$354
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1	- Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1	- Grommet, Nacre (1); add \$209
GD1	- Grommet, Dean (1); add \$209
GO1	- Grommet, Node (1); add \$144

E Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

F Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

G Select footrest option
FTR - Footrest
NFT - No footrest
See pricing column for footrest upcharge.

H Select footrest finish
Refer to the **Product Color Options** page in this


price list.

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

F Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-

A/C (1) ; add \$354
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
G01 - Grommet, Node (1); add \$144
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$839
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
G02 - Grommets, Node (2); add \$276

G Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

H Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

- 1 Select footrest option


FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.
- 2 Select footrest finish
Refer to the **Product Color Options** page in this price list.

Special Carton Marking	
With specially marked information	N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



36 x 60 shown

SEGH

Rectangle Tables-36"D

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 12" high stringer or full modesty panel
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select laminate color.

Refer to the **Product Color Options** page in this price list.

D Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-A/C (1) ; add \$354
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1	- Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1	- Grommet, Nacre (1); add \$209
GD1	- Grommet, Dean (1); add \$209
GO1	- Grommet, Node (1); add \$144

E Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

F Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

G Select footrest option
FTR - Footrest
NFT - No footrest
See pricing column for footrest upcharge.

H Select footrest finish
Refer to the **Product Color Options** page in this

price list.

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



Rectangle Tables-42"D

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 12" high stringer or full modesty panel
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select modesty panel.

MP - Full modesty panel

ST - Stringer/half modesty panel

See pricing column for full modesty pane upcharge.

C Select laminate color.

Refer to the **Product Color Options** page in this price list.

D Select power option.

NNN - No grommets or power

MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354

MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420

M01 - Module, Node in-surface w/USB-A/C (1) ; add \$264

GA1 - Grommet, Nacre (1); add \$209

GD1	- Grommet, Dean (1); add \$209
-----	--------------------------------

G01 - Grommet, Node (1); add \$144

MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$839

MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707

M02 - Modules, Node in-surface w/USB-A/C (2); add \$528

GA2	- Grommets, Nacre (2); add \$408
GD2	- Grommets, Dean (2); add \$408

G02 - Grommets, Node (2); add \$276

E Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

F Select cord length (feet).

9 - 9' cord length

15 - 15' cord length

G Select footrest option

FTR - Footrest

NFT - No footrest
See pricing column for footrest upcharge.

H Select footrest finish

Refer to the **Product Color Options** page in this

price list.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.

Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.

Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.

Refer to the **Product Color Options** page in this price list.

F Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-

A/C (1) ; add \$354
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144
MA2 - Modules, Nacre pop-up w/USB-A/C (2) ; add \$839
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
GO2 - Grommets, Node (2); add \$276

G Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

H Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

I Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

J Select footrest finish

Refer to the **Product Color Options** page in this price list.

Special Carton Marking	
With specially marked information	N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 108", 120", and 144" tables
- One grommet/module available on 60", 72", 84" and 96" centered
- Two grommets/modules available on 108", 120" and 144", one centered on each half
- 12" high stringer or full modesty panel
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel
upcharge.

- C** Select laminate color.

Refer to the **Product Color Options** page in this price list.

- D** Select power option.

NNN	- No grommets or power
MD1	- Module, Dean in-surface w/USB-A/C (1); add \$354
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1	- Module, Node in-surface w/USB-A/C (1); add \$264
GA1	- Grommet, Nacre (1); add \$209
GD1	- Grommet, Dean (1); add \$209
GO1	- Grommet, Node (1); add \$144

- | | |
|------------|---|
| MA2 | - Modules, Nacre pop-up w/USB-A/C (2); add \$839 |
| MD2 | - Modules, Dean in-surface w/USB-A/C (2); add \$707 |
| MO2 | - Modules, Node in-surface w/USB-A/C (2); add \$528 |
| GA2 | - Grommets, Nacre (2); add \$408 |
| GD2 | - Grommets, Dean (2); add \$408 |
| GO2 | - Grommets, Node (2); add \$276 |

- E** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- F** Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

- G** Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

- H** Select footrest finish

Refer to the **Product Color Options** page in this

price list.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select modesty panel.
- | | |
|-----------|-------------------------------|
| MP | - Full modesty panel |
| ST | - Stringer/half modesty panel |
- See pricing column for full modesty panel upgrade.
- C** Select top laminate color 1.
- Refer to the **Product Color Options** page in this price list.
- D** Select leg laminate color 2.
- Refer to the **Product Color Options** page in this price list.
- E** Select stringer/modesty panel laminate color 3.
- Refer to the **Product Color Options** page in this price list.
- F** Select power option.
- | | |
|------------|---------------------------------|
| NNN | - No grommets or power |
| MD1 | - Module, Dean in-surface w/USB |

A/C (1); add \$354
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1 - Module, Node in-surface w/USB-A/C (1); add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$839
MD2 - Modules, Dean in-surface w/USB-A/C (2); add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
GO2 - Grommets, Node (2); add \$276

- G** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- H** Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

- 1 Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.
- 2 Select footrest finish
Refer to the **Product Color Options** page in price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)



Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)

				MODEL NUMBER									
				Basic Model	Modesty Panel	Laminate Color	Power Option	Module Color					
MODEL	Features	A x B							Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPGS	Rectangle Tables-24"D	Non-contrast Laminate	24 x 72"	SEPG2472S/NC	☐	☐	☐	☐	215.0#	\$ 3358	\$ 428	\$ 125	\$ 870
	• One-sided table	Non-contrast Laminate	24 x 96"	SEPG2496S/NC	☐	☐	☐	☐	267.0#	3885	559	190	1250
	• 2" thick panel construction	Non-contrast Laminate	24 x 120"	SEPG24120S/NC	☐	☐	☐	☐	335.0#	5464	658	250	1700
	• Laminate self edge	Non-contrast Laminate	24 x 144"	SEPG24144S/NC	☐	☐	☐	☐	385.0#	5858	790	250	1700
	• Fixed base at 29" high												
	• Middle inset leg on 120" and 144" tables												
	• One module available on 72" and 96" centered												
	• Two modules available on 120" and 144"; one centered on each half												
	• All electrical accessories (excluding infeed kits and table-to-table jumpers) are included												
	• Infeed kits and table-to-table jumpers ordered separately												
	• 8" high stringer or full modesty panel												
	• All top sizes are one-piece construction												
				A	B	C	D	E					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select modesty panel.

MP

ST

- Full modesty panel

- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.
- C**Select laminate color.

Refer to the **Product Color Options** page in this price list.
- D**Select power option.

PMD1

PMA1

PMD1

PMD2

PMA2

- Pattern module, Dean in-surface (1) ; add \$491

- Pattern module, Nacre pop-up (1) ; add \$660

- Pattern module, Node in-surface (1) ; add \$384

- Pattern modules, Dean in-surface (2) ; add \$983

- Pattern modules, Nacre pop-up (2) ; add \$1260

- PM02** - Pattern modules, Node in-surface (2) ; add \$768
- E**Select module color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Rectangle Tables-24"D

- One-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 29" high
- Middle inset leg on 120" and 144" tables
- One module available on 72" and 96" centered
- Two modules available on 120" and 144"; one centered on each half
- All electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- 8" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

F Select power option.

PMD1	- Pattern module, Dean in-surface
-------------	-----------------------------------

(1) : add \$491

PMA1	- Pattern module, Nacre pop-up (1)
(1); add \$660	
PM01	- Pattern module, Node in-surface
(1); add \$384	
PM02	- Pattern modules, Dean in-surface
(2); add \$983	
PMA2	- Pattern modules, Nacre pop-up
(2); add \$1260	
PM02	- Pattern modules, Node in-surface
(2); add \$768	

G Select module color.
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, 1 OD Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)



Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)

			MODEL NUMBER										
			Basic Model	Modesty Panel	Laminate Color	Power Option	Module Color						
MODEL	Features	A x B						Approx. Packaged Weight	Delivered Pricing		Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPGS	Rectangle Tables-30"D	Non-contrast Laminate	30 x 72"	SEPG3072S/NC	☐	☐	☐	☐	254.0#	\$ 3489	\$ 428	\$ 125	\$ 870
	• Two-sided table	Non-contrast Laminate	30 x 96"	SEPG3096S/NC	☐	☐	☐	☐	313.0#	4147	559	220	1475
	• 2" thick panel construction	Non-contrast Laminate	30 x 120"	SEPG30120S/NC	☐	☐	☐	☐	398.0#	5727	658	300	2045
	• Laminate self edge	Non-contrast Laminate	30 x 144"	SEPG30144S/NC	☐	☐	☐	☐	455.0#	6254	790	300	2045
	• Fixed base at 29" high												
	• Middle inset leg on 120" and 144" tables												
	• One module available on 72" and 96" centered												
	• Two modules available on 120" and 144"; one centered on each half												
	• All electrical accessories (excluding infeed kits and table-to-table jumpers) are included												
	• Infeed kits and table-to-table jumpers ordered separately												
	• 8" high stringer or full modesty panel												
	• All top sizes are one-piece construction												
			A	B	C	D	E						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select modesty panel.

MP

ST

- Full modesty panel

- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.
- C**Select laminate color.

Refer to the **Product Color Options** page in this price list.
- D**Select power option.

PMD1

PMA1

PMO1

PMD2

PMA2

- Pattern module, Dean in-surface (1) ; add \$491

- Pattern module, Nacre pop-up (1) ; add \$660

- Pattern module, Node in-surface (1) ; add \$384

- Pattern modules, Dean in-surface (2) ; add \$983

- Pattern modules, Nacre pop-up (2) ; add \$1260

PMO2 - Pattern modules, Node in-surface (2) ; add \$768

ESelect module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
29" High (Standard Height)

			MODEL NUMBER											
			Basic Model	Modesty Panel	Top Lam. Color 1	Leg Lam. Color 2	Stringer/ Modesty Panel Lam. Color 3	Power Option	Module Color					
Features	A x B									Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Contrast Laminate	30 x 72"	SEPG3072S/CL	□□	□□□	□□□	□□□	□□	□□□	254.0#	\$ 3489	\$ 428	\$ 25	\$ 170
	Contrast Laminate	30 x 96"	SEPGS3096S/CL	□□	□□□	□□□	□□□	□□	□□□	313.0#	4147	559	50	350
	Contrast Laminate	30 x 120"	SEPG30120S/CL	□□	□□□	□□□	□□□	□□	□□□	398.0#	5727	658	50	350
	Contrast Laminate	30 x 144"	SEPG30144S/CL	□□	□□□	□□□	□□□	□□	□□□	455.0#	6254	790	50	350
SEPGS														
Rectangle Tables-30"D														
• Two-sided table														
• 2" thick panel construction														
• Laminate self edge														
• Middle inset leg on 120" and 144" tables														
• One module available on 72" and 96" centered														
• Two modules available on 120" and 144"; one centered on each half														
• All electrical accessories (excluding infeed kits and table-to-table jumpers) are included														
• Infeed kits and table-to-table jumpers ordered separately														
• 8" high stringer or full modesty panel														
• Up to 3 contrasting laminates available: top, legs, stringer/modesty														
• All top sizes are one-piece construction														
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

B Select modesty panel.

PMD1	- Pattern module, Dean in-surface (1) ; add \$384
PMD2	- Pattern modules, Dean in-surface (2) ; add \$983
PMA2	- Pattern modules, Nacre pop-up (2) ; add \$1260
PMO2	- Pattern modules, Node in-surface (2) ; add \$768

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

F Select power option.

PMD1	- Pattern module, Dean in-surface (1) ; add \$491
-------------	---

G Select module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)



Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)

			MODEL NUMBER									
			Basic Model	Modesty Panel	Laminate Color	Power Option	Module Color					
MODEL	Features	A x B						Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPGS	Rectangle Tables-36"D	Non-contrast Laminate	36 x 72"	SEPG3672S/NC	☐	☐	☐	297.0#	\$ 4410	\$ 428	\$ 200	\$ 1375
	• Two-sided table	Non-contrast Laminate	36 x 96"	SEPG3696S/NC	☐	☐	☐	365.0#	5200	559	240	1575
	• 2" thick panel construction	Non-contrast Laminate	36 x 120"	SEPG36120S/NC	☐	☐	☐	456.0#	7306	658	350	2395
	• Laminate self edge	Non-contrast Laminate	36 x 144"	SEPG36144S/NC	☐	☐	☐	521.0#	7833	790	350	2395
	• Fixed base at 29" high											
	• Middle inset leg on 120" and 144" tables											
	• One module available on 72" and 96" centered											
	• Two modules available on 120" and 144"; one centered on each half											
	• All electrical accessories (excluding infeed kits and table-to-table jumpers) are included											
	• Infeed kits and table-to-table jumpers ordered separately											
	• 8" high stringer or full modesty panel											
	• All top sizes are one-piece construction											
			A	B	C	D	E					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select modesty panel.

MP

ST

- Full modesty panel

- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.
- C**Select laminate color.

Refer to the **Product Color Options** page in this price list.
- D**Select power option.

PMD1

PMA1

PMD1

PMD2

PMA2

- Pattern module, Dean in-surface (1) ; add \$491

- Pattern module, Nacre pop-up (1) ; add \$660

- Pattern module, Node in-surface (1) ; add \$384

- Pattern modules, Dean in-surface (2) ; add \$983

- Pattern modules, Nacre pop-up (2) ; add \$1260

PM02 - Pattern modules, Node in-surface (2) ; add \$768

ESelect module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables w/Single Circuit Electrical

29” High (Standard Height)



Serenade™ Gathering Tables w/Single Circuit Electrical

29” High (Standard Height)

			MODEL NUMBER											
			Basic Model	Modesty Panel	Top Lam. Color 1	Leg Lam. Color 2	Stringer/Modesty Panel Lam. Color 3	Power Option	Module Color					
Features	A x B								Approx. Packaged Weight	Delivered Pricing	Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
	Contrast Laminate	36 x 72"	SEPG3672S/CL	☐	☐	☐	☐	☐	297.0#	\$ 4410	\$ 428	\$ 50	\$ 350	
	Contrast Laminate	36 x 96"	SEPG3696S/CL	☐	☐	☐	☐	☐	365.0#	5200	559	70	450	
	Contrast Laminate	36 x 120"	SEPG36120S/CL	☐	☐	☐	☐	☐	456.0#	7306	658	100	700	
	Contrast Laminate	36 x 144"	SEPG36144S/CL	☐	☐	☐	☐	☐	521.0#	7833	790	100	700	
SEPGS														
Rectangle Tables-36"D														
• Two-sided table • 2" thick panel construction • Laminate self edge • Fixed base at 29" high • Middle inset leg on 120" and 144" tables • One module available on 72" and 96" centered • Two modules available on 120" and 144"; one centered on each half • All electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • 8" high stringer or full modesty panel • Up to 3 contrasting laminates available: top, legs, stringer/modesty • All top sizes are one-piece construction														

A

B

C

D

E

F

G


Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)



Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)

				MODEL NUMBER															
				Basic Model	Modesty Panel	Laminate Color	Power Option	Module Color											
MODEL				Features	A x B					Approx. Packaged Weight	Delivered Pricing		Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price				
 SEPGS	Rectangle Tables-42”D			Non-contrast Laminate	42 x 72”	SEPG4272S/NC	☐ ☐	☐ ☐ ☐	☐ ☐	339.0#	\$ 4674		\$ 428	\$ 200	\$ 1375				
	• Two-sided table			Non-contrast Laminate	42 x 96”	SEPG4296S/NC	☐ ☐	☐ ☐ ☐	☐ ☐	414.0#	5595		559	240	1575				
	• 2” thick panel construction			Non-contrast Laminate	42 x 120”	SEPG42120S/NC	☐ ☐	☐ ☐ ☐	☐ ☐	512.0#	7833		658	350	2395				
	• Laminate self edge			Non-contrast Laminate	42 x 144”	SEPG42144S/NC	☐ ☐	☐ ☐ ☐	☐ ☐	585.0#	8359		790	350	2395				
	• Fixed base at 29” high																		
	• Middle inset leg on 120” and 144” tables																		
	• One module available on 72” and 96” centered																		
	• Two modules available on 120” and 144”; one centered on each half																		
	• All electrical accessories (excluding infeed kits and table-to-table jumpers) are included																		
	• Infeed kits and table-to-table jumpers ordered separately																		
	• 8” high stringer or full modesty panel																		
	• All top sizes are one-piece construction																		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select modesty panel.

MP

ST

- Full modesty panel

- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.
- C**Select laminate color.

Refer to the **Product Color Options** page in this price list.
- D**Select power option.

PMD1

PMA1

PMO1

PMD2

PMA2

- Pattern module, Dean in-surface (1) ; add \$491

- Pattern module, Nacre pop-up (1) ; add \$660

- Pattern module, Node in-surface (1) ; add \$384

- Pattern modules, Dean in-surface (2) ; add \$983

- Pattern modules, Nacre pop-up (2) ; add \$1260

PMO2 - Pattern modules, Node in-surface (2) ; add \$768

ESelect module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
29" High (Standard Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

B Select modesty panel.

PMD1	- Pattern module, Dean in-surface (1) ; add \$384
PMD2	- Pattern modules, Dean in-surface (2) ; add \$983
PMA2	- Pattern modules, Nacre pop-up (2) ; add \$1260
PMO2	- Pattern modules, Node in-surface (2) ; add \$768

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

F Select power option.

PMD1	- Pattern module, Dean in-surface (1) ; add \$491
-------------	---

G Select module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.


Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)



Serenade™ Gathering Tables w/Single Circuit Electrical

29" High (Standard Height)

			MODEL NUMBER										
			Basic Model	Modesty Panel	Laminate Color	Power Option	Module Color						
MODEL	Features	A x B						Approx. Packaged Weight	Delivered Pricing		Full Modesty Panel Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 SEPGS	Rectangle Tables-48”D	Non-contrast Laminate	48 x 72”	SEPG4872S/NC	☐	☐	☐	☐	380.0#	\$ 4806	\$ 428	\$ 200	\$ 1375
	• Two-sided table	Non-contrast Laminate	48 x 96”	SEPG4896S/NC	☐	☐	☐	☐	463.0#	5858	559	240	1575
	• 2” thick panel construction	Non-contrast Laminate	48 x 120”	SEPG48120S/NC	☐	☐	☐	☐	569.0#	7833	658	350	2395
	• Laminate self edge	Non-contrast Laminate	48 x 144”	SEPG48144S/NC	☐	☐	☐	☐	650.0#	8490	790	350	2395
	• Fixed base at 29” high												
	• Middle inset leg on 120” and 144” tables												
	• One module available on 72” and 96” centered												
	• Two modules available on 120” and 144”; one centered on each half												
	• All electrical accessories (excluding infeed kits and table-to-table jumpers) are included												
	• Infeed kits and table-to-table jumpers ordered separately												
	• 8” high stringer or full modesty panel												
	• All top sizes are one-piece construction												
			A	B	C	D	E						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select modesty panel.

MP

ST

- Full modesty panel

- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.
- C**Select laminate color.

Refer to the **Product Color Options** page in this price list.
- D**Select power option.

PMD1

PMA1

PMO1

PMD2

PMA2

- Pattern module, Dean in-surface (1) ; add \$491

- Pattern module, Nacre pop-up (1) ; add \$660

- Pattern module, Node in-surface (1) ; add \$384

- Pattern modules, Dean in-surface (2) ; add \$983

- Pattern modules, Nacre pop-up (2) ; add \$1260

PMO2 - Pattern modules, Node in-surface (2) ; add \$768

ESelect module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



Rectangle Tables-48" D

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 29" high
- Middle inset leg on 120" and 144" tables
- One module available on 72" and 96" centered
- Two modules available on 120" and 144"; one centered on each half
- All electrical accessories (excluding infed kits and table-to-table jumpers) are included
- Infed kits and table-to-table jumpers ordered separately
- 8" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

- C** Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.
- D** Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.
- E** Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

- F** Select power option.
PMD1 - Pattern module, Dean in-surface
 (1); add \$491

- | | |
|-----------------|------------------------------------|
| PMA1 | - Pattern module, Nacre pop-up (1) |
| (1); add \$660 | |
| PMO1 | - Pattern module, Node in-surface |
| (1); add \$384 | |
| PMO2 | - Pattern modules, Dean in-surface |
| (2); add \$983 | |
| PMA2 | - Pattern modules, Nacre pop-up |
| (2); add \$1260 | |
| PMO2 | - Pattern modules, Node in-surface |
| (2); add \$768 | |

- G** Select module color.
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
42" High (Standard Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select laminate color.
Refer to the **Product Color Options** page in this price list.

D Select power option.

PMD1	- Pattern module, Dean in-surface (1) ; add \$491
PMA1	- Pattern module, Nacre pop-up (1) ; add \$660
PMO1	- Pattern module, Node in-surface (1) ; add \$384
PMD2	- Pattern modules, Dean in-surface (2) ; add \$983
PMA2	- Pattern modules, Nacre pop-up (2) ; add \$1260

PM02 - Pattern modules, Node in-surface
(2) ; add \$768

Refer to the **Product Color Options** page in this price list.

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



- One-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 120" and 144" tables
- One module available on 72" and 96" centered
- Two modules available on 120" and 144"; one centered on each half
- All electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- 12" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction
- Includes 1 footrest when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3. Refer to the **Product Color Options** page in this price list.

F Select power option.
PMD1 - Pattern module, Dean in-surface
 (1) ; add \$491

PMA1	- Pattern module, Nacre pop-up (1)
(1); add \$660	
PMO1	- Pattern module, Node in-surface
(1); add \$384	
PMO2	- Pattern modules, Dean in-surface
(2); add \$983	
PMA2	- Pattern modules, Nacre pop-up
(2); add \$1260	
PMO2	- Pattern modules, Node in-surface
(2); add \$768	

G Select module color.
Refer to the **Product Color Options** page in this price list.

H Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

1 Select footrest finish
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
42" High (Standard Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|-----------|-------------------------------|
| MP | - Full modesty panel |
| ST | - Stringer/half modesty panel |
- See pricing column for full modesty panel upcharge.
- C** Select laminate color.
Refer to the **Product Color Options** page in this price list.
- D** Select power option.
- | | |
|-------------|---|
| PMD1 | - Pattern module, Dean in-surface
(1) ; add \$491 |
| PMA1 | - Pattern module, Nacre pop-up (1)
; add \$660 |
| PMD1 | - Pattern module, Node in-surface
(1) ; add \$384 |
| PMD2 | - Pattern modules, Dean in-surface
(2) ; add \$983 |
| PMA2 | - Pattern modules, Nacre pop-up
(2) ; add \$1260 |

- PM02** - Pattern modules, Node in-surface
(2) ; add \$768
- E** Select module color.
Refer to the **Product Color Options** page in this price list.
- F** Select footrest option
- | | |
|------------|---------------|
| FTR | - Footrest |
| NFT | - No footrest |
- See pricing column for footrest upcharge.

- G** Select footrest finish
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
42" High (Standard Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.

Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.

Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.

Refer to the **Product Color Options** page in this price list.

F Select power option.

PMD1	- Pattern module, Dean in-surface
(1)	; add \$491

PM01	- Pattern module, Node in-surface
(1)	; add \$384
PMD2	- Pattern modules, Dean in-surface
(2)	; add \$983
PM02	- Pattern modules, Nacre pop-up
(2)	; add \$1260
PM02	- Pattern modules, Node in-surface
(2)	; add \$768

G Select module color.

Refer to the **Product Color Options** page in this price list.

H Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

I Select footrest finish

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
42" High (Standard Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|-----------|-------------------------------|
| MP | - Full modesty panel |
| ST | - Stringer/half modesty panel |
- See pricing column for full modesty panel upcharge.
- C** Select laminate color.
Refer to the **Product Color Options** page in this price list.
- D** Select power option.
- | | |
|-------------|---|
| PMD1 | - Pattern module, Dean in-surface
(1) ; add \$491 |
| PMA1 | - Pattern module, Nacre pop-up (1)
; add \$660 |
| PMD1 | - Pattern module, Node in-surface
(1) ; add \$384 |
| PMD2 | - Pattern modules, Dean in-surface
(2) ; add \$983 |
| PMA2 | - Pattern modules, Nacre pop-up
(2) ; add \$1260 |

- PM02** - Pattern modules, Node in-surface
(2) ; add \$768
- E** Select module color.
Refer to the **Product Color Options** page in this price list.
- F** Select footrest option
- | | |
|------------|---------------|
| FTR | - Footrest |
| NFT | - No footrest |
- See pricing column for footrest upcharge.

- G** Select footrest finish
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



A diagram of a three-door cabinet. The top surface is labeled '1' with an arrow pointing to the right. The left door is labeled '2'. The middle door is labeled '3'. The right door is unlabeled.

Rectangle Tables-36"D

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 120" and 144" tables
- One module available on 72" and 96" centered
- Two modules available on 120" and 144"; one centered on each half
- All electrical accessories (excluding infed kits and table-to-table jumpers) are included
- Infed kits and table-to-table jumpers ordered separately
- 12" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

- C** Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.
- D** Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.
- E** Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.
- F** Select power option.
PMD1 - Pattern module, Dean in-surface
(1) : add \$491

Refer to the **Product Color Options** page in this price list.

- Select footrest option
- | | |
|------------|---------------|
| FTR | - Footrest |
| NFT | - No footrest |
- See pricing column for footrest upcharge.
- Select footrest finish
- Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
42" High (Standard Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- | | |
|-----------|-------------------------------|
| MP | - Full modesty panel |
| ST | - Stringer/half modesty panel |
- See pricing column for full modesty panel upcharge.
- C** Select laminate color.
Refer to the **Product Color Options** page in this price list.
- D** Select power option.
- | | |
|-------------|---|
| PMD1 | - Pattern module, Dean in-surface
(1) ; add \$491 |
| PMA1 | - Pattern module, Nacre pop-up (1)
; add \$660 |
| PMD1 | - Pattern module, Node in-surface
(1) ; add \$384 |
| PMD2 | - Pattern modules, Dean in-surface
(2) ; add \$983 |
| PMA2 | - Pattern modules, Nacre pop-up
(2) ; add \$1260 |

- PM02** - Pattern modules, Node in-surface
(2) ; add \$768
- E** Select module color.
Refer to the **Product Color Options** page in this price list.
- F** Select footrest option
- | | |
|------------|---------------|
| FTR | - Footrest |
| NFT | - No footrest |
- See pricing column for footrest upcharge.

- G** Select footrest finish
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Serenade™ Gathering Tables w/Single Circuit Electrical



Serenade™ Gathering Tables w/Single Circuit Electrical
42" High (Standard Height)

			MODEL NUMBER																				
			Basic Model	Modesty Panel	Top Lam. Color 1	Leg Lam. Color 2	Stringer/ Modesty Panel Lam. Color 3	Power Option	Module Color	Foot Option	Foot Finish				Approx. Packaged Weight	Delivered Pricing				Full Modesty Panel Upcharge	Footrest Upcharge	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Contrast Laminate	42 x 72"	SEPG4272H/CL	□□	□□□	□□□	□□□	□□	□□□	□□□	□□□□			423.0#	\$ 4937		\$ 593	\$ 1251	\$ 50	\$ 350			
	Contrast Laminate	42 x 96"	SEPG4296H/CL	□□	□□□	□□□	□□□	□□	□□□	□□□	□□□□			508.0#	5858		757	1251	70	450			
	Contrast Laminate	42 x 120"	SEPG42120H/CL	□□	□□□	□□□	□□□	□□	□□□	□□□	□□□□			625.0#	8490		1020	3290	100	700			
	Contrast Laminate	42 x 144"	SEPG42144H/CL	□□	□□□	□□□	□□□	□□	□□□	□□□	□□□□			707.0#	9017		1152	3290	100	700			
SEPGH																							
Rectangle Tables-42"D																							
• Two-sided table																							
• 2" thick panel construction																							
• Laminate self edge																							
• Fixed base at 42" high																							
• Middle inset leg on 120" and 144" tables																							
• One module available on 72" and 96" centered																							
• Two modules available on 120" and 144"; one centered on each half																							
• All electrical accessories (excluding infeed kits and table-to-table jumpers) are included																							
• Infeed kits and table-to-table jumpers ordered separately																							
• 12" high stringer or full modesty panel																							
• Up to 3 contrasting laminates available: top, legs, stringer/modesty																							
• All top sizes are one-piece construction																							
• Includes 2 footrests when specified; do not recommend footrest if using stools																							
			A	B	C	D	E	F	G	H	I												

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3.
Refer to the **Product Color Options** page in this price list.

F Select power option.

PMD1	- Pattern module, Dean in-surface
(1)	; add \$491

PMO1	- Pattern module, Node in-surface
(1)	; add \$384

PMD2	- Pattern modules, Dean in-surface
(2)	; add \$983

PMA2	- Pattern modules, Nacre pop-up
(2)	; add \$1260

PMO2	- Pattern modules, Node in-surface
(2)	; add \$768

G Select module color.
Refer to the **Product Color Options** page in this price list.

H Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

I Select footrest finish
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



A line drawing of a rectangular desk. On the right side, there is a vertical panel with a lock mechanism. A horizontal line with two dots indicates the lock is engaged, preventing the desk from being moved.

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 120" and 144" tables
- One module available on 72" and 96" centered
- Two modules available on 120" and 144"; one centered on each half
- All electrical accessories (excluding infed kits and table-to-table jumpers) are included
- Infed kits and table-to-table jumpers ordered separately
- 12" high stringer or full modesty panel
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select laminate color.

Refer to the **Product Color Options** page in this price list.

D Select power option.

PMD1	- Pattern module, Dean in-surface
(1) ; add \$491	
PMA1	- Pattern module, Nacre pop-up (1)
; add \$660	
PMD1	- Pattern module, Node in-surface
(1) ; add \$384	
PMD2	- Pattern modules, Dean in-surface
(2) ; add \$983	
PMA2	- Pattern modules, Nacre pop-up
(2) ; add \$1260	

E Select module color.
Refer to the **Product Color Options** page in this price list.

F Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

G Select footrest finish
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



A diagram of a three-door cabinet. The top surface is labeled '1' and has a small handle. The left door is labeled '2'. The middle door is labeled '3'. The right door is unlabeled.

Rectangle Tables-48"D

- Two-sided table
- 2" thick panel construction
- Laminate self edge
- Fixed base at 42" high
- Middle inset leg on 120" and 144" tables
- One module available on 72" and 96" centered
- Two modules available on 120" and 144"; one centered on each half
- All electrical accessories (excluding infed kits and table-to-table jumpers) are included
- Infed kits and table-to-table jumpers ordered separately
- 12" high stringer or full modesty panel
- Up to 3 contrasting laminates available: top, legs, stringer/modesty
- All top sizes are one-piece construction
- Includes 2 footrests when specified; do not recommend footrest if using stools

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select modesty panel.

MP	- Full modesty panel
ST	- Stringer/half modesty panel

See pricing column for full modesty panel upcharge.

C Select top laminate color 1.
Refer to the **Product Color Options** page in this price list.

D Select leg laminate color 2.
Refer to the **Product Color Options** page in this price list.

E Select stringer/modesty panel laminate color 3. Refer to the **Product Color Options** page in this price list.

F Select power option.
PMD1 - Pattern module, Dean in-surface
 (1) ; add \$491

PMA1	- Pattern module, Nacre pop-up (1)
(1); add \$660	
PM01	- Pattern module, Node in-surface
(1); add \$384	
PM02	- Pattern modules, Dean in-surface
(2); add \$983	
PMA2	- Pattern modules, Nacre pop-up
(2); add \$1260	
PM02	- Pattern modules, Node in-surface
(2); add \$768	

Ⓔ Select module color.
Refer to the **Product Color Options** page in this price list.

H Select footrest option

FTR	- Footrest
NFT	- No footrest

See pricing column for footrest upcharge.

1 Select footrest finish
Refer to the **Product Color Options** page in this price list.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
	MODEL	Basic Model		
 HRDPT	Bag Hook • 1.75"W x 2.75"L • Includes 2 attachment screws • Chrome finish • Installs on underside of worksurface in front of user • 1/4" solid wire design holds up to 22 lbs • Recommend one hook per seat position	46.6029	0.0#	\$ 20

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
MODEL		Features	Basic Model	Approx. Packaged Weight	Delivered Pricing	
HRDPT	Pattern Infeed • 108" cord plugs into standard 15 amp outlet • Kit includes Pattern infeed, grey power distribution block, 12" Pattern jumper and white power distribution block • Can be installed anywhere in the run (middle or end) • Jumper length cannot exceed 600" or 50' per infeed • 90 degree angled plug; plug dimensions 2"x1-1/2"x1-7/8" • Includes one Pattern quick release tool • Does not include vertical wire management		IFPAT	0.0#	\$ 305	
HRDPT	Pattern Jumper • Each jumper kit includes jumper and grey power distribution block • Review product Planning Guide for table-to-table jumper length guidance.	101"	JPPAT.101	1.0#	\$ 139	
		53"	JPPAT.53	1.0#	109	
		75"	JPPAT.75	1.0#	115	
 HRDPT	Pattern Quick Release Tool • Snaps onto Pattern plugs to make disconnecting Pattern connections easier • Can be moved to multiple connections • Stores snapped onto one connection for easy access		BE04878.BL	0.0#	\$ 3	

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2023 Krueger International, Inc. All Rights Reserved.