

CAFEWAY™

Cafeteria Tables



Versatile CafeWay tables adapt to cafeteria needs and help create inviting spaces for everyone. CafeWay delivers safe, easy operation and mobility. They are easy to move and fold compactly for high-capacity storage and efficient shipping.

STATEMENT OF LINE

CAFEWAY CAFETERIA TABLES

Rectangular



With Benches W 96, 120, 144" D 30" H 27, 29"



With Stools W 96, 120, 144" D 30" H 27, 29"

Racetrack



With Benches and Stools W 60"

D 48" H 27"



With Stools

W 60, 120" D 44, 48" H 27, 29"



Wheelchair Accessible

W 120" D 44" H 29"

Round



With Benches Dia. 60"

H 27, 29"



With Benches and Stools

Dia. 60" H 27, 29"



With Stools

Dia. 60" H 27, 29"



Wheelchair Accessible with Benches and Stools

Dia. 60" H 32"



Wheelchair Accessible with Stools

Dia. 60" H 32"

Octagonal



With Stools Dia. 60"

H 27, 29"

OPTIONS

Edge








Molded

Sprayed

JUMP TO: CAFEWAY STATEMENT OF LINE FEATURES LINKS

CAFEWAY RECTANGULAR TABLE WITH BENCHES FEATURES



A. Safety Latches

Safety latches automatically lock the table in either the up or down position.

Edges

Available with two edge options: Sprayed or Molded.

Compression Springs

Compression springs provide a smooth, controlled lift assistance.

Table Tops

Table tops extend past the outrigger casters to accommodate end-to-end table layouts without caster interference.

Support Legs

Spring-loaded, self-adjusting support legs ensure contact with the floor while the table is in the down position.

F. Outrigger Casters

Outrigger casters enable table to fold flat and nest, minimizing table storage footprint yet still exceeding UL tip-over requirements. Six tables store in less than a 5'x8' footprint.

CAFEWAY RECTANGULAR TABLE WITH STOOLS FEATURES



Torsion Bars and Springs

Torsion bars and torsion springs work in conjunction to assist table lift.

B. Storage Latch

Storage latch provides a secure positive lock when table is in upright stored position.

C. Stools

Recyclable, polypropylene stools are ribbed to reinforce stress points.

D. Center Support Legs

Center support legs assist with tabletop weight load distribution.

Seat Support Bars

Seat support bars run perpendicular to the table above the floor, eliminating trip hazards.

Available with two edge options: Sprayed or Molded.

G. Casters

Large, non-marking casters allow easy folded table movement.

CAFEWAY SHAPE TABLE FEATURES (Racetrack, Round, Octagonal)



A. Storage Latch

Storage latches are accessible from both sides and provide a secure positive lock when table is in upright stored position.

B. Torsion Bars and Springs

Torsion bars and torsion springs work in conjunction to assist table lift.

C. Edges

Available with two edge options: Sprayed or Molded.

D. Stools

Recyclable, polypropylene stools are ribbed to reinforce stress points.

E. Glides

Non-marking rubber glides protect floors from impact.

F. Casters

Large, non-marking casters allow easy folded table movement.

G. End Bases

Table end bases have a third caster for additional weight distribution.

CAFEWAY LINKS

View full product details at ki.com/cafeway.

PHOTOGRAPHY

View all product photos.

PRICE LIST

View list pricing and order details.

SURFACE MATERIALS

View approved fabrics and finishes.

CAD/REVIT SYMBOLS

View symbol library.

TECH SPECS

View Rectangular Tables with Benches technical specifications.

TECH SPECS

View Rectangular Tables with Stools technical specifications.

TECH SPECS

View Racetrack Tables technical specifications.

TECH SPECS

View Round Tables technical specifications.

TECH SPECS

View Octagonal Tables technical specifications.

SUSTAINABILITY

View Bench Table environmental data sheet.

SUSTAINABILITY

View Stool Table environmental data sheet.



1330 BELLEVUE STREET P.O. BOX 8100 GREEN BAY, WI 54308-8100 800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe. USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST © 2022 Krueger International, Inc. All Rights Reserved. KI-CUT-000038/KI/PDF/0522 Warranty: 15 years (pneumatic exceptions)

JUMP TO: CAFEWAY STATEMENT OF LINE FEATURES LINKS