

WORKUP® HEIGHT-ADJUSTABLE TABLE

PRICE LIST

EFFECTIVE APRIL 2, 2025 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

NorkUp® Tables	
General Information	
Product Color Options	
Fixed Height	
Crank Adjustable Height (Sit - Stand)
Counter Balance Adjustable Height	
Accessories	1



CRANK TABLE

General

The table shall consist of two adjustable height T bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface shall adjust between 27.11" and 44.83" from the floor by means of a horizontal crank that can be located at either end of the table. Adjusts at a rate of 6-1/3 turns per inch. A 3/4" diameter steel connecting rod shall span from column to column to enable simultaneous adjustment of both columns.

Base

The base shall consist of a column assembly and foot both finished with baked on 30 sheen powder coat paint. The column assembly shall consist of an outer member and an inner member. The outer member shall be 2-3/4" square 14-gauge steel tubing with a $\frac{1}{4}$ " steel plate welded on the bottom end. The inner member shall be 2-1/2" square 14 gauge steel tubing with a $\frac{1}{4}$ " steel plate welded on the top end. The foot shall consist of two formed and welded 11-gauge steel components. The foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall

be threaded into the foot.

Worksurface Support

The worksurface support shall be formed 11-gauge steel support members with ¼" steel attachment plates. The worksurface support shall be attached to the column with 8mm bolts.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded, stained and sealed. Knife (KN) edge and Postformed (PL) edge options will only get these edges on the user side of the table.

FIXED TABLE

General

The table shall consist of two T bases (centered column on a horizontal foot) supporting a worksurface. The top of the worksurface shall be 29" from the floor. See back page for top sizes.

Base

The base shall consist of a top plate, column and foot all finished with baked on 30 sheen powder coat paint. The top plate shall be 14" thick steel. The column shall be 14" square 14-gauge steel tubing with 14" steel plates welded on each end. The foot shall consist of two formed and welded 11-gauge steel components. The top plate and foot shall be attached to the column with 8mm bolts. Two 1-1/2" diameter nylon base leveling glides shall be threaded into the foot.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed. Knife (KN) edge and Postformed (PL) edge options will only get these edges on the user side of the table.

Worksurface

Worksurfaces shall be constructed with 1-1/8" thick 45 lb. density particle board core. The top surface shall be covered with high-pressure laminate. The bottom surface shall be covered with a phenolic backing sheet. The perimeter shall be finished using high impact plastic edging. The worksurface shall be pre-drilled and attached to the bases using (16) #12 X 1" tapping screws. All Knife (KN) edge styles will use an M3 particle board composition. The undersurface edge is sanded and sealed. Knife (KN) edge and Postformed (PL) edge options will only get these edges on the user side of the table.

Wire Trough

The wire trough is an optional accessory which must be ordered separately. Constructed of 18-gauge steel with a powder-coated finish which may be coordinated to match the color of the table legs. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for wire trough locations. Wire troughs are available on all models.

Polyester Felt Modesty Panel

Modesty panels are constructed from a sound-absorbing, 100% polyester felt with an acoustic rating of 0.45-0.90 NRC. The panel is 1/2" thick with a density of .05 lb/ft. Panels are in accordance with ASTM-E84 and achieve a Class A Flame Spread. Standard sizes are 9.25" high by 34.5", 40.5", 46.5", 52.5", 58.5", 64.5", and 70.5" wide. The mounting brackets are 18-gauge steel and attached to the work surface by 2 steel screws. Panels 34.5", 40.5" and 46.5" wide all use 2 brackets per panel. Panels 52.5", 58.5", 64.5", and 70.5" wide all use 3 brackets per panel.

WorkUp® Tables Product Color Options

WorkUp® Tables


Product Color Options

Nile Velvet

Raleigh Walnut

Solano Walnut

Spruce Velvet



EHJ

EHY

EIT

EKM

ELG

EMG

Honey Bee

Light Tone

Mardi Gras

Misty Brown

Italian Silver Ash

Kensington Maple

EHY

EIT

EKM

ELG

EMG

EMY

Finish Cards	<u>Paints</u>	Wood/Veneer	Molded Edges	Hard Plastics
View color swatches for items listed within this document.	Plastics/Poly	<u>Laminates</u>	Edge Styles	<u>Glass</u>

Hazy Jade

Honey Bee

Light Tone

Mardi Gras

Italian Silver Ash

Kensington Maple

LNL


LRW

LSG

LSC

WorkUp® Tables





		MODEL N	UMBER									
							Polyester	A			Laminate	Laminate
			Basic	Edge Modesty	Ed	ge Surface Ba	Modesty ase Panel	Approx. Packaged 74P Edge	Postformed Edge	Knife Edge	Grade 2 add to list	Grade 3 add to list
	MODEL	AxBxC	Model	Style Panel	Base Co	lor Finish Fi	nish Color	Weight (74P)	(PL)	(KN)	price	price
	Rectangular Tables - 22"D	21-1/2 x 34-1/2"	WU2236FX					69.0# \$ 791	\$ 822	\$ 850	\$ 18	\$ 115
	 29" height Adjustable glides 	21-1/2 x 40-1/2"	WU2242FX					66.0# 839	874	903	18	115
	Adjustable glides	21-1/2 x 46-1/2"	WU2248FX					70.0# 849	881	908	18	115
~		21-1/2 x 52-1/2"	WU2254FX					75.0# 900	936	982	25	170
WUFX		21-1/2 x 58-1/2"	WU2260FX					79.0# 903	940	985	25	170
		21-1/2 x 64-1/2"	WU2266FX					91.0# 968	1007	1090	25	170
		21-1/2 x 70-1/2"	WU2272FX					95.0# 972	1010	1094	25	170
	Rectangular Tables - 24"D	23-1/2 x 34-1/2"	WU2436FX					64.0# \$ 791	\$ 822	\$ 853	\$ 18	\$ 115
WUFX	29" heightAdjustable glides	23-1/2 x 40-1/2"	WU2442FX					69.0# 839	874	903	18	115
	Adjustable glides	23-1/2 x 46-1/2"	WU2448FX					73.0# 848	881	910	18	115
		23-1/2 x 52-1/2"	WU2454FX					78.0# 901	936	982	25	170
		23-1/2 x 58-1/2"	WU2460FX					83.0# 904	940	985	25	170
		23-1/2 x 64-1/2"	WU2466FX					95.0# 970	1007	1090	25	170
		23-1/2 x 70-1/2"	WU2472FX					100.0# 972	1013	1094	25	170
	Rectangular Tables - 30"D	29-1/2 x 34-1/2"	WU3036FX					75.0# \$ 834	\$ 865	\$ 939	\$ 25	\$ 170
WUFX	29" heightAdjustable glides	29-1/2 x 40-1/2"	WU3042FX					81.0# 892	928	968	25	170
	Aujustable glides	29-1/2 x 46-1/2"	WU3048FX					87.0# 940	972	977	25	170
		29-1/2 x 52-1/2"	WU3054FX					93.0# 1039	1082	1139	25	170
		29-1/2 x 58-1/2"	WU3060FX					99.0# 1042	1086	1144	25	170
		29-1/2 x 64-1/2"	WU3066FX					112.0# 1112	1156	1261	25	170
		29-1/2 x 70-1/2"	WU3072FX					118.0# 1117	1162	1267	25	170
	Rectangular Tables - 36"D	35-1/2 x 34-1/2"	WU3636FX					82.0# \$ 904	\$ 941	\$ 1007	\$ 35	\$ 225
WUFX	29" heightAdjustable glides	35-1/2 x 40-1/2"	WU3642FX					89.0# 977	1017	1097	35	225
	Aujustable glides	35-1/2 x 46-1/2"	WU3648FX					96.0# 985	1023	1104	35	225
		35-1/2 x 52-1/2"	WU3654FX					103.0# 1091	1135	1329	50	
		35-1/2 x 58-1/2"	WU3660FX					110.0# 1095	1138	1244	50	350
		35-1/2 x 64-1/2"	WU3666FX					125.0# 1128	1172	1628	50	350
		35-1/2 x 70-1/2"	WU3672FX					132.0# 1135	1180	1635	50	350

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 74P 74P edge
 - Postformed edge - Knife edge

user side only

- Select modesty panel.
- NMP No modesty panel PMP - Polyester felt modesty panel; add felt panel is chosen). \$186
- Select base option.
- G Glides
 R Rolling base (1 foot w/rollers, 1 foot w/glides); add \$55
- Select edge color.

Refer to the **Product Color Options** page in this

price list.

Edge color offerings are based on edge style

Select surface finish.

selections.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Refer to the **Product Color Options** page in this

Select modesty panel color (only if polyester

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

WorkUp® Tables

• WUC3048FX includes one 54" modesty panel when specified



	MODEL NUMBER																
	AxBxC	Basic Model	Edge Style	Modesty Panel	Base	Edge Color	Surface Finish	Base Finish	Polyester Modesty Panel Color	Approx. Packaged Weight		74P Edge (74P)		Knife Edge (KN)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
B	23-1/2 x 34-1/2 x 37-5/8"	WUC2436FX								80.0#		\$ 1085		\$ 1232		\$ 50	\$ 350
	29-1/2 x 46-1/2 x 48-7/8"	WUC3048FX								123.0#		1229		1468		70	450
WUFX																	
Rectangular 120° Corner Tables																	
• 29" height																	
 120° angle 																	
Adjustable glides MUSO 400 FV includes a resident																	
 WUC2436FX includes one 42" mod- esty panel when specified 																	
esty patiet when specified																	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

(3)

 Θ

0 3

G

Œ

0

A Select basic model.

Select edge style.

74P - 74P edge

KN - Knife edge Knife edge (KN) on user side only

Select modesty panel.

NMP - No modesty panel - Polyester felt modesty panel; add \$186

Select base option.

G - Glides
R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$55

Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

GSelect base finish.

Refer to the **Product Color Options** page in this price list.

Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

WorkUp® Tables Crank Adjustable Height (Sit - Stand)



WorkUp® Tables Crank Adjustable Height (Sit - Stand)

		MODEL N	UMBER													
										Polyester					Laminate	Laminate
		.					0 (Modesty	Approx.	740.51	D 16 151	W W E I	Grade 2	Grade 3
	AxBxC	Basic Model	Edge Style	Modesty	Base		Surface Finish			Panel Color	Packaged Weight	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)	add to list price	add to list price
_	21-1/2 x 46-1/2"	WU2248CR									84.0#	\$ 1581	\$ 1637	\$ 1641	\$ 18	\$ 115
	21-1/2 x 52-1/2"	WU2254CR									90.0#	1636	1702	1718	25	170
I A	21-1/2 x 52-1/2 21-1/2 x 58-1/2"										95.0#		1714	1710	25	
		WU2260CR										1648				170
В	21-1/2 x 64-1/2"	WU2266CR									101.0#	1726	1794	1846	25	170
	21-1/2 x 70-1/2"	WU2272CR									106.0#	1737	1805	1858	25	170
WUCR																
Rectangular Tables - 22"D																
 27-44" adjustable heights 																
 Adjustable glides 																
Adjusts at a rate of 6-1/3 turns per																
inch																
	23-1/2 x 46-1/2"	WU2448CR									87.0#	\$ 1581	\$ 1637	\$ 1641	\$ 18	\$ 115
WUCR	23-1/2 x 52-1/2"	WU2454CR									93.0#	1637	1702	1722	25	170
Rectangular Tables - 24"D	23-1/2 x 58-1/2"	WU2460CR									99.0#	1649	1714	1731	25	170
 27-44" adjustable heights 	23-1/2 x 64-1/2"	WU2466CR									105.0#	1771	1839	1847	25	170
 Adjustable glides 	23-1/2 x 70-1/2"	WU2472CR									111.0#	1780	1853	1901	25	170
 Adjusts at a rate of 6-1/3 turns per 																
inch																
	29-1/2 x 46-1/2"	WU3048CR									103.0#	\$ 1709	\$ 1779	\$ 1787	\$ 25	\$ 170
WUCR	29-1/2 x 52-1/2"	WU3054CR									110.0#	1819	1888	1918	25	170
Rectangular Tables - 30"D	29-1/2 x 58-1/2"	WU3060CR									117.0#	1830	1902	1930	25	170
•	29-1/2 x 64-1/2"	WU3066CR									124.0#	1907	1983	2056	25	170
27-44" adjustable heightsAdjustable glides	29-1/2 x 70-1/2"	WU3072CR									131.0#	1921	1997	2068	25	170
 Adjustable glides Adjusts at a rate of 6-1/3 turns per 	20 1/2 // 10 1/2										101.0#	1021	1001	2000	20	17.5
inch																
	35-1/2 x 46-1/2"	WU3648CR									112.0#	\$ 1755	\$ 1826	\$ 1875	\$ 35	\$ 225
WUCR	35-1/2 x 40-1/2 35-1/2 x 52-1/2"	WU3654CR									121.0#	1868	1943	2106	ъ 50 50	350
Rectangular Tables - 36"D											121.0#	1879	1943	2028		
· ·	35-1/2 x 58-1/2"	WU3660CR													50	350
 27-44" adjustable heights 	35-1/2 x 64-1/2"	WU3666CR									137.0#	1913	1988	2412	50	350
Adjustable glides Adjustable at a rate of C 1/2 turns nor	35-1/2 x 70-1/2"	WU3672CR									146.0#	1926	2002	2428	50	350
 Adjusts at a rate of 6-1/3 turns per inch 																
IIIOII																
		_	_	_	_	_	_	_	_	_						

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

user side only

Select edge style.

74P - 74P edge - Postformed edge

- Knife edge Knife edge (KN) and Postformed edge (PL) on GSelect base finish.

Select modesty panel. NMP - No modesty panel

PMP - Polyester felt modesty panel; add OSelect base option.

G - Glides
R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$55

felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

Select edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style

selections.

0 3

Select surface finish.

Refer to the Product Color Options page in this Surface finish offerings are based on edge style selections.

Refer to the **Product Color Options** page in this

Select inner column finish.

Refer to the **Product Color Options** page in this price list.

Select modesty panel color (only if polyester

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

WorkUp® Tables Crank Adjustable Height (Sit - Stand)

modesty panel when specified WUC3048CR includes one 54" modesty panel when specified



WorkUp® Tables
Crank Adjustable Height (Sit - Stand)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

B

 Θ

0

(3)

(3)

G

0

0

A Select basic model.

Select edge style.

74P - 74P edge KN - Knife edge Knife edge (KN) on user side only

Select modesty panel.

NMP - No modesty panel - Polyester felt modesty panel; add \$186

OSelect base option.

- Glides - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$55

Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select surface finish.

Refer to the Product Color Options page in this

Surface finish offerings are based on edge style selections.

GSelect base finish.

Refer to the **Product Color Options** page in this price list.

Select inner column finish.

Refer to the Product Color Options page in this

Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

WorkUp® Tables Counter Balance Adjustable Height



		MODEL N	UMBER													
									Frame/	Dolyootor					Laminate	Laminata
									Frame/ Inner	Polyester Modesty	Approx.			Y	Grade 2	Laminate Grade 3
		Basic	Edge	Modesty	,	Edge	Surface	Foot	Column	Panel	Packaged	74P Edge	Postformed Edge	Knife Edge	add to list	add to list
	AxBxC	Model	Style	Panel	Base	Color	Finish	Finish	Finish	Color	Weight	(74P)	(PL)	(KN)	price	price
	21-1/2 x 46-1/2"	WU2248CB									93.0#	\$ 2772	\$ 2778	\$ 2835	\$ 18	\$ 115
	21-1/2 x 52-1/2"	WU2254CB									98.0#	2840	2864	2922	25	170
III III III III III III III III III II	21-1/2 x 58-1/2"	WU2260CB									102.0#	2860	2883	2938	25	170
	21-1/2 x 64-1/2"	WU2266CB									107.0#	2930	2939	3050	25	170
В	21-1/2 x 70-1/2"	WU2272CB									112.0#	2944	2958	3064	25	170
WUCB																
Rectangular Tables - 22"D																
Designed to support 15 to 45 lbs																
of equipment (non-standard weight																
ranges available through Product																
Modification Request) • 28-47" adjustable heights																
 Foot Finish is for foot weldments onl 	lv															
Frame/inner column finish is for	.,															
under structure and inner/outer leg																
columns																
	23-1/2 x 46-1/2"	WU2448CB									96.0#	\$ 2772	\$ 2777	\$ 2835	\$ 18	\$ 115
WUCB	23-1/2 x 52-1/2"	WU2454CB									101.0#	2840	2863	2922	25	170
Rectangular Tables - 24"D	23-1/2 x 58-1/2"	WU2460CB									106.0#	2860	2881	2938	25	170
Designed to support 15 to 45 lbs	23-1/2 x 64-1/2"	WU2466CB									111.0#	2930	2938	3050	25	170
of equipment (non-standard weight	23-1/2 x 70-1/2"	WU2472CB									116.0#	2944	2957	3064	25	170
ranges available through Product																
Modification Request)																
28-47" adjustable heightsFoot Finish is for foot weldments onl	lv															
Frame/inner column finish is for																
under structure and inner/outer leg																
columns																
	29-1/2 x 46-1/2"	WU3048CB									109.0#	\$ 2834	\$ 2800	\$ 2912	\$ 25	\$ 170
WUCB	29-1/2 x 52-1/2"	WU3054CB									115.0#	2910	2846	3010	25	170
Rectangular Tables - 30"D	29-1/2 x 58-1/2"										122.0#	2925	2864	3024	25	170
Designed to support 15 to 45 lbs	29-1/2 x 64-1/2"	WU3066CB									128.0#	2986	2925	3138	25	170
of equipment (non-standard weight	29-1/2 x 70-1/2"	WU3072CB									134.0#	3000	2939	3150	25	170
ranges available through Product																
Modification Request)																
28-47" adjustable heightsFoot Finish is for foot weldments onl	lv															
Frame/inner column finish is for	,															
under structure and inner/outer leg																
columns																
		A	ß	Θ	0	(3	(a)	Э	0	0						
		$\mathbf{\omega}$	9	•	9	9	•	9	Ψ	U						

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge

- Postformed edge - Knife edge

Knife edge (KN) and Postformed edge (PL) on GSelect foot finish. user side only

Select modesty panel.

NMP - No modesty panel - Polyester felt modesty panel; add

OSelect base option.

Select edge color.

Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style

selections.

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

price list.

Refer to the **Product Color Options** page in this price list.

Select frame/inner column finish. Refer to the Product Color Options page in this

Select modesty panel color (only if polyester

G - Glides
R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$55

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

WorkUp® Tables Counter Balance Adjustable Height





												▼					
		MODEL NUM	MBER														
							T										
								Frame/	Polyester							Laminate	Laminate
								Inner	Modesty	Approx.						Grade 2	Grade 3
	AxBxC	Basic Model	Edge Style	Modesty Panel	Base	Surface Finish	Foot Finish	Column Finish	Panel Color	Packaged Weight	7.	1P Edge (4P)	Postformed Edge (PL)	Knife Edge (KN)		add to list price	add to list price
	35-1/2 x 46-1/2"		_				_	_		119.0#		2893	\$ 2902	\$ 3014		\$ 35	\$ 225
WILCD		WU3648CB									Ф						
WUCB	35-1/2 x 52-1/2" 35-1/2 x 58-1/2"	WU3654CB								126.0#		2973	2948	3212 3142		50	350
Rectangular Tables - 36"D		WU3660CB		1						134.0#		2992	2965			50	350
 Designed to support 15 to 45 lbs 	35-1/2 x 64-1/2"	WU3666CB								141.0#		3042	3088	3541		50	350
of equipment (non-standard weight	35-1/2 x 70-1/2"	WU3672CB								149.0#		3055	3103	3558		50	350
ranges available through Product Modification Request)																	
28-47" adjustable heights																	
 Foot Finish is for foot weldments on 	у																
Frame/inner column finish is for under structure and inner/outer leg																	
under structure and inner/outer leg columns																	
	22 1/2 21 1/2 25 5/2	11111001000				 				100.0%							
B	23-1/2 x 34-1/2 x 37-5/8"	WUC2436CB								103.0#	\$	2999	N/A	\$ 3149		\$ 50	\$ 350
	29-1/2 x 46-1/2 x 48-7/8"	WUC3048CB								139.0#		3207	N/A	3444		70	450
WUCB																	
Rectangular 120° Corner Tables																	
 Designed to support 15 to 45 lbs of equipment (non-standard weight 																	
ranges available through Product																	
Modification Request)																	
28-47" adjustable heights																	
120° angleFoot Finish is for foot weldments on	V																
Frame/inner column finish is for	у																
under structure and inner/outer leg																	
columnsWUC2436CB includes one 42"																	
modesty panel when specified																	
WUC3048CB includes one 54"																	
modesty panel when specified																	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - Postformed edge - Knife edge

user side only

Select modesty panel.

NMP - No modesty panel PMP - Polyester felt modesty panel; add

OSelect base option.

Select edge color.

Refer to the **Product Color Options** page in this

price list. Edge color offerings are based on edge style

Select surface finish. Refer to the **Product Color Options** page in this

price list. Surface finish offerings are based on edge style

(3) (3)

selections.

price list.

selections.

0 3

Refer to the Product Color Options page in this price list.

Select frame/inner column finish. Refer to the Product Color Options page in this

Select modesty panel color (only if polyester

G - Glides
R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$55

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

WorkUp® Tables



				•
		MODEL NUMBER		
	MODEL	Basic Model	Approx. Packaged Weight	Delivered Pricing
	Undermount R8 Module	14.1450.SLVR	3.0#	\$ 302
	Silver in color Includes 8 154 120 VAC recentagles			
	 Includes 8-15A, 120 VAC receptacles, 2 outer most rotated 90 degrees to 			
	accommodate large plugs			
•	144" power cordUnder table mount attaches with 4			
HRDPT	screws (included)			
	Module hangs down from surface 1" to			
	allow easier access to plug in/unplugInlcudes 4 wire management clips			
	 ETL listed for US and Canada 			
	• Dimensions are 16.3" x 2.3" x 2.8"			
_	Vertical Cable Manager • Silver in color	47.2320.SLVR	1.0#	\$ 112
	 Multi-directional manager holds wires in 			
	static and adjustable tables			
	Weighted base keeps manager in positorIncludes magnetic link to easily attach to	1		
	table leg			
	Attaches to underside of table with or			
	without wire management trough Includes 63 links, 1-3 link magnetic			
	piece, 1 top connector, 2 screws, 1 base			
	plate			
HRDPT				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

WorkUp® Tables Accessories





		MODEL NUM	BER		
				Approx.	
	MODEL L	Basic Model	Paint Color	Approx. Packaged Weight	Delivered Pricing
HRDPT		4" WU.TROUGH.4		5.0#	\$ 77
HRDPT	Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5" wide x 4.2" high x 36" long • One kit for 54" and 60" rectangle and 30x48 corner tables	6" WU.TROUGH.6		7.0#	\$ 93
HRDPT	Wire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables	8" WU.TROUGH.72	2	10.0#	\$ 109
		· ·			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

