



CAFÉWAY® CAFETERIA TABLES

PRICE LIST

EFFECTIVE APRIL 2, 2025
800.424.2432



CafeWay® Cafeteria Tables		
Product Color Options		3
CafeWay® Rectangular Tables with Benches		
General Information		4
CafeWay® Cafeteria Tables		
Rectangular Tables with Benches (Freight Excluded)		5
Rectangular Tables with Benches (Delivered)		6
CafeWay® Rectangular Tables with Stools		
General Information		7
CafeWay® Cafeteria Tables		
Rectangular Tables with Stools (Freight Excluded)		8
Rectangular Tables with Stools (Delivered)		9
CafeWay® Round Tables		
General Information		10
CafeWay® Cafeteria Tables		
Round Tables (Freight Excluded)		13
Round Tables (Delivered)		14
Round Tables (Freight Excluded)		15
Round Tables (Delivered)		16
Round-Wheelchair Accessible Tables (Freight Excluded)		17
Round-Wheelchair Accessible Tables (Delivered)		18
CafeWay® Octagonal Tables		
General Information		19
CafeWay® Cafeteria Tables		
Octagonal Tables with Stools (Freight Excluded)		20
Octagonal Tables with Stools (Delivered)		21
CafeWay® Racetrack Tables		
General Information		22
CafeWay® Cafeteria Tables		
Racetrack Tables with Stools (Freight Excluded)		25
Racetrack Tables with Stools (Delivered)		26
Racetrack Tables with Benches/Stools (Freight Excluded)		27
Racetrack Tables with Benches/Stools (Delivered)		28
Racetrack-Wheelchair Accessible Tables (Freight Excluded)		29
Racetrack-Wheelchair Accessible Tables (Delivered)		30



Surface Finish--Grade 1 Standard Laminate		Island	BLID
Beigewood	LBZ	Italian Silver Ash	BLIT
Belair	LBQ	Kensington Maple	BLKM
Biltmore Cherry	LBT	Lapis Blue	BLLB
Black	LBK	Monticello Maple	BLMT
Brighton Walnut	LBW	North Sea	BLNA
Castle Oak	LCO	Ocean	BLON
Casual Linen	LCU	Pinnacle Walnut	BLPW
Cherry Storm	LCX	River Cherry	BLRY
Cocobala	LCC	Shadow Zephyr	BLSR
Crisp Linen	LRI	Sterling Ash	BLAZ
Designer White	LDR	Titanium Evolv	BLTV
Dove Grey	LDG	White Nebula	BLWL
Florence Walnut	LFC	White Sand	BLWN
Friston Ash	LFH	Windsor Mahogany	BLWY
Frosty White	LFW	Table Edge Color for SY Edge Style	
Graphite Nebula	LGN	Black-Carbon edge	ESCN
Grey	LGE	Table Edge Color for MC Edge Style	
High Rise	LHE	Black-Onyx edge	EUOX
Hollyberry	LHY	Bench Edge Color for SY Edge Style	
Island	LID	Black-Carbon bench edge	BESCN
Italian Silver Ash	LIT	Bench Edge Color for MC Edge Style	
Kensington Maple	LKM	Black-Onyx bench edge	BEUOX
Lapis Blue	LLB	Stool Color - Polypropylene	
Monticello Maple	LMT	Black	PBL
North Sea	LNA	Blue Grey	PGR
Ocean	LON	Cayenne	PCY
Pinnacle Walnut	LPW	Cool Grey	PCG
River Cherry	LRY	Earthen Clay	PEY
Shadow Zephyr	LSR	Everglade Shade	PEV
Sterling Ash	LAZ	Hazy Jade	PHJ
Titanium Evolv	LTV	Honey Bee	PHY
White Nebula	LWL	Light Tone	PLG
White Sand	LWN	Mardi Gras	PMG
Windsor Mahogany	LWY	Misty Brown	PMY
Bench Surface		Nemo	PNE
Beigewood	BLBZ	Nordic	PND
Belair	BLBQ	Purple Haze	PPH
Biltmore Cherry	BLBT	Rubber Ducky	PRK
Black	BLBK	Sand	PSA
Brighton Walnut		Surf's Up	PSP
BLBW		Twilight Shadow	PTI
Castle Oak	BLCO	Ultra Blue	PUB
Cherry Storm	BLCX	Zesty Lime	PZL
Classic Linen	BLCI	Frame Color	
Cocobala	BLCC	Chrome	CH
Crisp Linen	BLRI	Raven	RV
Designer White	BLDR		
Dove Grey	BLDG		
Florence Walnut	BLFC		
Friston Ash	BLFH		
Frosty White	BLFW		
Graphite Nebula	BLGN		
Grey	BLGE		
High Rise	BLHE		
Hollyberry	BLHY		

Finish Cards

View color swatches for items listed within this document.

<u>Paints</u>	<u>Wood/Veneer</u>	<u>Molded Edges</u>	<u>Hard Plastics</u>
<u>Plastics/Poly</u>	<u>Laminates</u>	<u>Edge Styles</u>	<u>Glass</u>



Certain options referenced may not be available on GSA Schedule.



Rectangular w/Benches



Rectangular w/Benches - Folded



Sprayed edge (SY) Urethane edge (MC)

SPECIFICATIONS

CaféWay® Overview

Tables shall be listed with Underwriters Laboratories in compliance with their testing for folding rollaway tables.

Lift Mechanism and Table Undercarriage

All critical parts at the pivot points are attached to the unitized steel frame. Steel latches are automatic in both the storage and in-use positions and are located so that they cannot be accidentally opened or knocked out of adjustment. Down latch is field-adjustable. Compression springs provide significant lift assistance and controlled down-placement and are capable of holding the table in the semi-open position throughout its range of motion for safety and easy floor cleaning. Anti-tip 3" casters allow table to be folded flat (parallel tops) for safety during transport and for minimum storage space requirement. The device is permanent, fixed, non-adjustable and cannot be disabled. The anti-tip 3" casters do not contact the floor during normal operation, but assist in rolling the table over doorway thresholds or other

obstructions. All legs are robotically welded for continued consistent quality assurance.

Table Tops and Benches

Table top and bench shall be constructed of 3/4" thick 3M grade particleboard (sprayed or molded edge) shall have a 1/2" corner radius. Table top and bench are laminated with a .030 high-pressure laminate sheet for superior abrasion resistance. Laminates shall meet or exceed NEMA standards. A .028" phenolic backer is bonded to the bottom of the table core for stability and moisture resistance. Thickness shall be .808 +/- .004". Table top and bench are secured to frame with #10 x 3/4" screws, 9" on centers.

Edges

Table top edges shall be finished as either sprayed or molded urethane. Sprayed Edge (SY) - Edges are sealed and finished with sprayed-on black polyurea edge treatment that provides superior resistance to moisture, eliminates unsanitary food traps and is extremely tamper resistant. Molded Urethane Edge (MC) - Edges shall be made of 1/4" thick by 3/4" high, cast black

polyurethane that is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edges to provide a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Self-supporting MIG welded, unitized frame design. Hinge plates and hinges are 11-gauge steel. Low profile 1-3/4" 16-gauge aprons with full 180-degree hem have effective strength of 11-gauge steel and provide maximum clearance under the top. Center leg assemblies are 16-gauge 1",1-9/16 " and 1-3/8" steel tubing. Grade 5 hex machine bolts with aircraft-type lock nuts are used at all assembly points. Nylon bushings are included at all critical pivots points for ease of operation.

Frame Finishes

Frames shall be finished as either powdercoat or chrome. Powdercoat Finish - All metal parts are thoroughly cleaned to resist corrosion and provide maximum paint adhesion, finished with high-grade electrostatically applied baked-on epoxy

powdercoat for superior resistance to abrasion, marring, and scratching. The metal finish shall be baked-on lightly textured polyester powdercoat. Chrome Finish - Chrome plating is available on leg sets touching the ground.

Casters

Table rolls on four 4" diameter x 1¼" wide Poly II gray rubber, non-marking, ball-bearing swivel casters. Poly II rubber wheels provide excellent floor protection, abrasion resistance, impact strength, quiet operation, and rolling ease. Casters are resistant to water, oil and most acids and chemicals.




Seating Capacity:				
Model#	Max Child	Rec. Child	Max Adult	Rec. Adult
ECTRG2912BE 4 benches	20	16	16	12
ECTRG2712BE 4 benches	20	16	16	12
ECTRG2910BE 4 benches	16	12	12	8
ECTRG2710BE 4 benches	16	12	12	8
ECTRG2908BE 4 benches	12	12	8	8
ECTRG2708BE 4 benches	12	12	8	8

CafeWay® Cafeteria Tables

Rectangular Tables with Benches (Freight Excluded)

CafeWay® Cafeteria Tables

Rectangular Tables with Benches (Freight Excluded)

		MODEL NUMBER						Approx. Packaged Weight	 Sprayed Edge (SY)	 Urethane Edge (MC)
		Basic Model	Table/ Bench Edge Style	Table Surface	Table/ Bench Edge Color	Bench Surface	Frame Color			
 ECRCB	MODEL	H x L x W								
	Rectangular Tables with Benches	29 x 144 x 30"	ECTRG2912BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	314.0#	\$ 3606	\$ 3937
	• Tables ship blanket wrapped as standard	27 x 144 x 30"	ECTRG2712BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	314.0#	3606	3937
	• Orders picked up or shipments outside continental US require pallet upcharge.	29 x 120 x 30"	ECTRG2910BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	279.0#	3491	3824
	• Contact KI Customer Service	27 x 120 x 30"	ECTRG2710BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	279.0#	3491	3824
	• Safety latches automatically lock the table in either the up or down position	29 x 96 x 30"	ECTRG2908BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	237.0#	3390	3722
	• Compression springs provide smooth controlled lift assistance	27 x 96 x 30"	ECTRG2708BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	237.0#	3390	3722
	• Self adjusting support legs are spring loaded to ensure contact with the floor while the table is in the down position									
	• Outrigger casters enable tables to fold flat and nest to minimize the table's storage footprint while still exceeding UL tip over requirements: (6) Tables will store in less than a 5' x 8' footprint									
	• Table tops extend past the outrigger casters to accommodate end to end table layouts without caster interference									
	• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge									
			A	B	C	D	E	F		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select table/bench edge style.
SY - Sprayed Edge
MC - Urethane edge
- C** Select table surface finish.
Refer to the **Product Color Options** page in this price list.
- D** Select table/bench edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- E** Select bench surface.
Refer to the **Product Color Options** page in this price list.
- F** Select frame color.
**Undercarriage remains black with any choice
*Chrome Upcharge ; add \$488

Refer to the **Product Color Options** page in this price list.

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Elkhorn, WI 53121, freight excluded**. Freight class 200.




Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Rectangular Tables with Benches (Delivered)

CafeWay® Cafeteria Tables

Rectangular Tables with Benches (Delivered)

	MODEL	H x L x W	MODEL NUMBER					Approx. Packaged Weight	 Sprayed Edge (SY)	 Urethane Edge (MC)
			Basic Model	Table/Bench Edge Style	Table Surface	Table/Bench Edge Color	Bench Surface	Frame Color		
 ECRCB	Rectangular Tables with Benches	29 x 144 x 30"	ECTRG2912BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$ 4255	\$ 4645
	• Tables ship blanket wrapped as standard	27 x 144 x 30"	ECTRG2712BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4255	4645
	• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service	29 x 120 x 30"	ECTRG2910BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4122	4514
	• Safety latches automatically lock the table in either the up or down position	27 x 120 x 30"	ECTRG2710BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4122	4514
	• Compression springs provide smooth controlled lift assistance	29 x 96 x 30"	ECTRG2908BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4000	4393
	• Self adjusting support legs are spring loaded to ensure contact with the floor while the table is in the down position	27 x 96 x 30"	ECTRG2708BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4000	4393
	• Outrigger casters enable tables to fold flat and nest to minimize the table's storage footprint while still exceeding UL tip over requirements: (6) Tables will store in less than a 5' x 8' footprint									
	• Table tops extend past the outrigger casters to accommodate end to end table layouts without caster interference									
	• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge									
			A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select table/bench edge style.

SY - Sprayed Edge

MC - Urethane edge
- C**Select table surface finish.

Refer to the **Product Color Options** page in this price list.
- D**Select table/bench edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- E**Select bench surface.

Refer to the **Product Color Options** page in this price list.
- F**Select frame color.

**Undercarriage remains black with any choice

*Chrome Upcharge ; add \$580

Refer to the **Product Color Options** page in this price list.

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Elkhorn, WI 53121, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Rectangular Tables with Stools

General Information



CafeWay® Rectangular Tables with Stools



General Information



Rectangular w/Stools



Rectangular w/Stools - Folded



Sprayed edge (SY)

Model#	A	B	C	D	E	F
ECTRC291212PY 12 stools	144"	58"	29"	17"	82"	42-1/2"
ECTRC271212PY 12 stools	144"	58"	27"	15"	80"	42-1/2"
ECTRC291012PY 12 stools	120"	58"	29"	17"	71.9"	42-1/2"
ECTRC271012PY 12 stools	120"	58"	27"	15"	69.9"	42-1/2"
ECTRC290808PY 8 stools	96"	58"	29"	17"	59.9"	42-1/2"
ECTRC270808PY 8 stools	96"	58"	27"	15"	57.9"	42-1/2"

Recommended Seating Capacity:	
Model#	Capacity
ECTRC291212PY 12 stools	12
ECTRC271212PY 12 stools	12
ECTRC291012PY 12 stools	12
ECTRC271012PY 12 stools	12
ECTRC290808PY 8 stools	8
ECTRC270808PY 8 stools	8

SPECIFICATIONS

CaféWay® Overview

Tables shall be listed with Underwriters Laboratories in compliance with their testing for folding rollaway tables.

Lift Mechanism and Table Undercarriage

All critical parts at the pivot points are attached to the unitized steel frame. Steel latches are automatic in both the storage and in-use positions and are located so that they cannot be accidentally opened or knocked out of adjustment. Torsion springs in conjunction with torsion bars provide easy lifting throughout the complete operating range. Torsion bars are shot-peened to impart compressive strength and increase lifecycle. Torsion bars are epoxy e-coated to prevent rusting and extend usable life. Torsion bars have machined grooves at each end, which receive e-clips to lock in position and prevent lateral movement. All legs are robotically welded for continued consistent quality assurance.

Table Tops

Table top shall be constructed of 5/8" thick 3M particleboard. Table top (sprayed or molded edge) shall have a ½" corner radius. Table top is laminated with a .030 high-pressure laminate sheet for superior abrasion resistance. Laminates shall meet or exceed NEMA standards. A .028" phenolic backer is bonded to the bottom of the table core for stability and moisture resistance. Thickness shall be .808 +/- .004". Top is secured to frame with #10 x 5/8" screws, 9" on centers.

Stools

13" diameter, high-impact polypropylene shall be of heavy-duty construction with ribs to reinforce points of stress and rolled edges for comfort and strength. Top shall be textured and color must permeate stool. Stools are fastened directly on a 6" square 11-gauge steel plate with eight #14 x 5/8" screws. This plate is welded to a 1" diameter, 14-gauge vertical tube. Seat columns contact floor directly with rubber-cushioned, molded-in steel washer and non-skid, non-marring end cap.

Edges

Table top edges shall be finished as either sprayed or molded urethane. Sprayed Edge (SY) - Edges are sealed and finished with sprayed-on black polyurea edge treatment that provides superior resistance to moisture, eliminates unsanitary food traps, and is extremely tamper resistant.

Frames

Self-supporting MIG welded, unitized frame design uses 14-gauge 1" and 1½" steel tubing. Lock plates are 7-gauge steel, laser cut to exact tolerances. Low profile 2" high, 14-gauge C-shaped aprons provide maximum top clearance. Grade 5 hex machine bolts with aircraft type lock nuts are used at all assembly points.

Frame Finishes

Frames shall be finished as either powdercoat or chrome. Powdercoat Finish - All metal parts are thoroughly cleaned to resist corrosion and provide maximum paint adhesion, finished with high-grade electrostatically applied baked-on epoxy powdercoat for superior resistance to abrasion, marring, and

scratching. The metal finish shall be baked-on lightly textured polyester powdercoat. Chrome Finish - Chrome plating is available on leg sets touching the ground.

Casters

Table rolls on four 4" diameter x 1½" wide Poly II gray rubber, non-marking, ball-bearing swivel casters. Poly II rubber wheels provide excellent floor protection, abrasion resistance, impact strength, quiet operation, and rolling ease. Casters are resistant to water, oil and most acids and chemicals.

INFORMATION

Warranty



Refer to KI Terms & Conditions document or visit ki.com

CafeWay® Cafeteria Tables

Rectangular Tables with Stools (Freight Excluded)

CafeWay® Cafeteria Tables

Rectangular Tables with Stools (Freight Excluded)

		MODEL NUMBER							
MODEL		H x L x W	Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color	Approx. Packaged Weight
 ECRCP	Rectangular Tables with 12-Stools	29 x 144 x 30"	ECTRC291212PY	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	270.0#
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Table and bases have a third caster for additional weight distribution• Center support legs assist with table top weight load distribution• Seat support bars run perpendicular to the table off the floor eliminating trip hazards• Large non-marking casters make folded table movement easy• Available in Sprayed edge (SY) only• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Tops have 5/8" particle board core	27 x 144 x 30"	ECTRC271212PY	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	270.0#
		29 x 120 x 30"	ECTRC291012PY	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	245.0#
		27 x 120 x 30"	ECTRC271012PY	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	245.0#
 ECRCP	Rectangular Tables with 8-Stools	29 x 96 x 30"	ECTRC290808PY	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	225.0#
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Table and bases have a third caster for additional weight distribution• Center support legs assist with table top weight load distribution• Seat support bars run perpendicular to the table off the floor eliminating trip hazards• Large non-marking casters make folded table movement easy• Available in Sprayed edge (SY) only• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Tops have 5/8" particle board core	27 x 96 x 30"	ECTRC270808PY	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	225.0#

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

price list.

- A

Select basic model.
- B

Select edge style.

SY- Sprayed Edge
- C

Select surface finish.

Refer to the **Product Color Options** page in this price list.
- D

Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- E

Select frame color.

** Undercarriage remains black with any choice

** Chrome Upcharge ; add \$488

Refer to the **Product Color Options** page in this price list.
- F

Select stool color.

Refer to the **Product Color Options** page in this

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **assembled (stools require assembly)**, **FOB Elkhorn, WI 53121, freight excluded**. Freight class 200.



Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Rectangular Tables with Stools (Delivered)

CafeWay® Cafeteria Tables

Rectangular Tables with Stools (Delivered)

		MODEL NUMBER						Approx. Packaged Weight		Sprayed Edge (SY)
		Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color			
 ECRCP	Rectangular Tables with 12-Stools	29 x 144 x 30"	ECTRC291212PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	270.0#	\$	3836
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Table and bases have a third caster for additional weight distribution• Center support legs assist with table top weight load distribution• Seat support bars run perpendicular to the table off the floor eliminating trip hazards• Large non-marking casters make folded table movement easy• Available in Sprayed edge (SY) only• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Tops have 5/8" particle board core	27 x 144 x 30"	ECTRC271212PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	270.0#		3836
		29 x 120 x 30"	ECTRC291012PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	245.0#		3571
		27 x 120 x 30"	ECTRC271012PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	245.0#		3571
 ECRCP	Rectangular Tables with 8-Stools	29 x 96 x 30"	ECTRC290808PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	225.0#	\$	3349
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Table and bases have a third caster for additional weight distribution• Center support legs assist with table top weight load distribution• Seat support bars run perpendicular to the table off the floor eliminating trip hazards• Large non-marking casters make folded table movement easy• Available in Sprayed edge (SY) only• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Tops have 5/8" particle board core	27 x 96 x 30"	ECTRC270808PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	225.0#		3349

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

price list.

- A

Select basic model.
- B

Select edge style.

SY

- Sprayed Edge
- C

Select surface finish.
Refer to the **Product Color Options** page in this price list.
- D

Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- E

Select frame color.
** Undercarriage remains black with any choice
** Chrome Upcharge ; add \$580
Refer to the **Product Color Options** page in this price list.
- F

Select stool color.
Refer to the **Product Color Options** page in this

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled (stools require assembly)**, **FOB Elkhorn, WI 53121, freight prepaid**. Freight class 200.






Specifications and prices are subject to change without prior notice.



Round w/Stools



Round w/Stools - Folded



Sprayed edge (SY)

Urethane edge (MC)

Recommended Seating Capacity:	
Model#	Capacity
ECTRD290508PY 8 stools	8
ECTRD270508PY 8 stools	8

Model#	A	B	C	D	E	F
ECTRD290508PY 8 stools	79"	83"	29"	17"	52"	36"
ECTRD270508PY 8 stools	79"	83"	27"	15"	52"	36"

SPECIFICATIONS

CaféWay® Overview

Tables shall be listed with Underwriters Laboratories in compliance with their testing for folding rollaway tables.

Lift Mechanism and Table Undercarriage

All critical parts at the pivot points are attached to the unitized steel frame. Steel latches are automatic in both the storage and in-use positions and are located so that they cannot be accidentally opened or knocked out of adjustment. Two-handed release mechanism protects fingers and hands during operation. Torsion bars assist in closing and opening tables. Torsion springs in conjunction with torsion bars provide easy lifting throughout the complete operating range. Torsion bars are shot-peened to impart compressive strength and increase lifecycle. Torsion bars are epoxy e-coated to prevent rusting and extend usable life. Torsion bars have machined grooves at each end, which receive e-clips to lock in position and prevent lateral movement. All legs are robotically welded for continued consistent quality assurance.

Table Tops and Benches

Table top and bench shall be constructed of 3/4" thick 3M particleboard. Table top and bench (sprayed or molded edge) shall have a 1/2" corner radius. Table top and bench are laminated with a .030 high-pressure laminate sheet for superior abrasion resistance. Laminates shall meet or exceed NEMA standards. A .028" phenolic backer is bonded to the bottom of the table core for stability and moisture resistance. Thickness shall be .808 +/- .004". Top is secured to frame with #10 x 3/4" screws, 9" on centers. Benches on end legs are mounted with eight #10 x 3/4" screws. Two additional bench-mounting brackets secure seat plate to bench with three #10 x 3/4" screws per bracket. Benches on mid-legs are secured to dual 15/8" high C-shaped 14-gauge aprons with #10 x 3/4" screws. Tubing is 1-3/8" OD 14-gauge and MIG welded to 1-5/16" 14-gauge tubing to form the bench attachment assembly, which is attached to the aprons using 5/16 -18" bolts and nylock nuts. Both bench attachment assemblies are inserted and anchored into the center leg assemblies with one 5/16 -18" bolt and nylock nut per down leg.

Stools

13" diameter, high-impact polypropylene shall be of heavy-duty construction with ribs to reinforce points of stress and rolled edges for comfort and strength. Top shall be textured and color must permeate stool. Stools are fastened directly on a 6" square 11-gauge steel plate with eight #14 x 5/8" screws. This plate is welded to a 1" diameter, 14-gauge vertical tube. Seat columns contact floor directly with rubber-cushioned, molded-in steel washer and non-skid, non-marring end cap.

Edges

Table top and bench edges shall be finished as either sprayed or molded urethane. Sprayed Edge (SY) - Edges are sealed and finished with sprayed-on black polyurea edge treatment that provides superior resistance to moisture, eliminates unsanitary food traps, and is extremely tamper-resistant. Molded Urethane Edge (MC) - Edges shall be made of 1/4" thick by 3/4" high, cast black polyurethane that is mechanically and chemically bonded to the table core and chemically bonded to

the laminate surface edges to provide a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Self-supporting MIG welded, unitized frame design uses 14-gauge 1",1¼", and 1½" steel tubing. Lock plates are 8-gauge steel, laser cut to exact tolerances. Low profile 2" high, 14-gauge C-shaped aprons provide maximum top clearance. Grade 5 hex machine bolts with aircraft-type lock nuts are used at assembly points and shoulder bolts are used at stretcher bar-to-leg connections.

Frame Finishes

Frames shall be finished as either powdercoat or chrome. Powdercoat Finish - All metal parts are thoroughly cleaned to resist corrosion and provide maximum paint adhesion, finished with high-grade electrostatically applied baked-on epoxy powdercoat for superior resistance to abrasion, marring, and scratching. The metal finish shall be baked-on lightly textured polyester powdercoat. Chrome Finish - Chrome plating is available on leg

sets touching the ground.


Casters

Table rolls on six 4" diameter x 1-1/4" wide Poly II gray rubber, non-marking, ball-bearing swivel casters. Poly II rubber wheels provide excellent floor protection, abrasion resistance, impact strength, quiet operation, and rolling ease. Casters are resistant to water, oil and most acids and chemicals.

INFORMATION


Warranty

Refer to KI Terms & Conditions document or visit ki.com



Model#	A	B	C	D	E	F
ECTRD2905B4PY 4 benches	86"	87"	29"	17"	52"	44"
ECTRD2707B4PY 4 benches	86"	87"	27"	15"	52"	44"

Recommended Seating Capacity:	
Model#	Capacity
ECTRD2905B4PY 4 benches	8
ECTRD2707B4PY 4 benches	8




Model#	A	B	C	D	E	F
ECTRD2905B2S4PY 2 benches and 4 stools	86"	83"	29"	17"	52"	44"
ECTRD2705B2S4PY 2 benches and 4 stools	86"	83"	27"	15"	52"	44"

Recommended Seating Capacity:	
Model#	Capacity
ECTRD2905B2S4PY 2 benches and 4 stools	8
ECTRD2705B2S4PY 2 benches and 4 stools	8


INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit
ki.com



Model#	A	B	C	D	E	F
ECTRD320506PY 6 stools and 2 wheelchair access spaces	83"	79"	32"	20"	52"	36"

Recommended Seating Capacity:	
Model#	Capacity
ECTRD320506PY 6 stools and 2 wheelchair access spaces	6 + 2 wheelchair access







Model#	A	B	C	D	E	F
ECTRD3205B2S2PY 4 benches	83"	86"	32"	20"	52"	44"

Recommended Seating Capacity:	
Model#	Capacity
ECTRD3205B2S2PY 4 benches	6 + 2 wheelchair access

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit
ki.com

			MODEL NUMBER									
			Basic Model	Table/ Bench Edge Style	Table Surface	Table/ Bench Edge Color	Bench Surface	Frame Color	Stool Color			
MODEL		H x DIA								Approx. Packaged Weight	 Sprayed Edge (SY)	 Urethane Edge (MC)
 ECRDP	Round Tables with 8-Stools	29 x 60"	ECTRD290508PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	209.0#	\$ 3198	\$ 3443
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools and benches require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge	27 x 60"	ECTRD270508PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	209.0#	3198	3443
 ECRDP	Round Tables with 2-Benches/4-Stools	29 x 60"	ECTRD2905B2S4PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	215.0#	\$ 3416	\$ 3659
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools and benches require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge	27 x 60"	ECTRD2705B2S4PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	215.0#	3416	3659
			A	B	C	D	E	F	G			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select table/bench edge style.

SY

- Sprayed Edge

MC

- Urethane edge
- C**Select table surface finish.

Refer to the **Product Color Options** page in this price list.
- D**Select table/bench edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- E**Select bench surface.

Refer to the **Product Color Options** page in this price list.
- F**Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$517

Refer to the **Product Color Options** page in this price list.

GSelect stool color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.





SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Elkhorn, WI 53121, freight excluded**. Freight class 200.

Specifications and prices are subject to change without prior notice.

			MODEL NUMBER									
			Basic Model	Table/ Bench Edge Style	Table Surface	Table/ Bench Edge Color	Bench Surface	Frame Color	Stool Color			
MODEL		H x DIA								Approx. Packaged Weight	 Sprayed Edge (SY)	 Urethane Edge (MC)
 ECRDP	Round Tables with 8-Stools	29 x 60"	ECTRD290508PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	209.0#	\$ 3774	\$ 4061
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools and benches require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge	27 x 60"	ECTRD270508PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	209.0#	3774	4061
 ECRDP	Round Tables with 2-Benches/4-Stools	29 x 60"	ECTRD2905B2S4PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	215.0#	\$ 4031	\$ 4318
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools and benches require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge	27 x 60"	ECTRD2705B2S4PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	215.0#	4031	4318
			A	B	C	D	E	F	G			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select table/bench edge style.

SY

- Sprayed Edge

MC

- Urethane edge
- C**Select table surface finish.

Refer to the **Product Color Options** page in this price list.
- D**Select table/bench edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- E**Select bench surface.

Refer to the **Product Color Options** page in this price list.
- F**Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$609

Refer to the **Product Color Options** page in this price list.

GSelect stool color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Elkhorn, WI 53121, freight prepaid.** Freight class 200.




Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Round Tables (Freight Excluded)

CafeWay® Cafeteria Tables

Round Tables (Freight Excluded)

	MODEL	H x DIA	MODEL NUMBER						Approx. Packaged Weight	 Sprayed Edge (SY)	 Urethane Edge (MC)
			Basic Model	Table/Bench Edge Style	Table Surface	Table/Bench Edge Color	Bench Surface	Frame Color			
 ECRDP	Round Tables with 4-Benches	29 x 60"	ECTRD2905B4PY	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	221.0#	\$ 3634	\$ 3879
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools and benches require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge	27 x 60"	ECTRD2705B4PY	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	221.0#	3634	3879
			A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select table/bench edge style.

SY - Sprayed Edge

MC - Urethane edge
- C**Select table surface finish.

Refer to the **Product Color Options** page in this price list.
- D**Select table/bench edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- E**Select bench surface.

Refer to the **Product Color Options** page in this price list.
- F**Select frame color.

**Undercarriage remains black with any choice

*Chrome Upcharge ; add \$517

Refer to the **Product Color Options** page in this price list.

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.




SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Elkhorn, WI 53121, freight excluded**. Freight class 200.

Specifications and prices are subject to change without prior notice.

[illegible]

ECRDP

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select table/bench edge style.

SY	- Sprayed Edge
MC	- Urethane edge

C Select table surface finish.
Refer to the **Product Color Options** page in this price list.

D Select table/bench edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

E Select bench surface.
Refer to the **Product Color Options** page in this price list.

F Select frame color.
 **Undercarriage remains black with any choice
 **Chrome Upcharge ; add \$609

Refer to the **Product Color Options** page in this price list.

Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Ships knocked down, FOB Elkhorn, WI 53121, freight prepaid. Freight class 200.

Specifications and prices are subject to change without prior notice.





CafeWay® Cafeteria Tables

Round-Wheelchair Accessible Tables (Freight Excluded)

CafeWay® Cafeteria Tables

Round-Wheelchair Accessible Tables (Freight Excluded)



		MODEL NUMBER									
		Basic Model	Table/Bench Edge Style	Table Surface	Table/Bench Edge Color	Bench Surface	Frame Color	Stool Color			
MODEL	H x DIA								Approx. Packaged Weight	 Sprayed Edge (SY)	 Urethane Edge (MC)
 EWRDP	Wheelchair Accessible Round Tables with 6-Stools/2-Wheelchairs	32 x 60"	ECTRD320506PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	209.0#	\$ 3524	\$ 3767
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge										
 EWRDP	Wheelchair Accessible Round Tables with 2-Benches/2-Stools/2Wheelchairs	32 x 60"	ECTRD3205B2S2PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	215.0#	\$ 3416	\$ 3659
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools and benches require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge										

A

B

C

D

E

F

G

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select table/bench edge style.
SY - Sprayed Edge
MC - Urethane edge
- C**Select table surface finish.
Refer to the **Product Color Options** page in this price list.
- D**Select table/bench edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- E**Select bench surface.
Refer to the **Product Color Options** page in this price list.
- F**Select frame color.
**Undercarriage remains black with any choice
*Chrome Upcharge ; add \$517

Refer to the **Product Color Options** page in this price list.

GSelect stool color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.





SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Elkhorn, WI 53121, freight excluded**. Freight class 200.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER									
		Basic Model	Table/ Bench Edge Style	Table Surface	Table/ Bench Edge Color	Bench Surface	Frame Color	Stool Color			
MODEL	H x DIA								Approx. Packaged Weight	 Sprayed Edge (SY)	 Urethane Edge (MC)
 EWRDP	Wheelchair Accessible Round Tables with 6-Stools/2-Wheelchairs	32 x 60"	ECTRD320506PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	209.0#	\$ 4160	\$ 4446
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge										
 EWRDP	Wheelchair Accessible Round Tables with 2-Benches/2-Stools/2Wheelchairs	32 x 60"	ECTRD3205B2S2PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	215.0#	\$ 4031	\$ 4318
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools and benches require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge										

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select table/bench edge style.

SY

- Sprayed Edge

MC

- Urethane edge
- C**Select table surface finish.

Refer to the **Product Color Options** page in this price list.
- D**Select table/bench edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- E**Select bench surface.

Refer to the **Product Color Options** page in this price list.
- F**Select frame color.

**Undercarriage remains black with any choice

*Chrome Upcharge ; add \$609

Refer to the **Product Color Options** page in this price list.

GSelect stool color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Elkhorn, WI 53121, freight prepaid.** Freight class 200.






Specifications and prices are subject to change without prior notice.



Octagonal w/Stools



Octagonal w/Stools - Folded



Sprayed edge (SY)

Model#	A	B	C	D	E	F
ECTOC290508PY 8 stools	78"	83"	29"	17"	52"	36"
ECTOC270508PY 8 stools	78"	83"	27"	15"	52"	36"

Recommended Seating Capacity:	
Model#	Capacity
ECTOC290508PY 8 stools	8
ECTOC270508PY 8 stools	8

SPECIFICATIONS

CaféWay® Overview

Tables shall be listed with Underwriters Laboratories in compliance with their testing for folding rollaway tables.

Lift Mechanism and Table Undercarriage

All critical parts at the pivot points are attached to the unitized steel frame. Steel latches are automatic in both the storage and in-use positions and are located so that they cannot be accidentally opened or knocked out of adjustment. Two-handed release mechanism protects fingers and hands during operation. Torsion bars assist in closing and opening tables. Torsion springs in conjunction with torsion bars provide easy lifting throughout the complete operating range. Torsion bars are shot-peened to impart compressive strength and increase lifecycle. Torsion bars are epoxy e-coated to prevent rusting and extend usable life. Torsion bars have machined grooves at each end, which receive e-clips to lock in position and prevent lateral movement. All legs are robotically welded for continued consistent quality assurance.

Table Tops

Table top shall be constructed of 3/4" thick 3M particleboard. Table top (sprayed or molded edge) shall have a 1/2" corner radius. Table top is laminated with a .030 high-pressure laminate sheet for superior abrasion resistance. Laminates shall meet or exceed NEMA standards. A .028" phenolic backer is bonded to the bottom of the table core for stability and moisture resistance. Thickness shall be .808 +/- .004". Top is secured to frame with #10 x 3/4" screws, 9" on centers.

Stools

13" diameter, high-impact polypropylene shall be of heavy-duty construction with ribs to reinforce points of stress and rolled edges for comfort and strength. Top shall be textured and color must permeate stool. Stools are fastened directly on a 6" square 11-gauge steel plate with eight #14 x 5/8" screws. This plate is welded to a 1" diameter, 14-gauge vertical tube. Seat columns contact floor directly with rubber-cushioned, molded-in steel washer and non-skid, non-marring end cap.

Edges

Table top edges shall be finished as either sprayed or molded urethane. Sprayed Edge (SY) - Edges are sealed and finished with sprayed-on black polyurea edge treatment that provides superior resistance to moisture, eliminates unsanitary food traps, and is extremely tamper-resistant.

Frames

Self-supporting MIG welded, unitized frame design uses 14-gauge 1",1¼", and 1½" steel tubing. Lock plates are 8-gauge steel, laser cut to exact tolerances. Low profile 2" high, 14-gauge C-shaped aprons provide maximum top clearance. Grade 5 hex machine bolts with aircraft-type lock nuts are used at assembly points and shoulder bolts are used at stretcher bar-to-leg connections.

Frame Finishes

Frames shall be finished as either powdercoat or chrome. Powdercoat Finish - All metal parts are thoroughly cleaned to resist corrosion and provide maximum paint adhesion, finished with high-grade elec-

trostatically applied baked-on epoxy powdercoat for superior resistance to abrasion, marring, and scratching. The metal finish shall be baked-on lightly textured polyester powdercoat. Chrome Finish - Chrome plating is available on leg sets touching the ground.

Casters

Table rolls on six 4" diameter x 1¼" wide Poly II gray rubber, non-marking, ball-bearing swivel casters. Poly II rubber wheels provide excellent floor protection, abrasion resistance, impact strength, quiet operation, and rolling ease. Casters are resistant to water, oil and most acids and chemicals.

INFORMATION

Warranty


Refer to KI Terms & Conditions document or visit ki.com

CafeWay® Cafeteria Tables

Octagonal Tables with Stools (Freight Excluded)

CafeWay® Cafeteria Tables

Octagonal Tables with Stools (Freight Excluded)

	MODEL	H x DIA	MODEL NUMBER						Approx. Packaged Weight	Sprayed Edge (SY)
			Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color		
 ECOCP	Octagonal Tables with 8-Stools	29 x 60"	ECTOC290508PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	209.0#	\$ 3198
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Available in sprayed edge (SY) only• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly	27 x 60"	ECTOC270508PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	209.0#	3198
			A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

price list.

- A**Select basic model.
- B**Select edge style.
SY - Sprayed Edge
- C**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- D**Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- E**Select frame color.
* *Undercarriage remains black with any choice
* *Chrome Upcharge ; add \$517
Refer to the **Product Color Options** page in this price list.
- F**Select stool color.
Refer to the **Product Color Options** page in this

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Elkhorn, WI 53121, freight excluded**. Freight class 200.


Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Octagonal Tables with Stools (Delivered)

CafeWay® Cafeteria Tables

Octagonal Tables with Stools (Delivered)

		MODEL NUMBER								
 ECOCP	MODEL	H x DIA	Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color	Approx. Packaged Weight	Sprayed Edge (SY)
<ul style="list-style-type: none">• Octagonal Tables with 8-Stools• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Available in sprayed edge (SY) only• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly		29 x 60"	ECTOC290508PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	209.0#	\$ 3774
		27 x 60"	ECTOC270508PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	209.0#	3774
			A	B	C	D	E	F		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

price list.

- A**Select basic model.
- B**Select edge style.
SY - Sprayed Edge
- C**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- D**Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- E**Select frame color.
** Undercarriage remains black with any choice
** Chrome Upcharge ; add \$609
Refer to the **Product Color Options** page in this price list.
- F**Select stool color.
Refer to the **Product Color Options** page in this

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Elkhorn, WI 53121, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.





Racetrack w/Stools



Racetrack w/Stools - Folded



Racetrack
10stools/2 wheelchairs



Sprayed edge (SY) Urethane edge (MC)

SPECIFICATIONS

CaféWay® Overview

Tables shall be listed with Underwriters Laboratories in compliance with their testing for folding rollaway tables.

Lift Mechanism and Table Undercarriage

All critical parts at the pivot points are attached to the unitized steel frame. Steel latches are automatic in both the storage and in-use positions and are located so that they cannot be accidentally opened or knocked out of adjustment. Two-handed release mechanism protects fingers and hands during operation. Torsion bars assist in closing and opening tables. Torsion springs in conjunction with torsion bars provide easy lifting throughout the complete operating range. Torsion bars are shot-peened to impart compressive strength and increase lifecycle. Torsion bars are epoxy e-coated to prevent rusting and extend usable life. Torsion bars have machined grooves at each end, which receive e-clips to lock in position and prevent lateral movement. All legs are robotically welded for continued consistent quality assurance.

Table Tops and Benches

Table top and bench shall be constructed of 3/4" thick 3M particleboard. Table top (sprayed or molded edge) shall have a 1/2" corner radius. Table top is laminated with a .030 high-pressure laminate sheet for superior abrasion resistance. Laminates shall meet or exceed NEMA standards. A .028" phenolic backer is bonded to the bottom of the table core for stability and moisture resistance. Thickness shall be .808 +/- .004". Top is secured to frame with #10 x 3/4" screws, 9" on centers. Benches are mounted to end legs with eight #10 x 3/4" screws. Two additional bench-mounting brackets secure seat plate to bench with three #10 x 3/4" screws each.

Stools

13" diameter, high-impact polypropylene shall be of heavy-duty construction with ribs to reinforce points of stress and rolled edges for comfort and strength. Top shall be textured and color must permeate stool. Stools are fastened directly on a 6" square 11-gauge steel plate with eight #14 x 5/8" screws. This plate is welded to a 1" diameter,

14-gauge vertical tube. Seat columns contact floor directly with rubber-cushioned, molded-in steel washer and non-skid, non-marring end cap.

Edges

Table top edges shall be finished as either sprayed or molded urethane. Sprayed Edge (SY) - Edges are sealed and finished with sprayed-on black polyurea edge treatment that provides superior resistance to moisture, eliminates unsanitary food traps, and is extremely tamper-resistant. Molded Urethane Edge (MC) - Edges shall be made of 1/4" thick by 3/4" high, cast black polyurethane that is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edges to provide a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Self-supporting MIG welded, unitized frame design uses 14-gauge 1", 1 1/4", and 1 1/2" steel tubing. Lock plates are 8-gauge steel, laser cut to exact tolerances. Low profile 2" high, 14-gauge

C-shaped aprons provide maximum top clearance. Grade 5 hex machine bolts with aircraft-type lock nuts are used at assembly points and shoulder bolts are used at stretcher bar-to-leg connections.

Frame Finishes

Frames shall be finished as either powdercoat or chrome. Powdercoat Finish - All metal parts are thoroughly cleaned to resist corrosion and provide maximum paint adhesion, finished with high-grade electrostatically applied baked-on epoxy powdercoat for superior resistance to abrasion, marring, and scratching. The metal finish shall be baked-on lightly textured polyester powdercoat. Chrome Finish - Chrome plating is available on leg sets touching the ground.

Casters


Table rolls on six 4" diameter x 1 1/4" wide Poly II gray rubber, non-marking, ball-bearing swivel casters. Poly II rubber wheels provide excellent floor protection, abrasion resistance, impact strength, quiet operation, and rolling ease. Casters are resistant to water, oil and most acids and

chemicals.

INFORMATION


Warranty

Refer to KI Terms & Conditions document or visit ki.com



Model#	A	B	C	D	E	F
ECTEL291010PY 10 stoolsand 2 wheelchair access spaces	135"	70"	29"	17"	78"	46-1/2"

Recommended Seating Capacity:	
Model#	Capacity
ECTEL291010PY 10 stoolsand 2 wheelchair access spaces	10 + 2 wheel-chair access




Model#	A	B	C	D	E	F
ECTEL270508PY 8 stools	78"	70"	27"	15"	52"	34"

Recommended Seating Capacity:	
Model#	Capacity
ECTEL270508PY 8 stools	8

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit
ki.com



Model#	A	B	C	D	E	F
ECTEL2705B2S4PY 2 benches and 4 stools	86"	70"	27"	15"	52"	42"

Recommended Seating Capacity:	
Model#	Capacity
ECTEL2705B2S4PY 2 benches and 4 stools	8

INFORMATION





Warranty
Refer to KI Terms & Conditions document or visit
ki.com

CafeWay® Cafeteria Tables

Racetrack Tables with Stools (Freight Excluded)

CafeWay® Cafeteria Tables

Racetrack Tables with Stools (Freight Excluded)

		MODEL NUMBER									
		Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color				
MODEL		H x L x W							Approx. Packaged Weight	 Sprayed Edge (SY)	 Urethane Edge (MC)
 ECELP	Racetrack Tables with 12-Stools	29 x 120 x 44"	ECTEL291012PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	320.0#	\$ 4975	\$ 5344
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge	27 x 120 x 44"	ECTEL271012PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	321.0#	4975	5344
 ECELP	Racetrack Tables with 8-Stools	27 x 60 x 48"	ECTEL270508PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	215.0#	\$ 3198	N/A
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge										

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

SY

- Sprayed Edge

MC

- Urethane edge
- C**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- D**Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- E**Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$596

Refer to the **Product Color Options** page in this price list.
- F**Select stool color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down**, **FOB Elkhorn, WI 53121**, **freight excluded**. Freight class 200.





Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Racetrack Tables with Stools (Delivered)

CafeWay® Cafeteria Tables

Racetrack Tables with Stools (Delivered)

	MODEL	H x L x W	MODEL NUMBER						Approx. Packaged Weight	 Sprayed Edge (SY)	 Urethane Edge (MC)
			Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color			
 ECELP	Racetrack Tables with 12-Stools	29 x 120 x 44"	ECTEL291012PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	320.0#	\$ 5872	\$ 6307
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge	27 x 120 x 44"	ECTEL271012PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	321.0#	5872	6307
 ECELP	Racetrack Tables with 8-Stools	27 x 60 x 48"	ECTEL270508PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	215.0#	\$ 3774	N/A
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge										

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

SY

- Sprayed Edge

MC

- Urethane edge
- C**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- D**Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- E**Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$706

Refer to the **Product Color Options** page in this price list.
- F**Select stool color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Elkhorn, WI 53121, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select table/bench edge style.

SY - Sprayed Edge

C Select table surface finish.
Refer to the **Product Color Options** page in this price list.

D Select table/bench edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

E Select bench surface.
Refer to the **Product Color Options** page in this price list.

F Select frame color.
 ** Undercarriage remains black with any choice
 ** Chrome Upcharge ; add \$596
 Refer to the **Product Color Options** page in this

price list.

● Select stool color.
Refer to the **Product Color Options** page in this price list.

Sprayed Edge


Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

With specially marked information N/C

Ships knocked down, FOB Elkhorn, WI 53121, freight excluded. Freight class 200.

Specifications and prices are subject to change without prior notice.

	MODEL	H x L x W	MODEL NUMBER							Approx. Packaged Weight	Sprayed Edge (SY)
			Basic Model	Table/Bench Edge Style	Table Surface	Table/Bench Edge Color	Bench Surface	Frame Color	Stool Color		
 ECELP	Racetrack Tables w/2-Benches/4-Stools	27 x 60 x 48"	ECTEL2705B2S4PY	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	221.0#	\$ 3774
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools and benches require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge										
			A	B	C	D	E	F	G		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select table/bench edge style.
SY - Sprayed Edge
- C**Select table surface finish.
Refer to the **Product Color Options** page in this price list.
- D**Select table/bench edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- E**Select bench surface.
Refer to the **Product Color Options** page in this price list.
- F**Select frame color.
**Undercarriage remains black with any choice
**Chrome Upcharge ; add \$706
Refer to the **Product Color Options** page in this
- price list.
- G**Select stool color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Elkhorn, WI 53121, freight prepaid.** Freight class 200.




Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Racetrack-Wheelchair Accessible Tables (Freight Excluded)

CafeWay® Cafeteria Tables

Racetrack-Wheelchair Accessible Tables (Freight Excluded)

		MODEL NUMBER									 Sprayed Edge (SY)  Urethane Edge (MC)	
		Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color					
 EWELP	MODEL	H x L x W							Approx. Packaged Weight			
	Wheelchair Accessible Racetrack Tables with 10-Stools/2-Wheelchairs	29 x 120 x 44"	ECTEL291010PY	□□□	□□□	□□□	□□	□□□	320.0#	\$ 4975	\$ 5344	
	• Tables ship blanket wrapped as standard											
	• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service											
	• Torsion bars and torsion springs work in conjunction to assist table lifting											
	• Table and bases have a third caster for additional weight distribution											
	• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position											
	• Wheelchair accessible models provide (10) stools and room for (2) wheel chairs											
	• Large non-marking casters make folded table movement easy											
	• Polypropylene stools have ribs to reinforce points of stress and are recyclable											
	• Stools require assembly											
	• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge											
			A	B	C	D	E	F				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

SY - Sprayed Edge

MC - Urethane edge
- C**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- D**Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- E**Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$517

Refer to the **Product Color Options** page in this price list.
- F**Select stool color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.




SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Elkhorn, WI 53121, freight excluded**. Freight class 200.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER									
MODEL	H x L x W	Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color	Approx. Packaged Weight	 Sprayed Edge (SY)	 Urethane Edge (MC)	
 EWELP	Wheelchair Accessible Racetrack Tables with 10-Stools/2-Wheelchairs	29 x 120 x 44"	ECTEL291010PY	□□□	□□□	□□□	□□	□□□	320.0#	\$ 5872	\$ 6307
	• Tables ship blanket wrapped as standard										
	• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service										
	• Torsion bars and torsion springs work in conjunction to assist table lifting										
	• Table and bases have a third caster for additional weight distribution										
	• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position										
	• Wheelchair accessible models provide (10) stools and room for (2) wheel chairs										
	• Large non-marking casters make folded table movement easy										
	• Polypropylene stools have ribs to reinforce points of stress and are recyclable										
	• Stools require assembly										
	• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge										
			A	B	C	D	E	F			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are avail-able.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

SY

MC

- Sprayed Edge

- Urethane edge
- C**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- D**Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- E**Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$609

Refer to the **Product Color Options** page in this price list.
- F**Select stool color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Elkhorn, WI 53121, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2023 Krueger International, Inc. All Rights Reserved.