

PASSEL® COLLECTION

PRICE LIST

EFFECTIVE APRIL 4, 2025 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering	Customer's Own Material (C.O. Information	M.) Upholstery	3
Passel™			
	Technical Specifications		4
	Product Color Options		?
Height Ad	justable Table		
•	T-Leg		10
	C-Leg		11
Worksurfa	nce Screens		
	Fabric		12
	PET Felt		13
	Corner Connector		16
	COLLIGI COLLIGECTOL		10
Accessori	es and Components		17




How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.

Diagram A



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION



Architectural Walls	Panel Systems	
EvokeMN	All Terrain	K
GeniusMN	Balance	MI
	Universal	MI
Casegoods	Wireworks	MI
AristotleMN	Unite	MI
LikhaMN		
	Residence Hall Furniture	
Classroom Furniture	RoomScape	MI
CogniGB		
Intellect WaveGB	Screens	
Learn2GB	All Terrain	K
RuckusGB	Connection Zone	BV
	Tributaire	BV
Desking	True/Volition	K
700 SeriesKP	Genesis	K
Balance MN	Tattoo	MI
Genesis MN	Universal	BV
TrueKP		
Universal MN	Seating	
WorkZone MN	600 Series	BV
	Affina	HI
Files & Storage	Altus	G
700 SeriesGB	Apply	G
ConnectionBW	Calida	HI
U-SeriesGB	Cascha	V
TattooBW	Clamber	HI
	Cogni	G
Fixed Seating	Diem	OI
ConcertoBW	Doni	G
Single PedestalGB	Gladly	V0
Jury BaseGB	Grazie	G
LancasterBW	Hub	HI
SequenceGB	Impress	OI

itellect Wave	GE
essa	1
ubilee	VC
atera	GE
urv Benches	1
earn2	GE
meLite	GE
/ra	H
ledical & Laboratory Stools	ON
lyPlace	H
lyWay	H
ath	GE
pt4	GE
ilot	ON
romenade	BV
uckus	GE
ela	H
ift	GE
ignia	ON
oltice Metal	H
oltice	H
onrisa	H
trive	GE
way	BV
attoo	H
orsion-on-the-Go!	GE
orsion Air	GE
eker	H
oetry	H

KI C.O.M. Manufacturing Site Addresses:

KI Bonduel Attn: COM Storage 204 West South St Bonduel, WI 54107

KI Green Bay

Attn: COM Storage

Green Bay, WI 54302

1687 Westminster Drive - Gate 3

KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

OM Attn: COM Storage 1110 S. Mildred Ave Ontario, CA 91761

Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

VT Attn: COM Storage 2803 South Taylor Drive Sheboygan, WI 53081

Passel
Technical Specifications



PRODUCT SPECIFICATIONS

Passel Desking System
Adjustable-Height Tables

December 2024

TECHNICAL SPECIFICATIONS

General

The table consists of a top with two adjustable height T-Leg or C-Leg bases. T-Leg columns are centered on a horizontal foot and C-Leg columns are offset two-thirds of the distance to the back of the horizontal foot. Bases are attached to a dual stringer worksurface cross bar support that spans the two bases and supports either a $1^{1}/_{4}$ " or a $3^{1}/_{4}$ " thick tabletop. The top of the worksurface adjusts in height between $22^{5}/_{16}$ " and $48^{7}/_{16}$ " on tables with $3^{1}/_{4}$ " thick worksurfaces and $22^{11}/_{16}$ " and $48^{13}/_{16}$ " on tables with $3^{1}/_{4}$ " thick worksurfaces by means of electric two button control switch with up and down arrow indicators.

Base

The T-Leg or C-Leg base consists of a column assembly and foot, both finished with powder-coat paint. Column assembly consists of an outer member, an intermediate member, and an inner member. The lower outer member is $3^1/_4$ " x 2" rectangular, 16-gauge steel tubing with a $1/_4$ " thick steel plate welded inside the bottom end. The intermediate member is $3^{11} \times 1^{11} \times 1^{$

Worksurface Support

The worksurface support is constructed using two formed 2.5 mm steel brackets that surround the motor housing at the top of each leg column. The bracket is secured to the housing using four 6 mm bolts. Four 1.5 mm J-Shaped cross members are included and can be adjusted based on worksurface width. When connected, the four channels create two full length cross members that attach to each leg bracket for stability.

Worksurfaces

Worksurfaces are available in two standard thickness, $^3/_4$ " or $1^1/_4$ " overall thickness. Worksurfaces are constructed of $^3/_4$ " or $1^1/_8$ " thick 45 lb density particleboard core. The top surface is covered with .030" high-pressure laminate and the bottom surface is covered with a phenolic backing. The perimeter is finished using high-impact plastic edging. The worksurface is pre-drilled and attached to the bases using twenty-four 5 mm tapping screws.

Cable Tray

The cable tray is an optional accessory which must be ordered separately. Constructed of 16-gauge sheet metal finished with a powder-coat paint which may be coordinated to match the color of the table base. Screws are provided for attachment to the underside of the worksurface, and tops are pre-drilled for cable tray attachment in predetermined locations based on worksurface size and base style. Trays provide open access from the front, user side to easily feed wires, route cables, place modules or power strips and/or install cable management systems.

TECHNICAL SPECIFICATIONS

Privacy Screens

Felt privacy screens are an optional accessory that must be ordered separately. They are constructed from a $^{1}/_{4}$ " thick sound-absorbing, 100% polyester felt. The panels have a density of 0.5 lb/ft2 and are sound absorbing tested to ASTM C423 with an NRC rating of .44 when using no air gap (A Mount testing method) and an NRC rating of .81 with 2" air gap. The polyester felt is in accordance with ASTM-E84 and achieve a Class A Flame Spread.

Fabric privacy screens are constructed from a $^7/_{16}$ " thick, 7.7 lb/ft $^\circ$ 3 fiberglass board that is wrapped in a fabric cover. Fabric styles come in any approved KI fabric, which is glued to both sides of the core. Standard sizes for privacy screens are $23^1/_2$ " or $29^1/_2$ " tall and $1^5/_{16}$ " longer than the work surface edge it is mounted to.

Screens are secured to two or three 11-gauge steel formed brackets using two #10-32 knurled thumb screws per bracket.

Deluxe Control Pad

The Deluxe Control Pad is an optional accessory that includes three programable memory buttons for saved height settings, an LED display that lets users read the tables overall height, and a variable speed function.

Passel Electric Adjustable-Height Table - Operating Capacity Charts

Tables	with $I^{1}/_{8}$ "	Thick Table	etops
Table Dimensions	I 1/8" Top Weight (approx.)	Base Only Operating Capacity	Operating Load Capacity
24 x 48	40 lb	250 lb	205 lb
24 x 54	45 lb	250 lb	200 lb
24 x 60	50 lb	250 lb	195 lb
24 x 66	55 lb	250 lb	190 lb
24 x 72	60 lb	250 lb	185 lb
30 x 48	50 lb	250 lb	195 lb
30 x 54	56 lb	250 lb	190 lb
30 x 60	63 lb	250 lb	185 lb
30 x 66	69 lb	250 lb	180 lb
30 x 72	75 lb	250 lb	175 lb

Tables	Tables with 3/4" Thick Tabletops									
Table Dimensions	³/₄" Top Weight (approx.)	Base Only Operating Capacity	Operating Load Capacity							
24 x 48	24 lb	250 lb	225 lb							
24 x 54	27 lb	250 lb	220 lb							
24 x 60	30 lb	250 lb	215 lb							
24 x 66	33 lb	250 lb	210 lb							
24 x 72	36 lb	250 lb	205 lb							
30 x 48	30 lb	250 lb	215 lb							
30 x 54	34 lb	250 lb	210 lb							
30 x 60	38 lb	250 lb	205 lb							
30 x 66	42 lb	250 lb	200 lb							
30 x 72	45 lb	250 lb	195 lb							





DIMENSIONS


Passel Adjustable-Height Table - C-Leg

Model Number	A Table Depth	B Table Width	C Table Height	D Worksurface Thickness	E Space Between Legs	F Tabletop-to- Floor	G Beam-to- Floor	H Leg Inset	l Leg Setback
PKFFA2448	231/2"	461/2"	22 ³ / ₁₆ " - 48 ⁵ / ₁₆ " 22 ¹¹ / ₁₆ " - 48 ¹³ / ₁₆ "	3/4" 1/4"	36 ¹⁵ /16"	213/8" - 479/16"	9 ³ / ₈ " - 45 ⁹ / ₁₆ "	19/16"	I 4 ³ / ₄ "
PKFFA2454	231/2"	521/2"	22 ³ / ₁₆ " - 48 ⁵ / ₁₆ " 22 ¹¹ / ₁₆ " - 48 ¹³ / ₁₆ "	3/4"	4215/16"	213/8" - 479/16"	193/8" - 459/16"	19/16"	4 ³ / ₄ "
PKFFA2460	231/2"	58¹/₂"	22 ³ / ₁₆ " - 48 ⁵ / ₁₆ " 22 ¹¹ / ₁₆ " - 48 ¹³ / ₁₆ "	3/ ₄ "	4815/16"	213/8" - 479/16"	19³/8" - 45 ⁹ /16"	19/16"	I 4 ³ / ₄ "
PKFFA2466	231/2"	641/2"	22 ³ / ₁₆ " - 48 ⁵ / ₁₆ " 22 ¹¹ / ₁₆ " - 48 ¹³ / ₁₆ "	3/ ₄ "	54 ¹⁵ / ₁₆ "	213/8" - 479/16"	193/8" - 459/16"	19/16"	I 4 ³ / ₄ "
PKFFA2472	231/2"	70¹/₂"	22 ³ / ₁₆ " - 48 ⁵ / ₁₆ " 22 ¹¹ / ₁₆ " - 48 ¹³ / ₁₆ "	3/ ₄ "	54 ¹⁵ /16"	213/8" - 479/16"	19³/8" - 45 ⁹ /16"	49/16"	I 4 ³ / ₄ "
PKFFA3048	291/2"	461/2"	22 ³ / ₁₆ " - 48 ⁵ / ₁₆ " 22 ¹¹ / ₁₆ " - 48 ¹³ / ₁₆ "	3/ ₄ "	36 ¹⁵ / ₁₆ "	213/8" - 479/16"	19 ³ / ₈ " - 45 ⁹ / ₁₆ "	19/16"	191/16"
PKFFA3054	291/2"	521/2"	22 ³ / ₁₆ " - 48 ⁵ / ₁₆ " 22 ¹¹ / ₁₆ " - 48 ¹³ / ₁₆ "	3/ ₄ "	4215/16"	213/8" - 479/16"	19 ³ / ₈ " - 45 ⁹ / ₁₆ "	19/16"	191/16"
PKFFA3060	291/2"	581/2"	22 ³ / ₁₆ " - 48 ⁵ / ₁₆ " 22 ¹¹ / ₁₆ " - 48 ¹³ / ₁₆ "	³ / ₄ "	4815/16"	213/8" - 479/16"	19 ³ / ₈ " - 45 ⁹ / ₁₆ "	19/16"	191/16"
PKFFA3066	291/2"	641/2"	22 ³ / ₁₆ " - 48 ⁵ / ₁₆ " 22 ¹¹ / ₁₆ " - 48 ¹³ / ₁₆ "	3/4"	54 ¹⁵ / ₁₆ "	213/8" - 479/16"	193/8" - 459/16"	19/16"	191/16"
PKFFA3072	291/2"	701/2"	22 ³ / ₁₆ " - 48 ⁵ / ₁₆ " 22 ¹¹ / ₁₆ " - 48 ¹³ / ₁₆ "	3/ ₄ "	54 ¹⁵ / ₁₆ "	213/8" - 479/16"	193/8" - 459/16"	49/16"	191/16"

(model PKFFA2448 shown)








(bottom view)


DIMENSIONS

Passel Adjustable-Height Table - T-Leg

Model Number	A Table Depth	B Table Width	C Table Height	D Tabletop Thickness	E Space Between Legs	F Tabletop-to- Floor	G Beam-to- Floor	H Leg Inset	l Leg Setback
PKAFA2448	231/2"	461/2"	223/16" - 485/16"	3/4"	36 ¹⁵ / ₁₆ "	21 ³ / ₈ " - 47 ⁹ / ₁₆ "	19 ³ /8" - 45 ⁹ / ₁₆ "	19/16"	101/8"
F NAFAZ 11 0	23 /2	40 /2	2211/16" - 4813/16"	/4"	36 /16	Z1 /8 = 47 /16	17/8 = 43/16	I /16	10 /8
PKAFA2454	231/2"	521/2"	223/16" - 485/16"	3/4"	4215/16"	213/8" - 479/16"	19 ³ / ₈ " - 45 ⁹ / ₁₆ "	19/16"	101/8"
FNAFAZ434	23./2	32./2	2211/16" - 4813/16"	/4"	42/16	Z1-/8 = 47-/16	1 7-/8 = 45./16	1./16	10.78
PKAFA2460	231/2"	581/2"	223/16" - 485/16"	3/4"	4815/16"	2 3/8" - 479/16"	19 ³ /8" - 45 ⁹ /16"	19/16"	101/8"
PNAFAZ460	23./2	30./5	2211/16" - 4813/16"	/4"	40/16	Z1-/8 - 4/-/16	19-/8 - 43-/16	1./16	10./8
PKAFA2466	231/2"	641/2"	223/16" - 485/16"	3/4"	54 ¹⁵ / ₁₆ "	2 3/8" - 479/16"	19 ³ / ₈ " - 45 ⁹ / ₁₆ "	19/16"	101/8"
FNAFAZ400	23./2	041/2	2211/16" - 4813/16"	/4"	3417/16	Z1 ⁻⁷ /8 = 47 ⁻⁷ /16	197/8 - 437/16	1 7/16	10./8
PKAFA2472	231/2"	701/2"	223/16" - 485/16"	3/4"	54 ¹⁵ / ₁₆ "	2 3/8" - 479/16"	19 ³ /8" - 45 ⁹ /16"	49/16"	1017
PKAFAZ4/Z	23./2	/0'/2	2211/16" - 4813/16"	/4"	34'3/16	Z1 ⁻ /8 - 4/ ⁻ / ₁₆	197/8 - 437/16	4'/16	101/8"
PKAFA3048	291/2"	461/2"	223/16" - 485/16"	3/4"	36 ¹⁵ / ₁₆ "	213/8" - 479/16"	19 ³ / ₈ " - 45 ⁹ / ₁₆ "	19/16"	131/8"
PKAFA3U48	29./2	46'/2	2211/16" - 4813/16"	1/4"	36'3/16	213/8 - 4/1/16	19 ⁻⁷ /8 - 45 ⁻⁷ /16	17/16	13./8
DICA FA 20F 4	2017	F21/"	223/16" - 485/16"	3/4"	42157 "	213/" 479/"	103/" 459/"	197 "	1217
PKAFA3054	291/2"	521/2"	2211/16" - 4813/16"	/4"	4215/16"	213/8" - 479/16"	193/8" - 459/16"	19/16"	131/8"
DICA FA 20 CO	2017	FO! / "	223/16" - 485/16"	3/4"	40157.	213/" 479/"	103/" 459/"	197 "	121/"
PKAFA3060	291/2"	581/2"	2211/16" - 4813/16"	1/4"	4815/16"	213/8" - 479/16"	193/8" - 459/16"	19/16"	131/8"
DICA FA 2007	2017.	Z 41 / "	223/16" - 485/16"	3/4"	E 4157 "	213/" 479/"	103/" 459/"	197 "	1217
PKAFA3066	291/2"	641/2"	2211/16" - 4813/16"	1/4"	5415/16"	213/8" - 479/16"	193/8" - 459/16"	19/16"	131/8"
DICA FA 2072	2017.	7017"	223/16" - 485/16"	3/4"	E 4157 "	213/" 479/"	103/" 459/"	49 / "	1317"
PKAFA3072	291/2"	701/2"	2211/16" - 4813/16"	/ ₄ "	5415/16"	213/8" - 479/16"	193/8" - 459/16"	49/16"	131/8"


(model PKAFA2448 with glide base shown)





(front view)

(side view)



(bottom view)

DIMENSIONS

Passel Tabletop Screens - Fabric (square corners)

Model Number	A Overall Screen Depth	B Overall Screen Width	C Overall Screen Height	D Screen bottom- to-floor	E Screen top- to-tabletop	F Table edge- to-screen	Number of Brackets
PKDFA2424	27/8"	24 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	3/ ₈ "	2
PKDFA3024	27/8"	30 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	³ / ₈ "	2
PKDFA4224	27/8"	41 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	I ³ / ₈ "	2
PKDFA4824	27/8"	47 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	³ / ₈ "	2
PKDFA5424	27/8"	53 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	1 ³ / ₈ "	3
PKDFA6024	27/8"	59 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	³ / ₈ "	3
PKDFA6624	27/8"	65 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	³ / ₈ "	3
PKDFA7224	27/8"	71 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ /8"	l ³ /8"	3
PKDFA2430	27/8"	24 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	³ / ₈ "	2
PKDFA3030	27/8"	30 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ /8"	I ³ /8"	2
PKDFA4230	27/8"	41 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ /8"	I ³ /8"	2
PKDFA4830	27/8"	47 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	1 ³ / ₈ "	2
PKDFA5430	27/8"	53 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	1 ³ / ₈ "	3
PKDFA6030	27/8"	59 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	1 ³ / ₈ "	3
PKDFA6630	27/8"	65 ⁷ / ₈ "	291/2"	155/8"-413/4"	I 6 ⁵ /8"	I ³ /8"	3
PKDFA7230	2 ⁷ / ₈ "	71 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	I ³ / ₈ "	3

The chart above refrences dimension illustrations on page 7.

Passel Tabletop Screens - Felt (square corners)

Model Number	A Overall Screen Depth	B Overall Screen Width	C Overall Screen Height	D Screen bottom- to-floor	E Screen top- to-tabletop	F Table edge- to-screen	Number of Brackets
PKDPF2424R0	27/8"	24 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	2
PKDPF3024R0	27/8"	30 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	2
PKDPF4224R0	27/8"	41 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	2
PKDPF4824R0	27/8"	47 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	2
PKDPF5424R0	27/8"	53 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	3
PKDPF6024R0	27/8"	59 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ /8"	/ ₈ "	3
PKDPF6624R0	27/8"	65 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	3
PKDPF7224R0	27/8"	71 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ /8"	/ ₈ "	3
PKDPF2430R0	27/8"	24 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	2
PKDPF3030R0	27/8"	30 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ /8"	/ ₈ "	2
PKDPF4230R0	27/8"	41 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	2
PKDPF4830R0	27/8"	47 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	2
PKDPF5430R0	27/8"	53 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	3
PKDPF6030R0	27/8"	59 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	3
PKDPF6630R0	27/8"	65 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	3
PKDPF7230R0	27/8"	71 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	3

The chart above refrences dimension illustrations on page 7.



Passel Tabletop Screens - Felt (one rounded corner)

Model Number	A Overall Screen Depth	B Overall Screen Width	C Overall Screen Height	D Screen bottom- to-floor	E Screen top- to-tabletop	F Table edge- to-screen	Number of Brackets
PKDPF2424R1	27/8"	24 ⁷ / ₈ "	231/2"	15 ⁵ / ₈ "-41 ³ / ₄ "	16 ⁵ / ₈ "	/ ₈ "	2
PKDPF3024R1	27/8"	30 ⁷ / ₈ "	231/2"	15 ⁵ / ₈ "-41 ³ / ₄ "	16 ⁵ / ₈ "	/ ₈ "	2
PKDPF4224R1	27/8"	417/8"	231/2"	155/8"-413/4"	I 6 ⁵ / ₈ "	/ ₈ "	2
PKDPF4824R1	27/8"	477/8"	231/2"	155/8"-413/4"	I 6 ⁵ / ₈ "	/ ₈ "	2
PKDPF5424R1	27/8"	53 ⁷ / ₈ "	231/2"	155/8"-413/4"	I 6 ⁵ / ₈ "	/ ₈ "	3
PKDPF6024R1	27/8"	59 ⁷ /8"	231/2"	155/8"-413/4"	16 ⁵ /8"	/ ₈ "	3
PKDPF6624R1	27/8"	65 ⁷ /8"	231/2"	155/8"-413/4"	16 ⁵ /8"	/ ₈ "	3
PKDPF7224R1	27/8"	71 ⁷ / ₈ "	231/2"	155/8"-413/4"	I 6 ⁵ / ₈ "	I 1/8"	3
PKDPF2430R1	27/8"	24 ⁷ / ₈ "	291/2"	155/8"-413/4"	I 6⁵/8"	/ ₈ "	2
PKDPF3030R1	27/8"	307/8"	291/2"	155/8"-413/4"	I 6 ⁵ / ₈ "	/ ₈ "	2
PKDPF4230R1	27/8"	41 ⁷ / ₈ "	291/2"	155/8"-413/4"	I 6 ⁵ / ₈ "	/ ₈ "	2
PKDPF4830R1	27/8"	47 ⁷ / ₈ "	291/2"	155/8"-413/4"	I 6⁵/8"	/ ₈ "	2
PKDPF5430R1	27/8"	53 ⁷ / ₈ "	291/2"	155/8"-413/4"	I 6⁵/8"	/ ₈ "	3
PKDPF6030R1	27/8"	59 ⁷ /8"	291/2"	155/8"-413/4"	I 6 ⁵ /8"	/ ₈ "	3
PKDPF6630R1	27/8"	65 ⁷ / ₈ "	291/2"	155/8"-413/4"	I 6⁵/8"	/ ₈ "	3
PKDPF7230R1	27/8"	71 ⁷ / ₈ "	291/2"	155/8"-413/4"	I 6⁵/8"	/ ₈ "	3

The chart above refrences dimension illustrations on page 7.


Passel Tabletop Screens - Felt (two rounded corner)


Model Number	A Overall Screen Depth	B Overall Screen Width	C Overall Screen Height	D Screen bottom- to-floor	E Screen top- to-tabletop	F Table edge- to-screen	Number of Brackets
PKDPF2424R2	27/8"	24 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	1/8"	2
PKDPF3024R2	27/8"	307/8"	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	11/8"	2
PKDPF4224R2	27/8"	417/8"	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	2
PKDPF4824R2	27/8"	47 ⁷ /8"	231/2"	155/8"-413/4"	16 ⁵ /8"	/ ₈ "	2
PKDPF5424R2	27/8"	53 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ /8"	I 1/8"	3
PKDPF6024R2	27/8"	59 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	I 1/8"	3
PKDPF6624R2	27/8"	65 ⁷ / ₈ "	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	I 1/8"	3
PKDPF7224R2	27/8"	717/8"	231/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	3
PKDPF2430R2	27/8"	24 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	2
PKDPF3030R2	27/8"	307/8"	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	2
PKDPF4230R2	27/8"	41 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	2
PKDPF4830R2	27/8"	47 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	2
PKDPF5430R2	27/8"	53 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ /8"	/ ₈ "	3
PKDPF6030R2	27/8"	59 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	3
PKDPF6630R2	27/8"	65 ⁷ / ₈ "	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	/ ₈ "	3
PKDPF7230R2	27/8"	717/8"	291/2"	155/8"-413/4"	16 ⁵ / ₈ "	11/8"	3


The chart above refrences dimension illustrations on page 7.

DIMENSIONS

Passel Tabletop Screens - (models PKDFA4824 & PKDFA2424 shown)









(top view)

DIMENSIONS

Passel Wire Trough - (models PKCA36 shown)



(side view)




(bottom view)

— 33.24" wire trough width



STATEMENT OF LINE


Passel Adjustable-Height Tables



PKFFA2448 PKFFA3048 PKFFA2454 PKFFA3054 PKFFA2460 PKFFA3060 PKFFA2466 PKFFA3066 PKFFA2472 PKFFA3072


PKAFA2448 PKAFA3048 PKAFA2454 PKAFA3054 PKAFA2460 PKAFA3060 PKAFA2466 PKAFA3066 PKAFA2472 PKAFA3072


Passel Tabletop Screens



Fabric


PKDFA2424 PKDFA2430 PKDFA3024 PKDFA3030 PKDFA4224 PKDFA4230 PKDFA4824 PKDFA4830 PKDFA5424 PKDFA5430 PKDFA6024 PKDFA6030 PKDFA6624 PKDFA6630 PKDFA7224 PKDFA7230






Zintra Two Rounded Corner

PKDPF2424R2 PKDPF2430R2 PKDPF3024R2 PKDPF3030R2 PKDPF4224R2 PKDPF4230R2 PKDPF4824R2 PKDPF4830R2 PKDPF5424R2 PKDPF5430R2 PKDPF6024R2 PKDPF6030R2 PKDPF6624R2 PKDPF6630R2 PKDPF7224R2 PKDPF7230R2



Zintra Square Corners

PKDPF2424R0 PKDPF2430R0 PKDPF3024R0 PKDPF3030R0 PKDPF4224R0 PKDPF4230R0 PKDPF4824R0 PKDPF4830R0 PKDPF5424R0 PKDPF5430R0 PKDPF6024R0 PKDPF6030R0 PKDPF6624R0 PKDPF6630R0 PKDPF7224R0 PKDPF7230R0



Zintra One Rounded Corner

PKDPF2424R1 PKDPF2430R1 PKDPF3024R1 PKDPF3030R1 PKDPF4224R1 PKDPF4230R1 PKDPF4824R1 PKDPF4830R1 PKDPF5424R1 PKDPF5430R1 PKDPF6024R1 PKDPF6030R1 PKDPF6624R1 PKDPF6630R1 PKDPF7224R1 PKDPF7230R1



Screen Corner Connector PKDSC24 PKDSC30

Passel Wire Trough





Passel™ Product Color Options

Felt Colors	White River Forest	LWR	Beigewood	EBZ Starlight Silver Metallic	SX	
Dandelion	FTDD Out of State Out of Otto dead to said the	1.	Belair	EBQ		
Flannel	FTFN Surface FinishGrade 3 Standard Laminat		Biltmore Cherry	EBT		
Fawn	FTFW Black Velvet	LBV	Black	EBL		
Heather	Cumberland Walnut	LCJ	Black Hills Oak	EBH		
Lava	PTLV Designer White Velvet	LDE	Blue Grey	EGR		
Midnight Blue	FTMB Hartley Walnut	LHW	Brighton Walnut	EBW		
Mallard	Nile Velvet	LNL	Castle Oak	ECO		
Pepper	Raleigh Walnut	LRW	Cayenne	ECY		
Spring	FTSG Solano Walnut	LSG	Cherry Storm	ECX		
Tidal Wave	FTTW Spruce Velvet	LSC	Cocobala	ECC		
	Base Colors		Cool Grey	ECG		
Surface FinishGrade 1 Standard Laminate	Black	BL	Cumberland Walnut	ECJ		
Beigewood	LDZ		Dering Forest	EDF		
Belair	LBU Starlight Silver Metallic	SX	Designer White	EDR		
Biltmore Cherry	LB1		Earthen Clay	EEY		
Black	LBK Bracket and Trough Colors		Everglade Shade	EEV		
Brighton Walnut	LBW Black	BL	Fawn Cypress	EFQ		
Castle Oak	LCO Black Textured (Matte)		Flannel	EFN		
Classic Linen	LCI Blue Grey	GR	Florence Walnut	EFC		
Cherry Storm	LCX Bronze Metallic		Friston Ash	EFH		
Cocobala	LCC Cayenne	CY	Frosty White	EFW		
Crisp Linen	LRI Champagne Metallic	CM	Hartley Walnut	EHW		
Designer White	LDR Cool Grey	CG	Hazy Jade	EHJ		
Dove Grey	LDG Cool Grey Textured (Matte)	CGT	Honey Bee	EHY		
Florence Walnut	LFC Cottonwood	CO	Italian Silver Ash	EIT		
Friston Ash	LFH Cottonwood Textured (Matte)	COT	Kensington Maple	EKM		
Frosty White	LFW Earthen Clay	EY	Light Tone	ELG		
Graphite Nebula	LGN Espresso Metallic	EX	Mardi Gras	EMG		
Grey	LGE Everglade Shade	EV	Misty Brown	EMY		
High Rise	LHE Flannel	FN	Monticello Maple	EMT		
Hollyberry	LHY Flannel Textured (Matte)	FNT	Multiplex	EMB		
Island	LID Glitz Metallic	GZ	Nemo	ENE		
Italian Silver Ash	LIT Hazy Jade	HJ	Nordic	END		
Kensington Maple	LKM Honey Bee	HY	Pinnacle Walnut	EPW		
Lapis Blue	LLB Light Tone	LG	Poppy Red	EPR		
Monticello Maple	LMT Mardi Gras	MG	Purple Haze	EPH		
North Sea	LNA Misty Brown	MY	Rainforest	ERQ		
Ocean	LON Nemo	NE	Raleigh Walnut	ERW		
Pinnacle Walnut	LPW Nordic	ND	River Cherry	ERY		
River Cherry	LRY Poppy Red		Rubber Ducky	ERK		
Shadow Zephyr	LSR Purple Haze	PH	Sand	ESA		
Sterling Ash	LAZ Rainforest		Sky Blue	ESK		
Titanium Evolv	LTV Raw Jasper	RJ	Solano Walnut	ESG		
White Nebula	LWL Rubber Ducky	RK	Sterling Ash	EAZ		
White Sand	LWN Sand	SA	Surf's Up	ESP		
Windsor Mahogany	LWY Sky Blue	SK	Tarragon	ETQ		
Surface FinishGrade 2 Standard Laminate	Starlight Silver Metallic	SX	Twilight Shadow	ETI		
Akira	LAK Surf's Up	SP	Ultra Blue	EUB		
Black Alicante	LBY Tarragon	TQ	Valley Forge Elm	EVF		
Black Hills Oak	LBH Twilight Shadow	TI	Warm Grey	EWG		
Calcutta Marble	LCQ Ultra Blue	UB	White River Forest	EWR		
Dering Forest	LDF Warm Grey	WG	Windsor Mahogany	EWY		
	LDF Warm Grey Textured (Matte) LFQ	WGT	Zesty Lime	EZL		
Fawn Cypress	LIM Zesty Lime	ZL				
Ice Mist	LIIVI	Ca	able Tray			
Markerboard White	LMK Edge Colors for 73P and 74P Edges		Black	BL		
Valley Forge Elm	LVF Akira	EAK	Cottonwood	CO		

Height Adjustable Table

Height Adjustable Table

							•	
			MODEL NUMB	BER				
	MODEL	D x W	Basic Model	Edge S	Surface Ba Finish Fi	Approx. ase Packaged nish Weight	Laminate Grade 2 Delivered add to list Pricing price	Laminate Grade 3 add to list price
	Rectangle 73P Edge	24x48	PKAFA2448/73P			□□ 87.0#	\$ 1078 \$ 18	\$ 115
	22-48" Electrically adjustable Simple up (down control quitable)	24x54	PKAFA2454/73P			90.0#	1144 25	170
	Simple up/down control switchMaximum operating load varies (see	24x60	PKAFA2460/73P			□□ 93.0#	1183 25	170
	chart)	24x66	PKAFA2466/73P			96.0#	1237 25	170
	Dual motor 3-Stage base Adjustable melanglides	24x72	PKAFA2472/73P			99.0#	1291 25	170
	Adjustable nylon glidesWorksurfaces predrill to accommodate	30x48	PKAFA3048/73P			96.0#	1242 25	170
	PKA01W36 cable tray & Passel Work-	30x54	PKAFA3054/73P			□□ 100.0#	1294 25	170
PKAFA	surface Screens (specified separately)	30x60	PKAFA3060/73P			□□ 104.0#	1338 25	170
	 Tables can accommodate Universal Screens, R8 module, Vertical Cable 	30x66	PKAFA3066/73P			□□ 108.0#	1376 25	170
	Manager & Bobbr storage units	30x72	PKAFA3072/73P			□□ 111.0#	1401 25	170
	Rectangle 74P Edge • 23-49" Electrically adjustable				I	103.0#	\$ 1112 \$ 18	\$ 115
	Simple up/down control switch	24x54	PKAFA2454/74P			108.0#	1168 25	170
	 Maximum operating load varies (see 	24x60	PKAFA2460/74P			113.0#	1226 25	170
	chart)Dual motor 3-Stage base	24x66	PKAFA2466/74P			118.0#	1281 25	170
	Adjustable nylon glides	24x72	PKAFA2472/74P			123.0#	1334 25	170
	· Worksurfaces predrill to accommodate	30x48	PKAFA3048/74P			116.0#	1278 25	170
DIVATA	PKA01W36 cable tray & Passel Work- surface Screens (specified separately)	30x54	PKAFA3054/74P			122.0#	1336 25	170
PKAFA	Tables can accommodate Universal	30x60 30x66	PKAFA3060/74P PKAFA3066/74P			129.0# 135.0#	1374 25 1418 25	170 170
	Screens, R8 module, Vertical Cable	30x72	PKAFA3000/74P			135.0#	1410 25	170
	Manager & Bobbr storage units	30X12	FRAFASUI Z/14P			141.0#	1432 23	170

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Θ

0

3

A

Select surface finish.
Refer to the **Product Color Options** page in this price list.

• Select base finish color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid.

Height Adjustable Table

Height Adjustable Table

								\		
			MODEL NUMBE				Approx.		Laminate Grade 2	Laminate Grade 3
	MODEL	D x W	Basic Model	Edge Color	Surface Finish	Base Finish	Packaged Weight	Delivered Pricing	add to list price	add to list price
	Rectangle 73P Edge	24x48	PKFFA2448/73P	_			87.0#	\$ 1078	\$ 18	
	 22-48" Electrically adjustable 	24x54	PKFFA2454/73P				90.0#	1144	25	
	Simple up/down control switchMaximum operating load varies (see	24x60	PKFFA2460/73P				93.0#	1183	25	
	chart)	24x66	PKFFA2466/73P				96.0#	1237	25	
	 Dual motor 3-Stage base 	24x72	PKFFA2472/73P				99.0#	1291	25	170
	Adjustable nylon glidesWorksurfaces predrill to accommodate	30x48	PKFFA3048/73P				96.0#	1242	25	170
~	PKA01W36 cable tray & Passel Work-	30x54	PKFFA3054/73P				100.0#	1294	25	170
PKFFA	surface Screens (specified separately)	30x60	PKFFA3060/73P				104.0#	1338	25	170
	Tables can accommodate Universal	30x66	PKFFA3066/73P				108.0#	1376	25	170
	Screens, R8 module, Vertical Cable Manager & Bobbr storage units	30x72	PKFFA3072/73P				111.0#	1401	25	170
	manager a 2022, otorage anno									
	Rectangle 74P Edge	24x48	PKFFA2448/74P				103.0#	\$ 1112	\$ 18	\$ 115
W W	 23-49" Electrically adjustable Simple up/down control switch 	24x54	PKFFA2454/74P	1			108.0#	1168	25	170
	Maximum operating load varies (see	24x60	PKFFA2460/74P				113.0#	1226	25	
	chart)	24x66	PKFFA2466/74P				118.0#	1281	25	
	Dual motor 3-Stage baseAdjustable nylon glides	24x72	PKFFA2472/74P				123.0#	1334	25	
	Worksurfaces predrill to accommodate	30x48	PKFFA3048/74P	1			116.0#	1278	25	
	PKA01W36 cable tray & Passel Work-	30x54	PKFFA3054/74P				122.0#	1336	25	
PKFFA	surface Screens (specified separately) Tables can accommodate Universal	30x60	PKFFA3060/74P				129.0#	1374	25	
	Screens, R8 module, Vertical Cable	30x66	PKFFA3066/74P				135.0#	1418	25	
	Manager & Bobbr storage units	30x72	PKFFA3072/74P	1000			141.0#	1432	25	170

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge color.

Refer to the **Product Color Options** page in this price list.

•

(3)

A

Select surface finish.

Refer to the **Product Color Options** page in this price list.

①Select base finish color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid.



Worksurface Screens

								•					
			MODEL NUM	BER									
	MODEL	WxH	Basic Model	Fabric Color	Bracket Color	Approx. Packaged Weight	Delivered Pricing C.O.M.	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Fabric, Square Corners 24" High	24x24	PKDFA2424R0			9.0#	\$ 433	\$ 433	\$ 447	\$ 458	\$ 458	\$ 468	\$ 480
	Fabric screens only available with square (DO)	re 30x24	PKDFA3024R0			10.0#	470	470	488	501	501	514	532
	top corners (R0) • For both left and right applications - fiel	ld 42x24	PKDFA4224R0			11.0#	547	547	578	608	608	623	644
	install as needed	48x24	PKDFA4824R0			14.0#	612	612	655	692	692	712	741
	 Bottom corners of screens are always 	54x24	PKDFA5424R0			15.0#	697	697	747	788	788	805	840
	squareWorksurface attachment brackets and	60x24	PKDFA6024R0			16.0#	716	716	765	809	809	834	869
	hardware included	66x24	PKDFA6624R0			17.0#	735	735	788	834	834	859	897
PKDFA	 Fabric applied to screens horizontally (railroaded) 	72x24	PKDFA7224R0			18.0#	754	754	821	869	869	898	941
	 24-48" screens include two attachment brackets 54"-72" screens include three attachment brackets 												
	Fabric, Square Corners 30" High	24x30	PKDFA2430R0			10.0#	\$ 458	\$ 458	\$ 472	\$ 483	\$ 483	\$ 492	\$ 504
	Fabric screens only available with squar top corners (R0)		PKDFA3030R0			11.0#	495	495	513	525	525	540	557
	For both left and right applications - fiel	ld 42x30	PKDFA4230R0			13.0#	568	568	599	628	628	647	665
	install as needed	48X3U	PKDFA4830R0		, 1000	16.0#	722	722	764	802	802	825	849
	 Bottom corners of screens are always square 	54x30	PKDFA5430R0			17.0#	823	823	873	914	914	938	966
	Worksurface attachment brackets and	60x30	PKDFA6030R0			19.0#	841	841	891	933	933	965	996
	hardware included	66x30	PKDFA6630R0			20.0#	859	859	912	959	959	990	1022
PKDFA	Fabric applied to screens horizontally (reilleaded)	72x30	PKDFA7230R0			21.0#	895	895	962	1012	1012	1048	1082
	 (railroaded) 24-48" screens include two attachment brackets 54"-72" screens include three attachment brackets 												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

(3)

 Θ

A Select basic model.

BSelect fabric color. Refer to ki.com/fabrics

©Select bracket color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid.



Worksurface Screens

							<u>*</u>
			MODEL NUME	BER			
					l	Approx.	
	MODEL	WyU		Felt Color	Bracket	Packaged	Delivered Printers
		WxH			Color	Weight	Pricing Pricin
	1/2" Felt, Square Corners 24" High	24x24	PKDPF2424R0			7.0#	\$ 315
	For both left and right applications - field install as needed	30x24	PKDPF3024R0			8.0#	359
	Bottom corners of screens are always	42x24	PKDPF4224R0			9.0#	410
[]	square	48x24	PKDPF4824R0			10.0#	504
	 Worksurface attachment brackets and 	54x24	PKDPF5424R0			11.0#	658
	hardware included	60x24	PKDPF6024R0			12.0#	715
	 24-48" screens include two attachment brackets 	66x24	PKDPF6624R0			13.0#	776
PKDPF	• 54"-72" screens include three attach-		PKDPF7224R0			14.0#	849
	ment brackets					1 110#	
-	1/2" Felt, Square Corners 30" High	24x30	PKDPF2430R0			8.0#	\$ 346
	For both left and right applications - field	30×30	PKDPF3030R0			9.0#	495
	install as needed	42x30	PKDPF4230R0			10.0#	602
n l	 Bottom corners of screens are always 						
	squareWorksurface attachment brackets and		PKDPF4830R0			11.0#	698
	hardware included	54x30	PKDPF5430R0			12.0#	989
	• 24-48" screens include two attachment	60x30				13.0#	1153
	brackets	66x30	PKDPF6630R0			14.0#	1191
PKDPF	 54"-72" screens include three attach- 	72x30	PKDPF7230R0			15.0#	1224
	ment brackets						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect felt color. Refer to the **Product Color Options** page in this price list.

A

(3)

 Θ

Select bracket color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid.



Worksurface Screens

							▼	
			MODEL NUME	BER				
			D i .	F-14	Duratura	Approx.	Dellinored	
	MODEL	W x H		Felt Color	Bracket Color	Packaged Weight	Delivered Pricing	
						7.0#	\$ 315	
	For both left and right applications - field	20,04						
	install as needed		PKDPF3024R1			8.0#	359	
m	Dollotti corriers or screens are arways					9.0#	410	
m + -						10.0#	504	
	hardware included					11.0#	658	
	24-48" screens include two attachment	60x24 F	PKDPF6024R1			12.0#	715	
	brackets	66x24 F	PKDPF6624R1			13.0#	776	
PKDPF		72x24 F	PKDPF7224R1			14.0#	849	
	ment brackets							
	1/2" Felt, 1 Rounded Corner 30" High	24x30 F	PKDPF2430R1			8.0#	\$ 346	
	For both left and right applications - field	30x30 F	PKDPF3030R1			9.0#	495	
	install as neededBottom corners of screens are always	42x30 F	PKDPF4230R1			10.0#	602	
I.		48x30 F	PKDPF4830R1			11.0#	698	
	Worksurface attachment brackets and	54x30 F	PKDPF5430R1			12.0#	989	
	hardware included					13.0#	1153	
	• 24-48 Screens include two attachment =					14.0#	1191	
PKDPF	DIAGNOLO					15.0#	1224	
11011	ment brackets	7 2.000	T NET 17 ZOUTT			13.0#	1227	
			_					
			A	ß	$oldsymbol{\Theta}$			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect felt color.

Refer to the **Product Color Options** page in this price list.

Select bracket color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid.



Worksurface Screens

							—		
			MODEL NUME	BER					
						Approx.			
	MODEL	WxH		Felt Color	Bracket Color	Packaged Weight	Delivered Pricing		
			PKDPF2424R2			7.0#	\$ 315		
	 Bottom corners of screens are always square 	30x24	PKDPF3024R2			8.0#	359		
	Worksurface attachment brackets and	42x24	PKDPF4224R2			9.0#	410		
	hardware included		PKDPF4824R2			10.0#	504		
	• 24-48" screens include two attachment	54x24	PKDPF5424R2			11.0#	658		
	brackets54-72" screens include three attachment	60x24	PKDPF6024R2			12.0#	715		
	brackets	66x24	PKDPF6624R2			13.0#	776		
PKDPF	Screens with two rounded corners can-	72x24	PKDPF7224R2			14.0#	849		
	not be connected using screen corner								
	connector								
	1/2" Felt, 2 Rounded Corners 30" High	24x30	PKDPF2430R2			8.0#	\$ 346		
		30x30	PKDPF3030R2			9.0#	495		
	 square Worksurface attachment brackets and 		PKDPF4230R2			10.0#	602		
[[_	hardware included	48x30	PKDPF4830R2			11.0#	698		
	24-48" screens include two attachment	54x30	PKDPF5430R2			12.0#	989		
	brackets	60,20	PKDPF6030R2			13.0#	1153		
-	54-72" screens include three attachment breekets		PKDPF6630R2			14.0#	1191		
PKDPF	brackets								
TNUTT	 Screens with two rounded corners can- not be connected using screen corner 	12X3U	PKDPF7230R2			15.0#	1224		
	connector								
	Connector								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

BSelect felt color. Refer to the **Product Color Options** page in this

price list.

Select bracket color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid.



Worksurface Screens Corner Connector



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the Product Color Options page in this price list.

A

B

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid.

Accessories and Components



Accessories and Components

		MODEL NUM	MBER		
			_	Approx.	
	MODEL	Basic Model	Tray Color	Packaged Weight	Delivered Pricing
	MODEL				
	Cable Tray	PKA01W36		5.0#	\$ 105
	Optional accessory, specified separately & field installed into predrilled pilot holes				
5	Mounting hardware included				
	Open front design for ease of access				
	Steel construction				
PKA01	36"W tray fits all Passel Height Adjust- able Table models				
110.01	able Table models				
	Actual dimensions: 4-1/2"D x 33"W x 4-1/4"H				
	4-1/4 H				
-					
	Deluxe Handset Optional accessory, specified separately	PKA02A		1.0#	\$ 61
	Optional accessory, specified separately & field installed				
	Mounting hardware included				
Tay D	 Replaces standard handset 				
	Digital height display				
	4 programmable memory pre-sets				
PKA02					
110102	Undermount R8 Module	14.1450.SLVR	,	3.0#	\$ 302
	Chacimount no mounte	14.1430.0EVII	1	3.0 <i>ir</i>	Ψ 302
22330					
\$ 1882					
HRDPT					
	Vertical Cable Manager	47.2320.SLVR	1	1.0#	\$ 112
Ĭ					
HRDPT					
		A	ß		
		w	\mathbf{o}		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select tray color.

Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid.

