



# STOUT™

Tables



Featuring a robust rectangular frame and steel perimeter apron, Stout tables provide strength and support in high-demand spaces. Added functionality and customization are available through a wide range of options, worksurfaces and finish materials.


# STATEMENT OF LINE

## STOUT TABLES

Larger table styles may require additional support beam(s).



**Fixed-Height**  
W 48, 60, 72, 84"  
D 24, 30, 36, 42, 48"  
H 29, 36, 40"




**Adjustable-Height**  
W 48, 60, 72, 84"  
D 24, 30, 36, 42, 48"  
H 27-40"


## OPTIONS

Not available on all models. For more details, please refer to the Stout price list on [ki.com](http://ki.com).


### Footrest/Shelf



Single




Dual




Dual w/  
Shelf


### Worksurfaces




High-Pressure  
Laminate



Butcher Block




Phenolic Resin




Stainless Steel

### Pegboard




Perforated Steel  
End Panel

### Power




Dean Undersurface  
Module

### Hooks




Undersurface  
Mount

### Casters/Glides



Industrial  
Caster




Nylon Glide

## ACCESSORY




Pegboard  
Hooks

## COMPLEMENTARY PRODUCT



Ruckus Totes

# STOUT TABLES FEATURES



- A. Worksurface Options**  
Available in butcher block wood, phenolic resin, stainless steel and nearly 50 high-pressure laminate options to support the design and function of any environment.
- B. Base Heights**  
Adjustable and fixed-height bases allow seated, standing or tiered environments. Screw-adjustable tables range from 27–40" in height, while fixed tables are available in 29", 36" and 40" heights.
- C. Plentiful Powdercoats**  
Select from more than 30 powdercoat paint frame options to add a pop of color.
- D. Pegboard End Panel**  
Perforated steel pegboard end panel works with KI hooks and assorted pegboard accessories. Specify with single or dual pegboard for added functionality.
- E. Robust Durability**  
The steel frame and worksurface support beam accommodate heavy-duty functional tasks without racking or bowing. Tested to a 2,000 lb. distributed static load rating (excludes stainless steel worksurface).
- F. Footrest Styles**  
Innovative base design gives the option of no footrest, single footrest, dual footrest or dual footrest with shelf. Ruckus totes rest in shelf option for added storage (ordered separately).
- G. Optional Mobility**  
Select from leveling black nylon glides or industrial-grade casters. Casters not available on 24" D tables.
- H. Undersurface Options**  
Corded power is available as an option including 120V, USB-A and USB-C to support tools or personal devices. Optional bag hooks mount to worksurfaces, keeping bags or other items off the floor.

## STOUT TABLES LINKS

View full product details at [ki.com/stout](https://ki.com/stout).

### PHOTOGRAPHY

View all product photos.

### VIDEOS

View all product videos.

### SEE IT SPEC IT

Create your own virtual spec.

### PRICE LIST

View list pricing and order details.

### CAD/REVIT SYMBOLS

View symbol library.

### SURFACE MATERIALS

View approved fabrics and finishes.

### SUSTAINABILITY

View environmental data sheet.

### TECH SPECS

View technical specifications.



1330 BELLEVUE STREET  
GREEN BAY, WI 54302  
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.

USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST

© 2024 Krueger International, Inc. All Rights Reserved.

KI-CUT-000085/KI/PDF/0124

Warranty: 15 years