



SWAY[®] LOUNGE FURNITURE

PRICE LIST

EFFECTIVE FEBRUARY 12, 2025
800.424.2432


Ordering Customer's Own Material (C.O.M.) Upholstery		
Information		3
Sway®		
General Information		4
Product Color Options		6
Lobby and Lounge Seating		7
Replacements		10



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION

Architectural Walls	Universal Overheads..... MN	MyWay Seating..... HN
Evoke..... MN	Wireworks MN	Oath Task Chairs and Stools..... GB
Genius Walls..... MN	Unite..... MN	Opt4 GB
Casegoods	Residence Hall Furniture	Pilot Task Chairs..... OM
Aristotle Tackboards.....MN	RoomScope Furniture MN	Promenade Seating SystemBW
Likha Tackboards.....MN		Ruckus..... GB
Classroom Furniture	Screens	Sela Lounge Seating HN
Intellect Wave Chairs..... GB	All Terrain..... KP	Sift Task Chairs..... GB
Learn2 GB	Connection Zone.....BW	Signia Task Chairs and StoolsOM
Ruckus.....GB	Tributaire.....BW	Soltice Metal Collection.....HN
	True/Volition KP	Soltice Multiple, Healthcare & Guest .HN
	Genesis..... KP	Soltice II Healthcare Seating..... HN
Desking	Tattoo MN	Sonrisa HN
700 Series Desking KP	Universal.....BW	Strive Multiple, Stack & Task GB
Balance Overheads..... MN		SwayBW
Genesis Desking..... MN	Seating	Tattoo..... HN
True Desking KP	600 Series Folding Chairs.....BW	Torsion-on-the-Go! Nesting Chairs GB
Universal Overheads..... MN	600 Series Stools.....BW	Torsion Air Stack and Task Seating ... GB
WorkZone Desking MN	Affina Collection..... HN	Zeker HN
Files & Storage	Altus Task Chairs..... GB	Zoetry HN
700 Series Pedestal Cushion GB	Apply Stack Chairs..... GB	
Connection Zone PadsBW	Calida Lounge Seating HN	
U-Series Pedestal Cushion..... GB	Diem Task Chairs..... OM	
Tattoo.....BW	Doni Collection..... GB	
	Gladly Lounge Seating VQ	
	Grazie Seating..... GB	
Fixed Seating	Hub Modular Lounge Seating HN	
Concerto Auditorium SeatingBW	Impress Task Chairs..... OM	
Single Pedestal Seating GB	Impress Ultra Task Chairs OM	
Jury Base Seating..... GB	Jessa Lounge Seating..... HN	
Lancaster Auditorium SeatingBW	Jubilee Lounge Seating.....VQ	
Sequence Seating..... GB	Katera..... GB	
University Seating..... GB	Kurv Benches..... HN	
Panel Systems	LimeLite..... GB	
All Terrain..... KP	Lyra Lounge Seating..... HN	
Balance Overheads MN	Medical & Laboratory Stools..... OM	
	MyPlace Lounge Seating HN	

KI C.O.M. Manufacturing Site Addresses:

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	<u>HN</u> KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	<u>VQ</u> KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
<u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	<u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	<u>OM</u> KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	



Lounge Chair
(SYCNC and SYCFC)



Ottoman
(SYOT)



Table
(SYTB)


General Dimensions			
Seat width	27-3/4"		
Seat depth	18-1/2"		
Seat height	16"		
Overall Dimensions			
Width	33"		
Depth	32-1/2"		
Height	41-3/4"	17-1/2"	14-1/2"
Diameter		27-1/4"	27"
Unit weight	66 lbs	43-1/2 lbs	63 lbs

Seat shell is constructed of rotationally molded polyethylene. Available in three standard colors.

- Arctic White (SAW)
- Cool Grey (SCG)
- Granite Grey (SGY)

12-gauge steel rotating contact surface is attached to the bottom of the seat shell and is powder-coat painted to match the seat shell color. Contact surface is powder-coat painted Blue Grey if Granite Grey poly is specified.

Floor glide options to accomodate any floor type. Available in nylon, felt and non-skid rubber.



Upholstered seat and back have a contoured shape to maximize comfort and are field replaceable. (Optional contrasting seat and back upholstery available)

4-leg base is constructed of rotationally molded polyethylene. Available in three standard colors.

- Arctic White (BAW)
- Cool Grey (BCG)
- Granite Grey (BGY)

INFORMATION


Warranty
Refer to KI Terms & Conditions document or visit ki.com



Upholstered cushion has a contoured shape to maximize comfort and is field replaceable.

12-gauge steel apron is powder-coat painted to match the 4-leg base. Steel apron is powder-coat painted Blue Grey if Granite Grey poly is specified.

Floor glide options to accomodate any floor type. Available in nylon, felt and non-skid rubber.



4-leg base is constructed of rotationally molded polyethylene. Available in three standard colors.

- Arctic White (BAW)
- Cool Grey (BCG)
- Granite Grey (BGY)

Optional Power Module has one AC power outlet, one USB A charging port and one USB C charging port. Available in three colors.



Silver/White



White/White



Black/Black

12-gauge steel apron is powder-coat painted to match the 4-leg base. Steel apron is powder-coat painted Blue Grey if Granite Grey poly is specified.

Floor glide options to accomodate any floor type. Available in nylon, felt and non-skid rubber.




Table top has high pressure laminate overlaying the sides and top of a particle board structure. See product color options page for standard laminate finishes.

4-leg base is constructed of rotationally molded polyethylene. Available in three standard colors.

- Arctic White (BAW)
- Cool Grey (BCG)
- Granite Grey (BGY)



Shell/Base Color - Polypropylene		Surface Finish--Grade 2 Standard Laminate	
Flame-Retardant and Non Flame-Retardant		Akira	LAK
Arctic White	SAW	Black Alicante	LBY
Cool Grey	SCG	Black Hills Oak	LBH
Granite Grey	SGY	Calcutta Marble	LCQ
Surface Finish--Grade 1 Standard Laminate		Dering Forest	LDF
Beigewood	LBZ	Fawn Cypress	LFQ
Belair	LBQ	Ice Mist	LIM
Biltmore Cherry	LBT	Markerboard White	LMK
Black	LBK	Valley Forge Elm	LVF
Brighton Walnut	LBW	White River Forest	LWR
Canyon Zephyr	LCA	Surface Finish--Grade 3 Standard Laminate	
Castle Oak	LCO	Black Velvet	LBV
Casual Linen	LCU	Cumberland Walnut	LCJ
Cherry Storm	LCX	Designer White Velvet	LDE
Classic Linen	LCI	Hartley Walnut	LHW
Cloud Zephyr	LCL	Nile Velvet	LNL
Cocobala	LCC	Raleigh Walnut	LRW
Crisp Linen	LRI	Solano Walnut	LSG
Desert Zephyr	LDZ	Spruce Velvet	LSC
Designer White	LDR		
Dove Grey	LDG		
Flax Linen	LXF		
Florence Walnut	LFC		
Forged Steel	LOL		
Friston Ash	LFH		
Frosty White	LFW		
Graphite Nebula	LGN		
Grey	LGE		
High Rise	LHE		
Hollyberry	LHY		
Island	LID		
Italian Silver Ash	LIT		
Kensington Maple	LKM		
Lapis Blue	LLB		
Misted Zephyr	LMR		
Monticello Maple	LMT		
North Sea	LNA		
Ocean	LON		
Pearl Bisque	LPB		
Pinnacle Walnut	LPW		
Pressed Linen	LPR		
River Cherry	LRY		
Satin Stainless	LSS		
Shadow Zephyr	LSR		
Silicon evolv	LSV		
Sterling Ash	LAZ		
Tailored Linen	LTL		
Titanium Evolv	LTV		
White Nebula	LWL		
White Sand	LWN		
Windsor Mahogany	LWY		

Finish Cards

View color swatches for items listed within this document.

- Paints
- Plastics/Poly
- Wood/Veneer
- Laminates
- Molded Edges
- Edge Styles
- Hard Plastics
- Glass

Certain options referenced may not be available on GSA Schedule.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

G Select fabric contrast 2.
Refer to ki.com/fabrics

- A** Select basic model.
- B** Select poly shell color.
Refer to the **Product Color Options** page in this price list.
- C** Select poly base color.
Refer to the **Product Color Options** page in this price list.
- D** Select glide option.
- | | |
|------------|-------------------|
| GFT | - Felt glides |
| GND | - Non-skid glides |
| GNV | - Nylon glides |
- E** Select fire code.
- | | |
|------------|-----------------------------|
| NFR | - Compliance to TB 117-2013 |
| FR | - Compliance to TB 133 |
- See pricing column for TB133 upcharge.
- F** Select non-contrast or fabric contrast 1.
Refer to ki.com/fabrics


Special Carton Marking

With specially marked information N/C

Shipping

**Ships assembled, FOB Bonduel, WI 54107,
freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.

MODEL	MODEL NUMBER																
	Basic Model	Poly Base Color	Glide Option	Fire Code	Non-Contrast or Fabric Contrast 1	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
 SYOT	SYOT	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	49.0#	\$ 1364	\$ 1432	\$ 1452	\$ 1364	\$ 1452	\$ 1490	\$ 1529	\$ 1566	\$ 1596	\$ 1643	\$ 157
						A	B	C	D	E							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select poly base color.
Refer to the **Product Color Options** page in this price list.
- C**Select glide option.

GFT

- Felt glides

GND

- Non-skid glides

GNY

- Nylon glides
- D**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133

See pricing column for TB133 upcharge.
- E**Select non-contrast or fabric contrast 1.
Refer to [ki.com/fabrics](#)


SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.

MODEL	DIA x H	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
		Basic Model	Power Option	Poly Base Color	Glide Option	Laminate Color				
 SYTB	Table	27" x 14-1/2"	SYTB	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	66.0#	\$ 1992	\$ 25	\$ 170
			A	B	C	D	E			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select power option.

NP

- No power

WPBL

- Black power module; add \$413

WPSL

- Silver power module; add \$413

WPWH

- White power module; add \$413
- C**Select poly base color.

Refer to the **Product Color Options** page in this price list.
- D**Select glide option.

GFT

- Felt glides

GND

- Non-skid glides

GNY

- Nylon glides
- E**Select laminate color.

Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

ADDITIONAL LAMINATE OFFERING

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturers name, color/pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested thru the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																
		Basic Model	Fire Code	Non-Contrast or Fabric Contrast 1	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price	
SYRP	Replacement Upholstered Seat Cushion	SYUSRP	□□□	□□□□	9.0#	N/A	\$ 351	\$ 435	\$ 452	\$ 351	\$ 452	\$ 496	\$ 542	\$ 584	\$ 617	\$ 670	\$ 67	
	• Non-contrast C.O.M = .75 yd																	
SYRP	Replacement Upholstered Back Cushion	SYUBRP	□□□	□□□□	12.0#	N/A	\$ 288	\$ 337	\$ 348	\$ 288	\$ 348	\$ 376	\$ 402	\$ 429	\$ 446	\$ 479	\$ 67	
	• Non-contrast C.O.M = 1.25 yd																	
SYRP	Replacement Upholstered Ottoman Cushion	SYUORP	□□□	□□□□	32.0#	N/A	\$ 535	\$ 608	\$ 625	\$ 535	\$ 625	\$ 664	\$ 701	\$ 739	\$ 768	\$ 816	\$ 81	
	• Non-contrast C.O.M = 1.1 yd																	
HRDPT	Replacement Felt Glides Kit (Qty 4)	SWYGLIDEKIT.GFT			1.0#	\$ 22											N/A	
HRDPT	Replacement Nylon Glides Kit (Qty 4)	SWYGLIDEKIT.GNY			1.0#	\$ 22											N/A	
HRDPT	Replacement Non-Skid Rubber Glides Kit (Qty 4)	SWYGLIDEKIT.GND			1.0#	\$ 22											N/A	
HRDPT	Replacement Posts Kit (Qty 12)	SWYPOSTKIT			1.0#	\$ 72											N/A	
HRDPT	Replacement Return Spring	46.4174			2.0#	\$ 72											N/A	
		A	B	C														

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

NFR

FR

- Compliance to TB 117-2013

- Compliance to TB 133

See pricing column for TB133 upcharge.
- B**Select fire code.
- C**Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2023 Krueger International, Inc. All Rights Reserved.