



HUB[®]
LOUNGE FURNITURE

PRICE LIST

EFFECTIVE MAY 14, 2025
800.424.2432

Contents

Refer to KI Terms & Conditions document or visit ki.com.



Contents

Refer to KI Terms & Conditions document or visit ki.com.

| | |
|---|----|
| Ordering Customer's Own Material (C.O.M.) Upholstery | |
| Information | 3 |
| | |
| Hub® | |
| General Information | 5 |
| Product Color Options | 9 |
| Lounge Seating | 10 |
| Tables | 14 |
| Screens and Accessories | 15 |
| | |



Customer's Own Material ■
Specifications Form
January 2023

How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.

C.O.M. must be supplied in continuous yardage.

Yardage requirements listed in price list are based on plain goods 54" wide. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. Consult matrix below for additional yardage needed.

C.O.M. INCREASE MATRIX (yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or K.O.M. upholsteries).

This table is a general guide.

| FABRIC WIDTH | PLAIN FABRIC | UNDER 7" | 8"-13" | 14"-21" | 22"-27" | 28"-33" | 34"-40" | 41"-48" |
|--------------|--------------|----------|--------|---------|---------|---------|---------|---------|
| REPEAT | REPEAT | REPEAT | REPEAT | REPEAT | REPEAT | REPEAT | REPEAT | REPEAT |
| 54" | 0 | 20% | 25% | 30% | 45% | 55% | 70% | 80% |
| 51"-53" | 15% | 25% | 30% | 35% | 50% | 60% | 80% | 90% |
| 48"-50" | 20% | 30% | 35% | 40% | 55% | 65% | 85% | 95% |
| 45"-47" | 30% | 45% | 50% | 55% | 60% | 80% | 90% | 100% |
| 36"-44" | 50% | 65% | 70% | 75% | 80% | 100% | 110% | 120% |

Fabric with double repeat: If using a fabric with a double repeat, please follow this formula: take the total amount of the larger and half of the smaller repeat; add together to find the correct overall repeat. Example: 10" vertical with 14" horizontal would be 14+5=19.

If fabric comes in on multiple rolls, one additional yard per roll needs to be added to the yardage requirement.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. or K.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled as follows:

1. Name and address
2. Your purchase order number
3. Our style number to which fabric is to be applied
4. Supplier name and fabric name, number, and color

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.


Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order





C.O.M. SHIPPING LOCATION



| | | | |
|----------------------------|----|---------------------------------|----|
| Architectural Walls | | Panel Systems | |
| Evoke..... | MN | All Terrain..... | KP |
| Genius..... | MN | Balance | MN |
| | | Universal | MN |
| Casegoods | | Wireworks..... | MN |
| Aristotle..... | MN | Unite..... | MN |
| Likha..... | MN | | |
| Classroom Furniture | | Residence Hall Furniture | |
| Cogni | GB | RoomScape | MN |
| Intellect Wave | GB | | |
| Learn2..... | GB | Screens | |
| Ruckus..... | GB | All Terrain..... | KP |
| Desking | | Connection Zone..... | BW |
| 700 Series | KP | Tributaire..... | BW |
| Balance | MN | True/Volition | KP |
| Genesis | MN | Genesis..... | KP |
| True | KP | Tattoo..... | MN |
| Universal | MN | Universal..... | BW |
| WorkZone | MN | | |
| Files & Storage | | Seating | |
| 700 Series..... | GB | 600 Series.... | BW |
| Connection..... | BW | Affina | HN |
| U-Series..... | GB | Altus | GB |
| Tattoo..... | BW | Apply | GB |
| | | Calida | HN |
| Fixed Seating | | Cascha | VT |
| Concerto..... | BW | Clamber | HN |
| Single Pedestal | GB | Cogni | GB |
| Jury Base | GB | Diem | OM |
| Lancaster..... | BW | Doni | GB |
| Sequence | GB | Gladly | VQ |
| University | GB | Grazie | GB |
| | | Hub | HN |
| | | Impress | OM |
| | | Impress Ultra | OM |
| | | | |

KI C.O.M. Manufacturing Site Addresses:

BW
KI Bonduel
Attn: COM Storage
204 West South St.
Bonduel, WI 54107

HN
KI High Point
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

MN
KI Manitowoc
Attn: COM Storage
1400 S. 41st St.
Manitowoc, WI 54220

VQ
KI
Attn: COM Fabrics
6892 Marlin Circle
La Palma, CA 90623

GB
KI Green Bay
Attn: COM Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

KP
KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

OM
KI
Attn: COM Storage
1110 S. Mildred Ave.
Ontario, CA 91761

VI
KI
Attn: COM Storage
2803 South Taylor Drive
Sheboygan, WI 53081



Armless Lounge (H23) Armless Lounge (H33) Armless Lounge (H43) Laminate Back Lounge (H20B) Laminate Back Lounge (H23B) Laminate Back Lounge (H33LB)

General Dimensions

| | | | | | | |
|---------------------------|---------|---------|---------|---------|---------|---------|
| Seat width | 26" | 39" | 78" | 26" | 26" | 39" |
| Seat depth | 21" | 21" | 21" | 21" | 21" | 21" |
| Seat height | 17" | 17" | 17" | 17" | 17" | 17" |
| Overall Dimensions | | | | | | |
| Width | 26" | 39" | 78" | 26" | 26" | 39" |
| Depth | 26" | 26" | 26" | 26" | 26" | 26" |
| Height | 30-1/4" | 30-1/4" | 30-1/4" | 30-1/4" | 30-1/4" | 30-1/4" |
| Height w/Privacy Screen | 57" | 57" | 57" | 57" | 57" | 57" |



Ottoman (H20) Wedge (H60W) Wedge (H45W) Table (H13T) Table (H24T)

General Dimensions

| | | | | |
|---------------------------|-----|-----|---------|-----|
| Seat width | 26" | 34" | 27-1/2" | |
| Seat depth | 26" | 23" | 24" | |
| Seat height | 17" | 17" | 17" | |
| Overall Dimensions | | | | |
| Width | 26" | 34" | 27-1/2" | 13" |
| Depth | 26" | 23" | 24" | 26" |
| Height | 17" | 17" | 17" | 17" |



Black/Black Power Module



Silver/White Power Module



White/White Power Module

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can delay an order. For each roll that is sent, one yard needs to be added to one of the rolls, not separately.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

TECHNICAL SPECIFICATIONS

Wood Frame Construction

Seat frames are constructed of $\frac{3}{4}$ " laminated hardwood plywood that is CNC cut with 5/4 Maple cross rails. Ottomans are constructed of $\frac{3}{4}$ " laminated hardwood plywood. All mainframe joints are nailed and glued. Stress points are further reinforced with the use of glue blocks that are stapled or screwed in place. Plywood is assembled with notch and pocket type connections.

Sled Base Construction

All legs are constructed of 1" O.D. by 16-gauge round steel tubing welded to 14-gauge steel mounting plate and secured to the frame with sixteen #10 x 1 $\frac{1}{2}$ " steel pan head wood screws. Optional glides are black nylon, press-fit to the underside of the metal tubing.

Backrest Supports

Backrest supports are 1 $\frac{1}{8}$ " O.D. by 16-gauge steel for lounges with laminated transom, or 12-gauge steel tubing inserted over 7/8" O.D. by 16-gauge steel tubing, for all fully upholstered models. Backrest supports are fastened to the wooden lounge frames using 1/4-20 steel bolts into steel threaded inserts.

Suspension - Seats & Backs

The seat is constructed with stretch strap webbing, inner woven and stapled into position. Both seats and backs are covered with a layer of FLW (reinforced non-woven fiber) on top.

Foam – Seats & Backs

The back foam has a density of 1.5 and compression of 26 lb, is 3" thick and contour cut for consistency. The seat foam is 6" thick with a density of 2.5 and compression of 45 lb. A 1/2" super soft wrap covers the front and top of the seat.

Laminated Lounge Transom

Surface is .035" thick high-pressure laminate over 15 mm thick plywood. All joints are glued and stapled or nailed for strength.

Laminated Tables Model H24T

The table panels and top are 15 mm thick laminated plywood, with .035" thick high-pressure laminate on all sides and top. Panels are secured together using glued joints, staples and wood screws.

Gangers

UL HB rated nylon hooks and glass filled nylon pegs are mounted to 14-gauge steel plates with thread locking screws and steel inserts. The ganging plate assemblies are mounted to the wood frame using #10 x 1 $\frac{1}{2}$ " wood screws.

Electrical Wire Routing Conduit

Polypropylene extrusion, 1 $\frac{5}{8}$ " x 1" cut to length, is fastened to the underside of any lounge product with wood screws.

Ottoman & Wedge Optional Handle

An optional handle is available on HUB ottoman and wedge units. Handles are constructed of 1/2" dia. solid steel, with a powder-coated finish applied. Handles are attached to the frame using two steel 1/4-20 x 2" pan head screws into steel inserts. When specified on HUB wedges, the handle must attach to the long side of the wedge.

Accessories


Power Module



The USB/AC power module houses one 15-amp, 125 volt AC simplex receptacle with one 2.1-amp, 5 volt DC USB Type A and one Type C ports (2.0 and 3.0 compatible, no data). Provides device charging and direct AC Power. The power cord is a 14 AWG, 15-amp NEMA rated, three conductor SJT, with a three prong grounded plug. 54" of exposed cord will extend from the bottom/back of the Hub pieces. The power cord is strain relief mounted to the rear of the housing. The entire electrical power module assembly is UL listed and passes a UL spill test rating for protection against liquids. Both USB ports can power and charge separate mobile devices, simultaneously. This optional Power Module is available in three powder-coat colors: Black, White, Silver.

The Hub power module can be specified on the following Hub units: H20B, H33LB, H33RB, H13T, and H24T.

Privacy Screens

The Hub fabric screen kit consists of one fully assembled steel tubular frame, covered in fabric. Four screws secure the screen to the back of the Hub Lounge unit. The privacy screen's steel tubular frame is formed and welded using $\frac{3}{4}$ " diameter, 16-gauge steel. Screen frames are 52 $\frac{1}{2}$ " tall and are available in two widths, 24" and 37". Both sizes measure just short of the full width of any single lounge or loveseat model, and overall height is 57" when installed to a lounge unit. Two each of the 37" wide screen kits are used for the 78" wide sofa model. The screen fabric contains Spandex, a synthetic fiber known for its exceptional elasticity. Spandex is composed of at least 85% polyurethane by weight. The fiber content of Spandex used for the Hub Screens is 90% polyester and 10% Spandex.







| QTY | MODEL | ITEM |
|-----|-------|------|
| 4 | H33 | A |
| 3 | H60WI | B |

Inside Half Circle Configuration


* All configurations consist of multiple individual units.
Gangers must be specified on each individual unit in order to connect units.



| QTY | MODEL | ITEM |
|-----|-------|------|
| 4 | H33 | A |
| 3 | H60W | B |

Outside Half Circle Configuration



* All configurations consist of multiple individual units.
Gangers must be specified on each individual unit in order to connect units.



| QTY | MODEL | ITEM |
|-----|-------|------|
| 4 | H33RB | A |

Wheel Configuration


* All configurations consist of multiple individual units.
Gangers must be specified on each individual unit in order to connect units.




| QTY | MODEL | ITEM |
|-----|-------|------|
| 1 | H24T | A |
| 2 | H20B | B |
| 3 | H20S | C |

T-Shape Configuration

* All configurations consist of multiple individual units.
Gangers must be specified on each individual unit in order to connect units.






| QTY | MODEL | ITEM |
|-----|-------|------|
| 1 | H33RB | A |
| 1 | H33LB | B |
| 2 | H24T | C |
| 2 | H33 | D |

U-Shape Configuration


* All configurations consist of multiple individual units.
Gangers must be specified on each individual unit in order to connect units.



| QTY | MODEL | ITEM |
|-----|-------|------|
| 1 | H25DT | A |
| 6 | H60WO | B |

Outside Docking Configuration


* All configurations consist of multiple individual units.



| QTY | MODEL | ITEM |
|-----|-------|------|
| 2 | H23 | A |
| 2 | H33 | B |
| 8 | H45WO | C |

Column Configuration

* All configurations consist of multiple individual units.
Gangers must be specified on each individual unit in order to connect units.







| Base Finish | | Frosty White | LFW | Table Side - Secondary Laminate | |
|-------------------------------|------|-------------------------------------|-----|--|------|
| Black | BL | Graphite Nebula | LGN | Beigewood | LBZ2 |
| Blue Grey | GR | Grey | LGE | Belair | LBQ2 |
| Bronze Metallic | ZM | High Rise | LHE | Biltmore Cherry | LBT2 |
| Cayenne | CY | Hollyberry | LHY | Black | LBK2 |
| Champagne Metallic | CM | Island | LID | Brighton Walnut | LBW2 |
| Chrome | CH | Italian Silver Ash | LIT | Castle Oak | LC02 |
| Cool Grey | CG | Kensington Maple | LKM | Cherry Storm | LCX2 |
| Cottonwood | CO | Lapis Blue | LLB | Classic Linen | LCI2 |
| Earthen Clay | EY | Markerboard White | LMK | Cocobala | LCC2 |
| Espresso Metallic | EX | Monticello Maple | LMT | Crisp Linen | LRI2 |
| Everglade Shade | EV | North Sea | LNA | Designer White | LDR2 |
| Flannel | FN | Ocean | LON | Dove Grey | LDG2 |
| Glitz Metallic | GZ | Pinnacle Walnut | LPW | Florence Walnut | LFC2 |
| Hazy Jade | HJ | River Cherry | LRY | Friston Ash | LFH2 |
| Honey Bee | HY | Shadow Zephyr | LSR | Frosty White | LFW2 |
| Light Tone | LG | Sterling Ash | LAZ | Graphite Nebula | LGN2 |
| Mardi Gras | MG | Titanium Evolv | LTV | Grey | LGE2 |
| Misty Brown | MY | White Nebula | LWL | High Rise | LHE2 |
| Nemo | NE | White Sand | LWN | Hollyberry | LHY2 |
| Nordic | ND | Windsor Mahogany | LWY | Island | LID2 |
| Poppy Red | PR | Table Top - Primary Laminate | | Italian Silver Ash | LIT2 |
| Purple Haze | PH | Beigewood | LBZ | Kensington Maple | LKM2 |
| Rainforest | RQ | Belair | LBQ | Lapis Blue | LLB2 |
| Raw Jasper | RJ | Biltmore Cherry | LBT | Markerboard White | LMK2 |
| Rubber Ducky | RK | Black | LBK | Monticello Maple | LMT2 |
| Sand | SA | Brighton Walnut | LBW | North Sea | LNA2 |
| Sky Blue | SK | Castle Oak | LCO | Ocean | LON2 |
| Starlight Silver Metallic | SX | Cherry Storm | LCX | Pinnacle Walnut | LPW2 |
| Surf's Up | SP | Classic Linen | LCI | River Cherry | LRY2 |
| Tarragon | TQ | Cocobala | LCC | Shadow Zephyr | LSR2 |
| Twilight Shadow | TI | Crisp Linen | LRI | Sterling Ash | LAZ2 |
| Ultra Blue | UB | Designer White | LDR | Titanium Evolv | LTV2 |
| Warm Grey | WG | Dove Grey | LDG | White Nebula | LWL2 |
| Zesty Lime | ZL | Florence Walnut | LFC | White Sand | LWN2 |
| Friston Ash | | | LFH | Windsor Mahogany | LWY2 |
| Privacy Screen Color | | | | | |
| White | SPWH | Frosty White | LFW | | |
| Black | SPBL | Graphite Nebula | LGN | | |
| Red | SPRD | Grey | LGE | | |
| Royal Blue | SPRB | High Rise | LHE | | |
| Kelly Green | SPKG | Hollyberry | LHY | | |
| Back Finish - Laminate | | | | | |
| Beigewood | LBZ | Italian Silver Ash | LIT | | |
| Belair | LBO | Kensington Maple | LKM | | |
| Biltmore Cherry | LBT | Lapis Blue | LLB | | |
| Black | LBK | Markerboard White | LMK | | |
| Brighton Walnut | LBW | Monticello Maple | LMT | | |
| Castle Oak | LCO | North Sea | LNA | | |
| Casual Linen | LCU | Ocean | LON | | |
| Cherry Storm | LCX | Pinnacle Walnut | LPW | | |
| Cocobala | LCC | River Cherry | LRY | | |
| Crisp Linen | LRI | Shadow Zephyr | LSR | | |
| Designer White | LDR | Sterling Ash | LAZ | | |
| Dove Grey | LDG | Titanium Evolv | LTV | | |
| Florence Walnut | LFC | White Nebula | LWL | | |
| Friston Ash | LFH | White Sand | LWN | | |
| | | Windsor Mahogany | LWY | | |


Finish Cards

View color swatches for items listed within this document.

| Paints | Wood/Veneer | Molded Edges | Hard Plastics |
|---------------|-------------|--------------|---------------|
| Plastics/Poly | Laminates | Edge Styles | Glass |

Certain options referenced may not be available on GSA Schedule.

| Features | MODEL NUMBER | | | | | | | | Approx. Packaged Weight | Grade C.O.M. | Grade C | Grade D | Grade E & C.O.L. | Grade F | Grade G | Grade H | Grade I | Grade J | Grade K | Grade L Leather | Grade M Leather | Moisture Barrier add to list price | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------------------------|-----------------------------------|-------------------|-------------|----------------|---------------------------|--------------|------------------|-------------------------|--------------|---------|---------|------------------|---------|---------|---------|---------|---------|---------|-----------------|-----------------|------------------------------------|---------|--------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | Basic Model | Non-Contrast or Fabric Contrast 1 | Fabric Contrast 2 | Base Finish | Ganging Option | Privacy Screen Attachment | Glide Option | Moisture Barrier | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | Non-contrast | H23/NC | □□□□ | | □□ | □□□ | □□□ | □□ | □□□ | 75.0# | | \$ 2185 | \$ 2277 | \$ 2304 | \$ 2335 | \$ 2354 | \$ 2396 | \$ 2439 | \$ 2487 | \$ 2591 | \$ 2692 | \$ 2794 | \$ 3000 | \$ 184 | | | | | | | | | | | | | | | | | | | | | | | | |
| | Contrast | H23/FC | □□□□ | □□□□ | □□ | □□□ | □□□ | □□ | □□□ | 75.0# | | 2259 | 2354 | 2380 | 2412 | 2434 | 2472 | 2514 | 2564 | 2666 | 2769 | 2871 | 3075 | 184 | | | | | | | | | | | | | | | | | | | | | | | | |
| HUB | 26 x 26 Armless Lounge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • Non-contrast C.O.M. = 2 yds | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • 1 = Back (Fabric Contrast 1) C.O.M. = 1 yd | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • 2 = Seat, sides (Fabric Contrast 2) C.O.M. = 2 yd | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | Non-contrast | H33/NC | □□□□ | | □□ | □□□ | □□□ | □□ | □□□ | 100.0# | | \$ 2765 | \$ 2918 | \$ 2959 | \$ 3008 | \$ 3040 | \$ 3104 | \$ 3165 | \$ 3248 | \$ 3406 | \$ 3568 | \$ 3729 | \$ 4048 | \$ 199 | | | | | | | | | | | | | | | | | | | | | | | | |
| | Contrast | H33/FC | □□□□ | □□□□ | □□ | □□□ | □□□ | □□ | □□□ | 100.0# | | 2890 | 3042 | 3083 | 3130 | 3163 | 3225 | 3292 | 3371 | 3531 | 3694 | 3850 | 4171 | 199 | | | | | | | | | | | | | | | | | | | | | | | | |
| HUB | 26 x 39 Armless Lounge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • Non-contrast C.O.M. = 3 yds | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • 1 = Back (Fabric Contrast 1) C.O.M. = 1 yd | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • 2 = Seat, sides (Fabric Contrast 2) C.O.M. = 2 yd | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | Non-contrast | H43/NC | □□□□ | | □□ | □□□ | □□□ | □□ | □□□ | 160.0# | | \$ 3768 | \$ 4020 | \$ 4085 | \$ 4166 | \$ 4217 | \$ 4323 | \$ 4425 | \$ 4557 | \$ 4821 | \$ 5080 | \$ 5346 | \$ 5867 | \$ 221 | | | | | | | | | | | | | | | | | | | | | | | | |
| | Contrast | H43/FC | □□□□ | □□□□ | □□ | □□□ | □□□ | □□ | □□□ | 160.0# | | 3961 | 4211 | 4275 | 4352 | 4407 | 4513 | 4616 | 4746 | 5010 | 5272 | 5535 | 6058 | 221 | | | | | | | | | | | | | | | | | | | | | | | | |
| HUB | 26 x 78 Armless Lounge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • Non-contrast C.O.M. = 5.25 yds | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • 1 = Back (Fabric Contrast 1) C.O.M. = 2 yd | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • 2 = Seat, sides (Fabric Contrast 2) C.O.M. = 3.5 yd | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Features | MODEL NUMBER | | | | | | | | | | Approx. Packaged Weight | Grade C.O.M. | Grade C | Grade D | Grade E & C.O.L. | Grade F | Grade G | Grade H | Grade I | Grade J | Grade K | Grade L Leather | Grade M Leather | Moisture Barrier add to list price | |
|--|--------------|-----------------------------------|--|---|---|---|--------------------------|---------------------------|--------------------------|----------------|-------------------------|--------------|---------|---------|------------------|---------|---------|---------|---------|---------|---------|-----------------|-----------------|------------------------------------|--|
| | Basic Model | Non-Contrast or Fabric Contrast 1 | Fabric Contrast 2 | Base Finish | Lam. Color | Power Option | Gang. Option | Privacy Screen Attachment | Glide Option | Moist. Barrier | | | | | | | | | | | | | | | |
|  | Non-contrast | H20B | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 50.0# | \$ 2505 | \$ 2560 | \$ 2576 | \$ 2592 | \$ 2602 | \$ 2626 | \$ 2649 | \$ 2680 | \$ 2739 | \$ 2795 | \$ 2853 | \$ 2970 | \$ 175 | | |
| HUB 26 x 26 Laminate Backless Lounge | | | | | | | | | | | | | | | | | | | | | | | | | |
| • Non-contrast C.O.M. = 1.75 yds • Optional privacy screen model SK24 fits this model | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | Non-contrast | H23B/NC | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 80.0# | \$ 2913 | \$ 3010 | \$ 3036 | \$ 3067 | \$ 3086 | \$ 3127 | \$ 3165 | \$ 3218 | \$ 3321 | \$ 3421 | \$ 3525 | \$ 3729 | \$ 184 | | |
| HUB 26 x 26 Laminate Back Lounge | | | | | | | | | | 80.0# | 2989 | 3086 | 3112 | 3145 | 3163 | 3206 | 3246 | 3296 | 3399 | 3501 | 3602 | 3806 | 184 | | |
| • Non-contrast C.O.M. = 2 yds • 1 = Back (Fabric Contrast 1) C.O.M. = 1 yd • 2 = Seat, sides (Fabric Contrast 2) C.O.M. = 1.5 yd • Optional privacy screen model SK24 fits this model | | | | | | | | | | | | | | | | | | | | | | | | | |

A **B** **C** **D** **E** **F** **G** **H** **I** **J**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the indicates that no choice is required.

• Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics
- Select fabric contrast 2. Refer to ki.com/fabrics
- Select base and upright finish color. Refer to the **Product Color Options** page in this price list.
- Select back laminate. Refer to the **Product Color Options** page in this price list.
- Select power option.

NP - No power
WPBL - Black power module; add \$378
WPSL - Silver power module; add \$378
WPWH - White power module; add \$378

G Select ganging option.

HNG - No gangers
HWG - Ganging; add \$76
 Two ganging assemblies shipped per unit.

H Select privacy screen attachments.

NPSA - No privacy screen attachments
WPSA - Privacy screen attachments (privacy screen ordered separately)

I Select glide option.

NGL - No glides
CNY - Nylon glides (black); add \$6

J Select moisture barrier.

MB - Moisture barrier
NMB - No moisture barrier
 See pricing column for moisture barrier upcharge.

NOTE

Units with privacy screens are unable to be ganged in a back-to-back configuration.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Specifications and prices are subject to change without prior notice.

| Features | MODEL NUMBER | | | | | | | | | Approx. Weight | Grade C.O.M. | Grade C | Grade D | Grade E & C.O.L. | Grade F | Grade G | Grade H | Grade I | Grade J | Grade K | Grade L Leather | Grade M Leather | Moisture Barrier add to list price |
|---|--------------|-----------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---------------------------|--------------------------|----------------|--------------|---------|---------|------------------|---------|---------|---------|---------|---------|---------|-----------------|-----------------|------------------------------------|
| | Basic Model | Non-Contrast or Fabric Contrast 1 | Fabric Contrast 2 | Base Finish | Lam. Color | Power Option | Gang. Option | Privacy Screen Attachment | Glide Option | | | | | | | | | | | | | | |
|  HUB 26 x 39 Laminate Back Lounge - Left Facing Back <ul style="list-style-type: none"> Non-contrast C.O.M = 2.5 yds 1 = Back (Fabric Contrast 1) C.O.M. = 1 yd 2 = Seat, sides (Fabric Contrast 2) C.O.M. = 2 yd Optional privacy screen model SK37 fits this model | Non-contrast | H33LB/NC | <input type="checkbox"/> | <input type="checkbox"/> | 115.0# | \$ 3603 | \$ 3741 | \$ 3776 | \$ 3822 | \$ 3850 | \$ 3908 | \$ 3969 | \$ 4041 | \$ 4186 | \$ 4331 | \$ 4476 | \$ 4769 | \$ 196 |
| | Contrast | H33LB/FC | <input type="checkbox"/> | <input type="checkbox"/> | 115.0# | 3794 | 3931 | 3969 | 4012 | 4043 | 4101 | 4158 | 4228 | 4377 | 4523 | 4668 | 4960 | 196 |
|  HUB 26 x 39 Laminate Back Lounge - Right Facing Back <ul style="list-style-type: none"> Non-contrast C.O.M = 2.5 yds 1 = Back (Fabric Contrast 1) C.O.M. = 1 yd 2 = Seat, sides (Fabric Contrast 2) C.O.M. = 2 yd Optional privacy screen model SK37 fits this model | Non-contrast | H33RB/NC | <input type="checkbox"/> | <input type="checkbox"/> | 115.0# | \$ 3603 | \$ 3741 | \$ 3776 | \$ 3822 | \$ 3850 | \$ 3908 | \$ 3969 | \$ 4041 | \$ 4186 | \$ 4331 | \$ 4476 | \$ 4769 | \$ 196 |
| | Contrast | H33RB/FC | <input type="checkbox"/> | <input type="checkbox"/> | 115.0# | 3794 | 3931 | 3969 | 4012 | 4043 | 4101 | 4158 | 4228 | 4377 | 4523 | 4668 | 4960 | 196 |

A **B** **C** **D** **E** **F** **G** **H** **I** **J**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics
- C** Select fabric contrast 2. Refer to ki.com/fabrics
- D** Select base and upright finish color. Refer to the **Product Color Options** page in this price list.
- E** Select back laminate. Refer to the **Product Color Options** page in this price list.
- F** Select power option.

| | |
|-------------|----------------------------------|
| NP | - No power |
| WPBL | - Black power module; add \$378 |
| WPSL | - Silver power module; add \$378 |
| WPWH | - White power module; add \$378 |

- G** Select ganging option.

| | |
|------------|---------------------|
| HNG | - No gangers |
| HWG | - Ganging; add \$76 |

Two ganging assemblies shipped per unit.

- H** Select privacy screen attachments.

| | |
|-------------|--|
| NPSA | - No privacy screen attachments |
| WPSA | - Privacy screen attachments (privacy screen ordered separately) |

- I** Select glide option.

| | |
|------------|---------------------------------|
| NGL | - No glides |
| GNY | - Nylon glides (black); add \$6 |

- J** Select moisture barrier.

| | |
|------------|-----------------------|
| MB | - Moisture barrier |
| NMB | - No moisture barrier |

See pricing column for moisture barrier upcharge.

NOTE

Units with privacy screens are unable to be ganged in a back-to-back configuration.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Specifications and prices are subject to change without prior notice.

| MODEL | Features | MODEL NUMBER | | | | | | | Approx. Weight | Grade C.O.M. | Grade C | Grade D | Grade E & C.O.L. | Grade F | Grade G | Grade H | Grade I | Grade J | Grade K | Grade L Leather | Grade M Leather | Moisture Barrier add to list price | | |
|---|---|---|-----------------------------------|--|--|--|--|--------------------------|--|--|---------|---------|------------------|---------|---------|---------|---------|---------|---------|-----------------|-----------------|------------------------------------|--|--|
| | | Basic Model | Non-Contrast or Fabric Contrast 1 | Base Finish | Ganging Option | Handle | Glide Option | Moisture Barrier | | | | | | | | | | | | | | | | |
|  | 26 x 26 Upholstered Ottoman • Non-contrast C.O.M = 2 yds • The handle (WH), when selected, is powder coated to match the sled base color. If Chrome is the sled base color, then handle will be Starlight Silver Metallic. | Non-contrast | H20 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | | | | | | | | | | | | | | 50.0# \$ 1526 \$ 1610 \$ 1633 \$ 1658 \$ 1676 \$ 1710 \$ 1745 \$ 1788 \$ 1874 \$ 1962 \$ 2053 \$ 2226 \$ 180 |
| HUB |  | 45 Degree Wedge - Inside • Non-contrast C.O.M = 1.75 yds • Inside-facing while seated • The handle (WH), when selected, is powder coated to match the sled base color. If Chrome is the sled base color, then handle will be Starlight Silver Metallic. | Non-contrast | H45WI | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | | | | | | | | | | | | | 55.0# \$ 1556 \$ 1639 \$ 1660 \$ 1689 \$ 1705 \$ 1742 \$ 1775 \$ 1818 \$ 1907 \$ 1994 \$ 2081 \$ 2256 \$ 180 |
| HUB |  | 60 Degree Wedge - Inside • Non-contrast C.O.M = 1.75 yds • Inside-facing while seated • The handle (WH), when selected, is powder coated to match the sled base color. If Chrome is the sled base color, then handle will be Starlight Silver Metallic. | Non-contrast | H60WI | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | | | | | | | | | | | | | 55.0# \$ 1556 \$ 1639 \$ 1660 \$ 1689 \$ 1705 \$ 1742 \$ 1775 \$ 1818 \$ 1907 \$ 1994 \$ 2081 \$ 2256 \$ 180 |
| HUB |  | 45 Degree Wedge - Outside • Non-contrast C.O.M = 1.75 yds • Outside-facing while seated • The handle (WH), when selected, is powder coated to match the sled base color. If Chrome is the sled base color, then handle will be Starlight Silver Metallic. | Non-contrast | H45WO | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | | | | | | | | | | | | | 60.0# \$ 1556 \$ 1639 \$ 1660 \$ 1689 \$ 1705 \$ 1742 \$ 1775 \$ 1818 \$ 1907 \$ 1994 \$ 2081 \$ 2256 \$ 180 |
| HUB |  | 60 Degree Wedge - Outside • Non-contrast C.O.M = 1.75 yds • Outside-facing while seated • The handle (WH), when selected, is powder coated to match the sled base color. If Chrome is the sled base color, then handle will be Starlight Silver Metallic. | Non-contrast | H60WO | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | | | | | | | | | | | | | | 60.0# \$ 1556 \$ 1639 \$ 1660 \$ 1689 \$ 1705 \$ 1742 \$ 1775 \$ 1818 \$ 1907 \$ 1994 \$ 2081 \$ 2256 \$ 180 |

A **B** **C** **D** **E** **F** **G**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.
• Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

G Select moisture barrier.

MB - Moisture barrier
NMB - No moisture barrier

See pricing column for moisture barrier upcharge.

A Select basic model.

B Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

C Select base finish color.

Refer to the **Product Color Options** page in this price list.

D Select ganging option.

HNG - No gangers
HWG - Ganging; add \$76
Two ganging assemblies shipped per unit.

E Select handle.

WH - Handle; add \$140
NH - No handle

F Select glide option.

NGL - No glides
GNY - Nylon glides (black); add \$6

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Specifications and prices are subject to change without prior notice.

| MODEL | MODEL NUMBER | | | | | | | Approx. Packaged Weight | Delivered Pricing | |
|---|--------------|--|--|---|---|--|--------------------------|-------------------------|-------------------|--|
| | Basic Model | Primary Laminate Color (1) | Secondary Laminate Color (2) | Base Finish | Power Option | Ganging Option | Glide Option | | | |
|  13 x 26 Laminate Table | H13T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 55.0# | \$ 1532 | |
|  26 x 26 Laminate Table | H24T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 80.0# | \$ 1563 | |
| | | A | B | C | D | E | F | G | | |

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER**A** Select basic model.**F** Select ganging option.

HNG - No gangers
HWG - Ganging; add \$76

Two ganging assemblies shipped per unit.

B Select primary laminate color.

Primary laminate selection is for top.
Refer to the **Product Color Options** page in this price list.

G Select glide option.

NGL - No glides
GNY - Nylon glides (black); add \$6

C Select secondary laminate color.

Secondary laminate selection is for side panels.
Refer to the **Product Color Options** page in this price list.

D Select base finish color.

Refer to the **Product Color Options** page in this price list.

E Select power option.

NP - No power
WPBL - Black power module; add \$378
WPSL - Silver power module; add \$378
WPWH - White power module; add \$378


SPECIAL SERVICES**Special Carton Marking**

With specially marked information N/C

Shipping
Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Specifications and prices are subject to change without prior notice.



| MODEL | MODEL NUMBER | | Approx. Packaged Weight | Delivered Pricing |
|---|--|----------------------|-------------------------|-------------------|
| | Basic Model | Privacy Screen Color | | |
|  | Privacy Screen for 26" Wide Units | SK24 | □□□ | 40.00# \$ 1400 |
| | • Privacy screens are 57" high when attached to a Hub® seat | | | |
| | • Fits chair models (H23, H20B, H23B) | | | |
| HUBA | | | | |
|  | Privacy Screen for 39" Wide Units | SK37 | □□□ | 55.00# \$ 1510 |
| | • Privacy screens are 57" high when attached to Hub® seating | | | |
| | • Fits loveseat models (H33, H33RB, H33LB) | | | |
| HUBA | | | | |
|  | Privacy Screen for 78" Wide Units | SK78 | □□□ | 90.00# \$ 3021 |
| | • Privacy screens are 57" high when attached to Hub® seating | | | |
| | • Fits sofa models (H43) | | | |
| HUBA | | | | |
|  | Ganger Assembly | GNGR.ASSM | | 2.10# \$ 72 |
| | • Order one ganger assembly for each intersecting point | | | |
| AC902 | | | | |

A **B**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select privacy screen fabric.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2023 Krueger International, Inc. All Rights Reserved.