



BOBBRTM
UNDERMOUNT STORAGE

PRICE LIST

EFFECTIVE NOVEMBER 1, 2023
800.424.2432



| | |
|----------------------------------|---|
| Bobbr™ Undermount Storage | |
| General Information | 3 |
| Product Color Options | 5 |
| Storage Units | 6 |
| Accessories | 8 |
| Peg Accessories | 9 |

PRODUCT SPECIFICATIONS ■

Bobbr™ Undermount Storage

June 2021



TECHNICAL SPECIFICATIONS

General Undermount

Bobbr Undermount Storage units mount directly to the underside of a worksurface to provide storage space. The unit is supported entirely from the worksurface, allowing it to move freely with adjustable-height desks for maximum user convenience. A fully loaded unit may weigh 58.1 lb.

Shells are symmetrical. Drawers and doors feature a push-to-open mechanism which can be configured when ordered, or ordered later and installed in the field. Installation does not require any specialized tools. Door hand can be easily reconfigured in the field.

The drawer, fixed shelf, and unit bottom feature a felt pad to gently store items.

A perforated hole pattern on 1" centers allows users to hang accessories or other standard pegboard style components from the unit. These perforations also provide air ventilation.

Unit Construction

Each unit is constructed primarily of steel. The shell consists of 16-gauge steel body and a 20-gauge steel fixed shelf. The drawer and hanging shelf are constructed of 20-gauge steel and the cubby door is of 16-gauge steel.

Finish

Components are finished with an electrostatically applied hybrid epoxy powder-coat paint. All standard KI powder-coat finishes are available. When configured with drawers or cubby doors, these options may be specified to a different color than the shell at no extra charge.

USB Charging Port

Storage units may be ordered with a USB-A charging port, accessible at the upper left-hand or right-hand exterior of the unit. The charging port is mounted inside the unit, under the fixed shelf and the cable exits through a $\frac{3}{4}$ " hole at the rear of the storage unit and attaches to a 10.5-watt power converter. The power converter comes standard with the cable and plugs into a standard power receptacle. Alternately, the charging port may be connected to a computer for power and data transfer, with a maximum data transfer rate of 480Mb/s.

Hanging Metal Shelf

A $9\frac{5}{8}$ " wide by $13\frac{1}{8}$ " deep shelf may be added later as an option. The hanging shelf features integrated reinforcements which allow letter-sized hanging holders to be mounted side-to-side underneath. No tools are required for hanging metal shelf assembly.


P-Series Locks

When configured with a drawer or cubby door, storage units feature a P-Series lock. P-Series locks are a high security double-bit lock system, with master key-able lock cores. The lock cores are randomly keyed.

Compliance

Bobbr Undermount Storage is designed and manufactured to meet or exceed required ANSI/BIFMA x5.9-2012.

DIMENSIONS - External Unit Dimensions




Note: When mounted under a 29" high table with $1\frac{3}{16}$ " thick worksurface, there is 8" clearance under the Bobbr unit.




DIMENSIONS - Internal Unit Dimensions

Fixed Shelf




Note: These dimensions are for the unit only, components under the desk worksurface may reduce these values.

Drawers




Note: When a door is added, the usable depth behind the door is 13 3/4 inches.

Hanging Shelf




STATEMENT OF LINE

Bobbr Storage Unit



Accessories



**Shell Paint Color**

| | | | |
|---------------------------|----|--------------------------------|-----|
| Black | BL | Raw Jasper | FRJ |
| Blue Grey | GR | Rubber Ducky | FRK |
| Bronze Metallic | ZM | Sand | FSA |
| Cayenne | CY | Sky Blue | FSK |
| Champagne Metallic | CM | Starlight Silver Metallic | FSX |
| Cool Grey | CG | Surf's Up | FSP |
| Cottonwood | CO | Tarragon | FTQ |
| Earthen Clay | EY | Twilight Shadow | FTI |
| Espresso Metallic | EX | Ultra Blue | FUB |
| Everglade Shade | EV | Warm Grey | FWG |
| Flannel | FN | Zesty Lime | FZL |
| Glitz Metallic | GZ | | |
| Hazy Jade | HJ | Lock Color | |
| Honey Bee | HY | Black | BLL |
| Light Tone | LG | Satin Chrome | SCL |
| Mardi Gras | MG | | |
| Misty Brown | MY | Accessories Paint Color | |
| Nemo | NE | Black | BL |
| Nordic | ND | Blue Grey | GR |
| Poppy Red | PR | Bronze Metallic | ZM |
| Purple Haze | PH | Cayenne | CY |
| Rainforest | RQ | Champagne Metallic | CM |
| Raw Jasper | RJ | Cool Grey | CG |
| Rubber Ducky | RK | Cottonwood | CO |
| Sand | SA | Earthen Clay | EY |
| Sky Blue | SK | Espresso Metallic | EX |
| Starlight Silver Metallic | SX | Everglade Shade | EV |
| Surf's Up | SP | Flannel | FN |
| Tarragon | TQ | Glitz Metallic | GZ |
| Twilight Shadow | TI | Hazy Jade | HJ |
| Ultra Blue | UB | Honey Bee | HY |
| Warm Grey | WG | Light Tone | LG |
| Zesty Lime | ZL | Mardi Gras | MG |
| | | Misty Brown | MY |
| | | Nemo | NE |
| | | Nordic | ND |
| | | Poppy Red | PR |
| | | Purple Haze | PH |
| | | Rainforest | RQ |
| | | Raw Jasper | RJ |
| | | Rubber Ducky | RK |
| | | Sand | SA |
| | | Sky Blue | SK |
| | | Starlight Silver Metallic | SX |
| | | Surf's Up | SP |
| | | Tarragon | TQ |
| | | Twilight Shadow | TI |
| | | Ultra Blue | UB |
| | | Warm Grey | WG |
| | | Zesty Lime | ZL |

Door/Drawer Paint Color

| | | | |
|--------------------|-----|--|--|
| Black | FBL | | |
| Blue Grey | FGR | | |
| Bronze Metallic | FZM | | |
| Cayenne | FCY | | |
| Champagne Metallic | FCM | | |
| Cool Grey | FCG | | |
| Cottonwood | FCO | | |
| Earthen Clay | FEY | | |
| Espresso Metallic | FEX | | |
| Everglade Shade | FEV | | |
| Flannel | FFN | | |
| Glitz Metallic | FGZ | | |
| Hazy Jade | FHJ | | |
| Honey Bee | FHY | | |
| Light Tone | FLG | | |
| Mardi Gras | FMG | | |
| Misty Brown | FMY | | |
| Nemo | FNE | | |
| Nordic | FND | | |
| Poppy Red | FPR | | |
| Purple Haze | FPH | | |
| Rainforest | FRQ | | |

Finish Cards

View color swatches for items listed within this document.

Paints**Wood/Veneer****Molded Edges****Hard Plastics****Plastics/Poly****Laminates****Edge Styles****Glass**

Certain options referenced may not be available on GSA Schedule.



| | MODEL | W x D x H | MODEL NUMBER | | | | | | Approx. Packaged Weight | Delivered Pricing | |
|---|--|--------------------|--------------|--------------------------|--------------------------|-------------|--------------------------|--------------------------|--------------------------|-------------------|--------|
| | | | Basic Model | Shell Color | Door/Drawer Front Color | Lock Option | Lock Color | USB Power | | | |
|  BOBR | Open Top Shelf and Open Cubby <ul style="list-style-type: none"> Mounts directly on underside of work-surface Perforated hole pattern on body allows for usage of standard peg accessories Not compatible with Toggle® and Work-Up® wire management troughs Fixed shelf and bottom of cubby are felt lined | 10 x 15.5 x 19.63" | BOBR10162000 | <input type="checkbox"/> | | | | | <input type="checkbox"/> | 23.0# | \$ 308 |
|  BOBR | Top Drawer and Open Cubby <ul style="list-style-type: none"> Mounts directly on underside of work-surface Perforated hole pattern on body allows for usage of standard peg accessories Lockable drawer is push to open Not compatible with Toggle® and Work-Up® wire management troughs Drawer and bottom of cubby are felt lined | 10 x 15.5 x 19.63" | BOBR101620D0 | <input type="checkbox"/> | <input type="checkbox"/> | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 26.0# | \$ 462 |
| | | | A | B | C | D | E | F | | | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select shell color.
Refer to the **Product Color Options** page in this price list.
- C** Select door/drawer color.
Refer to the **Product Color Options** page in this price list.
- D** Select lock option.
KS - Key standard
NLC - No lock core
KA - Key alike
- E** Select lock color.
Refer to the **Product Color Options** page in this price list.
- F** Select USB power.
NUSB - No USB power
USB - USB power; add \$62

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



| MODEL | W x D x H | MODEL NUMBER | | | | | | | Approx. Packaged Weight | Delivered Pricing | |
|--|--------------------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|-------------------|--|
| | | Basic Model | Hinge Location | Shell Color | Door/Drawer Front Color | Lock Option | Lock Color | USB Power | | | |
|  BOBR Open Top Shelf and Cubby with Door <ul style="list-style-type: none"> Mounts directly on underside of work-surface Perforated hole pattern on body and door allows for usage of standard peg accessories Lockable cubby door is push to open Door hand is determined by hinge location (e.g. right doors are hinged on right side) Not compatible with Toggle® and Work-Up® wire management troughs Fixed shelf and bottom of cubby are felt lined | 10 x 15.5 x 19.63" | BOBR1016200C | <input type="checkbox"/> | 25.0# | \$ 432 | |
|  BOBR Top Drawer and Cubby with Door <ul style="list-style-type: none"> Mounts directly on underside of work-surface Perforated hole pattern on body and door allows for usage of standard peg accessories Lockable drawer and cubby door are push to open Door hand is determined by hinge location (e.g. right doors are hinged on right side) Not compatible with Toggle® and Work-Up® wire management troughs Drawer and bottom of cubby are felt lined | 10 x 15.5 x 19.63" | BOBR101620DC | <input type="checkbox"/> | 28.0# | \$ 555 | |
| | | | A | B | C | D | E | F | G | | |

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Selection hinge location.
L - Hinged left
R - Hinged right
- C** Select shell color.
 Refer to the **Product Color Options** page in this price list.
- D** Select door/drawer color.
 Refer to the **Product Color Options** page in this price list.
- E** Select lock option.
KS - Key standard
NLC - No lock core
KA - Key alike
- F** Select lock color.
 Refer to the **Product Color Options** page in this price list.

- G** Select USB power.
NUSB - No USB power
USB - USB power; add \$62

SPECIAL SERVICES
Special Carton Marking



With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



| MODEL | MODEL NUMBER | | | | Approx. Packaged Weight | Delivered Pricing |
|--|--------------|--------------------------|--------------------------|--------------------------|-------------------------|-------------------|
| | Basic Model | Paint Color | Lock Option | Lock Color | | |
|  <p>USB</p> <ul style="list-style-type: none"> Provides a USB type A port for Bobbr unit 6' cable and included 10W power supply Module and cord are black Can be installed on left or right side of Bobbr unit into pre-existing hole | USBA | | | | 2.0# | \$ 62 |
|  <p>Hanging Metal Shelf</p> <ul style="list-style-type: none"> Internal removable hanging metal shelf provides extra storage Integrated flanges allow hanging folders to be stored underneath it | MSHELF | <input type="checkbox"/> | | | 4.0# | \$ 73 |
|  <p>Top Drawer Kit</p> <ul style="list-style-type: none"> Allows a drawer to be added to the open shelf on top of Bobbr unit Drawer is fastened using pop rivets Includes drawer, felt lining and 2 drawer slides | DRAWER | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5.0# | \$ 148 |
|  <p>Cubby Door Kit</p> <ul style="list-style-type: none"> Allows a door to be added in the lower cubby of Bobbr unit Door can be installed in a left- or right-hand orientation | CUPBOARD | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4.0# | \$ 111 |
| | | A | B | C | D | |

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **Product Color Options** page in this price list.
- C** Select lock option.
KS - Key standard
NLC - No lock core
KA - Key alike
- D** Select lock color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



| | | MODEL NUMBER | | | |
|---|-------------|--------------|-------------------------|-------------------|--|
| MODEL | | Basic Model | Approx. Packaged Weight | Delivered Pricing | |
|  1" Hook <ul style="list-style-type: none"> • Clear 1" long acrylic hook • 5 lb. capacity • Can be positioned on Bobbr unit peg-board holes located on side of body and cubby door | | 2.KP41086 | 1.0# | \$ 15 | |
| HRDPT | | | | | |
|  2" Hook <ul style="list-style-type: none"> • Clear 2" long acrylic hook • 10 lb. capacity • Can be positioned on Bobbr unit peg-board holes located on side of body and cubby door | | 2.KP41087 | 1.0# | \$ 17 | |
| HRDPT | | | | | |
|  4" Cup <ul style="list-style-type: none"> • Clear acrylic cup • Provides storage for small office supplies to keep close at hand • Can be positioned on Bobbr unit peg-board holes located on side of body and cubby door | 3.75"x3.25" | 2.KP41088 | 1.0# | \$ 37 | |
| HRDPT | | | | | |

A

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2023 Krueger International, Inc. All Rights Reserved.