



RESIDENCE HALL FURNITURE

PRICE LIST

EFFECTIVE JULY 3, 2024
800.424.2432



Ordering COM	
Information	3

RoomScope® Furniture	
Technical Specifications	4
Product Color Options	7
Beds (complete)	8
Bed Components (for after-market retrofit only)	10
Worksurfaces and Tackboards	12
Hang-on Storage Units	13
Lighting Accessories	14
Computer Accessories and Center Drawer	16
Storage Pedestals with Steel Front	17
Storage Pedestals w/Woodgrain Laminate Front/Top	18
Wardrobes with Steel Front	19
Wardrobes with Woodgrain Laminate Front	20
Dressers with Steel Front	21
Dressers with Woodgrain Laminate Front and Top	22



C.O.M. SHIPPING LOCATION



Architectural Walls	Universal Overheads..... MN	Oath Task Chairs and Stools..... GB
Evoke..... MN	Wireworks..... MN	Opt4..... GB
Genius Walls..... MN	Unite..... MN	Pilot Task Chairs..... OM
Casegoods	Residence Hall Furniture	Promenade Seating SystemBW
Aristotle Tackboards.....MN	RoomScape Furniture MN	Ruckus..... GB
Likha Tackboards.....MN	Screens	Sela Lounge SeatingHN
Classroom Furniture	All Terrain.....KP	Sift Task ChairsGB
Intellect Wave Chairs..... GB	Connection Zone.....BW	Signia Task Chairs and StoolsOM
Learn2 GB	True/VolitionKP	Soltice Metal Collection.....HN
Ruckus.....GB	Genesis.....KP	Soltice Multiple, Healthcare & Guest .HN
Desking	Tattoo..... MN	Soltice II Healthcare Seating.....HN
700 Series Desking..... KP	Universal.....BW	SonrisaHN
Balance Overheads..... MN	Seating	Strive Multiple, Stack & Task GB
Genesis Desking..... MN	600 Series Folding Chairs.....BW	SwayBW
True Desking.....KP	600 Series Stools.....BW	Tattoo.....HN
Universal Overheads..... MN	Affina Collection.....HN	Torsion-on-the-Go! Nesting Chairs GB
WorkZone Desking..... MN	Altus Task Chairs..... GB	Torsion Air Stack and Task Seating GB
Files & Storage	Apply Stack Chairs GB	Zoetry.....HN
700 Series Pedestal Cushion..... GB	Calida Lounge SeatingHN	
Connection Zone Pads.....BW	Diem Task Chairs.....OM	
U-Series Pedestal Cushion..... GB	Doni Collection..... GB	
Tattoo.....BW	Gladly Lounge SeatingVQ	
Fixed Seating	Grazie Seating GB	
Concerto Auditorium Seating.....BW	Hub Modular Lounge SeatingHN	
Single Pedestal Seating..... GB	Impress Task Chairs.....OM	
Jury Base Seating..... GB	Impress Ultra Task ChairsOM	
Lancaster Auditorium SeatingBW	Jessa Lounge Seating.....HN	
Sequence Seating..... GB	Jubilee Lounge Seating.....VQ	
University Seating..... GB	Katera..... GB	
Panel Systems	Kurv Benches.....HN	
All Terrain.....KP	LimeLite..... GB	
Balance Overheads..... MN	Lyra Lounge Seating.....HN	
	Medical & Laboratory Stools.....OM	
	MyPlace Lounge SeatingHN	
	MyWay Seating.....HN	

KI C.O.M. Manufacturing Site Addresses:

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	<u>HN</u> KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	<u>VQ</u> KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
<u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	<u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	<u>OM</u> KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	

PRODUCT SPECIFICATIONS

RoomScape® Residence Hall Furniture

November 2021

TECHNICAL SPECIFICATIONS

RoomScape furniture is a flexible student residence hall furniture system that allows configuration to fit individual needs and lifestyles. It offers height adjustability, tool-free assembly, non-handed components, computer/power/voice and data solutions, and fresh new aesthetics.

Bed

The bed is composed of: bed frame ends, caps, glides and stacking devices, bed deck assembly, lower horizontal reinforcing member and anti-racking bar (lofting applications only).

Bed Frame Ends

Bed frame ends are fabricated of two heavy 14-gauge steel tubular uprights. A vertical slotted pattern on 1" centers is located on the front and back of each upright to accept and provide height adjustment of bed deck and hang-on components. Two 14-gauge uprights are joined by three horizontal 1 1/4" diameter steel tubes, which are welded to the tubular uprights to create a ladder effect. Electrostatically applied epoxy powder-coat finish is applied for maximum durability.

Top Caps, Base Glides and Stacking Devices

Caps and glides are black molded nylon for maximum strength and are inserted into the ends of the vertical tubes of the bed frame ends. They utilize a friction fit so as to eliminate accidental dislodgment yet be capable of removal or installation when lofting or de-lofting beds.

Stacking devices are molded of black glass-reinforced nylon for maximum torsional strength. They insert with friction fit into top and bottom of bed frame ends to provide structural joinery for bunked or lofted beds.

Bed Deck Assembly

The deck frame assembly is composed of two 11-gauge steel rails with a series of hooks on each end that fasten into the vertical slots of the bed frame end. They are height adjustable from top to bottom anywhere along the vertical slot pattern of the upright. A side rail of 5/8" thick, 45 lb density particle board with .030" high-pressure laminate face, .028" backer sheet and edge band is attached to the outside surface of the steel bed rails for a finished appearance. Four 16-gauge formed-steel deck stringers drop into belt-loop style embosses that are equally spaced on the bed rails. These deck stringers span between the two rails and support either a board deck or spring board deck assembly. Electrostatically applied epoxy powder-coat finish is applied to metal surfaces for maximum durability.

The board bed deck option is composed of three 3/4" thick, 45 lb density particleboard deck boards, which have white melamine top and bottom surfaces to resist stains and to provide a light, finished appearance to the underside. They are edge banded with white edge banding. The deck boards lay in from above on top of the steel deck stringers and are captured at the ends of the bed to prevent sliding. The deck boards are 36 1/4" wide by 26 3/8" deep and are universal end-to-end and top-to-bottom.

The spring bed deck frame option consists of an all steel riveted construction. Primarily, the perimeter frame is made with 1 1/2" x 2" x 5/32" thick angle iron and includes four 1" by 11-gauge corner gussets, and two 1" diameter bridging cross tubes. The internal portion of the frame is designed for comfort; it consists of action arc z-hooks, six at 8-gauge and ten of 9-gauge wire which is connected together by thirty-six 12-gauge helical springs and one-hundred sixty 12-gauge wire links. Electrostatically applied epoxy powder-coat finish is applied for maximum durability.

Lower Reinforcing Member

The lower reinforcing member is positioned at the lower backside of a loft bed assembly to provide structural integrity. It is a 1" thick by 80" wide by 7 9/16" high fabricated box section comprised of 18-gauge and 11-gauge steel with a series of hooks on each end for attachment to the bed frame ends. Electrostatically applied epoxy powder-coat finish is applied for maximum durability.



TECHNICAL SPECIFICATIONS

Bed Safety Bar

Constructed of 14-gauge steel plate which mounts to the inside of the bed deck side rail, and 1" diameter, 14-gauge seamless steel tube which extends above the bed deck to provide additional safety for the sleep area. Electrostatically applied epoxy powder-coat finish is applied for maximum durability.

Ladder

Composed of 14-gauge support bracket, which hooks over top edge of the bed deck side rail and 14-gauge ladder assembly. Ladder assembly is constructed of two 75" high seamless rectangular tubes with five 3/4" x 1 1/2" round seamless tubes, which form the rungs. Rungs are inserted into the rectangular uprights and a #10 threaded rod is inserted through the rung and drawn up from each end via black oxide stay-fast Allen head nuts. A bottom-mounting bracket is supplied to secure bottom of ladder when used without a lower bed. The bracket is made of 11-gauge steel and attaches to the ladder with two #10 self-drilling screws. The bracket hooks into the bed frame ends via adjustable notches. Electrostatically applied epoxy powder-coat finish is applied to the ladder assembly and bracket for maximum durability.

Mattress

Mattress is of multi-layer foam construction, with a plush and firm side for user preference. It's finished size is 36" x 80". The mattresses foam core is of 4" firm high-density foam. Around the core on each side is 5-Zone, 2" convoluted high-density firm topper foam. Components are bonded together using a non-toxic water-base adhesive. Cover is ZPP FR-FB 210 Denier poly urethane-coated nylon ticking with laminated FR barrier, with inverted seam-lock stitch construction and fire-retardant thread. No vents, making it bed bug resistant. Mattress conforms to CFR 1632, to new CSPC 16 CFR 1633, to BFD IX-11 BC and to California Bureau of Home Furnishings Technical Bulletin 129 "Flammability Test Procedure for Mattresses for use in Public Buildings". The mattress is fully recyclable and ships in a 4-mil poly bag, that should be removed at installation.

Hang-On Worksurfaces

Worksurfaces are constructed of 45 lb high-density particleboard laminated with .030" face sheet and .028" backer sheet of high-pressure laminate. Edge banding provides optimal durability.

Worksurfaces are supported by two 14-gauge drawn-steel cantilever brackets, which hook into the slotted channels of the end uprights. This provides height adjustability to suit the comfort of the student. Brackets are designed to prevent accidental dislodgment yet can be easily removed for adjustment. A 1 1/8" x 2 1/8" cutout is located in the upper rear corner of each bracket to allow cables from the worksurface to drop over the edge and pass through the bracket.

PowerUp option provides two grounded power outlets and voice and data terminal connection locations. Standard with 9' grounded cord. One PowerUp module is centered left-to-right at the rear of the surface.

CPU Bracket

Mounts under hang-on worksurface to provide access and storage for CPU, freeing up worksurface space. Black steel construction with height adjustment in five 1" increments from 12 1/2" to 17 1/2". Adjusts in width to hold CPUs from 2 3/4" to 9 1/4" wide.

Hang-On Tackboards

The tackboard is constructed of fabric upholstered 3/4" thick industrial grade micore. It is attached to an 11-gauge powder-coated finish steel back, which incorporates hooks for hanging on the bed frame end.

Hang-On Megasurface

Megasurfaces are constructed the same as regular hang-on worksurfaces but are composed of two 15" x 37" x 40" x 18" corner surfaces to provide maximum worksurface ideal for computers. The surfaces span the full length under the loft and have a concave edge on the user side creating a wrap-around effect. A full-length tackboard 80" x 16" is included providing tackable space and worksurface support.

PowerUp option provides two grounded power outlets and voice and data terminal connection locations. Standard with 9' grounded cord. Two PowerUp modules provided one on each rear corner.

TECHNICAL SPECIFICATIONS**Keyboard Tray**

Mounts under hang-on worksurface to provide access and storage for computer keyboards. Molded black plastic surface with non-skid insert operates on steel ball bearing telescopic suspensions.

Center Drawer

Mounts under hang-on worksurface or megasurface. Formed of 20-gauge steel with molded plastic compartment for pencils, paper clips, etc. Non-locking. Operates on a formed-steel suspension with nylon glides for smooth operation.

Hang-On Shelf Unit

End panels of the shelf are particle board covered by .030" high-pressure laminate with the edge banded by matching edge banding. The steel bottom shelf is 16-gauge steel, powder-coated paint. The steel back is 11-gauge steel and incorporates hooks to hang the shelf at the desired height from the bed frame. Hook design prevents accidental dislodging.

Hang-On Flipper Drawer Unit

The construction of the end panels and steel shelves of the flipper door unit are identical to the shelf. The door opens on the top of the unit. Construction of the laminate flipper door front is .030" high-pressure laminate covering the particle board inner structure. The outer edges of the flipper door are matching polypropylene edge banding. Painted components are electrostatically applied epoxy powder-coated. Locking is optional.

Adjustable Mouse Pad

Adjustable mouse pads shall attach to the underside of worksurfaces. Mousepads have a 5 1/2" vertical adjustment, 359° swivel and slide under the worksurface for storage. They also have a neoprene surface and are available in black only.

Task Light

UL listed task light attaches to the flange on the underside of the shelf or flipper door cabinet. Includes a 15-watt cool white lamp and 8' cord with grounded plug. Included 16" L cord manager attaches to slotted channel in bed frame and manages cables above or below worksurface. Black only.

Articulating Light

Light has 25" long steel tubular arm with two gooseneck joints providing articulation for the 5 1/4" x 8 3/4" plastic head with 13-watt fluorescent bulb. Cord is 8' long with ballast built into the plug on the end. Steel support bracket attaches to bed frame above or below the bed deck to allow the most suitable positioning for the user.

Mobile and Freestanding Pedestal

One-piece, 20-gauge steel shell with enclosed 20-gauge top. Three-piece, 22-gauge welded drawers with multiple offsets providing maximum strength and moisture resistance. Heavy-duty steel ball bearing drawer suspensions. Lock options: no lock, "top drawer only" lock, which provides security to the top drawer via user-supplied padlock, or double-bitted removable core key lock (on steel-front units only). Freestanding units supplied with counterbalance weight. Mobile units have caster located in bottom of lower drawer front to prevent forward tipping. Painted with a hybrid epoxy powder-coat paint (see Finish). Four heavy-duty casters (two locking) provide mobility for mobile pedestals.

Steel-front pedestals have 22-gauge, double wall fronts with integral drawer pull. Front painted to match the pedestal shell.

Pedestals with woodgrain laminate front and top have 3/4" thick fronts and top constructed of particleboard core with high-pressure laminate surface. Edges of drawer front are banded with matching edge banding for added durability. Drawer pull is 8" wide and made of 14-gauge steel with a waterfall design painted to match the pedestal shell. Grain direction on top is side-to-side; on drawer fronts it is vertical.

TECHNICAL SPECIFICATIONS**Freestanding Dresser**

Shell is constructed of 20-gauge steel with seamless back and top with reinforced corners. Heavy-duty steel ball-bearing drawer suspensions. Lock options: no lock, "top drawer only" lock which provides security to the top drawer via user supplied padlock, or double-bitted removable core key lock which locks all drawers (on steel drawer front units only). Painted with a hybrid epoxy powder-coat paint (see Finish).

Steel front dressers have drawer fronts of 22-gauge steel with integral pulls. Front painted to match the dresser case.

Wardrobes with woodgrain laminate front and top have 3/4" thick front and top constructed of particle board with high-pressure laminate surface. Edges of front are banded with matching edge banding for added durability. Drawer pull is 8" wide and made of 14-gauge steel with a waterfall design painted to match the pedestal shell. Grain direction on top is left to right; on drawer fronts it is vertical.

Pedestal and Freestanding Dresser Tops for Laminate Units

Construction of particle board core with .030" face sheet and .028" backer sheet of high-pressure laminate. Edge banding for optimal durability. Tops are installed on pedestals or freestanding dressers in the field by use of factory-applied double-sided tape.

Freestanding Wardrobe Unit

Shell is constructed of 20-gauge steel. Uprights and top and bottom reinforcements are welded into a rigid "box frame". Two 18-gauge reinforcements located along the bottom front and back of cabinet house four threaded weldnuts to accept adjustable leveling glides. 18-gauge top reinforcement. Lock option: no lock, "top drawer only" lock which provides security to the top drawer of combination wardrobes via user supplied padlock, or double-bitted removable core key lock. Drawers in combination units are 20-gauge steel with slotted bottoms for ventilation. Heavy-duty steel ball bearing drawer suspensions. Painted with a hybrid epoxy powder-coat paint.

Steel-front units have 20-gauge drawer fronts and doors (double wall) with integral pulls. Fronts painted to match the wardrobe shell (see Finish).

Wardrobes with woodgrain laminate front have 3/4" thick doors and drawer fronts constructed of particle board core with high-pressure laminate surface. All edges banded with matching edge banding for added durability. Drawer pull is 8" wide and made of 14-gauge steel with a waterfall design painted to match the wardrobe shell. Door pulls are located at top of door and are same design as on drawers but with half located on each door. Grain direction is vertical.

Wardrobes are available with no mirrors, one mirror on right-hand side of door, or two mirrors.

Stack-On Wardrobe

Construction of case and doors is the same as wardrobe unit. This unit is intended to stack on top of wardrobe unit to provide additional storage and is reversible to face forward or backward. Power cord exits are located on each side. Thumbscrew attachment method provides easy yet positive attachment to top of wardrobe unit. Locking is optional. Painted with a hybrid epoxy powder-coat paint (see Finish). Door pull on woodgrain laminate doors is at bottom and inverted.

Finish

Units are cleaned thoroughly and subjected to a phosphate etching process before finishing with an electrostatically applied hybrid epoxy powder-coat paint.

Locks – Pedestal, Dresser and Wardrobe

Locks are standard with this product and feature a high-security double-bit design, keyed different and core removable. There are 1000 different key combinations possible. The locks have an antique black finish. Two KI "break away" keys are standard with each lock.


COMPONENTS & DIMENSIONS

Beds are composed of the following combinations of these components with the resulting assembled dimensions.

Components	Dimensions		
	Single Bed	Bunk Bed	Loft Bed
Bed Frame Ends	2	4	4
Top Caps	4	4	4
Base Glides	4	4	4
Stacking Devices	-	4	4
Bed Deck Assembly	1	2	1
Lower Reinforcing Member	-	-	1
Anti-Racking Bar	-	-	1
Assembled Dimensions			
Height	39 3/8"	78 3/8"	78 3/8"
Length	86"	86"	86"
Width	38 7/8"	38 7/8"	38 7/8"

Components	Dimensions		
	Width	Depth	Height
Bed Safety Bar	55"	1"	8 1/4"
Ladder	15"	2"	75"
Hang-On Worksurface	38"	24"	1 1/4"
Hang-On Tackboard	36"	3/4"	16"
Hang-On Megasurface (2)	15" front edge x 37" outside edge x 40" rear edge x 18" inside edge		
Hang-On Shelf Unit	25 5/8"	13 3/8"	15 3/8"
Task Light	20"	7"	2"
Personal Shelf	8"	13 1/2"	13/16"
Keyboard Tray	20 7/8"	10 1/2"	-
CPU Sling	5 3/8"	18"	-
Center Drawer	17 7/8"	17"	2 1/2"
Mobile Pedestal (B/B/F) with Steel Front	15"	21 5/8"	27 9/16"
Mobile Pedestal (B/B/F) with Woodgrain Laminate Front and Top	15"	21 5/8"	28 5/16"
Mobile Pedestal (P/B/F) with Steel Front	15"	21 5/8"	24 8/8"
Mobile Pedestal (P/B/F) with Woodgrain Laminate Front and Top	15"	21 5/8"	25 3/8"
Freestanding Pedestal (B/B/F) with Steel Front	15"	21 5/8"	25 5/16"
Freestanding Pedestal (P/B/F) with Steel Front	15"	21 5/8"	22 3/8"
Freestanding Pedestal (B/B/F) with Woodgrain Laminate Front and Top	15"	21 5/8"	26 1/16"
Freestanding Pedestal (P/B/F) with Woodgrain Laminate Front and Top	15"	21 5/8"	23 1/8"
Freestanding Wardrobe Unit (18" D) with Steel Front	36"	18"	76"
Freestanding Wardrobe Unit (18" D) with Woodgrain Laminate Front	36"	18 7/8"	76"
Freestanding Wardrobe Unit (24" D) with Steel Front	36"	24"	76"
Freestanding Wardrobe Unit (24" D) with Woodgrain Laminate Front	36"	24 7/8"	76"
Stack-On Wardrobe (18" D) with Steel Front	36"	18"	17 13/16"

COMPONENTS & DIMENSIONS

Components	Dimensions		
	Width	Depth	Height
Stack-On Wardrobe (18" D) with Woodgrain Laminate Front	36"	18 7/8"	17 13/16"
Stack-On Wardrobe (24" D) with Steel Front	36"	24"	17 13/16"
Stack-On Wardrobe (24" D) with Woodgrain Laminate Front	36"	24 7/8"	17 13/16"
Freestanding Dresser 6", 9", 10 1/2" H, Drawers with Steel Front	36"	18"	28 17/32"
Freestanding Dresser 6", 9", 10 1/2" H, Drawers with Woodgrain Laminate Front and Top	36"	18 7/8"	29 9/32"
Freestanding Dresser 3 Each, 10 1/2" H, Drawers with Steel Front	36"	18"	34 21/32"
Freestanding Dresser 3 Each, 10 1/2" H, Drawers with Woodgrain Laminate Front and Top	36"	18 7/8"	35 13/32"
Freestanding Dresser 4 Each, 10 1/2" H, Drawers with Steel Front	36"	18"	45 3/8"
Freestanding Dresser 4 Each, 10 1/2" H, Drawers with Woodgrain Laminate Front and Top	36"	18 7/8"	46 1/8"
Freestanding Dresser 5 Each, 10 1/2" H, Drawers with Steel Front	36"	18"	56 3/32"
Freestanding Dresser 5 Each, 10 1/2" H, Drawers with Woodgrain Laminate Front and Top	36"	18 7/8"	56 27/32"
Freestanding Dresser Top (for Steel Front Units)	36"	18"	5/8"



Surface Finish--Laminate

Belair	LBO	Lock color selection is not available on woodgrain front dressers and storage pedestals.
Biltmore Cherry	LBT	
Brighton Walnut	LBW	
Castle Oak	LCO	
Cherry Storm	LCX	
Cocobala	LCC	
Friston Ash	LFH	
Kensington Maple	LKM	
Monticello Maple	LMT	
River Cherry	LRY	
Sterling Ash	LAZ	
Windsor Mahogany	LWY	

Paint Color

Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Cool Grey	CG
Cottonwood	CO
Earthen Clay	EY
Espresso Metallic	EX
Everglade Shade	EV
Flannel	FN
Glitz Metallic	GZ
Hazy Jade	HJ
Honey Bee	HY
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Purple Haze	PH
Rainforest	RQ
Raw Jasper	RJ
Rubber Ducky	RK
Sand	SA
Starlight Silver Metallic	SX
Surf's Up	SP
Tarragon	TQ
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL

Module Color

Black	PBL
Grey	PGR
Sand	PSA
Warm Grey	PWG
Cool Grey	PCG
Misty Brown	PMY

Lock Color

Black	BLL
Satin Chrome	SCL

Finish Cards

View color swatches for items listed within this document.

[Paints](#)

[Wood/Veneer](#)

[Molded Edges](#)

[Hard Plastics](#)

[Plastics/Poly](#)



[Laminates](#)

[Edge Styles](#)

[Glass](#)

Certain options referenced may not be available on GSA Schedule.



MODEL	H x L x W	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
		Basic Model	Paint Color	Laminate Color		
 <p>Loft Bed • Accommodates an 80" x 36" mattress (sold separately)</p>	78-3/8 x 86 x 38-7/8"	RMLBA	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	260.0#	\$ 2441
RMB						
 <p>Bunk Bed • Accommodates an 80" x 36" mattress (sold separately)</p>	78-3/8 x 86 x 38-7/8"	RMBBA	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	348.0#	\$ 3446
RMB						
 <p>Single Bed • Accommodates an 80" x 36" mattress (sold separately)</p>	39-3/8 x 86 x 38-7/8"	RMSBA	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	174.0#	\$ 1690
RMB						

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color. Refer to the **Product Color Options** page in this price list.
- C** Select laminate color. Refer to the **Product Color Options** page in this price list.

OPTIONS

Color Match
KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Manitowoc, WI 54220**, **freight prepaid**. Freight class 250.

Specifications and prices are subject to change without prior notice.



MODEL	H x L x W	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
		Basic Model	Paint Color	Laminate Color		
 <p>Loft Bed</p> <ul style="list-style-type: none"> • Spring Bed Deck • Accommodates an 80" x 36" mattress (sold separately) • Side rails are of laminate construction having a 74P edge 	78-3/8" x 86" x 38-7/8"	RMSLB	<input type="checkbox"/>	<input type="checkbox"/>	260.0#	\$ 2282
RMSB						
 <p>Bunk Bed</p> <ul style="list-style-type: none"> • Spring Bed Deck • Accommodates an 80" x 36" mattress (sold separately) • Side rails are of laminate construction having a 74P edge 	78-3/8" x 86" x 38-7/8"	RMSBB	<input type="checkbox"/>	<input type="checkbox"/>	348.0#	\$ 2872
RMSB						
 <p>Single Bed</p> <ul style="list-style-type: none"> • Spring Bed Deck • Accommodates an 80" x 36" mattress (sold separately) • Side rails are of laminate construction having a 74P edge 	39-3/8" x 86" x 38-7/8"	RMSB	<input type="checkbox"/>	<input type="checkbox"/>	174.0#	\$ 1422
RMSB						

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **Product Color Options** page in this price list.
- C** Select laminate color.
Refer to the **Product Color Options** page in this price list.

OPTIONS**Color Match**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES**Special Carton Marking**


With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



	MODEL	W x D x H	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
			Basic Model	Paint Color	Laminate Color		
 RMC	Lower Reinforcing Member • Required to support bottom of loft if converting from bunk or single beds		RMLRM	<input type="checkbox"/>		31.0#	\$ 262
 RMA	Particle Board Bed Deck Assembly • Used to add an additional sleeping surface to loft or if creating single beds from loft beds		RMBDA	<input type="checkbox"/>	<input type="checkbox"/>	63.0#	\$ 1223
 RMA	Spring Bed Deck Assembly • Used to add an additional sleeping surface to loft or if creating single beds from loft beds		RMSBDA	<input type="checkbox"/>	<input type="checkbox"/>	180.0#	\$ 1065
 HRDPT	Top Cap Set (4) • Used to finish top of single bed created from de-lofted or bunk beds • Black only		RM.TCS			1.0#	\$ 31
 HRDPT	Base Glide Set (4) • Used to finish bottom of single bed created from de-lofted or bunk beds • Black only		RM.BGS			1.0#	\$ 31
 HRDPT	Stacking Device Set (4) • Required to construct a loft or bunk beds from 2-single beds • Black only		RM.SDS			2.0#	\$ 64
 RMC	Bed Safety Bar • Optional item to provide added safety for bed deck assemblies	55 x 1 x 8-1/4"	RMBSB	<input type="checkbox"/>		8.0#	\$ 216
 RMA	Anti-racking Bar • For lofted bed applications only	86 x 3 x 2"	RMCB	<input type="checkbox"/>		6.5#	\$ 280

A

B

C

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **Product Color Options** page in this price list.
- C** Select laminate color.
Refer to the **Product Color Options** page in this price list.

OPTIONS
Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



	MODEL	W x L	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
			Basic Model	Paint Color		
 RMA	Bed Frame End Set (2) • Required to convert a single bed into a loft or bunk bed • Requires top cap, base glide and stacking device sets		RMFES	<input type="checkbox"/> <input type="checkbox"/>	54.0#	\$ 420
	 RMA	Ladder • Optional item for loft beds or bunk beds when ends are not easily accessible • Hooks over top edge of bed deck side rail • Maintains bed deck height adjustability	15 x 75"	RMLAD	<input type="checkbox"/> <input type="checkbox"/>	20.0#
HRDPT	Mattress	36 X 80"	20.288671.36X80		55.0#	\$ 795

A

B

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color. Refer to the **Product Color Options** page in this price list.

OPTIONS

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid**. Ladder, freight class 125. Mattress, freight class 150.

Specifications and prices are subject to change without prior notice.



MODEL	D x W x W x D	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3
		Basic Model	Paint Color	Laminate Color	PowerUp Option	PowerUp Module Color	Fabric Color					
 RMHM Hang-on Worksurface • 1-1/4" solid core top with plastic laminate surface • Polypropylene edge • Supported by steel cantilever brackets which hook into bed uprights	38 x 24"	RMHWS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		35.0#	\$ 391			
 RMT Hang-on Tackboard • For use as desired with hang-on worksurface • Fabric upholstered 3/4" thick micore • Attached to 11-gauge steel back which hooks to bed frame	36 x 16"	RMHTB	<input type="checkbox"/>				<input type="checkbox"/>	15.0#	N/A	\$ 325	\$ 333	\$ 335
 RMHO Hang-on Megasurface (2) • 1-1/4" solid core top with plastic laminate surface • Polypropylene edge • Supported by steel brackets which hook into bed uprights • Spans full length under the loft bed • Includes 80" x 16" tackboard with steel back which hooks to bed frame	15 x 37 x 40 x 18"	RMHMS	<input type="checkbox"/>	88.0#	N/A	\$ 2050	\$ 2059	\$ 2065				

A **B** **C** **D** **E** **F**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color. Refer to the **Product Color Options** page in this price list.
- C** Select laminate color. Refer to the **Product Color Options** page in this price list.
- D** Select PowerUp option.

NP	- No PowerUp module (standard)
WPM	- PowerUp module; add \$151

 Add \$151 to list price for hang-on worksurface and \$297 for hang-on megaworksurface
- E** Select PowerUp module color. Refer to the **Product Color Options** page in this price list.
- F** Select upholstery grade/color. Refer to ki.com/fabrics

OPTIONS

Color Match
 KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

PowerUp Module
 When PowerUp® is specified:
 Hang-on worksurface has one PowerUp® module centered left to right at rear of the surface.

Hang-on megasurface has two PowerUp® modules provided, one in each rear corner.


SPECIAL SERVICES

Special Carton Marking
 With specially marked information N/C

Shipping
 Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



	MODEL	W x D x H	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
			Basic Model	Paint Color	Laminate Color		
 RMS	Hang-on Shelf Unit • Solid core laminate surface end panels with polypropylene edge • Powder-coated steel shelf and back • Back hooks into bed uprights	25-5/8 x 13-3/8 x 15-3/8"	RMHSU	<input type="checkbox"/>	<input type="checkbox"/>	32.0#	\$ 612
 RMS	Personal Shelf • Solid core laminate shelf with black painted indentations in top for phones, radios, soft drinks etc. • Powder-coated steel bracket • Hooks onto side rail of bed deck to provide storage at bed height	8 x 13-1/2"	RMPS	<input type="checkbox"/>	<input type="checkbox"/>	5.0#	\$ 230

A **B** **C**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color. Refer to the **Product Color Options** page in this price list.
- C** Select laminate color. Refer to the **Product Color Options** page in this price list.

OPTIONS
Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
MODEL	W	Basic Model	Approx. Packaged Weight	Delivered Pricing	
 HRDPT Single Unit - Overhead LED Task Light • Attaches to the bottom of overhead storage cabinets or shelving • Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" at bottom of price list page for sizing chart. • Slim profile mounts effortlessly via magnets or screw-in bracket • Attachment hardware included • Touch and hold dimmability with last-state memory • Silver anodized aluminum body/black plastic end caps • 9' power supply • Includes 2 cord managers	12"	LEDTK.12.SGL.GN	1.2#	\$	147
	17"	LEDTK.17.SGL.GN	1.6#		188
	31"	LEDTK.31.SGL.GN	2.1#		230
	44"	LEDTK.44.SGL.GN	2.3#		264
 HRDPT Starter Unit - Overhead LED Task Light • Attaches to the bottom of overhead storage cabinets or shelving • Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart. • Slim profile mounts effortlessly via magnets or screw-in bracket • Attachment hardware included • Touch and hold dimmability with last-state memory • Silver anodized aluminum body/black plastic end caps • Daisy chain with Adder units • 11' power supply • Includes 2 cord managers • Refer to Interlinking Combination table below for optimal performance of daisy chained fixtures	12"	LEDTK.12.DCP.GN	1.2#	\$	192
	17"	LEDTK.17.DCP.GN	1.6#		240
	31"	LEDTK.31.DCP.GN	2.1#		283
	44"	LEDTK.44.DCP.GN	2.3#		321

A

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

LED TASK LIGHT CABINET WIDTH	
Cabinet Width	Light Width
24"	12" or 17"
30"	17"
36"	17"
42"	31"
48"	31"
54"	44"
60"	44"
66"	44"
72"	44"

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (DAISY CHAIN)			
# of 12"	# of 17"	# of 31"	# of 44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0
2	0	2	0
2	0	0	1

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN)			
# of 12"	# of 17"	# of 31"	# of 44"
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



MODEL	W	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model			
 <p>HRDPT</p> <p>Adder Unit - Overhead LED Task Light</p> <ul style="list-style-type: none"> Attaches to the bottom of overhead storage cabinets or shelving Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart. Slim profile mounts effortlessly via magnets or screw-in bracket Attachment hardware included Touch and hold dimmability with last-state memory Silver anodized aluminum body/black plastic end caps Daisy chain with Starter units 18' jumper cord and connect to starter unit Includes 2 cord managers Does not include power supply; must purchase starter unit with power supply Controlled by the on/off/dimmer of the starter unit Refer to Interlinking Combination table below for optimal performance of daisy chained fixtures 	12"	LEDTK.12.DCA.GN	1.2#	\$ 95	
	17"	LEDTK.17.DCA.GN	1.6#	109	
	31"	LEDTK.31.DCA.GN	2.1#	152	
	44"	LEDTK.44.DCA.GN	2.3#	188	

A

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

LED TASK LIGHT CABINET WIDTH	
Cabinet Width	Light Width
24"	12" or 17"
30"	17"
36"	17"
42"	31"
48"	31"
54"	44"
60"	44"
66"	44"
72"	44"

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (DAISY CHAIN)			
# of 12"	# of 17"	# of 31"	# of 44"
6	0	0	0
5	1	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0
2	0	2	0
2	0	0	1

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN)			
# of 12"	# of 17"	# of 31"	# of 44"
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking




With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
MODEL	W x D	Basic Model	Approx. Packaged Weight	Delivered Pricing	
 HRDPT	Keyboard Tray <ul style="list-style-type: none"> Mounts under worksurface to provide keyboard access and storage Molded black plastic surface with mesh pad operates on steel ball-bearing telescopic suspensions Black only 10-1/2"D x 20-7/8"W 	20-7/8 x 10-1/2"	KBD.24.BL	9.0#	\$ 287
 HRDPT	CPU Sling <ul style="list-style-type: none"> Vertically supports and stores CPU below the worksurface Straps have positive locking clamps Provides 5-1/2" of travel and 359° swivel Maximum weight capacity is 75 lbs. Black only Accommodates CPU with maximum CPU perimeter of 65" 	5-3/8 x 18"	CPU.SLING	10.0#	\$ 251
 HRDPT	Center Drawer <ul style="list-style-type: none"> Molded plastic drawer with compartment for pencils and small items Operates on suspension with ball bearing glides Non-locking Black only 		RM.CD	11.0#	\$ 220

A

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

OPTIONS

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

Specifications and prices are subject to change without prior notice.



MODEL	D x W x H	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing
		Basic Model	Lock Option	Lock Color	Paint Color		
 Mobile Pedestal - BBF • Two 6" box drawers; one 12" file drawer • Lock optional (std. case lock or top drawer only lock)	21-5/8 x 15 x 27-5/8"	RMMP24BBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	70.0#	\$ 958
 Mobile Pedestal - PBF • One 3" pencil drawer; one 6" box drawer; one 12" file drawer • Lock optional (std. case lock or top drawer only lock)	21-5/8 x 15 x 24-11/16"	RMMP24PBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	65.0#	\$ 923
 Freestanding Pedestal - BBF • Two 6" box drawers; one 12" file drawer • Counterbalance weight included • Lock optional (std. case lock or top drawer only lock)	21-5/8 x 15 x 25-5/16"	RMFP24BBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	100.0#	\$ 1079
 Freestanding Pedestal - PBF • One 3" pencil drawer; one 6" box drawer; one 12" file drawer • Counterbalance weight included • Lock optional (std. case lock or top drawer only lock)	21-5/8 x 15 x 22-3/8"	RMFP24PBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	95.0#	\$ 1068
			A	B	C	D	

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.

NL	- No lock (standard)
WL	- Lock (key locks all drawers); add \$20
TL	- Top drawer only lock; add \$95
- C** Select lock color.
Refer to the **Product Color Options** page in this price list.
- D** Select paint color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

Color Match
 KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
 Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



	MODEL	D x W x H	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing
			Basic Model	Lock Option	Paint Color	Laminate Color		
	Mobile Pedestal - BBF • One 7" and one 6" box drawers; one 12" file drawer • Top drawer only lock optional • Woodgrain laminate front and top with painted steel pull	21-5/8 x 15 x 27-3/8"	RMWMP24BBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	70.0#	\$ 1443
RMSCU								
	Mobile Pedestal - PBF • One 4" pencil drawer; one 6" box drawer; one 12" file drawer • Top drawer only lock optional • Woodgrain laminate front and top with painted steel pull	21-5/8 x 15 x 25-7/16"	RMWMP24PBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	65.0#	\$ 1416
RMSCU								
	Freestanding Pedestal - BBF • One 7" pencil drawer; one 6" box drawer; one 12" file drawer • Counterbalance weight included • Top drawer only lock optional • Woodgrain laminate front and top with painted steel pull	21-5/8 x 15 x 26-1/16"	RMWFP24BBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	100.0#	\$ 1514
RMSCU								
	Freestanding Pedestal - PBF • One 4" pencil drawer; one 6" box drawer; one 12" file drawer • Counterbalance weight included • Top drawer only lock optional • Woodgrain laminate front and top with painted steel pull	21-5/8 x 15 x 23-1/8"	RMWFP24PBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	95.0#	\$ 1484
RMSCU								
			A	B	C	D		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.
NL - No lock (standard)
TL - Top drawer only lock; add \$95
 User must supply padlock
- C** Select paint color.
 Refer to the **Product Color Options** page in this price list.
- D** Select laminate color.
 Refer to the **Product Color Options** page in this price list.

OPTIONS
Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES
Special Carton Marking


With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.

Specifications and prices are subject to change without prior notice.



MODEL	Features	D x W x H	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing
			Basic Model	Paint Color	Lock Option	Lock Color	Mirror Option		
 Combination Wardrobe • 18"D or 24"D options • One 6", one 9" and one 10-1/2" drawer below hinged door top section • Optional 11.87"W x 36"H x .12"D mirrors for door (placed on inside of door) • Lock optional • Coat rod is standard	18" Deep	18 x 36 x 76"	RMCW3676/18	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	240.0#	\$ 2315
	24" Deep	24 x 36 x 76"	RMCW3676/24	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	258.0#	2506
 Stack-on Wardrobe • 18"D or 24"D options • Stacks on top of wardrobe for additional storage; doors can face forward or backward • Cable exit grommets w/caps located on both sides • Lock optional	18" Deep	18 x 36 x 17-13/16"	RMSW3618/18	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		56.0#	\$ 853
	24" Deep	24 x 36 x 17-13/16"	RMSW3618/24	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		74.0#	936

A

B

C

D

E

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color. Refer to the **Product Color Options** page in this price list.
- C** Select lock option.

NL	- No lock (standard)
WL	- Lock (key locks all drawers); add \$64
TL	- Top drawer only lock; add \$95

 Top drawer only lock - (combination wardrobe only) - (locks only the top drawer via user supplied padlock)
- D** Select lock color. Refer to the **Product Color Options** page in this price list.
- E** Select mirror option.

NM	- No mirror - standard
1M	- One mirror (RH door); add \$123
2M	- Two mirrors; add \$244

OPTIONS

Color Match
 KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
 Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.

Specifications and prices are subject to change without prior notice.



MODEL	Features	D x W x H	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing
			Basic Model	Lock Option	Lock Color	Mirror Option	Paint Color	Laminate Color		
 RMSCU Combination Wardrobe • 18"D or 24"D options • One 6", one 9" and one 10-1/2" drawer below hinged door top section • Optional 11.87"W x 36"H x .12"D mirrors for door (placed on inside of door) • Lock optional (standard case lock or top drawer only lock) • Woodgrain laminate front with painted steel pull • Coat rod is standard	18" Deep	18-7/8 x 36 x 76"	RMWCW3676/18	<input type="checkbox"/>	246.0#	\$ 3642				
	24" Deep	24-7/8 x 36 x 76"	RMWCW3676/24	<input type="checkbox"/>	264.0#	3855				
 RMSCU Stack-on Wardrobe • 18"D or 24"D options • Stacks on top of wardrobe for additional storage; doors can face forward or backward • Cable exit grommets w/caps located on both sides • Lock optional • Woodgrain laminate front with painted steel pull	18" Deep	18-7/8 x 36 x 17-13/16"	RMWSW3618/18	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	56.0#	\$ 1457
	24" Deep	24-7/8 x 36 x 17-13/16"	RMWSW3618/24	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	74.0#	1513
				A	B	C	D	E		F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.
- | | |
|-----------|--|
| NL | - No lock (standard) |
| WL | - Lock (key locks all drawers); add \$64 |
| TL | - Top drawer only lock; add \$95 |
- Top drawer only lock - (combination wardrobe only) - (locks only the top drawer via user supplied padlock)
- C** Select lock color. Refer to the **Product Color Options** page in this price list.
- D** Select mirror option.
- | | |
|-----------|-----------------------------------|
| NM | - No mirror - standard |
| 1M | - One mirror (RH door); add \$123 |
| 2M | - Two mirrors; add \$244 |
- E** Select paint color. Refer to the **Product Color Options** page in this price list.

F Select laminate color. Refer to the **Product Color Options** page in this price list.

OPTIONS
Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES
Special Carton Marking



With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid**. Freight class 100.

Specifications and prices are subject to change without prior notice.



	MODEL	W x D x H	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing
			Basic Model	Lock Option	Lock Color	Paint Color	Laminate Color		
 RMSCU	Freestanding 3-Drawer Combination Dresser • One 6", one 9" and one 10-1/2" drawer • Lock optional (std case lock or top drawer only lock)	36 x 18 x 28-17/32"	RMFD363C	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		128.0#	\$ 1328
 RMSCU	Freestanding 3-Drawer Dresser • Three 10-1/2" drawers • Lock optional (std case lock or top drawer only lock)	36 x 18 x 34-21/32"	RMFD363	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		141.0#	\$ 1376
 RMSCU	Freestanding 4-Drawer Dresser • Four 10-1/2" drawers • Lock optional (std case lock or top drawer only lock)	36 x 18 x 45-3/8"	RMFD364	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		188.0#	\$ 1711
 RMSCU	Freestanding 5-Drawer Dresser • Five 10-1/2" drawers • Lock optional (std case lock or top drawer only lock)	36 x 18 x 56-3/32"	RMFD365	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		235.0#	\$ 2066
 HRDPT	Freestanding Dresser Top • Laminate top for field installation on the above dressers	36 x 18 x 5/8"	RM.FDT				<input type="checkbox"/>	23.0#	\$ 206

A

B

C

D

E

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.
- | | |
|-----------|--|
| NL | - No lock (standard) |
| WL | - Lock (key locks all drawers); add \$64 |
| TL | - Top drawer only lock; add \$95 |
- Top drawer only lock - (combination wardrobe only) - (locks only the top drawer via user supplied padlock)
- C** Select lock color.
Refer to the **Product Color Options** page in this price list.
- D** Select paint color.
Refer to the **Product Color Options** page in this price list.
- E** Select laminate color.
Refer to the **Product Color Options** page in this price list.

OPTIONS
Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES
Special Carton Marking




With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.

Specifications and prices are subject to change without prior notice.



MODEL	W x D x H	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing
		Basic Model	Lock Option	Paint Color	Laminate Color		
 RMSCU Freestanding 3-Drawer Combination Dresser • One 6", one 9" and one 10-1/2" drawer • Top drawer only lock optional • Woodgrain laminate front and top with painted steel pull	36 x 18-7/8 x 29-9/32"	RMWFD363C	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	157.0#	\$ 2134
 RMSCU Freestanding 3-Drawer Dresser • Three 10-1/2" drawers • Top drawer only lock optional • Woodgrain laminate front and top with painted steel pull	36 x 18-7/8 x 35-13/32"	RMWFD363	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	170.0#	\$ 2152
 RMSCU Freestanding 4-Drawer Dresser • Four 10-1/2" drawers • Top drawer only lock optional • Woodgrain laminate front and top with painted steel pull	36 x 18-7/8 x 46-1/8"	RMWFD364	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	219.0#	\$ 2618
 RMSCU Freestanding 5-Drawer Dresser • Five 10-1/2" drawers • Top drawer only lock optional • Woodgrain laminate front and top with painted steel pull	36 x 18-7/8 x 56-27/32"	RMWFD365	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	268.0#	\$ 3095

A

B

C

D

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The indicates that a choice is required.
- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select lock option.
- | | |
|-----------|----------------------------------|
| NL | - No lock (standard) |
| TL | - Top drawer only lock; add \$95 |
- Top drawer only lock - (combination wardrobe only) - (locks only the top drawer via user supplied padlock)
- C** Select paint color.
Refer to the **Product Color Options** page in this price list.
- D** Select laminate color.
Refer to the **Product Color Options** page in this price list.

OPTIONS
Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Pembroke, ON K8A 0E1, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2023 Krueger International, Inc. All Rights Reserved.