

CROSSROADS® LIBRARY FURNITURE

PRICE LIST

EFFECTIVE MAY 7, 2025 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

| CrossRoa | ds® Library Furniture | | |
|----------|------------------------------|---|----|
| | Technical Specifications | | 3 |
| | Typicals | | 7 |
| | Product Color Options | | 9 |
| | | | _ |
| CrossRoa | ds® Study Tables | | |
| | Rectangular Tables | | 0 |
| | Square and Round Tables | 1 | 1 |
| CrossRoa | ds® Study Carrels | | _ |
| 0.00000 | Single Face Carrels | 1 | 2 |
| | Double Face Carrels | | 3 |
| | | | _ |
| CrossRoa | ds® Shelving | | |
| | 42" High Shelving | | 4 |
| | 54" High Shelving | | 5 |
| | 60" High Shelving | | 6 |
| | 72" High Shelving | | 7 |
| | 82" High Shelving | | 8 |
| | 96" High Shelving | 1 | 9 |
| CrossRoa | ds® Metal Shelving | | _ |
| | 42" Metal Shelving | 2 | 1 |
| | 54" Metal Shelving | 2 | 2 |
| | 60" Metal Shelving | 2 | 3 |
| | 72" Metal Shelving | 2 | 4 |
| | 82" Metal Shelving | 2 | 5 |
| CrossBoo | ds® Periodical Shelving | | _ |
| Grussnua | 42" High Periodical Shelving | 2 | 6 |
| | 60" High Periodical Shelving | | 7 |
| | ou high remodical shelving | 2 | .1 |
| CrossRoa | ds® Accessory Units | | |
| | Storage/Accessories | 2 | 8 |
| | Rolling Book Carts | 2 | 9 |
| CrossRoa | ds® Seating | | _ |
| | Wood Chairs | 3 | 0 |

3

CrossRoads® Library Furniture

Technical Specifications



Study Table

Top

Tabletop is $1^1/4$ " thick, particleboard core construction with .05" high-pressure laminate facer and .026" backer on the underside. All four edges are banded with a $1^1/4$ " thick by 2" wide solid Oak or Maple external knife-edge laminated to core after application of the facer laminate. The edge is beveled to a 1/4" radiused bullnose at the top. The edge band has mitered corners. The underside of the top is fitted with 3/4" x 3/4" solid wood rails screwed to the top.

Legs

The legs are attached to the apron using dovetail joinery, and heavy-gauge metal plate with two heavy-duty anchoring bolts. The legs are $2^{1}/4^{n}$ square glued up face-to-face. All of the edges are eased with a $1/4^{n}$ radius.

Aprons

A $^{3}/_{4}$ " thick solid Oak or Maple apron rail is fit between the legs on all four sides of the table. The apron is machined to have a full-length arc that is $3^{7}/_{8}$ " high at the ends and 2" at the center. The apron rails are screwed to the underside of the top. Optional apron has straight bottom with a beveled face.

Glides

Each leg has a 2" diameter nylon-based adjustable leveling glide with a $1\frac{1}{2}$ " threaded stem.

Worksurface Height

Standard height is 29". Optional 27" or 32" heights may be specified.

Study Carrels (O.P.A.C.)

Тор

The worksurface is $1^{1}/_{4}$ " thick by $33^{1}/_{2}$ " or $45^{1}/_{2}$ " wide by $27^{1}/_{2}$ " deep, particleboard core construction with .05" high-pressure laminate facer and .026" backer on the underside. Exposed edge is banded with a $1^{1}/_{4}$ " thick by 2" wide solid Oak or Maple external knife-edge laminated to core after application of the facer laminate. The edge is beveled to a $1^{1}/_{4}$ " radiused bullnose at the top. The worksurface is attached to the end panels and back with a 21" long, steel "L" bracket screwed into brass inserts in the panel and then screwed into the top of the worksurface.

End Panels

The end panels are $1^3/_{16}$ " thick, particleboard core construction with Grade A Oak or Maple veneer on both faces. The vertical edges of the panel are banded with a 1.5 mm thick solid Oak or Maple external band with a $1/_{32}$ " radius. On single-face units, the back vertical edge is not edge banded but left unfinished - recommended for use against a wall. For free-standing application, a special cost request is required to finish the back vertical edge. The panels have brass inserts for mounting the worksurface at four different heights (25", 27", 29" and 32" ADA heights). The panel has a $1/_{32}$ " deep by $1/_{32}$ " high vein line 4" from the bottom. Overall end panel height is 54" with the glide extended out $1/_{32}$ ".

Shared Panels

The intermediate panels are the same construction as the end panels; however the worksurface and shelf inserts are on both sides of the panel. Shared panels for study and stand-up carrels are machined on both sides.



CrossRoads® Library Furniture

Back Panels

The back panels are $^{3}/_{4}$ " thick, 5-ply plywood construction with Grade A Oak or Maple veneer on both faces. The top and bottom edges of the panel are banded with a 1.5 mm thick solid Oak or Maple external band with a $^{1}/_{32}$ " radius on all edges. The top edge is located $^{6}/_{2}$ " down from the top of the end panels and 4" up from the bottom. Back panels are attached to end panels using cam-lock fasteners. Double-faced units share $^{13}/_{4}$ " thick back panels.

Shelf

The storage shelf is $^3/_4$ " thick by 33 $^1/_2$ " or 45 $^1/_2$ " wide by 10" deep, plywood core construction. Both faces will be covered with select Oak or Maple veneers and banded on the exposed edge with 1.5 mm solid oak or maple. The study carrel shelf is located 15" above the worksurface. The stand-up carrel shelf is located 26" below the worksurface. Shelf is connected to end panels with shoulder screw and insert in panel and removable connectors in shelf bottom.

Glides

Each end and intermediate panel has a pair of $1^{1}/8^{n}$ diameter steel-based adjustable leveling glides with a $1^{1}/4^{n}$ threaded stem.

Circulation Desk

Тор

Joints are secured with steel "L" brackets. Desktop is $1^{1}/_{4}$ " thick, particleboard core construction with .05" high-pressure laminate facer and .026" thick backer on the underside.

Cabinet Construction

The front panels are $^{3}/_{4}$ " thick, 5-ply plywood with Grade A Oak or Maple veneer. All exterior faces are matched for color and grain. The side panels are $^{13}/_{16}$ " thick particleboard with Grade A Oak or Maple veneers and banded on the exposed edge with 1.5 mm solid Oak or Maple. The panel base has a $^{1}/_{8}$ " deep by $^{1}/_{4}$ " high vein line at 4" from the bottom. Two stainless steel adjustable glides are at the bottom of each panel.

Adjustable Shelves

Adjustable storage shelves are $^{3}/_{4}$ " thick, 5-ply plywood construction with select Oak or Maple veneer and banded on exposed edge with solid Oak or Maple. Shelves are adjustable in $^{1}/_{4}$ " increments and are notched at the ends over metal dowel supports.

Hinged Doors

Doors are $^{3}/_{4}$ " thick, MDF core construction with Grade A Oak or Maple veneer on both sides. All four edges are banded with solid Oak or Maple edge. Each door is fitted with brushed aluminum or flat black pull and lock.

Storage Drawers

All drawer fronts are $\frac{3}{4}$ " thick, MDF core construction with select Oak or Maple veneer on both sides. All four edges are banded with solid Oak or Maple edge. Each drawer is fitted with brushed aluminum or flat black pull and lock.

Heights

Depending on the component, various heights are available: 27", 29", 32" and 39" may be specified.

4

CrossRoads® Library Furniture

Technical Specifications

Circulation Desk (cont.)

PowerUp® Module with 3-Prong Plug

Study tables, panel leg tables, study carrels, stand-up height computer carrels and circulation desk modules are available with grommets and PowerUp system.

The PowerUp module is a UL listed, relocatable power tap, which is a surface mounted power module with a plastic cover. When open, one duplex power receptacle and two data jack openings are exposed. The module is 3 ½ wide by 7" long and 2½ tall when opened and fits securely into a 6½ x 3" cutout, still allowing removal without tools. The module is constructed of polycarbonate with a textured finish, meeting UL 94 V-0 Flame Class minimum requirements. The module has two receptacles, rated at 15 Amps/125 Volts and two locations for data connectors. Snap-in data plates hold data connectors and allow the standard module to accommodate most manufacturers. The data connectors are not supplied with the module and are purchased by the customer. The module has a dampened spring-loaded mechanism to allow the unit to open for use and close when not in use. The power receptacles open above the plane of the tabletop to avoid accidental spills into the receptacle. Data jacks remain stationary to avoid excess wear and tear on the wire connections and promote transmission of data communication. Data ports are molded to accept RJ45 jacks, but can be modified to accept various brands of jacks. The module comes standard with either a 22" or 108" cord and 3-prong plug.

For both grommets and PowerUp modules, the underside of the table is provided with a hinged plastic channel (cord management trough), which covers the bottom of the module. This channel, furnished with metal dividers, is provided for the routing of the power supply cords and data lines.

For starter and adder carrels with grommets or PowerUp modules, round cutouts in the end panels allow wires to pass through from one unit to the other. PowerUp door extrusion and vertical plastic wire manager are standard.

Cords are further managed by the vertical leg wire manager, which comes standard with grommets and the PowerUp system. Leg wireway is scuff-resistant, high-impact rigid PVC plastic, and is fastened to the leg with full-length adhesive bond.

Shelving

End Panel

The end panels are $1^3/_{16}$ " thick, particleboard core construction with Grade A Oak or Maple veneer on both faces. The front vertical and top edges of the panel are banded with a 1.5 mm thick solid oak or maple external band with a $1/_{32}$ " radius. On single-face units, the back vertical edge is not edge banded but left unfinished - recommended for use against a wall. For free-standing application, a special cost request is required to finish the back vertical edge. The panel base has a $1/_{8}$ " deep by $1/_{4}$ " high vein line 4" from the bottom. Two stainless steel adjustable glides are at the bottom of each panel.

Shared Panel

Same construction as the end panels except brass inserts are on both sides of the panel. Holes for steel pegs are machined on both sides. Adder units are attached with $\frac{5}{16}$ " through bolts and nuts.

Top Shelf/Cornice Unit

Shelf is $^3\!/_4$ " thick of Oak or Maple construction. The top cornice rail consists of an Oak or Maple $^3\!/_4$ " thick top with $^1\!3/_8$ " high by $^3\!/_4$ " thick horizontal support, set back $^3\!/_6$ " from the shelf top. Top of the shelf is flush with the sides. Shelf is attached using $^1\!/_4$ " x $^1\!/_4$ " wood cleats with bolts and metal inserts in the end panels.

Base

Pre-assembled box with a finished outer kick rail enables shelving to be assembled in the vertical position. Bottom shelf is set into place and positioned by using steel pegs.



CrossRoads® Library Furniture Technical Specifications

Shelving (cont.)

Adjustable Wood Shelves

Wood shelves are $^{3}/_{4}$ " thick solid Oak or Maple construction. The shelf is grooved on the underside to fit over turned and grooved steel pegs, which are inserted into holes in the end panels. Holes are spaced at $1^{1}/_{4}$ " space intervals. Peg and groove design prevents accidental removal. The fixed middle shelf is mounted using wood cleats and screws on units $60^{1}/_{2}$ " and higher.

Adjustable Metal Shelves

Metal shelves are 18-gauge steel with notches on the underside to rest on turned and grooved steel pegs. Flat shelf is 1" thick and triple bent front and back edges provide superior strength and eliminate sharp edges. Book stop shelf is bent upward to form 90° angle, 15/8" high above the shelf surface to function as a book stop. Electrostatically applied powder-coat finish. Metal shelves accept spring-type overhead wire book support. Metal shelf units are shipped with a wood base shelf.

Periodical Shelving

End panels and top and bottom shelf assembly construction are the same as standard shelving. Adjustable shelves include $^3/_4$ " solid wood angled bracket supports and an 18-gauge steel shelf pivot bracket. A $^3/_4$ " solid wood shelf with a $^1/_2$ " x $1^1/_2$ " stop rail is mounted at an angle of approximately 45° so that periodicals can be easily viewed. The shelf pivots and can be flipped up to lay flat for storage access below.

Rolling Book Cart

All end panels and shelves are $\frac{3}{4}$ " plywood with Oak or Maple veneer laminate and a 1.5 mm solid wood edge banding. Shelves are attached to the end panels using cam lock fasteners and solid wood dowels.

Bottom shelf is reinforced with wood cleats screwed into the shelf and end panels. Casters are two swivel and two stationary. Two cart sizes are available. The $29\frac{7}{8}$ " wide by $36\frac{1}{64}$ " high by $14\frac{1}{2}$ " deep comes with two shelves which have clearance heights of 13" and $11\frac{1}{4}$ ". The $39\frac{7}{8}$ " wide by $43\frac{7}{32}$ " high by $14\frac{1}{2}$ " deep comes with two shelves which both have clearance heights of $14\frac{5}{16}$ ".

Rolling Book Cart with Slanted Shelves

All end panels and shelves are $^{3}/_{4}$ " plywood with Oak or Maple veneer laminate and a 1.5 mm solid wood edge banding. Shelves are attached to the end panels using cam lock fasteners and solid wood dowels. Bottom shelf is reinforced with wood cleats screwed into the shelf and end panels. Casters are two swivel and two stationery. Two cart sizes are available. The $29\frac{7}{8}$ " wide by $38\frac{13}{16}$ " high by $14\frac{1}{2}$ " deep comes with two shelves slanted inward with slanted shelf backs, which have clearance heights of $8\frac{7}{8}$ " and $11\frac{7}{16}$ ". The $39\frac{7}{8}$ " wide by $44\frac{51}{64}$ " high by $14\frac{1}{2}$ " deep with two shelves slanted inward with slanted shelf backs, which have clearance heights of $8\frac{7}{8}$ " and $17\frac{7}{16}$ ".

Descending Platform Book Truck

Book truck sides and bottom are $^3/_4$ " thick, particleboard construction with Oak or Maple veneer on both faces. Panels are joined together using cam lock fasteners and solid wood dowels. The exposed panel edges are wood edge banded. The descending platform is particleboard veneer construction with a plastic laminate top surface. Beneath the laminated platform is a depressible mechanism which is guided on rollers and supported by spring compression, so it raises and lowers according to the weight of books on it. Four $2^1/_2$ " diameter heavy-duty swivel casters are secured to the bottom of the book truck.

5

CrossRoads® Library Furniture

Technical Specifications

CrossRoads Chair - 4-Leg

Back Posts

Back posts are made of five 4" stock, steam bent to shape and finished to 1" thickness.

Side Rails

Side rails are made of four 4" stock, finished to $^{13}/_{16}$ " thickness by 2" wide and double doweled to the front and back posts using $^{3}/_{8}$ " x 2" dowels.

Side Stretchers

Side stretchers are made of four 4" stock, finished to $^{13}/_{16}$ " x $^{13}/_{16}$ ". The stretchers are fastened to the front and back posts using $^{9}/_{16}$ " chucks with each joint pinned to further reinforce the joint.

Top Slat

The top slat is made of four 4" stock, finished to $^3/_{16}$ " thickness and steam bent to a 24" radius. The top slat is shaped to form and double doweled to the back posts using $^3/_8$ " x $^1/_2$ " dowels.

Bottom Slat

The bottom slat is made of four 4" stock, steam bent to a 24" radius, finished to $^{13}/_{16}$ " thickness by $3^{3}/_{8}$ " wide and double doweled to the back posts using $^{3}/_{8}$ " x $1^{1}/_{2}$ " dowels.

Banisters

Banisters is made of six 4" stock, finished to $\frac{3}{8}$ " thickness by 1" wide, steam bent to shape and mortised into the top and bottom slats.

Front Rail

The front rail is made of four 4" stock, finished to $^{13}/_{16}$ " thickness by 2" wide and double doweled to the front posts using $^{3}/_{8}$ " x 2" dowels.

Cross Stretchers

Cross stretchers are made of four 4" stock, finished to $^{13}/_{16}$ " x $^{13}/_{16}$ " and fastened to the side stretchers using $^{9}/_{16}$ " chucks with each joint pinned to further reinforce the joint.

Wood Seat

Seats are made of five 5/4" stock, surfaced to $^{13}/_{16}$ " thickness prior to being defect ripped on a straight-line ripsaw. Individual seat pieces will not exceed $3^{1}/_{2}$ " wide. Seat stock will be mechanically glued to ensure uniform coating of polyvinyl acetate emulsion glue prior to being clamped using a pneumatic torque drive to ensure proper pressure on glue joints. Seat blanks will be double surfaced prior to shaping to form and saddling. Seat is ganged into bottom slat and fastened to each back post by one $\# 12 \times 2^{1}/_{4}$ " tapping screw concealed by a wood button. Two $\# 12 \times 2$ " tapping screws secure the seat to the front rail and one $\# 12 \times 2$ " tapping screw to secure the seat to each side rail.

Corner Blocks

Corner blocks further reinforce the frame and are glued and screwed in place. Two $\# 10 \times 1^{1}/_{4}$ " twinfast screws and one $\# 12 \times 2^{1}/_{4}$ " tapping screw secure each block to the frame.

Glue

Polyvinyl alcohol ester blend with polyvinyl acetate is the glue used in the final chair assembly.

Glides

7/8" diameter rubber cushion, chrome-plated glides are standard.



CrossRoads® Library Furniture Technical Specifications

DIMENSIONS

| Chair Di | rmless Wood mensions ered)(CRCHR) |
|-----------------|---|
| Seat Height | 18" |
| Sitting Depth | I5" |
| Overall Depth | 18" |
| Overall Width | 18" |
| Overall Height | 35" |
| Grade Level Use | 4-Adult |
| Weight | 35# |

| Chair D | Armless Wood imensions d)(CRCHRU) |
|-----------------|---|
| Seat Height | 191/2"* |
| Sitting Depth | 15" |
| Overall Depth | 18" |
| Overall Width | 18" |
| Overall Height | 35" |
| Grade Level Use | 5-Adult |
| Weight | 37# |

^{* 18&}quot; chairs with seat upholstery added, raise the seat to 19/2". This seat height will cause interference when paired with 29" height study tables

| with Arms | Wood Chair Dimensions ered)(CRCHRA) |
|-----------------|---|
| Seat Height | 18" |
| Sitting Depth | 171/2" |
| Overall Depth | 221/2" |
| Overall Width | 231/2" |
| Overall Height | 35" |
| Grade Level Use | 4-Adult |
| Weight | 45# |

| with Arms | Wood Chair Dimensions d)(CRCHRAU) |
|-----------------|---|
| Seat Height | 191/2" |
| Sitting Depth | 171/2" |
| Overall Depth | 221/2" |
| Overall Width | 231/2" |
| Overall Height | 35" |
| Grade Level Use | 4-Adult |
| Weight | 47# |


*18" chairs with seat upholstery added, raise the seat to 19/₂". This seat height will cause interference when paired with 29" height study

| CrossRoad (| Study Table Apron-to-Fl | | nce |
|---|----------------------------|----------------------------------|----------------------------------|
| Study Table Leg Clearance (Apron-to-Floor) | 217/8" | 23 ⁷ / ₈ " | 26 ⁷ / ₈ " |

| CrossRoad Stud (| y Table & C Apron-to-S | | earance |
|-------------------------|---------------------------------|---------------------------------|----------------------------------|
| Table Heights: | 27" | 29" | 32" |
| 14" Wood Chair | 7 ⁷ / ₈ " | 9 ⁷ / ₈ " | 12 ⁷ / ₈ " |
| 15.5" Upholstered Chair | 6 ³ / ₈ " | 8 ³ / ₈ " | II ³ / ₈ " |
| 16" Wood Chair | 5 ⁷ / ₈ " | 7 ⁷ / ₈ " | 107/8" |
| 17.5" Upholstered Chair | 43/8" | 6 ³ / ₈ " | 93/8" |
| 18" Wood Chair | 3 ⁷ / ₈ " | 5 ⁷ / ₈ " | 8 ⁷ / ₈ " |
| 19.5" Upholstered Chair | 23/8" | 43/8" | 73/8" |

CrossRoads® Library Furniture

Inside view



Typical C-Shape Circulation Desk

Work Space: 132 sq. ft.
Oak Budget List Price to be quoted Maple Budget List Price to be quoted

Circulation Desk Features:

- A. Extended desk modules
- B. Mobile pedestals
- D. Book return module
- E. Descending platform book truck F. Cupboard storage unit
- J. Rolling book cart
 L. Shelving units






Typical L-Shape Circulation Desk Work Space: 216 sq. ft.

Oak Budget List Price to be quoted Maple Budget List Price to be quoted

Circulation Desk Features:

- B. Mobile pedestal
- C. Extended corner unit

- G. Open storage unit
- H. Transaction counter




Note: Drawing and Product Modification Request (PMR) are required prior to quote for circulation desks. Contact KI

- A. Extended desk modules
- D. Book return module
- E. Descending platform book truck
- Cupboard storage unit



Inside view

CrossRoads® Library Furniture



Typical O-Shape Circulation Desk Work Space: 250 sq. ft. Oak Budget List Price to be quoted Maple Budget List Price to be quoted

Circulation Desk Features:


- A. Extended desk modules
- B. Mobile pedestal
- C. Extended corner units
- D. Book return module
- . Descending platform book trucks
- F. Cupboard storage unit
 G. Open storage unit

Typical U-Shape Circulation Desk Work Space: 240 sq. ft.

Oak Budget List Price to be quoted Maple Budget List Price to be quoted

Circulation Desk Features:

- A. Extended desk modules
 B. Mobile pedestals
- Extended corner units
- D. Book return modules
- . Descending platform book trucks Cupboard storage unit
- G. Open storage unit



CrossRoads® Library Furniture

CrossRoads® Library Furniture




Standard Desk Module

- straight base only
 1 grommet or 1 PowerUp module
 29", 32" or 39" height
- · 31¹/₂"D x 35³/₄"W

Oak w/ grommet budget list price to be quoted Oak w/ PowerUp budget list price to be quoted

Maple w/ grommet budget list price to be quoted Maple w/ PowerUp budget list price to be quoted




Extended Desk Module

- straight base only
- 2 grommets or 2 PowerUp modules
- knife bracket supports center of unit
- 29", 32" or 39" height
- 31¹/₂"D x 71¹/₂"W

Oak w/ grommets budget list price to be quoted Oak w/ PowerUp budget list price to be quoted

Maple w/ grommets budget list price to be quoted Maple w/ PowerUp budget list price to be quoted



Transaction Counter with End Panels

- veneer with wood banding
- for use with extended desk module
- 10"D x 723/4"W x 103/4"H

Oak budget list price to be quoted Maple budget list price to be quoted



90° Extended Corner Module

- · 2-piece unit · straight base only
- 2 grommets or 2 PowerUp modules
- overall radius 51.21°
 29" or 39" height
- 36.2"D x 73"W (outer corner to outer corner)

Oak w/ grommet budget list price to be quoted Oak w/ PowerUp budget list price to be quoted

Maple w/ grommet budget list price to be quoted Maple w/ PowerUp budget list price to be quoted





Book Return Module with Slot

for use with Descending Platform Book Truck

book slot opening measure 18"W x 4"H

39" height 311/2"D x 353/4"W


Oak budget list price to be quoted Maple budget list price to be quoted



Cupboard Storage Unit with Drawer

- 1 adjustable and 1 fixed shelf
- drilled holes in outer panels for attachment to
- other modules-
- · 39" height · 311/2"D x 37"W

Oak budget list price to be quoted Maple budget list price to be quoted



- Open Storage Unit
 2 adjustable and 2 fixed shelf
 39" height

 - · 31¹/₂"D x 35³/₄"W

Oak budget list price to be quoted Maple budget list price to be quoted

Note: Drawing and Product Modification Request (PMR) are required prior to quote for circulation desks.

CrossRoads® Library Furniture Product Color Options

CrossRoads® Library Furniture Product Color Options

| Wood Finish | | Ocean | LON |
|------------------------|-----|------------------|-----|
| | | Pinnacle Walnut | LPW |
| Oak Wood Finish - Core | | River Cherry | LRY |
| Brighton Walnut on Oak | VBW | Shadow Zephyr | LSR |
| Castle Oak on Oak | VOK | Sterling Ash | LAZ |
| Cinnamon on Oak | OCN | Titanium Evolv | LTV |
| Cocoa on Oak | OCA | White Nebula | LWL |
| Florence Walnut on Oak | OFC | White Sand | LWN |
| Medium on Oak | SMD | Windsor Mahogany | LWY |
| River Cherry on Oak | ORY | 5 - 3 | |

Maple Wood Finish - Core

| Cherry S | Storm on Maple | MCX |
|----------|---------------------------|------|
| Cinnamo | on on Maple | MCN |
| Cocoa o | n Maple | MCA |
| Florence | Walnut on Maple | MFC |
| Kensing | ton Maple on Maple | MMA |
| Kensing | ton Maple on Maple Legacy | MMAL |
| Montice | llo Maple on Maple | MMT |
| River Ch | erry on Maple | MRY |

Drawer Pulls for Circulation Desk

PAA Black PAB

The Stained Finish upcharge does not apply to Kensington Maple or Castle Oak.

Module/Grommet Color

| Black grommet(s) or PowerUp | BL |
|---------------------------------|----|
| Blue Grey grommet(s) or PowerUp | GF |
| Sand grommet(s) or PowerUp | SA |
| Warm Grey grommet(s) or PowerUp | W |

| aminate Color | |
|--------------------|-----|
| Beigewood | LBZ |
| Belair | LBQ |
| Biltmore Cherry | LBT |
| Black | LBK |
| Brighton Walnut | LBW |
| Castle Oak | LC0 |
| Cherry Storm | LCX |
| Classic Linen | LCI |
| Cocobala | LCC |
| Crisp Linen | LRI |
| Designer White | LDR |
| Dove Grey | LDG |
| Florence Walnut | LFC |
| Friston Ash | LFH |
| Frosty White | LFW |
| Graphite Nebula | LGN |
| Grey | LGE |
| High Rise | LHE |
| Hollyberry | LHY |
| Island | LID |
| Italian Silver Ash | LIT |
| Kensington Maple | LKM |
| Lapis Blue | LLB |
| Monticello Maple | LMT |
| North Sea | LNA |

Finish Cards <u>Molded Edges</u> **Hard Plastics Paints** Wood/Veneer View color swatches for items listed within this document. Plastics/Poly <u>Laminates</u> **Edge Styles** <u>Glass</u>

CrossRoads® Study Tables Rectangular Tables



CrossRoads® Study Tables Rectangular Tables

| | | MODEL | NUMBER | R | | | | | | |
|-------------------------------------|----------|---------|--------------|--------|--------|-----------|-------------|--------|-------|-----------|
| | | | | | | | | | | |
| | | | | | | Grommet | d/ Grommet/ | Gromme | +/ | |
| | | Basic | Wood | Apron | | Module | Module | Module | | I Surface |
| | D x W | Model | Wood Type | Detail | Height | Туре | Location | Color | Finis | Finish |
| | 30 x 60" | CRT3060 | | | | | | | | |
| | 30 x 72" | CRT3072 | | | | | | | | |
| | 30 x 84" | CRT3084 | | | | | | | | |
| U "] | 30 x 96" | CRT3096 | | | | | | | | |
| W | 36 x 60" | CRT3660 | | | | | | | | |
| Ψ | 36 x 72" | CRT3672 | | | | | | | | |
| Straight Apron, No Grommets | 36 x 84" | CRT3684 | | | | | | | | |
| | 36 x 96" | CRT3696 | | | | | | | | |
| | 42 x 60" | CRT4260 | | | | | | | | |
| | 42 x 72" | CRT4272 | | | | | | | | |
| | 42 x 84" | CRT4284 | | | | | | | | |
| | 42 x 96" | CRT4296 | | | | | | | | |
| | | | | | | | | | | |
| Straight Apron, 2 Grommets | | | | | | | | | | |
| Straight Apron, 2 Grommets | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| ₩ <u> </u> | | | | | | | | | | |
| ^Ψ | | | | | | | | | | |
| Straight Apron, 3 Grommets | | | | | | | | | | |
| oraight Apron, o aronninets | | | | | | | | | | |
| CRT | | | | | | | | | | |
| Rectangular Table | | | | | | | | | | |
| | | | | | | | | | | |
| • Choice of 2,3, (or without) grom- | | | | | | | | | | |
| mets or PowerUp® modules | | | | | | | | | | |
| Straight apron | | | | | | | | | | |
| | | | | | | | | | | |
| | | A | B | œ | 0 | (3 | (3 | G | 0 | 0 |
| | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select wood type.
 - Maple
- Select apron detail. PSTR - Straight apron
- Select height.

 27 Junior height 27" - Adult height - 29"
 - ADA wheelchair height 32"
- **B**Select grommet or PowerUp. 60" & 72" wide tables are available with 2 grommets or 2 PowerUp modules or none. 84" & 96" wide tables are available with 3 grommets or 3 PowerUp modules or none.
 - 2 grommets; add \$128

 - 2 PowerUp modules; add \$312 - 3 grommets; add \$194 3P - 3 PowerUp modules; add \$467

NG - No Grommets/PowerUp

- Select grommet or PowerUp location.
- CTRG Center grommet/module location EDGG - Edge grommet/module location If no grommet or PowerUp module were selected, then skip "location" selection.
- **G**Select grommet/module color. Refer to the **Product Color Options** page in this price list.
- Select wood finish (for table edge & legs). Refer to the **Product Color Options** page in this price list. Stained finish colors \$41.
- Select surface finish. Refer to the **Product Color Options** page in this price list
- Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

Electrical Ganging

OPTIONS

Contact KI for electrical ganging of multiple tables.

Wood Leg Wireway

If grommets or PowerUp® modules are ordered, a routered wood leg wireway may be ordered in place of the standard wireway. Add /RL to the end of model number for routered wood leg wireway option and add \$180 to list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 85.

CrossRoads® Study Tables

Square and Round Tables







HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wood type.

t wood type. - Oak - Maple

©Select apron detail.

PSTR - Straight apron

OSelect height.

27 - Junior height - 27"
 29 - Adult height - 29"
 32 - ADA wheelchair height - 32"

Select grommet or PowerUp.

1G - 1 grommet; add \$65 1P - 1 PowerUp module; add \$155 NG - No Grommets/PowerUp

Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

Select wood finish (for table edge & legs).
 Refer to the **Product Color Options** page in this price list.

Stained finish colors; add \$41.

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

OPTIONS

Electrical GangingContact KI for electrical ganging of multiple tables.

Contact it for dicertour gariging of maniple tables

Wood Leg Wireway

If grommets or PowerUp® modules are ordered, a routered wood leg wireway may be ordered in place of the standard wireway. Add /RL to the end of model number for routered wood leg wireway option and add \$180 to list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 85.

CrossRoads® Study Carrels Single Face Carrels



CrossRoads® Study Carrels Single Face Carrels

| CRC Study Carrel Starter Unit-Single Face Straight panel or base Choice of 1 grommet or 1 PowerUp* module Standard placement of grommet is in right rear corner of worksurface Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard With or without task light Adjustable or wheelchair-height adjustable 30 x 34-3/4" CRCS3036A 114 | Dx W Model Type Panel Base Height Light Type Color Finish Finish Weley | | | MODEL N | UMBER | | | | | | | | |
|--|---|---|--------------|-----------|-------|-------|---|-----------|-----------|----------------|-----------------|--------|--------|
| C udy Carrel Starter Unit-Single Face Straight panel or base Choice of 1 grommet or 1 PowerUp® module Standard placement of grommet is in right rear corner of worksurface Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard With or without task light Adjustable or wheelchair-height adjustable 30 x 34-3/4* CRCS3036A 146.0# 176.0# | C undy Carrel Starter Unit-Single Face Straight panel or base Choice of 1 grommet or 1 PowerUp® module Straight panel or good placement of grommet is in right rear corner of worksurface Note: Provide a plan leyout indicating grommet location on the worksurface, if other than standard With or without task light Adjustable 30 x 34-34** CRCS308A | | | Model | Туре | Panel | | | Light | Module Type | Module Color | Finish | Finish |
| Study Carrel Starter Unit-Single Face Straight panel or base Straight panel or base Choice of 1 grommet or 1 PowerUp® module Standard placement of grommet is in right rear corner of worksurface Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard With or without task light Adjustable or wheelchair-height adjustable 30 x 34-34** CRCS3036A 00000000000000000000000000000000000 | CRC Study Carrel Starter Unit-Single Face Straight panel or base Choice of 1 grommet or 1 PowerUp® module Standard placement of grommet is in right rear corner of worksurface Note: Provide a plan layout indicating grommet location on the worksur- face, if other than standard With or without task light Adjustable or wheelchair-height adjustable 30 x 34-34** CRCS3036A 30 x 46-1/2* CRCS3048A | | | | | 1 | | 1 | | | | 1 | 1 |
| Straight panel or base Choice of 1 grommet or 1 PowerUp® module Standard placement of grommet is in right rear corner of worksurface Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard With or without task light Adjustable or wheelchair-height adjustable 30 x 34-3/4" CRCS3036A | Straight panel or base Choice of 1 grommet or 1 PowerUp® module Standard placement of grommet is in right rear corner of worksurface Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard With or without task light Adjustable or wheelchair-height adjustable 30 x 34-3/4* CRCS3036A | | 30 x 48" | CRCS3048S | S | | | | | | | | |
| Choice of 1 grommet or 1 PowerUp® module module Standard placement of grommet is in right rear corner of worksurface Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard With or without task light Adjustable or wheelchair-height adjustable 30 x 34-3/4" CRCS3036A CRCS3048A CRCS30 | Choice of 1 grommet or 1 PowerUp® module Standard placement of grommet is in right rear corner of worksurface Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard With or without task light Adjustable or wheelchair-height adjustable 30 x 34-3/4" CRCS3036A | Study Carrel Starter Unit-Single Face | | | | | | | | | | | |
| 30 x 46-1/2" CRCS3048A | 30 x 46-1/2" CRCS3048A | Choice of 1 grommet or 1 PowerUp® module Standard placement of grommet is in right rear corner of worksurface Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard With or without task light | | | | | | | | | | | |
| 30 x 46-1/2" CRCS3048A | 30 x 46-1/2" CRCS3048A | | 20 v 24 2/4" | CDCC2026A | | | | | | | | | |
| | tudy Carrel Adder Unit-Single Face | | | | | | | | | | | | |
| Straight panel or base Choice of 1 grommet or 1 PowerUp® module Standard placement of grommet is in right rear corner of worksurface Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard | | With or without task light Adjustable or wheelchair-height adjustable | | | | | | | | | | | |
| Choice of 1 grommet or 1 PowerUp® module Standard placement of grommet is in right rear corner of worksurface Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard With or without task light Adjustable or wheelchair-height | Adjustable or wheelchair-height | | | A | 3 | 0 | 0 | (3 | (3 | 0 | 0 | 0 | 0 |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect wood type.

 O Oak
 - M Maple
- Select panel.
- PSTR Straight panel
- Select base.

 BSTR Straight base
- Select height (worksurface).

 AH Adjustable height

 AH32 Adjustable wheelchair height
- Select task light

 1TL 1 task light; add \$207

 NL No task light
- Select grommet or PowerUp.

 1G 1 grommet-standard 1P - 1 PowerUp module; add \$155

- Select grommet or PowerUp module color.

 Refer to the **Product Color Options** page in this
- Select wood finish (for table edge & base).

 Refer to the **Product Color Options** page in this price list.
- Stained finish colors\$66.
- Select surface finish. Refer to the **Product Color Options** page in this
- Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 100.

CrossRoads® Study Carrels Double Face Carrels



CrossRoads® Study Carrels Double Face Carrels

| | | | | | | | | | | | | ▼ |
|--|------------------------------|------------------------|--------------|-------|------|--------|------|--------|-----------------------------|----------------|-------------------|---|
| | | MODEL NU | JMBER | | | | | | | | | |
| | D x W | Basic Model | Wood Type | Panel | Base | Height | Task | Module | Grommet/ Module Color | Wood Finish | Surface Finish | Approx. Packaged Weight Oak Maple |
| | 60 x 36" | CRCD6036S | | | | | | | | | | 415.0# \$ 6581 \$ 8548 |
| | 60 x 48" | CRCD6048S | | | | | | | | | | 415.0# 7417 8847 |
| CRC | | | | | | | | | | | | |
| Study Carrel Starter Unit-Double Fac | e | | | | | | | | | | | |
| Straight panel or base Choice of 2 grommets or 2 PowerUp modules (1 per worksurface) Standard placement of grommet is iright rear corner of worksurface Note: Provide a plan layout indicatin grommet location on the worksurface, if other than standard With or without task light Adjustable or wheelchair-height adjustable | n | | | | | | | | | | | |
| | 60 x 34-3/4" 60 x 46-3/4" | CRCD6036A CRCD6048A | | | | | | | | | | 242.0# \$ 4761 |
| CRC Study Carrel Adder Unit-Double Face | | | | | | | | | | | | |
| Straight panel or base Choice of 2 grommets or 2 PowerUp modules (1 per worksurface) Standard placement of grommet is i right rear corner of worksurface Note: Provide a plan layout indicatin grommet location on the worksurface, if other than standard With or without task light Adjustable or wheelchair-height adjustable | o [®] | | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

(3)

Θ

A Select basic model.

BSelect wood type. O - Oak
M - Maple

Select panel.

PSTR - Straight panel

OSelect base. BSTR - Straight base

Select height (worksurface).

AH - Adjustable height

AH32 - Adjustable wheelchair height

Select task light

2TL - 2 task lights (1 per worksurface);

NL - No task light

Select grommet or PowerUp.

2G - 2 grommets (one per worksur-

0

2P - 2 PowerUp modules (one per worksurface); add \$312

(

0

Select grommet or PowerUp module color. Refer to the **Product Color Options** page in this price list.

Select wood finish (for table edge & base). Refer to the **Product Color Options** page in this price list.

Stained finish colors; add \$66.

Select surface finish. Refer to the **Product Color Options** page in this

price list. Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 100.

CrossRoads® Shelving 42" High Shelving





| | | | | | | | | | — | | |
|-----|--|--------------|-------------|---------------------|-------|-------|-----------|----------|----------|---------|--|
| | | | MODEL NU | JMBER | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | Approx. | | | |
| | | | Basic | Wood | End | Back | Wood | Packaged | | | |
| | MODEL | D x W | Model | Туре | Panel | Panel | Finish | Weight | Oak | Maple | |
| | Shelving Starter Unit-Single Face | 10 x 37-1/2" | CRFS4210S | | | | | 50.0# | \$ 1307 | \$ 1385 | |
| | Straight base only | 12 x 37-1/2" | | | | | | 57.0# | 1359 | 1431 | |
| | 2 straight end panels (1 left and 1 right) | 16 x 37-1/2" | | | | | | 79.0# | 2014 | 2143 | |
| | With or without back panel | 10 X 37-1/2 | UNF342103 | | | | | 79.0# | 2014 | 2143 | |
| | 2 adjustable and 1 base shelf | | | | | | | | | | |
| | Recommended for use against wall only Anchors recommended | | | | | | | | | | |
| | Non-finished backside | | | | | | | | | | |
| CRF | - IVOIT IIIIISIIGU DAUKSIUG | | | | | | | | | | |
| | | | | | | | | | | | |
| | Shelving Adder Unit-Single Face | 10 x 36-1/4" | CRFS4210A | | PSTR | | | 42.0# | \$ 1033 | \$ 1091 | |
| | 1 straight adder (shared) panel only | 12 x 36-1/4" | | | PSTR | | | 47.0# | 1099 | 1157 | |
| | With or without back panel | | | | | | | | | | |
| | 2 adjustable and 1 base shelf | 16 x 36-1/4" | CRFS4216A | | PSTR | | | 65.0# | 1629 | 1707 | |
| | Recommended for use against wall only | | | | | | | | | | |
| | Anchors recommended | | | | | | | | | | |
| | Non-finished backside | | | | | | | | | | |
| CRF | | | | | | | | | | | |
| | Shelving Starter Unit-Double Face | 20 x 37-1/2" | CRFD4220S | П | | | | 96.0# | \$ 2052 | \$ 2183 | |
| | Straight base only | 24 x 37-1/2" | | | | | | 117.0# | 2172 | 2315 | |
| | 2 straight end panels (1 left and 1 right) | 24 / 07 1/2 | 0111 042240 | | | | | 117.0# | 2177 | 2010 | |
| | With or without back panel | | | | | | | | | | |
| | 4 adjustable and 2 base shelves | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| CRF | | | | | | | | | | | |
| ~ | Shelving Adder Unit-Double Face | 20 x 36-1/4" | CRFD4220A | ПП | PSTR | | | 80.0# | \$ 1720 | \$ 1828 | |
| | 1 straight adder (shared) panel only | | CRFD4224A | | PSTR | | | 95.0# | 1808 | 1917 | |
| | With or without back panel | 24 × 30 1/4 | OIII D4224A | | 10111 | | | 33.0m | 1000 | 1317 | |
| | 4 adjustable and 2 base shelves | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| CRF | | | | | | | | | | | |
| | | | | • | • | • | _ | | | | |
| | | | A | $oldsymbol{\Theta}$ | Θ | 0 | (3 | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

- Maple

Select end panel. PSTR - Straight panel

OSelect back panel.

BP - Back panel; add \$176 NP - No back panel

Select wood finish.

Refer to the **Product Color Options** page in this

Stained finish colors; add \$78.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights: 42" high add 15#

54" high add 18# 60" high add 20# 72" high add 24# 82" high add 27# 96" high add 35#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Shelving 54" High Shelving





| | | | | | | | | | <u> </u> | | |
|---------------|---|--------------|-------------|----------|---------------------|-------|-----------|----------|----------|---------|--|
| | | | MODEL NU | JMBER | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | Approx. | | | |
| | | | Basic | Wood | End | Back | Wood | Packaged | | | |
| | MODEL | D x W | Model | | Panel | Panel | | Weight | Oak | Maple | |
| | Shelving Starter Unit-Single Face | | CRFS5410S | | | | | 58.0# | \$ 1501 | \$ 1595 | |
| | Straight base only Straight and papels (1 left and 1 right) | 12 x 37-1/2" | CRFS5412S | | | | | 69.0# | 1581 | 1675 | |
| | 2 straight end panels (1 left and 1 right)With or without back panel | 16 x 37-1/2" | CRFS5416S | | | | | 91.0# | 2288 | 2526 | |
| | 2 adjustable, 1 fixed and 1 base shelf | | | | | | | | | | |
| | Recommended for use against wall only | | | | | | | | | | |
| | Anchors recommended | | | | | | | | | | |
| | Non-finished backside | | | | | | | | | | |
| CDE | | | | | | | | | | | |
| บทเ | Chaluina Adday Hait Cinala Fa | 10 × 00 1/4" | ODECE 4404 | | DCTD | | | 40.0# | ¢ 1101 | ¢ 1000 | |
| | Shelving Adder Unit-Single Face1 straight adder (shared) panel only | | CRFS5410A | | PSTR | | | 48.0# | \$ 1191 | \$ 1266 | |
| | With or without back panel | 12 x 36-1/4" | CRFS5412A | | PSTR | | | 55.0# | 1267 | 1343 | |
| | 2 adjustable, 1 fixed and 1 base shelf | 16 x 36-1/4" | CRFS5416A | | PSTR | | | 75.0# | 1766 | 1990 | |
| | Recommended for use against wall only | | | | | | | | | | |
| | Anchors recommended | | | | | | | | | | |
| | Non-finished backside | | | | | | | | | | |
| | | | | | | | | | | | |
| CRF | | | | | | | | | | | |
| | Shelving Starter Unit-Double Face | 20 x 37-1/2" | CRFD5420S | | | | | 114.0# | \$ 2421 | \$ 2583 | |
| | Straight base only | | CRFD5424S | | | | | 135.0# | 2598 | 2771 | |
| | • 2 straight end panels (1 left and 1 right) | L4 X 01 1/L | 0111 004240 | | | | | 100.0# | 2000 | 2771 | |
| | With or without back panel | | | | | | | | | | |
| | 4 adjustable, 2 fixed and 2 base shelves | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| CRF | | | | | | | | | | | |
| $\overline{}$ | Shelving Adder Unit- Double Face | 20 x 36-1/4" | CRFD5420A | | PSTR | | | 93.0# | \$ 2028 | \$ 2161 | |
| | 1 straight adder (shared) panel only | 24 x 36-1/4" | CRFD5424A | | PSTR | | | 107.0# | 2141 | 2285 | |
| | With or without back panel4 adjustable, 2 fixed and 2 base shelves | | | | | | | | | | |
| | 4 aujustabie, 2 lixeu aliu 2 base stielves | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| ODE | | | | | | | | | | | |
| CRF | | | | | | | | | | | |
| | | | A | B | $oldsymbol{\Theta}$ | O | (3 | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

- Maple

Select end panel.

PSTR - Straight panel

OSelect back panel.

BP - Back panel; add \$200 NP - No back panel

Select wood finish.

Refer to the **Product Color Options** page in this Stained finish colors; add \$78.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights: 42" high add 15#

54" high add 18# 60" high add 20# 72" high add 24# 82" high add 27#

96" high add 35#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Shelving 60" High Shelving





| | | | MODEL NU | IMDED | | | | | • | | |
|----------|---|------------------------------|------------------------|--------|--------------|------|----------|---------------------|-----------------|--------------|--|
| | | | MODEL NO | INIDEK | | | | | | | |
| | | | | | | | | | | | |
| | | | Basic | Wood | End | Back | Wood | Approx. Packaged | | | |
| | | D x W | Model | Type | Panel | | Finish | Weight | Oak | Maple | |
| | Shelving Starter Unit-Single Face • Straight base only | | CRFS6010S | | | | | 67.0# | \$ 1567 | \$ 1664 | |
| | 2 straight end panels (1 left and 1 right) | 12 x 37-1/2" 16 x 37-1/2" | CRFS6012S | | | | | 81.0# | 1662 2435 | 1760 2719 | |
| | With or without back panel3 adjustable, 1 fixed and 1 base shelf | 10 X 3/-1/2 | CKF500105 | | | | | 103.0# | 2435 | 2/19 | |
| | · Recommended for use against wall only | | | | | | | | | | |
| | Anchors recommendedNon-finished backside | | | | | | | | | | |
| | - Non-iniisileu backside | | | | | | | | | | |
| | | | | | | | | | | | |
| CRF | Chaluing Adday Unit Cingle Econ | 10 v 26 1/4" | CDECC0104 | | DCTD | | | 55 O# | \$ 1244 | \$ 1321 | |
| | Shelving Adder Unit-Single Face 1 straight adder (shared) panel only | 10 x 36-1/4" 12 x 36-1/4" | CRFS6010A CRFS6012A | | PSTR PSTR | | | 55.0# 63.0# | \$ 1244 1323 | 1409 | |
| | With or without back panel3 adjustable, 1 fixed and 1 base shelf | 16 x 36-1/4" | CRFS6016A | | PSTR | | | 85.0# | 1889 | 2190 | |
| | Recommended for use against wall only | | | | | | | | | | |
| | Anchors recommendedNon-finished backside | | | | | | | | | | |
| | • Non-infistieu backside | | | | | | | | | | |
| | | | | | | | | | | | |
| CRF | | | | | | | | | | | |
| <u> </u> | Shelving Starter Unit-Double Face | 20 x 37-1/2" | CRFD6020S | | | | | 133.0# | \$ 2544 | \$ 2717 | |
| | | 24 v 37-1/2" | CRFD6024S | | | | | 154.0# | 2735 | 2924 | |
| | With or without back panel | | | | | | | | | | |
| | 6 adjustable, 2 fixed and 2 base shelves | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| - | | | | | | | | | | | |
| CRF | | | | | | | | | | | |
| | Shelving Adder Unit-Double Face 1 straight adder (shared) panel only | | CRFD6020A | | PSTR | | | 106.0# | \$ 2129 | \$ 2267 | |
| | With or without back panel | | CRFD6024A | | PSTR | | | 123.0# | 2256 | 2402 | |
| | 6 adjustable, 2 fixed and 2 base shelves | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| ODE | | | | | | | | | | | |
| CRF | | | | | | | | | | | |
| | | | A | B | Θ | 0 | 9 | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

- Maple

Select end panel. PSTR - Straight panel

OSelect back panel.

BP - Back panel; add \$210 NP - No back panel

Select wood finish.

Refer to the **Product Color Options** page in this

Stained finish colors; add \$97.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15# 54" high add 18# 60" high add 20# 72" high add 24#

82" high add 27# 96" high add 35# FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Shelving 72" High Shelving





| | | | MODEL NU | JMBER | | | | | | |
|----------|--|--------------|-----------|-------|-------|-------|--------|---------------------|---------|---------|
| | | | mobile no | | | | | | | |
| | | | | | | | | | | |
| | | | Basic | Wood | End | Back | Wood | Approx. Packaged | | |
| | MODEL | D x W | Model | Туре | Panel | Panel | Finish | Weight | Oak | Maple |
| | Shelving Starter Unit-Single Face | | CRFS7210S | | | | | 77.0# | \$ 1794 | \$ 1907 |
| | Straight base only2 straight end panels (1 left and 1 right) | | CRFS7212S | | | | | 91.0# | 1916 | 2035 |
| | With or without back panel | 16 x 37-1/2" | CRFS7216S | | | | | 115.0# | 2638 | 2982 |
| | 4 adjustable, 1 fixed and 1 base shelfRecommended for use against wall only | , | | | | | | | | |
| | Anchors recommended | | | | | | | | | |
| | Non-finished backside | | | | | | | | | |
| CRF | | | | | | | | | | |
| | Shelving Adder Unit-Single Face | 10 x 36-1/4" | CRFS7210A | | PSTR | | | 61.0# | \$ 1436 | \$ 1526 |
| | 1 straight adder (shared) panel onlyWith or without back panel | 12 x 36-1/4" | CRFS7212A | | PSTR | | | 72.0# | 1518 | 1618 |
| | 4 adjustable, 1 fixed and 1 base shelf | 16 x 36-1/4" | CRFS7216A | | PSTR | | | 92.0# | 2043 | 2375 |
| | Recommended for use against wall only | | | | | | | | | |
| | Anchors recommendedNon-finished backside | | | | | | | | | |
| | illioned basiside | | | | | | | | | |
| CRF | | | | | | | | | | |
| <u> </u> | Shelving Starter Unit-Double Face | 20 x 37-1/2" | CRFD7220S | | | | | 151.0# | \$ 3027 | \$ 3243 |
| | Straight base only | 24 x 37-1/2" | CRFD7224S | | | | | 200.0# | 3267 | 3500 |
| | 2 straight end panels (1 left and 1 right)With or without back panel | | | | | | | | | |
| | 8 adjustable, 2 fixed and 2 base shelves | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| CRF | | | | | | | | | | |
| 3111 | Shelving Adder Unit-Double Face | 20 x 36-1/4" | CRFD7220A | | PSTR | | | 120.0# | \$ 2492 | \$ 2656 |
| | 1 straight adder (shared) panel only | 24 x 36-1/4" | CRFD7224A | | PSTR | | | 139.0# | 2679 | 2859 |
| | With or without back panel8 adjustable, 2 fixed and 2 base shelves | | | | | | | | | |
| | • | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| CRF | | | | | | | | | | |
| ··· | | | Δ | • | 6 | • | A | | | |
| | | | A | ₿ | Θ | O | • | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

- Maple

Select end panel.

PSTR - Straight panel

OSelect back panel. BP - Back panel; add \$248

Select wood finish.

NP

Refer to the **Product Color Options** page in this Stained finish colors; add \$97.

- No back panel

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights: 42" high add 15#

54" high add 18# 60" high add 20# 72" high add 24# 82" high add 27#

96" high add 35#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Shelving 82" High Shelving





| | | | | | | | | | • | |
|-----|--|------------------------------|-------------------------------------|---------------------|---------------------|---------------|----------------|-------------------------------|-------------------------|-------------------------|
| | | | MODEL N | UMBER | | | | | | |
| | MODEL | D x W | Basic Model | Wood Type | End Panel | Back Panel | Wood Finish | Approx. Packaged Weight | Oak | Maple |
| | Shelving Starter Unit-Single Face Straight base only 2 straight end panels (1 left and 1 right) With or without back panel 5 adjustable, 1 fixed and 1 base shelf Recommended for use against wall only Anchors recommended Non-finished backside | 10 X 37-1/2 | CRFS8210S CRFS8212S CRFS8216S | | | | | 87.0# 101.0# 127.0# | \$ 1868 2004 2843 | \$ 1989 2130 3070 |
| CRF | Shelving Adder Unit-Single Face | 10 x 36-1/4" | CRFS8210A | | PSTR | | | 68.0# | \$ 1500 | \$ 1595 |
| | 1 straight adder (shared) panel only With or without back panel 5 adjustable, 1 fixed and 1 base shelf Recommended for use against wall only Anchors recommended Non-finished backside | 12 x 36-1/4" 16 x 36-1/4" | CRFS8212A CRFS8216A | | PSTR PSTR | | | 81.0# 99.0# | 1582 2196 | 1689 2563 |
| CRF | | | | | | | | | | |
| | Shelving Starter Unit-Double Face Straight base only 2 straight end panels (1 left and 1 right) With or without back panel 10 adjustable, 2 fixed and 2 base shelves | | CRFD8220S CRFD8224S | | | | | 170.0# 198.0# | \$ 3192 3443 | \$ 3417 3687 |
| CRF | | | | | | | | | | |
| | Shelving Adder Unit-Double Face 1 straight adder (shared) panel only With or without back panel 10 adjustable, 2 fixed and 2 base shelves | 24 x 36-1/4" | CRFD8220A CRFD8224A | | PSTR PSTR | | | 135.0# 155.0# | \$ 2608 2816 | \$ 2788 3009 |
| CRF | | | | | | | | | | |
| | | | A | $oldsymbol{\Theta}$ | $oldsymbol{\Theta}$ | 0 | (3 | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select end panel.

PSTR - Straight panel

• Select back panel.

- Back panel; add \$277 - No back panel

Select wood finish.

Refer to the Product Color Options page in this price list.

Stained finish colors; add \$105.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15#

54" high add 18# 60" high add 20# 72" high add 24#

82" high add 27# 96" high add 35#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Shelving







HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wood type.

O - Oak
M - Maple

Select end panel. PSTR - Straight panel

DSelect back panel.

- Back panel; add \$302 - No back panel

Select wood finish.

Refer to the **Product Color Options** page in this price list. Stained finish colors; add \$105.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights: 42" high add 15#

54" high add 18# 60" high add 20#

96" high add 35#

72" high add 24# 82" high add 27#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Shelving





| | | | MODEL N | UMBER | | | | | |
|-----|--|--------------|----------------|--------------|--------------|---------|-----------------------------------|---------|---------|
| | MODEL | D x W | Basic Model | Wood Type | End Panel | Back Wo | Approx. d Packaged h Weight | Oak | Maple |
| | Shelving Starter Unit-Double Face Straight base only 2 straight end panels (1 left and 1 right) With or without back panel 10 adjustable, 2 fixed and 2 base shelves | 24 x 37-1/2" | CRFD9624S | | | | | \$ 3963 | \$ 4250 |
| CRF | | | | | | | | | |
| | Shelving Adder Unit-Double Face 1 straight adder (shared) panel only With or without back panel 10 adjustable, 2 fixed and 2 base shelves | 24 x 36-1/4" | CRFD9624A | | PSTR | | 185.0# | \$ 3106 | \$ 3328 |
| CRF | | | | | | | | | |
| | | | A | 3 | • | 0 (|) | | |

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select end panel.

PSTR - Straight panel

DSelect back panel.

- Back panel; add \$302 - No back panel

Select wood finish. Refer to the Product Color Options page in this

Stained finish colors; add \$105.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15#

54" high add 18# 60" high add 20# 72" high add 24#

82" high add 27#

96" high add 35#

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Metal Shelving 42" Metal Shelving



CrossRoads® Metal Shelving 42" Metal Shelving

| | | | MODEL NUM | /IBER | | | | | | | | | |
|------|--|-------------|----------------|--------------|---------------|---------------|--------------|----------------|----------------|-------------------------------|---------|---------|--|
| | MODEL D: | x W | Basic Model | Wood Type | Back Panel | Shelf Type | End Panel | Wood Finish | Paint Color | Approx. Packaged Weight | Oak | Maple | Book Stop Shelf add to list price |
| CRSS | Metal Shelving Starter Unit-Single Face Straight base only 2 straight end panels (1 left and 1 right) With or without back panel 2 adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended Non-finished backside | 2 x 37-1/2" | CRSSS4212S | | | | | | | 57.0# | \$ 1224 | \$ 1288 | \$ 30 |
| | Metal Shelving Adder Unit-Single Face 1 straight adder (shared) panel only With or without back panel 2 adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended Non-finished backside | 2 x 36-1/4" | CRSSS4212A | | | | PSTR | | SA | 47.0# | \$ 983 | \$ 1040 | \$ 30 |
| CRSS | | | | | | | | | | | | | |
| | Metal Shelving Starter Unit-Double Face Straight base only 24 straight end panels (1 left and 1 right) With or without back panel 4 adjustable & 2 wood bottom base shelves | 4 x 37-1/2" | CRSSD4224S | | | | | | SA | 117.0# | \$ 1954 | \$ 2086 | \$ 60 |
| CRSS | | | | | | | | | | | | | |
| | Metal Shelving Adder Unit-Double Face 1 straight adder (shared) panel only With or without back panel 4 adjustable & 2 wood bottom base shelves | 4 x 36-1/4" | CRSSD4224A | | | | PSTR | | SA | 95.0# | \$ 1625 | \$ 1727 | \$ 60 |
| | | | | | | | | | | | | | |
| CRSS | | | | | | | | | | | | | |
| | | | A | B | • | 0 | (3 | (3 | G | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect wood type.

 O Oak

- Maple

- C Select back panel.
- Back panel; add \$176 No back panel

• Select shelf type.

 B - Book stop shelf - Flat shelf

Book stop shelf is NOT available with Back panel.
See pricing column for book stop shelf upcharge.

Select end panel

PSTR - Straight panel

Select wood finish.

Refer to the **Product Color Options** page in this Stained finish colors; add \$62.

Select shelf paint color.

SA - Sand

Refer to the **Product Color Options** page in this price list.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15# 54" high add 18#

60" high add 20# 72" high add 24# 82" high add 27#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Metal Shelving 54" Metal Shelving



CrossRoads® Metal Shelving 54" Metal Shelving

| | | | | | | | | | | | <u> </u> | | |
|------|--|-----------|----------------|----------|---|------|----------|--------|----------------|-------------------------------|----------|---------|--|
| | | | MODEL NUI | MBER | | | | | | | | | |
| | | x W | Basic Model | Type | _ | Type | Panel | Finish | Paint Color | Approx. Packaged Weight | Oak | Maple | Book Stop Shelf add to list price |
| | Metal Shelving Starter Unit-Single Face Straight base only 2 straight end panels (1 left and 1 right) With or without back panel 3 adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended Non-finished backside | x 37-1/2" | CRSSS5412S | | | | | | SA | 69.0# | \$ 1425 | \$ 1510 | \$ 45 |
| CRSS | | | | | | | | | | | | | |
| | Metal Shelving Adder Unit-Single Face 1 straight adder (shared) panel only With or without back panel 3 adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended Non-finished backside | x 36-1/4" | CRSSS5412A | | | | PSTR | | SA | 55.0# | \$ 1140 | \$ 1209 | \$ 45 |
| CRSS | | | | | | | | | | | | | |
| UNSS | Metal Shelving Starter Unit-Double Face Straight base only 2 straight end panels (1 left and 1 right) With or without back panel 6 adjustable & 2 wood bottom base shelves | x 37-1/2" | CRSSD5424S | | | | | | SA | 135.0# | \$ 2336 | \$ 2492 | \$ 91 |
| CRSS | | | | | | | | | | | | | |
| | Metal Shelving Adder Unit-Double Face 1 straight adder (shared) panel only With or without back panel 6 adjustable & 2 wood bottom base shelves | x 36-1/4" | CRSSD5424A | | | | PSTR | | SA | 107.0# | \$ 1926 | \$ 2055 | \$ 91 |
| CRSS | | | | | | | | | | | | | |
| | | L | A | B | 0 | 0 | 3 | • | О | - | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect wood type.

 O Oak
 - Maple
- C Select back panel. - Back panel; add \$200 - No back panel

• Select shelf type.

- B Book stop shelf - Flat shelf
- Book stop shelf is NOT available with Back panel.
 See pricing column for book stop shelf upcharge.
- Select end panel

PSTR - Straight panel

Select wood finish.

Refer to the **Product Color Options** page in this price list.

Stained finish colors; add \$62.

Select shelf paint color.

SA - Sand

Refer to the **Product Color Options** page in this price list.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15# 54" high add 18#

60" high add 20# 72" high add 24# 82" high add 27#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Metal Shelving 60" Metal Shelving



CrossRoads® Metal Shelving 60" Metal Shelving

| | | | | | | | | | | | • | | |
|------|--|--------------|----------------|----------|---------------|---------------|--------------|----------------|----------------|-------------------------------|---------|---------|--|
| | | | MODEL NUI | MBER | | | | | | | | | |
| | | | Basic Model | Type | Back Panel | Shelf Type | End Panel | Wood Finish | Paint Color | Approx. Packaged Weight | Oak | Maple | Book Stop Shelf add to list price |
| | Metal Shelving Starter Unit-Single Face Straight base only 2 straight end panels (1 left and 1 right) With or without back panel 4 adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended Non-finished backside | | CRSSS6012S | | | | | | SA | 81.0# | \$ 1494 | \$ 1584 | \$ 60 |
| CRSS | Metal Shelving Adder Unit-Single Face 1 straight adder (shared) panel only With or without back panel 4 adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended Non-finished backside | | CRSSS6012A | | | | PSTR | | SA | 63.0# | \$ 1190 | \$ 1267 | \$ 60 |
| CRSS | | | | | | | | | | | | | |
| | Metal Shelving Starter Unit-Double Face Straight base only 2 straight end panels (1 left and 1 right) With or without back panel 3 adjustable & 2 wood bottom base shelves | 24 x 37-1/2" | CRSSD6024S | | | | | | SA | 154.0# | \$ 2464 | \$ 2630 | \$ 122 |
| CRSS | | | | | | | | | | | | | |
| | Metal Shelving Adder Unit-Double Face 1 straight adder (shared) panel only With or without back panel 8 adjustable & 2 wood bottom base shelves | 24 x 36-1/4" | CRSSD6024A | | | | PSTR | | SA | 123.0# | \$ 2031 | \$ 2163 | \$ 122 |
| CRSS | | | | | | | | | | | | | |
| | | | A | 3 | Θ | O | 3 | 9 | Ө | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect wood type.

 O Oak
 - Maple
- C Select back panel. - Back panel; add \$210 - No back panel
- Select shelf type.
- B Book stop shelf - Flat shelf
- Book stop shelf is NOT available with Back panel.
 See pricing column for book stop shelf
- upcharge.
- Select end panel
 - PSTR Straight panel

Select wood finish.

Refer to the **Product Color Options** page in this price list.

Stained finish colors; add \$79.

Select shelf paint color.

SA - Sand

Refer to the **Product Color Options** page in this price list.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15# 54" high add 18#

60" high add 20# 72" high add 24# 82" high add 27#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Metal Shelving 72" Metal Shelving



CrossRoads® Metal Shelving 72" Metal Shelving

| | | | | | | | | | | | ▼ | | |
|-------|--|--------------|----------------|------|---------------|------|-----------|-----------|----------------|-------------------------------|-------------|---------|--|
| | | | MODEL NU | MBER | | | | | | | | | |
| | | D x W | Basic Model | Type | Back Panel | Type | Panel | Finish | Paint Color | Approx. Packaged Weight | O ak | Maple | Book Stop Shelf add to list price |
| CRSS | Metal Shelving Starter Unit-Single Face Straight base only 2 straight end panels (1 left and 1 right) With or without back panel 5 adjustable & 1 wood bottom base shell Recommended for use against wall only Anchors recommended Non-finished backside | f | CRSSS7212S | | | | | | SA | 91.0# | \$ 1726 | \$ 1829 | \$ 77 |
| CRSS | Metal Shelving Adder Unit-Single Face 1 straight adder (shared) panel only With or without back panel 5 adjustable & 1 wood bottom base shell Recommended for use against wall only Anchors recommended Non-finished backside | f | CRSSS7212A | | | | PSTR | | SA | 72.0# | \$ 1368 | \$ 1456 | \$ 77 |
| | Metal Shelving Starter Unit-Double Face Straight base only 2 straight end panels (1 left and 1 right) With or without back panel 10 adjustable & 2 wood bottom base shelves | 24 x 37-1/2" | CRSSD7224S | | | | | | SA | 200.0# | \$ 2939 | \$ 3149 | \$ 150 |
| CRSS | | | | | | | | | | | | | |
| | Metal Shelving Adder Unit-Double Face 1 straight adder (shared) panel only With or without back panel 10 adjustable & 2 wood bottom base shelves | 24 x 36-1/4" | CRSSD7224A | | | | PSTR | | SA | 139.0# | \$ 2411 | \$ 2574 | \$ 150 |
| CRSS | | | | | | | | | | | | | |
| 01100 | | | A | • | • | • | (3 | (3 | О | | | | |
| | | | • | • | 9 | 9 | 9 | • | • | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wood type.

O - Oak

- Maple

C Select back panel.

- Back panel; add \$248 - No back panel

• Select shelf type.

 B - Book stop shelf - Flat shelf

Book stop shelf is NOT available with Back panel.
See pricing column for book stop shelf upcharge.

Select end panel

PSTR - Straight panel

Select wood finish.

Refer to the **Product Color Options** page in this price list. Stained finish colors; add \$79.

Select shelf paint color.
SA - Sand

Refer to the **Product Color Options** page in this price list.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15# 54" high add 18# 60" high add 20#

72" high add 24# 82" high add 27#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Metal Shelving 82" Metal Shelving



CrossRoads® Metal Shelving 82" Metal Shelving

| | | | MODEL NU | IMBER | | | | | | | | | |
|------|--|--------------|----------------|----------|---------------|------|--------------|----------------|-------|---|----------------|---------------|--|
| | MODEL Metal Shelving Starter Unit-Single Face | D x W | Basic Model | Type | Back Panel | Type | End Panel | Wood Finish | Color | Approx. Packaged Weight 101.0# | Oak \$ 1803 | Maple \$ 1916 | Book Stop Shelf add to list price |
| | Straight base only Straight base only Straight end panels (1 left and 1 right) With or without back panel Gadjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended Non-finished backside | | 01100002120 | | | | | | JA . | 101.0# | φ 1003 | φ 1310 | φ σ1 |
| CRSS | Metal Shelving Adder Unit-Single Face | 12 x 36-1/4" | CRSSS8212A | | | | PSTR | | SA | 81.0# | \$ 1425 | \$ 1518 | \$ 91 |
| | 1 straight adder (shared) panel only With or without back panel 6 adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended Non-finished backside | | | | | | | | | | , | | |
| CRSS | | | | | | | | | | | | | |
| | Metal Shelving Starter Unit-Double Face Straight base only 2 straight end panels (1 left and 1 right) With or without back panel 12 adjustable & 2 wood bottom base shelves | 24 x 37-1/2" | CRSSD8224S | 8 🗆 | | | | | SA | 198.0# | \$ 3097 | \$ 3320 | \$ 180 |
| CRSS | | | | | | | | | | | | | |
| | Metal Shelving Adder Unit-Double Face 1 straight adder (shared) panel only With or without back panel 12 adjustable & 2 wood bottom base shelves | 24 x 36-1/4" | CRSSD8224A | | | | PSTR | | SA | 155.0# | \$ 2535 | \$ 2708 | \$ 180 |
| CRSS | | | | | | | | | | | | | |
| | | | • | B | • | O | (3 | 3 | Ф | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wood type.

O - Oak

- Maple

C Select back panel. - Back panel; add \$277 - No back panel

• Select shelf type.

 B - Book stop shelf - Flat shelf

Book stop shelf is NOT available with Back panel.
See pricing column for book stop shelf upcharge.

Select end panel

PSTR - Straight panel

Select wood finish.

Refer to the **Product Color Options** page in this price list. Stained finish colors; add \$84.

Select shelf paint color.
SA - Sand

Refer to the **Product Color Options** page in this price list.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights: 42" high add 15#

54" high add 18# 60" high add 20# 72" high add 24# 82" high add 27#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Periodical Shelving 42" High Periodical Shelving



CrossRoads® Periodical Shelving 42" High Periodical Shelving

| | | | MODEL NUM | MODEL NUMBER | | | |
|--------|--|---------------------|----------------|--------------|-------|----------------|--|
| | | | Posio | Wood | End | Wood | |
| | MODEL | D x W x H | Basic Model | Wood Type | Panel | Wood Finish | |
| | 42" Periodical Shelving Starter Unit-Sin- | . 12 x 37-1/2 x 42" | CRPERS4212S | | | | |
| | gle FaceStraight base only with back panel | | | | | | |
| | 2 adjustable pivoted shelves | | | | | | |
| | Straight end panelRecommended for use against wall only | / | | | | | |
| | Anchors recommendedNon-finished backside | | | | | | |
| CRPER | | | | | | | |
| OH LIL | 42" Periodical Shelving Adder Unit-Sin- | 12 x 36-1/4 x 42" | CRPERS4212A | | PSTR | | |
| | gle Face | | | | | | |
| | Straight base only with back panel2 adjustable pivoted shelves | | | | | | |
| | Straight end panel only Recommended for use against wall only | , | | | | | |
| | Anchors recommended | | | | | | |
| CRPER | Non-finished backside | | | | | | |
| | | | A | B | • | O | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select end panel. PSTR - Straight panel

①Select wood finish. Refer to the Product Color Options page in this

Stained finish colors; add \$106.

FINISH INFORMATION

Color Match

K1 offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Periodical Shelving

60" High Periodical Shelving



CrossRoads® Periodical Shelving 60" High Periodical Shelving



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wood type.

- Maple

Select end panel.

PSTR - Straight panel

• Select wood finish (for edge & sides). Refer to the Product Color Options page in this

Stained finish colors; add \$106.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Accessory Units Storage/Accessories



CrossRoads® Accessory Units Storage/Accessories

| | MODEL | D x W x H | | Wood Type | Wood Finish | Surface Finish | Pull Color | Approx. Packaged Weight | Oak | Maple |
|-----|---|-------------------------------|-------|--------------|----------------|-------------------|---------------|-------------------------------|---------|---------|
| | Descending Platform Book Truck • Sits under the Book Return Module | 22 x 26 x 28-1/2" | CRDBT | | | | | 84.0# | \$ 3472 | \$ 3818 |
| | 4 swivel casters | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| CRD | | | | | | | | | | |
| | Wood Mobile Pedestal • Box/Box/File - (2) 6" drawers and (1) | 19-23/32 x 16-3/8 x 26-13/16" | CRDMP | | | | | 60.0# | \$ 1508 | \$ 1659 |
| | 12" drawer | | | | | | | | | |
| | Top drawer is locking | | | | | | | | | |
| | | | | | | | | | | |
| Œ | | | | | | | | | | |
| CRD | | | | | | | | | | |
| | | | A | B | • | 0 | (3 | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

For a complete circulation desk price quotation, a sketch or drawing of the modular arrangement must be included.

BSelect wood type.

- Maple

©Select wood finish. (for worksurface edge, shelf, side & back panels)

Refer to the **Product Color Options** page in this Stained finish colors; add \$100.

Select surface finish.

Refer to the **Product Color Options** page in this

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI. Select drawer pull color.

Refer to the **Product Color Options** page in this

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Factory of origin, freight prepaid. Freight class 100.

CrossRoads® Accessory Units Rolling Book Carts



CrossRoads® Accessory Units Rolling Book Carts

| | | | | | | | ▼ | |
|-------|--|-----------------------------|----------------|--------------|----------------|-------------------------------|-------------|---------|
| | | | MODEL NUM | /IBER | | | | |
| | MODEL | D x W x H | Basic Model | Wood Type | Wood Finish | Approx. Packaged Weight | O ak | Maple |
| | Rolling Book Cart-30" Wide • 3 flat shelves • Lower shelf clearance 13" • Middle shelf clearance 11-1/4" | 14-1/2 x 29-7/8 x 36-11/64" | CRTRK3530 | | | 43.0# | \$ 1392 | \$ 1529 |
| CRTRK | | | | | | | | |
| | Rolling Book Cart-40" Wide | 14-1/2 x 39-7/8 x 43-17/32" | CRTRK4140 | | | 43.0# | \$ 1584 | \$ 1744 |
| | 3 flat shelves Lower shelf clearance 14-5/16" Middle shelf clearance 14-5/16" | | | | | | | |
| | | | | | | | | |
| CRTRK | | | | | | | | |
| CRIRK | Rolling Book Cart with Slanted Shelves • 2 double-face slanted shelves | 14-1/2 x 29-7/8 x 38-13/16" | CRTRK3530SL | . 🗆 | | 43.0# | \$ 1943 | \$ 2140 |
| | 1 flat shelfLower shelf clearance 11-7/16"Middle shelf clearance 8-7/8" | | | | | | | |
| | | | | | | | | |
| CRTRK | | | | | | | | |
| | Rolling Book Cart with Slanted Shelves 2 double-face slanted shelves 1 flat shelf Lower shelf clearance 17-7/16" Middle shelf clearance 8-7/8" | 14-1/2 x 39-7/8 x 44-51/64" | CRTRK4140SL | . 🗆 | | 43.0# | \$ 2289 | \$ 2520 |
| | • Infludie Stieff clearance 6-7/6 | | | | | | | |
| CDTDV | | | | | | | | |
| CRTRK | | | | | | | | |
| | | | A | • | • | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select wood finish.

Refer to the **Product Color Options** page in this

Stained finish colors add \$100.

FINISH INFORMATION

Color Match

K1 offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Factory of origin, freight
prepaid. Freight class 100.

CrossRoads® Seating Wood Chairs





| | | | | | | | | | • | | | | | | | | |
|-------|---|--------------|----------------|--------------|----------------------------|-------|----------|------------------------------------|--|---|---|---|---|---|---|---|---|
| | | MODEL NUMBER | | | | | | | | | | | | | | | |
| | MODEL | SEAT HEIGHT | Basic Model | Wood Type | Wood Uphol Finish Color | stery | Weight L | Delivered Pricing Unupholstered | Delivered Pricing Fabric Grade 1 & C.O.M. | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Vinyl Group 2V | Delivered Pricing Pallas Fabric Group P0 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
| | Armless Wood Chair | 18" | CRCHR18 | | | | 35.0# \$ | 875 | | | | | | | | | |
| CRCHR | | | | | | | | | | | | | | | | | |
| | • C.O.M = .75 yd | 19-1/2" | CRCHRU18 | | | | 37.0# | N/A | \$ 900 | \$ 943 | \$ 967 | \$ 967 | \$ 946 | \$ 997 | \$ 1047 | \$ 1131 | \$ 1184 |
| CRCHR | | | | | | | | | | | | | | | | | |
| | Recessed Arm Wood Chair | 18" | CRCHRA18 | | | | 45.0# \$ | 3 1000 | | | | | | | | | |
| CRCHR | | 10.1.0" | 00011041140 | | | | 47.0" | 81/8 | * 1000 | h 1070 | A 1100 | * 1100 | * 1000 | A 1100 | Φ 4400 | A 1005 | A 1000 |
| | Recessed Arm Wood Chair, Upholstered • C.O.M = .75 yd | 19-1/2" | CRCHRAU18 | | | | 47.0# | N/A | \$ 1033 | \$ 1076 | \$ 1102 | \$ 1102 | \$ 1082 | \$ 1132 | \$ 1183 | \$ 1265 | \$ 1320 |
| CRCHR | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

0

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select wood finish.
Refer to the **Product Color Options** page in this price list.

Stained finish colors; add \$30.

OSelect upholstery grade and color. Refer to <u>ki.com/fabrics</u>

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 125.

