

MYWAY® LOUNGE FURNITURE

PRICE LIST

EFFECTIVE APRIL 21, 2025 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering (Customer's Own Material (C.O.M Information) Uphoistery 3
MyWay™ I	Lobby and Lounge Seating General Information Typicals	5 8
MyWay®	Product Color Options Lobby and Lounge Seating Tables	10 11 26

Ordering Customer's Own Material (C.O.M.) Upholstery



Ordering Customer's Own Material (C.O.M.) Upholstery

Customer's Own Material

Specifications Form January 2023


How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.

C.O.M. must be supplied in continuous yardage.

Yardage requirements listed in price list are based on plain goods 54" wide. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. Consult matrix below for additional yardage needed.



C.O.M. INCREASE MATRIX (yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or K.O.M. upholsteries).

This table is a general guide.

FABRIC	PLAIN	UNDER 7"	8"-13"	14"-21"	22"-27"	28"-33"	34"-40"	41"-48"
WIDTH	FABRIC	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT
54"	0	20%	25%	30%	45%	55%	70%	80%
51"-53"	15%	25%	30%	35%	50%	60%	80%	90%
48"-50"	20%	30%	35%	40%	55%	65%	85%	95%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

Fabric with double repeat: If using a fabric with a double repeat, please follow this formula: take the total amount of the larger and half of the smaller repeat; add together to find the correct overall repeat. Example: 10" vertical with 14" horizontal would be 14+5=19.

If fabric comes in on multiple rolls, one additional yard per roll needs to be added to the yardage requirement.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. or K.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled as follows:

- 1. Name and address
- 2. Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order



C.O.M. SHIPPING LOCATION



Architectural Walls	Panel Systems
EvokeMN	All Terrain
Genius MN	Balance
	Universal
Casegoods	Wireworks
AristotleMN	Unite
LikhaMN	
	Residence Hall Furniture
Classroom Furniture	RoomScape
CogniGB	·
Intellect WaveGB	Screens
Learn2GB	All Terrain
RuckusGB	Connection Zone
	Tributaire
Desking	True/Volition
700 SeriesKP	Genesis
Balance MN	Tattoo
GenesisMN	Universal
TrueKP	
UniversalMN	Seating
WorkZone MN	600 Series
	Affina
Files & Storage	Altus
700 SeriesGB	Apply
ConnectionBW	Calida
U-SeriesGB	Cascha
TattooBW	Clamber
	Cogni
Fixed Seating	Diem
ConcertoBW	Doni
Single PedestalGB	Gladly
Jury BaseGB	Grazie
LancasterBW	Hub
Sequence GB	Impress

Intellect Wave	GB
Jessa	HN
Jubilee	VQ
Katera	GB
Kurv Benches	HN
Learn2	GB
LimeLite	GB
Lyra	HN
Medical & Laboratory Stools	OM
MyPlace	HN
MyWay	HN
Oath	GB
Opt4	GB
Pilot	OM
Promenade	BW
Ruckus	GB
Sela	HN
Sift	GB
Signia	OM
Soltice Metal	HN
Soltice	HN
Sonrisa	HN
Strive	GB
Sway	BW
Tattoo	HN
Torsion-on-the-Go!	GB
Torsion Air	GB
Zeker	HN
Zoetry	HN

KI C.O.M. Manufacturing Site Addresses:

At 20	V Bonduel tn: COM Storage 14 West South St. onduel, WI 54107	
	3 Green Bay tn: COM Storage	

1687 Westminster Drive - Gate 3

Green Bay, WI 54302

University .

HN KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

... GB

Impress Ultra

KP KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 MN KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

....KP .. MN .. MN

. MN . MN

....KP .. MN ...BW

.HN

... GB ... GB ... HN VT ... HN ... GB

...VQ ... GB ... HN .. OM

OM KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761 <u>VQ</u> KI Attn: 0

Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

KI KI Attn: COM Storage 2803 South Taylor Drive Sheboygan, WI 53081

MyWay[™] Lobby and Lounge Seating General Information







	Armless Sled Chair (MYNN)	No Arm/Low Arm Sled Chair (MYNL or MYLN)	No Arm/High Arm Sled Chair (MYNH or MYHN)	No Arm/Work Arm Sled Chair (MYNW or MYWN)	Low Arm Sled Chair (MYLL)	Low Arm/High Arm Sled Chair (MYLH or MYHL)
General Dimensions						
Seat width	32-3/4"	26"	26"	26"	20"	20"
Seat depth	20"	20"	20"	20"	20"	20"
Seat height	18"	18"	18"	18"	18"	18"
Arm width		4-1/4"	4-1/4"	11" Front of Work Arm	4-1/4"	4-1/4"
Arm height		21"	29-1/2"	29-1/2"	21"	21" Low Arm/ 29-1/2" High Arm
Overall Dimensions						
Width	33"	33"	36"	36"	33"	36"
Depth	32"	33"	34-1/2"	33-1/2"	33"	34-1/2"
Height	29-1/2"	29-1/2"	29-1/2"	29-1/2"	29-1/2"	29-1/2"
Tablet width				9-1/2"		
Tablet depth				13-3/8"		









	Low Arm/Work Arm Sled Chair (MYLW or MYWL)	High Arm Sled Chair (MYHH)	High Arm/Work Arm Sled Chair (MYHW or MYWH)	Small End Table (MYTB9012)	End Table (MYTB9013)	Coffee Table (MYTB9014)
General Dimensions						
Seat width	20"	20"	20"			
Seat depth	20"	20"	20"			
Seat height	18"	18"	18"			
Arm width	11" Front of Work Arm/ 4-1/4" Low Arm	4-1/4"	11" Front of Work Arm/ 4-1/4" High Arm			
Arm height	21" Low Arm/ 29-1/2" High Arm	29-1/2"	29-1/2"			
Overall Dimensions						
Width	36"	40"	40"	24"	24"	40"
Depth	33-1/2"	34-1/2"	34-1/2"	24"	24"	24"
Height	29-1/2"	29-1/2"	29-1/2"	16"	22"	16"
Tablet width	9-1/2"		9-1/2"			
Tablet depth	13-3/8"		13-3/8"			

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yeild as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can delay an order. For each roll that is sent, one yard needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropyleene, or wood stain through Product Modification Requests. Contact Customer Service for

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit













	Armless 4-Leg Chair (MYNN4L)	No Arm/Low Arm 4-Leg Chair (MYNL4L or MYLN4L)	No Arm/High Arm 4-Leg Chair (MYNH4L or MYHN4L)	No Arm/Work Arm 4-Leg Chair (MYNW4L or MYWN4L)	Low Arm 4-Leg Chair (MYLL4L)
General Dimensions					
Seat width	32-3/4"	26"	26"	26"	20"
Seat depth	20"	20"	20"	20"	20"
Seat height	18"	18"	18"	18"	18"
Arm width		4-1/4"	4-1/4"	11" Front of Work Arm	4-1/4"
Arm height		21"	29-1/2"	29-1/2"	21"
Overall Dimensions					
Width	33"	33"	36"	36"	33"
Depth	32"	33"	34-1/2"	33-1/2"	33"
Height	29-1/2"	29-1/2"	29-1/2"	29-1/2"	29-1/2"
Tablet width				9-1/2"	
Tablet depth				13-3/8"	









	Low Arm/High Arm 4-Leg Chair (MYLH4L or MYHL4L)	Low Arm/Work Arm 4-Leg Chair (MYLW4L or MYWL4L)	High Arm 4-Leg Chair (MYHH4L)	High Arm/Work Arm 4-Leg Chair (MYHW4L or MYWH4L)
General Dimensions				
Seat width	20"	20"	20"	20°
Seat depth	20"	20"	20"	20°
Seat height	18"	18"	18"	18"
Arm width	4-1/4"	11" Front of Work Arm/ 4-1/4" Low Arm	4-1/4"	11" Front of Work Arm/ 4-1/4" High Arm
Arm height	21" Low Arm/ 29-1/2" High Arm	21" Low Arm/ 29-1/2" High Arm	29-1/2"	29-1/2"
Overall Dimensions				
Width	36"	36"	40"	40°
Depth	34-1/2"	33-1/2"	34-1/2"	34-1/2"
Height	29-1/2"	29-1/2"	29-1/2"	29-1/2"
Tablet width		9-1/2"		9-1/2"
Tablet depth		13-3/8"		13-3/8"

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yeild as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can delay an order. For each roll that is sent, one yard needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropyleene, or wood stain through Product Modification Requests. Contact Customer Service for

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit

14

MyWay[™] Lobby and Lounge Seating

Frame Construction - Frames and Arms

Frames and Arms are constructed of 6/4 lumber kiln dried to a moisture content of six to eight percent and laminated hardwood plywood ³/₄" in thickness. All mainframe joints are doweled or interlocked and glued. Stress points are further reinforced with the use of glued and screwed corner blocks.

Suspension - Seat and Back

The seat and back are sprung with stretch webbing stapled into position and covered with a layer of FLW (reinforced non-woven fiber sheet)

Foam Specifications

Seats and Backs

Tight seats and backs are filled with a layer of 4" polyurethane foam with a density of 2.5 and a compression of 35 pounds. This foam is covered with a layer of 1/4" super soft foam.

Arm

Arm tops are $1\frac{1}{2}$ " thick polyurethane foam with a density of 4.6 and compression of 150 lb. $\frac{1}{4}$ " polyurethane foam is around the entire arm and has a 1.5 density and 45 pound compression.

Other Surfaces

Other top surfaces are $1^{1}/2^{n}$ thick polyurethane foam with a density of 4.6 and compression of 150 lb. $1/4^{n}$ polyurethane foam covers these surfaces with a 1.5 density and 45 pound compression.

Optional Cup Holder

Cup holder is made of machined aluminum, finished with a clear anodized protective coating. It has an inside diameter of $2^3/4^{\circ}$ and a $1^{\circ}/2^{\circ}$ depth. Outside diameter is 3° with a $3^3/4^{\circ}$ diameter top rim.

Optional Ganger

UL HB rated nylon hooks and glass filled nylon pegs are mounted to 14-gauge steel plates with thread locking screws and steel inserts. The ganging plate assemblies are mounted to the wood frame using $\#10 \times 1^{1}/2$ " wood screws. Gangers are limited to No Arm or Low Arm side-to-side ganging only.

Base Construction

<u>Sled bases</u> are 1" O.D. by 16-gauge round steel tubing welded to a 14-gauge steel mounting plate. Bases are secured to the lounge frame with $\#10 \times 1^{1}/_{2}$ " steel pan head wood screws. Chrome is an optional finish. Powder-coat paint is standard. Optional black plastic nylon glides can be added to all sled base units.

<u>Post legs</u> are solid machined aluminum, bolted to a 10-gauge steel plate. Post legs are then secured to the lounge frame with $\#10 \times 1^{1}/_{2}$ " steel pan head wood screws. The aluminum leg posts have a polished aluminum finish. Friction-fit, clear plastic glides come standard on all post leg units.

Work Arm Tablet

The work arm functional tablet is constructed with a 15 mm thick Baltic Birch plywood core, with a .030" thick phenolic paper backer. The edges are shaped, sanded and coated with a clear lacquer finish. The top surface is .040" thick high pressure laminate, available in standard KI color and pattern choices. See Color Addendum for details. The work arm tablet is field-replaceable.

Optional AC Power & USB Charger (available on Work Arm, High Arm, Low Arm)

The optional USB/AC power module houses one 15-amp, 125 volt AC simplex receptacle with one 2.1-amp, 5 volt DC USB Type A and one Type C port (2.0 and 3.0 compatible, no data). Power module provides device charging and direct AC power. The module's aluminum housing contains the power & USB circuitry. The 54" exposed power cord is 14 AWG, 15-amp NEMA rated, three-conductor SJT, with a three-prong grounded plug. The power cord is strain-relief mounted to the rear of the module's aluminum housing and as it exits the lounge.

The entire electrical power and USB module is UL listed and passes UL spill test rating for protection against liquids. Both USB ports can power and charge two separate mobile devices simultaneously. The power module's optional faceplate/power & USB color combinations are: black/black, white/white and silver/white. Faceplates are finished with powder-coat paint.

Model/Family Numbers

* Table Families - MYTB

Base Construction

Table bases are $^3/_4$ " O.D. 16-gauge round steel tubing, welded to a 12-gauge steel spider. The legs are fastened to the tabletop with $\#10 \times ^3/_4$ " long wood screws. The bases are finished in either chrome plating or baked-on electrostatically-applied powder-coat paint. Powder-coat paint is available in standard KI paint colors. See Color Addendum.


Tabletop Construction


Tabletops consist of .035" thick plastic laminate top surface glued over 45 lb density particle board. A $^{1}/_{32}$ " phenolic backer is laminated on the underside for balanced laminate construction and helps prevent moisture absorption in the core material. Finished tabletop thickness is $1^{1}/_{4}$ ". The table edge band is 2 mm polypropylene (74P) and is available in a variety of colors. Laminate colors are per KI Color Addendum.


Floor Glides

Floor glides are natural nylon, friction-fitted into the steel tube frame.


MyWay's Optional Power Locations









^{*}Power can be specified on either the left-facing side, or the right-facing side of MyWay Lounge chairs. (Left-facing side power shown in images above)




Model MYHL





Model MYWN







Two Seat - Low Arm/High Arm Configuration







Two Seat - No Arm/High Arm Configuration






Two Seat - No Arm/High Arm Configuration






ITEM QTY MODEL
1 1 MYLN
2 1 MYNN
3 1 MYNL

Three Seat - Low Arm/No Arm Configuration





Three Seat - Work Arm/No Arm Configuration



Base Finish		Table Edge Color		Surface FinishGrade 1 Standard La	minate
Black	BL	Akira	EAK	Beigewood	LBZ
Blue Grey	GR	Beigewood	EBZ	Belair	LBQ
Bronze Metallic	ZM	Belair	EBQ	Biltmore Cherry	LBT
Cayenne	CY	Biltmore Cherry	EBT	Black	LBK
Champagne Metallic	CM	Black	EBL	Brighton Walnut	LBW
Chrome	CH	Black Hills Oak	EBH	Castle Oak	LCO
Cool Grey	CG	Blue Grey	EGR	Cherry Storm	LCX
Cottonwood	CO	Brighton Walnut	EBW	Classic Linen	LCI
Earthen Clay	EY	Castle Oak	ECO	Cocobala	LCC
Espresso Metallic	EX	Cayenne	ECY	Crisp Linen	LRI
Everglade Shade	EV	Cherry Storm	ECX	Designer White	LDR
Flannel	FN	Cocobala	ECC	Dove Grey	LDG
Glitz Metallic	GZ	Cool Grey	ECG	Florence Walnut	LFC
Hazy Jade	HJ	Cumberland Walnut	ECJ	Friston Ash	LFH
Honey Bee	НҮ	Dering Forest	EDF	Frosty White	LFW
Light Tone	LG	Designer White	EDR	Graphite Nebula	LGN
Mardi Gras	MG	Earthen Clay	EEY	Grey	LGE
Misty Brown	MY	Everglade Shade	EEV	High Rise	LHE
Nemo	NE	Fawn Cypress	EFQ	Hollyberry	LHY
Nordic	ND	Flannel	EFN	Island	LID
Poppy Red	PR	Florence Walnut	EFC	Italian Silver Ash	LIT
Purple Haze	PH	Friston Ash	EFH	Kensington Maple	LKM
Rainforest	RQ	Frosty White	EFW	Lapis Blue	LLB
Raw Jasper	RJ	Hartley Walnut	EHW	Monticello Maple	LMT
'		•	EHJ		
Rubber Ducky	RK	Hazy Jade		North Sea	LNA
Sand	SA	Honey Bee	EHY	Ocean	LON
Sky Blue	SK	Italian Silver Ash	EIT	Pinnacle Walnut	LPW
Starlight Silver Metallic	SX	Kensington Maple	EKM	River Cherry	LRY
Surf's Up	SP	Light Tone	ELG	Shadow Zephyr	LSR
Tarragon	TQ	Mardi Gras	EMG	Sterling Ash	LAZ
Twilight Shadow	TI	Misty Brown	EMY	Titanium Evolv	LTV
Ultra Blue	UB	Monticello Maple	EMT	White Nebula	LWL
Warm Grey	WG	Multiplex	EMB	White Sand	LWN
Zesty Lime	ZL	Nemo	ENE	Windsor Mahogany	LWY
		Nordic	END	Surface FinishGrade 2 Standard La	minate
		Pinnacle Walnut	EPW	Akira	LAK
		Poppy Red	EPR	Black Alicante	LBY
		Purple Haze	EPH	Black Hills Oak	LBH
		Rainforest	ERQ	Calcutta Marble	LCQ
		Raleigh Walnut	ERW	Dering Forest	LDF
		River Cherry	ERY		LFQ
		Rubber Ducky	ERK	Fawn Cypress	
		Sand	ESA	Ice Mist	LIM
		Sky Blue	ESK	Markerboard White	LMK
		Solano Walnut	ESG	Valley Forge Elm	LVF
		Sterling Ash	EAZ	White River Forest	LWR
		Surf's Up	ESP	Surface FinishGrade 3 Standard La	minate
		Tarragon	ETQ	Black Velvet	LBV
		Twilight Shadow	ETI	Cumberland Walnut	LCJ
		Ultra Blue	EUB	Designer White Velvet	LDE
		Valley Forge Elm	EVF	Hartley Walnut	LHW
		Warm Grey	EWG	Nile Velvet	LNL
		White River Forest	EWR		
		Windsor Mahogany	EWY	Raleigh Walnut	LRW
		Zesty Lime	EZL	Solano Walnut	LSG
				Spruce Velvet	LSC





										•												
			MODEL NU	MBER																		
	MODEL	Features	Basic Model	Non-Contrast or Fabric Contrast 1	Base Finish	Ganging Option	Glide Option	Moisture Barrier	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
	No Arm Sled Base Lounge Non-contrast C.O.M = 4 yds	Non-contrast	MYNN/NC						80.0#	\$ 2034	\$ 2220	\$ 2268	\$ 2326	\$ 2366	\$ 2443	\$ 2523	\$ 2620	\$ 2814	\$ 3010	\$ 3207	\$ 3596	\$ 199
	- Non contrast c.c.w = 4 yas																					
NAVAL4																						
MYN1	No Arm 4-Lea Lounge	Non-contrast	MYNN4L/NC						80.0#	\$ 2366	\$ 2550	\$ 2599	\$ 2659	\$ 2697	\$ 2773	\$ 2853	\$ 2952	\$ 3147	\$ 3342	\$ 3537	\$ 3928	\$ 199
	No Arm 4-Leg Lounge • Legs have a polished aluminum finish	Non Contrast	WITHING TO						00.0#	ψ 2300	Ψ 2000	Ψ 2000	Ψ 2000	ψ 2031	Ψ 2110	Ψ 2000	Ψ 2302	ψ 5147	ψ 3342	ψ 3337	ψ 3320	ψ 133
	• Non-contrast C.O.M = 4 yds																					
MYN1																						
IVIYIVI																						
			A	$oldsymbol{oldsymbol{G}}$	$oldsymbol{\Theta}$	0	(3	(3)														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics
- Select base finish color. Refer to the **Product Color Options** page in this

Select ganging option.

HNG - No gangers

HWG - Ganging; add \$72

Two ganging assemblies shipped per unit.

- Select glide option.
 - NGL No glides GNY - Nylon glides (black); add \$6
- Select moisture barrier.

NMB - No moisture barrier MB - Moisture barrier See pricing column for moisture barrier upcharge.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request in required. Contact Customer Service for details.

Model MYNN

\$280 MYNN4L \$280

NOTE

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175





		MODEL	NUMBER								
	Features	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2		Cup Holder	Glide Option	Power Option	Power Location	Ganging n Option	Moisture Barrier
	Non-contrast	MYNL/NC							RFP		
2 1	Contrast	MYNL/FC							RFP		
MYL2											
Left Facing No Arm/ Right Facing Low Arm Sled Base Lounge											
• Non-contrast C.O.M = 4 yds											
 1 = Arm (Fabric Contrast 1) C.O.M. = 1.5 yd 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd 											
	Non-contrast	MYLN/NC							LFP		
2	Contrast	MYLN/FC							LFP		
MYL2											
Left Facing Low Arm/ Right Facing No Arm Sled Base Lounge											
• Non-contrast C.O.M = 4.75 yds											
• 1 = Arm (Fabric Contrast 1) C.O.M. =											
1.5 yd • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd											
		A	•	О	•	Э	G	О	0	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- **B**Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics
- Select fabric contrast 2. Refer to ki.com/fabrics
- Refer to the **Product Color Options** page in this
- Select cup holder option.
 - MNCH No cup holder
- MWRC Right facing cup holder; add \$228 Cup holder is available on Low Arm only.
- Select glide option.

- A Select basic model.
- Select base finish color.
- - MWLC Left facing cup holder; add \$228
- NGL No glides
- GNY Nylon glides (black); add \$6

GSelect power option. MBL - Black; add \$338 MCG - Cool Grey; add \$338

- MWG Warm Grey; add \$338 MWH - White; add \$338 - No power
- Select location of power.
- LFP Left facing power RFP - Right facing power No location selection is needed if No Power (NP) is selected.
- Select ganging option.

 HNG No gangers
- HWG Ganging; add \$72 Two ganging assemblies shipped per unit.
- Select moisture barrier.

upcharge.

NMB - No moisture barrier MB - Moisture barrier See pricing column for moisture barrier

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, Model prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, a Product Modification Request in required. Contact Customer Service for details.

1YNL	\$30
1YLN	\$30
1YNL4L	\$30
1\/LN1/L	ቀ ን ስ

NOTE

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175





												•												
		MODEL NUI	VIBER																					
	Features		Non-Contrast or Fabric Contrast 1		Cup Holder	Power Option	Power Location	Ganging Option	Moisture Barrier	Approx. Packaged Weight		Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
	Non-contrast	MYNL4L/NC					RFP			90.0#		\$ 2562	\$ 2772	\$ 2829	\$ 2897	\$ 2942	\$ 3028	\$ 3119	\$ 3231	\$ 3454	\$ 3675	\$ 3900	\$ 4347	\$ 206
MYL2	Contrast	MYNL4L/FC					RFP			90.0#		2643	2855	2913	2980	3024	3112	3203	3315	3537	3760	3980	4428	206
Left Facing No Arm/ Right Facing Low Arm 4-Leg Lounge																								
 Legs have a polished aluminum finish Non-contrast C.O.M = 4 yds 1 = Arm (Fabric Contrast 1) C.O.M. = 1.5 yd 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd 																								
	Non-contrast	MYLN4L/NC					LFP			90.0#		\$ 2562	\$ 2772	\$ 2829	\$ 2897	\$ 2942	\$ 3028	\$ 3119	\$ 3231	\$ 3454	\$ 3675	\$ 3900	\$ 4347	\$ 206
2 2	Contrast	MYLN4L/FC					LFP			90.0#		2643	2855	2913	2980	3024	3112	3203	3315	3537	3760	3980	4428	206
MYL2																								
Left Facing Low Arm/ Right Facing No Arm 4-Leg Lounge																								
 Legs have a polished aluminum finisl Non-contrast C.O.M = 4 yds 1 = Arm (Fabric Contrast 1) C.O.M. = 1.5 yd 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd 																								
		A	ß	Θ	0	3	(3	Ф	0															

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1.
- Select fabric contrast 2. Refer to ki.com/fabrics
- Select cup holder option.

MNCH - No cup holder MWLC - Left facing cup holder; add \$228

MWRC - Right facing cup holder; add \$228 Cup holder is available on Low Arm only.

Select power option.

 MBL
 - Black; add \$338

 MCG
 - Cool Grey; add \$338
 MWG - Warm Grey; add \$338 MWH - White; add \$338 - No power

LFP - Left facing power RFP - Right facing power

No location selection is needed if No Power (NP) is selected. Refer to ki.com/fabrics

G Select ganging option.

HNG - No gangers

upcharge.

Select location of power.

HWG - Ganging; add \$72

Two ganging assemblies shipped per unit.

Select moisture barrier. NMB - No moisture barrier

MB - Moisture barrier See pricing column for moisture barrier

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

NOTE

California TB133 Fire Safety Code

Model

MYNL

MYLN

MYNL4L

MYLN4L

For California Technical Bulletin 133 compliant

required. Contact Customer Service for details.

models, a Product Modification Request in

\$301

\$301

\$301

\$301

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175





												•												
		MODEL N	UMBER																					
	Features	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Glide Option	Power Option	Power Location	Ganging Option	Moisture Barrier	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
^	Non-contrast	MYNH/NC						RFP			105.0#	\$ 2444	\$ 2682	\$ 2746	\$ 2821	\$ 2871	\$ 2971	\$ 3072	\$ 3198	\$ 3448	\$ 3699	\$ 3949	\$ 4451	\$ 209
2 1	Contrast	MYNH/FC						RFP			105.0#	2527	2765	2829	2905	2954	3054	3155	3279	3529	3780	4033	4533	209
MYN2																								
Left Facing No Arm/ Right Facing High Arm Sled Base Lounge																								
• Non-contrast C.O.M = 4.5 yds																								
 1 = Arm (Fabric Contrast 1) C.O.M. = 2.5 yd 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd 																								
-	Non-contrast	MYHN/NC						LFP			105.0#	\$ 2444	\$ 2682	\$ 2746	\$ 2821	\$ 2871	\$ 2971	\$ 3072	\$ 3198	\$ 3448	\$ 3699	\$ 3949	\$ 4451	\$ 209
2 2	Contrast	MYHN/FC						LFP			105.0#	2527	2765	2829	2905	2954	3054	3155	3279	3529	3780	4033	4533	209
MYN2																								
Left Facing High Arm/ Right Facing No Arm Sled Base Lounge																								
• Non-contrast C.O.M = 4.5 yds																								
 1 = Arm (Fabric Contrast 1) C.O.M. = 2.5 yd 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd 																								
		•		0	•	•	•	0	Ф	•														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics
- Select fabric contrast 2. Refer to ki.com/fabrics
- Select base finish color. Refer to the **Product Color Options** page in this Select moisture barrier.
- Select glide option.

 NGL No glides
- Select power option.

 MBL Black; add \$338 MCG - Cool Grey; add \$338 MWG - Warm Grey; add \$338 MWH - White; add \$338 - No power

GNY - Nylon glides (black); add \$6

- GSelect location of power. LFP - Left facing power RFP - Right facing power No location selection is needed if No Power
- (NP) is selected.
- Select ganging option. HNG - No gangers
- HWG Ganging; add \$72 Two ganging assemblies shipped per unit.
- NMB No moisture barrier

MB - Moisture barrier See pricing column for moisture barrier upcharge.

C.O.L. Requirements

INFORMATION

C.O.M. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

C.O.M. yardage requirements listed above are

based on plain goods 54" wide. If less than 54"

prints, large patterns), additional yardage will be

needed. Consult C.O.M. matrix on the Ordering

needed. For C.O.M. fabric sent to KI-High Point

on multiple rolls, add an additional yard of fabric

C.O.M. and C.O.L. page for additional yardage

per roll to the yardage requirements.

wide or fabrics requiring matching (stripes, plaids,

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request in required. Contact Customer Service for details.

Model	
MYNW	\$322
MYWN	\$322
MYNW4L	\$322
MYWN4L	\$322
MYLL	\$322
MYLL4I	\$322

NOTE

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175





			MODEL NUI	MBER																			
	MODEL	Features	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Power Option	Power Location	Ganging Option	Moisture Barrier	Approx. Package Weight	ed Grade C.O.M		Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Mois Barri add t price
	Left Facing No Arm/ Right Facing High	Non-contrast	MYNH4L/NC				RFP			105.0 _i	# \$ 27	774 \$ 3013	\$ 3077	\$ 3153	\$ 3203	\$ 3304	\$ 3403	\$ 3528	\$ 3777	\$ 4030	\$ 4281	\$ 4781	\$
		Contrast	MYNH4L/FC				RFP			105.0 _i	# 28	3098	3160	3235	3285	3389	3486	3611	3862	4112	4365	4866	
2	 Legs have a polished aluminum finish Non-contrast C.O.M = 4.5 yds 																						
	 Non-contrast C.O.M = 4.5 yds 1 = Arm (Fabric Contrast 1) C.O.M. = 2.5 																						
\forall	yd																						
1YN2	 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd 																						
^	Left Facing High Arm/ Right Facing No	Non-contrast	MYHN4L/NC				LFP			105.0	# \$ 27	74 \$ 3013	\$ 3077	\$ 3153	\$ 3203	\$ 3304	\$ 3403	\$ 3528	\$ 3777	\$ 4030	\$ 4281	\$ 4781	\$
2	, , , ,	Contrast	MYHN4L/FC				LFP			105.0	# 28	3098	3160	3235	3285	3389	3486	3611	3862	4112	4365	4866	2
2	 Legs have a polished aluminum finish 																						
\1\1\1\1\1\1\1\1\1\1\1\1\1\1\1\1\1\1\1	 Non-contrast C.O.M = 5.25 yds 1 = Arm (Fabric Contrast 1) C.O.M. = 2.5 																						
\forall	vd vd																						
MYN2	• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd																						
			A	•	· ·	0	•	•	· · · · · · ·														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics
- Select fabric contrast 2. Refer to ki.com/fabrics
- Select power option.

MBL	- Black; add \$338	
MCG	- Cool Grey; add \$338	
MWG	- Warm Grey; add \$338	
MWH	- White; add \$338	
NP	- No power	

- Select location of power.
- LFP Left facing power
 RFP Right facing power

No location selection is needed if No Power (NP) is selected.

- Select ganging option.

 HNG No gangers HWG - Ganging; add \$72
- Two ganging assemblies shipped per unit.
- GSelect moisture barrier. NMB - No moisture barrier

MB - Moisture barrier

See pricing column for moisture barrier upcharge.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, Model prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request in required. Contact Customer Service for details.

\$309 MYHN \$309 MYNH4I \$309 \$309 MYHN4L

NOTE

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

MyWay® Lobby and Lounge Seating





		MODE	NUM	IBER										
			N	Non-										
			0	Cont	Falsada									A
		Basic	C	or Fabric	Fabric Cont	Base	Glide	e	Lam	Power	Power	Gangin	Moisture	Approx. Packaged
	Features	Model	Ċ	Cont 1	2	Finish	h Optio	on	Clr	Option	Location	Option	Barrier	Weight
^	Non-contrast													110.0#
	Contrast	MYNW/I	C											110.0#
2														
2														
/N3														
ft Facing No Arm/ Right Facing Wor	k													
m Sled Base Lounge	N													
Non-contrast C.O.M = 4.75 yds														
• 1 = Arm (Fabric Contrast 1) C.O.M. =														
2 vd														
2 = Seat and back (Fabric Contrast 2)														
C.O.M. = 3.25 yd	Non contract		10 [110.0 "
	Non-contrast Contrast	MYWN/I												110.0# 110.0#
2	Contrast	IVI Y VV IV/I												110.0#
1 2														
MYN3														
Left Facing Work Arm/ Right Facing No	0													
Arm Sled Base Lounge														
 Non-contrast C.O.M = 4.75 yds 														
• 1 = Arm (Fabric Contrast 1) C.O.M. =														
2 vd														
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd														
		A		B	•	•	Œ		a	Э	•	•	•	_
				U	9	ש	· ·	7		U	Ψ	U	•	

HOW TO ORDER

Indicate the following information on order form:

Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect non-contrast or fabric contrast 1.

Refer to ki.com/fabrics

Select fabric contrast 2.
Refer to ki.com/fabrics

OSelect base finish color.

Refer to the **Product Color Options** page in this price list

Select glide option.

NGL - No glides
GNY - Nylon glides (black); add \$6

Select laminate color.
Refer to the **Product Color Options** page in this price list.
Tablet edge finish is always Natural on beech.

MWG - Warm Grey; add \$338

MWH - White; add \$338

NP - No power

Select location of power.

RFP - Right facing power

LFP - Left facing power

No location selection is needed if No Power

(NP) is selected.

Select ganging option.

HNG - No gangers

HWG - Ganging; add \$72

Two ganging assemblies shipped per unit.

Select moisture barrier.

NMB - No moisture barrier

MR

upcharge.

- Moisture barrier

See pricing column for moisture barrier

GSelect power option.

MBL - Black; add \$338

MCG - Cool Grey; add \$338

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request in required. Contact Customer Service for details.

 Model

 MYNW
 \$322

 MYWN
 \$322

 MYNW4L
 \$322

 MYWN4L
 \$322

 MYLL
 \$322

 MYLL4L
 \$322

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

NOTE

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

SPECIAL SERVICES Special Carton Marking

_

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

With specially marked information N/C





												•														
		MODEL NUI	/IBER																							
		Basic	Non-Contrast or Fabric	Fabric Contrast		Power	Power	Ganging	Moisture	Approx. Packaged		Grade Gra	ade	Grade	Grade E &	Grade	Grade	Grade	Grade	Grade	Grade	Grade	Grade M	Laminate Grade 2 add to list	Moisture Barrier add to list	Laminate Grade 3 add to list
	Features	Model	Contrast 1	2	Clr	_	Location	Option	Barrier	Weight		C.O.M. C			C.O.L.	F	G	Н	1	J	K		Leather	price	price	price
	Non-contrast	MYNW4L/NC					RFP			110.0#		\$ 2744 \$							\$ 3538					\$ 18	\$ 215	
MYN3	Contrast	MYNW4L/FC					RFP			110.0#		2826	3077	3145	3221	3275	3379	3489	3620	3884	4147	4416	4945	18	215	115
Left Facing No Arm/ Right Facing Work Arm 4-Leg Lounge																										
 Legs have a polished aluminum finish Non-contrast C.O.M = 4.5 yds 1 = Arm (Fabric Contrast 1) C.O.M. = 2 yd 																										
2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd																										
	Non-contrast	MYWN4L/NC								110.0#		\$ 2744 \$										\$ 4331			•	
1 2 2	Contrast	MYWN4L/FC					LFP			110.0#		2826	3077	3145	3221	3275	3379	3489	3620	3884	4147	4416	4945	18	215	115
MYN3																										
Left Facing Work Arm/ Right Facing No Arm 4-Leg Lounge																										
 Legs have a polished aluminum finish Non-contrast C.O.M = 4.75 yds 1 = Arm (Fabric Contrast 1) C.O.M. = 																										
2 yd • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd																										
		A	•	•	•	•	•		•																	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Refer to ki.com/fabrics
- Select fabric contrast 2.
- Select laminate color.

Tablet edge finish is always Natural on beech.

elect pov	wer option.	
MBL	- Black; add \$338	
MCG	- Cool Grey; add \$338	
MWG	- Warm Grey; add \$338	
MWH	- White; add \$338	
NP	- No power	

Select location of power.

RFP - Right facing power
LFP - Left facing power

BSelect non-contrast or fabric contrast 1.

Refer to ki.com/fabrics

Refer to the **Product Color Options** page in this

No location selection is needed if No Power (NP) is selected.

GSelect ganging option.

HNG - No gangers HWG - Ganging; add \$72 Two ganging assemblies shipped per unit.

Select moisture barrier. NMB - No moisture barrier

MB - Moisture barrier See pricing column for moisture barrier upcharge.

C.O.M. Requirements

INFORMATION

on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the MYLL yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).NOTE

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request in C.O.M. yardage requirements listed above are based required. Contact Customer Service for details.

> MYNW \$322 \$322 MYNW4L \$322 MYWN4L \$322 \$322

Base Finish

4-leg lounge base finish is polished aluminum.

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175





		MODEL NU	MBER								
	Features	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Cup Holder	Glide Option	Power Option	Power Location	Ganging Option	Moisture Barrier
$\overline{}$	Non-contrast	MYLL/NC									
2 2 1	Contrast	MYLL/FC									
m Sled Base Lounge											
ntrast C.O.M = 4.75 yds											
rms (Fabric Contrast 1) C.O.M. yd eat and back (Fabric Contrast 2)											
= 3 yd											
	Non-contrast Contrast	MYLL4L/NC MYLL4L/FC									
2 2 1	Contrast	MYLL4L/FG									
1 Arm 4-Leg Lounge											
Legs have a polished aluminum finish Non-contrast C.O.M = 4.75 yds 1 = Arms (Fabric Contrast 1) C.O.M.											
= 2.5 yd • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd											
		•	•	•	•	•	•	О	0	•	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- **B**Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics
- Select base finish color.
- Select cup holder option.
 - MWLC Left facing cup holder; add \$228 MWRC - Right facing cup holder; add \$228
- Cup holder is available on Low Arm only.
- Select glide option. NGL - No glides
 - GNY Nylon glides (black); add \$6

- A Select basic model.
- Select fabric contrast 2. Refer to ki.com/fabrics
- Refer to the **Product Color Options** page in this
- Select ganging option.

 HNG No gangers MNCH - No cup holder HWG - Ganging; add \$72 Two ganging assemblies shipped per unit.
 - Select moisture barrier.
 - NMB No moisture barrier MB - Moisture barrier See pricing column for moisture barrier upcharge.

GSelect power option.

Select location of power.

(NP) is selected.

MBL - Black; add \$338

MWH - White; add \$338

- No power

LFP - Left facing power

RFP - Right facing power

No location selection is needed if No Power

MCG - Cool Grey; add \$338

MWG - Warm Grey; add \$338

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, a Product Modification Request in required. Contact Customer Service for details.

Model	
MYNW	\$322
MYWN	\$322
MYNW4L	\$322
MYWN4L	\$322
MYLL	\$322
MYLL4L	\$322

Base Finish

NOTE

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

4-leg lounge base finish is polished aluminum.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175





												•													
		MODEL N	NUMBER																						
	Features	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast	Base Finish	Cup Holder	Glide Option	Power Option	Power Location	Ganging Option	Moisture Barrier	Approx. Packaged Weight	C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moistur Barrier add to I price
^	Non-contrast	MYLH/NC										110.0#	\$ 2528	\$ 2807	\$ 2879	\$ 2968	\$ 3026	\$ 3145	\$ 3260	\$ 3406	\$ 3699	\$ 3995	\$ 4284	\$ 4869	\$ 2
2 1	Contrast	MYLH/FC										110.0#	2612	2889	2961	3051	3110	3225	3346	3490	3780	4076	4367	4953	2
MYL3																									
Left Facing Low Arm/ Right Facing High Arm Sled Base Lounge																									
 Non-contrast C.O.M = 5.25 yds 																									
 1 = Arms (Fabric Contrast 1) C.O.M. 3 yd 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd 																									
	Non-contrast											110.0#	•		\$ 2879	\$ 2968	\$ 3026	\$ 3145	\$ 3260	\$ 3406	\$ 3699	\$ 3995	\$ 4284	\$ 4869	\$ 22
2 1 2 1	Contrast	MYHL/FC										110.0#	2612	2889	2961	3051	3110	3225	3346	3490	3780	4076	4367	4953	228
MYL3																									
Left Facing High Arm/ Right Facing Low Arm Sled Base Lounge																									
Non-contrast C.O.M = 5.25 yds																									
 1 = Arms (Fabric Contrast 1) C.O.M. 3 yd 2 = Seat and back (Fabric Contrast 2) 																									
C.O.M. = 3 yd																									
		A	3	•	0	3	•	G	0	0	0														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- **B**Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics
- Select fabric contrast 2.
- Select base finish color.
- Select cup holder option.
- MWLC Left facing cup holder; add \$228 Cup holder is available on Low Arm only.
- Select glide option.

- A Select basic model.
- Refer to ki.com/fabrics
- Refer to the **Product Color Options** page in this
- MNCH No cup holder MWRC - Right facing cup holder; add \$228
- NGL No glides GNY - Nylon glides (black); add \$6

GSelect power option. MBL - Black; add \$338

- MCG Cool Grey; add \$338 MWG - Warm Grey; add \$338 MWH - White; add \$338 - No power
 - Select location of power.
 - LFP Left facing power RFP - Right facing power No location selection is needed if No Power (NP) is selected.
 - Select ganging option.

 HNG No gangers
 - HWG Ganging; add \$72 Two ganging assemblies shipped per unit.
 - Select moisture barrier.
 - NMB No moisture barrier MB - Moisture barrier See pricing column for moisture barrier upcharge.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request in required. Contact Customer Service for details.

Model	
MYLH	\$338
MYHL	\$338
MYLH4L	\$338
MYHL4L	\$338
MYHH	\$338
MYHH4L	\$338

NOTE

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175







												•										•	•	ū
		MODEL NU	JMBER																					
	Features	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Cup Holder	Power Option	Power Location	Ganging Option	Moisture Barrier	Approx. Packaged Weight	Gr C.	ade D.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
	Non-contrast	MYLH4L/NC								110.0#	\$	2862	\$ 3138	\$ 3211	\$ 3299	\$ 3357	\$ 3473	\$ 3594	\$ 3739	\$ 4030	\$ 4324	\$ 4616	\$ 5200	\$ 228
2 1	Contrast	MYLH4L/FC								110.0#		2944	3219	3295	3379	3441	3558	3673	3819	4112	4407	4698	5281	228
MYL3 Left Facing Low Arm/ Right Facing High Arm 4-Leg Lounge																								
 Legs have a polished aluminum finis Non-contrast C.O.M = 5.25 yds 1 = Arms (Fabric Contrast 1) C.O.M. = 3 yd 2 = Seat and back (Fabric Contrast 2 C.O.M. = 3 yd 																								
	Non-contrast	MYHL4L/NC								110.0#	\$	2862	\$ 3138	\$ 3211	\$ 3299	\$ 3357	\$ 3473	\$ 3594	\$ 3739	\$ 4030	\$ 4324	\$ 4616	\$ 5200	\$ 228
2 2 1	Contrast	MYHL4L/FC								110.0#		2944	3219	3295	3379	3441	3558	3673	3819	4112	4407	4698	5281	228
MYL3																								
Left Facing High Arm/ Right Facing Low Arm 4-Leg Lounge																								
 Legs have a polished aluminum finis Non-contrast C.O.M = 5.75 yds 1 = Arms (Fabric Contrast 1) C.O.M. 3 yd 2 = Seat and back (Fabric Contrast 2 																								
C.O.M. = 3 yd																								
		A	•	Θ	•	•	•	Θ	0															

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Belect non-contrast or fabric contrast 1.
- Select fabric contrast 2.

MNCH - No cup holder

MWLC - Left facing cup holder; add \$228 Cup holder is available on Low Arm only.

Select power option.

MBL - Black; add \$338 MCG - Cool Grey; add \$338 MWG - Warm Grey; add \$338 MWH - White; add \$338 - No power

Refer to ki.com/fabrics

Refer to ki.com/fabrics

• Select cup holder option.

MWRC - Right facing cup holder; add \$228

Select location of power. LFP - Left facing power

- Right facing power

No location selection is needed if No Power (NP) is selected.

Select ganging option.

HNG - No gangers

HWG - Ganging; add \$72 Two ganging assemblies shipped per unit.

Select moisture barrier. NMB - No moisture barrier

- Moisture barrier See pricing column for moisture barrier upcharge.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

per roll to the yardage requirements.

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request in required. Contact Customer Service for details.

Model MYLH \$338 MYHL \$338 MYLH4L \$338 MYHL4L \$338 MYHH \$338 MYHH4L \$338

NOTE

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175





															•	•														
		MODEL N	IUMBER																											
	Features	Basic Model	Non- Cont or Fabric Cont 1	Fabric Cont 2	Base Finish	Cup Holder	Glide Option	Lam Clr	Power Option	Power Location	Gang. Option	Moist. Barrier	Approx. Packaged Weight		Grac C.O.	de () M. ()		Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leathe	Grade M r Leather	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	price
	Non-contrast	MYLW/NC											115.0#		\$	2502	\$ 2795	\$ 2870	\$ 2961	\$ 3024	4 \$ 314	8 \$ 3267	7 \$ 3421	\$ 3729	\$ 4036	\$ 4342	\$ 4956	\$ 18	\$ 11	5 \$ 228
MYL4	Contrast	MYLW/FC											115.0#			2585	2876	2953	3048	3108	8 323	0 3352	2 3504	3811	4119	4424	5036	18	11	5 228
Left Facing Low Arm/ Right Facing Work Arm Sled Base Lounge																														
 Non-contrast C.O.M = 5.5 yds 																														
 1 = Arms (Fabric Contrast 1) C.O.M. = 2.75 yd 2 = Seat and back (Fabric Contrast 2) 																														
C.O.M. = 3 yd																														
	Non-contrast	MYWL/NC											115.0#									8 \$ 3267		\$ 3729			\$ 4956		,	
2 2 1	Contrast	MYWL/FC											115.0#			2585	2876	2953	3048	310	8 323	0 3352	2 3504	3811	4119) 4424	5036	18	11	5 228
MYL4																														
Left Facing Work Arm/ Right Facing Low Arm Sled Base Lounge																														
 Non-contrast C.O.M = 5.5 yds 																														
 1 = Arms (Fabric Contrast 1) C.O.M. = 2.75 yd 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd 																														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

 Belect non-contrast or fabric contrast 1. Refer to ki.com/fabrics

Select fabric contrast 2. Refer to ki.com/fabrics

• Select base finish color. Refer to the **Product Color Options** page in this

Select cup holder option.

MNCH - No cup holder MWLC - Left facing cup holder; add \$228 MWRC - Right facing cup holder; add \$228 Cup holder is available on Low Arm only.

Select glide option.

NGL - No glides GNY - Nylon glides (black); add \$6

GSelect laminate color. Refer to the **Product Color Options** page in this price list.

Tablet edge finish is always Natural on beech.

Select power option.

MBL - Black: add \$338 MCG - Cool Grey; add \$338 MWG - Warm Grey; add \$338 MWH - White; add \$338 - No power

Select location of power.

LFP - Left facing power RFP - Right facing power No location selection is needed if No Power (NP) is selected.

Select ganging option.

HNG - No gangers

HWG - Ganging; add \$72 Two ganging assemblies shipped per unit.

Select moisture barrier.

NMB - No moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request in re- Ganging

Model MYLW \$346 MYWL \$346 MYLW4L \$346 \$346 MYWL4L

quired. Contact Customer Service for details. Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175





												•														
		MODEL NU	IMBER																							
	Features	Basic Model	Non- Contrast or Fabric Contrast 1	Fabric Contrast	Cup Holder	Lam Clr	Power Option	Power Location	Ganging Option	Moist. Barrier	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade	Grade	Grade	Grade	Grade K	Grade L Leather	Grade M	Laminate Grade 2 add to list price	Moisture Barrier add to list price	Laminate Grade 3 add to list price
	Non-contrast			2			_				115.0#		\$ 3125		\$ 3295	\$ 3355	\$ 3476	\$ 3601	\$ 3753	\$ 4059	\$ 4367		\$ 5286	\$ 18	<u> </u>	\$ 115
2 1	Contrast	MYLW4L/FC									115.0#	2917					3560	3682	3836		4450	4755	5369	18	228	115
MYL4																										
Left Facing Low Arm/ Right Facing Work Arm 4-Leg Lounge																										
 Legs have a polished aluminum finis Non-contrast C.O.M = 5.5 yds 1 = Arms (Fabric Contrast 1) C.O.M. = 2.75 yd 	h																									
2 = Seat and back (Fabric Contrast 2 C.O.M. = 3 yd																										
		MYWL4L/NC									115.0#	\$					\$ 3476							\$ 18		\$ 11
2 2 1	Contrast	MYWL4L/FC									115.0#	2917	3209	3283	3375	3438	3560	3682	3836	4143	4450	4755	5369	18	228	115
MYL4																										
Left Facing Work Arm/ Right Facing Low Arm 4-Leg Lounge																										
 Legs have a polished aluminum finis Non-contrast C.O.M = 5.5 yds 1 = Arms (Fabric Contrast 1) C.O.M. = 2.75 yd 2 = Seat and back (Fabric Contrast 2 C.O.M. = 3 yd 																										
- 7-																										
		A	$oldsymbol{\Theta}$	Θ	0	•	•	Θ	0	0																

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect non-contrast or fabric contrast 1. Refer to ki.com/fabrics

Select fabric contrast 2. Refer to ki.com/fabrics

• Select cup holder option.

MNCH - No cup holder MWLC - Left facing cup holder; add \$228

MWLC - Left facing cup holder; add \$228

WWRC - Right facing cup holder; add \$228

Cup holder is available on Low Arm only.

Select ganging option.

HNG - No gangers Cup holder is available on Low Arm only.

Select laminate color.

Refer to the **Product Color Options** page in this

price list. Tablet edge finish is always Natural on beech.

Select power option.

MBL - Black; add \$338 MCG - Cool Grey; add \$338 MWG - Warm Grey; add \$338 MWH - White; add \$338 - No power

GSelect location of power.

LFP - Left facing power RFP - Right facing power No location selection is needed if No Power (NP) is selected.

HWG - Ganging; add \$72 Two ganging assemblies shipped per unit.

Select moisture barrier.

NMB - No moisture barrier MB - Moisture barrier See pricing column for moisture barrier upcharge.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request in required. Contact Customer Service for details.

Model

\$346 MYLW MYWL \$346 MYLW4L \$346 \$346 MYWL4L

NOTE

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175





											•												
		MODEL NUI	MBER																				
	Features	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Glide Option		Power Location	Moisture Barrier	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
	Non-contrast	MYHH/NC								115.0#	\$ 2560	\$ 2890	\$ 2976	\$ 3082	\$ 3153	\$ 3292	\$ 3430	\$ 3606	\$ 3954	\$ 4303	\$ 4649	\$ 5347	\$ 240
2 1	Contrast	MYHH/FC								115.0#	2641	2972	3061	3164	3235	3372	3514	3691	4036	4383	4732	5428	240
MYH1																							
High Arm Sled Base Lounge																							
• Non-contrast C.O.M = 6.25 yds																							
• 1 = Arms (Fabric Contrast 1) C.O.M.																							
= 4 yd • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd																							
	Non-contrast	MYHH4L/NC								115.0#	\$ 2890	\$ 3221	\$ 3311	\$ 3414	\$ 3485	\$ 3621	\$ 3763	\$ 3936	\$ 4284	\$ 4632	\$ 4980	\$ 5677	\$ 240
2 1	Contrast	MYHH4L/FC								115.0#	2972	3305	3394	3497	3566	3706	3846	4020	4367	4716	5064	5760	240
MYH1																							
High Arm 4-Leg Lounge																							
 Legs have a polished aluminum finish 																							
 Non-contrast C.O.M = 6.25 yds 																							
1 = Arms (Fabric Contrast 1) C.O.M.= 4 yd																							
 2 = Seat and back (Fabric Contrast 2) 																							
C.O.M. = 3 yd																							
				_	_		_	_	•														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect non-contrast or fabric contrast 1. Refer to ki.com/fabrics

Select fabric contrast 2. Refer to ki.com/fabrics

• Select base finish color. Refer to the **Product Color Options** page in this

Select glide option.

NGL - No glides GNY - Nylon glides (black); add \$6

Select power option.

MBL - Black; add \$338 MCG - Cool Grey; add \$338 MWG - Warm Grey; add \$338 MWH - White; add \$338 - No power

GSelect location of power. LFP - Left facing power RFP - Right facing power No location selection is needed if No Power

Select moisture barrier. NMB - No moisture barrier MB - Moisture barrier

(NP) is selected.

See pricing column for moisture barrier upcharge.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, a Product Modification Request in Base Finish required. Contact Customer Service for details. 4-leg lounge base finish is polished aluminum.

NOTE

Model	
MYLH	\$338
MYHL	\$338
MYLH4L	\$338
MYHL4L	\$338
MYHH	\$338
MYHH4L	\$338

Only Low Arm to Low Arm, No Arm to No Arm,

and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175







													•														
		MODEL NU	JMBER																								
	Features	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2		Glide Option	Lam Clr		Power Location	Moisture Barrier	Approx. Packaged Weight		Grade G C.O.M. C		rade E	rade & G .O.L. F	rade G G		Grade G	Grade I				Grade M	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	Mo Ba ad
	Non-contrast	MYHW/NC									120.0#		\$ 2771 \$											\$ 5559	\$ 18	\$ 115	\$
2 1 2 2	Contrast	MYHW/FC									120.0#		2854	3188	3273	3377	3448	3586	3726	3901	4249	4597	4946	5642	18	115	
MYH2																											
Left Facing High Arm/ Right Facing Work Arm Sled Base Lounge																											
Non-contrast C.O.M = 6 yds																											
 1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd 																											
	Non-contrast	MYWH/NC									120.0#		\$ 2771 \$	3106 \$	3192 \$	3296 \$	3364 \$	3503 \$	3643 \$	\$ 3817	\$ 4167	\$ 4515	\$ 4863	\$ 5559	\$ 18	\$ 115	\$
2 1	Contrast	MYWH/FC									120.0#		2854	3188	3273	3377	3448	3586	3726	3901	4249	4597	4946	5642	18	115	
MYH2																											
Left Facing Work Arm/ Right Facing High Arm Sled Base Lounge																											
• Non-contrast C.O.M = 6 yds																											
• 1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd																											
• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd																											
		A	B	O	O	(3	(3)	G	0	0																	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to **ki.com/fabrics**
- Select fabric contrast 2.
 Refer to ki.com/fabrics
- Select base finish color.

 Refer to the **Product Color Options** page in this price list
- Select glide option.

 NGL No glides

 GNY Nylon glides (black); add \$6
- Select laminate color.

 Refer to the **Product Color Options** page in this price list.

 Tablet edge finish is always Natural on beech.

- No power

Select location of power.

LFP - Left facing power

RFP - Right facing power

No location selection is needed if No Power

(NP) is selected.

Select moisture barrier.

NMB - No moisture barrier

MB - Moisture barrier

See pricing column for moisture barrier

upcharge.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

\$377

\$377

\$377

\$377

For California Technical Bulletin 133 compliant models, a Product Modification Request in required. Contact Customer Service for details.

Model MYHW MYWH MYHW4L

MYWH4L

NOTE

Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

SPECIAL SERVICES

Special Carton Marking

-

With specially marked information N/C

Shipping

Ships **assembled**, **FOB High Point**, **NC 27263**, **freight prepaid**. Freight class 175

MyWay® Lobby and Lounge Seating





											•														
			MODEL NUI	MBER		_			_																
	MODEL	Features	Basic Model	Non- Cont or Fabric Cont 1		Lam Clr	Power Option	Power Location	Moisture Barrier	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Laminate Grade 2 add to list price	Moisture Barrier add to list price	Laminate Grade 3 add to list price
	Left Facing High Arm/ Right Facing Work	Non-contrast	MYHW4L/NC							120.0#	\$ 3106	\$ 3433	\$ 3522	\$ 3626	\$ 3696	\$ 3835	\$ 3974	\$ 4147	\$ 4497	\$ 4847	\$ 5195	\$ 5888	\$ 18	\$ 240	\$ 115
	Arm 4-Leg Lounge	Contrast	MYHW4L/FC							120.0#	3188	3517	3604	3710	3777	3917	4056	4230	4579	4928	5274	5972	18	240	115
2 2	 Legs have a polished aluminum finish Non-contrast C.O.M = 6 yds 																								
1 2	• 1 = Arms (Fabric Contrast 1) C.O.M. =																								
\forall	3.25 yd																								
MYH2	• 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd																								
	Left Facing Work Arm/ Right Facing High	Non-contrast	MYWH4L/NC							120.0#	\$ 3106	\$ 3433	\$ 3522	\$ 3626	\$ 3696	\$ 3835	\$ 3974	\$ 4147	\$ 4497	\$ 4847	\$ 5195	\$ 5888	\$ 18	\$ 240	\$ 115
2 1	Arm 4-Leg Lounge	Contrast	MYWH4L/FC							120.0#	3188	3517	3604	3710	3777	3917	4056	4230	4579	4928	5274	5972	18	240	115
1 2	 Legs have a polished aluminum finish Non-contrast C.O.M = 6 yds 																								
	 1 = Arms (Fabric Contrast 1) C.O.M. = 																								
¥	3.25 yd																								
MYH2	 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd 																								
			· ·	B	•	0	•	Ð	О	•															

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

3 Select non-contrast or fabric contrast 1. Refer to **ki.com/fabrics**

Select fabric contrast 2.
Refer to ki.com/fabrics

Select laminate color.
 Refer to the **Product Color Options** page in this price list.
 Tablet edge finish is always Natural on beech.

Select power option.

Select location of power.

LFP - Left facing power

RFP - Right facing power

No location selection is needed if No Power (NP) is selected.

Select moisture barrier.

NMB - No moisture barrier

MB - Moisture barrier
See pricing column for moisture barrier
upcharge.

INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request in required. Contact Customer Service for details.

Model

MYHW \$377 MYWH \$377 MYHW4L \$377 MYWH4L \$377

NOTE Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175







									~	
			MODEL NU	JMBER						
	MODEL	WxDxH		Base Finish	Glide Option	Laminate Color	Edge Color	Approx. Packaged Weight	Delivered Pricing	Laminate Laminate Grade 2 Grade 3 add to list add to list price price
	Small Laminate End Table	24 x 24 x 16"	MYTB9012					45.0#	\$ 1037	\$ 18 \$ 115
MYTB										
	Laminate End Table	24 x 24 x 22"	MYTB9013					50.0#	\$ 1054	\$ 18 \$ 115
MYTB										
	Laminate Coffee Table	24 x 40 x 16"	MYTB9014					75.0#	\$ 1340	\$ 18 \$ 115
A										
MYTB										
			A	B	•	0	(3			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select base finish color.

 Refer to the **Product Color Options** page in this
- Select glide option.

 NGL No glides

GNY - Nylon glides (black); add \$6

- Select laminate color. Refer to the **Product Color Options** page in this price list.
- Select primary edge color.

 Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

