

WIREWORKS® PANEL SYSTEM

PRICE LIST

EFFECTIVE APRIL 4, 2025 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering C	Customer's Own Material (C.O.M.) Upholstery Information	3
WireWorks	\$®	
	Product Color Options	5
Fabric Pan	nel - Tackable Acoustic - 3/4" Thick Tiles	
	Face Styles	7
Fabric Pan	nel - Tackable Acoustic - 3/4" Thick Tiles	
	Monolithic Panel	9
	Monolithic/Half Segmented Panel	11
	Monolithic/Fully Segmented Panel	13
	Half Segmented/Half Segmented Panel	15
	Half Segmented/Fully Segmented Panel Fully Segmented/Fully Segmented Panel	17 19
Glass Pane	Face Styles	21
	Full Glass Panel	22
Class/Eabr	ric Panel - Acoustic - 3/4" Thick Tiles	
ωιασο/ι⁻αIJ[Monolithic/Monolithic/Glass Panel	23
	Monolithic/Fully Segmented/Glass Panel	24
	Fully Segmented/Fully Segmented/Glass Panel	26
Open Pane	el	
	Face Styles	28
	Full Open Panel	29
Onen/Fahri	ic Panel - Acoustic - 3/4" Thick Tiles	
орон/г авг	Open/Monolithic/Monolithic Panel	31
	Monolithic/Monolithic/Open Panel	33
Enhuin Ctor	ckable Section - Acoustic - 3/4" Tiles	
rauric Stat	ckable Section - Acoustic - 5/4 Thes	35
Glass Stac	kable Section	
		36
Open Stack	kable Section	07
		37
Doors		38
Preconfigu	red Intersection Conditions	
. rooomiyu	90° 2-Way and End-of-Run	39
	90° 2-Way	40
	Off-Module Post	44
	Adjustable Wall Mount and Stabilizer Weldment	45
	180° 2-Way	46
	3-Way 4-Way	50 57
		31
Preconfigu	red Stackable Intersection Conditions	04
	180° 2-Way and End-of-Run 2-Way and 3-Way	64 65
	2-way and 3-way 2-Way, 3-Way and 4-Way	66
	, o,	
Electrical	8-Wira Systam	67
	8-Wire System 10-Wire System 6 Circuit "810"	68
	10-Wire System 4 Circuit "810"	75
Cable Man	agement	
-uvio mall		81
Worksurfa	ces	
	Rectangular	83
	"P" Shaped Peninsula/Piano Peninsula	84
	Square Shoe/Conference End "D" Shaped Peninsula	85 86
	D Onapou i omniouia	00

	Dual Curvilinear/Diag/Curviline	ar 90° Corner	8
	Countertops		88
	Mobile Teardrop/Mobile Semi-	Circle	89
	Worksurface Support Panel		9
rksurfa	ce Accessories		
	Worksurface Accessories		9:
versal	Storage and Accessories		
	Overhead Storage		90
	Overhead Accessories		107
	LED Task Lights		109
ance® S	Storage and Accessories		
	General Information		11
	Overhead Storage		112
	Overhead Accessories		118
essorie			
	Sail		12
	Markerboards		123
	Tackboard		123
	Brackets		12
	Paper Management		12
	Desktop Accessories		12
° Inters	sections		
	2-Way		129
	3-Way		132
	2-Way and 3-Way Stackable		13
° Work	surfaces		
	Corner Worksurfaces		13
° Build	Your Own		
	Components		139
h Preco	onfigured Intersection Conditions	3	
	90° 2-Way and End-of-Run		14
	90° 2-Way		14:
	180° 2-Way		14
	3-Way		14:
	4-Way		15:
	Tech Panel Components		15
estals	- Worksurface Supporting		
	700 Spripe® Padaetale with Fill	ar Krackot	15



Contents
Refer to KI Terms & Conditions document or visit ki.com.

How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.

C.O.M. Testing

KI will require six yards of actual fabric to be submitted for testing. The test will be completed on panels, tackboards, and overheads. For products shipped from Manitowoc, WI facility, ship upholstery material to:

KI Manitowoc 1400 South 41st Street Manitowoc, WI 54220 Attn: Fabric Testing

C.O.M. Production

Customer's fabrics must be approved prior to acceptance for production. KI assumes no responsibility for wear, defects, or performance of customer's own materials. C.O.M. orders are available on a deferred delivery basis.

Orders for production of C.O.M. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.




Diagram A

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.


Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

Yardage Specification

The chart on the following page details the yardage requirements for each upholstered item in the price list. To accommodate flaws, wrinkles, and other imperfections, calculate the total yardage and add the appropriate percentage shown below:

1 to 50 yards — Add 5 yards 50 + yards — Add 10% over requirements



all instances, send this form to the O.M. Specialist.	
▲ Selvage Ton to Bottom	B Selvage Side to

C.O.M. SHIPPING LOCATION



Architectural Walls	Panel Systems	
EvokeMN	All Terrain	K
GeniusMN	Balance	M
	Universal	M
Casegoods	Wireworks	M
AristotleMN	Unite	M
LikhaMN		
	Residence Hall Furniture	
Classroom Furniture	RoomScape	M
CogniGB		
Intellect WaveGB	Screens	
Learn2GB	All Terrain	K
RuckusGB	Connection Zone	BV
	Tributaire	BV
Desking	True/Volition	K
700 SeriesKP	Genesis	K
Balance MN	Tattoo	M
Genesis MN	Universal	BV
TrueKP		
Universal MN	Seating	
WorkZone MN	600 Series	BV
	Affina	1H
Files & Storage	Altus	GI
700 SeriesGB	Apply	GI
ConnectionBW	Calida	1H
U-SeriesGB	Cascha	V
TattooBW	Clamber	1H
	Cogni	Gl
Fixed Seating	Diem	ON
ConcertoBW	Doni	Gl
Single PedestalGB	Gladly	V0
Jury BaseGB	Grazie	Gl
LancasterBW	Hub	H
SequenceGB	Impress	ON
UniversityGB	Impress Ultra	OI

ntellect Wave	GB
Jessa	HN
Jubilee	VQ
(atera	GB
Kurv Benches	HN
.earn2	GB
imeLite	GB
yra	
Medical & Laboratory Stools	OM
MyPlace	HN
MyWay	HN
Dath	GB
Opt4	GB
Pilot	OM
Promenade	BW
Ruckus	GB
Sela	HN
Sift	GB
Signia	OM
Soltice Metal	HN
Soltice	HN
Sonrisa	HN
Strive	GB
Sway	BW
「attoo	HN
Torsion-on-the-Go!	GB
Torsion Air	GB
Zeker	HN
Zoetry	HN

KI C.O.M. Manufacturing Site Addresses:

BWHNKI BonduelKI High PointAttn: COM StorageAttn: COM Storage204 West South St.217 Feld AvenueBonduel, WI 54107High Point, NC 27263

GB KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302 KP KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

OM KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761 VQ KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

VT KI Attn: COM Storage 2803 South Taylor Drive Sheboygan, WI 53081

© 2025 Krueger International Inc. All Rights reserved. Code KI-FF-000059/KI/PDF/0425

Ordering COM, COL and COV Information

4

Tile	Actual	54" Non	54"	66" Non	66"	Tile	Actual	54" Non	54"	66" Non	66"
Size	Cut size		Directional			Width	Cut size	Directional			
12 x 12 12 x 18	16 x 16 16 x 22	0.15 0.20	0.15 0.20	0.11 0.15	0.11 0.15	42 x 12 42 x 18	46 x 16 46 x 22	0.44 0.61	0.44 0.61	0.44 0.61	0.44 0.61
12 x 16	16 x 22	0.20	0.26	0.13	0.19	42 x 16 42 x 24	46 x 28	0.01	0.01	0.01	0.01
12 x 30	16 x 34	0.20	0.20	0.13	0.13	42 x 30	46 x 34	0.76	0.70	0.76	0.76
12 x 36	16 x 40	0.37	0.37	0.24	0.24	42 x 36	46 x 40	1.11	1.11	1.11	1.11
12 x 42	16 x 46	0.43	0.43	0.20	0.32	42 x 42	46 x 46	1.28	1.28	1.28	1.28
12 x 48	16 x 52	0.48	0.48	0.36	0.36	42 x 48	46 x 52	1.44	1.44	1.44	1.44
12 x 54	16 x 58	0.54	0.54	0.40	0.40	42 x 54	46 x 58	1.61	1.61	1.61	1.61
12 x 60	16 x 64	0.59	0.59	0.44	0.44	42 x 60	46 x 64	1.78	1.78	1.78	1.78
12 x 66	16 x 70	0.65	0.65	0.49	0.49	42 x 66	46 x 70	1.94	1.94	1.94	1.94
12 x 72	16 x 76	0.70	0.70	0.53	0.53	42 x 72	46 x 76	2.11	2.11	2.11	2.11
12 x 78	16 x 82	0.76	0.76	0.57	0.57	42 x 78	46 x 82	2.28	2.28	2.28	2.28
18 x 12	22 x 16	0.22	0.22	0.15	0.15	48 x 12	52 x 16	0.44	0.44	0.44	0.44
18 x 18	22 x 22	0.31	0.31	0.20	0.20	48 x 18	52 x 22	0.61	0.61	0.61	0.61
18 x 24	22 x 28	0.39	0.39	0.26	0.26	48 x 24	52 x 28	0.78	0.78	0.78	0.78
18 x 30	22 x 34	0.47	0.47	0.32	0.32	48 x 30	52 x 34	0.94	0.94	0.94	0.94
18 x 36	22 x 40	0.56	0.56	0.37	0.37	48 x 36	52 x 40	1.11	1.11	1.11	1.11
18 x 42	22 x 46	0.64	0.64	0.43	0.43	48 x 42	52 x 46	1.28	1.28	1.28	1.28
18 x 48	22 x 52	0.72	0.72	0.48	0.48	48 x 48	52 x 52	1.44	1.44	1.44	1.44
18 x 54 18 x 60	22 x 58 22 x 64	0.81 0.89	0.81 0.89	0.54 0.59	0.54 0.59	48 x 54 48 x 60	52 x 58 52 x 64	1.61 1.78	1.61 1.78	1.61 1.78	1.61 1.78
18 x 66	22 x 70	0.09	0.09	0.59	0.59	48 x 66	52 x 70	1.76	1.76	1.76	1.76
18 x 72	22 x 76	1.06	1.06	0.03	0.70	48 x 72	52 x 76	2.11	2.11	2.11	2.11
18 x 78	22 x 82	1.14	1.14	0.76	0.76	48 x 78	52 x 82	2.28	2.28	2.28	2.28
24 x 12	28 x 16	0.44	0.44	0.22	0.22	54 x 12	58 x 16			0.44	0.44
24 x 18	28 x 22	0.61	0.61	0.31	0.31	54 x 18	58 x 22			0.61	0.61
24 x 24	28 x 28	0.78	0.78	0.39	0.39	54 x 24	58 x 28			0.78	0.78
24 x 30	28 x 34	0.94	0.94	0.47	0.47	54 x 30	58 x 34			0.94	0.94
24 x 36	28 x 40	1.11	1.11	0.56	0.56	54 x 36	58 x 40			1.11	1.11
24 x 42	28 x 46	1.28	1.28	0.64	0.64	54 x 42	58 x 46			1.28	1.28
24 x 48	28 x 52	1.44	1.44	0.72	0.72	54 x 48	58 x 52			1.44	1.44
24 x 54	28 x 58	1.61	1.61	0.81	0.81	54 x 54	58 x 58			1.61	1.61
24 x 60	28 x 64	1.78	1.78	0.89	0.89	54 x 60	58 x 64			1.78	1.78
24 x 66	28 x 70	1.94	1.94	0.97	0.97	54 x 66	58 x 70			1.94	1.94
24 x 72 24 x 78	28 x 76 28 x 82	2.11 2.28	2.11 2.28	1.06 1.14	1.06 1.14	54 x 72 54 x 78	58 x 76 58 x 82			2.11 2.28	2.11 2.28
30 x 12	34 x 16	0.44	0.44	0.44	0.44	60 x 12	64 x 16			0.44	0.44
30 x 18	34 x 22	0.61	0.61	0.61	0.61	60 x 18	64 x 22			0.61	0.61
30 x 24	34 x 28	0.78	0.78	0.78	0.78	60 x 24	64 x 28			0.78	0.78
30 x 30	34 x 34	0.94	0.94	0.94	0.94	60 x 30	64 x 34			0.94	0.94
30 x 36	34 x 40	1.11	1.11	1.11	1.11	60 x 36	64 x 40			1.11	1.11
30 x 42	34 x 46	1.28	1.28	1.28	1.28	60 x 42	64 x 46			1.28	1.28
30 x 48	34 x 52	1.44	1.44	1.44	1.44	60 x 48	64 x 52			1.44	1.44
30 x 54	34 x 58	1.61	1.61	1.61	1.61	60 x 54	64 x 58			1.61	1.61
30 x 60	34 x 64	1.78	1.78	1.78	1.78	60 x 60	64 x 64			1.78	1.78
30 x 66	34 x 70	1.94	1.94	1.94	1.94	60 x 66	64 x 70			1.94	1.94
30 x 72	34 x 76	2.11	2.11	2.11	2.11	60 x 72	64 x 76			2.11	2.11
30 x 78	34 x 82	2.28	2.28	2.28	2.28	60 x 78 PRTU (Rrac	64 x 82 ceway Tiles)		2.28	2.28
36 x 12	40 x 16	0.44	0.44	0.44	0.44	12 x 12	18 x 18	0.17	0.17	0.17	0.17
36 x 18	40 x 22	0.61	0.61	0.61	0.61	18 x 12	24 x 18	0.25	0.25	0.25	0.25
36 x 24	40 x 28	0.78	0.78	0.78	0.78	24 x 12	30 x 18	0.50	0.50	0.25	0.25
36 x 30	40 x 34	0.94	0.94	0.94	0.94	30 x 12	36 x 18	0.50 0.50	0.50	0.50	0.50 0.50
36 x 36 36 x 42	40 x 40 40 x 46	1.11 1.28	1.11 1.28	1.11 1.28	1.11 1.28	36 x 12 42 x 12	42 x 18 48 x 18	0.50	0.50 0.50	0.50 0.50	0.50
36 x 42	40 x 46 40 x 52	1.44	1.20 1.44	1.44	1.44	42 x 12 48 x 12	40 x 10 54 x 18	0.50	0.50	0.50	0.50
36 x 54	40 x 52 40 x 58	1.61	1.44	1.44	1.44	54 x 12	60 x 18	0.50	0.50	0.50	0.50
36 x 60	40 x 64	1.78	1.78	1.78	1.78	60 x 12	66 x 18			0.50	0.50
36 x 66	40 x 70	1.94	1.94	1.94	1.94					0.00	0.00
36 x 72	40 x 76	2.11	2.11	2.11	2.11						
36 x 78	40 x 82	2 28	2 28	2 28	2 28						

36 x 78 40 x 82 2.28 2.28 2.28

2.28

Tile	Actual	54" Non	54"	66" Non	66"
Size	Cut size	Directional	Directional	Directional	Directional
TB (Tackbo	30 x 18	0.50	0.50	0.25	0.25
30 x 12	36 x 18	0.50	0.50	0.23	0.23
36 x 12	42 x 18	0.50	0.50	0.50	0.50
42 x 12	48 x 18	0.50	0.50	0.50	0.50
48 x 12	54 x 18	0.50	0.50	0.50	0.50
54 x 12	60 x 18	0.00	0.00	0.50	0.50
60 x 12	66 x 18			0.50	0.50
24 x 16	30 x 22	0.61	0.61	0.31	0.31
30 x 16	36 x 22	0.61	0.61	0.61	0.61
36 x 16	42 x 22	0.61	0.61	0.61	0.61
42 x 16	48 x 22	0.61	0.61	0.61	0.61
48 x 16	54 x 22	0.61	0.61	0.61	0.61
54 x 16	60 x 22			0.61	0.61
60 x 16	66 x 22			0.61	0.61
24 x 20	30 x 26	0.72	0.72	0.36	0.36
36 x 20	36 x 26	0.72	0.72	0.72	0.72
30 x 20	42 x 26	0.72	0.72	0.72	0.72
42 x 20	48 x 26	0.72	0.72	0.72	0.72
48 x 20	54 x 26	0.72	0.72	0.72	0.72
54 x 20	60 x 26			0.72	0.72
60 x 20	66 x 26			0.72	0.72
24 x 30	30 x 36	1.00	1.00	0.50	0.50
30 x 30	36 x 36	1.00	1.00	1.00	1.00
36 x 30	42 x 36	1.00	1.00	1.00	1.00
42 x 30	48 x 36	1.00	1.00	1.00	1.00
48 x 30	54 x 36	1.00	1.00	1.00	1.00
54 x 30	60 x 36			1.00	1.00
60 x 30	66 x 36			1.00	1.00
24 x 48	30 x 54	0.83	1.50	0.83	0.75
30 x 48	36 x 54	1.00	1.50	1.20	1.50
36 x 48	42 x 54	1.16	1.50	1.16	1.50
42 x 48	48 x 54	1.33	1.50	1.33	1.50
48 x 48	54 x 54	1.50	1.50	1.50	1.50
54 x 48	60 x 54			1.50	1.50
60 x 48	66 x 54	nat)		1.50	1.50
PRDF (Over	30 x 22	0.61	0.61	0.31	0.31
30	36 x 22	0.61	0.61	0.51	0.51
36	42 x 22	0.61	0.61	0.61	0.61
42	48 x 22	0.61	0.61	0.61	0.61
48	54 x 22	0.61	0.61	0.61	0.61
54	60 x 22	0.01	0.01	0.61	0.61
60	66 x 22			0.61	0.61
		Height Chan	ae)	0.01	0.01
6	6 x 8	0.03	0.03	0.02	0.02
12	6 x 14	0.04	0.04	0.04	0.04
18	6 x 20	0.06	0.06	0.05	0.05
24	6 x 26	0.08	0.08	0.07	0.07
30	6 x 32	0.10	0.10	0.08	0.08
36	6 x 38	0.12	0.12	0.10	0.10
42	6 x 44	0.14	0.14	0.11	0.11
48	6 x 50	0.15	0.15	0.13	0.13
54	6 x 56	0.17	0.17	0.14	0.14

12 18 24 30 36 42 48 54 60 72	al Trim Ft 6 x 14 6 x 20 6 x 26 6 x 32 6 x 38 6 x 44 6 x 50 6 x 56 6 x 62 6 x 74		0.04 0.06 0.08 0.10 0.12 0.14 0.15 0.17 0.19	0.04 0.05 0.07 0.08 0.10 0.11 0.13 0.14 0.16	0.04 0.05 0.07 0.08 0.10 0.11 0.13 0.14 0.16
12 18 24 30 36 42 48 54 60 72	6 x 14 6 x 20 6 x 26 6 x 32 6 x 38 6 x 44 6 x 50 6 x 56 6 x 62 6 x 74	0.04 0.06 0.08 0.10 0.12 0.14 0.15 0.17	0.06 0.08 0.10 0.12 0.14 0.15 0.17	0.05 0.07 0.08 0.10 0.11 0.13 0.14 0.16	0.05 0.07 0.08 0.10 0.11 0.13 0.14
18 24 30 36 42 48 54	6 x 20 6 x 26 6 x 32 6 x 38 6 x 44 6 x 50 6 x 56 6 x 62 6 x 74	0.06 0.08 0.10 0.12 0.14 0.15 0.17	0.06 0.08 0.10 0.12 0.14 0.15 0.17	0.05 0.07 0.08 0.10 0.11 0.13 0.14 0.16	0.05 0.07 0.08 0.10 0.11 0.13 0.14
24 30 36 42 48 54 60 72	6 x 26 6 x 32 6 x 38 6 x 44 6 x 50 6 x 56 6 x 62 6 x 74	0.08 0.10 0.12 0.14 0.15 0.17	0.08 0.10 0.12 0.14 0.15 0.17	0.07 0.08 0.10 0.11 0.13 0.14 0.16	0.07 0.08 0.10 0.11 0.13 0.14
30 36 42 48 54 60 72	6 x 32 6 x 38 6 x 44 6 x 50 6 x 56 6 x 62 6 x 74	0.10 0.12 0.14 0.15 0.17 0.19	0.10 0.12 0.14 0.15 0.17 0.19	0.08 0.10 0.11 0.13 0.14 0.16	0.08 0.10 0.11 0.13 0.14
36 42 48 54 60 72	6 x 38 6 x 44 6 x 50 6 x 56 6 x 62 6 x 74	0.12 0.14 0.15 0.17 0.19	0.12 0.14 0.15 0.17 0.19	0.10 0.11 0.13 0.14 0.16	0.10 0.11 0.13 0.14
42 48 54 60 72	6 x 44 6 x 50 6 x 56 6 x 62 6 x 74	0.14 0.15 0.17 0.19	0.14 0.15 0.17 0.19	0.11 0.13 0.14 0.16	0.11 0.13 0.14
48 54 60 72	6 x 50 6 x 56 6 x 62 6 x 74	0.15 0.17 0.19	0.15 0.17 0.19	0.13 0.14 0.16	0.13 0.14
54 60 72	6 x 56 6 x 62 6 x 74	0.17 0.19	0.17 0.19	0.14 0.16	0.14
60 72	6 x 62 6 x 74	0.19	0.19	0.16	
72	6 x 74				0.16
		0.23	0.23		
Balance Fabr	io Overh			0.19	0.19
Balance Fabr	in Overh				
	ic overiii	ead Cabine	ets		
BLCF24 2	20 x 30	0.88	0.63	0.88	0.63
BLCF30 2	20 x 36	1.00	0.63	1.00	0.63
BLCF36 2	20 x 42	1.25	0.63	1.25	0.63
BLCF42 2	20 x 48	1.38	0.63	1.38	0.63
BLCF48 2	20 x 54	1.50	0.63	1.50	0.63
BLCF54 2	20 x 60	1.75		1.75	0.63
BLCF60 2	20 x 66	1.88		1.88	0.63
BLCF66 2	20 x 78	2.25	0.63	2.25	0.63
BLCF72 2	20 x 84	2.50	0.63	2.50	0.63

Yardage requirements are "per tile" (multiply by the number of tiles per panel for total yardage per panel). Subtract 6" from panel size for the base raceway, unless specifying "tile to floor," segmented tile, or stacker.

WireWorks® Product Color Options

Panels/Doors - Trim Color		White Nebula	LWL	Warm Grey	WG	Brighton Walnut	EBW	is automatically coordinated with the paint color:	Misty Brown	UMY
Black	BL	White Sand	LWN	Floridad Formalistad Codes		Castle Oak	ECO	Black, Bronze Metallic, Cayenne, Espresso Metallic, Flannel, an	d Sand	USA
Blue Grey	GR	Windsor Mahogany	LWY	Electrical - Exposed Infeed Coating		Cherry Storm	ECX	Nordic paints will have Black plastic trim. Blue Grey paint will have Blue Grey plastic trim.	Translucent	UTR
Cool Grey	CG			Black	BL	Cocobala	ECC	Champagne Metallic and Light Tone, paints will have Light Tor	e Warm Grey	UWG
Light Tone	LG	Surface FinishGrade 2 Standard Laminate		Blue Grey	GR	Cool Grey	ECG	plastic trim.		
Misty Brown	MY	Akira	LAK	Cool Grey	CG	Cumberland Walnut	ECJ	Cool Grey paint will have Cool Grey plastic trim.	Balance® Overhead - Shelf Di	ivider Paint Color
Sand	SA	Black Alicante	LBY	Light Tone	LG	Dering Forest	EDF	Cottonwood and Sand will have Sand plastic trim. Misty Brown paint will have Misty Brown plastic trim.	Black	BL
Starlight Silver Metallic	SX	Black Hills Oak	LBH	Misty Brown	MY	Designer White	EDR	Starlight Silver Metallic and Warm Grey paints will have Warm	Grev Blue Grey	GR
Warm Grey	WG	Calcutta Marble	LCQ	Sand	SA	Earthen Clay	EEY	plastic trim.	Cool Grey	CG
Walli Gley	WG	Dering Forest	LDF	Warm Grey	WG	Everglade Shade	EEV		Cottonwood	CO
		Fawn Cypress	LFQ	•		•		Universal Overhead - Accessories Color	Flannel	FN
Starlight Silver is available at an upcharge on alumir	num trim pieces	Ice Mist	LIM	Worksurface/Universal Overhead - Veneer Woo	od Finish	Fawn Cypress	EFQ	Black	BL Light Tone	LG
only.		Markerboard White	LMK	& Wood Edge Finish Laminate & Veneer		Flannel	EFN	Blue Grey	GR Misty Brown	MY
The door edge is only available in Black (BL), Blue G	Grev (GR) Light	Valley Forge Elm	LVF	Cherry Storm on Maple	MCX	Florence Walnut	EFC	Cool Grey	CG Sand	SA
Tone (LG), Sand (SA), and Warm Grey (WG). When		White River Forest	LWR	Cinnamon on Maple	MCN	Friston Ash	EFH	Cottonwood	CO Warm Grey	WG
Cool Grey (CG), Misty Brown (MY) and Starlight Silv	ver (SX) are	Willie Hivel Forest	LVVII	Cocoa on Maple	MCA	Frosty White	EFW	Flannel	FN	Wd
specified, the door trim color will be Warm Grey (W	G).	Surface FinishGrade 3 Standard Laminate		Florence Walnut on Maple	MFC	Hartley Walnut	EHW	Light Tone	LG Accessories-Paper Managem	ent - Trim Color
Panels/Doors - Glass Color		Black Velvet	LBV	Kensington Maple on Maple	MMA	Hazy Jade	EHJ	Misty Brown	MY Blue Grey	GR
	DD7	Cumberland Walnut	LCJ	Monticello Maple on Maple	MMT	Italian Silver Ash	EIT	Sand	SA Clear	CL
Tinted/Bronze	BRZ	Designer White Velvet	LDE	River Cherry on Maple	MRY	Kensington Maple	EKM	Warm Grey	WG Cool Grey	CG
Clear	GLA	Hartley Walnut	LHW	,		Light Tone	ELG		Light Tone	LG
White laminate	GLC	Nile Velvet	LNL	Worksurfaces - Trim Color		Misty Brown	EMY	Balance® Overhead - Cabinet Paint Color	Misty Brown	MY
			LRW	Black	BL	Monticello Maple	EMT	Black	RI ,	SA
Glass color selection available on glazed panels only	/.	Raleigh Walnut		Blue Grey	GR	Multiplex	EMB	Blue Grey	GR	
		Solano Walnut	LSG	Bronze Metallic	ZM	Pinnacle Walnut	EPW	Bronze Metallic	Warm Grey ZM	WG
Surface FinishGrade 1 Standard Laminate	,	Spruce Velvet	LSC	Cayenne	CY	Rainforest	ERQ	Cayenne	CY	
Worksurfaces/Universal & Balance® Overhe	ad/120°	Preconfigured Intersections - Trim Color		Champagne Metallic	CM		ERW	Champagne Metallic	The Clear (CL) color option is only	
Worksurfaces/Worksurface Accessories		Black	BL	Cool Grey	CG	Raleigh Walnut		Cool Grey	item PPFH, PPLL, PPDS, PPPVS, F	PPTC, PPDH, PPAT AND PPPC.
Beigewood	LBZ			Cottonwood	CO	River Cherry	ERY	•		ala
Belair	LBQ	Blue Grey	GR			Sand	ESA	Cottonwood	CO Flat Aluminum Trim - Trim Co	
Biltmore Cherry	LBT	Cool Grey	CG	Espresso Metallic	EX	Solano Walnut	ESG	Earthen Clay	EY Black	BL
Black	LBK	Light Tone	LG	Flannel	FN	Sterling Ash	EAZ	Espresso Metallic	EX Blue Grey	GR
Brighton Walnut	LBW	Misty Brown	MY	Light Tone	LG	Tarragon	ETQ	Everglade Shade	EV Bronze Metallic	ZM
Castle Oak	LC0	Sand	SA	Misty Brown	MY	Twilight Shadow	ETI	Flannel	FN Champagne Metallic	CM
Cherry Storm	LCX	Starlight Silver Metallic	SX	Nordic	ND	Valley Forge Elm	EVF	Glitz Metallic	GZ Cool Grey	CG
Classic Linen	LCI	Warm Grey	WG	Sand	SA	Warm Grey	EWG	Hazy Jade	HJ Cottonwood	CO
Cocobala	LCC			Starlight Silver	SX	White River Forest	EWR	Honey Bee	HY Earthen Clay	EY
Crisp Linen	LRI	Starlight Silver is available at an upcharge on aluminur	m trim nieces	Warm Grey	WG	Windsor Mahogany	EWY	Light Tone	LG Espresso Metallic	EX
·	LDR	only.	iii tiiii picccs			• •		Mardi Gras	MG Flannel	FN
Designer White		•		Trim color is support bracket color.		Universal Overhead - Paint Color		Misty Brown	MY Light Tone	LG
Dove Grey	LDG	Electrical - Trim Color		Titil color is support bracket color.		Black	BL/HBL	Nemo	NE Misty Brown	MY
Florence Walnut	LFC	Black	BL	Worksurfaces - Grommet Color		Blue Grey	GR/HGR	Nordic	ND Sand	SΔ
Friston Ash	LFH	Blue Grey	GR	Black grommet	GBL	Bronze Metallic	ZM/HBL	Purple Haze	PH Starlight Silver Metallic	SX
Frosty White	LFW	Cool Grey	CG	Blue Grey grommet	GGR	Cayenne	CY/HBL	Rainforest		
Graphite Nebula	LGN	Light Tone	LG	Cool Grey grommet	GCG	Champagne Metallic	CM/HLG			WG
Grey	LGE	Misty Brown	MY	Light Tone grommet	GLG	Cool Grey	CG/PCG	Raw Jasper	RJ 120° Worksurfaces/Worksurfa	ace Accessories - Trim Color
High Rise	LHE	Sand	SA	· ·	GMY	Cottonwood	CO/HSA	Rubber Ducky	nn Diesk	BL
Hollyberry	LHY	Starlight Silver Metallic	SX	Misty Brown grommet				Sand	Dlug Crov	GR
Island	LID	-		Sand grommet	GSA	Espresso Metallic	EX/HBL	Starlight Silver Metallic	On al Cray	
Italian Silver Ash	LIT	Warm Grey	WG	Warm Grey grommet	GWG	Flannel	FN/HBL	Surf's Up	SP Cool Grey	CG
Kensington Maple	LKM					Light Tone	LG/HLG	Tarragon	TQ Light Tone	LG
Lapis Blue	LLB	Trim color includes electrical bezel and worksurface ed	dge (74P	Includes Countertops with Notch Location.		Misty Brown	MY/PMY	Twilight Shadow	TI Misty Brown	MY
Monticello Maple	LMT	edge style), grommet and support bracket color.		·		Nordic	ND/HBL	Ultra Blue	UB Sand	SA
•		Electrical Description Color 9 Blacks T	Trim Calas	Worksurfaces - Edge Color for 74P & KN Edge		Sand	SA/HSA	Warm Grey	WG Starlight Silver Metallic	SX
North Sea	LNA	Electrical - Receptacle Color & Plastic Trim - 1		Akira	EAK	Starlight Silver Metallic	SX/HWG	Zesty Lime	ZL Warm Grey	WG
Ocean	LON	Black	BL	Beigewood	EBZ	Warm Grey	WG/HWG	··· / -····-		
Pinnacle Walnut	LPW	Blue Grey	GR	Belair	EBQ			Balance® Overhead - Upper Door Solid Color	Starlight Silver is available at an up	ncharge on aluminum trim pieces
River Cherry	LRY	Cool Grey	CG	Biltmore Cherry	EBT	Metallia point is available at an unchause and during	ainum trim =:	Black	UBL only.	ponarye on aluminum tilin pieces
Shadow Zephyr	LSR	Light Tone	LG	Black	EBL	Metallic paint is available at an upcharge on alum only.	mium umi pieces	Blue Grey	UGR	
Charling Ash	LAZ	Misty Brown	MY	Black Hills Oak	EBH	Only.		Cool Grey	UCG	
Sterling Ash										

WireWorks® Product Color Options

WireWorks® Product Color Options

Lock Color

Black Satin Chrome BLL SCL

Finish Cards

<u>Paints</u> Plastics/Poly View color swatches for items listed within this document.

<u>Laminates</u>

Wood/Veneer

Edge Styles


Molded Edges

Hard Plastics <u>Glass</u>

Face Style: Monolithic Basic Model: PMMA

Monolithic panels consist of a single tile. Base is 6". Panel thickness: 31/2".

The 3/4" Tackable/Acoustic tile consists of a 1/2" thick mineral board core with a 1/4" thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.




STANDAR	D PANEL	SIZES (Fal	oric-Acous	tic)						Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	•	•	•	•	•	•	•	•	•	N/A	N/A
42" H	•	•	•	•	•	•	•	•	•	N/A	N/A
54" H	•	•	•	•	•	•	•	•	•	N/A	N/A
66" H	•	•	•	•	•	•	•	•	•	N/A	N/A
84" H	•	•	•	•	•	•	•	•	•	N/A	N/A

Face Style: Half Segmented Basic Model: PHHA

Half Segmented panels consist of the following: 24" fabric tile on bottom, 12" segmented tiles on top. Quantity of 12" tiles is dependent upon panel height. Base is 6". Panel thickness: 31/2". *84" high panels include one 18" tile on top.


The ³/₄" Tackable/Acoustic tile consists of a ¹/₂" thick mineral board core with a ¹/₄" thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.



STANDA	RD PANEL	SIZES (Fa	abric-Aco	oustic)						Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	•	•	•	•	•	•	•	•	•	1	1
54" H	•	•	•	•	•	•	•	•	•	2	2
66" H	•	•	•	•	•	•	•	•	•	3	3
ΩЛ" Ц		•								2*	2*

Face Style: Fully Segmented Basic Model: PFFA

Fully Segmented panels consist of the following: Fabric tiles in 12" increments on both sides. Quantity of 12" tiles is dependent upon panel height. Base is 6". Panel thickness: $3^1/2$ ". *84" high panels include one 18" tile on top.



The 3/4" Tackable/Acoustic tile consists of a 1/2" thick mineral board core with a 1/4" thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

STANDAR	D PANEL S	Side 1 Number of	Side 2 Number of								
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	•	•	•	•	•	•	•	•	•	2	2
42" H	•	•	•	•	•	•	•	•	•	3	3
54" H	•	•	•	•	•	•	•	•	•	4	4
66" H	•	•	•	•	•	•	•	•	•	5	5
84" H	•	•	•	•	•	•	•	•	•	5	5*


Face Style: Monolithic/ Half Segmented

Basic Model: PMHA

Monolithic/Half Segmented panels consist of the following: Single tile on side one; a 24" fabric tile on the bottom and 12" segmented tiles on top of side two.

Quantity of 12" segmented tiles is dependent upon panel height. Base is 6". Panel thickness: 31/2". *84" high panels include one 18" tile on top.

The 3/4" Tackable/Acoustic tile consists of a 1/2" thick mineral board core with a 1/4" thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.






Monolithic/Fully Segmented panels consist of the following: Single tile on side one; 12" segmented tiles on side two. Quantity of 12" segmented tiles is dependent upon panel height.

Base is 6". Panel thickness: 31/2".

*84" high panels include one 18" tile on top.



The 3/4" Tackable/Acoustic tile consists of a 1/2" thick mineral board core with a 1/4" thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.

STANDAR	D PANEL S	SIZES (Fab	ric-Acous	stic)						Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	•	•	•	•	•	•	•	•	•	N/A	2
42" H	•	•	•	•	•	•	•	•	•	N/A	3
54" H	•	•	•	•	•	•	•	•	•	N/A	4
66" H	•	•	•	•	•	•	•	•	•	N/A	5
84" H	•	•	•	•	•	•	•	•	•	N/A	5*

Face Style: Half Segmented/ Fully Segmented

Basic Model: PHFA


Half Segmented/Fully Segmented panels consist of the following: 24" fabric tile on bottom and 12" segmented tiles on top of side one. 12" segmented fabric tiles on side two.

Quantity of 12" segmented tiles is dependent upon panel height.

Base is 6". Panel thickness: 31/2".

*84" high panels include one 18" tile on top.

The $^3/_4$ " Tackable/Acoustic tile consists of a $^1/_2$ " thick mineral board core with a $^1/_4$ " thick fiberglass overlay. Each tile is framed on all four sides with steel. Fabric is glued to the steel frame on the back of the tile.



STANDAR	D PANEL S	SIZES (Fab	ric-Acous	tic)						Number of	Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	•	•	•	•	•	•	•	•	•	1	3
54" H	•	•	•	•	•	•	•	•	•	2	4
66" H	•	•	•	•	•	•	•	•	•	3	5
84" H	•	•	•	•	•	•	•	•	•	3*	5*



Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

			MODEL	MDED						·						
			MODEL NUI	MRFK					_							
	MODEL	WxH		Electrical Code	Horizontal Rail			Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Monolithic Panel - 30"H	12 x 30"	PMMA1230						14.0#	\$ 339	\$ 353	\$ 369	\$ 379	\$ 415	\$ 65	\$ 42
	Two horizontal rails	18 x 30"	PMMA1830						20.0#	381	398	421	430	465	68	43
	 Two fabric tiles with mounting hooks One base/raceway consisting of a 	24 x 30"	PMMA2430						25.0#	452	467	497	505	551	71	49
	raceway pan and two doors	30 x 30"	PMMA3030						30.0#	502	524	551	568	617	87	64
	One rounded satin-textured polypropyl-	36 x 30"	PMMA3630						36.0#	541	565	592	609	663	95	67
	ene top cap with splice plateOrder power separately	42 x 30"	PMMA4230						41.0#	620	648	686	699	756	108	80
0.02	 Order vertical posts separately 	48 x 30"	PMMA4830						46.0#	668	700	736	753	813	121	84
Side		54 x 30"	PMMA5430						52.0#	714	751	784	803	865	132	90
Side	on flat aluminum trim	60 x 30"	PMMA6030						58.0#	781	817	858	874	950	143	115
<i>3</i> ′																
PMMA																
•	Monolithic Panel - 42"H	12 x 42"	PMMA1242						18.0#	\$ 403	\$ 424	\$ 442	\$ 453	\$ 486	\$ 65	\$ 42
PMMA		18 x 42"	PMMA1842						24.0#	461	482	503	523	561	68	43
		24 x 42"	PMMA2442						30.0#	503	525	552	569	618	71	49
		30 x 42"	PMMA3042						36.0#	603	627	666	678	736	87	64
		36 x 42"	PMMA3642						42.0#	678	713	748	764	828	95	67
		42 x 42"	PMMA4242						51.0#	756	794	834	860	920	108	80
		48 x 42"	PMMA4842						53.0#	779	815	855	871	945	121	84
		54 x 42"	PMMA5442						60.0#	817	860	900	920	995	132	90
		60 x 42"	PMMA6042						67.0#	878	920	968	995	1076	143	115
	Monolithic Panel - 54"H	12 x 54"	-						21.0#	\$ 447	\$ 466	\$ 496	\$ 503	\$ 549	\$ 65	\$ 42
PMMA		18 x 54"	PMMA1854						30.0#	523	542	569	591	640	68	43
		24 x 54"	PMMA2454						35.0#	602	626	664	676	735	71	49
		30 x 54"	PMMA3054						41.0#	695	727	765	787	845	87	64
		36 x 54"	PMMA3654						48.0#	754	791	829	855	917	95	67
		42 x 54"	PMMA4254						54.0#	859	899	940	972	1049	108	80
		48 x 54"	PMMA4854						61.0#	897	940	982	1013	1092	121	84
		54 x 54"	PMMA5454						68.0#	990	1041	1094	1120	1213	132	90
		60 x 54"	PMMA6054						75.0#	1058	1110	1161	1193	1290	143	115
			A	3	•	O	(3	(3								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect electrical code for base raceway.

CN - Chicago, no cutouts - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts - Domestic, no cutouts - Domestic, 1 side w/cutouts

- Domestic, 2 sides w/cutouts

Select horizontal rail.

E - Enhanced - Standard

OSelect trim color. Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

Select fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

Additional Laminate Offering

FINISH INFORMATION

Additional laminates beyond KI standard offering,

are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Monolithic Panel



Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Monolithic Pane

			MODEL NU	MBER											
	MODEL	WxH	Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Fabric Side 1 Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
_	Monolithic Panel - 66"H	12 x 66"	PMMA1266					25.0#	\$ 501	\$ 523	\$ 549	\$ 567	\$ 616	\$ 65	\$
	Two horizontal rails	18 x 66"	PMMA1866					32.0#	581	603	634	658	708	68	
	 Two fabric tiles with mounting hooks One base/raceway consisting of a 	24 x 66"	PMMA2466					39.0#	634	666	697	718	776	71	
	raceway pan and two doors	30 x 66"	PMMA3066					47.0#	713	748	783	797	864	87	
	 One rounded satin-textured polypropyl- 	36 x 66"	PMMA3666					54.0#	771	811	849	869	938	95	
	ene top cap with splice plateOrder power separately	42 x 66"	PMMA4266					61.0#	914	959	1002	1035	1112	108	
2 2	Order power separately Order vertical posts separately	48 x 66"	PMMA4866					68.0#	951	993	1049	1077	1160	121	
Side	 SX Starlight Silver finish is only offered 	54 x 66"	PMMA5466					75.0#	1030	1078	1131	1161	1255	132	
side	on flat aluminum trim	60 x 66"	PMMA6066					84.0#	1112	1168	1225	1255	1355	143	1
A															
	Monolithic Panel - 84"H	12 x 84"	PMMA1284					30.0#	\$ 543	\$ 568	\$ 597	\$ 615	\$ 666	\$ 65	\$
A		18 x 84"	PMMA1884					38.0#	632	664	695	716	769	68	
		24 x 84"	PMMA2484					47.0#	725	761	794	817	874	71	
		30 x 84"	PMMA3084					55.0#	779	815	855	871	945	87	
		36 x 84"	PMMA3684					63.0#	837	882	919	949	1023	95	
		42 x 84"	PMMA4284					71.0#	949	990	1045	1072	1158	108	
		48 x 84"	PMMA4884					79.0#	982	1026	1080	1111	1194	121	
		54 x 84"	PMMA5484					87.0#	1064	1112	1168	1199	1299	132	
		60 x 84"	PMMA6084					97.0#	1147	1200	1264	1293	1399	143	1

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect electrical code for base raceway.

CN - Chicago, no cutouts
C1 - Chicago, 1 side w/cutouts
CP - Chicago, 2 sides w/cutouts
DN - Domestic, no cutouts
D1 - Domestic, 1 side w/cutouts

- Domestic, 2 sides w/cutouts

Select horizontal rail.

E - Enhanced
S - Standard

OSelect trim color.

Refer to the **Product Color Options** page in this

aluminum trim.

price list. SX Starlight Silver finish is only offered on flat

Select fabric side 1.
Refer to ki.com/fabrics

Select fabric side 2.
Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

direction the fabric is to be applied.

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

pping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Monolithic/Half Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Monolithic/Half Segmented Pane

			MODEL NU	MBER														
	MODEL	WxH	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Fabric Side 1	Fabric Side 2	Approx. Packagec Weight	Pr Fa	elivered icing bric Grade & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Monolithic/Half Segmented Panel - 42"H	12 x 42"	PMHA1242			R0				21.0#	\$	486	\$ 508	\$ 532	\$ 549	\$ 591	\$ 65	\$ 4
	with 12"H tiles	18 x 42"	PMHA1842			R0				29.0#		549	575	606	618	669	68	4
	 Three to six horizontal rails One, two or three 12" fabric tiles with 	24 x 42"	PMHA2442			R0				36.0#		615	639	674	690	745	71	4
	mounting hooks	30 x 42"	PMHA3042			R0				44.0#		707	737	781	794	858	87	6
	One 18" fabric tile included with 84" high	36 x 42"	PMHA3642			R0				51.0#		787	829	862	889	956	95	6
	panels with mounting hooksOne base/raceway consisting of a		PMHA4242			R0				56.0#		877	924	966	993	1072	108	8
102	raceway pan and two doors	48 x 42"	PMHA4842			R0				66.0#		920	968	1016	1043	1127	121	8
Sign	 One rounded satin-textured polypropyl- 					R0				74.0#		981	1025	1078	1110	1193	132	9
SIOP IHA	Order power separatelyOrder vertical posts separately	60 x 42"	PMHA6042			R0				83.0#		1072	1126	1178	1210	1312	143	11
TIN.	SX Starlight Silver finish is only offered on flat aluminum trim																	
	Monolithic/Half Segmented Panel - 54"H					R0				27.0#	\$		\$ 657	\$ 692	\$ 714	\$ 765	\$ 65	\$ 4
1HA	with 12"H tiles	18 x 54"	PMHA1854			R0				37.0#		709	740	781	794	860	68	2
		24 x 54"	PMHA2454			R0				48.0#		804	837	877	905	972	71	4
		30 x 54"	PMHA3054			R0				57.0#		904	950	989	1022	1101	87	6
		36 x 54"	PMHA3654			R0		1		67.0#		992	1043	1097	1123	1214	95	6
		42 x 54"	PMHA4254			R0				77.0#		1119	1175	1235	1263	1362	108	8
		48 x 54"	PMHA4854			R0				86.0#		1180	1247	1302	1330	1444	121	8
		54 x 54"	PMHA5454			R0				97.0#		1279	1349	1411	1450	1560	132	9
		60 x 54"	PMHA6054			R0				108.0#		1407	1476	1546	1592	1717	143	11

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select electrical code for base raceway.
- CN Chicago, no cutouts
 C1 Chicago, 1 side w/cutouts
 CP Chicago, 2 sides w/cutouts
 DN Domestic, no cutouts
 D1 Domestic, 1 side w/cutouts
 D Domestic, 2 sides w/cutouts
- Select horizontal rail.
- E Enhanced S - Standard
- Select numbers of raceway tiles side 1

 R0 Side 1 w/no raceway tile
- Select numbers of raceway tiles side 2

 R20 Side 2 w/no raceway tile
 - R21 Side 2 w/1-12" raceway tile; add \$43 R22 - Side 2 w/2-12" raceway tiles; add \$87

Select trim color.

Refer to the **Product Color Options** page in this price list

SX Starlight Silver finish is only offered on flat aluminum trim.

GSelect fabric side 1. Refer to <u>ki.com/fabrics</u>

Select fabric side 2.
Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

direction the fabric is to be applied.

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2
42"H 0 1
54"H 0 2
66"H 0 2
84"H 0 2

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

pping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Monolithic/Half Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Monolithic/Half Segmented Pane

			MODEL NU	MBER															
	MODEL		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim	Fabric Side 1	Fabric Side 2	Appro Packa Weigh	x. ged	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Monolithic/Half Segmented Panel - 66"H	12 x 66"	PMHA1266			R0					34.	.0#	\$ 770	\$ 810	\$ 846	\$ 866	\$ 937	\$ 65	\$ 4
	with 12"H tiles		PMHA1866			R0					46.	.0#	864	905	949	980	1055	68	4
	Three to six horizontal rails	24 x 66"	PMHA2466			R0					59.	.0#	956	1002	1050	1081	1166	71	
	 One, two or three 12" fabric tiles with mounting hooks 	30 x 66"	PMHA3066			R0					71.	.0#	1062	1112	1171	1195	1299	87	6
	One 18" fabric tile included with 84" high	36 x 66"	PMHA3666			R0					83.	.0#	1179	1235	1301	1328	1439	95	
	panels with mounting hooks		PMHA4266			R0					95.	.0#	1340	1402	1469	1507	1629	108	3
0.02	 One base/raceway consisting of a raceway pan and two doors 	48 x 66"	PMHA4866			R0					106.	.0#	1411	1481	1550	1595	1721	121	
Side	One rounded satin-textured polypropyl-	54 x 66"	PMHA5466			R0					119.	.0#	1520	1594	1665	1712	1853	132	
Side '	ene top cap with splice plateOrder power separately	60 x 66"	PMHA6066			R0					133.	.0#	1677	1758	1843	1891	2046	143	1
HA	 Order vertical posts separately SX Starlight Silver finish is only offered on flat aluminum trim 																		
	Monolithic/Half Segmented Panel - 84"H	12 x 84"	PMHA1284			R0					42.	.0#	\$ 916	\$ 960	\$ 1005	\$ 1037	\$ 1118	\$ 65	\$ '
HA	with 12"H tiles		PMHA1884			R0					57.	.0#	1031	1080	1132	1162	1259	68	
		24 x 84"	PMHA2484			R0					72.	.0#	1147	1200	1264	1293	1399	71	
		30 x 84"	PMHA3084			R0					87.	.0#	1273	1341	1401	1439	1552	87	(
		36 x 84"	PMHA3684			R0					101.	.0#	1407	1476	1546	1592	1717	95	(
		42 x 84"	PMHA4284			R0					116.	.0#	1561	1643	1709	1769	1906	108	
		48 x 84"	PMHA4884			R0					130.	.0#	1649	1730	1815	1860	2016	121	
		54 x 84"	PMHA5484			R0					145.	.0#	1792	1879	1975	2022	2183	132	
		60 x 84"	PMHA6084			R0					163.	.0#	1961	2058	2156	2218	2393	143	11

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect electrical code for base raceway.

elect	electrical code for base raceway.
CN	- Chicago, no cutouts
C1	 Chicago, 1 side w/cutouts
CP	- Chicago, 2 sides w/cutouts
DN	- Domestic, no cutouts
D1	 Domestic, 1 side w/cutouts
D	- Domestic, 2 sides w/cutouts

Select horizontal rail.

- Enhanced - Standard

Select numbers of raceway tiles side 1

R0 - Side 1 w/no raceway tile

Select numbers of raceway tiles side 2
R20 - Side 2 w/no raceway tile

 R20
 - Side 2 w/no raceway tile

 R21
 - Side 2 w/1-12" raceway tile; add

 \$43
 - Side 2 w/2-12" raceway tiles; add

 \$87
 - Side 2 w/2-12" raceway tiles; add

Select trim color.

Refer to the **Product Color Options** page in this

price list.
SX Starlight Silver finish is only offered on flat aluminum trim.

GSelect fabric side 1. Refer to **ki.com/fabrics**

Select fabric side 2.
Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

direction the fabric is to be applied.

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2 42"H 0 1 54"H 0 2 66"H 0 2 84"H 0 2

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

pping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Monolithic/Fully Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Monolithic/Fully Segmented Pane

			MODEL NU	JMBER														
	MODEL		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim	Fabric Fa Side 1 Si	Approx. Package Weight	Pri d Fal	elivered icing bric Grade & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Monolithic/Fully Segmented Panel - 30"H	12 x 30"	PMFA1230			R0				17.0∌	\$	436	\$ 457	\$ 482	\$ 496	\$ 532	\$ 65	\$ 42
	with 12"H tiles		PMFA1830			R0				24.0≉	ŧ.	490	511	538	552	602	68	43
	Three to six horizontal rails Two three four or five 10" febrie tiles	24 x 30"	PMFA2430			R0				32.0≉	!	555	581	609	627	678	71	49
	 Two, three, four or five 12" fabric tiles with mounting hooks 	30 x 30"	PMFA3030			R0				38.0≉	ŧ	624	649	687	700	760	87	64
	One 18" fabric tile included with 84" high	36 x 30"	PMFA3630			R0				45.0∄	ŧ	692	725	761	784	841	95	67
	panels with mounting hooks		PMFA4230			R0				52.0₹	ŧ.	780	816	856	872	949	108	80
0.02	 One base/raceway consisting of a raceway pan and two doors 	48 x 30"	PMFA4830			R0				59.0≉	ŧ.	824	865	906	936	1012	121	84
Side	One rounded satin-textured polypropyl-	54 x 30"	PMFA5430			R0				66.0#	ŧ.	877	924	966	993	1072	132	90
Side '	ene top cap with splice plateOrder power separately	60 x 30"	PMFA6030			R0				74.0#	ł	986	1035	1091	1117	1209	143	115
PMFA	 Order vertical posts separately SX Starlight Silver finish is only offered on flat aluminum trim 																	
	Monolithic/Fully Segmented Panel - 42"H	12 x 42"	PMFA1242			R0				24.0#	· \$	589	\$ 615	\$ 646	\$ 663	\$ 718	\$ 65	\$ 42
PMFA	with 12"H tiles		PMFA1842			R0				33.0#	ŧ.	662	692	727	740	805	68	43
		24 x 42"	PMFA2442			R0				43.0∌	ŧ	725	761	794	817	874	71	49
		30 x 42"	PMFA3042			R0				52.0≉	<u> </u>	823	864	905	934	1011	87	64
		36 x 42"	PMFA3642			R0				61.0∌	<u> </u>	934	980	1023	1055	1134	95	67
		42 x 42"	PMFA4242			R0				70.0≉	ŧ.	1037	1090	1142	1174	1267	108	80
		48 x 42"	PMFA4842			R0				79.0≉	ŧ.	1081	1133	1189	1221	1315	121	84
		54 x 42"	PMFA5442			R0				88.0 /	!	1147	1200	1264	1293	1399	132	90
		60 x 42"	PMFA6042			R0				100.0#	!	1277	1344	1407	1444	1556	143	115

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER - Side 2 w/3-12" raceway tiles; add \$129 A Select basic model. Select trim color. **B**Select electrical code for base raceway. Refer to the Product Color Options page in this CN - Chicago, no cutouts price list. SX Starlight Silver finish is only offered on flat - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts aluminum trim. - Domestic, no cutouts - Domestic, 1 side w/cutouts GSelect fabric side 1. - Domestic, 2 sides w/cutouts Refer to ki.com/fabrics Select horizontal rail. Select fabric side 2. - Enhanced Refer to ki.com/fabrics - Standard • Select numbers of raceway tiles side 1 - Side 1 w/no raceway tile Select numbers of raceway tiles side 2 R20 - Side 2 w/no raceway tile - Side 2 w/1-12" raceway tile; add R22 - Side 2 w/2-12" raceway tiles; add \$87

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

direction the fabric is to be applied.

Maximum Raceway Tile PossibilitiesPanel Height Side 1 Side 2

30"H 0 1 48"H 0 2

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Monolithic/Fully Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Monolithic/Fully Segmented Pane

			MODEL N	UMBER															
	MODEL		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim	Fabric Side 1	Fabric Side 2	Approx Packag Weight	x. ged	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Monolithic/Fully Segmented Panel - 54"H		PMFA1254			R0					54.0		\$ 731	\$ 769	\$ 805	\$ 824	\$ 885	\$ 65	\$ 42
	with 12"H tiles		PMFA1854			R0					70.0		817	860	900	920	995	68	43
	 Three to six horizontal rails Two, three, four or five 12" fabric tiles 		PMFA2454			R0					87.0		910	956	995	1032	1110	71	49
	with mounting hooks		PMFA3054			R0					103.0		1022	1070	1119	1157	1248	87	64
	One 18" fabric tile included with 84" high		PMFA3654			R0					119.0		1143	1199	1263	1290	1397	95	67
	panels with mounting hooksOne base/raceway consisting of a		PMFA4254			R0					135.0		1275	1343	1404	1442	1555	108	80
102	raceway pan and two doors		PMFA4854			R0					150.0		1341	1409	1471	1508	1631	121	84
Sign	 One rounded satin-textured polypropyl- 	54 x 54"	PMFA5454			R0					166.0		1452	1530	1595	1646	1775	132	90
side.	ene top cap with splice plate	60 x 54"	PMFA6054			R0					176.0	0#	1612	1692	1766	1823	1967	143	115
•	Order power separatelyOrder vertical posts separately																		
PMFA	SX Starlight Silver finish is only offered																		
	on flat aluminum trim																		
	Monolithic/Fully Segmented Panel - 66"H		PMFA1266			R0							\$ 871	\$ 917	\$ 959	\$ 989	\$ 1064	\$ 65	\$ 42
PMFA	with 12"H tiles		PMFA1866			R0					51.0		979	1022	1070	1101	1187	68	43
			PMFA2466			R0					65.0		1064	1112	1168	1199	1299	71	49
			PMFA3066			R0					79.0		1179	1235	1301	1328	1439	87	64
			PMFA3666			R0					92.0		1330	1396	1462	1501	1625	95	67
			PMFA4266			R0					106.0		1495	1571	1643	1693	1829	108	80
			PMFA4866			R0					120.0		1564	1645	1712	1772	1909	121	84
			PMFA5466			R0					133.0		1684	1769	1850	1904	2054	132	90
			PMFA6066			R0					150.0		1881	1970	2068	2125	2289	143	115
	Monolithic/Fully Segmented Panel - 84"H		PMFA1284			R0					45.0		\$ 1021	\$ 1068	\$ 1118	\$ 1154	\$ 1247	\$ 65	\$ 42
PMFA	with 12"H tiles		PMFA1884			R0					62.0		1141	1195	1255	1286	1395	68	43
		-	PMFA2484			R0					79.0		1254	1316	1381	1416	1530	71	49
			PMFA3084			R0					95.0		1393	1464	1528	1575	1696	87	64
		36 x 84"	PMFA3684			R0					112.0		1555	1634	1705	1760	1898	95	67
			PMFA4284			R0					127.0		1722	1804	1890	1946	2100	108	80
		48 x 84"	PMFA4884			R0					143.0		1803	1891	1987	2040	2202	121	84
			PMFA5484			R0					160.0		1954	2054	2148	2209	2383	132	90
		60 x 84"	PMFA6084			R0					180.0	0#	2166	2280	2380	2444	2643	143	115
			A	ß	(0	(3)	a	ര	(h									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER - Side 2 w/3-12" raceway tiles; add \$129 A Select basic model. Select trim color. **B**Select electrical code for base raceway. Refer to the Product Color Options page in this CN - Chicago, no cutouts price list. SX Starlight Silver finish is only offered on flat - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts aluminum trim. - Domestic, no cutouts - Domestic, 1 side w/cutouts GSelect fabric side 1. - Domestic, 2 sides w/cutouts Refer to ki.com/fabrics Select horizontal rail. Select fabric side 2. - Enhanced Refer to ki.com/fabrics - Standard • Select numbers of raceway tiles side 1 - Side 1 w/no raceway tile Select numbers of raceway tiles side 2 R20 - Side 2 w/no raceway tile - Side 2 w/1-12" raceway tile; add R22 - Side 2 w/2-12" raceway tiles; add \$87

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

direction the fabric is to be applied.

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2 54"H 0 3 66"H 0 3 84"H 0 3

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

pping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Half Segmented/Half Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Half Segmented/Half Segmented Pane

			MODEL N	UMBER														
	MODEL	WxH	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2			oric le 2	Approx. Packagec Weight	Delivered Pricing I Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Half Segmented/Half Segmented Panel -	12 x 42"	PHHA1242								22.0#	\$ 547	\$ 569	\$ 602	\$ 616	\$ 667	\$ 65	\$ 42
	42"H with 12"H tiles	18 x 42"	PHHA1842								30.0#	614	637	672	688	744	68	43
	Three to six horizontal rails The four or air 10" table with	24 x 42"	PHHA2442								38.0#	695	727	765	787	845	71	49
	 Two, four or six 12" fabric tiles with mounting hooks 	30 x 42"	PHHA3042								47.0#	770	810	846	866	937	87	64
	Two 18" fabric tile included with 84"	36 x 42"	PHHA3642								55.0#	849	891	930	962	1035	95	67
	high panels with mounting hooks	42 x 42"	PHHA4242								63.0#	951	993	1049	1077	1160	108	80
102	 One base/raceway consisting of a raceway pan and two doors 	48 x 42"	PHHA4842								71.0#	1021	1068	1118	1154	1247	121	84
Siob	One rounded satin-textured polypropyl-	54 x 42"	PHHA5442								79.0#	1084	1138	1193	1223	1325	132	90
PHHA	ene top cap with splice plate Order power separately Order vertical posts separately SX Starlight Silver finish is only offered on flat aluminum trim	60 x 42"	PHHA6042								88.0#	1200	1259	1323	1352	1462	143	115
	Half Segmented/Half Segmented Panel -	12 x 54"	PHHA1254								24.0#	\$ 756	\$ 794	\$ 834	\$ 858	\$ 920	\$ 65	\$ 42
PHHA	54"H with 12"H tiles	18 x 54"	PHHA1854								33.0#	844	887	924	955	1031	68	43
		24 x 54"	PHHA2454								43.0#	936	981	1025	1058	1141	71	49
		30 x 54"	PHHA3054								52.0#	1035	1084	1141	1168	1265	87	64
		36 x 54"	PHHA3654								61.0#	1157	1212	1273	1301	1409	95	67
		42 x 54"	PHHA4254								70.0#	1279	1349	1411	1450	1560	108	80
		48 x 54"	PHHA4854								79.0#	1365	1436	1501	1546	1656	121	84
		54 x 54"	PHHA5454								88.0#	1454	1530	1598	1646	1775	132	90
		60 x 54"	PHHA6054								100.0#	1617	1697	1778	1828	1978	143	115
			A	ß	A		a	A	A	<u></u>								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number including
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER - Side 2 w/1-12" raceway tile; add \$43 R22 A Select basic model. - Side 2 w/2-12" raceway tiles; add \$87 **B**Select electrical code for base raceway. - Chicago, no cutouts Select trim color. Refer to the **Product Color Options** page in this - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts - Domestic, no cutouts SX Starlight Silver finish is only offered on flat - Domestic, 1 side w/cutouts aluminum trim. - Domestic, 2 sides w/cutouts GSelect fabric side 1. Select horizontal rail. Refer to ki.com/fabrics S - Standard Select fabric side 2. - Enhanced Refer to ki.com/fabrics • Select numbers of raceway tiles side 1 - Side 1 w/no raceway tile - Side 1 w/1-12" raceway tile; add \$43 **R2** - Side 1 w/2-12" raceway tiles; add \$87 Select numbers of raceway tiles side 2 R20 - Side 2 w/no raceway tile

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

direction the fabric is to be applied.

Maximum Raceway Tile PossibilitiesPanel Height Side 1 Side 2

Panel neigh	Lolue	I Slue
42"H	1	1
54"H	2	2
66"H	2	2
84"H	2	2

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

ping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Half Segmented/Half Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Half Segmented/Half Segmented Pane

			MODEL NU	JMBER													
	MODEL	WxH	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	bric de 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Half Segmented/Half Segmented Panel -	12 x 66"	PHHA1266							37.0#	\$ 968	\$ 1018	\$ 1062	\$ 1097	\$ 1175	\$ 65	\$ 42
	66"H with 12"H tiles	18 x 66"	PHHA1866							51.0#	1070	1123	1175	1209	1309	68	43
	Three to six horizontal rails	24 x 66"	PHHA2466							65.0#	1180	1247	1302	1330	1444	71	49
	 Two, four or six 12" fabric tiles with mounting hooks 	30 x 66"	PHHA3066							79.0#	1302	1369	1430	1469	1585	87	64
	Two 18" fabric tile included with 84"	36 x 66"	PHHA3666							92.0#	1457	1532	1601	1649	1778	95	67
	high panels with mounting hooks	42 x 66"	PHHA4266							106.0#	1615	1695	1775	1825	1971	108	80
202	 One base/raceway consisting of a raceway pan and two doors 	48 x 66"	PHHA4866							119.0#	1712	1798	1881	1939	2087	121	84
Side	One rounded satin-textured polypropyl-	54 x 66"	PHHA5466							133.0#	1828	1917	2011	2067	2227	132	90
Side'	ene top cap with splice plate Order power separately Order vertical posts separately	60 x 66"	PHHA6066							150.0#	2038	2138	2239	2301	2484	143	115
PHHA	SX Starlight Silver finish is only offered on flat aluminum trim																
	Half Segmented/Half Segmented Panel -	12 x 84"	PHHA1284							43.0#	\$ 1193	\$ 1255	\$ 1315	\$ 1343	\$ 1453	\$ 65	\$ 42
РННА	84"H with 12"H tiles	18 x 84"	PHHA1884							59.0#	1325	1393	1456	1495	1614	68	43
		24 x 84"	PHHA2484							75.0#	1449	1515	1590	1634	1769	71	49
		30 x 84"	PHHA3084							91.0#	1617	1697	1778	1828	1978	87	64
		36 x 84"	PHHA3684							106.0#	1799	1888	1980	2035	2199	95	67
		42 x 84"	PHHA4284							122.0#	1986	2085	2187	2242	2423	108	80
		48 x 84"	PHHA4884							137.0#	2107	2210	2313	2378	2567	121	84
		54 x 84"	PHHA5484							153.0#	2272	2391	2503	2571	2775	132	90
		60 x 84"	PHHA6084							172.0#	2505	2632	2759	2835	3059	143	115

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number including ont
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER - Side 2 w/1-12" raceway tile; add \$43 R22 A Select basic model. - Side 2 w/2-12" raceway tiles; add \$87 **B**Select electrical code for base raceway. CN - Chicago, no cutouts Select trim color. Refer to the **Product Color Options** page in this - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts - Domestic, no cutouts SX Starlight Silver finish is only offered on flat - Domestic, 1 side w/cutouts aluminum trim. - Domestic, 2 sides w/cutouts GSelect fabric side 1. Select horizontal rail. Refer to ki.com/fabrics - Enhanced - Standard Select fabric side 2. Refer to ki.com/fabrics • Select numbers of raceway tiles side 1 - Side 1 w/no raceway tile - Side 1 w/1-12" raceway tile; add \$43 **R2** - Side 1 w/2-12" raceway tiles; add \$87 Select numbers of raceway tiles side 2 R20 - Side 2 w/no raceway tile

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

direction the fabric is to be applied.

Maximum Raceway Tile Possibilities Panel Height Side 1 Side 2

ranei neigin	Siuc	1 Slue
42"H	1	1
54"H	2	2
66"H	2	2
84"H	2	2

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Half Segmented/Fully Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Half Segmented/Fully Segmented Panel

			MODEL N	UMBER													
	MODEL	WxH	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Fabric Fabric Side 1 Side 2	Approx. Packager Weight	Pr d Fa	elivered ricing abric Grade & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Half Segmented/Fully Segmented Panel -	. 12 x 42"	PHFA1242						23.0#	\$	650	\$ 683	\$ 716	\$ 735	\$ 791	\$ 65	\$ 42
	42"H with 12"H tiles	18 x 42"	PHFA1842						32.0#		720	756	789	807	871	68	43
	Three to seven horizontal railsFour, six or eight 12" fabric tiles with	24 x 42"	PHFA2442						41.0#		804	837	882	905	972	71	49
	mounting hooks	30 x 42"	PHFA3042						49.0#		891	932	979	1012	1091	87	64
	 Two 18" fabric tiles included with 84" 	36 x 42"	PHFA3642						58.0#		992	1043	1097	1123	1214	95	67
	high panels with mounting hooks	42 x 42"	PHFA4242						66.0#		1112	1166	1225	1255	1355	108	80
12	 One base/raceway consisting of a raceway pan and two doors 	48 x 42"	PHFA4842						75.0#		1175	1228	1295	1325	1433	121	84
Side	One rounded satin-textured polypropyl-	54 x 42"	PHFA5442						84.0#		1250	1313	1373	1409	1520	132	90
Side '	ene top cap with splice plate Order power separately Order vertical posts separately SX Starlight Silver finish is only offered on flat aluminum trim	60 x 42"	PHFA6042						94.0#		1404	1474	1545	1590	1709	143	115
	Half Segmented/Fully Segmented Panel -	. 12 x 54"	PHFA1254						32.0#	\$	861	\$ 902	\$ 946	\$ 977	\$ 1051	\$ 65	\$ 42
PHFA	54"H with 12"H tiles		PHFA1854						45.0#		951	993	1049	1077	1160	68	43
		24 x 54"	PHFA2454						58.0#		1048	1097	1153	1183	1278	71	49
		30 x 54"	PHFA3054						71.0#		1157	1212	1273	1301	1409	87	64
		36 x 54"	PHFA3654						83.0#		1305	1370	1433	1471	1586	95	67
		42 x 54"	PHFA4254						96.0#		1444	1514	1585	1632	1758	108	80
		48 x 54"	PHFA4854						108.0#		1524	1596	1673	1719	1857	121	84
		54 x 54"	PHFA5454						120.0#		1625	1704	1783	1836	1980	132	90
		60 x 54"	PHFA6054						136.0#		1824	1909	2006	2057	2221	143	115

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number including.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER - Side 2 w/1-12" raceway tile; add R22 A Select basic model. - Side 2 w/2-12" raceway tiles; add **B**Select electrical code for base raceway. R23 - Side 2 w/3-12" raceway tiles; add CN - Chicago, no cutouts \$129 - Chicago, 1 side w/cutouts Select trim color. - Chicago, 2 sides w/cutouts - Domestic, no cutouts Refer to the **Product Color Options** page in this - Domestic, 1 side w/cutouts price list. SX Starlight Silver finish is only offered on flat - Domestic, 2 sides w/cutouts aluminum trim. Select horizontal rail. - Enhanced GSelect fabric side 1. Refer to ki.com/fabrics - Standard • Select numbers of raceway tiles side 1 Select fabric side 2. - Side 1 w/no raceway tile Refer to ki.com/fabrics - Side 1 w/1-12" raceway tile; add \$43 **R2** - Side 1 w/2-12" raceway tiles; add \$87 Select numbers of raceway tiles side 2 R20 - Side 2 w/no raceway tile

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

direction the fabric is to be applied.

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2
42"H 1 2
54"H 2 3
66"H 2 3
84"H 2 3

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

pping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Half Segmented/Fully Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Half Segmented/Fully Segmented Panel

			MODEL N	UMBER													
	MODEL	WxH	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2		Fabric Fabri Side 1 Side		Delivere Pricing Fabric G 1 & C.O	Pricing Grade Fabric Grade	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Half Segmented/Fully Segmented Panel	- 12 x 66"	PHFA1266							40.0#	\$ 107	2 \$ 1126	\$ 1178	\$ 1210	\$ 1312	\$ 65	\$ 42
	66"H with 12"H tiles	18 x 66"	PHFA1866							□□ 56.0#	117	9 1235	1301	1328	1439	68	43
	Three to seven horizontal rails	24 x 66"	PHFA2466							72.0#	128	6 1353	1415	1453	1567	71	49
	 Four, six or eight 12" fabric tiles with mounting hooks 	30 x 66"	PHFA3066							87.0#	141	6 1489	1556	1604	1726	87	64
	Two 18" fabric tiles included with 84"	36 x 66"	PHFA3666							102.0#	161	2 1688	1766	1823	1967	95	67
	high panels with mounting hooks	42 x 66"	PHFA4266							117.0#	177	5 1858	1957	2008	2166	108	80
	 One base/raceway consisting of a raceway pan and two doors 	48 x 66"	PHFA4866							132.0#	186	9 1966	2057	2112	2272	121	84
Side	One rounded satin-textured polypropyl-	54 x 66"	PHFA5466							148.0#	199	2 2093	2194	2251	2434	132	90
de 1 s	ene top cap with splice plate	60 x 66"	PHFA6066							□□ 166.0#	224	1 2355	2469	2531	2735	143	115
PHFA	 Order power separately Order vertical posts separately SX Starlight Silver finish is only offered on flat aluminum trim 																
	Half Segmented/Fully Segmented Panel										,		\$ 1427	\$ 1466	\$ 1582	\$ 65	\$ 42
PHFA	84"H with 12"H tiles	18 x 84"									143		1568	1617	1746	68	43
		24 x 84"	PHFA2484								155		1704	1758	1896	71	49
		30 x 84"	PHFA3084								173		1905	1964	2118	87	64
		36 x 84"	PHFA3684								195		2143	2206	2379	95	67
		42 x 84"	PHFA4284								214		2357	2423	2617	108	80
		48 x 84"	PHFA4884								226		2488	2552	2757	121	84
		54 x 84"	PHFA5484								244		2687	2755	2975	132	90
		60 x 84"	PHFA6084							189.0#	271	3 2846	2983	3066	3307	143	115
			A	ß	(A)	O	(3)	a	0 0								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER - Side 2 w/1-12" raceway tile; add R22 A Select basic model. - Side 2 w/2-12" raceway tiles; add **B**Select electrical code for base raceway. R23 - Side 2 w/3-12" raceway tiles; add CN - Chicago, no cutouts \$129 - Chicago, 1 side w/cutouts Select trim color. - Chicago, 2 sides w/cutouts - Domestic, no cutouts Refer to the **Product Color Options** page in this - Domestic, 1 side w/cutouts price list. SX Starlight Silver finish is only offered on flat - Domestic, 2 sides w/cutouts aluminum trim. Select horizontal rail. - Enhanced GSelect fabric side 1. - Standard Refer to ki.com/fabrics • Select numbers of raceway tiles side 1 Select fabric side 2. - Side 1 w/no raceway tile Refer to ki.com/fabrics - Side 1 w/1-12" raceway tile; add \$43 **R2** - Side 1 w/2-12" raceway tiles; add \$87 Select numbers of raceway tiles side 2 R20 - Side 2 w/no raceway tile

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

direction the fabric is to be applied.

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2
42"H 1 2
54"H 2 3
66"H 2 3
84"H 2 3

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

pping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Fully Segmented/Fully Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Fully Segmented/Fully Segmented Panel

			MODEL N	IUMBER														
	MODEL	WxH	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color	Fabric Fa	abric ide 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Fully Segmented/Fully Segmented Panel	12 x 30"	PFFA1230								19.0#	\$ 523	\$ 542	\$ 569	\$ 591	\$ 640	\$ 65	\$ 42
	- 30"H with 12"H tiles	18 x 30"	PFFA1830								26.0#	575	599	629	650	699	68	43
	 Three to seven horizontal rails Four, six or eight 12" fabric tiles with 	24 x 30"	PFFA2430								34.0#	634	666	697	718	776	71	49
	mounting hooks	30 x 30"	PFFA3030								41.0#	705	736	780	793	856	87	64
	 Two 18" fabric tile included with 84" 	36 x 30"	PFFA3630								49.0#	797	835	872	902	969	95	67
	high panels with mounting hooks	42 x 30"	PFFA4230								56.0#	896	938	979	1012	1091	108	80
102	 One base/raceway consisting of a raceway pan and two doors 	48 x 30"	PFFA4830								63.0#	930	976	1020	1050	1131	121	84
side	One rounded satin-textured polypropyl-	54 x 30"	PFFA5430								71.0#	985	1033	1083	1113	1200	132	90
Side 1	ene top cap with splice plate Order power separately Order vertical posts separately	60 x 30"	PFFA6030								80.0#	1123	1179	1238	1265	1373	143	115
PTTA	SX Starlight Silver finish is only offered on flat aluminum trim																	
	Fully Segmented/Fully Segmented Panel	12 x 42"	PFFA1242									\$ 734	\$ 770	\$ 806	\$ 828	\$ 892	\$ 65	\$ 42
PFFA	- 42"H with 12"H tiles		PFFA1842								36.0#	804	837	877	905	972	68	43
		24 x 42"	PFFA2442								47.0#	872	916	960	990	1068	71	49
		30 x 42"	PFFA3042								57.0#	968	1018	1062	1097	1179	87	64
		36 x 42"	PFFA3642								68.0#	1100	1158	1215	1247	1344	95	67
		42 x 42"	PFFA4242								77.0#	1224	1288	1352	1381	1494	108	80
		48 x 42"	PFFA4842								88.0#	1275	1343	1404	1442	1555	121	84
		54 x 42"	PFFA5442								98.0#	1355	1421	1492	1537	1651	132	90
		60 x 42"	PFFA6042								110.0#	1543	1617	1692	1743	1883	143	115

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect electrical code for base raceway.

- Chicago, no cutouts - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts - Domestic, no cutouts - Domestic, 1 side w/cutouts - Domestic, 2 sides w/cutouts

Select horizontal rail.

\$129

- Enhanced - Standard

• Select numbers of raceway tiles side 1 - Side 1 w/no raceway tile

- Side 1 w/1-12" raceway tile; add \$43 **R2** - Side 1 w/2-12" raceway tiles; add

- Side 1 w/3 12" raceway tiles; add

ESelect numbers of raceway tiles side 2

R20 - Side 2 w/no raceway tile - Side 2 w/1-12" raceway tile; add - Side 2 w/2-12" raceway tiles; add

R22 \$87

R23 - Side 2 w/3-12" raceway tiles; add \$129

Select trim color.

aluminum trim.

Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat

GSelect fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

direction the fabric is to be applied.

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2 30"H 42"H 48"H 3 66"H 3 84"H

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Fully Segmented/Fully Segmented Panel



Fabric Panel - Tackable Acoustic - 3/4" Thick Tiles

Fully Segmented/Fully Segmented Panel

			MODEL N	IUMBER													
	MODEL	WxH	Basic Model		Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2		Fabric Fa Side 1 Side		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Fully Segmented/Fully Segmented Panel	12 x 54"	PFFA1254							34.0#	\$ 945	\$ 986	\$ 1032	\$ 1067	\$ 1153	\$ 65	\$ 42
	- 54"H with 12"H tiles		PFFA1854					-		□□ 47.0#	1030	1078	1131	1161	1255	68	43
	Three to seven horizontal railsFour, six or eight 12" fabric tiles with	24 x 54"	PFFA2454							□□ 60.0#	1120	1178	1237	1264	1365	71	49
	mounting hooks	30 x 54"	PFFA3054							□□ 73.0#	1235	1299	1358	1395	1506	87	64
	 Two 18" fabric tile included with 84" 	36 x 54"	PFFA3654							□□ 86.0#	1411	1481	1550	1595	1721	95	67
	high panels with mounting hooks	42 x 54"	PFFA4254							□□ 99.0#	1555	1634	1705	1760	1898	108	80
10.2	One base/raceway consisting of a raceway pan and two doors	48 x 54"	PFFA4854							□□ 112.0#	1625	1704	1783	1836	1980	121	84
side	One rounded satin-textured polypropyl-	54 x 54"	PFFA5454							□□ 125.0#	1729	1814	1898	1954	2108	132	90
cide 1	ene top cap with splice plate	60 x 54"	PFFA6054							□□ 141.0#	1959	2057	2151	2216	2388	143	115
יק	Order power separatelyOrder vertical posts separately																
PFFA	SX Starlight Silver finish is only offered.																
	on flat aluminum trim																
	Fully Segmented/Fully Segmented Panel	12 x 66"	PFFA1266					-		□□ 41.0#	\$ 1153	\$ 1209	\$ 1268	\$ 1299	\$ 1404	\$ 65	\$ 42
PFFA	- 66"H with 12"H tiles	18 x 66"	PFFA1866							□□ 57.0#	1263	1325	1390	1424	1537	68	43
		24 x 66"	PFFA2466							□□ 74.0#	1365	1436	1501	1546	1656	71	49
		30 x 66"	PFFA3066							□□ 89.0#	1500	1575	1645	1696	1832	87	64
		36 x 66"	PFFA3666							□□ 105.0#	1719	1802	1884	1941	2093	95	67
		42 x 66"	PFFA4266							□□ 120.0#	1886	1976	2076	2132	2301	108	80
		48 x 66"	PFFA4866							□□ 134.0#	1976	2069	2169	2227	2410	121	84
		54 x 66"	PFFA5466							□□ 152.0#	2099	2204	2311	2370	2567	132	90
		60 x 66"	PFFA6066							□□ 172.0#	2379	2500	2614	2685	2898	143	115
		12 x 84"	PFFA1284							□□ 47.0#	\$ 1375	\$ 1450	\$ 1510	\$ 1556	\$ 1681	\$ 65	\$ 42
PFFA	- 84"H with 12"H tiles	18 x 84"	PFFA1884							□□ 65.0#	1510	1585	1656	1708	1845	68	43
		24 x 84"	PFFA2484							□□ 83.0#	1627	1708	1786	1838	1984	71	49
		30 x 84"	PFFA3084							□□ 101.0#	1819	1905	2002	2052	2218	87	64
		36 x 84"	PFFA3684							□□ 119.0#	2055	2159	2261	2320	2505	95	67
		42 x 84"	PFFA4284							□□ 137.0#	2260	2377	2488	2552	2757	108	80
		48 x 84"	PFFA4884							155.0#	2365	2486	2600	2670	2876	121	84
		54 x 84"	PFFA5484						0000 0	□□ 173.0#	2546	2674	2805	2879	3109	132	90
		60 x 84"	PFFA6084							195.0#	2849	2990	3131	3219	3477	143	115
			A	ß		0	A	ß	A)							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect electrical code for base raceway.

- Chicago, no cutouts - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts - Domestic, no cutouts - Domestic, 1 side w/cutouts

- Domestic, 2 sides w/cutouts

Select horizontal rail.

\$129

- Enhanced

\$43 **R2**

- Standard • Select numbers of raceway tiles side 1 - Side 1 w/no raceway tile - Side 1 w/1-12" raceway tile; add - Side 1 w/2-12" raceway tiles; add - Side 1 w/3 12" raceway tiles; add

ESelect numbers of raceway tiles side 2

R20 - Side 2 w/no raceway tile - Side 2 w/1-12" raceway tile; add R22 - Side 2 w/2-12" raceway tiles; add \$87 R23 - Side 2 w/3-12" raceway tiles; add

\$129 Select trim color.

Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat aluminum trim.

GSelect fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

direction the fabric is to be applied.

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2 30"H 42"H 48"H 3 3 66"H 3 3 84"H

SPECIAL SERVICES **Special Carton Marking**


With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.




Face Style: Full Glass Basic Model: PG Full Glass panel consist of a full-sized glass tile. Consists of one glass tile utilizing a single panel of 1/4" thick tempered glass. Base is 6". Panel thickness: 31/2".



STANDAR	D PANEL S	SIZES (Gla	ıss Panels)							Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
66" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
84" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A


Face Style: Glass/Monolithic Basic Model: PMMGA Glass/Monolithic panels consist of the following: 24" fabric tile on bottom. Remainder of panel consists of one glass tile utilizing a single panel of 1/4" thick tempered glass. Base is 6". Panel thickness: 31/2".



STANDAF	RD PANEL S	SIZES (Fal	oric/Glass-	-Acoustic a	and Highly	Acoustic)				Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
66" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A
84" H	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A

Face Style: Monolithic/Fully Segmented/Glass

Basic Model: PMFGA




Monolithic/Fully Segmented/Glass panels consist of the following: 24" fabric tile on bottom of side one, two 12" segmented fabic tiles on bottom of side two. Remainder of panel consists of one glass tile utilizing a single panel of 1/4" thick tempered glass. Base is 6". Panel thickness: 31/2".

TANDAF	D PANEL S	SIZES (Fab	ric/Glass-	Acoustic)						Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	N/A	2
66" H	•	•	•	•	•	•	•	N/A	N/A	N/A	2
84" H	•	•	•	•	•	•	•	N/A	N/A	N/A	2

Face Style: Glass/Fully Segmented

Basic Model: PFFGA

Glass/Fully Segmented panels consist of the following: Two 12" fabric tile on bottom. Remainder of panel consists of one glass tile utilizing a single panel of '/4" thick tempered glass. Base is 6". Panel thickness: 3'/2".



STANDAR	D PANEL S	SIZES (Fab	ric/Glass-	Acoustic)						Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
54" H	•	•	•	•	•	•	•	N/A	N/A	2	2
66" H	•	•	•	•	•	•	•	N/A	N/A	2	2
84" H	•	•	•	•	•	•	•	N/A	N/A	2	2

Glass Panel



Glass Panel Full Glass Panel

									•				
			MODEL	L NUMBER									
								Approv			White	Enhanced	Metallic Paint
			Basic	Electrical	Horizontal	Glass	Trim	Approx. Packaged	Clear	Tinted/Bronze	Laminate	Horizontal	add to list
	MODEL	WxH	Model	Code	Rail	Color		Weight	(C)	(T)	(W)	Rail	price
	Full Glass Panel - 54"H	12 x 54"	PG1254					23.0#	\$ 731	\$ 766	\$ 950	\$ 65	\$ 42
	Two horizontal rails	18 x 54"	PG1854					32.0#	797	836	1033	68	43
	Two aluminum window framesOne pane, 1/4" thick glass	24 x 54"	PG2454					42.0#	872	917	1134	71	49
	One base/raceway consisting of a	30 x 54"	PG3054					51.0#	962	1016	1251	87	64
	raceway pan and two doors	36 x 54"						60.0#	1050	1106	1365	95	
	One rounded satin-textured polypropyl-	42 x 54"	PG4254					69.0#	1183	1247	1541	108	80
	ene top cap with splice plateOrder power separately	48 x 54"	PG4854					79.0#	1300	1362	1685	121	
	Order vertical posts separately												
*	 SX Starlight Silver finish is only offered 												
PG	on flat aluminum trim												
	Full Glass Panel - 66"H	12 x 66"	PG1266					27.0#	\$ 741	\$ 784	\$ 968	\$ 65	\$ 42
PG		18 x 66"	PG1866					38.0#	820	861	1067	68	43
		24 x 66"	PG2466					49.0#	906	951	1180	71	49
		30 x 66"	PG3066					59.0#	1002	1051	1305	87	64
		36 x 66"	PG3666					70.0#	1168	1225	1515	95	67
		42 x 66"	PG4266					81.0#	1309	1372	1697	108	80
		48 x 66"	PG4866					92.0#	1356	1424	1770	121	84
	Full Glass Panel - 84"H	12 x 84"	PG1284					33.0#	\$ 920	\$ 970	\$ 1200	\$ 65	\$ 42
PG		18 x 84"						46.0#	1081	1134	1404	68	43
		24 x 84"	PG2484					59.0#	1179	1238	1533	71	49
		30 x 84"	PG3084					72.0#	1279	1349	1672	87	
		36 x 84"	PG3684					85.0#	1393	1457	1805	95	67
		42 x 84"	PG4284					98.0#	1545	1617	2009	108	
		48 x 84"	PG4884					111.0#	1605	1684	2086	121	
			•		<u> </u>	1							
			A	$oldsymbol{eta}$	Θ	O	3						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect electrical code for base raceway.

CN - Chicago, no cutouts - Chicago, 1 side w/cutouts aluminum trim.

- Chicago, 2 sides w/cutouts - Domestic, no cutouts - Domestic, 1 side w/cutouts - Domestic, 2 sides w/cutouts

©Select horizontal rail.

E - Enhanced
S - Standard

Select glass color.

BRZ - Tinted/Bronze
GLA - Clear

GLC - White Laminate

Select trim color.

Refer to the **Product Color Options** page in this

price list.
SX Starlight Silver finish is only offered on flat

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Glass/Fabric Panel - Acoustic - 3/4" Thick Tiles Monolithic/Monolithic/Glass Panel



Glass/Fabric Panel - Acoustic - 3/4" Thick Tiles

			MODEL NUM	/IBER														
	MODEL	WxH	Basic Model	Electrical Code	Horizontal Rail	Glass T Color C	rim Fabric		Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price
_		12 x 54"	PMMGA1254						26.0#	\$ 804	\$ 816	\$ 823	\$ 837	\$ 864	\$ 65	\$ 14	\$ 121	\$ 42
	Monolithic/Monolithic/Glass Panel - 54"H	18 x 54"	PMMGA1854						36.0#	885	898	904	926	953	68	14	132	43
	Three horizontal rails	24 x 54"	PMMGA2454					000	□ 46.0#	981	995	1009	1025	1058	71	18	147	49
	 Two powder-coated aluminum window frames 	30 x 54"	PMMGA3054						56.0#	1070	1091	1101	1119	1157	87	19	160	64
	 Two 24" fabric tiles with mounting hooks 	s 36 x 54"	PMMGA3654						66.0#	1168	1189	1199	1223	1255	95	22	176	67
	 One pane, 1/4" thick glass 	42 x 54"	PMMGA4254					0000	76.0#	1314	1334	1352	1381	1416	108	27	198	80
Side 1 Side 2	 One base/raceway consisting of a raceway pan and two doors One rounded stain-textured polypropylene top cap with splice plate 	48 x 54"	PMMGA4854						85.0#	1392	1413	1430	1457	1501	121	28	205	84
MGA	 Order power separately Order vertical posts separately Fabric tile is tackable SX Starlight Silver finish is only offered on flat aluminum trim 																	
		. 12 x 66"	PMMGA1266						30.0#	\$ 899	\$ 912	\$ 919	\$ 946	\$ 969	\$ 65	\$ 16	\$ 134	\$ 42
MGA	Monolithic/Monolithic/Glass Panel - 66"H	18 x 66"	PMMGA1866						41.0#	989	1012	1018	1038	1067	68	18	148	43
		24 x 66"	PMMGA2466					000	53.0#	1097	1112	1127	1153	1179	71	19	162	49
		30 x 66"	PMMGA3066						64.0#	1204	1223	1235	1260	1299	87	23	180	64
		36 x 66"	PMMGA3666						75.0#	1309	1328	1345	1373	1412	95	27	196	67
		42 x 66"	PMMGA4266					0000	86.0#	1466	1491	1510	1541	1588	108	29	223	80
		48 x 66"	PMMGA4866						98.0#	1550	1582	1595	1627	1677	121	31	232	84
	Monolithic/Monolithic/Glass Panel - 84"H	12 x 84"	PMMGA1284						36.0#	\$ 980	\$ 993	\$ 1005	\$ 1023	\$ 1055	\$ 65	\$ 18	\$ 147	\$ 42
MGA	MUNUMUNC/MUNUMUNC/CHASS FAMEL - 04 F	18 x 84"	PMMGA1884					00 0000	50.0#	1083	1100	1113	1134	1167	68	19	161	43
		24 x 84"	PMMGA2484					00 0000	63.0#	1200	1222	1234	1259	1296	71	23	180	49
		30 x 84"	PMMGA3084						77.0#	1314	1334	1352	1381	1416	87	27	198	64
			PMMGA3684					oo ooo	90.0#	1436	1457	1476	1505	1554	95	29	218	67
		36 x 84"													-			
		36 x 84" 42 x 84"	PMMGA4284							1675	1704	1721	1756	1803	108	34	250	80 84

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

CN - Chicago, no cutouts

- Chicago, 2 sides w/cutouts - Domestic, no cutouts - Domestic, 1 side w/cutouts

Select horizontal rail.

E - Enhanced

BRZ - Tinted/Bronze GLC - White laminate See pricing columns for glass upcharge.

A Select basic model.

BSelect electrical code for base raceway.

- Chicago, 1 side w/cutouts - Domestic, 2 sides w/cutouts

- Standard

Select glass color.

GLA - Clear

Select trim color. Refer to the **Product Color Options** page in this price list.

SX Starlight Silver finish is only offered on flat aluminum trim.

Select fabric side 1. Refer to ki.com/fabrics

GSelect fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

direction the fabric is to be applied.

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Monolithic/Fully Segmented/Glass Panel



Glass/Fabric Panel - Acoustic - 3/4" Thick Tiles Monolithic/Fully Segmented/Glass Panel

		MODEL NU	MBER																
	WxH	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Glass Trim		Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze	White Laminate Upcharge	Metallic Paint add to list price
	12 x 54"	PMFGA1254			R0				1 0000	29.0#	\$ 904	\$ 917	\$ 930	\$ 950	\$ 976	\$ 65	\$ 16	\$ 134	\$ 42
	18 x 54"	PMFGA1854			R0					40.0#	989	1012	1018	1038	1067	68	18	148	43
	24 x 54"	PMFGA2454			R0					52.0#	1091	1106	1119	1141	1171	71	19	162	49
	30 x 54"	PMFGA3054			R0					63.0#	1189	1212	1225	1253	1286	87	23	179	64
	36 x 54"	PMFGA3654			R0					75.0#	1314	1334	1352	1381	1416	95	27	198	67
	42 x 54"	PMFGA4254			R0					87.0#	1476	1501	1517	1550	1595	108	29	224	80
	48 x 54"	PMFGA4854			R0					98.0#	1545	1567	1590	1624	1673	121	31	232	84
side 1 side 2																			
PFGA																			
Monolithic/Fully Segmented/Glass Panel - 54"H																			
Four horizontal railsTwo powder-coated aluminum																			
window frames																			
 One pane, 1/4" thick glass 																			
One 24" fabric tileTwo 12" fabric tiles																			
One base/raceway consisting of a																			
raceway pan and two doors																			
 One rounded satin-textured polypro- pylene top cap with splice plate 	•																		
Order power separately																			
 Order vertcial posts separately 																			
Fabric tile is tackableSX Starlight Silver finish is only offered on flat aluminum trim																			
	12 x 66"	PMFGA1266			R0					33.0#	\$ 999	\$ 1019	\$ 1023	\$ 1049	\$ 1080	\$ 65	\$ 18	\$ 150	\$ 42
PFGA	18 x 66"	PMFGA1866			R0					46.0#	1098	1118	1129	1154	1180	68	19	165	43
Monolithic/Fully Segmented/Glass	24 x 66"	PMFGA2466			R0					60.0#	1208	1224	1237	1267	1300	71	23	180	49
Panel - 66"H	30 x 66"	PMFGA3066			R0					72.0#	1316	1340	1356	1389	1420	87	27	198	64
	36 x 66"	PMFGA3666			R0					85.0#	1456	1482	1500	1531	1575	95	29	221	67
	42 x 66"	PMFGA4266			R0					98.0#	1627	1654	1677	1708	1756	108	32	243	80
	48 x 66"	PMFGA4866			R0					111.0#	1707	1742	1757	1787	1844	121	36	255	84
		•	•	A	•	A	A C	М	•										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect electrical code for base raceway.

CN - Chicago, no cutouts - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts - Domestic, no cutouts

- Domestic, 2 sides w/cutouts

Select horizontal rail.

- Enhanced - Standard

• Select numbers of raceway tiles side 1 - Side 1 w/no raceway tile

Select numbers of raceway tiles side 2

R20 - Side 2 w/no raceway tile

Select glass color.

- Domestic, 1 side w/cutouts

- Side 2 w/1-12" raceway tile; add

GLA - Clear BRZ - Tinted/Bronze GLC - White laminate

See pricing columns for glass upcharge.

GSelect trim color. Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

Select fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using

UPHOLSTERY INFORMATION

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

INFORMATION

Maximum Raceway Tile Possibilities Panel Height Side 1 Side 2

54"H 0 1 66"H 0 0

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

A

3

Θ

0

(3

(3)

Θ

0

0

Monolithic/Fully Segmented/Glass Panel



Glass/Fabric Panel - Acoustic - 3/4" Thick Tiles

Monolithic/Fully Segmented/Glass Panel

Metallic Paint add to list

price

\$ 42

43

49

64

67

		MODEL NUI	MBER																
	WxH	Basic Model		Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Glass Color	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grad 1 & C.O.M.		Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge
	12 x 84"	PMFGA1284			R0						39.0#	\$ 1081	\$ 1099	\$ 1112	\$ 1133	\$ 1166	\$ 65	\$ 19	\$ 161
	18 x 84"	PMFGA1884			R0						54.0#	1188	1210	1224	1251	1285	68	23	178
	24 x 84"	PMFGA2484			R0						70.0#	1306	1326	1344	1372	1411	71	27	196
	30 x 84"	PMFGA3084			R0						85.0#	1436	1457	1476	1505	1554	87	29	218
	36 x 84"	PMFGA3684			R0						100.0#	1585	1615	1629	1656	1711	95	32	238
	42 x 84"	PMFGA4284			R0						115.0#	1837	1877	1887	1924	1979	108	39	278
	48 x 84"	PMFGA4884			R0						130.0#	1921	1959	1977	2017	2068	121	40	287
Side 1 Side 2																			
ide1																			
PFGA																			
Monolithic/Fully Segmented/Glass																			

HOW TO ORDER

Panel - 84"H

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER GLA - Clear A Select basic model. **B**Select electrical code for base raceway. CN - Chicago, no cutouts - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts - Domestic, no cutouts - Domestic, 1 side w/cutouts - Domestic, 2 sides w/cutouts Select horizontal rail. - Enhanced - Standard • Select numbers of raceway tiles side 1 - Side 1 w/no raceway tile Select numbers of raceway tiles side 2 R20 - Side 2 w/no raceway tile

Select glass color.

BRZ - Tinted/Bronze GLC - White laminate See pricing columns for glass upcharge. **G**Select trim color. Refer to the Product Color Options page in this SX Starlight Silver finish is only offered on flat aluminum trim. Select fabric side 1. Refer to ki.com/fabrics Select fabric side 2. Refer to ki.com/fabrics - Side 2 w/1-12" raceway tile; add

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

direction the fabric is to be applied.

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2 54"H 0 1 66"H 0 84"H 0

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Fully Segmented/Fully Segmented/Glass Panel



Glass/Fabric Panel - Acoustic - 3/4" Thick Tiles

Fully Segmented/Fully Segmented/Glass Panel

		MODEL NU	JMBER																	
		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Glass	Trim I	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze	White Laminate Upcharge	Metallic Paint add to list price
	12 x 54"	PFFGA1254									30.0#	\$ 982	\$ 999	\$ 1011	\$ 1026	\$ 1060	\$ 65	\$ 18	N/A	\$ 42
	18 x 54"	PFFGA1854									42.0#	1070	1091	1101	1119	1157	68	19	160	43
	24 x 54"	PFFGA2454									54.0#	1167	1185	1198	1222	1254	71	22	174	49
	30 x 54"	PFFGA3054									66.0#	1271	1293	1312	1340	1369	87	27	192	64
	36 x 54"	PFFGA3654									78.0#	1314	1334	1352	1381	1416	95	27	198	67
	42 x 54"	PFFGA4254									90.0#	1590	1624	1634	1665	1719	108	32	238	80
2	48 x 54"	PFFGA4854									102.0#	1648	1682	1696	1729	1779	121	34	34	84
side 1 side																				
PGA																				
Fully Segmented/Fully Segmented/ Glass Panel - 54"H																				
 Four horizontal rails 																				
Two powder-coated aluminum																				
window framesOne pane, 1/4" thick glass																				
 One base/raceway consisting of a 																				
raceway pan and two doors																				
 One rounded satin-textured polypro- pylene top cap with splice plate 																				
Order power separately																				
Order vertcial posts separately																				
Fabric tile is tackableSX Starlight Silver finish is only																				
offered on flat aluminum trim																				
	12 x 66"	PFFGA1266									34.0#	\$ 1081	\$ 1099	\$ 1112	\$ 1133	\$ 1166	\$ 65	\$ 19	\$ 161	\$ 42
PGA		PFFGA1866									47.0#	1179	1199	1212	1235	1275	68	23	178	43
		PFFGA2466									61.0#	1277	1300	1316	1344	1381	71	27	192	49
Glass Panel - 66"H	30 x 66"	PFFGA3066									75.0#	1401	1424	1446	1471	1515	87	28	28	64
	36 x 66"	PFFGA3666									88.0#	1563	1588	1610	1644	1688	95	32	234	67
	42 x 66"	PFFGA4266									101.0#	1742	1776	1792	1827	1879	108	36	261	80
	48 x 66"	PFFGA4866									115.0#	1805	1845	1858	1896	1948	121	39	272	84
		A	B	Θ	0	•	•	О	0	0										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect electrical code for base raceway.

CN - Chicago, no cutouts - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts - Domestic, no cutouts - Domestic, 1 side w/cutouts - Domestic, 2 sides w/cutouts

Select horizontal rail.

- Enhanced - Standard

OSelect numbers of raceway tiles side 1 - Side 1 w/no raceway tile

- Side 1 w/1-12" raceway tile; add \$43

Select numbers of raceway tiles side 2 R20 - Side 2 w/no raceway tile - Side 2 w/1-12" raceway tile; add \$43

Select glass color. - Clear - Tinted/Bronze - White laminate

See pricing columns for glass upcharge.

GSelect trim color. Refer to the **Product Color Options** page in this price list. SX Starlight Silver finish is only offered on flat

Select fabric side 1. Refer to ki.com/fabrics

aluminum trim.

Select fabric side 2. Refer to ki.com/fabrics

> Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

INFORMATION

direction the fabric is to be applied.

Maximum Raceway Tile Possibilities Panel Height Side 1 Side 2

54"H 66"H 1 1

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

A

\$43

(3)

0

0

(3)

(3)

Θ

0

0

Fully Segmented/Fully Segmented/Glass Panel

Fully Segmented/Fully Segmented/

Glass Panel - 84"H



Glass/Fabric Panel - Acoustic - 3/4" Thick Tiles Fully Segmented/Fully Segmented/Glass Panel

		MODEL NU	JMBER															
		Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Glass Trim Color Colo	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Tinted/Bronze Upcharge	White Laminate Upcharge	Metallic Paint add to list price
	12 x 84"	PFFGA1284							40.0#	\$ 1160	\$ 1178	\$ 1191	\$ 1215	\$ 1249	\$ 65	\$ 22	\$ 174	\$ 42
	18 x 84"	PFFGA1884							56.0#	1271	1293	1312	1340	1369	68	27	194	43
	24 x 84"	PFFGA2484							72.0#	1382	1401	1421	1453	1495	71	28	205	49
	30 x 84"	PFFGA3084							88.0#	1513	1537	1558	1586	1641	87	31	229	64
	36 x 84"	PFFGA3684							103.0#	1686	1719	1735	1772	1824	95	34	252	67
	42 x 84"	PFFGA4284							119.0#	1945	1984	2002	2040	2095	108	41	291	80
	48 x 84"	PFFGA4884							134.0#	2025	2062	2091	2126	2186	121	42	303	84
Side 1 Side 2																		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER Select glass color. A Select basic model. - Clear - Tinted/Bronze **B**Select electrical code for base raceway. - White laminate See pricing columns for glass upcharge. CN - Chicago, no cutouts - Chicago, 1 side w/cutouts GSelect trim color. - Chicago, 2 sides w/cutouts - Domestic, no cutouts Refer to the **Product Color Options** page in this - Domestic, 1 side w/cutouts price list. SX Starlight Silver finish is only offered on flat - Domestic, 2 sides w/cutouts aluminum trim. Select horizontal rail. - Enhanced Select fabric side 1. Refer to ki.com/fabrics - Standard Select fabric side 2. OSelect numbers of raceway tiles side 1 - Side 1 w/no raceway tile Refer to ki.com/fabrics - Side 1 w/1-12" raceway tile; add \$43 Select numbers of raceway tiles side 2 R20 - Side 2 w/no raceway tile - Side 2 w/1-12" raceway tile; add

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

INFORMATION

direction the fabric is to be applied.

Maximum Raceway Tile Possibilities

Panel Height Side 1 Side 2 54"H 66"H

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping


Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.





Face Style: Fully Open Basic Model: PO


Fully Open panels consist of a full-sized open tile. Base is 6".



STANDAR	D PANEL	SIZES (Ope	en Panels)							Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	•	•	•	•	•	•	•	•	•	N/A	N/A
42" H	•	•	•	•	•	•	•	•	•	N/A	N/A
54" H	•	•	•	•	•	•	•	•	•	N/A	N/A
66" H	•	•	•	•	•	•	•	•	•	N/A	N/A
84" H	•	•	•	•	•	•	•	•	•	N/A	N/A

Face Style: Open/Monolithic
Basic Model: POMMA


Open/Monolithic panels consist of the following:
24" open tile on bottom. Remainder of panel is a single fabric tile. Base is 6". Panel thickness: 312".



TANDAR	D PANEL S	SIZES (Ope	en/Fabric-	Acoustic)						Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	•	•	•	•	•	•	•	•	•	1	1
54" H	•	•	•	•	•	•	•	•	•	N/A	N/A
66" H	•	•	•	•	•	•	•	•	•	N/A	N/A
84" H	•	•	•	•	•	•	•	•	•	N/A	N/A

Face Style: Monolithic/Open Panels

Basic Model: PMMOA



Monolithic/Open panels consist of the following: 24" fabric tile on bottom and an open frame on top. Base is 6". Panel thickness: 3'/2".

STANDAR	D PANEL S	SIZES (Fab	ric/Open-	Acoustic a	nd Highly	Acoustic)				Side 1 Number of	Side 2 Number of
	12" W	18" W	24" W	30" W	36" W	42" W	48" W	54" W	60" W	12" Fabric Tiles	12" Fabric Tiles
30" H	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
42" H	•	•	•	•	•	•	•	•	•	N/A	N/A
54" H	•	•	•	•	•	•	•	•	•	N/A	N/A
66" H	•	•	•	•	•	•	•	•	•	N/A	N/A
84" H	•	•	•	•	•	•	•	•	•	N/A	N/A

Open Panel Full Open Panel



Open Panel Full Open Panel

								<u>▼</u>		
			MODEL	L NUMBER						
									Metal	
			Basic	Electrical	Horizontal	Trim	Approx. Packaged	Enhanced Delivered Horizontal	Paint add to	
	MODEL	WxH	Model	Code	Rail	Color	Weight	Pricing Rail	price	
	Full Open Panel - 30"H		P01230		П		9.0#	\$ 487 \$ 65		
	 Two horizontal rails 						13.0#	532		43
	Two powder-coated aluminum window		P02430				16.0#	582		49
	frames • One base/raceway consisting of a		P03030				20.0#	634 87		64
	raceway pan and two doors						24.0#	694		67
	 One rounded satin-textured polypropyl- 	42 x 30"					27.0#	797		80
	ene top cap with splice plateOrder power separately		P04830				31.0#	813		84
	Order power separately Order vertical posts separately	10 % 00					0110#			0.
•	 SX Starlight Silver finish is only offered 									
PO	on flat aluminum trim									
	Full Open Panel - 42"H	12 x 42"	P01242				10.0#	\$ 577 \$ 65	\$	42
P0		18 x 42"					14.0#	615		43
			P02442		П		18.0#	668		49
							21.0#	725		64
			P03642		П		25.0#	785		67
			P04242				28.0#	896		80
		48 x 42"					32.0#	906		84
	Full Open Panel - 54"H	12 x 54"					12.0#	\$ 637 \$ 65	\$	42
PO	·		P01854				15.0#	676		43
			P02454				19.0#	734		49
			P03054				22.0#	787		64
			P03654				26.0#	849		67
			P04254				30.0#	956		80
			1				33.0#	995		84
			•							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect electrical code for base raceway.

CN - Chicago, no cutouts - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts - Domestic, no cutouts

- Domestic, 1 side w/cutouts - Domestic, 2 sides w/cutouts

©Select horizontal rail.

E - Enhanced - Standard

OSelect trim color.

Refer to the Product Color Options page in this

price list. SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Open Panel Full Open Panel



Open Panel
Full Open Panel

								<u> </u>		
			MODEL	NUMBER						
										Metallic
			D	Flooduical	I I a silma mata I	Total	Approx.	Different	Enhanced	Paint
	MODEL		Basic Model	Code	Horizontal Rail	Trim Color	Packaged Weight	Delivered Pricing	Horizontal Rail	add to list price
						_	13.0#			
	Full Open Panel - 66"H Two horizontal rails							\$ 643		
	Two powder-coated aluminum window						17.0#	688	68	
M I	frames		P02466				20.0#	739	71	
	 One base/raceway consisting of a 		P03066				24.0#	793	87	64
	raceway pan and two doors	36 x 66"	P03666				27.0#	885	95	67
	One rounded satin-textured polypropyl-	42 x 66"	P04266				31.0#	987	108	80
	ene top cap with splice plateOrder power separately	48 x 66"	P04866				34.0#	1011	121	84
	 Order vertical posts separately 									
•	 SX Starlight Silver finish is only offered 									
PO	on flat aluminum trim									
	Full Open Panel - 84"H	12 x 84"	P01284				15.0#	\$ 811	\$ 65	\$ 42
PO		18 x 84"	P01884				18.0#	878	68	43
		24 x 84"	P02484				22.0#	934	71	49
		30 x 84"	P03084				25.0#	987	87	64
		36 x 84"	P03684				29.0#	1049	95	i 67
			P04284				33.0#	1158	108	
		48 x 84"	P04884				36.0#	1174	121	84
			A	B	Θ	O				
			•	_	_					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect electrical code for base raceway.

CN - Chicago, no cutouts - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts - Domestic, no cutouts - Domestic, 1 side w/cutouts - Domestic, 2 sides w/cutouts

©Select horizontal rail.

E - Enhanced - Standard

OSelect trim color.

Refer to the Product Color Options page in this

price list. SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Open/Fabric Panel - Acoustic - 3/4" Thick Tiles Open/Monolithic/Monolithic Panel



Open/Fabric Panel - Acoustic - 3/4" Thick Tiles Open/Monolithic/Monolithic Panel

		MODEL NUN	/IBER														
	WxH	Basic Model	Electrical Code	Horizontal Rail	Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Trim Color		Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	12 x 42"	POMMA1242								17.0#	\$ 699	\$ 714	\$ 725	\$ 740	\$ 765	\$ 65	\$ 42
	18 x 42"	POMMA1842								23.0#	756	771	784	805	824	68	43
	24 x 42"	POMMA2442								30.0#	823	835	856	870	899	71	49
	30 x 42"	POMMA3042								36.0#	899	912	937	951	977	87	64
	36 x 42"	POMMA3642								42.0#	995	1018	1038	1062	1091	95	67
	42 x 42"	POMMA4242								49.0#	1129	1147	1174	1194	1227	108	80
Side 2	48 x 42"	POMMA4842								55.0#	1161	1179	1209	1228	1265	121	84
Side 1																	
Open/Monolithic/Monolithic Panel - 42"H																	
Three horizontal rails Two aluminum frames Two full fabric tiles One base/raceway consisting of a raceway pan and two doors One rounded satin-textured polypropylene top cap with splice plate Order power separately Order vertical posts separately Fabric tile is tackable SX Starlight Silver finish is only offered on flat aluminum trim										20.04	A 707	A 710		A 700			
		POMMA1254								20.0#	\$ 727	\$ 740	\$ 751	\$ 769	\$ 791	\$ 65	\$ 42
POA	18 x 54"	POMMA1854								27.0#	803	815	824	845	869	68	43
Open/Monolithic/Monolithic Panel	24 x 54"	POMMA2454								34.0#	887	899	916	934	966	71	49
- 54"H	30 x 54"	POMMA3054								41.0#	966	982	1005	1021	1049	87	64
	36 x 54"	POMMA3654								48.0#	1050	1067	1093	1112	1148	95	67
	42 x 54"	POMMA4254								55.0#	1188	1210	1234	1259	1300	108	80
	48 x 54"	POMMA4854								62.0#	1250	1268	1299	1325	1362	121	84
		A	B	Θ	0	(3	()	((

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select electrical code for base raceway.

CN - Chicago, no cutouts - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts - Domestic, no cutouts - Domestic, 1 side w/cutouts - Domestic, 2 sides w/cutouts

Select horizontal rail.

E - Enhanced - Standard

• Select numbers of raceway tiles side 1

- Side 1 w/1-12" raceway tile; add \$43

Select numbers of raceway tiles side 2 R20 - Side 2 w/no raceway tile

- Side 2 w/1-12" raceway tile; add \$43

Select trim color.

Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

GSelect fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied. SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Open/Fabric Panel - Acoustic - 3/4" Thick Tiles Open/Monolithic/Monolithic Panel



Open/Fabric Panel - Acoustic - 3/4" Thick Tiles Open/Monolithic/Monolithic Panel

			MODEL NUM	BER												
	MODEL	WxH		Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Open/Monolithic/Monolithic Panel - 66"H	12 x 66"	POMMA1266						23.0#	\$ 791	\$ 807	\$ 817	\$ 836	\$ 862	\$ 65	\$ 42
	open/mononunc/mononunc raner - oo n	18 x 66"	POMMA1866						31.0#	871	889	910	926	950	68	43
		24 x 66"	POMMA2466						39.0#	945	959	981	995	1025	71	49
		30 x 66"	POMMA3066						47.0#	1064	1081	1106	1127	1161	87	64
		36 x 66"	POMMA3666						54.0#	1189	1212	1235	1260	1301	95	67
		42 x 66"	POMMA4266						62.0#	1328	1353	1382	1404	1451	108	80
Side 1 Side 2		48 x 66"	POMMA4866						69.0#	1355	1382	1409	1439	1482	121	84
POA																
	Open/Monolithic/Monolithic Panel - 84"H		POMMA1284						28.0#	\$ 855	\$ 865	\$ 885	\$ 900	\$ 926	\$ 65	
POA	opon, monomino, monomino i anoi - 0-1 ii	18 x 84"	POMMA1884						37.0#	981	995	1020	1035	1064	68	43
		24 x 84"	POMMA2484						46.0#	1055	1072	1098	1120	1154	71	49
		30 x 84"	POMMA3084						55.0#	1167	1188	1213	1237	1271	87	64
		36 x 84"	POMMA3684						63.0#	1273	1295	1322	1350	1393	95	67
		42 x 84"	POMMA4284						72.0#	1439	1460	1492	1524	1564	108	80
		48 x 84"	POMMA4884						81.0#	1520	1545	1584	1605	1653	121	84

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect electrical code for base raceway.

CN - Chicago, no cutouts - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts - Domestic, no cutouts - Domestic, 1 side w/cutouts

- Domestic, 2 sides w/cutouts

Select horizontal rail.

E - Enhanced - Standard

OSelect trim color. Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

Select fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

direction the fabric is to be applied.

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Open/Fabric Panel - Acoustic - 3/4" Thick Tiles Monolithic/Monolithic/Open Panel



Open/Fabric Panel - Acoustic - 3/4" Thick Tiles Monolithic/Monolithic/Open Panel

			MODEL NUM	1BER											
	MODEL	WxH	Basic Model	Electrical Code	Horizontal Rail		Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Monolithic/Monolithic/Open Panel - 42"H	12 x 42"	PMMOA1242					19.0#	\$ 692	\$ 707	\$ 716	\$ 735	\$ 754	\$ 65	\$ 42
		18 x 42"	PMMOA1842					26.0#	764	780	788	810	835	68	43
	Three horizontal rails	24 x 42"	PMMOA2442					33.0#	852	864	882	899	924	71	49
	Two aluminum framesTwo 24" fabric tiles	30 x 42"	PMMOA3042					37.0#	930	945	968	981	1012	87	64
	One base/raceway consisting of a	36 x 42"	PMMOA3642					47.0#	1018	1032	1058	1078	1101	95	67
	raceway pan and two doors	42 x 42"	PMMOA4242					54.0#	1153	1171	1195	1221	1253	108	80
cide 2	 One rounded satin-textured polypropyl- ene top cap with splice plate 	48 x 42"	PMMOA4842					61.0#	1214	1235	1260	1286	1325	121	84
Side 1	 Order power separately Order vertical posts separately Fabric tile is tackable SX Starlight Silver finish is only offered on flat aluminum trim 														
	Manalithia/Manalithia/Onen Denal - E4211	12 x 54"	PMMOA1254					20.0#	\$ 727	\$ 740	\$ 751	\$ 769	\$ 791	\$ 65	\$ 42
MOA	Monolithic/Monolithic/Open Panel - 54"H	18 x 54"	PMMOA1854					27.0#	803	815	824	845	869	68	43
		24 x 54"	PMMOA2454					34.0#	887	899	916	934	966	71	49
		30 x 54"	PMMOA3054					41.0#	966	982	1005	1021	1049	87	64
		36 x 54"	PMMOA3654					48.0#	1050	1067	1093	1112	1148	95	67
		42 x 54"	PMMOA4254					55.0#	1188	1210	1234	1259	1300	108	80
		48 x 54"	PMMOA4854					62.0#	1250	1268	1299	1325	1362	121	84
			A	ß	0	0 3	(3								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect electrical code for base raceway.

CN - Chicago, no cutouts - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts - Domestic, no cutouts - Domestic, 1 side w/cutouts - Domestic, 2 sides w/cutouts

Select horizontal rail.

- Enhanced - Standard

OSelect trim color. Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

Select fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

direction the fabric is to be applied.

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Open/Fabric Panel - Acoustic - 3/4" Thick Tiles Monolithic/Monolithic/Open Panel



Open/Fabric Panel - Acoustic - 3/4" Thick Tiles Monolithic/Monolithic/Open Panel

			MODEL NUN	IBER													
	MODEL	WxH	Basic Model	Electrical Code	Horizontal Rail	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Pr Fa	livered icing bric Grade & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Enhanced Horizontal Rail	Metallic Paint add to list price
	Monolithic/Monolithic/Open Panel - 66"H								21.0#	\$	816	\$ 830	\$ 846	\$ 864	\$ 890	\$ 65	\$ 42
	mononimo, mononimo, opon i anoi oo ii	18 X 66"	PMMOA1866						28.0#		889	900	917	936	968	68	43
		24 x 66"	PMMOA2466						36.0#		977	990	1017	1031	1060	71	49
		30 x 66"	PMMOA3066						43.0#		1055	1072	1098	1120	1154	87	64
		36 x 66"	PMMOA3666						50.0#		1141	1161	1187	1212	1241	95	67
		42 x 66"	PMMOA4266						57.0#		1279	1302	1330	1356	1399	108	80
Side 1 Side 2		48 x 66"	PMMOA4866						64.0#		1345	1366	1397	1421	1467	121	84
PMOA																	
	Monolithic/Monolithic/Open Panel - 84"H	12 x 84"	PMMOA1284						23.0#	\$	878	\$ 898	\$ 917	\$ 932	\$ 959	\$ 65	\$ 42
PMOA	Monontine/Monontine/Open Paner - 84 H	18 x 84"	PMMOA1884						30.0#		956	976	992	1016	1038	68	43
		24 x 84"	PMMOA2484						38.0#		1038	1058	1081	1101	1127	71	49
		30 x 84"	PMMOA3084						44.0#		1123	1141	1168	1189	1223	87	64
		36 x 84"	PMMOA3684						51.0#		1210	1227	1254	1277	1316	95	67
		42 x 84"	PMMOA4284						58.0#		1380	1401	1433	1460	1502	108	80
		48 x 84"	PMMOA4884						65.0#		1442	1464	1495	1528	1567	121	84
			A	B	•	O	(3	(3)									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect electrical code for base raceway.

CN - Chicago, no cutouts - Chicago, 1 side w/cutouts - Chicago, 2 sides w/cutouts - Domestic, no cutouts - Domestic, 1 side w/cutouts

- Domestic, 2 sides w/cutouts

Select horizontal rail.

E - Enhanced - Standard

OSelect trim color. Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

Select fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

direction the fabric is to be applied.

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Fabric Stackable Section - Acoustic - 3/4" Tiles



Fabric Stackable Section - Acoustic - 3/4" Tiles

										—					
			MODEL NUMBER												
	MODEL				Number of Raceway Tiles Side 1	Number of Raceway Tiles Side 2	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertic Fabric Grade PV	Pricing	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Stackable Fabric Section - 12"H	12 x 12"	PSA1212						8.0#	\$ 208	\$ 225	\$ 236	\$ 252	\$ 283	
	One horizontal rail Tive full febric tiles with requesting heales	18 x 12"	PSA1812						10.0#	230	238	260	274	300	
	 Two full fabric tiles with mounting hooks Use top cap from existing lower panel 	24 x 12"	PSA2412						13.0#	243	260	284	293	322	
h	Order power separately		PSA3012						16.0#	263	279	300	311	346	
	Order stackable vertical posts separately	36 x 12"	PSA3612						19.0#	310	323	355	373	406	
PSA	Fabric tile is stackable	42 x 12"	PSA4212						22.0#	325	345	376	394	432	
		48 x 12"	PSA4812						25.0#	349	365	397	420	463	
			PSA5412						28.0#	373	394	428	442	496	
									31.0#	421	438	483	500	551	
	Stackable Fabric Section - 18"H	12 x 18"			R0	R20			9.0#	\$ 229	\$ 236	\$ 256	\$ 272	\$ 299	
PSA		18 x 18"			R0	R20			12.0#	251	265	290	300	326	
			PSA2418		R0	R20			16.0#	263	279	300	311	346	
			PSA3018		R0	R20			19.0#	319	335	361	379	420	
			PSA3618		R0	R20			22.0#	345	361	394	411	453	
			PSA4218		R0	R20			25.0#	373	394	428	442	496	
			PSA4818		R0	R20			28.0#	391	414	443	471	518	
			PSA5418		R0	R20			31.0#	447	468	516	535	588	
		60 x 18"			R0	R20			35.0#	471	497	541	565	617	
	Stackable Fabric Section - 24"H	12 x 24"			R0	R20			11.0#	\$ 238	\$ 251	\$ 279	\$ 286	\$ 315	
PSA			PSA1824		R0	R20			14.0#	271	284	311	322	357	
			PSA2424		R0	R20			18.0#	309	322	354	371	404	
			PSA3024		R0	R20			21.0#	325	345	376	394	432	
			PSA3624		R0	R20			25.0#	359	376	411	428	475	
			PSA4224		R0	R20			28.0#	391	414	443	471	518	
		48 x 24"	PSA4824		R0	R20			32.0#	435	458	502	522	574	
			PSA5424		R0	R20			35.0#	471	497	541	565	617	
		60 x 24"	PSA6024		R0	R20			39.0#	492	518	565	592	646	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect electrical code for base raceway.

CP - Chicago, 2 sides w/cutouts

D - Domestic, 2 sides w/cutouts

Select numbers of raceway tiles side 1

R0 - Side 1 w/no raceway tile

R1 - Side 1 w/1-12" raceway tile; add

• Select numbers of raceway tiles side 2

R20 - Side 2 w/no raceway tile R21 - Side 2 w/1-12" raceway tile; add \$43

Select fabric side 1.
Refer to ki.com/fabrics

Select fabric side 2.
Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

direction the fabric is to be applied.

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Glass Stackable Section



Glass Stackable Section

						•			
			MODEL N	UMBER					
	MODEL		Basic Model	Glass Trim Color Color	Approx. Packaged Weight	Clear (C)	Tinted/Broi (T)	White Ize Laminate (W)	Metallic Paint add to list price
	Stackable Glass Section - 12"H	12 x 12"	PSG1212		7.0#	\$ 421	\$ 438	\$ 547	\$ 42
	 One horizontal rail Two powder-coated aluminum window	18 x 12"	PSG1812		11.0#	447	471	582	43
	frames	24 x 12"	PSG2412		14.0#	473	497	615	49
		30 x 12"	PSG3012		17.0#	500	526	656	64
	Use top cap from existing lower panel Order stacks blowertial pasts appared.		PSG3612		20.0#	529	555	686	67
	Order stackable vertical posts separately	42 x 12"	PSG4212		23.0#	615	648	794	80
		48 x 12"	PSG4812		26.0#	630	663	817	84
PSG									
	Stackable Glass Section - 18"H	12 x 18"			9.0#	\$ 441	\$ 467	\$ 579	\$ 42
PSG					13.0#	482	502	619	43
			PSG2418		17.0#	502	529	658	49
		30 x 18"	PSG3018		21.0#	537	562	699	64
		36 x 18"	PSG3618		25.0#	595	624	776	67
		42 x 18"	PSG4218		29.0#	662	694	859	80
		48 x 18"			33.0#	674	714	878	84
	Stackable Glass Section - 24"H	12 x 24"			14.0#	\$ 465	\$ 486	\$ 602	\$ 42
PSG			PSG1824		16.0#	500	526	656	43
					22.0#	532	557	688	49
			PSG3024		25.0#	568	599	736	64
			PSG3624		30.0#	629	662	816	67
			PSG4224		34.0#	695	731	905	80
		48 x 24"	PSG4824		39.0#	716	751	932	84

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number including
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

B O

A Select basic model.

Select glass color.

GLA - Clear

BRZ - Tinted/Bronz

RZ - Tinted/Bronze LC - White Laminate

Select trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

na

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Open Stackable Section



Open Stackable Section

						Y	
			MODEL NU	JMBER			
	MODEL	WxH	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
	Stackable Open Section - 12"H	12 x 12"	PS01212		4.0#	\$ 355	\$ 42
	One horizontal rail		PS01812		6.0#	379	43
	Two aluminum framesUse top cap from existing lower panel	24 x 12"	PS02412		8.0#	397	49
	Order stackable vertical posts separately	30 x 12"	PS03012		10.0#	425	64
			PS03612		11.0#	473	67
		42 x 12"	PS04212		13.0#	534	80
		48 x 12"	PS04812		15.0#	541	84
PS0							
	Stackable Open Section - 18"H		PS01218		5.0#	\$ 374	\$ 42
PS0			PS01818		7.0#	402	43
			PS02418		9.0#	424	49
			PS03018		10.0#	441	64
					12.0#	492	67
			PS04218		14.0#	551	80
-	Stackable Open Section - 24"H		PS04818 PS01224		15.0# 6.0#	562 \$ 387	\$\frac{84}{\$}\$
PS0	Stackable Open Section - 24 11		PS01824		7.0#	420	43
100		24 x 24"	PS02424		9.0#	434	49
		30 x 24"	PS03024		11.0#	461	64
		36 x 24"	PS03624		13.0#	505	67
			PS04224		14.0#	569	80
		48 x 24"	PS04824		16.0#	581	84
			A	•			
				Ð			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Doors



Doors

					n=n				·			
				MODEL NUM	BER							
				Basic	Trim	Surface	Insert	Frame	Approx. Packaged Delivered	Metallic Paint add to list	Laminate Grade 2 add to list	Laminate Grade 3 add to list
	MODEL	Panel Width	WxH	Model	Color	Finish	Color	Color	Weight Pricing	price	price	price
	Door	36" Right handed Locking	30 x 80"	PDRR36/L					40.0# \$ 2302	\$ 64	\$ 100	\$ 675
	Provides visual and acoustical privacy	36" Right handed Non-Locking	30 x 80"	PDRR36/N					40.0# 2032	64	100	675
	 For use in conjunction with 84" panels 	36" Left handed Locking	30 x 80"	PDRL36/L					40.0# 2302	64	100	675
	Laminate surface on hollow core doorLocking and non-locking options	36" Left handed Non-Locking	30 x 80"	PDRL36/N					40.0# 2032	64	100	675
	Lever handle to meet ADA guidelines	42" Right handed Locking	36 x 80"	PDRR42/L					40.0# 2489	84	200	1350
	Door hand swing is determined by	42" Right handed Non-Locking	36 x 80"	PDRR42/N					40.0# 2219	84	200	1350
Right shown	standing on the side of door that swings	42" Left handed Locking	36 x 80"	PDRL42/L					40.0# 2489	84	200	1350
PDR	toward the user when opening (handle to	⁰ 42" Left handed Non-Locking	36 x 80"	PDRL42/N					40.0# 2219	84	200	1350
	right is a right hand door)	-										
	SX Starlight Silver finish is only offered on flat aluminum trim											
	Door Pass-Through	36" x 84" H	30 x 80"	PCOT36					1.0# \$ 735	\$ 64	N/A	N/A
ill IIi	• Trim	42" x 84" H		PCOT42					2.0# 739	84	N/A	N/A
	SX Starlight Silver finish is only offered on flat aluminum trim											
PCOT												
	Rolling Screen Door Will cover a 42" opening Mounts to a 66" panel (may mount to a taller panel if using a 66" high segmented tile) Aluminum frame w/clear or opal poly insert		50x66	WWRDNJ4266					22.0# \$ 1358	N/A	N/A	N/A
WWRD												
HRDPT	Provides extra stability for attaching panels in a continous run Available in door widths only Extruded aluminum door threshold with rubber seal strip Attaches to bottom of door frame SX Starlight Silver finish is only offered on flat aluminum trim		36" 42"	PDRTH36 PDRTH42					1.0# \$ 81 2.0# 83	\$ 64 84	N/A N/A	N/A N/A
n.	Coat Hooks/Picture Hanger			PCH.CL					1.0# \$ 3	N/A	N/A	N/A
HRDPT	 Attaches under the top cap of the panel to support coat hangers Translucent plastic only Lock device holds hook securely to pane Can also be used to hang a picture (30# weight limit) 											
				A	B	•	0	•				
				4	<u> </u>	<u> </u>	ש	G				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat

aluminum trim.

Select surface finish. Refer to the Product Color Options page in this

Select insert color.

CP - Clear plastic insert

OP - Opal plastic insert; add \$64 Refer to the **Product Color Options** page in this price list.

Select frame color.

Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Intersection Conditions 90° 2-Way and End-of-Run



Preconfigured Intersection Conditions 90° 2-Way and End-of-Run

		MODE	MILIBARE	.			•					
		MODEL	NUMBER	K								
	MODEL	Basic Model	Trim Color	Fabric Color Asser	Approx. Packaged nbly Weight	Delivered Pricing Unupholstered	Delivere Pricing Fabric G 1 & C.O	Pricing rade Fabric Grad	Delivered Pi Fabric Gradi 3 & Pallas V e Fabric Gradi PV	e Pricing 'ertical Pallas Vert		Metallic Paint add to list price
		0" PEP30			5.0#	\$ 108						\$ 40
	 Unupholstered: trim colored End-of-run trim 	6" PEP36			5.0#	118						41
	• Top cap	2" PEP42			7.0#	125						49
	Full-height post	8" PEP48			7.0#	145						49
		64" PEP54			9.0#	148						52
	on flat aluminum trim	0" PEP60			9.0#	127						53
		6" PEP66			11.0#	161						61
	7	'2" PEP72			11.0#	198						64
(I) &		'8" PEP78			11.0#	162						65
PTN		4" PEP84			13.0#	225						67
	90° 2-Way "L" Corner, Both Panels Same	0" PCP9030			7.0#							\$ 78
	Height 3	6" PCP9036			7.0#	242						80
	• 90° ton can	2" PCP9042			10.0#	282						80
	90° corner base trim	8" PCP9048			10.0#	301						108
^		64" PCP9054			13.0#	335						111
	- Connecting hardware	60" PCP9060			13.0#	310						112
	SX Starlight Silver finish is only offered	6" PCP9066			16.0#	345						115
	on flat aluminum trim	'2" PCP9072			16.0#	361						121
		'8" PCP9078			16.0#	379						123
PTN		4" PCP9084			20.0#	433						124
	90° 2-Way "L" Corner, Both Panels Same	0" PCPF903	0 🗆 🗆		7.0#	N/A	\$ 31		\$ 321	\$ 324	\$ 339	\$ 43
	Halada Aska al	6" PCPF903			7.0#	N/A	32		329	339	351	43
	• 90° ton can	2" PCPF904			10.0#	N/A	40		414	424	432	43
	90° corner base trim	8" PCPF904			10.0#	N/A	42		430	434	453	43
		64" PCPF905			13.0#	N/A	45		467	475	487	43
	- Connecting bardware	0" PCPF906			13.0#	N/A	41:		426	433	441	43
	SX Starlight Silver finish is only offered	6" PCPF906			16.0#	N/A	46		478	487	501	43
	on flat aluminum trim	'2" PCPF907			16.0#	N/A	48		502	516	528	43
		'8" PCPF907			16.0#	N/A	49.		503	518	532	43
PTNF	3	94" PCPF908	4 🗆		20.0#	N/A	56	579	583	597	614	43
			•	A 6								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

Select fabric color. Refer to ki.com/fabrics

• Select assembly.

- Fully Assembled; add \$79

- Unassembled

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions

						~	
			MODEL NUM	/IBER			
							Metallic
				l	Approx.		Paint
	MODEL	A B A-B	Basic	Trim Color	Packaged Weight	Delivered Pricing	add to list price
			PCPV903036		9.0#	\$ 287	\$ 100
♠	90° 2-Way "L" Corner, Two Different Heights		PCPV903042		9.0#	309	102
	Unupholstered: trim colored		PCPV903048		9.0#	359	127
	• 1-way cap	54" 30" 24"	PCPV903048		11.0#	391	130
	90° corner base trim The pieces of universal trips		PCPV903054		13.0#	397	133
	Two pieces of universal trimOne piece of universal height change		PCPV903066		13.0#	404	133
	trim		PCPV903072		13.0#	452	155
	One half-post (height A)		PCPV903078		13.0#	482	157
	One half-post (height B)Connecting hardware		PCPV903084		16.0#	511	159
PTN	SX Starlight Silver finish is only offered	42" 36" 6"	PCPV903642		16.0#	309	100
FIN	on flat aluminum trim		PCPV903648		16.0#	322	127
			PCPV903654		16.0#	391	130
			PCPV903660		16.0#	397	133
		66" 36" 30"	PCPV903666		16.0#	403	133
			PCPV903672		16.0#	424	137
			PCPV903678		16.0#	467	150
			PCPV903684		16.0#	516	159
			PCPV904248		12.0#	341	125
			PCPV904254		12.0#	373	130
			PCPV904260		14.0#	402	131
			PCPV904266		14.0#	428	132
			PCPV904200 PCPV904272		14.0#	461	137
			PCPV904278		14.0#	490	150
			PCPV904284		17.0#	522	158
			PCPV904264 PCPV904854		17.0#	377	129
			PCPV904860		17.0#	402	131
			PCPV904866		17.0#	425	132
			PCPV904800 PCPV904872		17.0#	435	134
			PCPV904878		17.0#	467	137
			PCPV904878		17.0#	497	143
		U- HU JU	_		17.0#	401	143
			A	$oldsymbol{\Theta}$			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 90° 2-Way

			MODEL NUM	BER		
	MODEL	A B A-B		Approx. Trim Packager Color Weight	Delivered Pricing	Metallic Paint add to list price
^ .	90° 2-Way "L" Corner, Two Different	60" 54" 6"	PCPV905460	□□ 15.0#	\$ 377	\$ 132
	Heights	66" 54" 12"	PCPV905466	□□ 15.0#	387	132
	Unupholstered: trim colored1-way cap	72" 54" 18"	PCPV905472	□□ 15.0#	435	134
	90° corner base trim	78" 54" 24"	PCPV905478	□□ 15.0#	466	137
8	Two pieces of universal trim	84" 54" 30"	PCPV905484	□□ 18.0#	496	143
	One piece of universal height change	66" 60" 6"	PCPV906066	□□ 18.0#	351	133
	trim • One half-post (height A)	72" 60" 12"	PCPV906072	□□ 18.0#	373	137
	One half-post (height B)	78" 60" 18"	PCPV906078	□□ 18.0#	421	143
<u> </u>	 Connecting hardware 	84" 60" 24"	PCPV906084	□□ 18.0#	447	148
PTN	SX Starlight Silver finish is only offered on flat aluminum trim	72" 66" 6"	PCPV906672	□□ 18.0#	452	143
	on hat aluminum timi	78" 66" 12"	PCPV906678	□□ 18.0#	387	148
		84" 66" 18"	PCPV906684	□□ 19.0#	473	152
		78" 72" 12"	PCPV907278	□□ 19.0#	420	153
		84" 72" 12"	PCPV907284	□□ 19.0#	485	155
		84" 78" 6"	PCPV907884	□□ 19.0#	441	158

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

A

B

SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions

				_									
			MODEL NUM	IBER									
	MODEL	A B A-B	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Deliver Pricing Fabric ' 1 & C.C] Grade	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	90° 2-Way "L" Corner, Two Different	36" 30" 6"	PCPVF903036			9.0#	\$ 42	27	\$ 433	\$ 435	\$ 442	\$ 461	\$ 43
	Heights	42" 30" 12"	PCPVF903042			9.0#	48	85	496	498	509	525	43
	• Upholstered	48" 30" 18"	PCPVF903048			9.0#		32	541	547	557	575	43
	1-way cap90° corner base trim	54" 30" 24"	PCPVF903054			11.0#	56	68	581	586	597	614	43
B	Two fabric-wrapped pieces of universal	60" 30" 30"	PCPVF903060			11.0#	49	90	500	502	516	529	43
	trim	66" 30" 36"	PCPVF903066			13.0#	59	91	602	607	618	637	43
	 One fabric-wrapped piece of universal height change trim 	72" 30" 42"	PCPVF903072			13.0#	63	37	650	659	667	686	43
	One half-post (height A)	78" 30" 48"	PCPVF903078			13.0#	58	89	599	606	617	637	43
<u> </u>	One half-post (height B)	84" 30" 54"	PCPVF903084			16.0#	70	09	722	729	741	765	43
PTNF	Connecting hardwareSX Starlight Silver finish is only offered	42" 36" 6"	PCPVF903642			16.0#	48	87	498	501	514	528	43
	on flat aluminum trim	48" 36" 12"	PCPVF903648			16.0#	49	96	503	509	522	535	43
	on hat alammam time	54" 36" 18"	PCPVF903654			16.0#	56	65	579	583	597	609	43
		60" 36" 24"	PCPVF903660			16.0#	49	90	500	502	516	529	43
		66" 36" 30"	PCPVF903666			16.0#	58	88	599	603	616	632	43
		72" 36" 36"	PCPVF903672			16.0#	60	06	617	624	637	657	43
		78" 36" 42"	PCPVF903678			16.0#	58	81	591	599	608	629	43
		84" 36" 48"	PCPVF903684			16.0#	71	13	725	734	744	766	43
		48" 42" 6"	PCPVF904248			16.0#	51	16	525	529	541	555	43
		54" 42" 12"	PCPVF904254			12.0#	54	43	552	559	574	588	43
		60" 42" 18"	PCPVF904260			12.0#	51	16	525	528	538	555	43
		66" 42" 24"	PCPVF904266			14.0#	61	15	624	630	643	663	43
		72" 42" 30"	PCPVF904272			14.0#	64	49	662	667	676	697	43
		78" 42" 36"	PCPVF904278			14.0#	58	81	591	599	608	629	43
		84" 42" 42"	PCPVF904284			17.0#	71	16	729	737	751	776	43
		54" 48" 6"	PCPVF904854			17.0#	55	55	565	569	583	601	43
		60" 48" 12"	PCPVF904860			17.0#	48	86	497	500	509	526	43
		66" 48" 18"	PCPVF904866			17.0#	60	03	616	620	634	656	43
		72" 48" 24"	PCPVF904872			17.0#	62	20	634	643	658	670	43
		78" 48" 30"	PCPVF904878			17.0#	57	79	589	597	607	620	43
		84" 48" 36"	PCPVF904884			17.0#	69	92	705	715	727	747	43
			•	•									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

©Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions

			MODEL NUM	BER								
	MODEL	A B A-B	Basic Model		Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	90° 2-Way "L" Corner, Two Different	60" 54" 6"	PCPVF905460			15.0#	\$ 486	\$ 497	\$ 500	\$ 509	\$ 526	\$ 43
	Heights	66" 54" 12"	PCPVF905466			15.0#	568	579	583	597	614	43
6 11	Upholstered1-way cap	72" 54" 18"	PCPVF905472			15.0#	619	634	642	657	669	43
	1-way cap 90° corner base trim	78" 54" 24"	PCPVF905478			15.0#	577	588	595	606	619	43
8	Two fabric-wrapped pieces of universal	84" 54" 30"	PCPVF905484			18.0#	686	699	709	722	741	43
	trim	66" 60" 36"	PCPVF906066			18.0#	492	501	503	518	532	43
	 One fabric-wrapped piece of universal height change trim 	72" 60" 12"	PCPVF906072			18.0#	523	532	535	547	562	43
	 One half-post (height A) 	78" 60" 18"	PCPVF906078			18.0#	575	586	592	603	617	43
*	One half-post (height B)					18.0#	603	615	619	634	656	43
PTNF	Connecting hardwareSX Starlight Silver finish is only offered	72" 66" 6"				19.0#	586	597	602	615	630	43
	on flat aluminum trim	78" 66" 12"	PCPVF906678			19.0#	542	552	561	574	588	43
		84" 66" 18"				19.0#	617	630	640	657	670	43
		78" 72" 6"	PCPVF907278			19.0#	574	582	591	602	616	43
			PCPVF907284			19.0#	656	663	669	683	700	43
		84" 78" 6"	PCPVF907884			19.0#	599	608	615	629	648	43
			A	3	©							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat aluminum trim.

©Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Intersection Conditions Off-Module Post



Preconfigured Intersection Conditions Off-Module Post

					Y	
		MODEL N	UMBER			
						Metallic
		D	T.:	Approx.	Different	Paint
	MODEL	H Model	Trim Color	Packaged Weight	Delivered Pricing	add to list price
		30" POMP30		3.0#	\$ 295	\$ 11
S		36" POMP36		3.0#	299	11
	trim only (remainder of panel a& trim	42" POMP42		4.0#		
	uruereu separatery				306	11
		48" POMP48		4.0#	315	11
		54" POMP54		5.0#	320	11
	Cannot be used with glass dividers	60" POMP60		5.0#	349	11
		66" POMP66		6.0#	324	11
Ţ		72" POMP72		6.0#	327	11
· ·		78" POMP78		6.0#	357	11
		84" POMP84		7.0#	341	11
PTN						
- 40	Off-Module Post	30" POMPS.30		4.0#	\$ 456	N/A
40°		36" POMPS.36		5.0#	468	N/A
I	or flat aluminum tri (remainder of panel & trim ordered separately	42" POMPS.42		6.0#	482	N/A
	Includes rounded plastic off-module top	48" POMPS.48		7.0#	502	N/A
	cap for covering gap at panel connection			8.0#	516	N/A
	(if using flat aluminum trim, also order	60" POMPS.60		9.0#	525	N/A
	off-module top cap 46-5414.xx) • 1" gap w/light block at panel connection			10.0#	555	N/A
	Allows glass divider installations	72" POMPS.72		11.0#	575	N/A
Ā		78" POMPS.78		12.0#	588	N/A
		84" POMPS.84		13.0#	603	N/A
HRDPT		0- 1 OWN 0.04		10.0#	000	IVA
ווערוו						
			1	T. Control of the Con		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

A

(3)

SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Intersection Conditions Adjustable Wall Mount and Stabilizer Weldment



Preconfigured Intersection Conditions Adjustable Wall Mount and Stabilizer Weldment

						·	
			MODEL N	UMBER			
							Metallic
			Donio	Trim	Approx. Packaged	Delivered	Paint add to list
	MODEL	WxHxD	Basic Model	Color	Weight	Pricing	price
	Wall Track	2 1/2 x 31 x 1"	PWT30		2.0#	\$ 44	\$ 16
£119	 Double slotted track accommodates wall 	2 1/2 x 37 x 1"	PWT36		2.0#	48	16
		2 1/2 x 43 x 1"			3.0#	49	23
	WUIKSUIIdUUS	2 1/2 x 49 x 1"			3.0#	51	28
	No hardware for wall attachment is	2 1/2 x 55 x 1"			3.0#	53	34
	included	2 1/2 x 61 x 1"			4.0#	56	39
	See installation guidelinesSX Starlight Silver finish is only offered	2 1/2 x 67 x 1"	PWT66		4.0#	64	41
HRDPT	or claingin our inner to only oncrea	2 1/2 x 73 x 1"			4.0#	65	42
		2 1/2 x 79 x 1"			5.0#	67	43
		2 1/2 x 85 x 1"			5.0#	68	43
	Adjustable Wall Mount	2 1/2 x 30 x 1"	PWM30		11.0#	\$ 198	\$ 42
	 Attaches a panel to a wall at the start of a 	a 2 1/2 x 36 x 1"	PWM36		13.0#	202	42
	run • Includes mounting plate and half-post	2 1/2 x 42 x 1"	PWM42		15.0#	225	67
	Steel construction with painted finish	2 1/2 x 48 x 1"	PWM48		17.0#	230	69
	 Hardware for wall attachment is not 	2 1/2 x 54 x 1"			19.0#	233	69
	includedAdjustable up to 3/4" to correct wall	2 1/2 x 60 x 1"	PWM60		23.0#	301	73
	deflection	2 1/2 x 66 x 1"	PWM66		23.0#	301	77
	 SX Starlight Silver finish is only offered 	2 1/2 x 72 x 1"	PWM72		25.0#	345	79
· ·	on flat aluminum trim	2 1/2 x 78 x 1"	PWM78		23.0#	353	81
HRDPT		2 1/2 x 84 x 1"	PWM84		30.0#	366	84
	Stabilizer Weldment		PSB		1.0#	\$ 165	N/A
	Anchors to floor and attaches to vertical						
•	post of panel for added stability on run • Includes hardware						
	Black						
₩							
HRDPT							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list. SX Starlight Silver finish is only offered on flat

A

B

aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 180° 2-Way

						<u>▼</u>	
			MODEL NU	IMBER			
							Metallic
			Dania	Tuina	Approx.	Delinous	Paint and to list
	MODEL	A B A-B	Basic Model	Trim Color	Packaged Weight	Delivered Pricing	add to list price
	180° 2-Way In-Line Connection, Both	30"	PFP30	00.0.	4.0#	\$ 68	N/A
	Panels Same Height	36"	PFP36		5.0#	75	N/A
	 Unupholstered 	42"	PFP42		5.0#	79	N/A
	 Full-height post 	48"	PFP48		6.0#	83	N/A
		54"	PFP54		6.0#	93	N/A
		66"	PFP66		7.0#	105	N/A
		72"	PFP72		8.0#	110	N/A
PTN		84"	PFP84		9.0#	121	N/A
^	180° 2-Way In-Line Connection, Two	36" 30" 6"	PFPV3036		4.0#	\$ 84	\$ 49
ė h	Different Heights	42" 30" 12"	PFPV3042		6.0#	100	52
	 Unupholstered: trim colored 	48" 30" 18"	PFPV3048		6.0#	111	52
	Full height postIn-line height change trim	54" 30" 24"	PFPV3054		7.0#	123	52
	In-line height change bottom cap	66" 30" 36"	PFPV3066		8.0#	145	54
	 End-of-run top cap 	72" 30" 42"	PFPV3072		10.0#	158	67
	SX Starlight Silver finish is only offered The sluminum trips	84" 30" 54"	PFPV3084		11.0#	180	68
PTN	on flat aluminum trim	42" 36" 6"	PFPV3642		5.0#	94	49
		48" 36" 12"	PFPV3648		6.0#	107	52
		54" 36" 18"	PFPV3654		7.0#	118	52
		66" 36" 30"	PFPV3666		8.0#	140	53
		72" 36" 36"	PFPV3672		9.0#	152	54
		84" 36" 48"	PFPV3684		11.0#	174	67
		48" 42" 6"	PFPV4248		6.0#	100	49
		54" 42" 12"	PFPV4254		7.0#	111	52
		66" 42" 24"	PFPV4266		8.0#	133	52
		72" 42" 30"	PFPV4272		9.0#	145	53
		84" 42" 42"	PFPV4284		11.0#	171	67
		54" 48" 6"	PFPV4854		6.0#	107	49
		66" 48" 18"	PFPV4866		8.0#	129	52
		72" 48" 24"	PFPV4872		9.0#	140	52
		84" 48" 36"	PFPV4884		11.0#	165	53
		66" 54" 12"	PFPV5466		8.0#	123	52
		72" 54" 18"			9.0#	133	52
		84" 54" 30"	PFPV5484		11.0#	158	53
		72" 66" 6"	PFPV6672		8.0#	123	49
		84" 66" 18"	PFPV6684		10.0#	145	52
		84" 72" 12"	PFPV7284		10.0#	140	52
			A	B			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list. SX Starlight Silver finish is only offered on flat

aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 180° 2-Way

						—					
		MODEL NUMBER	R								
	MODEL	Basic A Model Asse	Trim	Approx. Packaged I Weight I	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	180° 2-Way In-Line Spacer, Both Panels			7.0#	\$ 233						\$ 87
	Same Height	36" PSP18036 □		9.0#	246						92
	Unupholstered: trim colored180° top cap	42" PSP18042 🗆		10.0#	284						92
^	Two pieces of universal trim	48" PSP18048 □		13.0#	306						115
	 Two pieces of 3-way base trim 	54" PSP18054 🗆		15.0#	341						121
	Two half-postsConnecting hardware	66" PSP18066 □		16.0#	349						124
	 SX Starlight Silver finish is only offered 	72" PSP18072 🗆		18.0#	366						127
	on flat aluminum trim	84" PSP18084 🗆		20.0#	435						130
PTN											
	180° 2-Way In-Line Spacer, Both Panels	s 30" PSPF18030 □		7.0#	N/A	\$ 319	\$ 322	\$ 324	\$ 329	\$ 345	\$ 49
* * /	Same Height	36" PSPF18036 □		9.0#	N/A	325	335	339	345	355	49
	Upholstered180° top cap	42" PSPF18042 □		10.0#	N/A	404	414	417	427	435	49
^	 Two top cap Two fabric-wrapped pieces of universal 	48" PSPF18048 □		13.0#	N/A	425	430	434	441	458	49
	trim	54" PSPF18054 🗆		15.0#	N/A	458	467	471	483	496	49
	Two pieces of 3-way base trim Two half poets	66" PSPF18066 □		16.0#	N/A	471	482	484	496	505	49
	Two half-postsConnecting hardware	72" PSPF18072 🗆		18.0#	N/A	496	502	505	519	534	49
	 SX Starlight Silver finish is only offered 	84" PSPF18084 🗆		20.0#	N/A	574	583	589	602	616	49
	on flat aluminum trim										
PTNF											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select assembly.

F - Fully Assembled; add \$79

 Θ \mathbf{O}

- Unassembled

©Select trim color.

Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

OSelect fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 180° 2-Way

				▼	
		MODEL NUMBI	:R		
					Metallic
		Danie .	Approx.	Dellarend	Paint and the first
	MODEL		Frim Packaged Color Weight	Delivered Pricing	add to list price
	180° 2-Way In-Line Spacer, Two Different		□□ 10.0#	\$ 260	\$ 107
	Heights		□□ 9.0#	311	108
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	 Unupholstered: trim colored 		□□ 12.0#	321	132
	Two pieces of 3-way base trim1-way top cap		□□ 11.0#	394	134
	Two pieces of universal trim		□□ 13.0#	406	143
"	One piece of universal height change		□□ 17.0#	395	160
	trim		□□ 16.0#	511	165
	One half-post (height A)One half-post (height B)		□□ 11.0#	311	107
V	 Connecting hardware 		□□ 12.0#	321	132
PTN	 SX Starlight Silver finish is only offered 		□□ 14.0#	391	134
	on flat aluminum trim		□□ 16.0#	403	143
		72" 36" 36" PSPV1803672	□□ 17.0#	398	148
		84" 36" 48" PSPV1803684	□□ 19.0#	518	165
		48" 42" 6" PSPV1804248	□□ 13.0#	321	131
		54" 42" 12" PSPV1804254	□□ 12.0#	355	134
		66" 42" 24" PSPV1804266	□□ 14.0#	421	140
		72" 42" 30" PSPV1804272	□□ 18.0#	456	148
		84" 42" 42" PSPV1804284	□□ 17.0#	523	162
		54" 48" 6" PSPV1804854	□□ 14.0#	379	133
		66" 48" 18" PSPV1804866	□□ 17.0#	426	140
		72" 48" 24" PSPV1804872 [□□ 18.0#	382	145
		84" 48" 36" PSPV1804884	□□ 20.0#	498	153
		66" 54" 12" PSPV1805466	□□ 15.0#	387	140
		72" 54" 18" PSPV1805472	□□ 18.0#	382	145
		84" 54" 30" PSPV1805484	□□ 18.0#	496	153
		72" 66" 6" PSPV1806672	□□ 18.0#	379	143
		84" 66" 18" PSPV1806684	□□ 19.0#	458	150
		84" 72" 12" PSPV1807284	□□ 21.0#	483	150
			-		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

3

SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 180° 2-Way

			MODEL NUME	BER								
	MODEL	АВА-В	Basic Model		Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	180° 2-Way In-Line Spacer, Two Different	36" 30" 6"	PSPVF1803036			10.0#	\$ 357	\$ 364	\$ 365	\$ 373	\$ 384	\$ 49
	Heights	42" 30" 12"	PSPVF1803042			9.0#	485	496	500	509	524	49
	UpholsteredTwo pieces of 3-way base trim	48" 30" 18"	PSPVF1803048			12.0#	404	414	417	426	434	49
	1-way top cap	54" 30" 24"	PSPVF1803054			11.0#	568	581	586	599	615	49
	Two fabric-wrapped pieces of universal		PSPVF1803066			13.0#	591	602	607	618	637	49
	trimOne fabric-wrapped piece of universal	72" 30" 42"				17.0#	453	463	466	475	487	49
	height change trim	84" 30" 54"	PSPVF1803084			16.0#	709	722	731	741	765	49
	One half-post (height A)	42" 36" 6"	PSPVF1803642			11.0#	391	398	403	414	425	49
	One half-post (height B)	48" 36" 12"	PSPVF1803648			12.0#	402	407	414	424	432	49
PTNF	Connecting hardwareSX Starlight Silver finish is only offered	54" 36" 18"	PSPVF1803654			14.0#	427	433	435	442	461	49
	on flat aluminum trim	66" 36" 30"	PSPVF1803666			16.0#	438	447	456	465	475	49
		72" 36" 36"				17.0#	457	465	468	478	492	49
		84" 36" 48"	PSPVF1803684			19.0#	505	518	523	534	548	49
		48" 42" 6"	PSPVF1804248			13.0#	404	414	417	426	434	49
		54" 42" 12"	PSPVF1804254			12.0#	457	467	473	484	500	49
		66" 42" 24"	PSPVF1804266			14.0#	559	574	581	591	607	49
		72" 42" 30"	PSPVF1804272			18.0#	609	617	620	632	648	49
		84" 42" 42"	PSPVF1804284			17.0#	716	729	737	751	776	49
		54" 48" 6"	PSPVF1804854			14.0#	432	436	440	456	466	49
		66" 48" 18"	PSPVF1804866			17.0#	442	456	458	468	483	49
		72" 48" 24"	PSPVF1804872			18.0#	458	466	471	482	492	49
		84" 48" 36"	PSPVF1804884			20.0#	505	518	523	534	548	49
		66" 54" 12"	PSPVF1805466			15.0#	568	581	586	599	614	49
		72" 54" 18"				18.0#	457	466	468	482	492	49
		84" 54" 30"	PSPVF1805484			18.0#	688	700	709	725	741	49
		72" 66" 6"	PSPVF1806672			18.0#	453	463	466	475	487	49
		84" 66" 18"	PSPVF1806684			19.0#	468	483	487	501	525	49
		84" 72" 12"	PSPVF1807284			21.0#	486	497	500	511	526	49
			A	3	•							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat aluminum trim.

©Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 3-Way

									•					
			MODEL NU	JMBER										
	MODEL	A	Basic Model	Assembly	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
		30"	PTP3W30				9.0#	\$ 253						\$ 52
Å Å	Panels Same Height - AAA	36"	PTP3W36				9.0#	274						53
	Unupholstered3-way top cap	42"	PTP3W42				12.0#	306						53
A III	3-way top cap 3-way base trim	48"	PTP3W48				12.0#	341						67
	One piece of universal trim	54"	PTP3W54				15.0#	361						68
	Light block There is the party	60"	PTP3W60				15.0#	322						68
	Three half-postsConnecting hardware	66"	PTP3W66				18.0#	374						69
	SX Starlight Silver finish is only offered	72"	PTP3W72				18.0#	384						71
PTN	on flat aluminum trim	78"	PTP3W78				18.0#	391						71
		84"					22.0#	465						73
	3-Way "T" Intersection w/3-Way Cap, All	30"	PTPF3W30				9.0#	N/A	\$ 297	\$ 301	\$ 306	\$ 312	\$ 322	\$ 36
1	Panels Same Height - AAA	36"	PTPF3W36				9.0#	N/A	311	320	321	324	339	36
	Upholstered3-way top cap	42"	PTPF3W42				12.0#	N/A	365	373	376	382	395	36
	• 3-way top cap • 3-way base trim	48"	PTPF3W48				12.0#	N/A	397	404	407	420	428	36
	One piece of fabric-wrapped universal	54"	PTPF3W54				15.0#	N/A	424	430	433	438	457	36
	trim	60"	PTPF3W60				15.0#	N/A	376	381	384	395	406	36
	Light blockThree half-posts	66"	PTPF3W66				18.0#	N/A	433	440	442	458	468	36
	Connecting hardware	72"	PTPF3W72				18.0#	N/A	447	458	463	473	484	36
PTF	SX Starlight Silver finish is only offered	78"	PTPF3W78				18.0#	N/A	447	457	461	468	485	36
	on flat aluminum trim	84"	PTPF3W84				22.0#	N/A	529	541	547	557	574	36

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select assembly.

F - Fully Assembled; add \$102

- Unassembled

©Select trim color.

Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

OSelect fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 3-Way

						<u> </u>	
			MODEL NUI	MBER			
							Metallic
					Approx.		Paint
	MODEL	A B A-B	Basic Model	Trim Color	Packaged Weight	Delivered Pricing	add to list price
					10.0#	\$ 315	·
	3-Way "T" Intersection w/90° Top Cap, Two Different Heights - BAA	36" 30" 6" 42" 30" 12"	PTPV903036 PTPV903042		10.0#	327	\$ 69
	Unupholstered: trim colored	48" 30" 18"	PTPV903042		11.0#	353	71 84
	 90° top cap 	54" 30" 24"	PTPV903046		12.0#	417	87
	3-way base trim		PTPV903054 PTPV903066		12.0#		
	 One piece of universal height change trim 	66" 30" 36" 72" 30" 42"	PTPV903066 PTPV903072		14.0#	432 467	92 105
	Light block	84" 30" 54"	PTPV903072		16.0#	534	
	 Two half-posts (height A) 	42" 36" 6"	PTPV903064 PTPV903642		14.0#	354	108 69
	One half-post (height B) Connecting bardware		PTPV903642 PTPV903648		14.0#	300	
DTM	Connecting hardwareSX Starlight Silver finish is only offered	48" 36" 12"					84 87
PTN	on flat aluminum trim	54" 36" 18"	PTPV903654		14.0#	420	
		66" 36" 30"	PTPV903666		16.0#	432	92 93
		72" 36" 36"	PTPV903672		18.0#	457 For	
		84" 36" 48"	PTPV903684		17.0#	501	108
		48" 42" 6"	PTPV904248		19.0#	391 	80
		54" 42" 12"	PTPV904254		14.0#	411	87
		66" 42" 24"	PTPV904266		16.0#	428	90
		72" 42" 30"	PTPV904272		22.0#	447	93
		84" 42" 42"	PTPV904284		18.0#	543	107
		54" 48" 6"	PTPV904854		10.0#	426	84
		66" 48" 18"	PTPV904866		12.0#	436	90
		72" 48" 24"	PTPV904872		14.0#	467	92
		84" 48" 36"	PTPV904884		16.0#	503	94
		66" 54" 12"	PTPV905466		17.0#	424	90
		72" 54" 18"	PTPV905472		14.0#	436	92
		84" 54" 30"	PTPV905484		19.0#	522	94
		72" 66" 6"	PTPV906672		16.0#	433	90
		84" 66" 18"	PTPV906684		22.0#	467	93
		84" 72" 12"	PTPV907284		18.0#	496	93

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

A

3

SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 3-Way

						•					
			MODEL NUM	IBER							
	MODEL	A B A-B	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	3-Way "T" Intersection w/90° Top Cap,	36" 30" 6"	PTPVF903036		12.0#	\$ 414	\$ 421	\$ 425	\$ 432	\$ 440	\$ 36
	Two Different Heights - BAA	42" 30" 12"	PTPVF903042		11.0#	441	456	458	467	482	36
	Upholstered90° top cap	48" 30" 18"	PTPVF903048		16.0#	501	514	518	528	542	36
	3-way base trim	54" 30" 24"	PTPVF903054		14.0#	529	538	543	555	574	36
8	One piece of fabric-wrapped universal	66" 30" 36"	PTPVF903066		17.0#	551	562	568	581	597	36
	trim	72" 30" 42"	PTPVF903072		22.0#	516	525	529	541	555	36
	 One piece of universal height change trim 	84" 30" 54"	PTPVF903084		21.0#	660	669	676	692	713	36
	Light block	42" 36" 6"	PTPVF903642		14.0#	452	458	465	473	485	36
	 Two half-posts (height A) 	48" 36" 12"	PTPVF903648		16.0#	467	474	482	490	502	36
PTNF	One half-post (height B)Connecting hardware	54" 36" 18"	PTPVF903654		17.0#	496	502	509	522	534	36
	SX Starlight Silver finish is only offered	66" 36" 30"	PTPVF903666		20.0#	516	526	529	541	555	36
	on flat aluminum trim	72" 36" 36"	PTPVF903672		22.0#	519	529	534	547	561	36
		84" 36" 48"	PTPVF903684		25.0#	595	606	609	620	640	36
		48" 42" 6"	PTPVF904248		16.0#	468	478	483	492	505	36
		54" 42" 12"	PTPVF904254		15.0#	505	518	522	534	547	36
		66" 42" 24"	PTPVF904266		18.0#	563	577	582	592	608	36
		72" 42" 30"	PTPVF904272		23.0#	602	608	614	620	637	36
		84" 42" 42"	PTPVF904284		22.0#	668	678	690	704	722	36
		54" 48" 6"	PTPVF904854		18.0#	502	514	519	529	543	36
		66" 48" 18"	PTPVF904866		21.0#	523	532	537	548	562	36
		72" 48" 24"	PTPVF904872		23.0#	525	534	538	549	563	36
		84" 48" 36"	PTPVF904884		26.0#	597	607	614	624	642	36
		66" 54" 12"	PTPVF905466		18.0#	534	543	549	561	577	36
		72" 54" 18"	PTPVF905472		23.0#	523	532	537	548	562	36
		84" 54" 30"	PTPVF905484		22.0#	642	658	663	672	694	36
		72" 66" 6"	PTPVF906672		23.0#	519	529	534	547	561	36
		84" 66" 18"	PTPVF906684		23.0#	549	562	569	583	602	36
		84" 72" 12"	PTPVF907284		26.0#	579	589	595	607	620	36

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A

 $oldsymbol{\Theta}$

Θ

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat aluminum trim.

©Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 3-Way

						•	
			MODEL NUM	IBER			
			Basic	Trim	Approx. Packaged	Delivered	Metallic Paint add to list
	MODEL	A B A-B		Color	Weight	Pricing	price
	3-Way "T" Intersection w/1-Way Cap,	36" 30" 6"	PTPV1W3036		12.0#	\$ 320	\$ 87
	Two Different Heights - BBA or BAB • Unupholstered: trim colored	42" 30" 12"			10.0#	339	92
	1-way top cap	48" 30" 18"	PTPV1W3048		15.0#	387	104
	 One piece of universal trim 	54" 30" 24"	PTPV1W3054		14.0#	417	105
B	Two pieces of universal height change	66" 30" 36"	PTPV1W3066		16.0#	435	110
	trim • Light block	72" 30" 42"			20.0#	471	134
	 3-way base trim 	84" 30" 54"	PTPV1W3084		20.0#	534	143
	One half-post (height A) The half posts (height A) The half posts (height A)	42" 36" 6"	PTPV1W3642		14.0#	355	87
· •	 Two half-posts (height B) Connecting hardware	48" 36" 12"	PTPV1W3648		15.0#	373	104
	 SX Starlight Silver finish is only offered 	54" 36" 18" 66" 36" 30"	PTPV1W3654		16.0#	397 450	105
	on flat aluminum trim		PTPV1W3666		18.0# 20.0#	452	110 111
		72" 36" 36" 84" 36" 48"	PTPV1W3672 PTPV1W3684		23.0#	497 559	
		48" 42" 6"	PTPV1W3004		16.0#	373	143 100
		54" 42" 12"	PTPV1W4246		13.0#	395	105
		66" 42" 24"	PTPV1W4266		15.0#	452	107
		72" 42" 30"	PTPV1W4272		21.0#	484	111
PTN		84" 42" 42"	PTPV1W4284		17.0#	538	137
1 110		54" 48" 6"	PTPV1W4854		17.0#	441	102
		66" 48" 18"	PTPV1W4866		20.0#	465	107
		72" 48" 24"	PTPV1W4872		21.0#	473	108
		84" 48" 36"	PTPV1W4884		23.0#	528	112
		66" 54" 12"	PTPV1W5466		18.0#	430	107
		72" 54" 18"	PTPV1W5472		22.0#	471	108
		84" 54" 30"	PTPV1W5484		20.0#	525	112
		72" 66" 6"	PTPV1W6672		23.0#	465	105
		84" 66" 18"	PTPV1W6684		21.0#	484	110
		84" 72" 12"	PTPV1W7284		26.0#	500	112
			Ø	B			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list. SX Starlight Silver finish is only offered on flat

aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 3-Way

							•					
			MODEL NUM	IBER								
	MODEL	A B A-B	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	3-Way "T" Intersection w/1-Way Cap,	36" 30" 6"	PTPVF1W3036			12.0#	\$ 406	\$ 415	\$ 420	\$ 427	\$ 435	\$ 36
	Two Different Heights - BBA or BAB	42" 30" 12"	PTPVF1W3042			10.0#	505	518	523	534	548	36
	Upholstered1-way top cap	48" 30" 18"	PTPVF1W3048			15.0#	562	575	581	591	607	36
	 One fabric-wrapped piece of universal 	54" 30" 24"	PTPVF1W3054			14.0#	591	602	607	618	637	36
B	trim	66" 30" 36"	PTPVF1W3066			16.0#	619	632	639	656	668	36
	Two fabric-wrapped pieces of universal	72" 30" 42"	PTPVF1W3072			20.0#	496	502	509	522	534	36
	height change trim • Light block	84" 30" 54"	PTPVF1W3084			20.0#	725	734	737	751	766	36
	3-way base trim	42" 36" 6"	PTPVF1W3642			14.0#	442	457	461	471	484	36
	 One half-post (height A) 	48" 36" 12"	PTPVF1W3648			15.0#	456	465	467	478	490	36
	Two half-posts (height B)Connecting hardware	54" 36" 18"	PTPVF1W3654			16.0#	475	485	490	501	516	36
	SX Starlight Silver finish is only offered	66" 36" 30"	PTPVF1W3666			18.0#	496	502	505	519	534	36
	on flat aluminum trim	72" 36" 36"	PTPVF1W3672			20.0#	501	511	518	528	542	36
		84" 36" 48"	PTPVF1W3684			23.0#	557	569	581	592	615	36
		48" 42" 6"	PTPVF1W4248			16.0#	461	468	473	484	497	36
		54" 42" 12"	PTPVF1W4254			13.0#	502	516	519	532	548	36
		66" 42" 24"	PTPVF1W4266			15.0#	595	606	609	624	643	36
		72" 42" 30"	PTPVF1W4272			21.0#	639	649	657	664	676	36
PTNF		84" 42" 42"	PTPVF1W4284			17.0#	729	740	751	764	788	36
		54" 48" 6"	PTPVF1W4854			17.0#	500	509	516	526	541	36
		66" 48" 18"	PTPVF1W4866			19.0#	516	525	529	541	555	36
		72" 48" 24"	PTPVF1W4872			21.0#	522	532	537	548	562	36
		84" 48" 36"	PTPVF1W4884			23.0#	574	582	588	601	616	36
		66" 54" 12"				18.0#	602	614	617	630	650	36
		72" 54" 18"				22.0#	525	534	538	549	563	36
		84" 54" 30"				20.0#	709	725	731	744	766	36
		72" 66" 6"	PTPVF1W6672			23.0#	525	534	538	549	563	36
		84" 66" 18"				21.0#	541	552	562	577	599	36
		84" 72" 12"	PTPVF1W7284			26.0#	557	568	575	588	602	36
			_	_	_							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

©Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 3-Way

			MODEL NUMBER			
	MODEL	A B A-B	Basic Trim Model Color	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
	3-Way "T" Intersection w/180° Top Cap,	36" 30" 6"	PTPV1803036 🗆	10.0#	\$ 315	\$ 69
	Two Different Heights - ABA	42" 30" 12"	PTPV1803042	10.0#	327	53
	Unupholstered: trim colored	48" 30" 18"	PTPV1803048 □□	11.0#	353	84
	180° top capOne piece of universal trim	54" 30" 24"	PTPV1803054 □□	12.0#	417	68
	One piece of universal height change	66" 30" 36"	PTPV1803066 □□	14.0#	432	69
	trim	72" 30" 42"	PTPV1803072 □□	12.0#	428	92
	Light block3-way base trim	84" 30" 54"	PTPV1803084 □□	16.0#	534	73
	Two half-posts (height A)	42" 36" 6"	PTPV1803642 □□	14.0#	366	108
PTN	 One half-post (height B) 	48" 36" 12"	PTPV1803648 □□	16.0#	391	69
	Connecting hardwareSX Starlight Silver finish is only offered	54" 36" 18"	PTPV1803654 □□	14.0#	420	84
	on flat aluminum trim	66" 36" 30"	PTPV1803666 □□	16.0#	432	87
		72" 36" 36"	PTPV1803672 □□	18.0#	433	92
		84" 36" 48"	PTPV1803684 □□	17.0#	501	93
		48" 42" 6"	PTPV1804248 □□	19.0#	391	108
		54" 42" 12"	PTPV1804254 □□	14.0#	420	68
		66" 42" 24"	PTPV1804266 □□	16.0#	467	69
		72" 42" 30"	PTPV1804272 □□	22.0#	492	90
		84" 42" 42"	PTPV1804284 □□	18.0#	543	73
		54" 48" 6"	PTPV1804854 □□	10.0#	426	107
		66" 48" 18"	PTPV1804866 □□	12.0#	436	84
		72" 48" 24"	PTPV1804872 □□	14.0#	436	90
		84" 48" 36"	PTPV1804884 □□	16.0#	503	92
		66" 54" 12"	PTPV1805466 □□	17.0#	424	94
		72" 54" 18"	PTPV1805472 □□	14.0#	436	90
		84" 54" 30"	PTPV1805484 □□	19.0#	522	92
		72" 66" 6"	PTPV1806672	16.0#	433	94
		84" 66" 18"	PTPV1806684 □□	22.0#	466	90
		84" 72" 12"	PTPV1807284 □□	18.0#	496	93

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

A

0

SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 3-Way

			MODEL NUME	BER								
	MODEL	A B A-B	Basic Model		Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	3-Way "T" Intersection w/180° Top Cap,	36" 30" 6"	PTPVF1803036			13.0#	\$ 414	\$ 424	\$ 426	\$ 433	\$ 441	\$ 36
	Two Different Heights - ABA	42" 30" 12"	PTPVF1803042			10.0#	447	458	463	473	484	36
	Upholstered180° top cap	48" 30" 18"	PTPVF1803048			16.0#	503	518	522	532	547	36
A III	 Top cap One fabric-wrapped piece of universal 	54" 30" 24"	PTPVF1803054			12.0#	534	542	548	561	577	36
	trim	66" 30" 36"	PTPVF1803066			14.0#	555	565	574	583	601	36
	One fabric-wrapped piece of universal	72" 30" 42"	PTPVF1803072			23.0#	519	528	534	543	559	36
	height change trim • Light block	84" 30" 54"	PTPVF1803084			16.0#	663	672	683	695	715	36
	3-way base trim	42" 36" 6"	PTPVF1803642			15.0#	456	463	467	475	487	36
PTNF	 Two half-posts (height A) 	48" 36" 12"	PTPVF1803648			17.0#	471	478	484	496	505	36
	One half-post (height B)Connecting hardware	54" 36" 18"	PTPVF1803654			19.0#	498	505	514	525	538	36
	SX Starlight Silver finish is only offered	66" 36" 30"	PTPVF1803666			22.0#	519	529	534	547	561	36
	on flat aluminum trim	72" 36" 36"	PTPVF1803672			24.0#	523	534	537	549	563	36
		84" 36" 48"	PTPVF1803684			28.0#	599	608	615	627	643	36
		48" 42" 6"	PTPVF1804248			18.0#	473	483	485	497	511	36
		54" 42" 12"	PTPVF1804254			14.0#	509	522	525	537	549	36
		66" 42" 24"	PTPVF1804266			16.0#	568	581	586	597	614	36
		72" 42" 30"	PTPVF1804272			25.0#	606	615	618	630	648	36
		84" 42" 42"	PTPVF1804284			18.0#	670	685	694	707	726	36
		54" 48" 6"	PTPVF1804854			20.0#	505	518	523	534	548	36
		66" 48" 18"	PTPVF1804866			23.0#	526	535	541	551	565	36
		72" 48" 24"	PTPVF1804872			26.0#	528	537	542	552	568	36
		84" 48" 36"	PTPVF1804884			29.0#	601	609	616	629	648	36
		66" 54" 12"	PTPVF1805466			17.0#	537	548	552	563	582	36
		72" 54" 18"	PTPVF1805472			10.0#	526	535	541	551	568	36
		84" 54" 30"	PTPVF1805484			19.0#	648	660	666	676	697	36
		72" 66" 6"	PTPVF1806672			27.0#	523	534	537	549	563	36
		84" 66" 18"	PTPVF1806684			22.0#	552	565	575	588	606	36
		84" 72" 12"	PTPVF1807284			30.0#	582	592	601	608	627	36

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat aluminum trim.

 $oldsymbol{\Theta}$

 Θ

©Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 4-Way

			MODEL N	NUMBER				
	MODEL		Basic Model	Assembly	Trim Color	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
· · · · · · · · · · · · · · · · · · ·	4-Way "X" Intersection with 4-Way Top		PXP4W30			10.0#	\$ 282	\$ 11
	Cap, All Panels Same Height	36"	PXP4W36			10.0#	293	11
	Unupholstered: trim colored A way top cap	42"	PXP4W42			14.0#	323	11
A A	4-way top cap4-way light block	48"	PXP4W48			14.0#	366	11
	 Four half-posts 	54"	PXP4W54			19.0#	382	11
	Connecting hardware	60"	PXP4W60			19.0#	349	11
	 SX Starlight Silver finish is only offered on flat aluminum trim 	66"	PXP4W66			23.0#	397	11
P	on hat aluminum trim	72"	PXP4W72			23.0#	398	11
PTN		78"	PXP4W78			23.0#	417	11
		84"	PXP4W84			30.0#	486	11
			A	B	0			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select assembly.

F - Fully Assembled; add \$124

- Unassembled

©Select trim color.

Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 4-Way

					•	
			MODEL NUM	BER		
						Metallic
				Appro		Paint
	MODEL	A D A D	Basic	Trim Packa		
	MODEL	A B A-B		Color Weigh	Pricing	price
*		36" 30" 6"	PXPV3W3036	□□ 13		·
	Cap, Two Different Heights - AAAB • Unupholstered: trim colored	42" 30" 12"	PXPV3W3042	□□ 14		
	3-way top cap	48" 30" 18"	PXPV3W3048	□□ 17		
A S	 4-way light block 	54" 30" 24"	PXPV3W3054	□□ 17		
		66" 30" 36"	PXPV3W3066	□□ 20		
	trim	72" 30" 42"	PXPV3W3072	□□ 23	411	
	One half-post (height B)Three half-posts (height A)	84" 30" 54"	PXPV3W3084	□□ 26	559	52
¥	Connecting hardware	42" 36" 6"	PXPV3W3642	□□ 16	355	36
PTN	SX Starlight Silver finish is only offered	48" 36" 12"	PXPV3W3648	□□ 17	387	39
	on flat aluminum trim	54" 36" 18"	PXPV3W3654	□□ 19	404	39
		66" 36" 30"	PXPV3W3666	□□ 21	426	40
		72" 36" 36"	PXPV3W3672	□□ 23	417	41
		84" 36" 48"	PXPV3W3684	□□ 26	492	49
		48" 42" 6"	PXPV3W4248	□□ 18	¥ 385	
		54" 42" 12"	PXPV3W4254	□□ 18		
		66" 42" 24"	PXPV3W4266	□□ 21	¥ 475	
		72" 42" 30"	PXPV3W4272	□□ 24	¥ 505	40
		84" 42" 42"	PXPV3W4284	□□ 27		
		54" 48" 6"	PXPV3W4854	□□ 20		
		66" 48" 18"	PXPV3W4866	□□ 23		
		72" 48" 24"	PXPV3W4872	□□ 25		
		84" 48" 36"	PXPV3W4884	□□ 27		
		66" 54" 12"	PXPV3W5466	□□ 22		
		72" 54" 18"	PXPV3W5472			
		84" 54" 30"	PXPV3W5484	□□ 28		
		72" 66" 6"	PXPV3W6672	□□ 27		
		84" 66" 18"	PXPV3W6684	□□ 29		
		84" 72" 12"	PXPV3W7284	30		
			1		100	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

A

3

SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 4-Way

			MODEL NUME	BER								
	MODEL	A B A-B	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	4-Way "X" Intersection with 3-Way Top	36" 30" 6"	PXPVF3W3036			13.0#	\$ 398	\$ 406	\$ 411	\$ 421	\$ 430	\$ 11
	Cap, Two Different Heights - AAAB	42" 30" 12"	PXPVF3W3042			14.0#	411	420	424	430	440	11
	Upholstered3-way top cap	48" 30" 18"	PXPVF3W3048			17.0#	483	490	497	505	522	11
	4-way light block	54" 30" 24"	PXPVF3W3054			17.0#	498	505	514	525	537	11
	One fabric-wrapped piece of universal	66" 30" 36"	PXPVF3W3066			20.0#	522	532	537	548	562	11
	height change trim	72" 30" 42"	PXPVF3W3072			23.0#	471	478	484	496	505	11
	One half-post (height B)Three half-posts (height A)	84" 30" 54"	PXPVF3W3084			26.0#	619	634	642	657	669	11
	Connecting hardware	42" 36" 6"	PXPVF3W3642			16.0#	417	425	427	434	447	11
PTF	SX Starlight Silver finish is only offered	48" 36" 12"	PXPVF3W3648			17.0#	433	440	442	457	468	11
	on flat aluminum trim	54" 36" 18"	PXPVF3W3654			19.0#	456	463	467	475	490	11
		66" 36" 30"	PXPVF3W3666			21.0#	492	501	503	518	532	11
		72" 36" 36"	PXPVF3W3672			23.0#	511	522	525	535	548	11
		84" 36" 48"	PXPVF3W3684			26.0#	551	563	574	583	601	11
		48" 42" 6"	PXPVF3W4248			18.0#	447	457	461	471	484	11
		54" 42" 12"	PXPVF3W4254			18.0#	475	484	487	500	514	11
		66" 42" 24"	PXPVF3W4266			21.0#	535	543	549	562	579	11
		72" 42" 30"	PXPVF3W4272			24.0#	568	579	582	592	606	11
		84" 42" 42"	PXPVF3W4284			27.0#	632	648	657	664	683	11
		54" 48" 6"	PXPVF3W4854			20.0#	471	482	485	496	509	11
		66" 48" 18"	PXPVF3W4866			23.0#	487	498	502	516	529	11
		72" 48" 24"	PXPVF3W4872			25.0#	482	487	496	503	519	11
		84" 48" 36"	PXPVF3W4884			27.0#	557	565	574	586	601	11
		66" 54" 12"	PXPVF3W5466			22.0#	502	514	519	529	543	11
		72" 54" 18"	PXPVF3W5472			26.0#	482	487	492	502	518	11
		84" 54" 30"	PXPVF3W5484			28.0#	606	617	624	637	657	11
		72" 66" 6"	PXPVF3W6672			27.0#	474	484	486	498	511	11
		84" 66" 18"	PXPVF3W6684			29.0#	505	522	526	538	555	11
		84" 72" 12"	PXPVF3W7284			30.0#	538	551	552	565	582	11

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

Θ

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this price list. SX Starlight Silver finish is only offered on flat aluminum trim.

©Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 4-Way

						•	
			MODEL NUI	MBER			
							Metallic
					prox.		Paint
	MODEL	A B A-B	Basic		ckaged	Delivered	add to list
					eight	Pricing	price
♦	4-Way "X" Intersection w/90° Top Cap, Two Different Heights - AABB	36" 30" 6"	PXPV903036		13.0#	\$ 346	\$ 49
	Unupholstered: trim colored	42" 30" 12"	PXPV903042		13.0#	359	53
	• 90° top cap	48" 30" 18"	PXPV903048		17.0#	424	53
A B	 4-way light block 	54" 30" 24"	PXPV903054		16.0#	435	53
	Two pieces of universal height change	66" 30" 36"	PXPV903066		19.0#	498	61
	trim • Two half-posts (height A)	72" 30" 42"	PXPV903072		24.0#	424	80
	Two half-posts (height B)	84" 30" 54"	PXPV903084		23.0#	559	87
	 Connecting hardware 	42" 36" 6"	PXPV903642		16.0#	360	49
PTN	SX Starlight Silver finish is only offered	48" 36" 12"	PXPV903648		17.0#	385	53
	on flat aluminum trim	54" 36" 18"	PXPV903654		19.0#	403	53
		66" 36" 30"	PXPV903666		22.0#	427	56
		72" 36" 36"	PXPV903672		24.0#	430	61
		84" 36" 48"	PXPV903684		27.0#	498	80
		48" 42" 6"	PXPV904248		18.0#	384	49
		54" 42" 12"	PXPV904254		17.0#	421	53
		66" 42" 24"	PXPV904266		20.0#	482	53
		72" 42" 30"	PXPV904272		25.0#	503	56
		84" 42" 42"	PXPV904284		24.0#	565	80
		54" 48" 6"	PXPV904854		20.0#	420	49
		66" 48" 18"	PXPV904866		23.0#	436	53
		72" 48" 24"	PXPV904872		25.0#	435	53
		84" 48" 36"	PXPV904884		28.0#	501	61
		66" 54" 12"	PXPV905466		21.0#	458	53
		72" 54" 18"	PXPV905472		26.0#	435	53
		84" 54" 30"	PXPV905484		25.0#	549	56
		72" 66" 6"	PXPV906672		27.0#	430	49
		84" 66" 18"	PXPV906684		27.0#	456	53
		84" 72" 12"	PXPV907284		30.0#	474	53
		0-7 12 12	1 XI V301204		00.0#	TIT	33

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list. SX Starlight Silver finish is only offered on flat

A

3

aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 4-Way

						<u> </u>					
			MODEL NUMB	ER							
								Delivered Pricing	Delivered	Delivered	
						Delivered	Delivered	Fabric Grade	Pricing	Pricing	Metallic
			Danie	Tuina Fabria	Approx. Packaged	Pricing Fabric Grade	Pricing Fabric Grade	3 & Pallas Vertical Fabric Grade	Pallas Vertical Fabric Grade	Pallas Vertical Fabric Grade	Paint add to list
	MODEL	A B A-B		Trim Fabric Color Color	Weight	1 & C.O.M.	2	PV	PV1	PV2	price
	4-Way "X" Intersection w/90° Top Cap,	36" 30" 6"	PXPVF903036		13.0#	\$ 463	\$ 471	\$ 475	\$ 485	\$ 498	\$ 11
0	Two Different Heights - AABB	42" 30" 12"	PXPVF903042		13.0#	468	475	483	492	503	11
	 Upholstered 	48" 30" 18"	PXPVF903048		17.0#	537	549	551	563	581	11
	90° top cap4-way light block	54" 30" 24"	PXPVF903054		16.0#	555	565	574	583	601	11
8	 Two fabric-wrapped pieces of universal 	66" 30" 36"	PXPVF903066		19.0#	617	629	634	649	666	11
	height change trim	72" 30" 42"	PXPVF903072		24.0#	542	551	557	568	586	11
	Two half-posts (height A)Two half-posts (height B)	84" 30" 54"	PXPVF903084		23.0#	683	695	705	718	737	11
	Connecting hardware	42" 36" 6"	PXPVF903642		16.0#	475	485	490	501	516	11
PTNF	 SX Starlight Silver finish is only offered 	48" 36" 12"	PXPVF903648		17.0#	497	503	509	522	535	11
	on flat aluminum trim	54" 36" 18"	PXPVF903654		19.0#	518	526	532	542	557	11
		66" 36" 30"	PXPVF903666		22.0#	555	565	574	583	601	11
		72" 36" 36"	PXPVF903672		24.0#	575	586	591	603	617	11
		84" 36" 48"	PXPVF903684		27.0#	614	634	648	667	699	11
		48" 42" 6"	PXPVF904248		18.0#	502	514	519	529	543	11
		54" 42" 12"	PXPVF904254		17.0#	529	538	543	555	574	11
		66" 42" 24"	PXPVF904266		20.0#	597	607	614	624	642	11
		72" 42" 30"	PXPVF904272		25.0#	624	637	642	657	668	11
		84" 42" 42"	PXPVF904284		24.0#	686	699	709	722	741	11
		54" 48" 6"	PXPVF904854		20.0#	535	543	549	561	579	11
		66" 48" 18"	PXPVF904866		23.0#	557	565	574	586	601	11
		72" 48" 24"	PXPVF904872		25.0#	557	565	574	586	601	11
		84" 48" 36"	PXPVF904884		28.0#	620	634	640	658	669	11
		66" 54" 12"	PXPVF905466		21.0#	565	579	583	597	614	11
		72" 54" 18"	PXPVF905472		26.0#	552	563	569	583	599	11
		84" 54" 30"	PXPVF905484		25.0#	667	678	690	704	725	11
		72" 66" 6"	PXPVF906672		27.0#	547	555	561	575	589	11
		84" 66" 18"	PXPVF906684		27.0#	565	581	588	601	617	11
		84" 72" 12"	PXPVF907284		30.0#	586	597	602	615	630	11

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

Θ

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat aluminum trim.

©Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 4-Way

						•	
			MODEL NUMBER				
							Metallic
				1.	Approx.		Paint
	MODEL	A B A-B	Basic Model	Trim	Packaged	Delivered Printing	add to list
				Color	Weight	Pricing Pricing	price
ei.	4-Way "X" Intersection w/180° Top Cap, Two Different Heights - ABAB	36" 30" 6"	PXPV1803036		13.0#	\$ 351	\$ 49
	Unupholstered: trim colored	42" 30" 12"	PXPV1803042		13.0#	361	53
	• 180° top cap	48" 30" 18"	PXPV1803048		17.0#	426	53
A B	 4-way light block 	54" 30" 24"	PXPV1803054		16.0#	438	53
	Two pieces of universal height change	66" 30" 36"	PXPV1803066		19.0#	468	61
	trim • Two half-posts (height B)	72" 30" 42"	PXPV1803072		22.0#	426	80
	Two half-posts (height A)	84" 30" 54"	PXPV1803084		23.0#	562	87
	 Connecting hardware 	42" 36" 6"	PXPV1803642		16.0#	364	49
PTN	SX Starlight Silver finish is only offered	48" 36" 12"	PXPV1803648		17.0#	391	53
	on flat aluminum trim	54" 36" 18"	PXPV1803654		19.0#	406	53
		66" 36" 30"	PXPV1803666		21.0#	430	56
		72" 36" 36"	PXPV1803672		23.0#	433	61
		84" 36" 48"	PXPV1803684		26.0#	501	80
		48" 42" 6"	PXPV1804248		18.0#	387	49
		54" 42" 12"	PXPV1804254		17.0#	425	53
		66" 42" 24"	PXPV1804266		20.0#	483	53
		72" 42" 30"	PXPV1804272		24.0#	509	56
		84" 42" 42"	PXPV1804284		25.0#	569	80
		54" 48" 6"	PXPV1804854		20.0#	424	49
		66" 48" 18"	PXPV1804866		23.0#	441	53
		72" 48" 24"	PXPV1804872		25.0#	438	53
		84" 48" 36"	PXPV1804884		27.0#	503	61
		66" 54" 12"	PXPV1805466		21.0#	463	53
		72" 54" 18"	PXPV1805472		25.0#	438	53
		84" 54" 30"	PXPV1805484		26.0#	552	56
		72" 66" 6"	PXPV1806672		26.0#	432	49
		84" 66" 18"	PXPV1806684		27.0#	457	53
		84" 72" 12"	PXPV1807284		30.0#	482	53
		07 12 12	1 XI V 1007 204] 50.0#	TUL	33

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

A

B

price list. SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Preconfigured Intersection Conditions 4-Way

			MODEL NUMB	BER							
	MODEL	A B A-B	Basic Model	Trim Fab		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
•	4-Way "X" Intersection w/180° Top Cap,	36" 30" 6"	PXPVF1803036		□□ 13.0#	\$ 395	\$ 403	\$ 406	\$ 417	\$ 427	\$ 11
	Two Different Heights - AABB	42" 30" 12"	PXPVF1803042		□□ 13.0#	473	482	485	497	509	11
	Upholstered180° top cap	48" 30" 18"	PXPVF1803048		□□ 17.0#	541	549	555	568	583	11
	4-way light block	54" 30" 24"	PXPVF1803054		□□ 16.0#	559	569	577	589	603	11
	Two fabric-wrapped pieces of universal	66" 30" 36"	PXPVF1803066		□□ 19.0#	591	602	607	618	637	11
	height change trim	72" 30" 42"	PXPVF1803072		□□ 22.0#	453	461	466	474	486	11
	Two half-posts (height A)Two half-posts (height B)	84" 30" 54"	PXPVF1803084		□□ 23.0#	686	699	709	722	740	11
	Connecting hardware	42" 36" 6"	PXPVF1803642			414	421	425	432	441	11
PTNF	SX Starlight Silver finish is only offered	48" 36" 12"	PXPVF1803648			430	436	440	453	466	11
	on flat aluminum trim	54" 36" 18"	PXPVF1803654			442	456	461	468	483	11
		66" 36" 30"	PXPVF1803666		□□ 21.0#	463	471	475	485	498	11
		72" 36" 36"	PXPVF1803672			461	468	473	484	497	11
		84" 36" 48"	PXPVF1803684		□□ 26.0#	518	528	532	543	559	11
		48" 42" 6"	PXPVF1804248			434	441	447	461	471	11
		54" 42" 12"	PXPVF1804254		□□ 17.0#	475	485	490	501	519	11
		66" 42" 24"	PXPVF1804266			601	609	616	629	648	11
		72" 42" 30"	PXPVF1804272		□□ 24.0#	602	609	616	624	639	11
		84" 42" 42"	PXPVF1804284			692	705	715	727	748	11
		54" 48" 6"	PXPVF1804854			467	475	483	490	503	11
		66" 48" 18"	PXPVF1804866			484	492	497	505	522	11
		72" 48" 24"	PXPVF1804872		□□ 25.0#	475	485	487	500	516	11
		84" 48" 36"	PXPVF1804884			532	542	547	559	575	11
		66" 54" 12"	PXPVF1805466		□□ 21.0#	569	582	588	601	616	11
		72" 54" 18"	PXPVF1805472			482	487	496	503	519	11
		84" 54" 30"	PXPVF1805484		□□ 26.0#	669	685	694	707	727	11
		72" 66" 6"	PXPVF1806672			482	487	496	503	519	11
		84" 66" 18"	PXPVF1806684			498	511	519	532	549	11
		84" 72" 12"	PXPVF1807284		30.0#	519	528	534	543	559	11

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

Θ

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat aluminum trim.

©Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Stackable Intersection Conditions 180° 2-Way and End-of-Run



Preconfigured Stackable Intersection Conditions 180° 2-Way and End-of-Run

			MODEL NU	JMBER									
	MODEL	н	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	Stackable Panel-180° 2-Way In-Line		PSFP12			3.0#	\$ 100						N.
000	Connection, Both Same Height Unupholstered		PSFP18			4.0#	107						N.
8 -3-3-3-3	One stackable full-post Black only One stackable full-post One stackable full-post One stackable full-post	24"	PSFP24			5.0#	111						N
ST													
11 @	Stackable Panel-180° 2-Way In-Line		PSSP18012				\$ 339						\$ 4
	Spacer, Both Same Height • Unupholstered: trim colored	18"	PSSP18018 PSSP18024			4.0# 5.0#	369						
	Two pieces of stackable universal trim Stackable in-line trim Two stackable half-posts Corner connector block	24	P55P18024			3.U#	382						
	 Use top caps from existing lower panels 	ls											
	SX Starlight Silver finish is only offered on flat aluminum trim	d											
	Stackable Panel - End-Of-Run Condition • Unupholstered		PSEP12			2.0#	\$ 111						\$
	 Stackable end-of-run trim 	18"				2.0#	121						
	 Stackable full-post SX Starlight Silver finish is only offered on flat aluminum trim 		PSEP24			3.0#	131						
IIII													
	Stackable Panel-180° 2-Way In-Line	12"	PSSPF18012	!		3.0#	N/A	\$ 415	\$ 424	\$ 426	\$ 433	\$ 442	
	Spacer, Both Panels Same Height	18"	PSSPF18018	1		4.0#	N/A	447	458	463	473	485	
	 Upholstered Two pieces of fabric-wrapped universal	24"	PSSPF18024			5.0#	N/A	466	474	478	487	501	
	trim Two stackable half-posts Corner connector block												
F	Use top caps from existing lower panels	ls											
			A	B	•								
			<u> </u>	<u> </u>	<u> </u>								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Stackable Intersection Conditions 2-Way and 3-Way



Preconfigured Stackable Intersection Conditions 2-Way and 3-Way

			MODEL NU	JMBER			
							Met
					Approx.		Pain
	MODEL		Basic	Trim	Packaged Weight	Delivered	add
	MODEL		Model	Color		Pricing Pricin	price
	Stackable Panel-90° 2-Way "L" Corner, Both Panels Same Height		PSCP9012		3.0#	\$ 339	\$
	 Unupholstered 		PSCP9018		4.0#	369	
	Two pieces of stackable universal trim	24"	PSCP9024		5.0#	382	
, fil film,	 Two stackable full-posts 						
NT	Corner connector block Use top caps from existing lower panels	le					
ST	 Use top caps from existing lower panels SX Starlight Silver finish is only offered	1					
	on flat aluminum trim						
		10"	PSTP3W12		4.0#	\$ 441	\$
	Stackable Panel - 3-Way "T" Intersec-		PSTP3W12		5.0#	485	\$
	tion/3-Way, All Panels Same Height	24"	PSTP3W24		7.0#	503	
	 Unupholstered 	24	131130024		1.0π	303	
~U	 Stackable universal trim 						
T	Three stackable half-postsCorner connector block						
	 Use top caps from existing lower panels 	S					
	 SX Starlight Silver finish is only offered 	i					
	on flat aluminum trim						
	Stackable/Adjustable Wall Mount	12"	PSWM12		5.0#	\$ 354	\$
	Unupholstered	18"	PSWM18		7.0#	364	
	 Attaches a stackable panel to a wall at the start of a run 	24"	PSWM24		9.0#	376	
29.00	 Includes mounting plate and half-post 						
	Steel construction with painted finish						
	 Hardware for wall attachment is not included 						
Ш	 Adjustable up to 1" to correct wall 						
Mh	deflection						
RDPT							
			A	ß			
			•	_			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Preconfigured Stackable Intersection Conditions 2-Way, 3-Way and 4-Way



Preconfigured Stackable Intersection Conditions 2-Way, 3-Way and 4-Way

							•					
			MODEL NUI	MBER								
	MODEL	н	Basic Model	Fabric Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
. M.M.	Stackable Panel-90° 2-way "L" Corner,	12"	PSCPF9012		3.0#	N/A	\$ 415	\$ 424	\$ 426	\$ 433	\$ 441	
	Both Panels Same Height	18"	PSCPF9018		4.0#	N/A	447	457	463	471	484	
	 Upholstered Two pieces of stackable universal trim Two stackable half-posts 	24"	PSCPF9024		5.0#	N/A	465	473	475	486	500	
PSTF	Corner connector block Use top caps from existing lower panels	s										
1011			PSTPF3W12		4.0#	N/A	\$ 483	\$ 490	\$ 496	\$ 503	\$ 522	
	Stackable Panel - 3-Way "T" Intersec-		PSTPF3W18		5.0#	N/A	525	534	538	549	563	
	tion/3-Way, All Panels Same Height		PSTPF3W24		7.0#	N/A	543	555	561	575	589	
PSTF	 Upholstered Fabric-wrapped stackable universal trim Three stackable half-posts Corner connector block Use top caps from existing lower panels 	n										
	Stackable Panel-4Way "X" Intersec-		PSXP4W12			\$ 549						
·M-	tion/4-Way Top Cap, All Same Height		PSXP4W18		7.0#	582						
	Unupholstered	24"	PSXP4W24		9.0#	609						
	Four stackable half-posts											
	Corner connector block											
	4-way light blockUse top caps from existing lower panels	S										
PST												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

B

A Select basic model.

BSelect fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Electrical 8-Wire System



Electrical 8-Wire System

					▼	
			MODEL NUMB	ER		
						Metallic
				Approx.		Paint
				im Packaged	Delivered	add to list
	MODEL	PANEL WIDTH		olor Weight	Pricing	price
5	Power/Data Separation Septum	12"		1.0#	\$ 8	N/A
	 Steel septum provides separation between power and data in base raceway 	18"		1.0#	8	N/A
	Hint: A steel trough is supplied with	24"		1.0#	8	N/A
	raceway tiles to provide separation at	30"		1.0#	9	N/A
HRDPT	other electrical heights	36"		2.0#	13	N/A
		42"	PDS8.42.BL	2.0#	13	N/A
		48"	PDS8.48.BL □	□ 2.0#	16	N/A
		54"	PDS8.54.BL	2.0#	16	N/A
		60"	PDS8.60.BL	2.0#	27	N/A
	Chicago Code Receptacle Kit		PRK.HW	0.8#	\$ 46	N/A
	Receptacle box					
	Mounting bracket Filler plate					
	Filler plateBezel					
	 Levitan 5325 or equivalent receptacle 					
3 1 1 2	supplied by customer					
HRDPT						
	Chicago Electrical Mounting Bar	24"	PCEM.24	1.0#	\$ 29	N/A
	 Steel bar construction 	30"	PCEM.30	2.0#	34	N/A
	 Accepts Chicago code receptacle kit 	36"	PCEM.36	2.0#	39	N/A
	 Includes mounting hardware 	42"	PCEM.42	2.0#	44	N/A
HRDPT		48"	PCEM.48	3.0#	49	N/A
TINDITI		54"	PCEM.54	3.0#	49	N/A
		60"	PCEM.60	3.0#	49	N/A
-	Data Faral					
	Data FeedCan be used at top of panel only	84"	PDF8.7	7.0#	\$ 162	\$ 140
	 Includes aluminum power pole, panel 	120"	PDF8.10	10.0#	238	140
	trim and ceiling trim					
7	 Pole is available in two heights, 7' and 					
HRDPT	10' • Specify trim color					
	opeony trim color					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list. Metallic finish not available.

A

3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Electrical
10-Wire System 6 Circuit "810"

		MODEL NUMBER			
			Approx.		
		Basic	Packaged	Delivered	
MODEL	PANEL WIDTH	Model	Weight	Pricing	
		PWET6WW.24	2.0#	\$ 148	
Distributes 10-wire power and allows	30"	PWET6WW.30	2.0#	153	
Non-directional Includes mounting clips Wireway can be mounted inside the base raceway or behind any raceway tile 30	36"	PWET6WW.36	3.0#	158	
		PWET6WW.42	3.0#	165	
	48"	PWET6WW.48	3.0#	172	
	54"	PWET6WW.54	4.0#	176	
Accomodates two duplex receptacles per	60"	PWET6WW.60	4.0#	183	
side. Maximum of four per wireway as					
standard					
Receptacles purchase separately A" wireway accommodates one dupley					
receptacle per side					
		•			
	Rigid Wireway - 6 Circuit Distributes 10-wire power and allows receptacle mounting Non-directional Includes mounting clips Wireway can be mounted inside the base raceway or behind any raceway tile 30 thru 60 Accomodates two duplex receptacles per side. Maximum of four per wireway as standard Receptacles purchase separately	Rigid Wireway - 6 Circuit 24" Distributes 10-wire power and allows receptacle mounting 36" Non-directional 42' Includes mounting clips 42' Wireway can be mounted inside the base raceway or behind any raceway tile 30 thru 60 Accomodates two duplex receptacles per side. Maximum of four per wireway as standard Receptacles purchase separately 24" wireway accommodates one duplex	MODEL PANEL WIDTH Model Rigid Wireway - 6 Circuit 24" PWET6WW.24 • Distributes 10-wire power and allows receptacle mounting 30" PWET6WW.30 • Non-directional 36" PWET6WW.36 • Includes mounting clips 42' PWET6WW.42 • Wireway can be mounted inside the base raceway or behind any raceway tile 30 thru 60 48" PWET6WW.48 • Accomodates two duplex receptacles per side. Maximum of four per wireway as standard 60" PWET6WW.60 • Receptacles purchase separately 24" wireway accommodates one duplex	MODEL PANEL WIDTH Rigid Wireway - 6 Circuit Distributes 10-wire power and allows receptacle mounting Non-directional Includes mounting clips Wireway can be mounted inside the base raceway or behind any raceway tile 30 thru 60 Accomodates two duplex receptacles per side. Maximum of four per wireway as standard Receptacle per side Approx. Packaged Weight 24" PWET6WW.24 2.0# 9WET6WW.30 2.0# PWET6WW.36 3.0# PWET6WW.42 3.0# PWET6WW.42 3.0# PWET6WW.48 3.0# PWET6WW.54 4.0# PWET6WW.60 4.0#	MODEL PANEL WIDTH Basic Packaged Weight Packaged Weight Packaged Weight Packaged Weight Packaged Weight Packaged Weight Pour Forway - 6 Circuit 24" Distributes 10-wire power and allows receptacle mounting 36" Non-directional 36" Non-directional 42' PWET6WW.36 Includes mounting clips Vireway can be mounted inside the base raceway or behind any raceway tile 30 thru 60 Accomodates two duplex receptacles per side. Maximum of four per wireway as standard Receptacles purchase separately Receptacle per side

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Electrical
10-Wire System 6 Circuit "810"

					•	
			MODEL NUMBER			
			Donie	Approx.	Dalimanad	
	MODEL	PANEL WIDTH	Basic Model	Packaged Weight	Delivered Pricing	
	Power Pass Through - 6 Circuit	12"	PWET6PP.12	1.0#	\$ 153	
	 Distributes 10-wire power Non-directional Connects to adjacent Rigid Wireway or Power Pass Through via a horizontal 	18"	PWET6PP.18	1.0#	161	
and the same of th		24"	PWET6PP.24	1.0#	171	
		30"	PWET6PP.30	2.0#	172	
		36"	PWET6PP.36	2.0#	173	
HRDPT		42"	PWET6PP.42	2.0#	174	
		48"	PWET6PP.48	2.0#	176	
	 Pass through requires panel to panel 	54"	PWET6PP.54	3.0#	179	
	jumpers (ordered separately)	60"	PWET6PP.60	3.0#	180	
	Power/Data Separation Septum	12"	PDS8.12.BL	1.0#	\$ 8	
	- Ctool contum provides concretion		PDS8.18.BL	1.0#	8	
	between power and data in base raceway Hint: A steel trough is supplied with	24"	PDS8.24.BL	1.0#	8	
	raceway tiles to provide separation at	30"	PDS8.30.BL	1.0#	9	
HRDPT	other electrical heights	36"	PDS8.36.BL	2.0#	13	
		42"	PDS8.42.BL	2.0#	13	
		48"	PDS8.48.BL	2.0#	16	
		54"	PDS8.54.BL	2.0#	16	
		60"	PDS8.60.BL	2.0#	27	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Electrical
10-Wire System 6 Circuit "810"

						•	
			MODEL NUMBER				
			Pagia	Trim	Approx. Packaged	Delivere	
	MODEL	Features	Basic Model	Trim Color	Weight	Pricing	
	15 Amp Duplex Receptacle with Bezel - 6		PWET6RC.1		1.0#	\$ 4	
	Circuit	Circuit 2	PWET6RC.2		1.0#	4	41
	Snaps to wireways of powered panels	Circuit 3	PWET6RC.3		1.0#	4	41
	 41, 51 and 61 circuits are stamped with orange triangle & lettering 	Circuit 4	PWET6RC.4IBL.BL		1.0#	4	41
•••	 Includes Bezel with filler plate which can 		PWET6RC.4IGR.GR		1.0#	4	41
HRDPT	be removed to accept standard modular furniture data plates Receptacles can be used at any height power Receptacle color matches trim color	Circuit 4	PWET6RC.4ILG.LG		1.0#	4	41
		Circuit 4	PWET6RC.4ISA.SA		1.0#	4	41
		Circuit 4	PWET6RC.4IWG.WG		1.0#	4	41
		Circuit 5	PWET6RC.5IBL.BL		1.0#	4	41
		Circuit 5	PWET6RC.5IGR.GR		1.0#	4	41
		Circuit 5	PWET6RC.5ILG.LG		1.0#	4	41
		Circuit 5	PWET6RC.5ISA.SA		1.0#	4	41
		Circuit 5	PWET6RC.5IWG.WG		1.0#	4	41
		Circuit 6	PWET6RC.6IBL.BL		1.0#	4	41
		Circuit 6	PWET6RC.6IGR.GR		1.0#	4	41
		Circuit 6	PWET6RC.6ILG.LG		1.0#	4	41
		Circuit 6	PWET6RC.6ISA.SA		1.0#	4	41
		Circuit 6	PWET6RC.6IWG.WG		1.0#	4	41
	15 Amp Duplex Receptacle with Bezel - 6	Circuit 4	PWET6RC.4I		1.0#	\$ 4	41
HRDPT	Circuit - Orange Receptacles	Circuit 5	PWET6RC.5I		1.0#	4	41
	Snaps to wireways of powered panels4I, 5I and 6I circuits have orange recep-	Circuit 6	PWET6RC.6I		1.0#	4	41
	tacles						
	· Includes Bezel with filler plate which can						
	be removed to accept standard modular						
	furniture data plates • Receptacles can be used at any height						
	Receptacies can be used at any neight power						
	White lettering						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list. Metallic finish not available.

A

(3)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Electrical
10-Wire System 6 Circuit "810"

						•
			MODEL NUN	MBER		
					Approx.	
			Basic	Trim	Approx. Packaged	Delivered
	MODEL	Features		Color	Weight	Pricing
	20 Amp Simplex Receptacle with Bezel - 6 Circuit Snaps to wireways of powered panels Receptacle includes one 20 amp simple and one 15 amp simplex Occupies space of one duplex receptacl 41, 51 and 61 circuits are stamped with orange triangle & lettering Includes Bezel with filler plate which car	Circuit 1	PWET620R.1		1.0#	\$ 65
		Circuit 2	PWET620R.2		1.0#	65
0.00		Circuit 3	PWET620R.3		1.0#	65
		GITCUIL 4	PWET620R.4I		1.0#	65
			PWET620R.5I		1.0#	65
HRDPT		Circuit 6	PWET620R.6I		1.0#	65
		1				
	be removed to accept standard modular					
	furniture data plates					
	 Receptacles can be used at any height power 					
	Receptacle color matches trim color					
			A	$oldsymbol{\Theta}$		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

price list. Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Electrical
10-Wire System 6 Circuit "810"

				▼
		MODEL NUMBER Basic	Approx. Packaged	Delivered
	MODEL L	Model	Weight	Pricing
	17" Panel to Panel Jumper - 6 Circuit Used on in-line intersections Non-directional	7" PWET6PJ.17	1.0#	\$ 110
HRDPT				
HRDPT	20" Panel to Panel Jumper - 6 Circuit Used on 90° corners and "T" intersections Non-directional	" PWET6PJ.20	1.0#	\$ 111
	20" Vertical Jumper - 6 Circuit 20	D" PWET6VJ.20	1.0#	\$ 111
	Jumps power from ADA-height to work- surface-height or worksurface-height to stand-up-height Non-directional			
HRDPT				
9	Vertical Jumper - 6 Circuit Jumps power from base to ADA-height, base to worksurface-height, base-height to stand-up height Non-directional	PWET6VJ.56	2.0#	\$ 226
HRDPT				
2 20	Internal Duplex Assembly - 6 Circuit UL listed for use with IT (communications) gear only Circuit 6 only	S" PWET6ID	2.0#	\$ 290
HRDPT				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Electrical
10-Wire System 6 Circuit "810"

		MODI	EL NUMBER			
		Basic	Trim	Approx. Packaged	Delivered	Metallic Paint add to list
	MODEL	L Model	Color	Weight	Pricing	price
1	Top Feed with 7' or 10' Pole - 6 Circuit	7" PWET6		10.0#	\$ 541	\$ 140
		10" PWFT6	STF10 🗆 🗆	15.0#	674	140
HRDPT	trim and ceiling trim • Specify trim color					
		84" PDF8.7		7.0#	\$ 162	\$ 140
	Can be used at top of panel onlyIncludes aluminum power pole, panel	120" PDF8.1	0	10.0#	238	140
	trim and ceiling trim Pole is available in two heights, 7' and					
HRDPT	10' • Specify trim color					
		72" PWET6	BFU BFU	4.0#	\$ 290	N/A
	Circuit Field notable for left, right and straight applications					
	 Can be used at base level only Includes Bezel with filler plate which can 					
	be removed to accept standard modular					
HRDPT	furniture data plates 72" Whip is color matched to trim Non-directional					
	Tech Panel Base Infeed - 6 Circuit Field notable for left, right and straight applications Can be used at base level only Designed to lay on floor and fit under lowest tile	72" PWET6	STBF	6.0#	\$ 629	N/A
7						
HRDPT						
		•	9 8			
		· ·	. 0			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Electrical
10-Wire System 6 Circuit "810"

					$lackbox{lackbox{lackbox{lackbox{}}}}$
		MODEL NUME	BER		
	MODEL	Basic L Model		pprox. ackaged /eight	Delivered Pricing
	New York Power Infeed with Bezel - 6 Circuit City of New York approved power entry box with panel to panel connectors	72" PWET6NYBF.72		6.0#	\$ 660
	Can be used at base level only 72" Whip is color matched to trim Entry box is mounted to bottom horizontal on left or right side of panel				
HRDPT	 14" panel jumper is hard wired to infeed box and plugs into wireway of adjacent panel 				
	Circuit Order power/data pole (PDF8.size(col-	216" PWET6NYTF.216		6.0#	\$ 817
N. C.	ors)) separately				
HRDPT					
		A	$oldsymbol{\mathbf{G}}$		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list. Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Electrical
10-Wire System 4 Circuit "810"

						·		
				MODEL NUMBER				
					Approx.			
				Basic	Packaged	Delivered		
	MODEL	PA	NEL WIDTH	Model	Weight	Pricing		
	Rigid Wireway - 4 Ci	Gircuit 24"	"	PWET4WW.24	2.0#	\$ 148		
	Distributes 10-wire	e power and allows 30"	"	PWET4WW.30	2.0#	153		
	receptacle mountin • Non-directional	ng 36"		PWET4WW.36	3.0#	158		
	Includes mounting			PWET4WW.42	3.0#	165		
	 Wireway can be mo 	nounted inside the base 48"	"	PWET4WW.48	3.0#	172		
	raceway or behind thru 60	I any raceway tile 30 54"	"	PWET4WW.54	4.0#	176		
HRDPT	Accommodates two	vo deuplex receptacles 60"	"	PWET4WW.60	4.0#	183		
	per side. Maximum	n of two per wireway						
	as standard							
	 24" wireway accom receptacle per side 	mmodates one duplex						
	Receptacles purcha	nased separately						
				A				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
 Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Electrical
10-Wire System 4 Circuit "810"

					•	
			MODEL NUMBER			
			Danie	Approx.	Dalimanad	
	MODEL	PANEL WIDTH	Basic Model	Packaged Weight	Delivered Pricing	
	Power Pass Through - 4 Circuit	12"	PWET4PP.12	1.0#	\$ 153	
	Distributes 10-wire power	18"	PWET4PP.18	1.0#	161	
A STATE OF THE PARTY OF THE PAR	Non-directionalConnects to adjacent Rigid Wireway or	24"	PWET4PP.24	1.0#	171	
	Power Pass Through via a horizontal	30"	PWET4PP.30	2.0#	180	
▼	jumper	36"	PWET4PP.36	2.0#	147	
HRDPT	Receptacle access is not providedPass through is the same length as the	42"	PWET4PP.42	2.0#	147	
	corresponding Rigid Wireway	48"	PWET4PP.48	2.0#	152	
	 Pass through requires panel to panel 	54"	PWET4PP.54	3.0#	157	
	jumpers (ordered separately)	60"	PWET4PP.60	3.0#	158	
.5	Power/Data Separation Septum	12"	PDS8.12.BL	1.0#	\$ 8	
	Steel septum provides separation between power and data in base raceway Hint: A steel trough is supplied with	18"	PDS8.18.BL	1.0#	8	
	Hint: A steel trough is supplied with		PDS8.24.BL	1.0#	8	
	raceway tiles to provide separation at	30"	PDS8.30.BL	1.0#	9	
HRDPT	other electrical heights	36"	PDS8.36.BL	2.0#	13	
		42"	PDS8.42.BL	2.0#	13	
		48"	PDS8.48.BL	2.0#	16	
		54"	PDS8.54.BL	2.0#	16	
		60"	PDS8.60.BL	2.0#	27	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Electrical
10-Wire System 4 Circuit "810"

						$lackbox{lackbox{lackbox{lackbox{}}}{}$
			MODEL NUM	/IBER		
					Annroy	
			Basic	Trim	Approx. Packaged	Delivered
	MODEL	Features		Color	Weight	Pricing
	15 Amp Duplex Receptacle with Bezel - 4	Circuit 1	PWET4RC.1		1.0#	\$ 42
	Circuit	Circuit 2	PWET4RC.2		1.0#	42
		Circuit 3	PWET4RC.3I		1.0#	42
	 3I and 4I circuits are stamped with orange triangle 	Circuit 4	PWET4RC.4I		1.0#	42
	 Includes Bezel with filler plate which can 					
HRDPT	be removed to accept standard modular					
	furniture data plates • Receptacles can be used at any height					
	power					
	Receptacle color matches trim color					
~ ~		Circuit 1	PWET420R.1		1.0#	\$ 65
	- 4 Circuit	Circuit 2	PWET420R.2		1.0#	65
	Snaps to wireways of powered panelsReceptacle includes one 20 amp simplex	Circuit 4	PWET420R.4I		1.0#	65
	and one 15 amp simplex					
	 Occupies space of one duplex receptacle 					
HRDPT	4I, circuits are stamped with orange					
	triangle • Includes Bezel with filler plate which can					
	be removed to accept standard modular					
	furniture data plates					
	 Receptacles can be used at any height power 					
	Receptacle color matches trim color					
	,					
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color.

Refer to the **Product Color Options** page in this

price list. Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Electrical

10-Wire System 4 Circuit "810"



MODEL NUMBER Approx. Packaged Basic Delivered MODEL Model Weight Pricing 17" Panel to Panel Jumper - 4 Circuit 17" PWET4PJ.17 1.0# \$ 110 • Used on in-line and inside 90° corner intersections Non-directional HRDPT 20" Panel to Panel Jumper - 4 Circuit 20" PWET4PJ.20 Used on outside 90° corners and straight through "T" intersections Non-directional HRDPT 20" Vertical Jumper - 4 Circuit

• Jumps power from ADA-height to work-20" PWET4VJ.20 1.0# \$ 111 surface-height or worksurface-height to stand-up-height Non-directional HRDPT **56" Vertical Jumper - 4 Circuit**• Jumps power from base to ADA-height, 56" PWET4VJ.56 \$ 226 2.0# base to worksurface-height, base-height to stand-up height Non-directional HRDPT Internal Duplex Assembly - 4 Circuit 16" PWET4ID 2.0# \$ 290 · UL listed for use with IT communica-**1** tions gear only Circuit 4 only HRDPT

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

10-Wire System 4 Circuit "810"

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Electrical
10-Wire System 4 Circuit "810"

					lacktriangle	
		MOD	EL NUMBE	ER		
						A
				Approx.		Metallic Paint
	MODEL L	Basic Model	Tri Co	im Packaged	Delivered Pricing	add to list price
	Top Infeed with 7' or 10' Pole - 4 Circuit 7"				\$ 541	\$ 140
	 Can be used at top of panel only 		TF10 □		674	140
Ĭ	Connects to either end of Rigid Wireway at any level. Doesn't occupy space for					1.10
	duplex receptacle					
4	 Includes aluminum power pole, panel 					
HRDPT	trim and ceiling trim • Specify trim color					
		4" DDF0		70"	0. 100	A 110
	Can be used at top of panel only	4" PDF8." 20" PDF8.			\$ 162 238	\$ 140 140
	Includes aluminum power pole, panel	20 11010.		10.0#	200	140
	trim and ceiling trim • Pole is available in two heights, 7' and					
HRDPT	10'					
	Specify trim color					
∕	Universal Base Infeed with Bezel - 4 Circuit	2" PWET	1BFU	4.0#	\$ 290	N/A
	Field notable for left, right and straight					
	applications					
	 Can be used at base level only Includes Bezel with filler plate which can 					
	be removed to accept standard modular					
HRDPT	furniture data plates • 72" Whip is color matched to trim					
	Non-directional					
	Tech Panel Base Infeed - 4 Circuit 72	2" PWET	ITRE	6.0#	\$ 629	N/A
8	 Field notable for left, right and straight 	2 PVVEI	+IDF	0.0#	\$ 029	IV/A
	applicationsCan be used at base level only					
	Designed to lay on floor and fit under					
	lowest tile • 72" Whip is color matched to trim					
	72" Whip is color matched to trimNon-directional					
HRDPT						
TINUFT						
		•	9	B		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Electrical
10-Wire System 4 Circuit "810"

				lacktriangle
		MODEL NUMB	ER	
	MODEL	Basic L Model	Trim Appr Color Weig	
	Circuit City of New York approved power entry box with panel to panel connector	72" PWET4NYBF.72		.0# \$ 683
HRDPT	Can be used at base level only 72" Whip is color matched to trim Entry box is mounted to bottom horizontal on left or right side of panel			
HNUFT	 14" panel jumper is hard wired to infeed box and plugs into wireway of adjacent panel 			
	New York Power Infeed Kit/Ceiling - 4 Circuit Order power/data pole (PDF8.size(color)) separately	216" PWET4NYTF.216	(.0# \$ 817
HRDPT				
		A	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list. Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Cable Management



Cable Management

				$lackbox{lackbox{\lambda}}$
		MODEL NUMBER		
	MODEL	Basic Model	Approx. Packaged Weight	Delivered Pricing
	Acoustical Tile Vertical Cable Guide Clips into slots in vertical post Allows cables to be laid in-between	46.0097.PCK	0.2#	\$ 40
	vertical posts and acoustic tile Cannot be used with raceway tile Maximum of two guides behind a 12"			
HRDPT	high acoustic tile • Ordered in packs of 25			
	Acoustical Tile Horizontal Cable Support Clips into bottom midpoint of horizontal rail		0.2#	\$ 46
	 Aligns with vertical cable guides to keep cables supported at midpoint of panel Cable supports gang vertically 			
HRDPT	 Can also support loops of cable Cannot be used with raceway tile Ordered in packs of 25 			
	Tile 90 Cable GuardClips into slots in vertical postAllows cables to be laid in-between	46.0096.PCK	0.2#	\$ 39
	vertical posts and acoustic tile at the inside of a 90° corner • Cannot be used with raceway tile			
HRDPT	Need two guides per 12" high tileOrdered in packs of 25			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Cable Management



Cable Management

				Y
		MODEL NUMBER		
			Approx.	
	MODEL	Basic Model	Packaged	Delivered Delivered
	Horizontal Rail Cable Guard	46.0098.PCK	Weight 0.2#	Pricing Pricin
	Clips into end notch of horizontal rail	46.0098.PGK	0.2#	\$ 42
	 Protects and manages cables Ordered in packs of 25 			
	 Ordered in packs of 25 			
LIDDAT				
HRDPT	T 0 000 0 11 0 1	40 0000 POI/	40"	A 07
	Top Cap 90° Cable Guard • Manages cables between half posts and	46.0200.PCK	1.0#	\$ 27
	under top cap			
	under top cap • Protects and manages cables			
 	Ordered in packs of 25			
HRDPT				
חחטרו	Coble Management Dome Book	PCMDP	1.0#	\$ 16
HRDPT	Cable Management Demo Pack • Includes a sampling of cable guards and	FUNDE	1.0#	
TINDI I	 Includes a sampling of cable guards and supports to demonstrate WireWorks® 			
	superior cable handling capabilities			
	Cable Tile Anchor Pad	46.0753.PCK	2.0#	\$ 83
	 4-Way cable tie mounting device (1" x 1" 	,	L.U#	ψ 00
	base)			
	 Mounts to side of vertical post to anchor cable 			
HRDPT	 Ties and secures vertical runs of cables 			
11110111	within the panel			
	Accepts 18-40 lb. cable ties Mounts with adhesive form tone			
	Mounts with adhesive foam tapeRecommend one anchor pad for every			
	12" to 18" of vertical cables within a			
	panel			
	Ordered in packs of 100			
		A		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.





										•						
			MODEL	NUMBER	R	Τ									Laminate	Laminate
	MODEL	D x W	Basic Model	Edge Style	Finish	Color	Edge Color	Grommet Color	Approx. Packaged Weight	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (WV)	Grade 2 add to list price	Grade 3 add to list price
	Rectangular Worksurfaces - 24" D		PWR2424						23.0#	\$ 364	\$ 433	\$ 381	\$ 498	\$ 990	\$ 18	\$ 115
	 60" worksurfaces contain two steel reinforcing bars 	24 x 30"	PWR2430						28.0#	394	471	415	555	1092	18	115
	Includes worksurface supports	24 x 36"	PWR2436		1				33.0#	424	500	436	616	1224	18	115
74P Edge (74P)	 All surfaces 66" and longer are provided 	d 24 x 42"	PWR2442						37.0#	483	575	501	672	1342	18	115
	with an additional left-hand cantilever	24 x 48"	PWR2448						42.0#	516	609	537	737	1527	18	115
PWR	bracketWorksurfaces with 74P, postformed,	24 x 54"	PWR2454						46.0#	537	640	634	872	1705	25	170
	knife edge and veneer edges have one	24 x 60"							51.0#	555	664	659	1018	1934	25	170
	2-1/2" x 6" grommet up to 54" wide, 60	0" 24 x 66"	PWR2466						56.0#	569	674	674	1050	2047	25	170
	- 96" have two grommets	24 x 72"	PWR2472						61.0#	581	692	699	1101	2232	25	170
		24 x 78"	PWR2478						66.0#	589	709	720	1191	2444	50	350
		24 x 84"	PWR2484						71.0#	614	734	740	1251	2650	50	350
		24 x 90"	PWR2490						74.0#	620	737	785	1330	2716	50	350
		24 x 96"	PWR2496						76.0#	630	751	807	1375	2786	50	350
	Rectangular Worksurfaces - 30" D	30 x 24"	PWR3024						28.0#	\$ 394	\$ 471	\$ 415	\$ 538	\$ 1092	\$ 25	\$ 170
		30 x 30"	PWR3030						34.0#	424	500	402	603	1193	25	170
		30 x 36"	PWR3036						40.0#	453	538	473	667	1350	25	170
740 54 (740)		30 x 42"	PWR3042						46.0#	505	606	498	739	1492	25	170
74P Edge (74P) Postformed Edge (PL)		30 x 48"	PWR3048						57.0#	547	650	523	797	1692	25	170
Wood Edge (WV)		30 x 54"	PWR3054						62.0#	562	668	736	938	1894	25	170
PWR		30 x 60"	PWR3060						68.0#	582	694	790	1081	2179	25	170
		30 x 66"	PWR3066						72.0#	602	715	816	1118	2365	25	170
		30 x 72"	PWR3072						79.0#	609	727	834	1129	2544	25	170
		30 x 78"	PWR3078						85.0#	624	740	861	1273	2811	50	350
		30 x 84"	PWR3084						89.0#	634	755	887	1315	3081	50	350
		30 x 90"	PWR3090						92.0#	648	770	912	1401	3171	50	350
		30 x 96"	PWR3096						94.0#	663	788	934	1450	3267	50	350
			A	B	Θ	0	•	G								
			w	•	9	9	9	•								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - Postformed edge

- Knife edge - Wood edge, laminate surface

- Wood edge, veneer surface

Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections.

OSelect trim color. Refer to the **Product Color Options** page in this

Select edge color.

price list.

Refer to the **Product Color Options** page in this price list.

Select grommet color.

Refer to the **Product Color Options** page in this

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

"P" Shaped Peninsula/Piano Peninsula



			MODEL NUM	IBER											
	MODEL	D x W x L	Basic Model	Dir. S	dge Su tyle Fin	rface Trim			Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (WV)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	"P" Shaped Peninsula Worksurfaces	24 x 48 x 60"	PWPT244860						65.0#	\$ 1018	\$ 1097	\$ 1766	\$ 6638	\$ 50	\$ 350
	Includes worksurface supportsPeninsula worksurfaces have one 2-1/2"	24 x 48 x 72"	PWPT244872						79.0#	1078	1238	2100	7820	100	675
	x 6" grommet centered on rear edge	30 x 48 x 72"	PWPT304872						88.0#	1111	1240	2049	7883	100	675
	 72" worksurfaces contain two steel 														
U Left shown	reinforcing bars														
PWPR															
	Piano Peninsula Worksurfaces	24 x 48 x 60"							57.0#	\$ 1018	\$ 1097	\$ 1616	\$ 5039	\$ 50	
	Includes worksurface supportsPeninsula worksurfaces have one 2-1/2"	24 x 48 x 72"							72.0#	1078	1238	1913	5904	50	350
	x 6" grommet centered on rear edge	30 x 48 x 72"	PWPP304872						82.0#	1111	1240	1913	6012	50	350
	72" worksurfaces contain two steel														
Left shown	reinforcing bars														
PWPR															
1 *** 11			A	•	Θ	D G	G	· · · · · · ·							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect surface direction. DL - Direction left - Direction right

Direction is determined by the side of the worksurface that adjoins an adjacent worksurface.

Select edge style.

74P - 74P edge - Knife edge - Wood edge, laminate surface - Wood edge, veneer surface

DSelect surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select trim color.

Refer to the **Product Color Options** page in this price list.

Select edge color.
Refer to the **Product Color Options** page in this

Select grommet color.
Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Square Shoe/Conference End



Worksurfaces

											<u> </u>		
			MODEL NUM	MBER								Laminate	Laurinata
	MODEL	D x W x L	Basic Model		Notch Type	Edge Style	Surface Finish	Trim Color	Edge Color	Grommet Color	Approx. Packaged 74P Edge Knife Edge Wood Edge Laminate Wood Edge Veneer Weight (74P) (KN) (WL) (WV)	Grade 2 add to list price	Laminate Grade 3 add to list price
	Square Shoe Worksurfaces	24 x 48 x 60"	PWSS244860								71.0# \$ 930 \$ 969 \$ 1545 \$ 4085	\$ 50	\$ 350
	Includes worksurface supports Co" worksurfaces contain two steels	24 x 48 x 66"	PWSS244866								75.0# 980 990 1555 4489	50	350
	 60" worksurfaces contain two steel reinforcing bars 	24 x 48 x 72"	PWSS244872								79.0# 999 1019 1582 4896	50	350
Left shown	 All surfaces 66" and longer are provided 	24 x 48 x 84"	PWSS244884								87.0# 1023 1067 1732 5695	70	450
	with an additional left-hand cantilever	30 x 48 x 66"	PWSS304866								89.0# 1021 1048 1582 4489	50	350
PWPR	 bracket All surfaces have one 2-1/2 x 6" grom- 	30 x 48 x 72"	PWSS304872								93.0# 1038 1062 1616 4896	50	350
	met centered on side and rear edges	30 x 48 x 84"	PWSS304884								101.0# 1064 1084 1773 5695	70	450
	Conference End Worksurface	26 x 52"	PWCE2652								21.0# \$ 599 \$ 897 \$ 1185 \$ 1484	\$ 25	\$ 170
	 Includes two 3" diameter metal columns with adjustable glides 	31 x 52"	PWCE3152								41.0# 624 906 1340 1662	50	350
	with adjustable glides	32 x 64"	PWCE3264								60.0# 648 956 1386 3982	50	350
		37 x 64"	PWCE3764								32.0# 887 976 1415 4744	50	350
PWCD													
			A	B	Θ	0	3	G	О	0			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect surface direction. DL - Direction left

- Direction right Direction is determined by the side of the worksurface that adjoins an adjacent worksurface.

Select notch type.

- Notch for standard trim

- Notch for flat aluminum trim

Select edge style.

74P - 74P edge

- Knife edge - Wood edge, laminate surface - Wood edge, veneer surface

Select surface finish.

Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

Select trim color.

Refer to the **Product Color Options** page in this

Select edge color.

Refer to the **Product Color Options** page in this

Select grommet color.

Refer to the **Product Color Options** page in this price list.

**Grommet color for 'Conference End Worksurfaces' is for "Notch for standard trim" only.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

"D" Shaped Peninsula



Worksurfaces

"D" Shaped Peninsu

			MODEL NUM	/IBER								
								Approx.			Laminate Grade 2	Laminate Grade 3
	MODEL		Basic Model	Edge Style	Surface Finish	Trim Color	Edge Color	Packaged Weight	74P Edge (74P)	Knife Edge (KN)	add to list price	add to list price
	"D" Shaped Peninsula Worksurfaces		PWP3048					53.0#	\$ 741	\$ 755	\$ 25	\$ 170
	Not available with laminate postformed	30 x 60"	PWP3060					63.0#	820	931	25	170
	edge • Includes mounting hardware	30 x 72"	PWP3072					76.0#	906	1129	25	170
	 72" worksurfaces contain two steel 	36 x 60"	PWP3660					75.0#	1013	1161	50	350
	reinforcing bars	36 x 72"	PWP3672					89.0#	1094	1412	50	350
U	Round grommets optional											
PWCD												
	"D" Shaped Peninsula Worksurface							54.0#	\$ 741	\$ 755	\$ 25	\$ 170
	Mounts to Another Worksurface							64.0#	820	931	25	170
	 Not available with laminate postformed edge 	30 x 72"	PWSMP3072					77.0#	906	1129	25	170
	 Does not include wire management 											
	grommet											
	Includes mounting hardware72" worksurfaces contain two steel											
PWCD	reinforcing bars											
			A	B	•	•	(3					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.
74P - 74P edge

74P - 74P edge KN - Knife edge

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style saracters in place of \square selections.

OSelect trim color.

Refer to the **Product Color Options** page in this price list.

Select edge color.

Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Dual Curvilinear/Diag/Curvilinear 90° Corner



Worksurfaces

Dual Curvilinear/Diag/Curvilinear 90° Corner

			MODEL NUMB	ER			d							
							Ų							
								\checkmark					Laminate	Laminate
			Basic	Edge Surface	Edge Grommet	Approx Packac		74P Edge	Postformed Edge	Knife Edge	Wood Edge Laminate	Wood Edge Veneer	Grade 2 add to list	Grade 3 add to list
	MODEL	D x W-LEFT x W-RIGHT x D	Model	Style Finish	Color Color	Weigh		(74P)	(PL)	(KN)	(WL)	(WV)	price	price
	Dual Curvilinear/Diag/Curvilinear 90°	24 x 42 x 42 x 24"	PWDCE244224			75.	.0#	\$ 2589	N/A	\$ 2582	\$ 2984	\$ 5742	\$ 35	\$ 225
	Corner	24 x 48 x 48 x 24"	PWDCE244824			84.	.0#	2648	N/A	2644	3056	6482	35	225
	Includes mounting hardware Workey force have and 0.1/0" v.6"	30 x 48 x 48 x 30"	PWDCE304830			98.	.0#	2796	N/A	2787	3119	6712	35	225
	 Worksurfaces have one 2-1/2" x 6" grommet located 12" from rear corner 													
PWWC	along right rear edge													
	Diagonal 90° Corner Worksurface	24 x 36 x 36 x 24"	PWD243624			46.	.0#	\$ 577	\$ 686	\$ 615	N/A	\$ 2681	\$ 35	\$ 225
	 Includes mounting hardware Left-hand cantilever is provided for rear 	24 x 42 x 42 x 24"	PWD244224			55.	.0#	664	789	688	N/A	3633	35	225
	corner	24 x 42 x 42 x 30"	PWD244230			51.	.0#	615	N/A	688	N/A	N/A	35	225
74P Edge (74P)	 Includes one grommet 	24 x 48 x 48 x 24"	PWD244824			64.	.0#	765	912	739	N/A	4562	35	225
74P Edge (74P)		24 x 48 x 48 x 30"	PWD244830			62.	.0#	714	N/A	739	N/A	N/A	35	225
		30 x 42 x 42 x 24"	PWD304224			51.	.0#	615	N/A	688	N/A	N/A	35	225
PWWC		30 x 42 x 42 x 30"	PWD304230			69.	.0#	664	789	688	N/A	3752	35	225
		30 x 48 x 48 x 24"	PWD304824			62.		714	N/A	739	N/A	N/A	35	225
		30 x 48 x 48 x 30"	PWD304830			78.	.0#	765	912	739	N/A	4678	35	225
	Curvlinear 90° Corner Worksurfaces	24 x 36 x 36 x 24"	PWC243624			44.		\$ 630	N/A	\$ 615	\$ 980	\$ 2796	\$ 35	\$ 225
	Includes mounting hardwareLeft-hand cantilever is provided for rear	24 x 42 x 42 x 24"	PWC244224			53.		668	N/A	688	1072	3800	35	225
	corner	24 x 42 x 42 x 30"	PWC244230			49.0		668	N/A	688	N/A	2849	35	225
74P Edge (74P)		24 x 48 x 48 x 24"	PWC244824			62.		834	N/A	739	1106	4659	35	225
		24 x 48 x 48 x 30"	PWC244830			60.		834	N/A	739	N/A	3800	35	225
PWWC		30 x 36 x 36 x 30"	PWC303630			49.		630	N/A	615	920	2905	35	225
		30 x 42 x 42 x 24"	PWC304224			49.		668	N/A	688	N/A	2849	35	225
			PWC304230			67.		715	N/A	688	1048		35	
		30 x 48 x 48 x 24"	PWC304824			60.		834	N/A	739	N/A		35	
		30 x 48 x 48 x 30"	PWC304830			76.	.0#	878	N/A	739	1127	4794	35	225
			PWC304230 PWC304824			67. 60.	.0# .0#	834	N/A N/A	688 739		3953 3800 4794	35 35	225 225 225

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number include:
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.
74P - 74P edge

74P - 74P edge
KN - Knife edge
PL - Postformed edge

Postformed edge
 Wood edge, laminate surface
 Wood edge, veneer surface

Select surface finish.

Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

DSelect grommet color.

Refer to the **Product Color Ontions**

Refer to the **Product Color Options** page in this price list.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Select grommet color.

Refer to the **Product Color Options** page in this price list.

0

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.


SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.





									•							
				MODEL NUM	/IBER											
															Laminate	Laminate
									Approx.						Grade 2	Grade 3
	MODEL	Fastures	D W	Basic	Notch	Edge	Surface Tri			74P Edge	Postformed Edge	Knife Edge	Wood Edge Laminate	Wood Edge Veneer	add to list	add to list
	MODEL	Features	D x W	Model	Location		Finish Col			(74P)	(PL)	(KN)	(WL)	(WV)	price	price
	Straight Countertops • For notch location of "LS, RS, BS", the			PWCT24				_		\$ 323	\$ 385	\$ 327	\$ 505	\$ 1142	\$ 18	* -
	notch has a grommet and will require a		16 x 30"	PWCT30					19.0#	359	426	364	551	1342	18	
	grommet color selection		16 x 36"	PWCT36					22.0#	379	453	384	597	1490	18	
	Brackets include steel locking clips to		16 x 42"	PWCT42					25.0#	435	523	442	660	1632	18	115
ž:	prevent dislodgement		16 x 48"	PWCT48					28.0#	468	555	475	704	1830	18	115
PWCT	Countertops accept task light		16 x 54"	PWCT54					31.0#	487	586	538	823	2080	18	115
			16 x 60"	PWCT60					34.0#	505	606	559	864	2325	18	115
			16 x 66"	PWCT66					37.0#	523	620	615	930	2472	18	115
			16 x 72"	PWCT72					40.0#	534	634	629	966	2572	18	
			16 x 78"	PWCT78					43.0#	542	648	663	1002	2626	35	225
			16 x 84"	PWCT84					43.0#	555	664	683	1037	3114	35	
	90° Corner Countertops	2-piece standard	16 x 24"	PW9024					23.0#	\$ 535	\$ 637	\$ 543	N/A	\$ 4222	\$ 18	
	 For notch location of "LS, RS, BS", the 	2-niece standard	16 v 30"	PW9030					30.0#	678	813	694	N/A	4524	25	
	notch has a grommet and will require a	2-niece standard	16 x 36"	PW9036					37.0#	804	955	816	N/A	4734	35	
	grommet color selection	2 pioco otandara	10 % 00	1 110000					01.0#	001	000	010	14//1	1701	00	LLO
PWCT	Brackets include steel locking clips to															
1 4401	prevent dislodgement															
	 PL edge comes with two individual tops and are placed next to each other in field 															
	Straight Countertops - ADA Height	u	16 v 2/1"	PWCTWC24					16.0#	\$ 376	\$ 435	\$ 345	\$ 535	\$ 1191	\$ 18	\$ 115
	• For notch location of "LS, RS, BS", the		16 x 30"	PWCTWC30					19.0#	411	Ψ 405 475	382	Ψ 333 485	1393	Ψ 16	
	notch has a grommet and will require a		16 x 36"	PWCTWC30					22.0#	432	501	430	532	1537	18	
	grommet color selection								25.0#					1684	18	
N V	 Brackets include steel locking clips to 		16 x 42"	PWCTWC42						486	574	456	595			
PWCW	prevent dislodgement		16 x 48"	PWCTWC48				_	28.0#	519	606	474	637	1883	18	
	 Per the 2010 ADA and ICC A117.1, KI 		16 x 54"	PWCTWC54					31.0#	538	634	575	755	2127	18	
	countertops do not extend more than		16 x 60"	PWCTWC60					34.0#	557	660	597	803	2374	18	
	4 inches into a circulation path and		16 x 66"	PWCTWC66					37.0#	574	668	667	862	2522	18	
	meet the requirements for a clear floor space positioned for a parallel approach	1	16 x 72"	PWCTWC72					40.0#	582	683	688	900	2618	18	
	adjacent to the accessible counter.	•	16 x 78"	PWCTWC78					43.0#	595	697	720	936	2675	35	
			16 x 84"	PWCTWC84					46.0#	606	714	741	977	3160	35	
	90° Countertops - ADA Height	2-piece standard	16 x 24"	PWCTWC9024						\$ 586	\$ 686	\$ 589	N/A	\$ 4270	\$ 18	, .
	For notch location of "LS, RS, BS", the notch has a grammet and will require a	2-piece standard	16 x 30"	PWCTWC9030					30.0#	734	861	663	N/A	4570	25	
	notch has a grommet and will require a grommet color selection	2-piece standard	16 x 36"	PWCTWC9036					37.0#	855	1002	709	N/A	4786	35	225
	Brackets include steel locking clips to															
IV VI	prevent dislodgement															
PWCW	 PL edge comes with two individual tops 	3														
	and are placed next to each other in field															
	 Per the 2010 ADA and ICC A117.1, KI 															
	countertops do not extend more than															
	4 inches into a circulation path and															

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

2. Model number, including options. See "How To Build a Model Number".

3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

meet the requirements for a clear floor space positioned for a parallel approach adjacent to the accessible counter.

BSelect notch location.

- Standard - Left notch for std trim - Right notch for std trim - Both notches for std trim - Left notch for flat trim - Right notch for flat trim - Both notches for flat trim

For notch location of "LS, RS, BS", the notch has a grommet and will require a separate grommet color selection

Select edge style.

74P - 74P edge

- Postformed edge - Knife edge - Wood edge, laminate surface - Wood edge, veneer surface

Surface finish offerings are based on edge style selections.

B

Θ

0

(3

G

G

Select trim color.

A

Refer to the **Product Color Options** page in this price list. Metallic finish not available.

Select edge color.

Refer to the Product Color Options page in this price list.

GSelect grommet color.

For notch location of "LS, RS, BS", the notch has a grommet and will require a separate grommet color selection, otherwise there is no grommet color selection Refer to the **Product Color Options** page in this

price list.

Select surface finish. Refer to the **Product Color Options** page in this

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Mobile Teardrop/Mobile Semi-Circle



Worksurfaces

Mobile Teardrop/Mobile Semi-Circle

•										•		
				MODEL NUM	/IBER						Laminate	Laminate
				Basic	Edge		Trim	Surface Edge	Approx. Packaged	74P Edge	Grade 2 add to list	Grade 3 add to list
	MODEL	Features	D x DIA	Model		Height	Color	Finish Color	Weight	(74P)	price	price
_	Mobile Teardrop Worksurface		24 X 45"	WMTPW2446					98.0#	\$ 1218	\$ 35	\$ 22
	 1-1/4" solid particleboard with high-pressure laminate 		30 X 55"	WMTPW3056					132.0#	1223	50	350
	Base consists of three 3" diameter											
	metal support legs with adjustable											
	chrome-plated glides											
() () () () () () () () () () () () () (Connects to end of 24" or 30" worksur-	-										
₩	face • Pointed end is removed to accommodate	to										
WMT	corner of two WireWorks panels	ıc										
******	comer or the removement panels											
	Mobile Semi-Circle Worksurface	Std.	24 X 51-1/2"	WMSCPW52		9			69.0#	\$ 1451	\$ 25	\$ 170
	1-1/4" solid particleboard with	Std.	30 X 63-1/2"	WMSCPW64					88.0#	1481	25	170
	high-pressure laminate	Flat	24 X 51-1/2"	WMSCFW52					69.0#	1451	25	170
a	Base consists of three 3" diameter and the second se	Flat	30 X 63-1/2"						88.0#	1481	25	170
Town I	metal support legs with adjustable chrome-plated glides	rial	30 A 03-1/2	WWW.GCFW04		9			08.0#	1401	20	170
	Connects to end of 24" or 30" worksur-											
J 4	face											
	 Notched in center for wire management 	t										
	Notch enables surface to wrap around and one of WirelWorks® panel.											
WMT	end cap of WireWorks® panel • 51-1/2" diameter accommodates two											
	24" deep worksurfaces separated by a											
	WireWorks panel											
	63-1/2" diameter accommodates two											
	30" deep worksurfaces separated by a WireWorks panel											
	wheevorks panel											
					-	•	•	A C				
				A	$oldsymbol{eta}$	$oldsymbol{\Theta}$	0	3				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

selections.

A Select basic model.

Select edge style.

74P - 74P edge

Select height.

9 - 29" high

• Select trim color (edge/grommet/support

Refer to the **Product Color Options** page in this price list.

Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Mobile Teardrop/Mobile Semi-Circle



Worksurfaces

			MODEL NU		rface Edge iish Color	Approx. Packaged	74P Edge	Lamii Grade add t	e 2 (o list a	Laminate Grade 3 add to list
	MODEL	D x DIA	Model			Weight	(74P)	price	- 1	price
	Quarter Round Transitional Worksurface	24 X 24" Dia for Panel	WQRPW24			34.0#	\$ 620	\$	18	\$ 115
	Two splice plates provided	30 X 30" Dia for Panel	WQRPW30			51.0#	642		25	170
	 For use with fixed height workstations only 									
	Available with 74P edge									
	 For use as conferencing corner 									
	 Modesty panel not required 									
WCT	Wireway option not available									
WOT	 24" surface has radius of 26-2/3" and 30" surface has a radius of 35" 									
	WQRP version has pointed end removed	1								
	to accommodate corner of two Wire-									
	Works panels									
			A	3	6 0					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

• Select surface finish.

Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style selections.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

OSelect edge color.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

PWSL

Worksurfaces

Worksurface Support Panel





			MODEL NUM Basic		Edge Surfac	e Edge	Approx. Packaged	Laminate Grade 2 74P Edge Postformed Edge add to list	Laminate Grade 3 add to list	i
	MODEL	D x DIA	Model	Dir. S		Color	Weight	(74P) (PL) price	price	
			PWSSL2426				15.0#	\$ 484 \$ 577 \$ 25	\$ 17	0
	Both Sides)	24 x 29"	PWSSL2429				16.0#	487 586 25	17	0
	 Must specify left or right side version by adding /L (left) or /R (right) to product 	30 x 26"	PWSSL3026				17.0#	487 586 25	17	′0
	number	30 x 29"	PWSSL3029				18.0#	502 601 25	17	' 0
	 Support panel provides additional work- 									
	surface support in extensive worksurface									
PWSL	loading applications									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

B O

0

3

A Select basic model.

 Mounts to panel and worksurface Adjustable glides provide leveling capa-• 26" worksurface height equals 24-7/8"

• 29" worksurface height equals 27-7/8"

panel height

panel height

BSelect surface direction.

DR - Direction right

- Direction left

Select edge style.

74P - 74P edge
PL - Postformed edge

DSelect surface finish.

Refer to the Product Color Options page in this

price list. Surface finish offerings are based on edge style selections.

Select edge color.

Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Worksurface Accessories

Worksurface Accessories



Worksurface Accessories Worksurface Accessories

							lacksquare
				MODEL NUI	MBER		
						Approx.	
	MODEL	Factoria	W D II	Basic	Trim Color	Approx. Packaged Weight	Delivered Six Control of the Control
	MODEL	Features	WxDxH		Color		Pricing
	Grommets - Field-Installed	Inside - 2-3/4", Outside - 3"		WSG		1.0#	\$ 4
HRDPT							
	Worksurface Support Bracket			PWSB.L		1.0#	\$ 29
			3 x 4"	PWSB.R		1.0#	29
4							
*							
HRDPT							
	Worksurface Vertical Filler		3 x 24"	WSVF.24		3.0#	\$ 57
200				WSVF.30		3.0#	64
7/0/							
HRDPT							
	Worksurface Wire Manager	W - 2", D - 2-1/2"		WWM		1.0#	\$ 67
		2,5 2 ./2					• •
~							
HRDPT							
וחטרו							
				A	$oldsymbol{\Theta}$		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

price list. Metallic finish not available.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220** factory. Freight class #70.



Universal Storage and Accessories Overhead Storage

								·	
			MODEL NUMBER						
									Metallic Metallic
			Pagio		Paint	Look L	Approx. ock Packaged	Delivered	Paint add to list
	MODEL	WxHxD	Basic Model	Assembly		Lock Lock	ock Packaged olor Weight	Pricing	add to list price
		24 x 16-1/2 x 14-1/2"	PRDS24/WW/PM	-			32.0#	\$ 597	\$ 102
	Steel Door Overhead Cabinet-On-Module	30 x 16-1/2 x 14-1/2"	PRDS30/WW/PM				36.0#	658	111
	On-Module overheads (PM) mount into	36 x 16-1/2 x 14-1/2"	PRDS36/WW/PM				40.0#	667	112
	slots in vertical posts. Overheads must	42 x 16-1/2 x 14-1/2"	PRDS42/WW/PM				□□□ 44.0#	713	123
	be same width as panel mounted to. Does not require a 12" tile for mounting.		PRDS48/WW/PM				49.0#	754	130
PRDS	Allows for vertical adjustment in 1"	54 x 16-1/2 x 14-1/2"	PRDS54/WW/PM				53.0#	864	152
	increments	60 x 16-1/2 x 14-1/2"	PRDS60/WW/PM				57.0#	920	158
	Includes mounting bracketsSteel bottom and top shelf, end panels						3.2.2	·	
	and front with powder-coated finish								
	 Accepts shelf divider 								
	Door stores recessed with plastic trim								
	handle exposedDouble bit lock is included								
	shelf depth is 13-1/4"								
<u> </u>		24 x 16-1/2 x 14-1/2"	PRDS24/WW/OM12				32.0#	\$ 708	\$ 102
	Steel Door Overhead Cabinet-Off-Module	30 x 16-1/2 x 14-1/2"	PRDS30/WW/0M12				□□□ 36.0#	761	111
	Off-Module overheads (OM12) for	36 x 16-1/2 x 14-1/2"	PRDS36/WW/OM12				□□□ 40.0#	771	112
	WireWorks® mount into an integral track in the horizontal rail. Allows shelf	42 x 16-1/2 x 14-1/2"	PRDS42/WW/OM12				□□□ 44.0#	819	123
	to slide along track. Requires a 12" tile	48 x 16-1/2 x 14-1/2"	PRDS48/WW/OM12				□□□ 49.0#	862	130
PRDS	for mounting (i.e. must be a half or fully	54 x 16-1/2 x 14-1/2"	PRDS54/WW/OM12				□□□ 53.0#	970	152
	segmented panel) Includes mounting brackets	60 x 16-1/2 x 14-1/2"	PRDS60/WW/OM12				□□□ 57.0#	1030	158
	Steel bottom and top shelf, end panels								
	and front with powder-coated finish								
	Accepts shelf divider								
	 Door stores recessed with plastic trim handle exposed 								
	Double bit lock is included								
	shelf depth is 13-1/4"								
			A	B	Θ	0	3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select assembly.

F - Fully Assembled; add \$179

- Unassembled

C Select paint color.

Refer to the **Product Color Options** page in this

OSelect lock option.

KA - Key alike KS - Key standard
NLC - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Universal Storage and Accessories Overhead Storage

								<u> </u>	
			MODEL NUMBER						
	MODEL	WxHxD	Basic Model	Assembly	Paint	Lock Lock Option Color	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
*>a	Steel Door Cabinet-Off-Module	24 x 16-1/2 x 14-1/2"		Assembly				\$ 708	\$ 102
	Off-Module overheads (OM18) for								·
	WireWorke® mount into an integral track	30 x 16-1/2 x 14-1/2"	PRDS30/WW/0M18					761	111
	in the horizontal rail. Allows shelf to slide	e 36 x 16-1/2 x 14-1/2	PRDS36/WW/OM18					771	112
	along track. Requires a 18" tile (OM18)	42 x 16-1/2 x 14-1/2"	PRDS42/WW/OM18					819	123
	for mounting (i.e. must be a half or fully segmented panel)		PRDS48/WW/OM18					862	130
PRDS	Includes mounting brackets	54 x 16-1/2 x 14-1/2"	PRDS54/WW/OM18					970	152
	 Steel bottom and top shelf, end panels 	60 x 16-1/2 x 14-1/2"	PRDS60/WW/0M18				□ 57.0#	1030	158
	and front with powder-coated finish								
	Accepts shelf dividerDoor stores recessed with plastic trim								
	handle exposed								
	Double bit lock is included								
	 shelf depth is 13-1/4" 								
- III	Steel Door Overhead Cabinet-Load Bar	24 x 16-1/2 x 14-1/2"	PRDS24/WW/LB				□ 32.0#	\$ 708	\$ 102
	Mount	30 x 16-1/2 x 14-1/2"	PRDS30/WW/LB				□ 36.0#	761	111
	Load Bar mount overheads (LB) for Washington and the second	36 x 16-1/2 x 14-1/2"	PRDS36/WW/LB				□ 40.0#	771	112
	WireWorks® hang from an externally mounted load bar	42 x 16-1/2 x 14-1/2"	PRDS42/WW/LB				□ 44.0#	819	123
√	Load Bar purchased separately	48 x 16-1/2 x 14-1/2"	PRDS48/WW/LB				□ 49.0#	862	130
PRDS	 Includes mounting brackets 	54 x 16-1/2 x 14-1/2"	PRDS54/WW/LB				□ 53.0#	970	152
	 Steel bottom and top shelf, end panels and front with powder-coated finish 	60 x 16-1/2 x 14-1/2"	PRDS60/WW/LB				□ 57.0#	1030	158
	Accepts shelf divider								
	Door stores recessed with plastic trim								
	handle exposed								
	Double bit lock is included pholf donth is 12.1/4"								
	 shelf depth is 13-1/4" 								
			A	$oldsymbol{\Theta}$	$\mathbf{\Theta}$	0 0)		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select assembly.

F - Fully Assembled; add \$179

- Unassembled

C Select paint color.

Refer to the **Product Color Options** page in this

OSelect lock option.

KA - Key alike

KS - Key standard
NLC - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Universal Storage and Accessories Overhead Storage

			MODEL NUMBE	R					
	MODEL	WxHxD	Basic Model	Assembly	Paint Lo	ck Lock	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
		24 x 16-1/2 x 14-1/2"	PRDS24/WW/UM				32.0#	\$ 761	\$ 102
	 Upmount brackets position the storage 		PRDS30/WW/UM				36.0#	820	111
	component on a 54" high panel to the same height as on 66" high panels	36 x 16-1/2 x 14-1/2"	PRDS36/WW/UM				40.0#	830	112
	 On a 54" high panel, clearance between 	42 x 16-1/2 x 14-1/2"	PRDS42/WW/UM				44.0#	874	123
	the cabinet and worksurface is 20"	48 x 16-1/2 x 14-1/2"	PRDS48/WW/UM				49.0#	917	130
	 On a 48" high panel, clearance between the cabinet and worksurface is 14" 	54 x 16-1/2 x 14-1/2"	PRDS54/WW/UM				53.0#	1027	152
PRDS	Includes mounting brackets	60 x 16-1/2 x 14-1/2"	PRDS60/WW/UM				57.0#	1089	158
	Steel bottom and top shelf, end panels								
	and front with powder-coated finishAccepts shelf divider								
	Door stores recessed with plastic trim								
	handle exposed								
	Double bit lock is includedshelf depth is 13-1/4"								
	5.15.1 doparto 10 1/1								
			A	$oldsymbol{\Theta}$	Θ	()			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select assembly.

F - Fully Assembled; add \$179

- Unassembled

C Select paint color.

Refer to the **Product Color Options** page in this

OSelect lock option.

KA - Key alike KS - Key standard
NLC - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Universal Storage and Accessories Overhead Storage

			MODEL NUMBER													
	MODEL	WxHxD	Basic Model	Assembly			Lock Option	Lock Color	Appro Packa Weigh	ox. iged	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
<u>./٢.</u>		24 x 16-1/2 x 14-1/2"	PRDF24/WW/PM						32.	.0#	\$ 630	\$ 640	\$ 650	\$ 650	\$ 657	\$ 102
	Fabric Door Overhead Cabinet-On-Module	30 x 16-1/2 x 14-1/2"	PRDF30/WW/PM						36.	.0#	687	700	709	709	716	111
	On-Module overheads (PM) mount into	36 x 16-1/2 x 14-1/2"	PRDF36/WW/PM						40.	.0#	705	715	725	725	735	112
	slots in vertical posts. Overheads must be same width as panel mounted to.	42 x 16-1/2 x 14-1/2"	PRDF42/WW/PM						44.	.0#	747	758	769	769	781	123
	Does not require a 12" tile for mounting.	48 x 16-1/2 x 14-1/2"	PRDF48/WW/PM						49.	.0#	794	810	819	819	828	130
PRDF	Allows for vertical adjustment in 1"	54 x 16-1/2 x 14-1/2"	PRDF54/WW/PM						53.	.0#	905	922	934	934	940	152
	increments	60 x 16-1/2 x 14-1/2"	PRDF60/WW/PM						57.	.0#	969	987	995	995	1011	158
	Includes mounting bracketsSteel bottom and top shelf, end panels															
	and front with powder-coated finish															
	Accepts shelf divider															
	 Door stores recessed with plastic trim handle exposed 															
	Double bit lock is included															
	 shelf depth is 13-1/4" 															
	Fabric Door Overhead Cabinet-Off-Module	24 x 16-1/2 x 14-1/2"	PRDF24/WW/OM12						32.	.0#	\$ 738	\$ 747	\$ 755	\$ 755	\$ 761	\$ 102
		30 x 16-1/2 x 14-1/2"	PRDF30/WW/0M12						36.	.0#	794	806	815	815	824	111
	 Off-Module overheads (OM12) for WireWorks[®] mount into an integral 	36 x 16-1/2 x 14-1/2"	PRDF36/WW/OM12						40.	.0#	810	820	831	831	837	112
	track in the horizontal rail. Allows shelf	42 x 16-1/2 x 14-1/2"	PRDF42/WW/0M12						44.	.0#	857	865	877	877	886	123
V	to slide along track. Requires a 12" tile	48 x 16-1/2 x 14-1/2"	PRDF48/WW/OM12						49.	.0#	902	916	929	929	936	130
PRDF	for mounting (i.e. must be a half or fully	54 x 16-1/2 x 14-1/2"	PRDF54/WW/0M12						53.	.0#	1016	1030	1041	1041	1048	152
	segmented panel) • Includes mounting brackets	60 x 16-1/2 x 14-1/2"	PRDF60/WW/0M12						57.	.0#	1077	1097	1106	1106	1116	158
	Steel bottom and top shelf, end panels															
	and front with powder-coated finish															
	 Accepts shelf divider Door stores recessed with plastic trim 															
	handle exposed															
	 Double bit lock is included 															
	 shelf depth is 13-1/4" 															
			A	B	Θ	O	(3	(3)								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

Refer to the **Product Color Options** page in this

OSelect fabric color. Refer to ki.com/fabrics

Select lock option.

KA - Key alike - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Universal Storage and Accessories Overhead Storage

							_	_
	MODEL	W x H x D	Basic Model	Assembly	Paint Color	Fabric Color	Lock Option	Lock Color
≫ .	MODEL	24 x 16-1/2 x 14-1/2"	PRDF24/WW/OM18	Assembly				
	Fabric Door Overhead Cabinet-Off-Module	30 x 16-1/2 x 14-1/2	PRDF30/WW/OM18					
	Off-Module overheads (OM18) for	36 x 16-1/2 x 14-1/2"	PRDF36/WW/OM18					
	WireWorks® mount into an integral track	,	PRDF30/WW/OM18					
	in the horizontal rail. Allows shelf to slide	42 x 10-1/2 x 14-1/2	PRDF42/WW/OM18					
PRDF	along track. Requires a 18" tile (OM18) for mounting (i.e. must be a half or fully	40 x 10-1/2 x 14-1/2 54 × 16-1/2 × 14-1/2"	PRDF48/WW/OM18					
ו ווטר	segmented panel)	60 x 16-1/2 x 14-1/2"	PRDF60/WW/OM18					
	 Includes mounting brackets 	00 X 10-1/2 X 14-1/2	PRDF00/WW/UWITO					
	 Steel bottom and top shelf, end panels and front with powder-coated finish 							
	Accepts shelf divider							
	 Door stores recessed with plastic trim 							
	handle exposed							
	 Double bit lock is included shelf depth is 13-1/4" 							
		24 x 16-1/2 x 14-1/2"	PRDF24/WW/LB	П				
	Fabric Door Overhead Cabinet-Load Bar Mount	24 x 16-1/2 x 14-1/2 30 x 16-1/2 x 14-1/2"	PRDF24/WW/LB					
	Load Bar mount overheads (LB) for	36 x 16-1/2 x 14-1/2"	PRDF30/WW/LB					
	WireWorks® hang from an externally	42 x 16-1/2 x 14-1/2"	PRDF36/WW/LB					
	mounted load bar	42 x 16-1/2 x 14-1/2 48 x 16-1/2 x 14-1/2"	PRDF42/WW/LB					
PRDF	Load Bar purchased separatelyIncludes mounting brackets	48 x 16-1/2 x 14-1/2 54 x 16-1/2 x 14-1/2"	PRDF48/WW/LB					
רתטר	 Steel bottom and top shelf, end panels 	54 x 16-1/2 x 14-1/2 60 x 16-1/2 x 14-1/2"	PRDF54/WW/LB					
	and front with powder-coated finish	00 X 10-1/2 X 14-1/2	PRDF0U/WW/LB					
	 Accepts shelf divider Door stores recessed with plastic trim 							
	handle exposed							
	 Double bit lock is included 							
	 shelf depth is 13-1/4" 							
			A	$oldsymbol{eta}$	$\mathbf{\Theta}$	O	(3)	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

Select paint color.

Refer to the **Product Color Options** page in this

OSelect fabric color. Refer to ki.com/fabrics

Select lock option.

KA - Key alike - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

INFORMATION **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Approx.

32.0#

36.0#

40.0#

44.0#

49.0#

53.0#

57.0#

Delivered

1 & C.O.M.

\$ 794

855

866

911

959

1068

1132

Pricing

Packaged Fabric Grade

Delivered

Fabric Grade

862

878

922

972

1090 1153

Pricing

\$ 805

Universal Storage and Accessories Overhead Storage

Pricing

PV2

\$ 819

Pallas Vertical

Fabric Grade

882

898

945

989

1106

1171

Delivered Pricing

3 & Pallas Vertical

Fabric Grade

Fabric Grade

870

890

936

982

1099

1161

PV

\$ 813

Delivered Pricing

Pallas Vertical

Fabric Grade

870

890

936

982

1099

1161

PV1

\$ 813

Metallic

add to list

\$ 102

111

112

123

130

152

158

Paint

price

			MODEL NUMBER	ł					
	MODEL	WxHxD	Basic Model	Assembly	Paint Color	Fabric Color	Lock Option	Lock Color	
	Fabric Door Overhead Cabinet-Upmount	24 x 16-1/2 x 14-1/2"	PRDF24/WW/UM	Assembly					_
	 Upmount brackets position the storage 	30 x 16-1/2 x 14-1/2"	PRDF30/WW/UM						
	component on a 54" high panel to the same height as on 66" high panels	36 x 16-1/2 x 14-1/2"	PRDF36/WW/UM						
	• On a 54" high panel, clearance between	42 x 16-1/2 x 14-1/2"	PRDF42/WW/UM						
	the cabinet and worksurface is 20"	48 x 16-1/2 x 14-1/2"	PRDF48/WW/UM						_
v	On a 48" high panel, clearance between the cabinet and worksurface is 14"	54 x 16-1/2 x 14-1/2"	PRDF54/WW/UM						
PRDF	Includes mounting brackets	60 x 16-1/2 x 14-1/2"	PRDF60/WW/UM						
	Steel bottom and top shelf, end panels								
	and front with powder-coated finishAccepts shelf divider								
	Door stores recessed with plastic trim								
	handle exposed								
	 Double bit lock is included shelf depth is 13-1/4" 								
			A	$oldsymbol{\mathbf{B}}$	•	O	(3)	(3)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

Select paint color.

Refer to the **Product Color Options** page in this

OSelect fabric color. Refer to ki.com/fabrics

Select lock option.

- Key alike

- Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Universal Storage and Accessories Overhead Storage

			MODEL NUMBER									
	MODEL	WxHxD	Basic Model	Assembly	Paint Color	Laminate Color	Lock Option	Lock Color	Approx. Packaged Delivered Weight Pricing	Metallic Paint add to list price	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Laminate Door Overhead Cabi-	24 x 16-1/2 x 14-1/2"	PRDL24/WW/PM						32.0# \$ 807	\$ 102	\$ 18	\$ 115
	net-On-Module (PM)	30 x 16-1/2 x 14-1/2"	PRDL30/WW/PM						36.0# 886	111	18	115
.07	On-Module overheads mount into slots	36 x 16-1/2 x 14-1/2"	PRDL36/WW/PM						40.0# 902	112	18	115
	in vertical posts. Overheads must be same width as panel mounted to. Does	42 x 16-1/2 x 14-1/2"	PRDL42/WW/PM						44.0# 960	123	18	115
V	not require 12" tile for mounting. Allows	48 x 16-1/2 x 14-1/2"	PRDL48/WW/PM						48.0# 1020	130	18	115
PRDL	for vertical adjustment in 1" increments	54 x 16-1/2 x 14-1/2"	PRDL54/WW/PM						53.0# 1168	152	18	115
	 Includes mounting brackets Steel bottom and top shelf, end panels and front with powder-coated finish 	60 x 16-1/2 x 14-1/2"	PRDL60/WW/PM						57.0# 1250	158	18	115
	Accepts shelf divider Door stores recessed with plastic trim handle exposed											
	Double bit lock is included shelf depth is 13-1/4"											
· A	Laminate Door Overhead Cabi-	24 x 16-1/2 x 14-1/2"	PRDL24/WW/OM12						32.0# \$ 914	\$ 102	\$ 18	\$ 115
	net-Off-Module (OM12)	30 x 16-1/2 x 14-1/2"	PRDL30/WW/OM12						36.0# 990	111	18	115
12	Off-Module overheads for WireWorks®	36 x 16-1/2 x 14-1/2"	PRDL36/WW/OM12						40.0# 1012	112	18	115
	mount into an integral track in the horizontal rail. Allows shelf to slide along	42 x 16-1/2 x 14-1/2"	PRDL42/WW/OM12						44.0# 1067	123	18	115
V	track. Requires 12" tile for mounting (i.e	e. 48 x 16-1/2 x 14-1/2"	PRDL48/WW/OM12						48.0# 1127	130	18	115
PRDL	must be a half or fully segmented panel)	54 x 16-1/2 x 14-1/2"	PRDL54/WW/OM12						53.0# 1273	152	18	115
	Includes mounting bracketsSteel bottom and top shelf, end panels	60 x 16-1/2 x 14-1/2"	PRDL60/WW/OM12						57.0# 1353	158	18	115
	and front with powder-coated finish											
	Accepts shelf divider											
	 Door stores recessed with plastic trim 											
	handle exposed											
	handle exposedDouble bit lock is includedshelf depth is 13-1/4"											

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

- Fully Assembled; add \$179

- Unassembled

Select paint color.

Refer to the **Product Color Options** page in this

• Select laminate color.

Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Universal Storage and Accessories Overhead Storage

									V			
			MODEL NUMBER									
										Metallic	Laminate	Laminate
			Pagio		Doint	Laminate	Look	Look	Approx. Packaged Delivered	Paint add to list	Grade 2 add to list	Grade 3 add to list
	MODEL	WxHxD	Basic Model	Assembly	Paint Color		Lock Option	Lock Color	Weight Pricing	price	price	price
<u> </u>	Laminate Door Overhead Cabi-	24 x 16-1/2 x 14-1/2"	PRDL24/WW/OM18	7100011101y					32.0# \$ 914	\$ 102	\$ 18	\$ 115
	net-Off-Module (OM18)	30 x 16-1/2 x 14-1/2"	PRDL30/WW/OM18						36.0# 990	111	18	115
	Off-Module overheads for WireWorks®	36 x 16-1/2 x 14-1/2"	PRDL36/WW/OM18						40.0# 1012	112	18	115
	mount into an integral track in the		PRDL42/WW/OM18						44.0# 1067	123	18	115
	horizontal rail. Allows shelf to slide along	42 x 10-1/2 x 14-1/2	PRDL48/WW/OM18						48.0# 1127		18	
PRDL	track. Requires 18" tile for mounting (i.e must be a half or fully segmented panel)	. 40 X 10-1/2 X 14-1/2	PRDL54/WW/OM18						53.0# 1273	130 152		115
PRUL	 Includes mounting brackets 										18	115
	 Steel bottom and top shelf, end panels 	60 x 16-1/2 x 14-1/2"	PRDL60/WW/OM18						57.0# 1353	158	18	115
	and front with powder-coated finish											
	Accepts shelf dividerDoor stores recessed with plastic trim											
	handle exposed											
	Double bit lock is included											
	 shelf depth is 13-1/4" 											
		24 x 16-1/2 x 14-1/2"	PRDL24/WW/LB						32.0# \$ 914	\$ 102	\$ 18	\$ 115
	Bar Mount (LB)	30 x 16-1/2 x 14-1/2"	PRDL30/WW/LB						36.0# 990	111	18	115
	 Load Bar mount overheads (LB) for WireWorks[®] hang from an externally 	36 x 16-1/2 x 14-1/2"	PRDL36/WW/LB						40.0# 1012	112	18	115
	mounted load bar	42 x 16-1/2 x 14-1/2"	PRDL42/WW/LB						44.0# 1067	123	18	115
·	Load Bar purchased separately	48 x 16-1/2 x 14-1/2"	PRDL48/WW/LB						48.0# 1127	130	18	115
PRDL	 Includes mounting brackets 	54 x 16-1/2 x 14-1/2"	PRDL54/WW/LB						53.0# 1273	152	18	115
	 Steel bottom and top shelf, end panels and front with powder-coated finish 	60 x 16-1/2 x 14-1/2"	PRDL60/WW/LB						57.0# 1353	158	18	115
	Accepts shelf divider											
	Door stores recessed with plastic trim											
	handle exposed											
	Double bit lock is included abolf double is 12.1(4")											
	• shelf depth is 13-1/4"											
			A	B	Θ	O	(3)	(3)				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

- Fully Assembled; add \$179

- Unassembled

Select paint color.

Refer to the **Product Color Options** page in this

• Select laminate color.

Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Universal Storage and Accessories Overhead Storage

			MODEL NUMBER	ł								
	MODEL	W x H x D	Basic Model	Assembly		Laminate Color	Lock Option	Lock Color	Approx. Packaged Delivered Weight Pricing	Metallic Paint add to list price	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Laminate Door Overhead Cabinet-Up-	24 x 16-1/2 x 14-1/2"	PRDL24/WW/UM						32.0# \$ 971	\$ 102	\$ 18	\$ 115
	mount	30 x 16-1/2 x 14-1/2"	PRDL30/WW/UM						36.0# 1049	111	18	115
	Upmount brackets position the storage	36 x 16-1/2 x 14-1/2"	PRDL36/WW/UM						40.0# 1064	112	18	115
	component on a 54" high panel to the same height as on 66" high panels	42 x 16-1/2 x 14-1/2"	PRDL42/WW/UM						44.0# 1126	123	18	115
	• On a 54" high panel, clearance between	48 x 16-1/2 x 14-1/2"	PRDL48/WW/UM						48.0# 1183	130	18	115
	the cabinet and worksurface is 20"	54 x 16-1/2 x 14-1/2"	PRDL54/WW/UM						53.0# 1331	152	18	115
PRDL	 On a 48" high panel, clearance between the cabinet and worksurface is 14" 	60 x 16-1/2 x 14-1/2"	PRDL60/WW/UM						57.0# 1412	158	18	115
	Includes mounting brackets											
	 Steel bottom and top shelf, end panels 											
	and front with powder-coated finishAccepts shelf divider											
	Door stores recessed with plastic trim											
	handle exposed											
	Double bit lock is includedshelf depth is 13-1/4"											
	Short doptil to 10 1/4											
			A	ß	$oldsymbol{\Theta}$	O	(3	(3)				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

Select paint color.

Refer to the **Product Color Options** page in this

• Select laminate color.

Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Universal Storage and Accessories Overhead Storage

			MODEL NUMBER					
			Basic		Paint	Veneer	Lock	Lock
	MODEL	WxHxD	Model	Assembly		Color	Option	Color
<u> </u>	Veneer Door Overhead Cabinet-On-Mod-	24 x 16-1/2 x 14-1/2"	PRDV24/WW/PM					
	ule (PM)	30 x 16-1/2 x 14-1/2"	PRDV30/WW/PM					
·U	On-Module overheads mount into slots	36 x 16-1/2 x 14-1/2"	PRDV36/WW/PM					
	in vertical posts. Overheads must be same width as panel mounted to. Does	42 x 16-1/2 x 14-1/2"	PRDV42/WW/PM					
	not require 12" tile for mounting. Allows	s 48 x 16-1/2 x 14-1/2"	PRDV48/WW/PM					
PRDV	for vertical adjustment in 1" increments	54 x 16-1/2 x 14-1/2"	PRDV54/WW/PM					
	Includes mounting bracketsSteel bottom and top shelf, end panels	60 x 16-1/2 x 14-1/2"	PRDV60/WW/PM					
	and front with powder-coated finish							
	 Accepts shelf divider 							
	Door stores recessed with plastic trim							
	handle exposedDouble bit lock is included							
	shelf depth is 13-1/4"							
<u> </u>	Veneer Door Overhead Cabinet-Off-Mod-	24 x 16-1/2 x 14-1/2"	PRDV24/WW/0M12					
	ule (0M12)	30 x 16-1/2 x 14-1/2"	PRDV30/WW/0M12					
	Off-Module overheads for WireWorks®		PRDV36/WW/0M12					
	mount into an integral track in the horizontal rail. Allows shelf to slide alon							
	track. Requires 12" tile for mounting (i.e	e. 48 x 16-1/2 x 14-1/2"	PRDV48/WW/OM12				1	
PRDV	must be a half or fully segmented panel) 54 x 16-1/2 x 14-1/2"	PRDV54/WW/OM12					
	 Includes mounting brackets 	60 x 16-1/2 x 14-1/2"	PRDV60/WW/OM12					
	 Steel bottom and top shelf, end panels and front with powder-coated finish 							
	Accepts shelf divider							
	 Door stores recessed with plastic trim 							
	handle exposed							
	 Double bit lock is included shelf depth is 13-1/4" 							
	- Shell depth is 13-1/4							
			A	B	$\mathbf{\Theta}$	O	(3	(3)

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

C Select paint color.

Refer to the **Product Color Options** page in this

• Select veneer color.

Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Approx.
Packaged Delivered

34.0#

36.0#

44.0#

49.0# 54.0#

60.0#

64.0#

Pricing

1950

2025

2270

2567

2798

3057

Universal Storage and Accessories Overhead Storage

Metallic

Paint add to list

price

\$ 102

111

112

123

130 152

158

			MODEL NUMBER						
					B : 1	.,			
	MODEL	WxHxD	Basic Model	Assembly	Paint Color	Veneer Color	Lock Option	Lock Color	
<u> </u>	Veneer Door Overhead Cabinet-Off-Mod-	24 x 16-1/2 x 14-1/2"	PRDV24/WW/OM18						
	ule (OM18)	30 x 16-1/2 x 14-1/2"	PRDV30/WW/0M18						
	 Off-Module overheads for WireWorks® mount into an integral track in the 	36 x 16-1/2 x 14-1/2"	PRDV36/WW/0M18						
	horizontal rail. Allows shelf to slide along	42 x 16-1/2 x 14-1/2"	PRDV42/WW/OM18						
	track. Requires 18" tile for mounting (i.e.		PRDV48/WW/OM18						
PRDV	must be a half or fully segmented panel)	54 x 16-1/2 x 14-1/2"	PRDV54/WW/OM18						
	Includes mounting bracketsSteel bottom and top shelf, end panels	60 x 16-1/2 x 14-1/2"	PRDV60/WW/0M18						
	and front with powder-coated finish								
	Accepts shelf divider								
	 Door stores recessed with plastic trim handle exposed 								
	Double bit lock is included								
	 shelf depth is 13-1/4" 								
			A	B	•	0	(3	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

©Select paint color.

Refer to the **Product Color Options** page in this

• Select veneer color.

Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Universal Storage and Accessories Overhead Storage

			MODEL NUMBER	R				
			Basic		Paint	Veneer	Lock	Lock
MOD			Model	Assembly	Color	Color	Option	Color
Vene	er Door Overhead Cabinet-Load Bar	24 x 16-1/2 x 14-1/2"	PRDV24/WW/LB					
Mour	t (LB)	30 x 16-1/2 x 14-1/2"	PRDV30/WW/LB					
	ad Bar mount overheads (LB) for	36 x 16-1/2 x 14-1/2"	PRDV36/WW/LB					
	reWorks® hang from an externally unted load bar	42 x 16-1/2 x 14-1/2"	PRDV42/WW/LB					
	ad Bar purchased separately	48 x 16-1/2 x 14-1/2"	PRDV48/WW/LB	П				
	ludes mounting brackets	54 x 16-1/2 x 14-1/2"	PRDV54/WW/LB					
• Ste	el bottom and top shelf, end panels	60 x 16-1/2 x 14-1/2"	PRDV60/WW/LB					
	I front with powder-coated finish	00 X 10-1/2 X 14-1/2	PhDV00/WW/Lb					
	cepts shelf divider							
	or stores recessed with plastic trim							
	uble bit lock is included							
	elf depth is 13-1/4"							
OTT	an doptin to 17 1							
		24 x 16-1/2 x 14-1/2"	PRDV24/WW/UM					
Vene	er Door Overhead Cabinet-Upmount	30 x 16-1/2 x 14-1/2"	PRDV30/WW/UM	П				
 Up 	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	36 x 16 1/2 x 14 1/2"	PRDV36/WW/UM					
COI	nponent on a 54" high panel to the	42 x 16 1/2 x 14 1/2"	PRDV42/WW/UM					
sar	ne height as on 66" high panels							
	0 1	48 x 16 1/2 x 14 1/2"	PRDV48/WW/UM					
	cabinet and worksurface is 20" a 48" high panel, clearance between	54 x 16 1/2 x 14 1/2"	PRDV54/WW/UM					
	cabinet and worksurface is 14"	60 x 16 1/2 x 14 1/2"	PRDV60/WW/UM					
	ludes mounting brackets							
• Ste	el bottom and top shelf, end panels							
	I front with powder-coated finish							
	cepts shelf divider							
	or stores recessed with plastic trim							
	iale exposea uble bit lock is included							
	elf depth is 13-1/4"							
3110	40 10 17 1							
			A	B	•	O	(3	(3)

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$179

- Unassembled

C Select paint color.

Refer to the **Product Color Options** page in this

• Select veneer color.

Refer to the **Product Color Options** page in this

Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

See color page for coordinated plastic or trim color to the paint color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Universal Storage and Accessories Overhead Storage

						▼	
			MODEL NUMBER				
					Approx.		Metallic Paint
			Basic	Paint	Packaged	Delivered	add to list
	MODEL	WxHxD	Model	Color	Weight	Pricing	price
	Low Shelf-On-Module	24 x 10-1/2 x 13-1/4"			14.0#	\$ 260	\$ 102
	 On-Module shelves (PM) mount into slots in vertical posts. Shelves must be 	30 x 10-1/2 x 13-1/4"	ULSR30/WW/PM		16.0#	270	111
	same width as panel mounted to. Does	36 x 10-1/2 x 13-1/4"	ULSR36/WW/PM		17.0#	284	112
July 1	not require a 12" tile for mounting.	42 x 10-1/2 x 13-1/4"	ULSR42/WW/PM		19.0#	295	123
ULSR	Allows for vertical adjustment in 1"	48 x 10-1/2 x 13-1/4"	ULSR48/WW/PM		20.0#	300	130
	increments	54 x 10-1/2 x 13-1/4"	ULSR54/WW/PM		22.0#	315	152
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/PM		24.0#	329	158
	Low Shelf-Off-Module	24 x 10-1/2 x 13-1/4"	ULSR24/WW/0M12		14.0#	\$ 365	\$ 102
	 Off-Module shelves (OM12) mount into the integral track in the horizontal 	30 x 10-1/2 x 13-1/4"	ULSR30/WW/0M12		16.0#	377	111
	rail. Allows shelf to slide along track.	36 x 10-1/2 x 13-1/4"	ULSR36/WW/0M12		17.0#	389	112
Jan	Requires a 12" tile for mounting (i.e.	42 x 10-1/2 x 13-1/4"	ULSR42/WW/0M12		19.0#	402	123
ULSR	must be a half or fully segmented panel		ULSR48/WW/0M12		20.0#	406	130
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/0M12		22.0#	424	152
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/0M12		24.0#	435	158
	Low Shelf-Off-Module • Off-Module shelves (OM18) mount	24 x 10-1/2 x 13-1/4"	ULSR24/WW/OM18		14.0#	\$ 365	\$ 102
	into the integral track in the horizontal	30 x 10-1/2 x 13-1/4"	ULSR30/WW/OM18		16.0#	377	111
1 July	rail. Allows shelf to slide along track.	36 x 10-1/2 x 13-1/4"	ULSR36/WW/OM18		17.0#	389	112
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Requires a 18" tile for mounting (i.e.	42 x 10-1/2 x 13-1/4"	ULSR42/WW/OM18		19.0#	402	123
ULSR	must be a half or fully segmented panel		ULSR48/WW/OM18		20.0#	406	130
		54 x 10-1/2 x 13-1/4"	ULSR54/WW/OM18		22.0#	424	152
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/OM18		24.0#	435	158
	Low Shelf-Load Bar MountLoad Bar mount overheads (LB) for	24 x 10-1/2 x 13-1/4"	ULSR24/WW/LB		14.0#	\$ 365	\$ 102
	WireWorks® hang from an externally	30 x 10-1/2 x 13-1/4"	ULSR30/WW/LB		16.0#	377	111
D. Junior	mounted load bar	36 x 10-1/2 x 13-1/4"	ULSR36/WW/LB		17.0#	389	112
III CD	 Load Bar purchased separately 	42 x 10-1/2 x 13-1/4"	ULSR42/WW/LB		19.0#	402	123
ULSR		48 x 10-1/2 x 13-1/4" 54 x 10-1/2 x 13-1/4"	ULSR48/WW/LB ULSR54/WW/LB		20.0#	406 424	130 152
		60 x 10-1/2 x 13-1/4"	ULSR60/WW/LB		22.0# 24.0#	424	152
	Low Shelf-Upmount	24 x 10-1/2 x 13-1/4"			14.0#	\$ 424	\$ 102
الال	Upmount brackets position the storage	30 x 10-1/2 x 13-1/4"	ULSR30/WW/UM		16.0#	432	111
J. J	component on a 54" high panel to the	36 x 10-1/2 x 13-1/4"	ULSR36/WW/UM		17.0#	447	112
	same height as on 66" high panels		ULSR42/WW/UM		19.0#	461	123
	 On a 54" high panel, clearance between the cabinet and worksurface is 20" 	48 x 10-1/2 x 13-1/4"	ULSR48/WW/UM		20.0#	465	130
ULSR	 On a 48" high panel, clearance between 		ULSR54/WW/UM		22.0#	476	152
JLOIT	the cabinet and worksurface is 14"	60 x 10-1/2 x 13-1/4"	ULSR60/WW/UM		24.0#	497	158
		30 X 10 1/2 X 10 1/4	OLOTIOO, WWW, OW		LT.U//	IVI	130
			A	$oldsymbol{\Theta}$			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect paint color. Refer to the **Product Color Options** page in this price list.

INFORMATION

Includes 10-1/2" high back Accepts shelf dividers Shelves shipped assembled

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Universal Storage and Accessories Overhead Storage

			MODEL NUMBER				
					A ======		Metallic
			Basic	Paint	Approx. Packaged	Delivered	Paint add to list
	MODEL	WxHxD	Model	Color	Weight	Pricing	price
٠,৯	Regular Shelf-On-Module	24 x 16-1/2 x 13-1/4"	URSR24/WW/PM		19.0#	\$ 280	\$ 102
	On-Module shelves mount into slots in	30 x 16-1/2 x 13-1/4"	URSR30/WW/PM		20.0#	291	111
	vertical posts. Shelves must be same width as panel mounted to. Does not	36 x 16-1/2 x 13-1/4"	URSR36/WW/PM		22.0#	300	112
W. Land	require a 12" tile for mounting. Allows	42 x 16-1/2 x 13-1/4"	URSR42/WW/PM		23.0#	309	123
Jan	for vertical adjustment in 1" increments	s 48 x 16-1/2 x 13-1/4"	URSR48/WW/PM		25.0#	323	130
URSR		54 x 16-1/2 x 13-1/4"	URSR54/WW/PM		27.0#	335	152
		60 x 16-1/2 x 13-1/4"	URSR60/WW/PM		28.0#	350	158
A	Regular Shelf-Off-Module	24 x 16-1/2 x 13-1/4"	URSR24/WW/0M12		19.0#	\$ 386	\$ 102
	 Off-Module shelves (OM12) mount into the integral track in the horizontal 	30 x 16-1/2 x 13-1/4"	URSR30/WW/0M12		20.0#	398	111
	rail. Allows shelf to slide along track.	36 x 16-1/2 x 13-1/4"	URSR36/WW/0M12		22.0#	406	112
Survey 1	Requires a 12" tile for mounting (i.e.	42 x 16-1/2 x 13-1/4"	URSR42/WW/0M12		23.0#	420	123
	must be a half or fully segmented pane		URSR48/WW/OM12		25.0#	428	130
URSR		54 x 16-1/2 x 13-1/4"	URSR54/WW/0M12		27.0#	441	152
		60 x 16-1/2 x 13-1/4"	URSR60/WW/0M12		28.0#	458	158
· A	Regular Shelf-Off-Module • Off-Module shelves (OM18) mount	24 x 16-1/2 x 13-1/4"	URSR24/WW/OM18		19.0#	\$ 386	\$ 102
	into the integral track in the horizontal	30 x 16-1/2 x 13-1/4"	URSR30/WW/0M18		20.0#	398	111
	rail. Allows shelf to slide along track.	36 x 16-1/2 x 13-1/4"	URSR36/WW/0M18		22.0#	406	112
()	Requires a 18" tile for mounting (i.e.	42 x 16-1/2 x 13-1/4"	URSR42/WW/OM18		23.0#	420	123
	must be a half or fully segmented pane		URSR48/WW/0M18		25.0#	428	130
URSR		54 x 16-1/2 x 13-1/4"	URSR54/WW/OM18		27.0#	441	152
		60 x 16-1/2 x 13-1/4"	URSR60/WW/0M18		28.0#	458	158
i	Regular Shelf-Load Bar Mount • Load Bar mount overheads (LB) for	24 x 16-1/2 x 13-1/4"	URSR24/WW/LB		19.0#	\$ 386	\$ 102
	WireWorks® hang from an externally	30 x 16-1/2 x 13-1/4"	URSR30/WW/LB		20.0#	398	111
	mounted load bar	36 x 16-1/2 x 13-1/4"	URSR36/WW/LB		22.0#	406	112
Luning	 Load Bar purchased separately 	42 x 16-1/2 x 13-1/4"	URSR42/WW/LB		23.0#	420	123
UDOD V		48 x 16-1/2 x 13-1/4"	URSR48/WW/LB		25.0#	428	130
URSR		54 x 16-1/2 x 13-1/4" 60 x 16-1/2 x 13-1/4"	URSR54/WW/LB URSR60/WW/LB		27.0# 28.0#	441 458	152 158
	Regular Shelf-Upmount	24 x 16-1/2 x 13-1/4"	URSR24/WW/UM		28.U# 19.0#	\$ 442	\$ 102
$\overline{}$	 Upmount brackets position the storage 		URSR30/WW/UM		20.0#	\$ 442 457	\$ 102 111
Sull 1	component on a 54" high panel to the	36 x 16-1/2 x 13-1/4"	URSR36/WW/UM		20.0#	457	112
Luttur	same height as on 66" high panels		URSR42/WW/UM		23.0#	473	123
	On a 54" high panel, clearance between the cabinet and worksurface is 20"	48 x 16-1/2 x 13-1/4"	URSR48/WW/UM		25.0#	485	130
(**	• On a 48" high panel, clearance between		URSR54/WW/UM		27.0#	500	152
URSR	the cabinet and worksurface is 14"	60 x 16-1/2 x 13-1/4"	URSR60/WW/UM		28.0#	513	158
OHOH		JU A TU T/2 A TU-T/4	OTTOTIOO/ WWW/OW		∠∪.∪#	VIU	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect paint color.

Refer to the **Product Color Options** page in this price list.

A

3

INFORMATION

Includes full back Accepts shelf dividers Shelves shipped assembled

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Universal Storage and Accessories Overhead Accessories



Universal Storage and Accessories Overhead Accessories

				Y
		MODEL NUMBER		
			Approx.	
		Basic Trim	Packaged	Delivered
	MODEL	Model Color	•	Pricing
>	Universal Overhead On-Module Mounting	46.0233.SET	1.0#	\$ 54
	Sold in pairs / Black only			
	 Mounts into slots in vertical posts 			
1.	Allows for vertical adjustments in 1"			
HRDPT	incrementsOnly necessary to order if changing			
ווטווו	mounting style			
A	Universal Overhead Off-Module Mounting	46.0234.SET	1.0#	\$ 160
Y.	Bracket-12" Tiles			
	Sold in pairs / Black only Mounts into integral track in herizontal			
[.]	Mounts into integral track in horizontal rail, attaches to 12" high tiles			
. ·J	 Allows cabinet or shelf to slide along 			
1	track • Only necessary to order if changing			
HRDPT	mounting style			
<u> </u>	Heimanal Overhand Off Mandala Manuskins	46.1229.SET	1.0#	\$ 160
	Universal Overhead Off-Module Mounting Bracket-18" Tiles	40.1229.361	1.0#	\$ 100
	Sold in pairs / Black only			
	Mounts into integral track in horizontal rail, attaches to 18" high tiles			
	Allows cabinet or shelf to slide along			
	track			
HRDPT	Only necessary to order if changing mounting style			
	Load Bar BracketsLoad Bar mount overheads hang from an	46.2103	1.0#	\$ 158
₹	externally mounted load bar			
M	 Load Bar purchased separately, Sold in pairs 			
	pairs			
HRDPT				
	Upmount Brackets	46.2299	1.0#	\$ 197
	Upmount brackets position the storage component on a 54" high panel to the			
	same height as on 66" high panels			
	Sold in pairs			
UDDDT				
HRDPT				
		A B		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

price list.

BSelect trim color. Refer to the **Product Color Options** page in this SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Universal Storage and Accessories Overhead Accessories



Universal Storage and Accessories Overhead Accessories

								·							
				MODEL NUM	/IBER										
	MODEL	Features	WxH	Basic Model	Trim Color	Mounting	Fabric Color	Approx Packag Weight	ged [Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Universal Shelf Dividers		7-1/4 x 11-1/2"	NSD				1.0	O# \$	35					
	 Steel shelf dividers with powder-coated finish Fits on all shelves and cabinets 														
PT															
<i>a</i>	Wall Mounted Load Bar		24"	SWLB.24						151					
	 Supports overhead storage on drywall or other non-panel applications 		30"	SWLB.30				6.0		161					
	other new parter approaches		36"	SWLB.36				7.0		164					
			42"	SWLB.42				8.0		182					
			48"	SWLB.48				10.0		187					
PT			54"	SWLB.54				13.0		222					
			60"	SWLB.60				12.0		223					
			66"	SWLB.66				13.0	O#	226					
			72"	SWLB.72				14.0		234					
			84"	SWLB.84				17.0	O#	362					
			96"	SWLB.96				19.0		381					
	Overhead Tackboard		24 x 12"	PTB02412				3.0	O#	N/A	\$ 184	\$ 189	\$ 192	\$ 201	\$ 212
	 Hangs from bottom of flipper door cabinet or shelf 		30 x 12"	PTB03012				3.0		N/A	202	205	208	221	231
	When hanging from Balance® overhead,		36 x 12"	PTB03612				3.0		N/A	223	228	230	236	250
	specify attachment bar BMB (purchase		42 x 12"	PTB04212				4.0	0#	N/A	229	233	236	243	261
	separately)		48 x 12"	PTB04812				4.0	O#	N/A	232	236	239	250	265
	 Includes mounting brackets in black only Specify 20" high tackboard to cover 		54 x 12"	PTB05412				4.0	O#	N/A	265	272	278	286	301
	vertical space between bottom of		60 x 12"	PTB06012				4.0	O#	N/A	276	283	285	297	311
	overhead and top of worksurface, when		24 x 20"	PTB02420				4.0	O#	N/A	303	311	320	327	346
	worksurface is positioned at 29" above		30 x 20"	PTB03020				5.0	O#	N/A	325	335	340	351	373
	finished floor		36 x 20"	PTB03620				6.0	O#	N/A	345	354	364	374	391
			42 x 20"	PTB04220				7.0	O#	N/A	354	365	376	385	404
			48 x 20"	PTB04820				8.0	O#	N/A	421	431	438	453	475
			54 x 20"	PTB05420				9.0		N/A	425	434	443	458	483
			60 x 20"	PTB06020				10.0		N/A	430	438	452	463	487
	P-Series Keys	Lock Core/2 Key Set - Satin Chrome		2.KP20522.SC				0.4	4# \$	15					
PT	Double bit design Range of 200 different core/key numbers	Lock Core/2 Key Set - Black		2.KP20522				0.4		15					
	 Range of 200 different core/key numbers available 			2.KP20550				0.2		11					
	 Must specify lock number(s) requested 	Extractor Key		2.KP20551				0.2		11					
	when ordering cut key or lock core/key	Blank Key		2.KP20552				0.2		3					
	sets	Cut Key		2.KP20557				0.2	2#	4					
		•													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this price list.

Select load bar mounting.

YLBM - Load bar mounted

NLBM - Not load bar mounted

DSelect fabric color. Refer to ki.com/fabrics

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Universal Storage and Accessories LED Task Lights



Universal Storage and Accessories LED Task Lights

			·	
		MODEL NUMBER		
			Approx.	
		Basic	Packaged Delivered	
	MODEL W	Basic Model	Weight Pricing	
		' LEDTK.12.SGL.GN	1.2# \$ 147	
		' LEDTK.17.SGL.GN	1.6#	
	storage cabinets or shelving			
	 Task lights are specified by the cabinet 31" 		2.1# 230	
•	width to which they are attached. See 44"	' LEDTK.44.SGL.GN	2.3# 264	
	"INFORMATION" at bottom of price list			
HRDPT	page for sizing chart.			
111121 1	Slim profile mounts effortlesly via			
	magnets or screw-in bracket			
	Attachment hardware included Taylob and hald disprachility with local			
	Touch and hold dimmability with last- state memory			
	Silver anodized aluminum body/black			
	plastic end caps			
	9' power supply			
	Includes 2 cord managers			
	ů .			
\wedge		' LEDTK.12.DCP.GN	1.2# \$ 192	
	 Attaches to the bottom of overhead 17" 	' LEDTK.17.DCP.GN	1.6#	
	storage cabinets or shelving Took lights are specified by the sekinet	' LEDTK.31.DCP.GN	2.1#	
	• Task lights are specified by the cabinet width to which they are attached. See 44"		2.3# 321	
	"INFORMATION" below for sizing chart.	LLDTK.44.DOI.GN	L.SIT OLI	
•	Slim profile mounts effortlesly via			
HRDPT	magnets or screw-in bracket			
	Attachment hardware included			
	Touch and hold dimmability with last-			
	state memory			
	Silver anodized aluminum body/black			
	plastic end caps			
	Daisy chain with Adder units			
	• 11' power supply			
	 Includes 2 cord managers Refer to Interlinking Combination table 			
	below for optimal performance of daisy			
	chained fixtures			
	Chameu hatures			
	Chamed fixtures			
	Chanled Indules	Δ		

HOW TO ORDER HOW TO BUILD A MODEL NUMBER INFORMATION INTERLOCKING SPECIFICATIONS INTERLOCKING SPECIFICATIONS SPECIAL SERVICES INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN) LED TASK LIGHT CABINET WIDTH INTERLINKING COMBINATIONS **Special Carton Marking** A Select basic model. Indicate the following information on order form: (DAISY CHAIN) Cabinet Light Cabinet Width 24" 30" 36" 42" 48" 54" 60" 66" 72" 1. Quantity of each item. With specially marked information N/C 12" or 17" 17" 17" 31" 31" 44" 2. Model number, including options. See "How To # of # of # of # of Build a Model Number". 12" 44" 3. Any special service required. Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70. Note: • The ☐ indicates that a choice is required. Specifications and prices are subject to change without prior notice. ullet The absence of the \square indicates that no 44" 44" choice is required. ullet Alpha-numeric characters in place of \Box 44" indicate that no other alternatives are avail-

Universal Storage and Accessories LED Task Lights



Universal Storage and Accessories LED Task Lights

		MODEL NUMBER			
			Approx.		
		Basic	Approx. Packaged Weight	Delivered	
		Model		Pricing	
		" LEDTK.12.DCA.GN	1.2#	\$ 95	
	Attaches to the bottom of overhead	" LEDTK.17.DCA.GN	1.6#	109	
	storage cabinets or shelving Task lights are specified by the cabinet	" LEDTK.31.DCA.GN	2.1#	152	
	width to which they are attached. See		2.3#	188	
	"INFORMATION" below for sizing chart.			***	
HRDPT	Slim profile mounts effortlesly via				
TINDI I	magnets or screw-in bracket				
	Attachment hardware included				
	Touch and hold dimmability with last- state memory				
	Silver anodized aluminum body/black				
	plastic end caps				
	Daisy chain with Starter units				
	18' jumper cord and connect to starter				
	unit • Includes 2 cord managers				
	Does not inloude power supply; must				
	purchase starter unit with power supply				
	Controlled by the on/off/dimmer of the				
	starter unit				
	Refer to Interlinking Combination table below for optimal performance of daisy				
	chained fixtures				
	onamou nataroo				
		A			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

2. Model number, including options. See "How To Build a Model Number".

3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

LED TASK LIGHT CABINET WIDTH Cabinet Light Cabinet Width 24" 30" 36" 42" 48" 54" 60" 66" 72" 12" or 17" 17" 17" 31" 31" 44" 44" 44" 44"

INFORMATION

12"	17"	31"	44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	n	n	0

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS

(DAISY CHAIN)

INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN)

# of	# of	# of	# 0
12"	17"	31"	44'
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

General Information



Balance® Storage and Accessories

General Information





Fabric Overhead (BLCF)



Solid Overhead (BLCS)

l am

Laminate Overhead (BLCL)

Features			
Cabinet available in 24 colors	•	•	•
Painted lower door available in 24 colors	•	•	•
Translucent upper door	•		
Fabric upper door		•	
Laminate upper door			•
Fully assembled	•	•	•
Task light	•	•	•
Hanging tackboard	•	•	•
Hanging tool rail	•	•	•
Also available on:			
System 3000® panel system	•	•	•
Genius®	•	•	•
WorkZone®	•	•	•
True® Desking	•	•	•

SPECIFICATIONS

Cabinet Construction

The overhead cabinet shall be assembled complete and powder-coated in widths of 30", 36", 42", 48", 54" and 60". The overall dimensions of the end panels shall be 17" high and 16-1/2" deep. The shelf depth shall be 13-1/2". Inside height shall allow for oversize binders, such as Folscap and A4, to be stored vertically. The cabinet top, bottom, and shelf shall be fabricated from 18-gauge steel. Side panels shall be fabricated from 14-gauge steel and attached via resistance welding. Cabinet top, bottom, and shelf shall contain reinforcements fabricated from 18-gauge steel and attached via resistance welding. Pins for door and shroud attachement shall be fabricated from 3/8" diameter steel and attached via resistance welding. Shroud will be black only. All accessible or visible edges shall be smooth and rounded

Door Construction

The upper door shall be available in colored or translucent extruded rigid polypropylene with spattercoat finish, fabric or laminate applied.

The overall door thickness shall be 3/8" with a .075 wall thickness. The door shall be capped with polycarbonate endcaps and attached to the case with polycarbonate arms. A center lock mechanism will be utilized between the upper and lower doors for security. The lower door shall be an aluminum extrusion with a powder-coat finish. The lower door shall have a .075 thickness and be ergonomic in design. The door shall be capped and attached to the case with polycarbonate arms.

Door Operation

The overhead cabinet doors shall be effortlessly operated from either a seated or standing position through use of the upper door or lower door. The upper door and lower door shall be synchronized in motion through the use of two 10-guage linkages. The doors shall be assisted with two extension springs and require less than 5 pounds of force to operate. Either door shall be opened or closed with a closed fist. The upper door shall open over the outside of case.

Cabinet Installation

The overhead cabinet shall include separate mounting brackets that allow for assembly to

panels or desk systems. The brackets shall be attached to the back of the overhead via a hook and groove system and two screw fasteners. The hook and groove system shall allow the installer to assemble brackets to a panel before attaching to overhead. The desk supports shall attach to the bottom of overhead via four screw fasteners.

Task Lights

Task lights shall be available which suspend from the underside of the cabinet. The task light shall mount flush with the underside of the overhead cabinet via two cantilever brackets. Task light shall be offered fully assembled in black only. The task light shall have an 8' long cord with three-prong grounded plug, and be available in three versions; standard high-power factor ballast, variable (high/low) high-power factor ballast, and electronic ballast. All three options shall include a cool white lamp. Chords shall be routed into and through wire trough located at rear underside of cabinet shelf. Installation and removal shall be accomplished without the use of tools or fasteners.

Shelf Dividers

Shelf dividers shall be powder-coated, 18-

gauge steel and offered in the same color as the overhead case. Installation and removal shall be accomplished without the use of tools or

Tackboard/Tool Rail Mounting Bar

A powder-coated, 14-gauge bracket shall be available for the attachment of a hanging tool rail or tackboard to the underside of the overhead. The bracket shall be specified in the same widths as the overhead and is offered in the same colors as the overhead case.

Overhead Hanging Tackboard

Tackboards shall be available in 12" height and in 24", 30", 36", 42", 48", 54", and 60" widths. The tackboard shall be constructed of 3/4" industrial insulation board covered with fabric. The mounting brackets shall be steel powder-coated and attached to the coreboard with T-nuts and machine screws. Fabric shall be attached to the coreboard with staples. A mounting bracket bar is required to attach the tackboard to the overhead cabinet.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to: KI Attn: C.O.M. Specialist 1330 Bellevue Street Green Bay, WI 54302

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit



Balance® Storage and Accessories Overhead Storage

			MODEL NUMBER							
					Upper			Approx.		
	MODEL	WxHxD	Basic Model	Paint Color	Door Solid Color	Lock Option	Lock Color	Packaged Weight	Delivered Pricing	
	Balance® Overhead Cabinet-Solid Color	30 x 17 x 19-1/4"	BLCS30/WW/PM					46.0#	\$ 1243	
	Upper Door-On Module (PM)	36 x 17 x 19-1/4"	BLCS36/WW/PM					52.0#	1323	
	Colored or translucent extruded polypro-	42 x 17 x 19-1/4"	BLCS42/WW/PM					58.0#	1393	
	pylene doorOn-Module overheads mount into slots	48 x 17 x 19-1/4"	BLCS48/WW/PM					64.0#	1441	
	in vertical posts. Overheads must be	54 x 17 x 19-1/4"	BLCS54/WW/PM					70.0#	1548	
•	same width as panel mounted to. Allows	60 x 17 x 19-1/4"	BLCS60/WW/PM					78.0#	1606	
ВОН	for vertical adjustment in 1" increments									
48	Balance® Overhead Cabinet-Solid Color	30 x 17 x 19-1/4"	BLCS30/WW/0M12					46.0#	\$ 1306	
	Upper Door-Off-Module (OM12)	36 x 17 x 19-1/4"	BLCS36/WW/OM12					52.0#	1387	
	Colored or translucent extruded polypro-	42 x 17 x 19-1/4"	BLCS42/WW/OM12					58.0#	1453	
	pylene doorOff-Module overheads mount into an in-	48 x 17 x 19-1/4"	BLCS48/WW/OM12					64.0#	1501	
	tegral track in the horizontal rail. Allows		BLCS54/WW/OM12					70.0#	1610	
ВОН	unit to slide along track. Requires 12"	60 x 17 x 19-1/4"	BLCS60/WW/OM12					78.0#	1670	
	tile for mounting (i.e. must be a half or									
	fully segmented panel)									
	Balance® Overhead Cabinet-Solid Color	30 x 17 x 19-1/4"	BLCS30/WW/OM18					46.0#	\$ 1306	
	Upper Door-Off-Module (OM18)	36 x 17 x 19-1/4"	BLCS36/WW/OM18					52.0#	1387	
	Colored or translucent extruded polypro- nylana daar	42 x 17 x 19-1/4"	BLCS42/WW/OM18					58.0#	1453	
	pylene doorOff-Module overheads mount into an	48 x 17 x 19-1/4"	BLCS48/WW/OM18					64.0#	1501	
	integral track in the horizontal rail.	54 x 17 x 19-1/4"	BLCS54/WW/OM18					70.0#	1610	
ВОН	Allows unit to slide along track. Requires	60 x 17 x 19-1/4"	BLCS60/WW/OM18					78.0#	1670	
	18" tile for mounting (i.e. must be a half									
	or fully segmented panel)									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.

A

Θ

0

(3

Select upper door color. Refer to the **Product Color Options** page in this

OSelect lock option.

KA - Key alike - Key standard - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.



Balance® Storage and Accessories Overhead Storage

			MODEL NUMBE	R						
					Upper		l l	Approx.		
	MODEL	WxHxD	Basic Model	Paint Color	Door Solid Color	Lock Option	Lock Color	Packaged Weight	Delivered Pricing	
	Balance® Overhead Cabinet-Solid Color	30 x 17 x 19-1/4"						46.0#	\$ 1437	
	Upper Door-Load Bar Mount	36 x 17 x 19-1/4"						52.0#	1519	
	Colored or translucent extruded polypro-							58.0#	1583	
	pylene doorLoad Bar Mount overheads hang from ar	48 x 17 x 19-1/4"	BLCS48/WW/LB					64.0#	1632	
	externally mounted load bar	54 x 17 x 19-1/4"	BLCS54/WW/LB					70.0#	1739	
ВОН	 Load Bar purchased separately 	60 x 17 x 19-1/4"	BLCS60/WW/LB					78.0#	1798	
	Balance® Overhead Cabinet-Solid Color	30 x 17 x 19-1/4"	BLCS30/WW/UM					46.0#	\$ 1344	
	Upper Door-Load Bar-Upmount	36 x 17 x 19-1/4"	BLCS36/WW/UM					52.0#	1424	
	 Colored or translucent extruded polypro- pylene door 	42 x 17 x 19-1/4"	BLCS42/WW/UM					58.0#	1493	
	Upmount brackets position the storage		BLCS48/WW/UM					64.0#	1541	
Ď	component on a 54" high panel to the		BLCS54/WW/UM					70.0#	1646	
V	same height as on 66" high panelsOn a 54" high panel, clearance between	60 x 17 x 19-1/4"	BLCS60/WW/UM					78.0#	1710	
ВОН	the cabinet and worksurface is 20"									
	• On a 48" high panel, clearance between									
	the cabinet and worksurface is 14"									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.

A

B

0

(3)

Select upper door color. Refer to the **Product Color Options** page in this

OSelect lock option.

KA - Key alike KS - Key standard
NLC - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.



Balance® Storage and Accessories Overhead Storage

			MODEL NUMBER									
	MODEL	WxHxD	Basic Model	Cabinet Paint Color	Lock Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Balance® Overhead Cabinet-Fabric Upper	30 x 17 x 19-1/4"	BLCF30/WW/PM			46.0#	\$ 1342	\$ 1354	\$ 1370	\$ 1370	\$ 1376	
	Door-On-Module	36 x 17 x 19-1/4"	BLCF36/WW/PM			52.0#	1429	1442	1460	1460	1466	
	 On-Module overheads (PM) mount into slots in vertical posts. Overheads 	42 x 17 x 19-1/4"	BLCF42/WW/PM			58.0#	1501	1518	1533	1533	1540	
	must be same width as panel mounted	48 x 17 x 19-1/4"	BLCF48/WW/PM			64.0#	1557	1570	1584	1584	1591	
	to. Allows for vertical adjustment in 1"	54 x 17 x 19-1/4"	BLCF54/WW/PM			70.0#	1671	1685	1706	1706	1714	
ВОН	increments.	60 x 17 x 19-1/4"	BLCF60/WW/PM			78.0#	1736	1750	1773	1773	1780	
	Balance® Overhead Cabinet-Fabric Upper	30 x 17 x 19-1/4"	BLCF30/WW/OM12			46.0#	\$ 1406	\$ 1418	\$ 1436	\$ 1436	\$ 1440	
	Door-Off-Module	36 x 17 x 19-1/4"	BLCF36/WW/OM12			52.0#	1490	1503	1522	1522	1527	
	 Off-Module overheads (OM12) for WireWorks[®] mount into an integral 	42 x 17 x 19-1/4"	BLCF42/WW/OM12			58.0#	1565	1576	1592	1592	1603	
	track in the horizontal rail. Allows unit	48 x 17 x 19-1/4"	BLCF48/WW/OM12			64.0#	1617	1629	1646	1646	1655	
	to slide along track. Requires a 12" tile	54 x 17 x 19-1/4"	BLCF54/WW/OM12			70.0#	1735	1750	1766	1766	1780	
вон	for mounting (i.e. must be a half or fully segmented panel)	60 x 17 x 19-1/4"	BLCF60/WW/OM12			78.0#	1794	1808	1828	1828	1836	
	Balance® Overhead Cabinet-Fabric Upper	30 x 17 x 19-1/4"	BLCF30/WW/OM18			46.0#	\$ 1406	\$ 1418	\$ 1436	\$ 1436	\$ 1440	
	Door-Off-Module		BLCF36/WW/OM18			52.0#	1490	1503	1522	1522	1527	
	 Off-Module overheads (OM18) for WireWorks® mount into an integral 	42 x 17 x 19-1/4"	BLCF42/WW/OM18			58.0#	1565	1576	1592	1592	1603	
	track in the horizontal rail. Allows unit	48 x 17 x 19-1/4"	BLCF48/WW/OM18			64.0#	1617	1629	1646	1646	1655	
	to slide along track. Requires a 18" tile		BLCF54/WW/OM18			70.0#	1735	1750	1766	1766	1780	
ВОН	for mounting (i.e. must be a half or fully segmented panel)	60 x 17 x 19-1/4"	BLCF60/WW/OM18			78.0#	1794	1808	1828	1828	1836	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect cabinet paint color. Refer to the **Product Color Options** page in this price list.

A

 Θ

0 3

© Select upper door color. Refer to ki.com/fabrics

Select lock option.

KA - Key alike - Key standard

NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.



Balance® Storage and Accessories Overhead Storage

			MODEL NUMBE	R									
	MODEL	WxHxD	Basic Model	Cabinet Paint Color		Lock Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
a	Balance® Overhead Cabinet-Fabric Uppe	r 30 x 17 x 19-1/4"	BLCF30/WW/LB				46.0#	\$ 1533	\$ 1545	\$ 1562	\$ 1562	\$ 1568	
	Door-Load Bar Mount	36 x 17 x 19-1/4"	BLCF36/WW/LB				52.0#	1624	1634	1654	1654	1659	
	Load Bar Mount overheads (LB) for Wind Morte Company from an automobile	42 x 17 x 19-1/4"	BLCF42/WW/LB				58.0#	1695	1710	1728	1728	1735	
	WireWorks® hang from an externally mounted load bar	48 x 17 x 19-1/4"	BLCF48/WW/LB				64.0#	1742	1757	1780	1780	1788	
	Load Bar purchased separately	54 x 17 x 19-1/4"	BLCF54/WW/LB				70.0#	1862	1877	1893	1893	1910	
		60 x 17 x 19-1/4"	BLCF60/WW/LB				78.0#	1926	1941	1962	1962	1971	
1													
	Balance® Overhead Cabinet-Fabric Uppe	r 30 x 17 x 19-1/4"	BLCF30/WW/UM				46.0#	\$ 1445	\$ 1455	\$ 1475	\$ 1475	\$ 1479	
	Door-Upmount		BLCF36/WW/UM				52.0#	1529	1542	1562	1562	1568	
	Upmount brackets position the storage Ampanent on a EA" high penal to the	42 x 17 x 19-1/4"	BLCF42/WW/UM				58.0#	1605	1617	1634	1634	1641	
	component on a 54" high panel to the same height as on 66" high panels	48 x 17 x 19-1/4"	BLCF48/WW/UM				64.0#	1655	1671	1686	1686	1695	
	• On a 54" high panel, clearance between	54 x 17 x 19-1/4"	BLCF54/WW/UM				70.0#	1775	1790	1807	1807	1817	
V	the cabinet and worksurface is 20" • On a 48" high panel, clearance between		BLCF60/WW/UM				78.0#	1832	1852	1870	1870	1877	
l	the cabinet and worksurface is 14"												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this price list.

3 0 D 3

- © Select upper door color. Refer to ki.com/fabrics

Select lock option.

KA - Key alike

KS - Key standard

NLC - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.



Balance® Storage and Accessories Overhead Storage

			_						▼		
			MODEL NUMBER								
	MODEL	WxHxD	Basic Model	Cabinet Paint Color	Laminate Color	Laminate Door Edge Color	Lock Option	Lock Color	Laminate Approx. Grade 2 Packaged Delivered add to lis Weight Pricing	st a	Laminate Grade 3 add to list orice
	Balance® Overhead Cabinet-Laminate	30 x 17 x 19-1/4"	BLCL30/WW/PM						46.0# \$ 1524	18	\$ 115
	Upper Door-On-Module	36 x 17 x 19-1/4"	BLCL36/WW/PM						52.0# 1570	18	115
	 On-Module overheads (PM) mount into slots in vertical posts. Overheads must 	42 x 17 x 19-1/4"	BLCL42/WW/PM						58.0# 1674	18	115
	be same width as panel mounted to. Al-	48 x 17 x 19-1/4"	BLCL48/WW/PM							18	115
	lows for vertical adjustment in one-inch		BLCL54/WW/PM							18	115
ВОН	increments	60 x 17 x 19-1/4"	BLCL60/WW/PM							18	115
1	Balance® Overhead Cabinet-Laminate	30 x 17 x 19-1/4"	BLCL30/WW/OM12							18	\$ 115
	Upper Door-Off-Module Off-Module overheads (OM12) for	36 x 17 x 19-1/4"	BLCL36/WW/OM12							18	115
	WireWorks® mount into an integral	42 x 17 x 19-1/4"	BLCL42/WW/OM12							18	115
	track in the horizontal rail. Allows unit	48 x 17 x 19-1/4"	BLCL48/WW/OM12							18	115
	to slide along track. Requires a 12" tile	54 x 17 x 19-1/4"	BLCL54/WW/OM12							18	115
ВОН	for mounting (i.e. must be a half or fully segmented panel)	60 x 17 x 19-1/4"	BLCL60/WW/OM12						78.0# 2080	18	115
	oogonou panoly										
		20 - 17 - 10 1/4"	DI CI 20 AAAA/OM40						40.04	10	ф 11F
f	Balance® Overhead Cabinet-Laminate Upper Door-Off-Module	30 x 17 x 19-1/4" 36 x 17 x 19-1/4"	BLCL30/WW/OM18 BLCL36/WW/OM18							18 18	\$ 115 115
	Off-Module overheads (OM18) for	42 x 17 x 19-1/4"	BLCL42/WW/OM18							18	115
	WireWorks® mount into an integral	48 x 17 x 19-1/4"	BLCL48/WW/OM18							18	115
	track in the horizontal rail. Allows unit to slide along track. Requires a 18" tile		BLCL54/WW/OM18							18	115
ВОН	for mounting (i.e. must be a half or fully	60 v 17 v 10-1/4"								18	115
DOIT	segmented panel)	00 X 17 X 13-1/4	DEOLOG/ VV VV/OIVITO						10.011 2000	10	113

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect cabinet paint color. Refer to the **Product Color Options** page in this

A

0

3

- Select upper door laminate color. Refer to the **Product Color Options** page in this
- Select laminate door edge color. Refer to the **Product Color Options** page in this
- Select lock option.

KA - Key alike - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.



Approx.

46.0#

52.0#

58.0#

64.0#

70.0#

78.0#

46.0#

52.0#

58.0#

64.0# 70.0#

78.0#

Packaged Delivered

Pricing

1757

1865

1981

2161

2209

1672

1777

1890

2071

2118

\$ 1628

Balance® Storage and Accessories

Laminate

add to list

\$ 115

115

115

115

115

\$ 115

115

115

115

115

115

115

Grade 3

Laminate

Grade 2

price

\$ 18

add to list

18

18

18

18

18

			MODEL NUMBER	R					
	MODEL	WxHxD	Basic Model	Cabinet Paint Color	Laminate Color	Laminate Door Edge Color	Lock Option	Lock Color	
	Balance® Overhead Cabinet-Laminate	30 x 17 x 19-1/4"	BLCL30/WW/LB						
	Upper Door-Load Bar Mount	36 x 17 x 19-1/4"	BLCL36/WW/LB						
	 Load Bar Mount overheads (LB) for WireWorks[®] hang from an externally 	42 x 17 x 19-1/4"	BLCL42/WW/LB						
	mounted load bar	48 x 17 x 19-1/4"	BLCL48/WW/LB						
	 Load Bar purchased separately 	54 x 17 x 19-1/4"	BLCL54/WW/LB						
ВОН		60 x 17 x 19-1/4"	BLCL60/WW/LB						
	Balance® Overhead Cabinet-Laminate	30 x 17 x 19-1/4"	BLCL30/WW/UM						
	Upper Door-Upmount	36 x 17 x 19-1/4"	BLCL36/WW/UM						
	 Upmount brackets position the storage component on a 54" high panel to the 	42 x 17 x 19-1/4"	BLCL42/WW/UM						
	same height as on 66" high panels	48 x 17 x 19-1/4"	BLCL48/WW/UM						
ß	• On a 54" high panel, clearance between	54 x 17 x 19-1/4"	BLCL54/WW/UM						
ВОН	 the cabinet and worksurface is 20" On a 48" high panel, clearance between the cabinet and worksurface is 14" 	60 x 17 x 19-1/4"	BLCL60/WW/UM						
			A	3	Θ	O	(3	(a)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this
- Select upper door laminate color. Refer to the **Product Color Options** page in this
- Select laminate door edge color. Refer to the **Product Color Options** page in this
- Select lock option.

- Key standard NLC - No lock core

Select lock color. Refer to the **Product Color Options** page in this price list.

INFORMATION

Painted cabinet and lower door Shelf dividers available separately Cabinet is fully assembled Door stores above top of cabinet Will accept hanging tool rail and tackboards (Attachment bar ordered separately)

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.



Balance® Storage and Accessories Overhead Accessories

					•
		MODEL NUMBE	R		
	MODEL	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
BOA	Balance® Overhead On-Module Mounting Bracket • Sold in pairs • Mounts into slots in vertical posts • Black only	BOA/WW/PM		5.0#	\$ 210
	Balance® Overhead Off-Module Mounting Bracket-12" Tiles • Sold in pairs • Mounts into slots in vertical posts • Black only	BOA/WW/OM12		5.0#	\$ 210
BOA					
	Balance® Overhead Off-Module Mounting Bracket-18" Tiles • Sold in pairs • Mounts into slots in vertical posts • Black only	BOA/WW/OM18		5.0#	\$ 228
BOA					
	Load Bar Brackets Load Bar mount overheads (LB) for WireWorks® hang from an externally mounted load bar Load Bar purchased separately Sold in pairs	BOA/WW/LB		5.0#	\$ 264
BOA					
		A	B		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Balance® Storage and Accessories Overhead Accessories

MODE Palames W State W State W State W State W State W State W W State W State W State W State W State W W State W State W State W State W State W W State W									
Special State Special Stat					MODEL NUM	BER			
Special State Special Stat							Approv		
Mode Federal Mr. Manual Protests Manual					Basic	Paint	Approx. Packaged	Delivered	
Formula for active position for extending or extending to the formula of the physician of		MODEL	Features	W				Pricing	
Composition of \$4" high partie for some form papers		Upmount Brackets			BOA/WW/UM		5.0#	\$ 325	
Solid In pairs Soli		Upmount brackets position the storage Separate of a 54" bigh panel to the							
Soci in pairs Soci in pair		same height as on 66" high panels							
Shelf Dividers Shelf profest with powder cost finish Fits on all shelves and cabinets Shelf profest with powder cost finish Fits on all shelves and cabinets Shelf profest with powder cost finish Fits on all shelves and cabinets Shelf profest with powder cost finish Fits on all shelves and cabinets Shelf profest with powder cost finish Shelf p		Sold in pairs							
Shelf Dividers Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Shelf p									
Shelf Dividers Shelf Dividers Shelf Edition Shelf Edit	***								
Shelf Dividers Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Shelf p									
Shelf Dividers Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Shelf p	V								
Shelf Dividers Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Fits on all shelves and cabinets Shelf profess with powder cost finish Shelf p									
State shell dividens with powder coat fingle Fits on all shelves and cablinets SWE 24 CM S	BOA								
+ Fis on all shelves and cabinets - Fis on all shelves - Fis on all shelves - Fis on all shelves - Fis on all shelve				7-1/4 x 11-1/2"	NSD		1.0#	\$ 35	
+RDPT - Fits on all shelves and cabinets - Wall Mounted Load Bar - 24" SWL 8.4 □□ 5.0 ₱ \$ 151 - 36" SWL 8.3 □□ 7.0 ₱ 164 - 42" SWL 8.4 □□ 8.0 ₱ 182 - 48" SWL 8.4 □□ 10.0 ₱ 187 - 48" SWL 8.4 □□ 13.0 ₱ 222 - 60" SWL 8.6 □□ 12.0 ₱ 223 - 66" SWL 8.6 □□ 12.0 ₱ 223 - 66" SWL 8.6 □□ 13.0 ₱ 226 - 72" SWL 8.6 □□ 13.0 ₱ 226 - 84" SWL 8.8 □□ 14.0 ₱ 224 - 84" SWL 8.8 □□ 10.0 ₱ 380 - 84"		Steel shell dividers with powder coat finish							
Wall Mounted Load Bar 24" SWL8.24 5.0# \$151		Fits on all shelves and cabinets							
Wall Mounted Load Bar 24" SWLB.24 5.0# \$151	· les								
Wall Mounted Load Bar 24" SWLB.24 5.0# \$151									
HRDPT	НКОРТ	W. II. 88		0.4"	014/1 D 0.4		F.O."	A 454	
RRDPT		Wall Mounted Load Bar							
HRDPT 42" SWLB.42									
HRDPT HRDPT 48" SWL8.48									
HRDPT									
F-Series Keys	Н ДПДТ								
Form	TINDITI								
F-Series Keys									
SWLB.84									
P-Series Keys									
P-Series Keys									
HRDPT • Double bit design • Range of 200 different core/key numbers available • Must specify lock number(s) requested • Must		P-Series Keys	Lock Core/2 Key Set - Satin Chrome						
• Range of 200 different core/key numbers available Master Key 2.KP20550 0.2# 11 • Must specify lock number(s) requested Extractor Key 2.KP20551 0.2# 11	HRDPT	- Double hit design							
• Must specify lock number(s) requested Extractor Key 2.KP20551 0.2# 11		 Range of 200 different core/key numbers 	Master Key						
who a ordering out love or lock agrafues. By the		 Must specify lock number(s) requested 	Extractor Key					11	
when ordering cut key of lock core/key Blank Key 2.KP20552 0.2# 3		when ordering cut key or lock core/key	Blank Key		2.KP20552		0.2#	3	
sets Cut Key 2.KP20557 0.2# 4		coto			2.KP20557				
					A	B			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.

Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Balance® Storage and Accessories Overhead Accessories

								<u> </u>					
	MODEL	WxH		Trim	Mounting	Fabric Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Overhead Tackboard	24 x 12"	PTB02412				3.0#	N/A	\$ 184	\$ 189	\$ 192	\$ 201	\$ 212
	 Hangs from bottom of flipper door 	30 x 12"	PTB03012				3.0#	N/A	202	205	208	221	231
	cabinet or shelf • When hanging from Balance® overhead	00 40"					3.0#	N/A	223	228	230	236	250
	or U-Series™ sliding overhead, specify	42 x 12"					4.0#	N/A	229	233	236	243	261
	attachment bar BMB (purchase separate	e- 48 x 12"	PTB04812				4.0#	N/A	232	236	239	250	265
	ly) and a /YLBM mounting option	54 x 12"	PTB05412				4.0#	N/A	265	272	278	286	301
	 Includes mounting brackets in black onl Specify 20" high tackboard to cover 	60 x 12"	PTB06012				4.0#	N/A	276	283	285	297	311
	vertical space between bottom of	24 x 16"	PTB02416				3.0#	N/A	264	271	276	284	301
	overhead and top of worksurface, when	30 x 16"	PTB03016				4.0#	N/A	272	280	285	293	315
	worksurface is positioned at 29" above finished floor	36 x 16"	PTB03616				4.0#	N/A	279	285	291	300	322
	illistica tiooi	42 x 16"	PTB04216				5.0#	N/A	284	291	297	306	325
		48 x 16"	PTB04816				5.0#	N/A	297	306	311	322	344
		54 x 16"	PTB05416				6.0#	N/A	309	321	325	335	357
		60 x 16"	PTB06016				6.0#	N/A	324	331	340	350	376
		24 x 20"	PTB02420				4.0#	N/A	303	311	320	327	346
		30 x 20"	PTB03020				5.0#	N/A	325	335	340	351	373
		36 x 20"	PTB03620				6.0#	N/A	345	354	364	374	391
		42 x 20"	PTB04220				7.0#	N/A	354	365	376	385	404
		48 x 20"	PTB04820				8.0#	N/A	421	431	438	453	475
		54 x 20"	PTB05420				9.0#	N/A	425	434	443	458	483
		60 x 20"	PTB06020				10.0#	N/A	430	438	452	463	487
	Tackboard/Tool Rail Attachment Bar	30"	BMB30	BL			3.0#	\$ 52					
	Attachment bracket that attaches to	36"	BMB36	BL			3.0#	52					
	the bottom of a Balance® overhead or U-Series™ sliding overhead to accept	42"	BMB42	BL			3.0#	53					
~	overhead tackboard	48"	BMB48	BL			4.0#	62					
	 Order same size as overhead cabinet 	54"	BMB54	BL			4.0#	63					
	18-gauge steelBlack only	60"	BMB60	BL			4.0#	67					
	- DIACK UTILY												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

B

A

Θ

0

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

price list.

Select load bar mounting. YLBM - Load bar mounted

NLBM - Not load bar mounted

OSelect fabric color. Refer to ki.com/fabrics

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C


Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories



Accessories



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

3

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories Markerboards



						▼	
				MODEL NUMBER			
					Approx.		
	MODEL	Features	Wvu	Basic Model	Packaged Weight	Delivered Pricing	
					•	<u> </u>	
	Markerboards • White "dry erase" painted steel	Off-Module		PDEMB.OM.3030	16.0#	\$ 364	
	 "No frame" construction of 22 gauge 	Off-Module		PDEMB.OM.3630	24.0#	424	
abc	steel with honeycomb core adhered to	Off-Module		PDEMB.OM.4230	20.0#	434	
	back of tile to dampen sound	Off-Module		PDEMB.OM.4830	22.0#	453	
	 Includes magnetic removable 16" x 2-1/2" tray with markers and eraser 	Off-Module		PDEMB.OM.5430	25.0#	599	
	Specify for "on" or "off" module mount-	Off-Module		PDEMB.OM.6030	29.0#	615	
HRDPT	ing brackets	On-Module		PDEMB.PM.3030	17.0#	364	
	 Includes black mounting brackets 	On-Module		PDEMB.PM.3630	25.0#	424	
		On-Module	42 x 30"	PDEMB.PM.4230	21.0#	434	
		On-Module	48 x 30"	PDEMB.PM.4830	23.0#	453	
		On-Module	54 x 30"	PDEMB.PM.5430	26.0#	599	
		On-Module	60 x 30"	PDEMB.PM.6030	30.0#	615	
	Markerboards	Off-Module	30 x 32"	PMB.0M.3032	11.0#	\$ 754	
	 White porcelain painted steel surface with matching white trim 	Off-Module	36 x 32"	PMB.0M.3632	13.0#	788	
. 60	 Includes magnetic removable 16" x 	Off-Module	42 x 32"	PMB.0M.4232	15.0#	877	
(abc)	2-1/2" tray with markers and eraser	Off-Module	48 x 32"	PMB.0M.4832	17.0#	898	
	 Specify for "on" or "off" module mount- 	Off-Module	54 x 32"	PMB.0M.5432	20.0#	979	
	ing brackets • Includes black mounting brackets	Off-Module	60 x 32"	PMB.0M.6032	22.0#	1025	
HRDPT	• includes black mounting brackets	On-Module	30 x 32"	PMB.PM.3032	11.0#	754	
		On-Module	36 x 32"	PMB.PM.3632	13.0#	788	
		On-Module	42 x 32"	PMB.PM.4232	15.0#	877	
		On-Module	48 x 32"	PMB.PM.4832	17.0#	898	
		On-Module	54 x 32"	PMB.PM.5432	20.0#	979	
		On-Module		PMB.PM.6032	22.0#	1025	
	Magnetic Tray		16 x 2-1/2"		1.0#	\$ 52	
	,						
HRDPT							
	Tray/Eraser/4 Markers			MB.MARKERKIT	1.0#	\$ 125	
HRDPT	ay, Elabor, 1 markoro				1.0#	ψ 123	
1111011							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories Tackboard



Accessories

			MODEL NUN	IBER							
	MODEL	Features W x H	Basic Model	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Tackboard	Off-Module 24 x 12"			3.0#	\$ 199	\$ 202	\$ 204	\$ 212	\$ 231	
	Tackboards are constructed of 3/4"	Off-Module 30 x 12"			3.0#	ψ 133 223	226	230	236	246	
	tackable core and covered with fabric	Off-Module 36 x 12"	PTB3612/OM		4.0#	236	242	245	253	272	
	Includes black mounting bracketsNot available with countertops	Off-Module 42 x 12"			4.0#	243	251	253	259	283	
	not available than ecamenope	Off-Module 48 x 12"			5.0#	250	253	260	264	286	
		Off-Module 54 x 12"			5.0#	286	293	299	310	324	
PTB		Off-Module 60 x 12"	PTB6012/OM		6.0#	297	304	309	321	339	
		Off-Module 24 x 16"	PTB2416/0M		4.0#	202	204	208	218	234	
		Off-Module 30 x 16"	PTB3016/0M		4.0#	223	226	230	236	246	
		Off-Module 36 x 16"	PTB3616/0M		5.0#	236	242	245	253	272	
		Off-Module 42 x 16"	PTB4216/0M		5.0#	245	252	256	264	284	
		Off-Module 48 x 16"	PTB4816/OM		6.0#	256	263	271	283	293	
		Off-Module 54 x 16"	PTB5416/0M		6.0#	306	312	320	331	349	
		Off-Module 60 x 16"	PTB6016/OM		7.0#	315	322	325	341	359	
		On-Module 24 x 12"	PTB2412/PM		3.0#	199	202	204	212	231	
		On-Module 30 x 12"	PTB3012/PM		3.0#	223	226	230	236	246	
		On-Module 36 x 12"	PTB3612/PM		4.0#	236	242	245	253	272	
		On-Module 42 x 12"	PTB4212/PM		4.0#	243	251	253	259	283	
		On-Module 48 x 12"	PTB4812/PM		5.0#	250	253	260	264	286	
		On-Module 54 x 12"	PTB5412/PM		5.0#	286	293	299	310	324	
		On-Module 60 x 12"	PTB6012/PM		6.0#	297	304	309	321	339	
		On-Module 24 x 16"			4.0#	202	204	208	218	234	
		On-Module 30 x 16"	PTB3016/PM		4.0#	223	226	230	236	246	
		On-Module 36 x 16"	PTB3616/PM		5.0#	236	242	245	253	272	
		On-Module 42 x 16"			5.0#	245	252	256	264	284	
		On-Module 48 x 16"			6.0#	256	263	271	283	293	
		On-Module 54 x 16"			6.0#	306	312	320	331	349	
		On-Module 60 x 16"	PTB6016/PM		7.0#	315	322	325	341	359	
			A	B							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories Tackboard





		MODEL NUM	BER							
MODEL	Features W x	Basic	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
Tackboard	Off-Module 24 x			4.0#	\$ 299	\$ 310	\$ 312	\$ 322	\$ 344	
Tackboards are constructed of 3/4	" Off-Module 30 x			5.0#	322	329	339	351	366	
tackable core and covered with fa Includes black mounting brackets	Dric Off Madula 2014			6.0#	345	354	360	371	391	
Not available with countertops	Off-Module 42 x	20" PTB4220/OM		7.0#	355	364	371	382	403	
	Off-Module 48 x	20" PTB4820/OM		8.0#	425	434	441	457	483	
	Off-Module 54 x	20" PTB5420/OM		9.0#	428	438	452	465	487	
PTB	Off-Module 60 x	20" PTB6020/OM		10.0#	433	447	457	468	496	
	Off-Module 24 x	30" PTB2430/OM		6.0#	324	337	345	331	374	
	Off-Module 30 x	30" PTB3030/OM		7.0#	403	415	425	411	461	
	Off-Module 36 x	30" PTB3630/OM		8.0#	427	435	447	435	486	
	Off-Module 42 x	30" PTB4230/OM		10.0#	453	465	475	462	516	
	Off-Module 48 x	30" PTB4830/OM		11.0#	475	486	500	484	541	
	Off-Module 54 x	30" PTB5430/OM		12.0#	486	500	511	498	552	
	Off-Module 60 x	30" PTB6030/OM		14.0#	518	534	542	526	589	
	On-Module 24 x	20" PTB2420/PM		4.0#	299	310	312	322	344	
	On-Module 30 x	20" PTB3020/PM		5.0#	322	329	339	351	366	
	On-Module 36 x	20" PTB3620/PM		6.0#	345	354	360	371	391	
	On-Module 42 x			7.0#	355	364	371	382	403	
	On-Module 48 x			8.0#	425	434	441	457	483	
	On-Module 54 x			9.0#	428	438	452	465	487	
	On-Module 60 x			10.0#	433	447	457	468	496	
	On-Module 24 x			6.0#	324	337	345	331	374	
	On-Module 30 x			7.0#	403	415	425	411	461	
	On-Module 36 x			8.0#	427	435	447	435	486	
	On-Module 42 x			10.0#	453	465	475	462	516	
	On-Module 48 x			11.0#	475	486	500	484	541	
	On-Module 54 x			12.0#	486	500	511	498	552	
	On-Module 60 x	30" PTB6030/PM		14.0#	518	534	542	526	589	
		A	B							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories Tackboard



Accessories

				MODEL NUM	IBER							
M	ODEL	Features	W x H	Basic Model	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	ckboard	Off-Module	24 x 48"	PTB2448/0M		9.0#	\$ 417	\$ 427	\$ 435	\$ 426	\$ 474	
	Tackboards are constructed of 3/4"	Off-Module	30 x 48"	PTB3048/0M		11.0#	482	490	502	486	547	
	tackable core and covered with fabric Includes mounting brackets	Off-Module	36 x 48"	PTB3648/0M		13.0#	547	562	577	557	619	
	Not available with countertops	Off-Module	42 x 48"	PTB4248/0M		15.0#	562	581	595	574	640	
		Off-Module	48 x 48"	PTB4848/0M		17.0#	599	617	629	609	683	
		Off-Module	54 x 48"	PTB5448/0M		19.0#	609	627	642	620	695	
		On-Module	24 x 48"	PTB2448/PM		9.0#	417	427	435	426	474	
		On-Module	30 x 48"	PTB3048/PM		11.0#	482	490	502	486	547	
PTB		On-Module	36 x 48"	PTB3648/PM		13.0#	547	562	577	557	619	
		On-Module	42 x 48"	PTB4248/PM		15.0#	562	581	595	574	640	
		On-Module	48 x 48"	PTB4848/PM		17.0#	599	617	629	609	683	
		On-Module	54 x 48"	PTB5448/PM		19.0#	609	627	642	620	695	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

B

A Select basic model.

BSelect fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories Brackets



Accessories Brackets

				▼
		MODEL NUMBER		
			Approx.	
		Basic Model	Packaged	Delivered
	MODEL		Weight	Pricing
\sim	Tackboard Off-Module Bracket	46.0371.TB.KIT	1.0#	\$ 44
	Pair of bracketsOrder one kit for all heights			
	Includes mounting hardware			
[] Y	 Not used on Overhead Tackboards 			
'	Only necessary to order if changing			
	mounting style Black only			
• "	- black only			
HRDPT				
	Tackboard On-Module Bracket	46.0078.TB.KIT	1.0#	\$ 41
	Order one kit for 12" and 16" high			
9 12 1	tackboards • Order two kits for 20" and 30" high			
4 19 1	tackboards			
4 g ,	· Order three kits for 48" high tackboards			
	 Not used on Overhead Tackboards 			
HRDPT	Only necessary to order if changing			
111.51 1	mounting style Black only			
	Successive Survey			
	Markerboard Off-Module Bracket	46.0371.MB.KIT	1.0#	\$ 41
	 Pair of brackets 	40.037 1.WB.KIT	1.017	ψ = 1
Y	 Order one kit for all heights 			
· Y.	Includes mounting hardware Only processors to order if about in a			
	 Only necessary to order if changing mounting style 			
	Black only			
	•			
LIDDDT.				
HRDPT		40.0070.140.1/17	4.0//	A 00
\frown	Markerboard On-Module Bracket • Pair of brackets	46.0078.MB.KIT	1.0#	\$ 69
٠ - ا ا ا ا ا ا	Order one kit for all heights			
9	 Includes mounting hardware 			
d [,]	Only necessary to order if changing			
14.	mounting style Black only			
, 0	- Diack Ully			
HRDPT				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories Paper Management



Accessories Paper Management

						•	
			MODEL NU	JMBER			
			IIIODEE III	J			
					Approx.		
			Basic	Trim	Packaged	Delivered	
	MODEL	H x W x D	Model	Color	Weight	Pricing	
	On-Module Tool Rail	18 x 4 1/2"	PPMTR18		3.0#	\$ 140	
	 Accomodates paper management components 	24 x 4 1/2"	PPMTR24		3.0#	155	
	Attaches to panels "on" module	30 x 4 1/2"	PPMTR30		4.0#	161	
	 Field installable 	36 x 4 1/2"	PPMTR36		5.0#	171	
PTR	 Painted aluminum construction 	42 x 4 1/2"	PPMTR42		6.0#	179	
	Consists of four slots to accept compo-	48 x 4 1/2"	PPMTR48		6.0#	191	
	nents	54 x 4 1/2"	PPMTR54		7.0#	213	
		60 x 4 1/2"	PPMTR60		7.0#	239	
		72 x 4 1/2"	PPMTR72		8.0#	265	
	Plastic Paper Tray Unit	2 x 9-1/2 x 14"	PPLL		1.0#	\$ 52	
	 Plastic construction 					·	
	Accepts letter and legal-size paper Accepts letter and legal-size paper						
	Suspends from Tool Rail						
\							
HRDPT							
TITIOLI	Plastic Diagonal Storage Unit	2-1/2 x 7 x 12-1/2"	PPDS		4.0#	\$ 52	
	Plastic construction	Z 1/Z X 1 X 1Z 1/Z	11100		4. 0#	ψ 52	
	 Three slanted partitions per unit with 						
	dividers						
	Suspends from Tool Rail						
W. W. W.							
UDDOT							
HRDPT							
			A	B			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories

Desktop Accessories



Accessories

Desktop Accessories

			MODEL NU	IMBER		
	MODEL	H x W x D	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
	Accessory Tray Injection-molded plastic Stores stamps, tape dispenser, post-it pads and pager clips	2 x 9 1/2 x 10"	PPAT		6.0#	\$ 43
•••	pads and paper clips • Suspends from Tool Rail					
HRDPT						
	Pencil Cup • Injection-molded plastic	4 x 4 x 3 1/2"	PPPC		0.3#	\$ 43
	Suspends from Tool Rail					
HRDPT						
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

120° Intersections



120° Intersections

									—					
			MODEL NU	MBER										
	MODEL		Basic Model		Upholstery Color	Assembly	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	120° 2-Way, Both Panels Same Height	30" I	P1202W30				7.0#	\$ 391						\$ 40
	Unupholstered: trim colored	36" I	P1202W36				9.0#	415						40
	120° 2-way top capLight block	42" I	P1202W42				10.0#	522						49
	 One piece of vertical trim extending to 	48" I	P1202W48				12.0#	565						52
	floor	54" I	P1202W54				13.0#	574						52
	Two half postsConnecting hardware		P1202W66				16.0#	586						54
	 SX Starlight Silver finish is only offered 		P1202W72				17.0#	741						54
	on flat aluminum trim	84" I	P1202W84				20.0#	753						57
PTN														
<i>r</i>	120° 2-Way, Both Panels Same HeightUpholstered: trim colored		P120F2W30				7.0#	N/A	\$ 543	\$ 552	\$ 559	\$ 574	\$ 588	\$ 11
¥-1	120° 2-way top cap		P120F2W36				9.0#	N/A	579	589	595	607	620	11
	 Light block 		P120F2W42				10.0#	N/A	599	608	617	629	648	11
	 One piece of vertical trim extending to floor 		P120F2W48				12.0#	N/A	643	659	664	674	695	11
	Two half posts		P120F2W54				13.0#	N/A	657	664	670	685	704	11
	 Connecting hardware 		P120F2W66				16.0#	N/A	668	683	692	704	726	11
	SX Starlight Silver finish is only offered		P120F2W72				17.0#	N/A	829	845	856	870	897	11
DINE	on flat aluminum trim	84"	P120F2W84				20.0#	N/A	841	858	864	882	906	11
PTNF														
			A	$oldsymbol{\Theta}$	œ	O								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list. SX Starlight Silver finish is only offered on flat

aluminum trim. **G**Select upholstery color.

Refer to ki.com/fabrics • Select assembly.

- Fully Assembled; add \$79

- Unassembled

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



120° Intersections

			MODEL NUME	BER			
			Basic	Trim	Approx. Packaged	Delivered	Metallic Paint add to list
	MODEL	AxB	Model	Color	Weight	Pricing	price
	120° 2-Way, Two Different Heights		P120V2W3036		9.0#	\$ 327	\$ 53
1	 Unupholstered: trim colored 120° 1-way top cap 		P120V2W3042		11.0#	537	54
	Light block		P120V2W3048		12.0#	579	68
	 One piece of vertical trim extends to 		P120V2W3054		13.0#	589	69
B	floor		P120V2W3066		15.0#	608	73
	One piece of height change trimOne half post A		P120V2W3072		16.0#	756	90
,	One half post B		P120V2W3084		20.0#	787	93
	Connecting hardware		P120V2W3642		9.0#	569	53
PTN	 SX Starlight Silver finish is only offered on flat aluminum trim 	48" 36"	P120V2W3648		11.0#	577	68
	טוו וומנ מונווווונוווו נווווו		P120V2W3654		12.0#	588	69
			P120V2W3666		14.0#	603	73
		72" 36"	P120V2W3672		15.0#	765	75
			P120V2W3684		20.0#	789	93
			P120V2W4248		9.0#	579	67
			P120V2W4254		11.0#	582	69
			P120V2W4266		13.0#	601	71
			P120V2W4272		14.0#	755	75
			P120V2W4284		18.0#	771	92
		54" 48"	P120V2W4854		9.0#	592	68
			P120V2W4866		14.0#	603	71
			P120V2W4872		15.0#	756	73
			P120V2W4884		18.0#	783	77
		66" 54"	P120V2W5466		12.0#	602	71
			P120V2W5472		14.0#	755	73
			P120V2W5484		18.0#	779	73
		72" 66"	P120V2W6672		9.0#	755	71
		84" 66"	P120V2W6684		12.0#	770	75
		84" 72"	P120V2W7284		11.0#	771	75
			A	B			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

price list. SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

120° Intersections

2-Way



120° Intersections

2-Wa

							▼					
			MODEL NUMB	ER								
	MODEL	AxB	Basic Model	Trim Color	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	120° 2-Way, Two Different Heights	36" 30"	P120VF2W3036			9.0#	\$ 581	\$ 591	\$ 597	\$ 608	\$ 624	\$ 11
X 1	Unupholstered: trim colored	42" 30"	P120VF2W3042			11.0#	700	715	722	736	755	11
	120° 1-way top capLight block	48" 30"	P120VF2W3048			12.0#	737	753	760	779	794	11
	One piece of vertical trim extends to	54" 30"	P120VF2W3054			13.0#	741	756	766	783	805	11
TE .	floor	66" 30"	P120VF2W3066			15.0#	779	789	797	815	836	11
	One piece of height change trimOne half post A	72" 30"	P120VF2W3072			16.0#	932	949	959	979	1009	11
'	One half post B	84" 30"	P120VF2W3084			20.0#	960	981	989	1012	1037	11
	 Connecting hardware 	42" 36"	P120VF2W3642			9.0#	705	718	727	739	761	11
PTNF	SX Starlight Silver finish is only offered on flat aluminum trim	48" 36"	P120VF2W3648			11.0#	740	754	764	781	803	11
	on hat aluminum tilli	54" 36"	P120VF2W3654			13.0#	747	761	771	785	810	11
		66" 36"	P120VF2W3666			15.0#	766	784	790	807	831	11
		72" 36"	P120VF2W3672			16.0#	931	947	958	977	1005	11
		84" 36"	P120VF2W3684			20.0#	966	985	992	1013	1038	11
		48" 42"	P120VF2W4248			9.0#	741	755	765	783	804	11
		54" 42"	P120VF2W4254			11.0#	747	761	771	785	810	11
		66" 42"	P120VF2W4266			14.0#	761	780	787	803	824	11
			P120VF2W4272			15.0#	919	937	949	966	990	11
		84" 42"	P120VF2W4284			18.0#	946	960	972	989	1021	11
		54" 48"	P120VF2W4854			9.0#	755	771	783	793	817	11
		66" 48"	P120VF2W4866			12.0#	770	785	791	810	833	11
		72" 48"	P120VF2W4872			14.0#	920	938	950	968	992	11
		84" 48"	P120VF2W4884			20.0#	989	1013	1021	1037	1068	11
		66" 54"	P120VF2W5466			11.0#	776	788	794	811	834	11
		72" 54"	P120VF2W5472			12.0#	924	940	951	969	995	11
		84" 54"	P120VF2W5484			18.0#	938	959	968	985	1016	11
		72" 66"	P120VF2W6672			9.0#	930	946	956	976	1002	11
		84" 66"	P120VF2W6684			16.0#	934	955	962	980	1012	11
		84" 72"	P120VF2W7284			11.0#	945	959	970	987	1019	11

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color.

Refer to the **Product Color Options** page in this

price list. SX Starlight Silver finish is only offered on flat aluminum trim.

B

Θ

Select upholstery color. Refer to **ki.com/fabrics**

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

120° Intersections _{3-Way}



120° Intersections

		MODEL NUMBER			
	MODEL	Basic Trim Model Color Assembly	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
	120° 3-Way, All Panels Same Height	30" P1203W30 🗆 🗆	9.0#	\$ 404	\$ 11
	Unupholstered: trim colored120° 3-way top cap	36" P1203W36 □□ □	11.0#	425	11
	• Light block	42" P1203W42 🗆 🗆	12.0#	534	11
	 Three half posts 	48" P1203W48 □□ □	13.0#	565	11
	 Connecting hardware 	54" P1203W54 🗆 🗆	15.0#	579	11
	 Connecting hardware SX Starlight Silver finish is only offered on flat aluminum trim 	66" P1203W66 □□ □	18.0#	595	11
	טוו וומנ מועווווועווו נווווו	72" P1203W72 🗆 🗆	19.0#	735	11
		84" P1203W84 🗆 🗆	22.0#	748	11
PTN					
		A B O			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list. SX Starlight Silver finish is only offered on flat

aluminum trim.

©Select assembly.

- Fully Assembled; add \$102

- Unassembled

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

120° Intersections 3-Way



120° Intersections

					>	
			MODEL NUMBER			
				-		
						Metallic
			Dania Trim	Approx. Packaged	Delivered	Paint add to list
	MODEL		Basic Trim Model Color	Weight	Delivered Pricing	add to list price
	120° 3-Way, Two Different Heights		P120V1203036	9.0#	\$ 542	\$ 36
	 Unupholstered: trim colored 		P120V1203042	11.0#	547	39
Ā	2-way top capLight block		P120V1203048 🗆	12.0#	678	39
	One piece of height change trim		P120V1203054 🗆	13.0#	695	39
B	Two half posts A		P120V1203066	16.0#	722	40
	One half post BConnecting hardware		P120V1203072	17.0#	852	49
	 SX Starlight Silver finish is only offered 	84" 30"	P120V1203084 🗆	20.0#	882	52
	on flat aluminum trim		P120V1203642	9.0#	552	36
PTN		48" 36"	P120V1203648 🗆 🗆	11.0#	563	39
			P120V1203654 🗆	12.0#	694	39
		66" 36"	P120V1203666	15.0#	718	40
		72" 36"	P120V1203672	16.0#	751	40
		84" 36"	P120V1203684 🗆	20.0#	887	52
		48" 42"	P120V1204248	9.0#	683	36
		54" 42"	P120V1204254	11.0#	692	39
		66" 42"	P120V1204266	13.0#	817	39
		72" 42"	P120V1204272	15.0#	849	40
		84" 42"	P120V1204284	20.0#	871	49
		54" 48"	P120V1204854	9.0#	700	36
			P120V1204866	12.0#	820	39
		72" 48"	P120V1204872	15.0#	855	39
		84" 48"	P120V1204884	20.0#	877	40
		66" 54"	P120V1205466	11.0#	715	39
		72" 54"	P120V1205472	15.0#	849	39
			P120V1205484	20.0#	871	40
			P120V1206672	9.0#	744	36
			P120V1206684	12.0#	864	39
		84" 72"	P120V1207284 🗆	11.0#	869	39
			A B			
			_			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list. SX Starlight Silver finish is only offered on flat

aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

120° Intersections _{3-Way}



120° Intersections

							•					
			MODEL NUMBE	ER								
	MODEL	AxB	Basic Model	Trim Color	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	120° 3-Way, Two Different Heights	36" 30"	P120VF1203036			9.0#	\$ 630	\$ 642	\$ 656	\$ 663	\$ 678	\$ 11
	Upholstered	42" 30"	P120VF1203042			11.0#	569	583	592	606	627	11
A	120° 2-way top capLight block	48" 30"	P120VF1203048			12.0#	764	781	788	804	824	11
	One piece of height change trim	54" 30"	P120VF1203054			13.0#	771	787	793	811	834	11
	Two half posts A	66" 30"	P120VF1203066			15.0#	804	817	829	844	866	11
	One half post BConnecting hardware	72" 30"	P120VF1203072			16.0#	936	956	966	982	1013	11
	SX Starlight Silver finish is only offered	84" 30"	P120VF1203084			20.0#	976	992	1005	1022	1051	11
	on flat aluminum trim	42" 36"	P120VF1203642			9.0#	639	650	660	668	688	11
PTNF		48" 36"	P120VF1203648			10.0#	663	672	685	695	718	11
		54" 36"	P120VF1203654			11.0#	779	789	797	815	836	11
		66" 36"	P120VF1203666			13.0#	793	811	819	834	859	11
		72" 36"	P120VF1203672			14.0#	831	846	858	870	898	11
		84" 36"	P120VF1203684			18.0#	977	993	1009	1023	1052	11
		48" 42"	P120VF1204248			9.0#	770	785	791	810	833	11
		54" 42"	P120VF1204254			11.0#	780	790	803	816	837	11
		66" 42"	P120VF1204266			13.0#	852	870	877	897	920	11
		72" 42"	P120VF1204272			14.0#	924	946	951	970	995	11
		84" 42"	P120VF1204284			18.0#	1058	1080	1092	1110	1142	11
		54" 48"	P120VF1204854			9.0#	787	803	811	824	849	11
		66" 48"	P120VF1204866			12.0#	904	919	932	949	977	11
		72" 48"	P120VF1204872			14.0#	930	946	956	976	1002	11
		84" 48"	P120VF1204884			18.0#	1062	1083	1094	1117	1147	11
		66" 54"	P120VF1205466			11.0#	803	817	828	841	864	11
		72" 54"	P120VF1205472			12.0#	931	950	958	977	1005	11
		84" 54"	P120VF1205484			16.0#	950	970	980	993	1025	11
		72" 66"	P120VF1206672			9.0#	831	845	858	870	898	11
		84" 66"	P120VF1206684			11.0#	947	968	977	990	1022	11
		84" 72"	P120VF1207284			11.0#	955	976	982	1002	1031	11

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color. Refer to the **Product Color Options** page in this

price list. SX Starlight Silver finish is only offered on flat aluminum trim.

(3)

Select upholstery color. Refer to ki.com/fabrics

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

120° Intersections 3-Way



120° Intersections

			MODEL NUME	BER			
							Metallic
			Danie.	Toiss	Approx.	Delbound	Paint
	MODEL		Basic Model	Trim Color	Packaged Weight	Delivered Pricing	add to list price
	120° 3-Way, Two Different Heights		P120V1W3036		9.0#	\$ 563	\$ 49
	 Unupholstered: trim colored 		P120V1W3042		10.0#	563	53
	 120° 1-way top cap Light block 		P120V1W3048		11.0#	695	53
	Two pieces of height change trim		P120V1W3054		12.0#	713	53
8	One half post A		P120V1W3066		15.0#	747	56
	Two half posts B Connection bonduous		P120V1W3072		16.0#	864	80
	Connecting hardwareSX Starlight Silver finish is only offered	84" 30"	P120V1W3084		20.0#	912	87
PTN	on flat aluminum trim		P120V1W3642		9.0#	575	49
		48" 36"	P120V1W3648		11.0#	591	53
		54" 36"	P120V1W3654		12.0#	709	53
		66" 36"	P120V1W3666		15.0#	737	56
		72" 36"	P120V1W3672		16.0#	779	56
		84" 36"	P120V1W3684		20.0#	920	87
		48" 42"	P120V1W4248		9.0#	699	49
			P120V1W4254		11.0#	700	53
			P120V1W4266		14.0#	835	53
		72" 42"	P120V1W4272		16.0#	861	56
			P120V1W4284		20.0#	889	80
		54" 48"	P120V1W4854		9.0#	720	49
			P120V1W4866		12.0#	841	53
			P120V1W4872		14.0#	870	53
			P120V1W4884		18.0#	906	56
			P120V1W5466		11.0#	735	53
			P120V1W5472		12.0#	862	53
			P120V1W5484		16.0#	896	56
			P120V1W6672		9.0#	761	49
			P120V1W6684		12.0#	878	53
		84" 72"	P120V1W7284		11.0#	889	53

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

A

(3)

price list. SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

120° Intersections _{3-Way}



120° Intersections

							—					
			MODEL NUMBE	ER								
			Basic	Trim	Upholstery	Approx. Packaged	Delivered Pricing Fabric Grade	Delivered Pricing Fabric Grade	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade	Delivered Pricing Pallas Vertical Fabric Grade	Delivered Pricing Pallas Vertical Fabric Grade	Metallic Paint add to list
	MODEL		Model	Color	Color	Weight	1 & C.O.M.	2	PV	PV1	PV2	price
<i>n</i> -	120° 3-Way, Two Different Heights	36" 30"	P120VF1W3036			9.0#	\$ 624	\$ 637	\$ 642	\$ 659	\$ 670	\$ 11
	Upholstered120° 1-way top cap	42" 30"	P120VF1W3042			12.0#	624	639	648	660	672	11
	Light block	48" 30"	P120VF1W3048			14.0#	741	756	766	784	805	11
	 Two pieces of height change trim 	54" 30"	P120VF1W3054			16.0#	748	764	776	787	811	11
	One half post A The half post A T	66" 30"	P120VF1W3066			20.0#	779	789	797	815	836	11
	Two half posts BConnecting hardware	72" 30"	P120VF1W3072			22.0#	899	917	926	945	970	11
	 SX Starlight Silver finish is only offered 	84" 30"	P120VF1W3084			26.0#	979	992	1009	1021	1051	11
PTNF	on flat aluminum trim	42" 36"	P120VF1W3642			9.0#	634	649	658	667	685	11
			P120VF1W3648			12.0#	650	663	668	683	700	11
			P120VF1W3654			14.0#	755	771	783	793	817	11
			P120VF1W3666			18.0#	771	785	791	810	833	11
			P120VF1W3672			20.0#	904	919	932	949	977	11
			P120VF1W3684			24.0#	938	956	968	985	1016	11
			P120VF1W4248			9.0#	756	771	783	793	819	11
			P120VF1W4254			12.0#	761	780	787	803	824	11
			P120VF1W4266			16.0#	871	890	900	916	945	11
			P120VF1W4272			18.0#	898	912	920	940	968	11
			P120VF1W4284			22.0#	919	937	949	966	992	11
			P120VF1W4854			9.0#	783	793	805	819	844	11
			P120VF1W4866			14.0#	891	906	916	934	960	11
			P120VF1W4872			16.0#	929	937	937	955	981	11
			P120VF1W4884			20.0#	932	951	960	979	1009	11
			P120VF1W5466			12.0#	791	810	817	833	859	11
			P120VF1W5472			14.0#	912	934	945	959	986	11
			P120VF1W5484			18.0#	930	946	956	976	1002	11
			P120VF1W6672			9.0#	820	835	846	861	889	11
			P120VF1W6684			14.0#	931	947	958	977	1005	11
		84" 72"	P120VF1W7284			12.0#	949	969	979	992	1023	11
			A	$oldsymbol{\mathbf{B}}$	•							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

aluminum trim.

BSelect trim color. Refer to the **Product Color Options** page in this price list. SX Starlight Silver finish is only offered on flat

Select upholstery color. Refer to ki.com/fabrics

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

120° Intersections 2-Way and 3-Way Stackable



120° Intersections 2-Way and 3-Way Stackable

							V					
		MODEL NU	JMBER									
	MODEL	Basic H Model	Trim Upholsti	Approx. ery Packaged Delive Weight Pricin		Pi Fa	icing	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
500 miles	2-Way Stackable Unupholstered: trim color One piece of stackable vetical trim Two stackable half-posts One 120° corner connector block Use top cap from existing lower panel SX Starlight Silver finish is only offered on flat aluminum trim	12" PS1202W12 18" PS1202W18 24" PS1202W24			81 03 25							\$ 14 14 14
PST												
	2-Way Stackable Upholstered One piece of stackable vetical trim Two stackable half-posts One 120° corner connector block Use top cap from existing lower panel SX Starlight Silver finish is only offered on flat aluminum trim	12" PS120F2W1: 18" PS120F2W1: 24" PS120F2W2:	8 00 0000	6.0#	N/A N/A N/A	\$	467 589 601	\$ 475 601 609	\$ 482 606 616	\$ 490 617 629	\$ 502 634 649	N/A N/A N/A
PSTF												
	3-Way Stackable Unupholstered Three stackable half-posts One 120° corner connector block Use top cap from existing lower panel XX Starlight Silver finish is only offered on flat aluminum trim	12" PS1203W12 18" PS1203W18 24" PS1203W24			75 06 19							N/A N/A N/A
PST		A	3 0									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this price list. SX Starlight Silver finish is only offered on flat aluminum trim.

Select upholstery color. Refer to ki.com/fabrics

INFORMATION

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

120° Worksurfaces



120° Worksurfaces

										V					
		MODEL NUMBER	R											Laminate	Laminato
MODE	EL	Basic Model			Trim	Wood Edge Venee Color Color	r Edge Color	Grommet Color	Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	Wood Edge Laminate (WL)	Wood Edge Veneer (WV)	Grade 2 add to list price	Grade 3 add to lis price
Inside	e Corner Worksurface with 120° Ends	PW120243624 PW120244224							44.0# 53.0#	\$ 1106 1170	\$ 1228 1275	\$ 1705 1802	\$ 3602 4283	\$ 50 50	*
• Left	udes mounting hardware t hand cantilever is provided for rear	PW120244824 PW120303630							62.0# 65.0#	1330 1142	1399 1253	2026 1756	5089 3741	100 50	
	ner ludes two 2-1/2" x 6" grommets	PW120304230							67.0#	1264	1331	1890	4548	50	3
PWWC Inside	e Corner Worksurface with 90° Ends	PW120304830 PWIC120243624							76.0# 44.0#	1515 \$ 1106	1617 \$ 1228	2207 \$ 1705	5361 \$ 2501	100 \$ 50	\$ 3
		PWIC120244224 PWIC120244824							53.0# 62.0#	1170 1330	1275 1399	1802 2026	2585 2623	50 100	
		PWIC120303630 PWIC120304230							65.0# 67.0#	1142 1264	1253 1331	1756 1890	2661 2704	50 50	
PWWC		PWIC120304830							70.0#	1515	1617	2207	2718	100	
Outside Ends	de Corner Worksurface with 90°	PW0C120243624 PW0C120244224							44.0# 53.0#	\$ 1106 1170	\$ 1228 1275	\$ 1776 1876	\$ 3092 3158	\$ 70 100	,
		PW0C120244824 PW0C120303630							62.0# 65.0#	1330 1142	1399 1253	2099 1828	3189 3236	100 70	
DIAMAG		PW0C120304230							67.0#	1264	1331	2132	3271 3326	100	(
PWWC		PW0C120304830	B	•	•	3 3		a	76.0#	1515	1617	2301	JJ20	100	6

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

 Wood edge, laminate surface - Wood edge, veneer surface

Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections. OSelect trim color.

Refer to the **Product Color Options** page in this price list.

Select wood edge color. Refer to the **Product Color Options** page in this

• Select wood veneer color.

Refer to the **Product Color Options** page in this price list.

GSelect edge color.

price list.

A Select basic model.

Select edge style.

74P - 74P edge - Knife edge

Select grommet color.

Refer to the **Product Color Options** page in this price list.

Refer to the **Product Color Options** page in this

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

120° Build Your Own



120° Build Your Own

				▼	
		MODEL NUMBER			
		Pagio	Approx.	Delivered	
	MODEL	Basic H Model	Approx. Packaged Weight	Pricing	
<u> </u>	120° Connector Block	46.0955	1.0#	\$ 28	
	 Black only 				
	 Extruded aluminum block with three threaded inserts 				
	amoudou moorto				
HRDPT					
_	120° Light Block	12" 46.1037.12	1.0#	\$ 8	
/		18" 46.1037.18	1.0#	8	
		24" 46.1037.24	1.0#	8	
		30" 46.1037.30	1.0#	9	
		36" 46.1037.36	1.0#	13	
		42" 46.1037.42	1.0#	13	
		48" 46.1037.48	1.0#	22	
		54" 46.1037.54	1.0#	22	
HRDPT		60" 46.1037.60	1.0#	22	
		66" 46.1037.66	1.0#	22	
		72" 46.1037.72	1.0#	29	
		78" 46.1037.78	1.0#	29	
		84" 46.1037.84	1.0#	29	
		A			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

120° Build Your Own



120° Build Your Own

						▼	
		I	MODEL NU	JMBER			
	MODEL	H N	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
1	120° Vertical Trim	30" 4	16.1032.30		1.0#	\$ 42	\$ 16
		36" 4 42" 4	16.1032.36		1.0#	51	16
			16.1032.42		1.0#	51	36
			16.1032.48		1.0#	75	39
ν			16.1032.54		2.0#	75	39
			16.1032.60		2.0#	75	39
			16.1032.66		2.0#	75	41
HRDPT			16.1032.72		2.0#	108	41
			16.1032.84 16.1027		2.0# 1.0#		<u>43</u> \$ 11
	120° 1-Way Top Cap		10.1027			V	· · ·
HRDPT							
	120° 2-Way Top Cap	4	46.1028		1.0#	\$ 13	N/A
HRDPT							
	120° 3-Way Top Cap	4	16.1029		1.0#	\$ 13	N/A
HRDPT							
			A	B			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions 90° 2-Way and End-of-Run



Tech Preconfigured Intersection Conditions 90° 2-Way and End-of-Run

							<u>▼</u>					
		r	MODEL NU	JMBER								
	MODEL	H B	Basic Model	Trim Color	Appro Fabric Packa Color Weigl	ged Delivered Pri	Delivere Pricing ng Fabric G 1 & C.O.	Pricing Grade Fabric Grade	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	End-of-Run Condition	30" T			5	0# \$ 84						\$ 39
A	Unupholstered: trim coloredEnd-of-run trim (Tech)	36" T	EP/36		5	0# 105						40
	Top cap	42" T	EP/42		7	0# 107						44
	One full post	48" T	EP/48		8	0# 127						46
	End-of-run base tile hooks	54" T			9	0# 129						49
	 SX Starlight Silver finish is only offered on flat aluminum trim 	60" T	EP/60		10	0# 137						53
	on hat aluminum timi	66" T	EP/66		11	0# 162						61
\bigvee		72" T	EP/72		11	0# 169						61
TECN		78" T			12	0# 172						61
		84" T	EP/84		13	0# 180						64
-	90° 2-Way "L" Corner, Both Panels Same	30" T	CP90/30		9	0# \$ 223						\$ 56
	Height		CP90/36		9	0# 243						57
	• 90° top cap	42" T	CP90/42		11	0# 280						57
A III	 Two pieces of universal trim (Tech) 	48" T	CP90/48		12	0# 311						90
	Two half-posts	54" T	CP90/54		13	0# 320						92
	Two sets of half post base tile hooks	60" T	CP90/60		15	0# 324						94
	Connecting hardwareSX Starlight Silver finish is only offered	66" T	CP90/66		16	0# 346						97
	on flat aluminum trim	72" T	CP90/72		16	0# 373						100
TECN		78" T	CP90/78		16	0# 395						100
		84" T	CP90/84		16	0# 427						102
	90° 2-Way "L" Corner, Both Panels Same	30" T	CPF90/30		0000 7	0# N/A	\$ 310	0 \$ 315	\$ 319	\$ 322	\$ 335	\$ 43
	Height				0000 7	0# N/A	329	9 339	344	351	359	48
	Upholstered90° top cap	42" T	CPF90/42		10	0# N/A	373	377	381	394	404	53
A III	 Two pieces of universal trim 	48" T	CPF90/48		DDDD	0# N/A	414	4 421	425	433	441	57
	Two half-posts	54" T	CPF90/54		□□□□ 13	0# N/A	425	5 430	433	441	447	57
	Two sets of half post base tile hooks	60" T	CPF90/60		14	0# N/A	432	2 436	440	456	467	61
	Connecting hardwareSX Starlight Silver finish is only offered	66" T	CPF90/66		□□□□ 16	0# N/A	453	3 461	465	475	487	65
\bigvee	on flat aluminum trim	72" T	CPF90/72			0# N/A	486	6 497	500	511	526	68
TEF2		78" T	CPF90/78		□□□□ 16	0# N/A	509	5 518	522	534	548	77
		84" T	CPF90/84		□□□□ 16	0# N/A	588	8 597	603	617	634	84
			A	3	©							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat aluminum trim.

Select fabric color. Refer to ki.com/fabrics

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions



Tech Preconfigured Intersection Conditions 90° 2-Way

					<u> </u>	
			MODEL NUM	BER		
			Pagia	Approx. Trim Packaged	Delivered	Metallic Paint add to list
	MODEL	A B A-B	Basic Model	Trim Packaged Color Weight	Pricing	add to list price
	90° 2-Way "L" Corner, Two Different		TCPV90/3036	9.0#	\$ 323	\$ 95
	Heights	42" 30" 12"	TCPV90/3042	9.0#	325	95
	 Unupholstered 	48" 30" 18"	TCPV90/3048	9.0#	360	110
	1-way top capTwo pieces of universal trim (Tech)	54" 30" 24"	TCPV90/3054	□□ 11.0#	366	112
B	One piece of universal height change	60" 30" 30"	TCPV90/3060	□□ 11.0#	373	112
	trim	66" 30" 36"	TCPV90/3066	9.0#	369	115
	One half-post (height A)One half-post (height B)	72" 30" 42"	TCPV90/3072	9.0#	381	120
	 Two sets of half post base tile hooks 	78" 30" 48"	TCPV90/3078	9.0#	420	121
	Connecting hardware		TCPV90/3084	9.0#	433	124
TECN	 SX Starlight Silver finish is only offered on flat aluminum trim 		TCPV90/3642	9.0#	346	95
	on hat alammam timi		TCPV90/3648	9.0#	376	112
			TCPV90/3654	□□ 11.0#	379	115
			TCPV90/3660	□□ 11.0#	384	112
			TCPV90/3666	9.0#	381	120
			TCPV90/3672	9.0#	402	123
				9.0#	425	124
			TCPV90/3684	9.0#	453	124
			TCPV90/4248	12.0#	487	120
			TCPV90/4254	12.0#	492	123
			TCPV90/4260	11.0#	498	129
			TCPV90/4266	14.0#	497	130
			TCPV90/4272 TCPV90/4278	9.0#	516 541	130 133
			TCPV90/4278 TCPV90/4284	9.0#	557	133
		04 42 42			537	13/
			A	$oldsymbol{eta}$		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions



Tech Preconfigured Intersection Conditions 90° 2-Way

					<u> </u>	
			MODEL NUM	IBER		
	MODEL	A B A-B	Basic Model	Approx. Trim Packaged Color Weight	Delivered Pricing	Metallic Paint add to list price
	90° 2-Way "L" Corner, Two Different	54" 48" 6"	TCPV90/4854	12.0#	\$ 501	\$ 125
	Heights	60" 48" 12"	TCPV90/4860	□□ 11.0#	503	125
	 Unupholstered 	66" 48" 18"	TCPV90/4866	□□ 14.0#	501	127
	1-way top capTwo pieces of universal trim (Tech)	72" 48" 24"	TCPV90/4872	9.0#	523	129
8	One piece of universal height change	78" 48" 30"	TCPV90/4878	9.0#	547	125
	trim	84" 48" 36"	TCPV90/4884	9.0#	574	129
	One half-post (height A)One half-post (height B)	60" 54" 6"	TCPV90/5460	□□ 11.0#	547	130
	Two sets of half post base tile hooks	66" 54" 12"	TCPV90/5466	□□ 15.0#	509	130
Ψ	Connecting hardware	72" 54" 18"	TCPV90/5472	9.0#	529	131
TECN	 SX Starlight Silver finish is only offered on flat aluminum trim 	78" 54" 24"	TCPV90/5478	9.0#	555	127
	on hat aluminum timi	84" 54" 30"	TCPV90/5484	9.0#	579	129
		66" 60" 6"	TCPV90/6066	□□ 15.0#	522	129
		72" 60" 12"	TCPV90/6072	9.0#	537	130
		78" 60" 18"	TCPV90/6078	9.0#	562	130
		84" 60" 24"	TCPV90/6084	9.0#	588	131
		72" 66" 6"	TCPV90/6672	9.0#	538	131
		78" 66" 12"	TCPV90/6678	9.0#	563	132
		84" 66" 18"	TCPV90/6684	9.0#	595	132
		78" 72" 6"	TCPV90/7278	9.0#	581	134
		84" 72" 12"	TCPV90/7284	9.0#	602	134
		84" 78" 6"	TCPV90/7884	9.0#	603	134
			A	3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions 90° 2-Way



Tech Preconfigured Intersection Conditions 90° 2-Way

			MODEL NUM	RFR									
	MODEL	АВА-В	Basic	Trim Color	Fabric Color	Approx. Packaged Weight	Prici Fabr	ivered sing ric Grade C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
TEF2	90° 2-Way "L" Corner, Two Different	36" 30" 6"	TCPVF90/3036			9.0#	\$	457	\$ 465	\$ 467	\$ 482	\$ 492	\$ 22
	Heights	42" 30" 12"	TCPVF90/3042			9.0#		453	461	465	475	487	22
	Upholstered1-way top cap	48" 30" 18"	TCPVF90/3048			9.0#		500	509	514	526	541	22
	Two pieces of universal trim (Tech)	54" 30" 24"	TCPVF90/3054			11.0#		509	519	523	535	549	22
	 One piece of universal height change trim One half-post (height A) One half-post (height B) Two sets of half post base tile hooks Connecting hardware SX Starlight Silver finish is only offered on flat aluminum trim 	60" 30" 30"	TCPVF90/3060			11.0#		522	529	534	547	561	22
		66" 30" 36"	TCPVF90/3066			16.0#		523	532	535	548	562	22
		72" 30" 42"	TCPVF90/3072			16.0#		543	552	561	575	588	22
		78" 30" 48"	TCPVF90/3078			16.0#		579	588	595	607	619	22
		84" 30" 54"	TCPVF90/3084			16.0#		643	658	664	674	695	22
		42" 36" 6"	TCPVF90/3642			9.0#		505	518	522	534	548	22
		48" 36" 12"	TCPVF90/3648			9.0#		518	526	529	542	557	22
		54" 36" 18"	TCPVF90/3654			11.0#		525	534	537	549	563	22
		60" 36" 24"	TCPVF90/3660			11.0#		532	541	543	557	575	22
		66" 36" 30"	TCPVF90/3666			16.0#		535	543	548	561	579	22
		72" 36" 36"	TCPVF90/3672			16.0#		562	574	581	592	607	22
		78" 36" 42"	TCPVF90/3678			16.0#		582	591	599	614	629	22
		84" 36" 48"	TCPVF90/3684			16.0#		663	670	683	695	718	22
		48" 42" 6"	TCPVF90/4248			12.0#		630	642	656	664	678	22
		54" 42" 12"	TCPVF90/4254			12.0#		639	650	660	669	690	22
		60" 42" 18"	TCPVF90/4260			11.0#		642	657	663	672	694	22
		66" 42" 24"	TCPVF90/4266			14.0#		643	658	664	674	695	22
		72" 42" 30"	TCPVF90/4272			16.0#		672	686	695	713	731	22
		78" 42" 36"	TCPVF90/4278			16.0#		699	713	722	735	755	22
		84" 42" 42"	TCPVF90/4284			16.0#		765	781	789	805	828	22
			_	•	•								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat aluminum trim.

Select fabric color. Refer to ki.com/fabrics

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions 90° 2-Way



Tech Preconfigured Intersection Conditions 90° 2-Way

			MODEL NUM	BER							
	MODEL	A B A-B	Basic	Trim Fabric Color Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	90° 2-Way "L" Corner, Two Different	54" 48" 6"	TCPVF90/4854		12.0#	\$ 648	\$ 659	\$ 666	\$ 676	\$ 697	\$ 22
	Heights	60" 48" 12"	TCPVF90/4860		11.0#	650	662	668	683	700	22
	Upholstered1-way top cap	66" 48" 18"	TCPVF90/4866		14.0#	650	662	668	683	700	22
	Two pieces of universal trim (Tech)	72" 48" 24"	TCPVF90/4872		16.0#	676	690	699	715	735	22
) B	One piece of universal height change	78" 48" 30"	TCPVF90/4878		16.0#	705	718	727	739	761	22
	trim	84" 48" 36"	TCPVF90/4884		16.0#	779	788	797	815	836	22
	One half-post (height A)One half-post (height B)	60" 54" 6"	TCPVF90/5460		11.0#	662	669	678	694	714	22
	Two sets of half post base tile hooks	66" 54" 12"	TCPVF90/5466		15.0#	662	669	678	694	714	22
*	 Connecting hardware 	72" 54" 18"	TCPVF90/5472		16.0#	686	697	709	722	740	22
TEF2	 SX Starlight Silver finish is only offered on flat aluminum trim 	78" 54" 24"	TCPVF90/5478		16.0#	709	722	731	741	765	22
	on nat aluminum timi	84" 54" 30"	TCPVF90/5484		16.0#	785	794	810	823	846	22
		66" 60" 6"	TCPVF90/6066		15.0#	667	676	688	704	725	22
		72" 60" 12"	TCPVF90/6072		16.0#	695	707	718	731	753	22
		78" 60" 18"	TCPVF90/6078		16.0#	715	727	736	751	776	22
		84" 60" 24"	TCPVF90/6084		16.0#	788	803	813	828	852	22
		72" 66" 6"	TCPVF90/6672		16.0#	697	709	720	734	754	22
		78" 66" 12"	TCPVF90/6678		16.0#	716	729	737	753	779	22
		84" 66" 18"	TCPVF90/6684		16.0#	791	807	817	833	858	22
		78" 72" 6"	TCPVF90/7278		16.0#	735	747	755	771	791	22
		84" 72" 12"	TCPVF90/7284		16.0#	804	816	828	844	866	22
		84" 78" 6"	TCPVF90/7884		16.0#	805	817	829	845	869	22
			_								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat

Select fabric color. Refer to ki.com/fabrics

aluminum trim.

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions 180° 2-Way



Tech Preconfigured Intersection Conditions 180° 2-Way

						<u> </u>	
			MODEL NU	IMBER			
	MODEL	A B A-B	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
	180° 2-Way In-Line Connection, Both	30"	TFP/30		5.0#	\$ 56	N/A
// h	Panels Same Height	36"	TFP/36		5.0#	65	N/A
	UnupholsteredOne full post	42"	TFP/42		6.0#	67	N/A
A	Two sets of half post base tile hooks	48"	TFP/48		6.0#	71	N/A
	·	54"	TFP/54		7.0#	75	N/A
		60"	TFP/60		7.0#	83	N/A
		66"	TFP/66		8.0#	84	N/A
*		72"	TFP/72		9.0#	94	N/A
TECN		78"	TFP/78		10.0#	97	N/A
		84"	TFP/84		11.0#	107	N/A
	180° 2-Way In-Line Connection, Two	36" 30" 6"	TFPV/3036		5.0#	\$ 94	\$ 44
λ	Different Heights	42" 30" 12"			6.0#	104	49
	Unupholstered: trim coloredOne full post	54" 30" 24"			7.0#	121	49
	In-line height change trim	66" 30" 36"			8.0#	143	53
8	In-line height change bottom cap	84" 30" 54"	TFPV/3084		11.0#	180	65
	End-of-run top capTwo sets of half post base tile hooks	66" 42" 24"			8.0#	131	49
	SX Starlight Silver finish is only offered	84" 42" 42"			11.0#	169	65
	on flat aluminum trim	66" 54" 12"			8.0#	123	49
TECN		84" 54" 30"			11.0#	161	52
		84" 66" 18"	TFPV/6684		10.0#	148	49
			A	B			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions 180° 2-Way



Tech Preconfigured Intersection Conditions 180° 2-Way

								•					
			MODEL NU	MBER									
	MODEL	Н	Basic Model	Trim Color	Fabric Color		Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
ds.	180° 2-Way In-Line Spacer, Both Panels	30"	TSP180/30			4.0#	\$ 285						\$ 56
	Same Height		TSP180/36			4.0#	319						56
	Unupholstered: trim colored		TSP180/42			5.0#	354						57
^	180° top capTwo pieces of universal trim (Tech)	48"	TSP180/48			5.0#	387						61
	Two half-posts		TSP180/54			6.0#	403						73
	Two sets of half post base tile hooks	60"	TSP180/60			6.0#	420						77
	Connecting hardwareSX Starlight Silver finish is only offered	66"	TSP180/66			7.0#	434						97
	on flat aluminum trim	72"	TSP180/72			7.0#	468						97
TECN		78"	TSP180/78			7.0#	497						102
		84"	TSP180/84			7.0#	534						102
			TSPF180/30			4.0#	N/A	\$ 381	\$ 387	\$ 394	\$ 402	\$ 414	\$ 22
	Same Height	36"	TSPF180/36			4.0#	N/A	461	468	473	483	497	22
	Upholstered180° top cap	42"	TSPF180/42			5.0#	N/A	483	490	496	502	522	22
	Two pieces of universal trim (Tech)		TSPF180/48			5.0#	N/A	532	541	547	559	575	22
	Two half-posts		TSPF180/54			6.0#	N/A	538	549	549	563	581	22
	Two sets of half post base tile hooksConnecting hardware		TSPF180/60			6.0#	N/A	547	557	562	575	589	22
	 SX Starlight Silver finish is only offered 		TSPF180/66			7.0#	N/A	565	579	583	595	608	22
\bigvee	on flat aluminum trim					7.0#	N/A	660	669	674	692	713	22
TEF2			TSPF180/78			7.0#	N/A	663	672	683	695	716	22
		84"	TSPF180/84			7.0#	N/A	664	674	685	697	716	22
			A	B	•								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat aluminum trim.

Select fabric color. Refer to ki.com/fabrics

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions 180° 2-Way



Tech Preconfigured Intersection Conditions 180° 2-Way

								—					
			MODEL NUMB	ER									
	MODEL	A B A-B	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
4.	180° 2-Way In-Line Spacer, Two Different	t 36" 30" 6"	TPV180/3036			9.0#	\$ 274						\$ 49
9/1	Heights	42" 30" 12"	TPV180/3042			9.0#	282						65
	Unupholstered: trim colored	54" 30" 24"	TPV180/3054			11.0#	360						48
	Dead end top capTwo pieces of universal trim (Tech)	66" 30" 36"	TPV180/3066			13.0#	434						65
	One piece of universal height change	84" 30" 54"	TPV180/3084			16.0#	466						49
	trim	66" 42" 24"	TPV180/4266			14.0#	373						48
	One half-post (height A)One half-post (height B)	84" 42" 42"	TPV180/4284			17.0#	458						65
	Two sets of half post base tile hooks	66" 54" 12"	TPV180/5466			15.0#	345						65
TECN	Connecting hardware	84" 54" 30"	TPV180/5484			18.0#	430						48
	 SX Starlight Silver finish is only offered on flat aluminum trim 	84" 66" 18"	TPV180/6684			19.0#	427						65
d ∿.	180° 2-Way In-Line Spacer, Two Differen	t 36" 30" 6"	TSPVF180/3036			9.0#	N/A	\$ 603	\$ 609	\$ 614	\$ 618	\$ 632	\$ 22
	Heights	42" 30" 12"	TSPVF180/3042			9.0#	N/A	597	606	609	619	634	22
	UpholsteredDead end top cap	54" 30" 24"	TSPVF180/3054			11.0#	N/A	714	725	729	740	756	22
	Two pieces of universal trim (Tech)	66" 30" 36"	TSPVF180/3066			13.0#	N/A	747	756	764	780	791	22
	 One piece of universal height change 	84" 30" 54"	TSPVF180/3084			16.0#	N/A	878	896	902	914	937	22
	trim • One half-post (height A)	66" 42" 24"	TSPVF180/4266			14.0#	N/A	770	784	789	803	817	22
	One half-post (height B)	84" 42" 42"	TSPVF180/4284			17.0#	N/A	898	908	917	932	955	22
	 Two sets of half post base tile hooks 	66" 54" 12"	TSPVF180/5466			15.0#	N/A	729	739	744	756	776	22
TEF2	Connecting hardwareSX Starlight Silver finish is only offered	84" 54" 30"	TSPVF180/5484			18.0#	N/A	844	858	862	877	899	22
	on flat aluminum trim	84" 66" 18"	TSPVF180/6684			19.0#	N/A	836	852	859	870	896	22
			A		•								
				U	9								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat aluminum trim.

Select fabric color. Refer to ki.com/fabrics

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions 3-Way



Tech Preconfigured Intersection Conditions 3-Way

							•					
		MODEL N	UMBER									
	MODEL H	Basic Model	Trim Color	Fabric Color	Approx. Packaged Deliv Weight Prici		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	3-Way "T" Intersection w/3-Way Cap, All 30"	' TTP3W/30			10.0# \$							\$ 42
\[\begin{array}{c} \begin{array}{c} \lambda \\ \lambda \end{array} \]	Panels Same Height 36"	' TTP3W/36			11.0#	23						48
	 Unupholstered: trim colored 3-way top cap 				12.0#	60						52
A	One piece of universal trim (Tech) 48"	' TTP3W/48			14.0#	97						56
	• Three half-posts 54"					14						57
	Connecting hardware	' TTP3W/60				26						61
	• SX Starlight Silver finish is only offered 66"					41						64
	on flat aluminum trim 72"					74						67
TECN	78"					02						69
	84"					38						78
	3-Way "T" Intersection w/3-Way Cap, All	TTPF3W/30			9.0#	N/A	\$ 382	\$ 391	\$ 394	\$ 404	\$ 415	\$ 22
	Panels Same Height 36"				9.0#	I/A	417	425	427	434	442	22
	Upholstered3-way top cap				12.0#	N/A	456	465	467	478	490	22
A	One piece of universal trim (Tech) 48"				12.0#	I/A	497	503	509	523	535	22
	• Three half-posts 54"				15.0#	I/A	516	525	528	541	555	22
	 Three sets of half post base tile hooks Connecting hardware 				15.0#	I/A	528	537	541	552	568	22
	• SX Starlight Silver finish is only offered 66"				18.0#	N/A	551	562	565	581	597	22
\bigvee	on flat aluminum trim 72"				18.0#	I/A	595	606	608	619	639	22
TEF1	78"				18.0#	N/A	615	624	634	648	663	22
	84"	TTPF3W/84			18.0#	I/A	699	714	720	735	755	22

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

Θ

Select fabric color. Refer to ki.com/fabrics

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions 3-Way



Tech Preconfigured Intersection Conditions 3-Way

								•					
			MODEL NUME	BER									
	MODEL	A B A-B	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	3-Way "T" Intersection w/90° Top Cap,	36" 30" 6"	TTPV90/3036			15.0#	\$ 379						\$ 65
	Two Different Heights	42" 30" 12"	TTPV90/3042			11.0#	394						67
	Unupholstered: trim colored	54" 30" 24"	TTPV90/3054			14.0#	500						84
	 90° top cap One piece of universal trim (Tech) 	66" 30" 36"	TTPV90/3066			17.0#	523						90
8	One piece of universal height change	84" 30" 54"	TTPV90/3084			21.0#	642						93
	trim	66" 42" 24"	TTPV90/4266			18.0#	543						87
	Light blockTwo half-posts (height A)	84" 42" 42"	TTPV90/4284			22.0#	664						93
	One half-post (height B)	66" 54" 12"	TTPV90/5466			18.0#	492						87
•	 Three sets of half post base tile hooks 	84" 54" 30"	TTPV90/5484			22.0#	609						92
TECN	Connecting hardwareSX Starlight Silver finish is only offered	84" 66" 18"	TTPV90/6684			23.0#	607						90
	on flat aluminum trim												
	3-Way "T" Intersection w/90° Top Cap,	36" 30" 6"	TTPVF90/3036			15.0#	N/A	\$ 542	\$ 549	\$ 552	\$ 562	\$ 575	\$ 22
	Two Different Heights	42" 30" 12"	TTPVF90/3042			11.0#	N/A	538	549	552	562	577	22
	Upholstered90° top cap	54" 30" 24"	TTPVF90/3054			14.0#	N/A	656	662	666	674	694	22
	One piece of universal trim (Tech)	66" 30" 36"	TTPVF90/3066			17.0#	N/A	685	695	700	714	729	22
	 One piece of universal height change 	84" 30" 54"	TTPVF90/3084			21.0#	N/A	807	819	828	837	859	22
	trim • Light block	66" 42" 24"	TTPVF90/4266			18.0#	N/A	707	718	725	735	751	22
	Two half-posts (height A)	84" 42" 43"	TTPVF90/4284			22.0#	N/A	815	824	834	846	864	22
	One half-post (height B)	66" 54" 12"	TTPVF90/5466			18.0#	N/A	649	660	664	672	690	22
	Three sets of half post base tile hooks	84" 54" 30"	TTPVF90/5484			22.0#	N/A	776	787	791	807	824	22
TEF2	Connecting hardwareSX Starlight Silver finish is only offered	84" 66" 18"	TTPVF90/6684			23.0#	N/A	1309	1320	1328	1342	1358	22
	on flat aluminum trim												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat aluminum trim.

A

3

 Θ

Select fabric color. Refer to ki.com/fabrics

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions 3-Way



Tech Preconfigured Intersection Conditions 3-Way

								•					
			MODEL NUMBE	ER									
	MODEL	A B A-B	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	3-Way "T" Intersection w/180° Top Cap,	36" 30" 6"	TTPV180/3036			10.0#	\$ 379						\$ 80
	Two Different Heights	42" 30" 12"	TTPV180/3042			10.0#	397						102
	Unupholstered: trim colored	54" 30" 24"	TTPV180/3054			12.0#	502						90
A III	180° top capOne piece of universal trim (Tech)	66" 30" 36"	TTPV180/3066			14.0#	532						107
	One piece of universal height change	84" 30" 54"	TTPV180/3084			16.0#	648						95
	trim	66" 42" 24"	TTPV180/4266			16.0#	557						93
	Light blockTwo half-posts (height A)	84" 42" 42"	TTPV180/4284			18.0#	667						108
	One half-posts (height B)	66" 54" 12"	TTPV180/5466			17.0#	501						107
TECN	 Three sets of half post base tile hooks 	84" 54" 30"	TTPV180/5484			19.0#	615						94
	Connecting hardwareSX Starlight Silver finish is only offered	84" 66" 18"	TTPV180/6684			22.0#	609						108
	on flat aluminum trim												
	3-Way "T" Intersection w/180° Top Cap,	36" 30" 6"	TTPVF180/3036			10.0#	N/A	\$ 547	\$ 557	\$ 561	\$ 575	\$ 589	\$ 22
	Two Different Heights	42" 30" 12"	TTPVF180/3042			10.0#	N/A	542	552	559	569	588	22
	Upholstered180° top cap	54" 30" 24"	TTPVF180/3054			12.0#	N/A	659	668	674	690	709	22
A	One piece of fabric-wrapped universal	66" 30" 36"	TTPVF180/3066			14.0#	N/A	688	700	713	725	741	22
	trim (Tech)	84" 30" 54"	TTPVF180/3084			16.0#	N/A	811	828	835	852	874	22
	One piece of fabric-wrapped universal	66" 42" 24"	TTPVF180/4266			16.0#	N/A	713	726	734	747	770	22
	height change trim • Light block	84" 42" 42"	TTPVF180/4284			18.0#	N/A	829	845	856	870	897	22
	Two half-posts (height A)	66" 54" 12"	TTPVF180/5466			17.0#	N/A	657	664	670	685	705	22
TEF2	One half-post (height B)	84" 54" 30"	TTPVF180/5484			19.0#	N/A	780	790	803	816	837	22
	Three sets of half post base tile hooksConnecting hardware	84" 66" 18"	TTPVF180/6684			22.0#	N/A	1314	1341	1353	1380	1417	22
	 SX Starlight Silver finish is only offered 												
	on flat aluminum trim												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat aluminum trim.

A

B

Select fabric color. Refer to ki.com/fabrics

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions 4-Way



Tech Preconfigured Intersection Conditions 4-Way

			MODEL NUMB	BER									
	MODEL	ав А-В	Basic Model	Assembly	Fabric Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
•	4-Way "X" Intersection with 4-Way Top	30"	TXP4W/30			10.0#	\$ 315						N/A
	Cap, All Panels Same Height	36"	TXP4W/36			10.0#	329						N/A
\(\)	Unupholstered: trim colored	42"	TXP4W/42			14.0#	369						N/A
	4-way top capLight block	48"	TXP4W/48			14.0#	406						N/A
	Four half-posts (height A)	54"	TXP4W/54			19.0#	424						N/A
	 Four sets of half post base tile hooks 	60"	TXP4W/60			19.0#	438						N/A
	Connecting hardwareSX Starlight Silver finish is only offered	66"	TXP4W/66			23.0#	436						N/A
	on flat aluminum trim	72"	TXP4W/72			23.0#	502						N/A
TECN		78"	TXP4W/78			23.0#	522						N/A
		84"	TXP4W/84			30.0#	525						N/A
•	4-Way "X" Intersection with 3-Way Top	36" 30" 6"	TXPV3W/3036			18.0#	\$ 387						\$ 34
	Cap, Two Different Heights	42" 30" 12"	TXPV3W/3042			14.0#	417						36
	Unupholstered3-way top cap	54" 30" 24"	TXPV3W/3054			17.0#	522						36
	One piece of universal height change	66" 30" 36"	TXPV3W/3066			20.0#	549						40
8	trim	84" 30" 54"	TXPV3W/3084			26.0#	662						41
	• Light block	66" 42" 36"	TXPV3W/4266			21.0#	575						36
	Three half-posts (height A)One half-post (height B)	84" 42" 42"	TXPV3W/4284			27.0#	678						48
*	Four sets of half post base tile hooks	66" 54" 12"	TXPV3W/5466			22.0#	519						39
TECN	Connecting hardware	84" 54" 30"	TXPV3W/5484			28.0#	629						40
	SX Starlight Silver finish is only offered on flat aluminum trim	84" 66" 18"	TXPV3W/6684			29.0#	624						39
P	, x	36" 30" 6"	TXPVF3W/3036			18.0#	N/A	\$ 487	\$ 498	\$ 502	\$ 516	\$ 528	\$ 22
	Cap, Two Different Heights	42" 30" 12"	TXPVF3W/3042			14.0#	N/A	490	500	502	516	529	22
	Upholstered3-way top cap	54" 30" 24"	TXPVF3W/3054			17.0#	N/A	601	609	616	629	649	22
	One piece of universal height change	66" 30" 36"	TXPVF3W/3066			20.0#	N/A	629	640	650	662	676	22
	trim	84" 30" 54"	TXPVF3W/3084			26.0#	N/A	740	755	765	781	804	22
	Light blockThree half-posts (height A)	66" 42" 24"	TXPVF3W/4266			21.0#	N/A	656	664	669	685	704	22
	One half-post (height B)	84" 42" 42"	TXPVF3W/4284			27.0#	N/A	764	781	788	804	824	22
<u> </u>	 Four sets of half post base tile hooks 	66" 54" 12"	TXPVF3W/5466			22.0#	N/A	595	606	609	620	640	22
TEF2	Connecting hardware Connecting hardware	84" 54" 30"	TXPVF3W/5484			28.0#	N/A	709	722	731	741	765	22
	SX Starlight Silver finish is only offered on flat aluminum trim	84" 66" 18"	TXPVF3W/6684			29.0#	N/A	704	716	726	737	760	22

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect assembly.

F - Fully Assembled; add \$124

- Unassembled

Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

> OSelect fabric color. Refer to ki.com/fabrics

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions 4-Way



Tech Preconfigured Intersection Conditions 4-Way

								•					
			MODEL NUM	BER									
	MODEL	АВА-В	Basic		Fabric Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
	4-Way "X" Intersection with 90° Top Cap,	, 36" 30" 6"	TXPV90/3036			17.0#	\$ 387						\$ 48
0	Two Different Heights	42" 30" 12"	TXPV90/3042			13.0#	425						52
	Unupholstered: trim colored	54" 30" 24"	TXPV90/3054			16.0#	526						52
	 90° top cap Two pieces of universal height change 	66" 30" 36"	TXPV90/3066			19.0#	615						57
1 B	trim	84" 30" 54"	TXPV90/3084			23.0#	669						80
	Light block	66" 42" 24"	TXPV90/4266			20.0#	579						53
	Two half-posts (height B)Two half-posts (height A)	84" 42" 42"	TXPV90/4284			24.0#	685						79
	Three sets of half post base tile hooks	66" 54" 12"	TXPV90/5466			21.0#	528						52
TECN	Connecting hardware	84" 54" 30"	TXPV90/5484			25.0#	639						54
	SX Starlight Silver finish is only offered on flat aluminum trim	84" 66" 18"	TXPV90/6684			27.0#	629						52
	on hat aluminum timi												
•	4-Way "X" Intersection with 90° Top Cap,	36" 30" 6"	TXPVF90/3036			17.0#	N/A	\$ 575	\$ 586	\$ 589	\$ 602	\$ 617	\$ 22
	Two Different Heights	42" 30" 12"	TXPVF90/3042			13.0#	N/A	575	586	589	602	617	22
	 Upholstered: trim colored 90° top cap 	54" 30" 24"	TXPVF90/3054			16.0#	N/A	683	695	705	718	737	22
	Two pieces of universal height change	66" 30" 36"	TXPVF90/3066			19.0#	N/A	780	790	803	816	837	22
8	trim	84" 30" 54"	TXPVF90/3084			23.0#	N/A	836	856	862	878	905	22
	• Light block	66" 42" 24"	TXPVF90/4266			20.0#	N/A	736	751	760	776	794	22
	Two half-posts (height A)Two half-posts (height B)	84" 42" 42"	TXPVF90/4284			24.0#	N/A	849	862	872	890	914	22
V	Four sets of half post base tile hooks	66" 54" 12"	TXPVF90/5466			21.0#	N/A	674	690	697	713	734	22
TEF2	Connecting hardware	84" 54" 30"	TXPVF90/5484			25.0#	N/A	797	815	823	836	862	22
	 SX Starlight Silver finish is only offered on flat aluminum trim 	84" 66" 18"	TXPVF90/6684			27.0#	N/A	787	803	811	824	849	22
	on nat aluminum timi												
			_	_	_								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this

SX Starlight Silver finish is only offered on flat aluminum trim.

Select fabric color. Refer to ki.com/fabrics

INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions 4-Way



Tech Preconfigured Intersection Conditions 4-Way

								▼					
			MODEL NUMBI	ER									
	MODEL	A B A-B	Basic Model	Trim Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Metallic Paint add to list price
→	4-Way "X" Intersection with 180° Top	36" 30" 6"	TXPV180/3036			17.0#	\$ 387						\$ 48
	Cap, Two Different Heights	42" 30" 12"	TXPV180/3042			13.0#	428						52
	Unupholstered: trim colored180° top cap	54" 30" 24"	TXPV180/3054			16.0#	529						52
	Two pieces of universal height change	66" 30" 36"	TXPV180/3066			19.0#	563						54
	trim	84" 30" 54"	TXPV180/3084			23.0#	674						80
	Light blockTwo half-posts (height A)	66" 42" 24"	TXPV180/4266			20.0#	586						52
	Two half-posts (height A) Two half-posts (height B)	84" 42" 42"	TXPV180/4284			25.0#	688						79
	 Four sets of half post base tile hooks 	66" 54" 12"	TXPV180/5466			21.0#	532						52
TECN	Connecting hardware Connecting hardware	84" 54" 30"	TXPV180/5484			26.0#	642						54
	SX Starlight Silver finish is only offered on flat aluminum trim	84" 66" 18"	TXPV180/6684			27.0#	634						52
→	4-Way "X" Intersection with 180° Top	36" 30" 6"	TXPVF180/3036			17.0#	N/A	\$ 466	\$ 474	\$ 482	\$ 487	\$ 502	\$ 22
	Cap, Two Different Heights	42" 30" 12"	TXPVF180/3042			13.0#	N/A	579	589	595	607	620	22
	Upholstered180° top cap	54" 30" 24"	TXPVF180/3054			16.0#	N/A	686	699	709	722	740	22
A Paris	Two pieces of fabric wrapped universal	66" 30" 36"	TXPVF180/3066			19.0#	N/A	725	737	744	760	784	22
	height change trim	84" 30" 54"	TXPVF180/3084			23.0#	N/A	841	859	866	885	908	22
	Light blockTwo half-posts (height A)	66" 42" 24"	TXPVF180/4266			20.0#	N/A	740	754	764	781	803	22
	Two half-posts (height A) Two half-posts (height B)	84" 42" 42"	TXPVF180/4284			25.0#	N/A	855	869	877	897	919	22
	 Four sets of half post base tile hooks 	66" 54" 12"	TXPVF180/5466			21.0#	N/A	678	694	704	716	736	22
TEF2	Connecting hardware Cy Starlight Silver finish is only offered.	84" 54" 30"	TXPVF180/5484			26.0#	N/A	804	817	828	844	866	22
	SX Starlight Silver finish is only offered on flat aluminum trim	84" 66" 18"	TXPVF180/6684			27.0#	N/A	789	805	815	829	856	22

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this SX Starlight Silver finish is only offered on flat

aluminum trim. Select fabric color. Refer to ki.com/fabrics INFORMATION

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tech Preconfigured Intersection Conditions Tech Panel Components



Tech Preconfigured Intersection Conditions Tech Panel Components

		MODEL I	NUMBER			
	MODEL W	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	Metallic Paint add to list price
		46.1220.12	2	1.0#	\$ 44	\$ 8
	Holes 18'			1.0#	49	9
	Allows Tech Panel on one side of panel and access to power/data cables on			1.0#	61	11
	opposite side			2.0#	69	14
	Solid bottom and hinged door 36'	46.1220.30	3	3.0#	71	14
	SX Starlight Silver finish is only offered on flat aluminum trim	46.1220.42	2	3.0#	93	22
	on nat aluminum trim 48°	46.1220.48		3.0#	93	14
	54'	46.1220.5	1 🗆	3.0#	93	27
HRDPT	60°	46.1220.60		4.0#	115	36
1	Single Side Raceway w/Grommet Holes 24'			1.0#	\$ 61	\$ 14
	Allows Tech Panel on one side of panel and access power/data receptacles on			2.0#	69	14
	opposite side	46.1215.36	6 🗆	2.0#	71	14
	 Solid bottom and hinged door 42' 	46.1215.4	2	3.0#	93	22
	• 12" and 18" not available with grommet 48"			3.0#	93	27
	holes • 24" available with one grommet hole			3.0#	93	14
	• Each hole includes a standard filler plate 60°	46.1215.60		4.0#	115	36
	 Grommets ordered seperately (included 					
HRDPT	with duplex receptacles) SX Starlight Silver finish is only offered					
	on flat aluminum trim					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this

A

B

SX Starlight Silver finish is only offered on flat aluminum trim.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Pedestals - Worksurface Supporting 700 Series® Pedestals with Filler Bracket



Pedestals - Worksurface Supporting 700 Series® Pedestals with Filler Bracket

		MODEL NUMBE	ER					
		Dania	D. II	Haik	Look	Look		
MODEL	Features		Ontion	Color	Ontion	LOCK	Packa Weig!	.gea
								-
Two 12" file drawers with hanging folder	Supporting	5Y5/1524WFF						
partitions	Supporting	SYS/1530WFF					95.0#	F
 Includes four leveling glides 								
 Includes painted steel filler bracket, 								
pedestal								
Pedestal - BBF	Supportina	SYS/1524WBBF					80.0#	
 Two 6" box drawers 								
	oupporting.	0.10/100011221					00.011	
partition								
pedestal								
 Includes painted steel filler bracket, 								
factory attached to the rear of pedestal								
(also engages slots of WireWorks								
	Supporting						70.0#	
Four 6" Dox drawers Includes four leveling glides	Supporting	SYS/1530WBBBB					81.0#	
Includes rour revening grides Includes painted steel filler bracket								
factory attached to the rear of pedestal								
(also engages slots of WireWorks								
peuesiai								
		A	B	$\mathbf{\Theta}$	O	(3)		
	Includes four leveling glides Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Includes filler bar painted to match pedestal Pedestal - BBF Two 6" box drawers One 12" file drawer with hanging folder partition Includes four leveling glides Includes filler bar painted to match pedestal Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Pedestals - BBBB Four 6" box drawers Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Pedestals - BBBB Four 6" box drawers Includes painted steel filler bracket, factory attached to the rear of pedestal	Pedestal - FF Two 12" file drawers with hanging folder partitions Includes four leveling glides Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Includes filler bar painted to match pedestal - BBF Two 6" box drawers One 12" file drawer with hanging folder partition Includes four leveling glides Includes filler bar painted to match pedestal Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Pedestals - BBBB Four 6" box drawers Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Pedestals - BBBB Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Includes filler bar painted to match	Pedestal - FF Two 12" file drawers with hanging folder partitions Includes four leveling glides Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Includes filler bar painted to match pedestal Two 6" box drawers One 12" file drawer with hanging folder partition Includes four leveling glides Includes filler bar painted to match pedestal Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Pedestals - BBBB Four 6" box drawers Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Includes filler bar painted to match	Pedestal - FF Two 12" file drawers with hanging folder partitions Includes four leveling glides Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Includes four leveling glides Includes filler bar painted to match pedestal Two 6" box drawers Includes four leveling glides Includes four leveling glides Includes four leveling glides Includes four leveling glides Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Pedestals - BBBB Four 6" box drawers Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Includes four leveling glides Includes filler bar painted to match pedestal (also engages slots of WireWorks panels) Includes filler bar painted to match pedestal	MODEL Pedestal - FF Two 12" file drawers with hanging folder partitions Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Includes filler bar painted to match pedestal (also engages slots of WireWorks panels) Includes filler bar painted to match pedestal (also engages slots of WireWorks panels) Pedestal - BBF Two 6" box drawers One 12" file drawer with hanging folder partition Includes four leveling glides Includes filler bar painted to match pedestal (also engages slots of WireWorks panels) Pedestals - BBBB Four 6" box drawers Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) Supporting SYS/1524WBBF SYS/1530WBBF SYS/1530WBBB SYS/1530WBBBB SYS/1530WBBBB SYS/1530WBBBB SYS/1530WBBBB SYS/1530WBBBB SYS/1530WBBBB SYS/1530WBBBB SYS/1530WBBBB SYS/1530WBBBB	MODEL Pedestal - FF - Two 12" file drawers with hanging folder partitions - Includes painted steel filler bracket, factory attached to the rear of pedestal (also engages slots of WireWorks panels) - Includes four leveling glides - Includes filler bar painted to match pedestal - Includes four leveling glides - Includes filler bar painted to match pedestal - Includes filler bar painted to match pedestal (also engages slots of WireWorks panels) - Includes filler bar painted to match pedestal - Includes filler bar painted to match pedestal - Includes filler bar painted to match pedestal (also engages slots of WireWorks panels) - Includes four leveling glides - Includes filler bar painted to match pedestal (also engages slots of WireWorks panels) - Includes filler bar painted to match pedestal (also engages slots of WireWorks panels)	MODEL Features Model Option Color Option SyS/1524WFF SyS/1524WBBF SyS/1524WBBF SyS/1530WBBBF Option SyS/1524WBBBB Option Option SyS/1524WBBBB Option SyS/1524WBBBB Option SyS/1524WB	MODEL Features Model Option

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select pull option.

ALBT - Aluminum bow tie pull

ALMT - Aluminum metric pull ARCN - Arc nickel pull CLSC - Classic (inset pull) NOPL - No pull (pre-drilled for customer provided pull)

Select unit and drawer color.

Refer to the **Product Color Options** page in this

• Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

Height
All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

