

SYSTEM 3000° PANEL SYSTEM

PRICE LIST

EFFECTIVE NOVEMBER 28, 2023 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering Customer's Own Material (C.O.M.) Upholstery Information	3
Standard Product Overview	5
System 3000®	
General Information	6
Product Color Options	7
System 3000® Panels	
Fabric Covered Acoustical	8
Half Open Frame-Half Fabric	14
Half Glazed-Half Fabric Full Glazed	15
ruii Giazeu	16
System 3000® Panels Accessories	47
Wall Mounts Corner Posts	17 18
Variable Height Corner Posts	19
T-Posts	21
Variable Height T-Posts	22
Caps	24
Door	26
Accessories	27
System 3000® Electrical	
Universal 10-Wire System 6 Circuit "810"	28
Universal 10-Wire System 4 Circuit "810"	31
System 3000® Worksurfaces	
Rectangular	34
"P" Shaped Peninsula/Piano Peninsula	35 36
Square Shoe/Conference End "D" Shaped Peninsula	37
Dual Curvilinear 90° Corner	38
Diagonal 90° Corner	39
Curvilinear 90° Corner	40
Mobile Teardrop/Mobile Semi-Circle	41
Quarter Round Transitional	42
Countertops	43
Countertops - ADA Height Worksurface Support Panel	44 45
··	
System 3000 Worksurface Accessories	47
System 3000® Storage and Accessories	
Universal Overhead Storage Universal Overhead Accessories	48
LED Task Lights	52 53
Balance® Overhead Storage	55
Balance® Overhead Accessories	58
System 3000® Accessories	
Markerboards	59
Tackboard	60
Overhead Tackboard	62
Paper Management	63
Pedestals - Mobile and Freestanding	
700 Series®	65
Pedestals - Worksurface Supporting 700 Series®	69
-	
Pedestal Accessories 700 Series®	70
700 001100	70

Ordering COM, COL and COV

How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.

C.O.M. Testing

KI will require six yards of actual fabric to be submitted for testing. The test will be completed on panels, tackboards, and overheads. For products shipped from Manitowoc, WI facility, ship upholstery material to:

KI Manitowoc 1400 South 41st Street Manitowoc, WI 54220 Attn: Fabric Testing

C.O.M. Production

Customer's fabrics must be approved prior to acceptance for production. KI assumes no responsibility for wear, defects, or performance of customer's own materials. C.O.M. orders are available on a deferred delivery basis.

Orders for production of C.O.M. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.




Diagram A

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of

Yardage Specification

The chart on the following page details the yardage requirements for each upholstered item in the price list. To accommodate flaws, wrinkles, and other imperfections, calculate the total yardage and add the appropriate percentage shown below:

■ B Selvage Side to Side

1 to 50 yards — Add 5 yards 50 + yards — Add 10% over requirements

C.O.M. Information Form		
A copy of this form should accompany requests and production orders. Please it out completely, and, if your order has	e fill	In all instances, send this form to the C.O.M. Specialist.
been acknowledged, provide the acknowledgement number.		A Selvage Top to Bottom
Purchasing Agent (Dealer or buying or	ganization)	
Attention		
Address	7: -	
City State Project Name	Zip	
Type and number of units of each type		
Please see information at right and che	ck the appropriate box.	
Submitted for testing.	Test approved. Submitted for production.	
Purchase Order Number	KI Acknowledgement Number	

C.O.M. SHIPPING LOCATION



Architectural Walls		System 3000	MN	Maestro Stack Chairs	GB
Evoke	MN	Universal Overheads	MN	Medical & Laboratory Stools	OM
Genius Walls	MN	Wireworks	MN	MyPlace Lounge Seating	HN
		Unite	MN	MyWay Seating	HN
Casegoods				Oath Task Chairs and Stools	GB
Aristotle Tackboards	MN	Residence Hall Furniture		Opt4	GB
Likha Tackboards	MN	RoomScape Furniture	MN	Pilot Task Chairs	OM
				Promenade Seating System	BW
Classroom Furniture		Screens		Ruckus	GB
Intellect Wave Chairs	GB	All Terrain	KP	Sela Lounge Seating	HN
Learn2	GB	Connection Zone	BW	Sift Task Chairs	GB
Ruckus	GB	True/Volition	KP	Signia Task Chairs and Stools	OM
		Genesis	KP	Soltice Metal Collection	HN
Desking		Tattoo	MN	Soltice Multiple, Healthcare & Gue	est.HN
700 Series Desking	KP	Universal	BW	Soltice II Healthcare Seating	HN
Balance Overheads	MN			Sonrisa	HN
Genesis Desking	MN	Seating		Strive Multiple, Stack & Task	GB
True Desking	KP	400 Series Folding Chairs	BW	Sway	BW
Universal Overheads	MN	600 Series Folding Chairs	BW	Tattoo	HN
WorkZone Desking	MN	600 Series Stools	BW	Torsion-on-the-Go! Nesting Chairs	GB
		Affina Collection	HN	Torsion Air Stack and Task Seating	g GB
Files & Storage		Altus Task Chairs	GB	Zoetry	HN
700 Series Pedestal Cushion	GB	Apply Stack Chairs	GB		
Connection Zone Pads	BW	Calida Lounge Seating	HN		
U-Series Pedestal Cushion	GB	Diem Task Chairs	OM		
Tattoo	BW	Doni Collection	GB		
		Gladly Lounge Seating	VQ		
Fixed Seating		Grazie Seating	GB		
Concerto Auditorium Seating	BW	Hub Modular Lounge Seating	HN		
Single Pedestal Seating	GB	Impress Task Chairs	OM		
Jury Base Seating	GB	Impress Ultra Task Chairs	OM		
Lancaster Auditorium Seating	BW	Jessa Lounge Seating	HN		
Sequence Seating	GB	Jubilee Lounge Seating	VQ		
University Seating	GB	Katera Guest Chair	GB		
		Kurv Benches	HN		
Panel Systems		LaResta Day Beds	HN		
All Terrain	KP	LimeLite	GB		
Balance Overheads	MN	Lyra Lounge Seating	HN		

KI C.O.M. Manufacturing Site Addresses:

1687 Westminster Drive - Gate 3

Green Bay, WI 54302

KI Bonduel KI High Point Attn: COM Storage Attn: COM Storage 204 West South St. 217 Feld Avenue Bonduel, WI 54107 High Point, NC 27263 KI Pembroke KI Green Bay Attn: COM Storage Attn: COM Storage

1000 Olympic Dr. Pembroke, Ontario K8A6X7 KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

Attn: COM Storage

1110 S. Mildred Ave.

Ontario, CA 91761

<u>OM</u>

6892 Marlin Circle La Palma, CA 90623

Attn: COM Fabrics

VQ

Ordering COM, COL and COV Information


Tile Width	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directional	Tile Width	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directional
	ed Acoustical		Directional	Directional	Directional	Fabric Covere			Directional	Directional	Directional
CFP1232	17 x 32	0.59	0.59	0.59	0.89	CFP4880	53 x 80	4.44	4.44	4.44	4.44
CFP1832	23 x 32	0.89	0.89	0.89	0.89	CFP5480	59 x 80	7.77	7.77	4.44	4.44
CFP2432	29 x 32	1.78	1.78	0.89	0.89	CFP6080	65 x 80			4.44	4.44
CFP3032	35 x 32	1.78	1.78	1.78	1.78	0	00 X 00				
CFP3632	41 x 32	1.78	1.78	1.78	1.78	Half Open Fra	me/Half Fabric	Panels			
CFP4232	47 x 32	1.78	1.78	1.78	1.78	COFP2454	30 x 29	1.61	1.61	0.81	0.81
CFP4832	53 x 32	1.78	1.78	1.78	1.78	COFP3054	36 x 29	1.61	1.61	1.61	1.61
CFP5432	59 x 32			1.78	1.78	COFP3654	42 x 29	1.61	1.61	1.61	1.61
CFP6032	65 x 32			1.78	1.78	COFP4254	48 x 29	1.61	1.61	1.61	1.61
						COFP4854	54 x 29	1.61	1.61	1.61	1.61
CFP1242	17 x 42	0.78	1.17	0.78	1.17						
CFP1842	23 x 42	1.17	1.17	1.17	1.17	COFP2462	30 x 29	1.61	1.61	0.81	0.81
CFP2442	29 x 42	2.33	2.33	1.17	1.17	COFP3062	36 x 29	1.61	1.61	1.61	1.61
CFP3042	35 x 42	2.33	2.33	2.33	2.33	COFP3662	42 x 29	1.61	1.61	1.61	1.61
CFP3642	41 x 42	2.33	2.33	2.33	2.33	COFP4262	48 x 29	1.61	1.61	1.61	1.61
CFP4242	47 x 42	2.33	2.33	2.33	2.33	COFP4862	54 x 29	1.61	1.61	1.61	1.61
CFP4842	53 x 42	2.33	2.33	2.33	2.33	00550400				2.24	2.24
CFP5442	59 x 42			2.33	2.33	COFP2466	30 x 29	1.61	1.61	0.81	0.81
CFP6042	65 x 42			2.33	2.33	COFP3066	36 x 29	1.61	1.61	1.61	1.61
OED4040	47 40	0.00	4.00	0.00	4.00	COFP3666	42 x 29	1.61	1.61	1.61	1.61
CFP1248	17 x 48	0.89	1.33	0.89	1.33	COFP4266	48 x 29	1.61	1.61	1.61	1.61
CFP1848	23 x 48	1.33	1.33	1.33	1.33	COFP4866	54 x 29	1.61	1.61	1.61	1.61
CFP2448	29 x 48	2.67	2.67	1.33	1.33	COED0470	20 v 20	1.61	1 61	0.01	0.01
CFP3048 CFP3648	35 x 48 41 x 48	2.67 2.67	2.67 2.67	2.67 2.67	2.67 2.67	COFP2472 COFP3072	30 x 29	1.61 1.61	1.61 1.61	0.81 1.61	0.81 1.61
CFP4248	41 x 46 47 x 48	2.67	2.67	2.67	2.67	COFP3672	36 x 29 42 x 29	1.61	1.61	1.61	1.61
CFP4848	53 x 48	2.67	2.67	2.67	2.67	COFP4272	42 x 29 48 x 29	1.61	1.61	1.61	1.61
CFP5448	59 x 48	2.07	2.07	2.67	2.67	COFP4872	54 x 29	1.61	1.61	1.61	1.61
CFP6048	65 x 48			2.67	2.67	0011 4072	04 X 23	1.01	1.01	1.01	1.01
011 0040	00 X 40			2.07	2.07	COFP2480	30 x 29	1.61	1.61	0.81	0.81
CFP1254	17 x 54	1.00	1.50	1.00	1.00	COFP3080	36 x 29	1.61	1.61	1.61	1.61
CFP1854	23 x 54	1.50	1.50	1.50	1.50	COFP3680	42 x 29	1.61	1.61	1.61	1.61
CFP2454	29 x 54	3.00	3.00	1.50	1.50	COFP4280	48 x 29	1.61	1.61	1.61	1.61
CFP3054	35 x 54	3.00	3.00	3.00	3.00	COFP4880	54 x 29	1.61	1.61	1.61	1.61
CFP3654	41 x 54	3.00	3.00	3.00	3.00	0011 1000	0 . x 20				
CFP4254	47 x 54	3.00	3.00	3.00	3.00	Half Glazed/Ha	alf Fabric Pane	els			
CFP4854	53 x 54	3.00	3.00	3.00	3.00	CGFP2454	30 x 29	1.61	1.61	0.81	0.81
CFP5454	59 x 54			3.00	3.00	CGFP3054	36 x 29	1.61	1.61	1.61	1.61
CFP6054	65 x 54			3.00	3.00	CGFP3654	42 x 29	1.61	1.61	1.61	1.61
						CGFP4254	48 x 29	1.61	1.61	1.61	1.61
CFP1262	17 x 62	1.15	1.72	1.15	1.72	CGFP4854	54 x 29	1.61	1.61	1.61	1.61
CFP1862	23 x 62	1.72	1.72	1.72	1.72						
CFP2462	29 x 62	3.44	3.44	1.72	1.72	CGFP2462	30 x 29	1.61	1.61	0.81	0.81
CFP3062	35 x 62	3.44	3.44	3.44	3.44	CGFP3062	36 x 29	1.61	1.61	1.61	1.61
CFP3662	41 x 62	3.44	3.44	3.44	3.44	CGFP3662	42 x 29	1.61	1.61	1.61	1.61
CFP4262	47 x 62	3.44	3.44	3.44	3.44	CGFP4262	48 x 29	1.61	1.61	1.61	1.61
CFP4862	53 x 62	3.44	3.44	3.44	3.44	CGFP4862	54 x 29	1.61	1.61	1.61	1.61
CFP5462	59 x 62			3.44	3.44	00550400				2.24	2.24
CFP6062	65 x 62			3.44	3.44	CGFP2466	30 x 29	1.61	1.61	0.81	0.81
CEDIOCC	17 v CC	1 00	1.00	1.00	4.00	CGFP3066	36 x 29	1.61	1.61	1.61	1.61
CFP1266	17 x 66	1.22	1.83	1.22	1.83	CGFP3666	42 x 29	1.61	1.61	1.61	1.61
CFP1866 CFP2466	23 x 66 29 x 66	1.83	1.83	1.83	1.83	CGFP4266 CGFP4866	48 x 29	1.61	1.61	1.61	1.61
CFP3066		3.67 3.67	3.67 3.67	1.83 1.94	1.83 3.66	UGFF4000	54 x 29	1.61	1.61	1.61	1.61
CFP3666	35 x 66 41 x 66	3.67	3.67	2.27	3.66	CGFP2472	30 x 29	1.61	1.61	0.81	0.81
CFP4266	41 x 66	3.67	3.67	2.27	3.66	CGFP3072	36 x 29	1.61	1.61	1.61	1.61
CFP4866	53 x 66	3.67	3.67	2.01	3.66	CGFP3672	42 x 29	1.61	1.61	1.61	1.61
CFP5466	59 x 66	3.07	3.07	3.27	3.66	CGFP4272	42 x 29 48 x 29	1.61	1.61	1.61	1.61
CFP6066	65 x 66			3.61	3.66	CGFP4872	54 x 29	1.61	1.61	1.61	1.61
011 0000	03 X 00			3.01	3.00	GUIT 4072	J4 X Z3	1.01	1.01	1.01	1.01
CFP1272	17 x 72	1.33	2.00	1.33	2.00	CGFP2480	30 x 29	1.61	1.61	0.81	0.81
CFP1872	23 x 72	2.00	2.00	2.00	2.00	CGFP3080	36 x 29	1.61	1.61	1.61	1.61
CFP2472	29 x 72	4.00	4.00	2.00	2.00	CGFP3680	42 x 29	1.61	1.61	1.61	1.61
CFP3072	35 x 72	4.00	4.00	4.00	4.00	CGFP4280	48 x 29	1.61	1.61	1.61	1.61
CFP3672	41 x 72	4.00	4.00	4.00	4.00	CGFP4880	54 x 29	1.61	1.61	1.61	1.61
CFP4272	47 x 72	4.00	4.00	4.00	4.00						
CFP4872	53 x 72	4.00	4.00	4.00	4.00						
CFP5472	59 x 72			4.00	4.00						
CFP6072	65 x 72			4.00	4.00						
CFP1280	17 x 80	1.48	2.22	1.48	2.22						
CFP1880	23 x 80	2.22	2.22	2.22	2.22						
CFP2480	29 x 80	4.44	4.44	2.22	2.22						
CFP3080	35 x 80	4.44	4.44	4.44	4.44						
CFP3680	41 x 80	4.44	4.44	4.44	4.44						
CFP4280	47 x 80	4.44	4.44	4.44	4.44						




Ordering COM, COL and COV Information

•	4-2-1	E AU AL	F 411	CCILLY	00"		A-2 :1	E AU AL	F 411	CCIL	6011
Panel Size	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directional	Panel Size	Actual Cut size	54" Non Directional	54" Directional	66" Non Directional	66" Directiona
		d Hanging Tack			Directional			/Variable Heig			Directiona
2412	30 x 18	0.50	0.50	0.25	0.25	4	8 x 8	0.04	0.04	0.03	0.03
3012	36 x 18	0.50	0.50	0.23	0.50	6	8 x 10	0.04	0.04	0.03	0.03
3612	42 x 18	0.50	0.50	0.50	0.50	8	8 x 12	0.06	0.06	0.04	0.04
4212	48 x 18	0.50	0.50	0.50	0.50	10	8 x 14	0.07	0.07	0.05	0.05
4812	54 x 18	0.50	0.50	0.50	0.50	12	8 x 16	0.07	0.07	0.06	0.06
5412	60 x 18	0.00	0.00	0.50	0.50	14	8 x 18	0.08	0.08	0.06	0.06
6012	66 x 18			0.50	0.50	16	8 x 20	0.09	0.09	0.07	0.07
0012	00 X 10			0.00	0.00	18	8 x 22	0.10	0.10	0.08	0.08
2416	30 x 22	0.61	0.61	0.31	0.31	20	8 x 24	0.11	0.11	0.08	0.08
3016	36 x 22	0.61	0.61	0.61	0.61	22	8 x 26	0.12	0.12	0.09	0.09
3616	42 x 22	0.61	0.61	0.61	0.61	24	8 x 28	0.13	0.13	0.10	0.10
4216	48 x 22	0.61	0.61	0.61	0.61	26	8 x 30	0.14	0.14	0.10	0.10
4816	54 x 22	0.61	0.61	0.61	0.61	30	8 x 34	0.16	0.16	0.12	0.12
5416	60 x 22			0.61	0.61	32	8 x 36	0.17	0.17	0.13	0.13
6016	66 x 22			0.61	0.61	34	8 x 38	0.18	0.18	0.13	0.13
						38	8 x 42	0.19	0.19	0.15	0.15
2420	30 x 26	0.72	0.72	0.36	0.36	40	8 x 44	0.20	0.20	0.15	0.15
3620	36 x 26	0.72	0.72	0.72	0.72	42	8 x 46	0.21	0.21	0.16	0.16
3020	42 x 26	0.72	0.72	0.72	0.72	48	8 x 52	0.24	0.24	0.18	0.18
4220	48 x 26	0.72	0.72	0.72	0.72	54	8 x 58	0.27	0.27	0.20	0.20
4820	54 x 26	0.72	0.72	0.72	0.72	62	8 x 66	0.31	0.31	0.23	0.23
5420	60 x 26			0.72	0.72	66	8 x 70	0.32	0.32	0.24	0.24
6020	66 x 26			0.72	0.72	72	8 x 76	0.35	0.35	0.26	0.26
						80	8 x 84	0.39	0.39	0.29	0.29
2430	30 x 36	1.00	1.00	0.50	0.50						
3030	36 x 36	1.00	1.00	1.00	1.00	T-Posts and In	line Fabric Sp	acer (IFS, CTF	C, FECPT)		
3630	42 x 36	1.00	1.00	1.00	1.00	4	3.0 x 8	0.06	0.06	0.04	0.04
4230	48 x 36	1.00	1.00	1.00	1.00	6	3.0 x 10	0.07	0.07	0.06	0.06
4830	54 x 36	1.00	1.00	1.00	1.00	8	3.0 x 12	0.08	0.08	0.07	0.07
5430	60 x 36			1.00	1.00	10	3.0 x 14	0.13	0.13	0.10	0.10
6030	66 x 36			1.00	1.00	12	3.0 x 16	0.15	0.15	0.11	0.11
						14	3.0 x 18	0.17	0.17	0.13	0.13
2448	30 x 54	0.83	1.50	0.83	0.75	16	3.0×20	0.19	0.19	0.19	0.19
3048	36 x 54	1.00	1.50	1.20	1.50	18	3.0 x 22	0.20	0.20	0.20	0.20
3648	42 x 54	1.16	1.50	1.16	1.50	20	3.0 x 24	0.33	0.33	0.22	0.22
4248	48 x 54	1.33	1.50	1.33	1.50	22	3.0 x 26	0.36	0.36	0.24	0.24
4848	54 x 54	1.50	1.50	1.50	1.50	24	3.0 x 28	0.39	0.39	0.26	0.26
5448	60 x 54			1.50	1.50	26	3.0 x 30	0.42	0.42	0.28	0.28
6048	66 x 54			1.50	1.50	30	3.0 x 34	0.47	0.47	0.47	0.47
						32	3.0 x 36	0.50	0.50	0.50	0.50
Fabric Overhe		2.01	2.21	0.01	0.04	34	3.0 x 38	0.53	0.53	0.53	0.53
PRDF24	30 x 22	0.61	0.61	0.31	0.31	38	3.0 x 42	0.58	0.58	0.58	0.58
PRDF30	36 x 22	0.61	0.61	0.61	0.61	40	3.0 x 44	0.61	0.61	0.61	0.61
PRDF36	42 x 22	0.61	0.61	0.61	0.61	42	3.0 x 46	1.28	1.28	0.64	0.64
PRDF42	48 x 22	0.61	0.61	0.61	0.61	48	3.0 x 52	1.44	1.44	0.72	0.72
PRDF48	54 x 22	0.61	0.61	0.61	0.61	54	3.0 x 58	1.61	1.61	0.81	0.81
PRDF54	60 x 22			0.61	0.61	62 66	3.0 x 66	1.83 1.94	1.83 1.94	0.92	0.92 0.97
PRDF60	66 x 22			0.61	0.61		3.0 x 70			0.97	
Poloneo Fohri	Overheed C	hinoto				72 80	3.0 x 76	2.11 2.33	2.11	1.06	1.06
Balance Fabrio BLCF24	20 x 30		0.62	0.88	0.63	00	3.0 x 84	2.33	2.33	2.33	2.33
BLCF30	20 x 30 20 x 36	0.88 1.00	0.63 0.63	1.00	0.63	Worksurface S	unnort Danale				
BLCF36	20 x 36 20 x 42	1.00	0.63	1.00	0.63	WSSP2426	uppoil Failth	,	1.00	1.00	1.00
BLCF42	20 x 42 20 x 48	1.38	0.63	1.23	0.63	WSSP3026			1.00	1.00	1.00
BLCF48	20 x 40 20 x 54	1.50	0.63	1.50	0.63	WSSP2429			1.00	1.00	1.00
BLCF54	20 x 60	1.75	0.00	1.75	0.63	WSSP3029			1.00	1.00	1.00
BLCF60	20 x 66	1.88		1.88	0.63	11001 0020			1.00	1.00	1.00
BLCF66	20 x 78	2.25	0.63	2.25	0.63						
BLCF72	20 x 84	2.50	0.63	2.50	0.63						
			2.00								

Yardage requirements are "per tile" (multiply by the number of tiles per panel for total yardage per panel).







SYSTEM 3000 GENERAL INFORMATION

System 3000 is a comprehensive modular panel system offering featuring fully assembled panels, worksurfaces, storage, doors, electrical components, and accessories. Full technical specifications are available on ki.com.

All system 3000 modular panel system components originate from ISO 9000, ISO 9001, or ISO 9002 registered facilities. KI SYSTEM 3000 MEETS OR EXCEEDS CURRENT ANSI/BIFMA PANEL SYSTEMS TEST STANDARDS.

UL LISTED

System 3000 panels are Listed to applicable US and Canadian safety standards and requirements by Underwriters Laboratories Inc.

Panels

Fabric-Covered Acoustical, Half Open Frame-Half Fabric, and Full Glazed panels are offered in a variety of sizes. See specific sections for available sizes by style. Widths: 12", 18", 24", 30", 36" 42", 48"

Widths: 12", 18", 24", 30", 36" 42", 48" Heights: 32", 42", 48", 54", 62", 66", 72", 80"

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

Wall Mounts

The panel system allows for fastening a panel run to a wall by the use of an aluminum extrusion and panel hinge. Method of attachment will vary by existing wall construction. Adjustable mounts are available.

Doors

Hinged doors are offered in 36" or 42" sizes, in locking and non-locking styles. Hinged doors are 80" tall with an opening of 77.5". A sliding door is offered for 66" panels and are for use in a 42" opening.

Connectors and Trim

Trim is offered in upholstered and unupholstered styles. Conditions include 90 degree, variable height corners, 60 degree, 45 degree, and T-post trims, and caps. See pricelist or technical specifications for style options by trim piece.

Electrical

System 3000 utilizes factory-installed universal 10-wire electrical components that support either 4-4-2 or 6-2-2 planning. Base and top infeeds, rigid wireways, receptacles, jumpers, and accessories are offered.

Worksurfaces and Accessories

Worksurfaces are offered in a variety of sizes and shapes, including:

Rectangular P and D shaped

P and D shaped Peninsula/Piano

Square Shoe Conference End

Dual Curvilinear 90 Degree and Curvilinear 90

Degree Corner Diagonal and 90 Degree Corner

Semi-circle

Quarter-round Countertop

Worksurface Support panels are also available.

enerot2

System 3000 is designed to support all KI Storage lines, including shelves, overhead cabinets, pedestals and lateral files.

1

System 3000® Product Color Options

						~					
Trim Color		Sterling Ash	LAZ	Cayenne	ECY	Warm Grey	WG/HWG	Balance® Overhead Storage Laminate Do	or Edge Color	Raw Jasper	RJ
Black	BL	Tailored Linen	LTL	Cherry Storm	ECX			Black laminate door edge	EBL	Rubber Ducky	RK
Blue Grey	GR	Titanium evolv	LTV	Cocobala	ECC	Universal Overhead Door Handles are plastic. 1	The plastic trim color	Blue Grey laminate door edge	EGR	Sand	SA
Light Tone	LG	White Nebula	LWL	Cool Grey	ECG	is automatically coordinated with the paint cold		Light Tone laminate door edge	ELG	Sky Blue	SK
Sand	SA	White Sand	LWN	Designer White	EDR	Discl. Duanta Matellia Caranna Fannaca Mat	tallia Flannal and	Sand laminate door edge	ESA	Starlight Silver Metallic	SX
Warm Grey	WG	Windsor Mahogany	LWY	Earthen Clay	EEY	Black, Bronze Metallic, Cayenne, Espresso Met Nordic paints will have Black plastic trim.	tailic, Fiannei, and	Warm Grey laminate door edge	EWG	Surf's Up	SP
				Everglade Shade	EEV	Blue Grey paint will have Blue Grey plastic trim	1.			Tarragon	TQ
Worksurfaces: Trim color is support bracket color.		Laminate on Balance® Overhead Storage is only av	ailable for the	Flannel	EFN	Champagne Metallic, and Light Tone paints wil	I have Light Tone	Universal Overhead Veneer Colors		Twilight Shadow	TI
Workdariadod. Hilli dolor lo dapport bracket dolor.		upper door		Florence Walnut	EFC	plastic trim. Cottonwood, and Sand will have Sand plastic t	rim	Castle Oak	MCO	Ultra Blue	UB
Glass Color		******		Friston Ash	EFH	Misty Brown paint will have Misty Brown plastic		Cherry Storm on Maple	MCX	Warm Grey	WG
Tinted/Bronze	BRZ	*Additional colors may be available. Please contact service at 1-800-424-2432	t KI customer	Frosty White	EFW	Starlight Silver Metallic and Warm Grey paints		Cherry Veneer	RCY	Zesty Lime	ZL
Clear	GLA	301 VIOC AL 1 000 424 2402		Hazy Jade	EHJ	plastic trim.		Cinnamon on Maple	MCN		
		Wood Finish - Core		Honey Bee	EHY	Balance® Overhead Storage Cabinet Pa	int Color	Cocoa on Maple	MCA	Custom white silver & metallic paints spe	cified on 700 Series files
Glass color selection available on glazed panels only.		Cherry Storm on Maple	MCX	Italian Silver Ash	EIT	Black	BL	Kensington Maple on Maple	MMA	and storage units incur a 5% list price up	
diass color sciection available on glazed panels only.		Cinnamon on Maple	MCN	Kensington Maple	EKM	Blue Grey	GR	Mahogany Veneer	RMH		•
Surface FinishLaminate		Cocoa on Maple	MCA	Light Tone	ELG	•	ZM	Monticello Maple on Maple	MMT	Lock Color	
Beigewood	LBZ	Florence Walnut on Maple	MFC	Mardi Gras	EMG	Bronze Metallic		Oak Veneer	ROK	Black	BLL
Belair	LBQ	Kensington Maple on Maple	MMA	Misty Brown	EMY	Cayenne	CY	River Cherry on Beech	BRY	Satin Chrome	SCL
Biltmore Cherry	LBT	Monticello Maple on Maple	MMT	Monticello Maple	EMT	Champagne Metallic	CM	River Cherry on Maple	MRY		
Black	LBK	River Cherry on Maple	MRY	Nemo	ENE	Cool Grey	CG	River Cherry on Oak	ORY		
Brighton Walnut	LBW	Three charry on maple		Nordic	END	Cottonwood	CO	Walnut Veneer	RWA		
Canyon Zephyr	LCA			Pinnacle Walnut	EPW	Earthen Clay	EY				
Castle Oak	LCO	Veneer finishes are only available on Wood Edge V	/eneer (WV).		EPR	Espresso Metallic	EX	Accessories Trim Color			
Casual Linen	LCU	Edge Color for BN Edge		Poppy Red	EPH	Everglade Shade	EV	Black	BL		
Cherry Storm	LCX	Black	EBL	Purple Haze Rainforest	ERQ	Flannel	FN	Blue Grey	GR		
Classic Linen	LCI	Blue Grey	EGR			Glitz Metallic	GZ	Clear	CL		
		•	ECY	River Cherry	ERY	Hazy Jade	HJ	Cool Grey	CG		
Cloud Zephyr	LCL	Cayenne		Rubber Ducky	ERK	Honey Bee	HY	Light Tone	LG		
Cocobala	LCC	Cool Grey	ECG	Sand	ESA	Light Tone	LG	Misty Brown	MY		
Crisp Linen	LRI	Earthen Clay	EEY	Sky Blue	ESK	Misty Brown	MY	Sand	SA		
Desert Zephyr	LDZ	Everglade Shade	EEV	Sterling Ash	EAZ	Nordic	ND	Warm Grey	WG		
Designer White	LDR	Flannel	EFN	Surf's Up	ESP	Rainforest	RQ				
Dove Grey	LDG	Frosty White	EFW	Tarragon	ETQ	Raw Jasper	RJ	The Clear (CL) color option is only available on P	aner Management		
Flax Linen	LXF	Hazy Jade	EHJ	Twilight Shadow	ETI	Sand	SA	items PPFH, PPLL, PPDS, PPVS, PPTC, PPDH, P			
Florence Walnut	LFC	Honey Bee	EHY	Ultra Blue	EUB	Starlight Silver Metallic	SX				
Forged Steel	LOL	Light Tone	ELG	Warm Grey	EWG	Tarragon	TQ	700 Series® Storage Unit (and Drawer) Co	olor		
Friston Ash	LFH	Mardi Gras	EMG	Windsor Mahogany	EWY	Twilight Shadow	TI	Black	BL		
Frosty White	LFW	Misty Brown	EMY	Zesty Lime	EZL	Warm Grey	WG	Blue Grey	GR		
Graphite Nebula	LGN	Nemo	ENE	Crommet Color		,		Bronze Metallic	ZM		
Grey	LGE	Nordic	END	Grommet Color	0.01	Balance® Overhead Storage Upper Door	r Solid Color	Cayenne	CY		
High Rise	LHE	Poppy Red	EPR	Black grommet	GBL	Black	UBL	Champagne Metallic	CM		
Hollyberry	LHY	Purple Haze	EPH	Blue Grey grommet	GGR	Blue Grey	UGR	Cool Grey	CG		
Island	LID	Rubber Ducky	ERK	Light Tone grommet	GLG	Light Tone	ULG	Cottonwood	CO		
Italian Silver Ash	LIT	Sand	ESA	Sand grommet	GSA	Sand	USA	Earthen Clay	EY		
Kensington Maple	LKM	Sky Blue	ESK	Warm Grey grommet	GWG	Translucent	UTR	Espresso Metallic	EX		
Lapis Blue	LLB	Surf's Up	ESP	Paint Color		Warm Grey	UWG	Everglade Shade	EV		
Markerboard White	LMK	Twilight Shadow	ETI	Black	BL/HBL			Flannel	FN		
Misted Zephyr	LMR	Ultra Blue	EUB	Blue Grey	GR/HGR	Balance® Overhead Storage Shelf Divid		Glitz Metallic	GZ		
Monticello Maple	LMT	Warm Grey	EWG	Bronze Metallic	ZM/HBL	Black	BL	Hazy Jade	HJ		
North Sea	LNA	Zesty Lime	EZL		CY/HBL	Blue Grey	GR	Honey Bee	HY		
Ocean	LON	•		Cayenne Champagna Motallia		Cool Grey	CG	Light Tone	LG		
Pearl Bisque	LPB	Edge Color for 74P Edge		Champagne Metallic	CM/HLG	Cottonwood	CO	Mardi Gras	MG		
Pinnacle Walnut	LPW	Beigewood	EBZ	Cottonwood	CO/HSA	Flannel	FN	Misty Brown	MY		
Pressed Linen	LPR	Belair	EBQ	Espresso Metallic	EX/HBL	Light Tone	LG	Nemo	NE		
River Cherry	LRY	Biltmore Cherry	EBT	Flannel	FN/HBL	Misty Brown	MY	Nordic	ND		
Satin Stainless	LSS	Black	EBL	Light Tone	LG/HLG	Sand	SA		PR		
Shadow Zephyr	LSR	Blue Grey	EGR	Nordic	ND/HBL	Warm Grey	WG	Poppy Red			
	LSV	Brighton Walnut	EBW	Sand	SA/HSA			Purple Haze	PH		
Silicon evolv	LOV	Castle Oak	ECO	Starlight Silver Metallic	SX/HWG			Rainforest	RQ		

CFP

System 3000® Panels Fabric Covered Acoustical





		MODEL	NUMBER	ł									
MODEL	WxH	Basic Model	Base Power	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
Fabric Acoustical Panels	12 x 32"	CFP1232	TN				22.0#	\$ 807	\$ 829	\$ 856	\$ 877	\$ 926	
Panel is constructed of a metal frame,	18 x 32"	CFP1832	TN				25.0#	817	835	859	886	934	
sandwiched between expanded metal,	12 x 42"	CFP1242	TN				24.0#	856	872	898	926	976	
covered with fiberglass and fabric	18 x 42"	CFP1842	TN				30.0#	864	886	908	937	983	
 Panels are connected through a single 	12 x 48"	CFP1248	TN				26.0#	938	966	985	1023	1067	
piece poly hinge Panel-to-Panel Power Connectors must	18 x 48"	CFP1848	TN				33.0#	958	983	1005	1043	1089	
 Panel-to-Panel Power Connectors must be specified separately 													
 Powered panel raceway includes four 													
locations for power and cable access													
for panels wider than 24", 24" panel													
contains two receptacle locations12" and 18" wide panels are power pass-	_												
through only													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

3

Θ

0

(3)

A Select basic model.

• 12" and 18" panels not recommended for use as return panels

Product includes complete panel

Class A fire rated

rating is 23

rately

assembly with connectors (panel hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers

• NRC rating is .80, NIC rating is 22, STC

• Bezel opening is 1.376" x 2.7" to accept data faceplates by Avaya, Amp, Ortron-

· Power infeed must be specified sepa-

ics, Panduit and Leviton

BSelect base power. TN - No Power

Select trim color. Refer to the Product Color Options page in this price list.

OSelect fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

direction the fabric is to be applied.

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.





			MODEL NUMBER											
	MODEL	WxH	Basic Model	Base Power		Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Base Power add to list price
	Fabric Acoustical Panels	24 x 32"	CFP2432					30.0#	\$ 929	\$ 955	\$ 972	\$ 1011	\$ 1055	\$ 176
	Panel is constructed of a metal frame,	30 x 32"	CFP3032					35.0#	1027	1055	1080	1119	1171	183
	aluminum septum and fiberglass sandwiched between expanded metal,	36 x 32"	CFP3632					40.0#	1116	1148	1170	1218	1273	191
	covered with fiberglass and fabric	42 x 32"	CFP4232					45.0#	1325	1366	1392	1447	1513	202
	 Panels are connected through a single 	48 x 32"	CFP4832					53.0#	1392	1434	1460	1515	1588	208
	piece poly hingePanel-to-Panel Power Connectors must	54 x 32"	CFP5432					57.0#	1401	1449	1469	1530	1596	225
	be specified separately	60 x 32"	CFP6032					59.0#	1402	1450	1471	1531	1598	230
	 Powered panel raceway includes four 	24 x 42"	CFP2442					36.0#	976	1002	1023	1060	1112	176
	locations for power and cable access	30 x 42"	CFP3042					41.0#	1080	1113	1133	1178	1231	183
	for panels wider than 24", 24" panel contains two receptacle locations	36 x 42"	CFP3642					47.0#	1173	1209	1228	1278	1340	191
	• 12" and 18" wide panels are power pass	- 42 x 42"	CFP4242					54.0#	1396	1444	1464	1524	1592	202
Щ	through only	48 x 42"	CFP4842					61.0#	1466	1510	1534	1596	1672	208
	 12" and 18" panels not recommended for use as return panels 	54 x 42"	CFP5442					69.0#	1476	1523	1545	1608	1681	225
CFP	Product includes complete panel	60 x 42"	CFP6042					77.0#	1495	1542	1564	1629	1697	230
	assembly with connectors (panel hinges	, 24 x 48"	CFP2448					39.0#	1035	1070	1090	1129	1180	176
	sleeve, side trim rails, top cap, base	30 x 48"	CFP3048					45.0#	1148	1185	1209	1251	1312	183
	raceway) plus carpet grippers • Class A fire rated	36 x 48"	CFP3648					51.0#	1238	1278	1300	1352	1411	191
	NRC rating is .80, NIC rating is 22, STC	42 x 48"	CFP4248					59.0#	1446	1489	1510	1574	1646	202
	rating is 23	48 x 48"	CFP4848					67.0#	1517	1561	1594	1653	1733	208
	 Power infeed must be specified sepa- rately 	54 x 48"	CFP5448					75.0#	1588	1636	1666	1732	1810	225
	Bezel opening is 1.376" x 2.7" to accept	60 x 48"	CFP6048					84.0#	1603	1651	1683	1747	1826	230
	data faceplates by Avaya, Amp, Ortron-													
	ics, Panduit and Leviton													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base power.

TN - No Power

- 442 - 10 Wire Power - 622 - 10 Wire Power; add \$225

Refer to upcharge column "Base Power add to list price" for pricing of T4 and T6, when selecting a powered panel.

B

•

0

Select trim color.

Refer to the Product Color Options page in this price list.

①Select fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

direction the fabric is to be applied.

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.





			MODEL	NUMBEF	ł								
	MODEL	WxH	Basic Model	Base Power	Trim Color	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
<u> </u>	Fabric Acoustical Panels	12 x 54"	CFP1254	TN			28.0#	\$ 1025	\$ 1051	\$ 1077	\$ 1117	\$ 1169	
	 Panel is constructed of a metal frame, 	18 x 54"	CFP1854	TN			35.0#	1031	1059	1083	1126	1174	
	aluminum septum and fiberglass sandwiched between expanded metal,	12 x 62"	CFP1262	TN			30.0#	1098	1131	1147	1193	1252	
	covered with fiberglass and fabric		CFP1862	_			37.0#	1106	1139	1160	1200	1260	
	Panels are connected through a single		CFP1266				33.0#	1166	1199	1222	1267	1325	
	piece poly hinge • Panel-to-Panel Power Connectors must		CFP1866				40.0#	1173	1209	1228	1278	1340	
	be specified separately												
	 Powered panel raceway includes four 												
	locations for power and cable access												
	for panels wider than 24", 24" panel												
	contains two receptacle locations												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

3

 Θ

0

(3)

A Select basic model.

• 12" and 18" wide panels are power pass-

• 12" and 18" panels not recommended for use as return panels Product includes complete panel assembly with connectors (panel hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers

NRC rating is .80, NIC rating is 22, STC

· Power infeed must be specified sepa-

through only

Class A fire rated

rating is 23

rately

BSelect base power. TN - No Power

Select trim color. Refer to the Product Color Options page in this price list.

OSelect fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

direction the fabric is to be applied. SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.





			MODEL	NUMBE	-R									
	MODEL	WxH	Basic Model	Base Power	Trim	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Base Power add to list price
	Fabric Acoustical Panels	24 x 54"	CFP2454					41.0#	\$ 1103	\$ 1138	\$ 1159	\$ 1199	\$ 1259	\$ 176
	Panel is constructed of a metal frame,	30 x 54"	CFP3054					48.0#	1213	1254	1274	1322	1381	183
	aluminum septum and fiberglass sandwiched between expanded metal,	36 x 54"	CFP3654					55.0#	1301	1343	1366	1420	1482	191
	covered with fiberglass and fabric	42 x 54"	CFP4254					63.0#	1495	1542	1564	1629	1697	202
	 Panels are connected through a single 	48 x 54"	CFP4854					72.0#	1563	1612	1636	1704	1783	208
	piece poly hinge • Panel-to-Panel Power Connectors must	54 x 54"	CFP5454					81.0#	1730	1780	1818	1884	1975	225
	be specified separately	60 x 54"						90.0#	1752	1802	1838	1908	1998	230
	Powered panel raceway includes four	24 x 62"	CFP2462					44.0#	1169	1201	1224	1271	1330	176
	locations for power and cable access	30 x 62"						52.0#	1295	1335	1355	1414	1474	183
	for panels wider than 24", 24" panel contains two receptacle locations	36 x 62"	CFP3662					58.0#	1373	1414	1440	1496	1563	191
	• 12" and 18" wide panels are power pass	s- 42 x 62"	CFP4262					69.0#	1560	1610	1631	1699	1779	202
	through only	48 x 62"						77.0#	1646	1695	1725	1793	1873	208
	 12" and 18" panels not recommended for use as return panels 	54 x 62"	CFP5462					88.0#	1823	1876	1917	1985	2076	225
CFP	Product includes complete panel	60 x 62"	CFP6062					97.0#	1838	1891	1924	2001	2093	230
	assembly with connectors (panel hinges	s, 24 x 66"	CFP2466					47.0#	1237	1271	1299	1349	1409	176
	sleeve, side trim rails, top cap, base	30 x 66"	CFP3066					56.0#	1382	1424	1449	1505	1574	183
	raceway) plus carpet grippers • Class A fire rated	36 x 66"	CFP3666					62.0#	1442	1483	1507	1568	1642	191
	NRC rating is .80, NIC rating is 22, STC	42 x 66"	CFP4266					74.0#	1624	1673	1699	1766	1850	202
	rating is 23	48 x 66"	CFP4866					82.0#	1722	1773	1802	1876	1962	208
	 Power infeed must be specified sepa- rately 	54 x 66"	CFP5466					94.0#	1936	1992	2036	2107	2209	225
	 Bezel opening is 1.376" x 2.7" to accept 	60 x 66"	CFP6066					105.0#	1975	2027	2068	2143	2247	230
	data faceplates by Avaya, Amp, Ortron-													
	ics, Panduit and Leviton													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base power.

TN - No Power

- 442 - 10 Wire Power - 622 - 10 Wire Power; add \$202

Refer to upcharge column "Base Power add

•

(3)

0

(3)

to list price" for pricing of T4 and T6, when selecting a powered panel.

Select trim color.

Refer to the **Product Color Options** page in this price list.

①Select fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

direction the fabric is to be applied.

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.





			MODEL	. NUMBER	3									
	MODEL	WxH	Basic Model	Base Power	Trim Color	Fabric Fabric Side 1 Side 2	Approx. Packaged Weight		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Fabric Acoustical Panels		" CFP1272				55.0#		\$ 1168	\$ 1200	\$ 1223	\$ 1268	\$ 1328	
	· Panel is constructed of a metal frame,		" CFP1872				44.0#		1204	1238	1262	1312	1372	
	aluminum septum and fiberglass	12 x 80°					38.0#		1169	1201	1224	1271	1330	
	sandwiched between expanded metal,													
	covered with fiberglass and fabric		" CFP1880	IN			47.0#		1227	1263	1288	1343	1399	
	 Panels are connected through a single piece poly hinge 													
	Panel-to-Panel Power Connectors must													
	be specified separately	•												
	 Powered panel raceway includes four 													
	locations for power and cable access													
	for panels wider than 24", 24" panel													
	contains two receptacle locations12" and 18" wide panels are power pass	0												
	through only	5-												
•	• 12" and 18" panels not recommended													
	for use as return panels													
CFP	 Product includes complete panel 													
	assembly with connectors (panel hinges	S,												
	sleeve, side trim rails, top cap, base													
	raceway) plus carpet grippers • Class A fire rated													
	 NRC rating is .80, NIC rating is 22, STC 													
	rating is 23													
	 Power infeed must be specified sepa- 													
	rately													
			A	B	•	D G								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base power.

TN - No Power

Select trim color. Refer to the **Product Color Options** page in this price list.

DSelect fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric MixingIf fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

direction the fabric is to be applied.

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

rating is 23

· Power infeed must be specified sepa-• Bezel opening is 1.376" x 2.7" to accept data faceplates by Avaya, Amp, Ortron-

ics, Panduit and Leviton





			MODEL	NUMBE	R									
	MODEL	WxH	Basic Model	Base Power	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Base Power add to list price
	Fabric Acoustical Panels	24 x 72"	CFP2472					51.0#	\$ 1328	\$ 1369	\$ 1393	\$ 1449	\$ 1514	\$ 176
	 Panel is constructed of a metal frame, 	30 x 72"	CFP3072					60.0#	1517	1561	1594	1653	1733	183
	aluminum septum and fiberglass sandwiched between expanded metal,							67.0#	1596	1644	1677	1743	1820	191
	covered with fiberglass and fabric							80.0#	1753	1803	1845	1909	2000	202
	Panels are connected through a single							89.0#	1880	1936	1979	2048	2142	208
	piece poly hinge	54 x 72"	CFP5472					100.0#	2009	2072	2112	2190	2293	225
	 Panel-to-Panel Power Connectors must be specified separately 	60 x 72"	CFP6072					108.0#	2036	2093	2135	2217	2317	230
	Powered panel raceway includes four	24 x 80"	CFP2480					55.0#	1421	1466	1492	1548	1623	176
	locations for power and cable access	30 x 80"	CFP3080					64.0#	1651	1697	1730	1797	1877	183
	for panels wider than 24", 24" panel contains two receptacle locations	36 x 80"	CFP3680					72.0#	1752	1802	1838	1908	1998	191
	 12" and 18" wide panels are power pass 							87.0#	1883	1938	1981	2054	2148	202
	through only	48 x 80"	CFP4880					97.0#	2042	2102	2142	2221	2328	208
	12" and 18" panels not recommended for use or return panels.	54 x 80"	CFP5480					106.0#	2128	2191	2237	2320	2428	225
CFP	for use as return panels Product includes complete panel	60 x 80"	CFP6080					121.0#	2167	2229	2272	2361	2470	230
	assembly with connectors (panel hinges	S,												
	sleeve, side trim rails, top cap, base													
	raceway) plus carpet grippers													
	 Class A fire rated NRC rating is .80, NIC rating is 22, STC 													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base power.

TN - No Power

- 442 - 10 Wire Power - 622 - 10 Wire Power; add \$202

Refer to upcharge column "Base Power add to list price" for pricing of T4 and T6, when selecting a powered panel.

A

3

 Θ

0

(3)

Select trim color.

Refer to the **Product Color Options** page in this

OSelect fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

direction the fabric is to be applied.

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Panels Half Open Frame-Half Fabric



System 3000® Panels Half Open Frame-Half Fabric

			MODEL N	UMBER	IMBER								
	MODEL	WxH	Basic Model	Base Power	Trim Color	Fabric Fabric Side 1 Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Base Power add to list price
	Half Open Frame/Half Fabric Panels	24 x 54"	COFP2454				42.0#	\$ 1300	\$ 1319	\$ 1342	\$ 1352	\$ 1386	\$ 176
	Open frame panel with fabric section	30 x 54"	COFP3054				48.0#	1501	1530	1548	1561	1608	183
	extending to a 29" height • Panel is constructed of a painted alumi-	36 x 54"	COFP3654				54.0#	1517	1545	1561	1576	1625	191
	num frame	42 x 54"	COFP4254				60.0#	1590	1625	1639	1651	1703	202
	Panels are connected through a single	48 x 54"	COFP4854				66.0#	1662	1696	1708	1726	1783	208
	piece poly hinge • Panel-to-Panel Power Connectors must	24 x 62"	COFP2462				44.0#	1332	1353	1373	1383	1427	176
	be specified separately	30 x 62"	COFP3062				51.0#	1538	1564	1586	1600	1642	183
	 Powered panel raceway includes four 	36 x 62"	COFP3662				57.0#	1556	1585	1604	1617	1662	191
	locations for power and cable access	42 x 62"	COFP4262				63.0#	1624	1654	1673	1684	1742	202
	for panels wider than 24". 24" panel contains two receptacle locations	48 x 62"	COFP4862				70.0#	1696	1732	1749	1762	1819	208
	Product includes complete panel as-	24 x 66"	COFP2466				47.0#	1370	1392	1412	1420	1464	176
	sembly with connectors (panel, hinges,	30 x 66"	COFP3066				54.0#	1451	1476	1495	1507	1552	183
	sleeve, side trim rails, top cap, base raceway) plus carpet grippers	36 x 66"	COFP3666				60.0#	1590	1625	1639	1651	1703	191
COGP	 Bezel opening is 1.376" x 2.7" to accept 	42 x 66"	COFP4266				66.0#	1662	1696	1708	1726	1783	202
	data faceplates by Avaya, AMP, Ortron-	48 x 66"	COFP4866				74.0#	1735	1770	1785	1802	1857	208
	ics, Panduit and Leviton • Class A fire rated	24 x 72"	COFP2472				48.0#	1411	1439	1453	1466	1505	176
	Glass a life rated	30 x 72"	COFP3072				57.0#	1495	1523	1542	1552	1600	183
		36 x 72"	COFP3672				63.0#	1631	1666	1682	1696	1749	191
		42 x 72"	COFP4272				69.0#	1699	1735	1752	1770	1823	202
		48 x 72"	COFP4872				79.0#	1774	1806	1826	1843	1897	208
		24 x 80"	COFP2480				52.0#	1451	1476	1495	1507	1552	176
		30 x 80"	COFP3080				60.0#	1534	1561	1590	1596	1639	183
		36 x 80"	COFP3680				67.0#	1673	1704	1722	1735	1787	191
		42 x 80"	COFP4280				73.0#	1745	1778	1793	1806	1868	202
		48 x 80"	COFP4880				84.0#	1814	1851	1868	1879	1937	208
			A	B	0	D G							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base power.

T4 - 442 - 10 Wire Power - 622 - 10 Wire Power

- No Power

Refer to upcharge column "Base Power add to list price" for pricing of T4 and T6, when selecting a powered panel.

Select trim color.

Refer to the **Product Color Options** page in this price list.

OSelect fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

direction the fabric is to be applied.

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Panels Half Glazed-Half Fabric



System 3000® Panels Half Glazed-Half Fabric

			MODEL	NUMBER									
	MODEL	WxH	Basic Model	Base Power	Trim Color	Glass Fabric Fabric Color Side 1 Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Base Power add to list price
		24 x 54"	CGFP2454				47.0#	\$ 1383	\$ 1402	\$ 1427	\$ 1440	\$ 1482	\$ 176
	Clear or bronze 1/4" tempered glass	30 x 54"	CGFP3054				55.0#	1494	1520	1537	1551	1598	183
	panels with fabric section extending to a 29" height	36 x 54"	CGFP3654				62.0#	1653	1688	1703	1719	1772	191
		42 x 54"	CGFP4254				70.0#	1745	1778	1793	1806	1868	202
	num frame	48 x 54"	CGFP4854				83.0#	1827	1869	1880	1904	1952	208
	 Product includes complete panel as- sembly with connectors (panel, hinges, 	24 x 62"	CGFP2462	! 🗆 🗆			50.0#	1446	1469	1489	1501	1545	176
	sleeve, side trim rails, top cap, base	30 x 62"	CGFP3062				58.0#	1561	1590	1611	1625	1672	183
		36 x 62"	CGFP3662	! 🗆 🗆			66.0#	1726	1762	1779	1796	1850	191
	carpet grippers	42 x 62"	CGFP4262	. 00			72.0#	1827	1869	1880	1904	1952	202
	 Panels are connected through a single piece poly hinge 	48 x 62"	CGFP4862				85.0#	1928	1970	1992	2001	2067	208
	Panel-to-Panel Power Connectors must	24 x 66"	CGFP2466				54.0#	1506	1533	1551	1563	1610	176
4/	be specified separately	30 x 66"	CGFP3066				62.0#	1631	1666	1682	1696	1749	183
	 Powered panel raceway includes four locations for power and cable access 	36 x 66"	CGFP3666				71.0#	1799	1837	1851	1870	1927	191
COGP	for panels wider than 24". 24" panel	42 x 66"	CGFP4266				75.0#	1913	1952	1970	1985	2048	202
	contains two	48 x 66"	CGFP4866				88.0#	2026	2069	2083	2107	2167	208
	receptacle locations • Bezel opening is 1.376" x 2.7" to accept	24 x 72"	CGFP2472	!			48.0#	1574	1600	1623	1632	1685	176
	data faceplates by Avaya, AMP, Ortron-	30 x 72"	CGFP3072	! 🗆 🗆			57.0#	1688	1723	1743	1753	1806	183
	ics, Panduit and Leviton	36 x 72"	CGFP3672	! 🗆 🗆			63.0#	1873	1915	1930	1941	2002	191
	Class A fire rated	42 x 72"	CGFP4272	! 🗆 🗆			69.0#	1987	2026	2046	2067	2126	202
		48 x 72"	CGFP4872	! 🗆 🗆			79.0#	2157	2200	2218	2239	2303	208
		24 x 80"	CGFP2480				63.0#	1641	1676	1691	1706	1756	176
		30 x 80"	CGFP3080				69.0#	1746	1779	1796	1810	1869	183
		36 x 80"	CGFP3680				80.0#	1938	1981	1998	2011	2076	191
		42 x 80"	CGFP4280				90.0#	2059	2102	2120	2142	2202	202
		48 x 80"	CGFP4880				100.0#	2183	2227	2247	2276	2338	208
			A	3	0	D G							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base power.

T4 - 442 - 10 Wire Power - 622 - 10 Wire Power

- No Power

Refer to upcharge column "Base Power add to list price" for pricing of T4 and T6, when selecting a powered panel.

Select trim color.

Refer to the **Product Color Options** page in this price list.

Select glass color.

GLA - Clear

BRZ - Tinted/Bronze

Select fabric side 1. Refer to ki.com/fabrics

Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

direction the fabric is to be applied.

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Panels





			MODEL N	MIIMREE	2				
			MODEL	NOWIDER	1				
									Base
							Approx.		Power
	MODEL	WxH	Basic Model	Base Power	Trim	Glass Color	Packaged Weight	Delivered Pricing	add to list price
		24 x 54"					41.0#	\$ 1078	\$ 176
		30 x 54"					52.0#	1131	183
	or bronze tempered glass	36 x 54"					62.0#	1222	191
	- I Toddot ilicidaes complete parier as								
	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	42 x 54"					73.0#	1346	202
		48 x 54"					83.0#	1467	208
	Panels are connected through a single	24 x 62"					45.0#	1118	176
	piece poly hinge	30 x 62"					57.0#	1194	183
		36 x 62"	CGP3662				68.0#	1290	191
	be specified separatelyPowered panel raceway includes four	42 x 62"	CGP4262				78.0#	1402	202
	locations for nower and cable access	48 x 62"	CGP4862				91.0#	1527	208
	locations for power and cable access for panels wider than 24". 24" panel	24 x 66"	CGP2466				50.0#	1162	176
	contains two receptacle locations	30 x 66"	CGP3066				62.0#	1253	183
	Bezel opening is 1.376" x 2.7" to accept	36 x 66"	CGP3666				74.0#	1356	191
CGP	gata faceblates by Avava. Alvip. Utilion-	42 x 66"					84.0#	1467	202
	ioo, i andan and Loviton	48 x 66"					99.0#	1575	208
		24 x 72"					54.0#	1254	176
		30 x 72"					68.0#	1346	183
		36 x 72"					81.0#	1452	191
		42 x 72"					91.0#	1561	202
		48 x 72"					109.0#	1676	208
		24 x 80"					59.0#	1340	176
		30 x 80"					74.0#	1442	183
		36 x 80"					89.0#	1546	191
		42 x 80"					99.0#	1654	202
		48 x 80"	CGP4880				119.0#	1772	208
			A	B	0	O			
			•	•	9	•			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base power.

T4 - 442 - 10 Wire Power - 622 - 10 Wire Power

- No Power

Refer to upcharge column "Base Power add to list price" for pricing of T4 and T6, when selecting a powered panel.

Select trim color.

Refer to the **Product Color Options** page in this

OSelect glass color.

GLA - Clear

BRZ - Tinted/Bronze

UPHOLSTERY INFORMATION

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

direction the fabric is to be applied.

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Panels Accessories Wall Mounts

System 3000® Panels Accessories Wall Mounts

						lacktriangle
			MODEL NU	UMBER		
					Approx.	
			Basic	Trim	Packaged	Delivered
	MODEL	WxHxD	Model	Color	Weight	Pricing
	Wall Mount	2 1/2 x 32 x 1/2"	CWM.32		1.0#	\$ 53
	Allows panels to be attached, perpendicular to existing well at any apple.	2 1/2 x 42 x 1/2"	CWM.42		1.0#	57
	ular, to existing wall at any angle • Inloudes mounting plate and hinges	2 1/2 x 48 x 1/2"	CWM.48		1.0#	61
	Aluminum construction with painted	2 1/2 x 54 x 1/2"	CWM.54		2.0#	61
	finish	2 1/2 x 62 x 1/2"	CWM.62		2.0#	69
	 No hardware for wall attachment is included 	2 1/2 x 66 x 1/2"	CWM.66		2.0#	80
					2.0#	84
₩ W					2.0#	90
HRDPT						
	Adjustable Wall Mount	2 1/2 x 32 x 1"	CWMA.32		1.0#	\$ 97
	Attaches a panel to a wall at the start of	a 2 1/2 x 42 x 1"	CWMA.42		1.0#	111
	run when used in combination with wall tracks	2 1/2 x 48 x 1"	CWMA.48		1.0#	124
	 Includes mounting plate and hinges 	2 1/2 x 54 x 1"	CWMA.54		2.0#	132
	Aluminum construction with painted	2 1/2 x 62 x 1"	CWMA.62		2.0#	142
	finish	2 1/2 x 66 x 1"	CWMA.66		2.0#	147
	 No hardware for wall attachment is included 	2 1/2 x 72 x 1"	CWMA.72		2.0#	159
n	Adjustable up to 1" to correct wall	2 1/2 x 80 x 1"	CWMA.80		2.0#	172
HRDPT	deflection	2 1/2 X 00 X 1	O VVIVIA.00		£.0#	
וועטרו						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

A

0

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



System 3000® Panels Accessories

			MODEL	NUMBER									
	MODEL	WxHxD	Basic Model	Trim Color	Fabric Color		Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	90° Corner Post - Upholstered	2 1/2 x 32 x 2 1/2"	CAFC32			2.0#	N/A	\$ 110	\$ 111	\$ 115	\$ 118	\$ 123	
7	Fabric covered, extruded plastic corner	2 1/2 x 42 x 2 1/2"	CAFC42			2.0#	N/A	133	137	142	143	148	
90	covers exposed panel ends where 2 panels form a 90° connection	2 1/2 x 48 x 2 1/2"	CAFC48			3.0#	N/A	147	148	152	158	162	
	90° corner top cap included	2 1/2 x 54 x 2 1/2"	CAFC54			3.0#	N/A	153	159	161	162	174	
	Plastic raceway cover	2 1/2 x 62 x 2 1/2"	CAFC62			3.0#	N/A	174	176	183	184	194	
	One-piece single poly hinge included	2 1/2 x 66 x 2 1/2"	CAFC66			3.0#	N/A	184	189	192	194	204	
		2 1/2 x 72 x 2 1/2"	CAFC72			4.0#	N/A	198	201	204	205	225	
		2 1/2 x 80 x 2 1/2"	CAFC80			4.0#	N/A	204	206	218	225	233	
	90° Corner Post - Unupholstered	2 1/2 x 32 x 2 1/2"					\$ 51						
90°	 Extruded plastic corner covers exposed panel ends where 2 panels form a 90° 	2 1/2 X 72 X 2 1/2				2.0#	56						
	connection					2.0#	64						
	90° corner top cap included		CAUC54			3.0#	78						
	Plastic raceway coverOne-piece single poly hinge included	2 1/2 x 62 x 2 1/2"				3.0#	80						
	- One piece single poly linige included		CAUC66			3.0#	83						
			CAUC72			4.0#	107						
		2 1/2 x 80 x 2 1/2"	CAUC80			4.0#	132						
N													
			A	$oldsymbol{G}$	$oldsymbol{\Theta}$								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Panels Accessories Variable Height Corner Posts



System 3000® Panels Accessories Variable Height Corner Posts

				MODEL NU	IMRFR								
	MODEL	Features	WxH	Basic	Trim	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Variable Hainh Oaman Baat, Habalataan	32"/42"	2 1/2 x 10"	FECPC3242			1.0#	\$ 78	\$ 78	\$ 79	\$ 80	\$ 83	
522	Variable Height Corner Post - Upholstered	32"/48"	2 1/2 x 16"	FECPC3248			1.0#	83	84	85	85	93	
	Fabric covered, extruded plastic corner	32"/54"	2 1/2 x 22"	FECPC3254			1.0#	90	93	94	95	102	
	covers exposed panel end where 2 pan- els of different heights meet in T-corners	32"/62"	2 1/2 x 30"	FECPC3262			2.0#	97	102	103	104	108	
	90° corner top cap included	32"/66"	2 1/2 x 34"	FECPC3266			2.0#	103	104	108	108	112	
	One-piece single poly hinge included	32"/72"	2 1/2 x 40"	FECPC3272			2.0#	104	107	110	111	115	
	 See Specifications Section for applications 	32"/80"	2 1/2 x 48"	FECPC3280			2.0#	107	108	111	112	118	
	tions	42"/48"	2 1/2 x 6"	FECPC4248			1.0#	44	44	48	48	49	
		42"/54" or 54"/66"	2 1/2 x 12"	FECPC4254			1.0#	80	80	83	83	85	
		42"/62"	2 1/2" x 20"	FECPC4262			1.0#	84	85	87	90	94	
رز		42"/66"	2 1/2 x 24"	FECPC4266			1.0#	94	95	97	102	104	
		42"/72"	2 1/2 x 30"	FECPC4272			2.0#	97	102	103	104	108	
		42"/80"	2 1/2 x 38"	FECPC4280			2.0#	104	107	110	111	115	
PUP		48"/54"	2 1/2 x 6"	FECPC4854			1.0#	44	44	48	48	49	
		48"/62"	2 1/2 x 14"	FECPC4862			1.0#	79	79	80	81	84	
		48"/66"	2 1/2 x 18"	FECPC4866			1.0#	85	87	90	93	95	
		48"/72"	2 1/2 x 24"	FECPC4872			1.0#	95	95	97	102	104	
		48"/80"	2 1/2 x 32"	FECPC4880			1.0#	102	103	104	107	111	
		54"/62"	2 1/2 x 8"	FECPC5462			1.0#	79	79	80	81	84	
		54"/72"	2 1/2 x 18"	FECPC5472			1.0#	85	87	90	93	95	
		54"/80"	2 1/2 x 26"	FECPC5480			1.0#	95	97	102	103	107	
		62"/66"	2 1/2 x 4"	FECPC6266			1.0#	36	36	39	39	40	
		62"/72"	2 1/2 x 10"	FECPC6272			1.0#	78	78	79	80	83	
		62"/80"	2 1/2 x 18"	FECPC6280			1.0#	85	87	90	93	95	
		66"/72"	2 1/2 x 6"	FECPC6672			1.0#	44	44	48	48	49	
		66"/80"	2 1/2 x 14"	FECPC6680			1.0#	80	80	83	83	85	
		72"/80"	2 1/2 x 8"	FECPC7280			1.0#	79	79	80	81	84	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

B O

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this price list.

Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Panels Accessories Variable Height Corner Posts



System 3000® Panels Accessories Variable Height Corner Posts

				MODEL NU	MBER		
				l		Approx.	
	MODEL	Features	WxH	Basic Model	Trim Color	Packaged Weight	Delivered Pricing
		32"/42"		UECPC3242		1.0#	\$ 27
8.	Variable Height Corner Post - Unuphol- stered	32"/48"				1.0#	
	Extruded plastic corner covers exposed		2 1/2 x 10 2 1/2 x 22"	UECPC3248		1.0#	32
-227	panel end where 2 panels of different	0L /04		UECPC3254			34
	heights meet in T-corners • 90° corner top cap included • One-piece single poly hinge included	32"/62"	2 1/2 x 30"	UECPC3262		2.0#	44
		32"/66"	2 1/2 x 34"	UECPC3266		2.0#	51
[]= -	See Specifications Section for applica-	32"/72"	2 1/2 x 40"	UECPC3272		2.0#	53
11	tions	32"/80"	2 1/2 x 48"	UECPC3280		2.0#	56
i i		42"/48"	2 1/2 x 6"	UECPC4248		1.0#	6
		42"/54" or 54"/66"	2 1/2 x 12"	UECPC4254		1.0#	27
		42"/62"	2 1/2 x 20"	UECPC4262		1.0#	32
1		42"/66"	2 1/2 x 24"	UECPC4266		1.0#	39
		42"/72"	2 1/2 x 30"	UECPC4272		2.0#	44
		42"/80"	2 1/2 x 38"	UECPC4280		2.0#	56
PUN		48"/54"	2 1/2 x 6"	UECPC4854		1.0#	6
		48"/62"	2 1/2 x 14"	UECPC4862		1.0#	29
		48"/66"	2 1/2 x 18"	UECPC4866		1.0#	34
		48"/72"	2 1/2 x 24"	UECPC4872		1.0#	39
		48"/80"	2 1/2 x 32"	UECPC4880		2.0#	49
		54"/62"	2 1/2 x 8"	UECPC5462		1.0#	14
		54"/72"	2 1/2 x 18"	UECPC5472		1.0#	34
		54"/80"	2 1/2 x 26"	UECPC5480		1.0#	48
		62"/66"	2 1/2 x 4"	UECPC6266		1.0#	4
		62"/72"	2 1/2 x 10"	UECPC6272		1.0#	27
		62"/80"	2 1/2 x 18"	UECPC6280		1.0#	42
		66"/72"	2 1/2 x 6"	UECPC6672		1.0#	6
		66"/80"	2 1/2 x 14"	UECPC6680		1.0#	29
		72"/80"	2 1/2 x 8"	UECPC7280		1.0#	14
		12 /00	L 1/L X 0	3201 07200	100	1.0#	17

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

A

3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

A B O



System 3000® Panels Accessories

							•				
		1	MODEL NUN	/IBER					Delivered Pricing	Delivered	Delivered
	MODEL			n Fabric or Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Pricing Pallas Vertical Fabric Grade PV1	Pricing Pallas Vertical Fabric Grade PV2
		2 1/2 x 32" C	CTFC32		2.0#	N/A	\$ 84	\$ 85	\$ 87	\$ 90	\$ 94
	Fabric covered extruded plastic trim	2 1/2 x 42" C	CTFC42		2.0#	N/A	94	95	97	102	104
-27-	piece covers exposed panel ends where 3 panels form a "T" connection	2 1/2 x 48" C	CTFC48 □□		2.0#	N/A	102	103	104	107	111
	 T-post top cap included 	2 1/2 x 54" C	CTFC54 □□		3.0#	N/A	102	103	104	107	111
Ц	Specify fabric color	2 1/2 x 62" C	CTFC62 □□		3.0#	N/A	107	108	111	112	118
		2 1/2 x 66" C	CTFC66 □□		3.0#	N/A	110	111	115	118	123
		2 1/2 x 72" C	CTFC72		3.0#	N/A	115	118	120	123	127
		2 1/2 x 80" C	CTFC80		4.0#	N/A	118	120	123	124	130
	T.D. at. Harribalatan d	0.4/000"	THOSE SE		0.0"	Φ 54					
854 254			CTUC32		2.0#	\$ 51					
	exposed panel ends where 3 panels form		CTUC42		2.0#	56 64					
	u i comicotion		CTUC54		3.0#	78					
	· processp cop constant		CTUC62		3.0#	80					
i.			CTUC66	1	3.0#	83					
			CTUC72	1	3.0#	107					
			CTUC80	1	4.0#	132					
		2 1/2 × 00	7,0000		Ψ.0π	102					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this price list.

Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Panels Accessories Variable Height T-Posts



System 3000® Panels Accessories Variable Height T-Posts

				MODEL NU	JMBER								
	MODEL	Features	WxH	Basic Model		abric color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Variable Height T-Post - Upholstered	32"/42"	2 1/2 x 10"	FECPT3242			1.0#	\$ 49	\$ 49	\$ 51	\$ 51	\$ 53	
250 2527	 Fabric-covered, extruded plastic trim 	32"/48"	2 1/2 x 16"	FECPT3248			1.0#	53	54	54	56	57	
	covers the exposed panel trim when panels of different heights meet in "T" o	r 32"/54"	2 1/2 x 22"	FECPT3254			1.0#	57	61	62	62	64	
	4-way conditions	32"/62"	2 1/2 x 30"	FECPT3262			1.0#	62	64	65	65	68	
	 Top cap included 	32"/66"	2 1/2 x 34"	FECPT3266			2.0#	65	67	68	69	73	
	 See Specifications Section for applications 	32"/72"	2 1/2 x 40"	FECPT3272			2.0#	75	75	78	79	81	
	tions	32"/80"	2 1/2 x 48"	FECPT3280			2.0#	78	78	79	80	83	
i i		42"/48"	2 1/2 x 6"	FECPT4248			1.0#	19	22	22	22	23	
, , , , , , , , , , , , , , , , , , ,		42"/54" or 54"/66"	2 1/2 x 12"	FECPT4254			1.0#	51	51	52	53	54	
		42"/62"	2 1/2 x 20"	FECPT4262			1.0#	56	57	57	61	62	
PUP		42"/66"	2 1/2 x 24"	FECPT4266			1.0#	61	62	64	64	67	
		42"/72"	2 1/2 x 30"	FECPT4272			2.0#	62	64	65	65	68	
		42"/80"	2 1/2 x 38"	FECPT4280			2.0#	69	69	73	75	78	
		48"/54"	2 1/2 x 6"	FECPT4854			1.0#	19	22	22	22	23	
		48"/62"	2 1/2 x 14"	FECPT4862			1.0#	53	54	54	56	57	
		48"/66"	2 1/2 x 18"	FECPT4866			1.0#	56	57	57	61	62	
		48"/72"	2 1/2 x 24"	FECPT4872			1.0#	61	62	64	64	67	
		48"/80"	2 1/2 x 32"	FECPT4880			2.0#	64	65	67	67	69	
		54"/62"	2 1/2 x 8"	FECPT5462			1.0#	27	27	27	27	28	
		54"/72"	2 1/2 x 18"	FECPT5472			1.0#	56	57	57	61	62	
		54"/80"	2 1/2 x 26"	FECPT5480			1.0#	62	64	65	65	68	
		62"/66"	2 1/2 x 4"	FECPT6266			1.0#	10	10	14	14	14	
		62"/72"	2 1/2 x 10"	FECPT6272			1.0#	49	49	51	51	53	
		62"/80"	2 1/2 x 18"	FECPT6280			1.0#	56	57	57	61	62	
		66"/72"	2 1/2 x 6"	FECPT6672			1.0#	19	22	22	22	23	
		66"/80"	2 1/2 x 14"	FECPT6680			1.0#	53	54	54	56	57	
		72"/80"	2 1/2 x 8"	FECPT7280			1.0#	27	27	27	27	28	
				A	B	0							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

©Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Panels Accessories Variable Height T-Posts



System 3000® Panels Accessories Variable Height T-Posts

				MODEL NU	MBER		
				Basic	Trim	Approx. Packaged	Delivered
	MODEL	Features	WxH	Model	Color	Weight	Pricing
	Variable Height T-Post - Unupholstered	32"/42"	2 1/2 x 10"	UECPT3242		1.0#	\$ 27
335077	Extruded plastic trim covers the expose	d 32"/48"	2 1/2 x 16"	UECPT3248		1.0#	32
	panel trim when panels of different heights meet in "T" or 4-way conditions	32"/54"	2 1/2 x 22"	UECPT3254		1.0#	34
	Top cap included	32"/62"	2 1/2 x 30"	UECPT3262		2.0#	44
	See Specifications Section for applica-	32"/66"	2 1/2 x 34"	UECPT3266		2.0#	51
k	tions	32"/72"	2 1/2 x 40"	UECPT3272		2.0#	53
		32"/80"	2 1/2 x 48"	UECPT3280		2.0#	56
		42"/48"	2 1/2 x 6"	UECPT4248		1.0#	6
// [/]		42"/54" or 54"/66"	2 1/2 x 12"	UECPT4254		1.0#	27
		42"/62"	2 1/2 x 20"	UECPT4262		1.0#	32
PUN		42"/66"	2 1/2 x 24"	UECPT4266		1.0#	39
		42"/72"	2 1/2 x 30"	UECPT4272		2.0#	44
		42"/80"	2 1/2 x 38"	UECPT4280		2.0#	56
		48"/54"	2 1/2 x 6"	UECPT4854		1.0#	6
		48"/62"	2 1/2 x 14"	UECPT4862		1.0#	29
		48"/66"	2 1/2 x 18"	UECPT4866		1.0#	34
		48"/72"	2 1/2 x 24"	UECPT4872		1.0#	39
		48"/80"	2 1/2 x 32"	UECPT4880		2.0#	49
		54"/62"	2 1/2 x 8"	UECPT5462		1.0#	14
		54"/72"	2 1/2 x 18"	UECPT5472		1.0#	34
		54"/80"	2 1/2 x 26"	UECPT5480		1.0#	48
		62"/66"	2 1/2 x 4"	UECPT6266		1.0#	4
		62"/72"	2 1/2 x 10"	UECPT6272		1.0#	27
		62"/80" 66"/72"	2 1/2 x 18" 2 1/2 x 6"	UECPT6280		1.0# 1.0#	42 6
		66"/80"	2 1/2 x b 2 1/2 x 14"	UECPT6672 UECPT6680		1.0#	29
		72"/80"	2 1/2 x 14 2 1/2 x 8"	UECPT7280		1.0#	14
		12 /00	2 1/2 1 0	020117200		1.0π	14

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

A

3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



System 3000® Panels Accessories

σαρο													Оцро
	MODEL	WxHxD	Basic Model	Trim Color	Fabric		Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Two-Way Cap Provides continuation of the top cap design when used in conjunction with the FECPT/UECPT	2 1/2 x 2 1/2"	TWC			1.0#	\$ 2						
HRDPT													
	Four-Way Cap • Provides continuation of the top cap when four panels of equal height meet at 90° angles	2 1/2 x 2 1/2" t	FWC			1.0#	\$ 2						
HRDPT													
	 Provides 2-1/2" space along a run of panels to allow panels at office entrance 	2 1/2 x 32" 2 1/2 x 42"	IFS42			1.0#	N/A N/A	\$ 297 311	\$ 303 320	\$ 310 326	\$ 320 335	\$ 331 351	
A SERE	to life up when i post is used on oppo	2 1/2 x 48" 2 1/2 x 54"	IFS48 IFS54			1.0#	N/A N/A	337 351	344 357	354 365	363 374	381 391	
	Includes two-way top cap and two	2 1/2 x 62"	IFS62			1.0#	N/A	366	373	385	391	415	
	•	2 1/2 x 66" 2 1/2 x 72"	IFS66 IFS72			1.0# 2.0#	N/A N/A	366 401	373 407	385 425	391 428	415 452	
IFS		2 1/2 x 80"	IFS80			2.0#	N/A	403	415	426	432	453	
	E	2 1/2 x 32 x 1" 2 1/2 x 42 x 1"	ECP42			1.0# 1.0#	\$ 27 32						
		2 1/2 x 48 x 1"				1.0#	39						
						1.0# 1.0#	42 48						
		2 1/2 x 66 x 1"				1.0#	49						
		2 1/2 x 72 x 1"				2.0#	53						
		2 1/2 x 80 x 1"	ECP80			2.0#	56						
HRDPT													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

A

B

Θ

Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



System 3000® Panels Accessories

							<u> </u>
				MODEL NU	MBER		
				Basic	Trim	Approx. Packaged	Delivered
	MODEL	Features	WxHxD	Model	Color	Weight	Pricing
	In-Line Variable Height Panel End Caps	32"/42"	2 1/2 x 10 x 1"	ECPL.3242		1.0#	\$ 8
	 Extruded plastic cap covers exposed panel end when in-line panels are of 	32"/48"	2 1/2 x 16 x 1"	ECPL.3248		1.0#	10
	different heights	32"/54"	2 1/2 x 22 x 1"	ECPL.3254		1.0#	14
	umorom noighto	32"/62"	2 1/2 x 30 x 1"	ECPL.3262		2.0#	19
		32"/66"	2 1/2 x 34 x 1"	ECPL.3266		2.0#	27
		32"/72"	2 1/2 x 40 x 1"	ECPL.3272		2.0#	29
		32"/80"	2 1/2 x 48 x 1"	ECPL.3280		3.0#	32
		42"/48"		ECPL.4248		1.0#	4
		42"/54" or 54"/66"	2 1/2 x 12 x 1"	ECPL.4254		1.0#	10
W		42"/62"	2 1/2 x 20 x 1"			1.0#	14
HRDPT		42"/66"	2 1/2 x 24 x 1"			1.0#	14
		42"/72"	2 1/2 x 30 x 1"			2.0#	19
		42"/80"	2 1/2 x 38 x 1"			2.0#	29
		48"/54"		ECPL.4854		1.0#	4
		48"/62"	2 1/2 x 14 x 1"			1.0#	10
		48"/66"	2 1/2 x 18 x 1"			1.0#	14
		48"/72"	2 1/2 x 24 x 1"			1.0#	14
		48"/80"	2 1/2 x 32 x 1"			2.0#	27
		54"/62"		ECPL.5462		1.0#	6
		54"/72"	2 1/2 x 18 x 1"			1.0#	14
		54"/80"		ECPL.5480		1.0#	19
		62"/66"		ECPL.6266		1.0#	3
		62"/72"	2 1/2 x 10 x 1"			1.0#	8
		62"/80"	2 1/2 x 18 x 1"			1.0#	14
		66"/72"		ECPL.6672		1.0#	4
		66"/80"		ECPL.6680		1.0#	10
		72"/80"	2 1/2 x 8 x 1"	ECPL.7280		1.0#	6

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

A

B

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



System 3000® Panels Accessories

								▼		
			MODEL NUMBER							
	Features	CLEAR OPENING W x H	Basic Model	Trim Color	Surface Finish	Frame Color	Approx. Packaged Weight	Delivered Pricing		
	36" Left handed Locking	28-1/2 x 77-1/2"	DRL36L				40.0#	\$ 2966		
<i>5555</i>	36" Left handed Non-Locking	28-1/2 x 77-1/2"	DRL36N				40.0#	2966		
	36" Right handed Locking	28-1/2 x 77-1/2"	DRR36L				40.0#	2966		
	36" Right handed Non-Locking		DRR36N				40.0#	2966		
	42" Left handed Locking	34-1/2 x 77-1/2"	DRL42L				40.0#	3318		
	42" Left handed Non-Locking	34-1/2 x 77-1/2"	DRL42N				40.0#	3318		
	42" Right handed Locking	34-1/2 x 77-1/2"	DRR42L				40.0#	3318		
	42" Right handed Non-Locking	34-1/2 x 77-1/2"	DRR42N				40.0#	3318		
Right hand shown										
OOR										
oor										
Provides visual and acoustical priva-										
CV										
For use in conjunction with 80"										
panels Laminate surface on door										
Locking and non-locking options										
See Specifications Section for appli-										
cations										
		48 x 66"	RSD4266FHC/CP/3K				24.0#	\$ 1349		
SD										
liding Door										
Will cover a 42" opening Mounts to a 66" panel (stackable sections may be added) Aluminum frame w/clear poly insert										
, , , , , , , , , , , , ,			•	B	•	O				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this price list.

©Select surface finish.

Refer to the **Product Color Options** page in this

• Select frame color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A **0E1, freight prepaid.** Freight class 70.



System 3000® Panels Accessories

						▼ · · · · · · · · · · · · · · · · · · ·
			MODEL NU	JMBER		
					Approx.	
			Basic	Trim	Approx. Packaged	Delivered
	MODEL	WxH	Model	Color	Weight	Pricing
	Panel Center Mount	2 1/2 x 32"	PCM32		1.0#	\$ 27
A	Provides for the attachment of an acous-	2 1/2 x 42"	PCM42		1.0#	32
***	 Provides for the attachment of an acoustical panel at a 90° angle along the face of another acoustical panel to form a "T" 	2 1/2 x 48"	PCM48		1.0#	36
	configuration	2 1/2 x 54"	PCM54		1.0#	42
1	3	2 1/2 x 62"			1.0#	48
	 Is not capable of passing power from 		PCM66		1.0#	49
HRDPT	panel-to-panel		PCM72		1.0#	52
TINDI I		2 1/2 x 72 2 1/2 x 80"			1.0#	56
						20
~ 🕞		3/4"	CH		1.0#	\$ 1
	 Attaches under the top cap of the panel to support coat hanger or hang picture 					
	to support cour nanger or nang picture					
HRDPT						
	Door Theshold	36"	DRTH36		1.0#	\$ 81
	 Provides extra stability for attaching 	42"	DRTH42		2.0#	99
	panels in a continous runAvailable in door widths only					
	Extruded aluminum door threshold with					
~	rubber seal strip					
HRDPT	Attaches to bottom of door frame					
HINDEL						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

A

3

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Electrical Universal 10-Wire System 6 Circuit "810"



System 3000® Electrical
Universal 10-Wire System 6 Circuit "810"

		MOD	EL NUMBER						
		INIOD	EL NUMBER	_					
				Approx.					
		L Basic Model	Trim	Approx. Packaged		Delivered			
	MODEL			Weight		Pricing			
	Base Feed - 6 Circuit	72" T6BF		3.0#		\$ 618			
	 Provides power from fixed floor or wall sources to panel power distribution 								
CINE OF	system								
	 Universal base feed moves left or right 								
	 Has a 72" long "liquid-tight" flexible conduit that pivots 180° left to right 								
HRDPT	conduit that pivots 180° left to right								
	Top Feed - 6 Circuit	144" T6TF		6.0#		\$ 532			
A	Provides power from ceiling source to								
	panel power distribution system • Includes 7-foot aluminum power pole,								
	top cap section, ceiling sleeve, and								
	144"power feed cable								
V	Product is UL 1286 listed								
HRDPT									
	Data Top Feed	DATAT	F 🗆	5.0#		\$ 274			
A	 Provides power pole, top cap and ceiling 								
	trim pieces for data cables • 84" power pole length								
	64 power pole length								
*									
HRDPT									
			<u> </u>						
		•	B						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Electrical Universal 10-Wire System 6 Circuit "810"



System 3000® Electrical Universal 10-Wire System 6 Circuit "810"



A

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Electrical Universal 10-Wire System 6 Circuit "810"



System 3000® Electrical Universal 10-Wire System 6 Circuit "810"

						<u> </u>
			MODEL N	UMBER		
					Annroy	
			Basic	Trim	Approx. Packaged	Delivered
	MODEL	Features PANEL WIDTH	Model	Color	Weight	Pricing
	Receptacles - 6 Circuit	Circuit 1	T6CER.1		1.0#	\$ 40
	 Attaches to wireways of 10 wire powered panels (all except 12" and 18" panels) 	d Circuit 2	T6CER.2		1.0#	40
	 Provides two (duplex) receptacles each 	Circuit 3	T6CER.3		1.0#	40
91	rated at 15 amps	Circuit 4	T6CER.4		1.0#	40
HRDPT	Some circuits are isolated ground	Circuit 5	T6CER.5		1.0#	40
	circuits (622 - 4,5, & 6), Isolated ground receptacles are color-coded orange	Circuit 6	T6CER.6		1.0#	40
	Toophanes are color coded ordinge					
4.	Power Retrofit Kit - 10-Wire - 6 Circuit	24"	T6EPR.24		2.0#	\$ 307
	 Distributes 10-wire power and allows receptacle mounting 	30"	T6EPR.30		2.0#	321
	Non-directional	36"	T6EPR.36		3.0#	331
	 Accommodates two duplex receptacles 	42"	T6EPR.42		3.0#	340
	per side; maximum of four per wireway	48"	T6EPR.48		3.0#	363
The state of the s	 24" wireway accommodates one duplex receptacle per side 	54"	T6EPR.54		4.0#	366
HRDPT	Receptacles are purchased separately	60"	T6EPR.60		4.0#	387
	Power Pass Through - 6 Circuit	Panel Width 12"	T6EPT.12		2.0#	\$ 145
	Provides continuation of power through a non-powered panel that is between two		T6EPT.18		3.0#	145
	powered panels	Panel Width 24"	T6EPT.24		4.0#	158
		Panel Width 30"	T6EPT.30		5.0#	167
	power pass through panelsPanel-to-panel connectors are not	Panel Width 36"	T6EPT.36		6.0#	167
HRDPT	required	Panel Width 42"	T6EPT.42		6.0#	167
	Product is UL 1286 listed	Panel Width 48"	T6EPT.48		7.0#	173
		Panel Width 54"	T6EPT.54		7.0#	173
		Panel Width 60"	T6EPT.60		8.0#	173
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Electrical Universal 10-Wire System 4 Circuit "810"



System 3000® Electrical
Universal 10-Wire System 4 Circuit "810"

						· · · · · · · · · · · · · · · · · · ·
		IV	NODEL NUM	MBER		
	MODEL	Ba L M	asic lodel	Trim Color	Approx. Packaged Weight	Delivered Pricing
	Base Feed - 4 Circuit Provides power from fixed floor or wall sources to panel power distribution system		4BF		3.0#	\$ 618
HRDPT	 Universal base feed moves left or right Has a 72" long "liquid-tight" flexible conduit that pivots 180° left to right 					
	Top Feed - 4 Circuit Provides power from ceiling source to panel power distribution system Includes 7-foot aluminum power pole, top cap section, ceiling sleeve, and 144"power feed cable Product is UL 1286 listed	144" T4	4TF		6.0#	\$ 532
HRDPT						
	Data Top Feed Provides power pole, top cap and ceiling trim pieces for data cables 84" power pole length	DA	ATATF		5.0#	\$ 274
HRDPT						
			A	B		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Electrical Universal 10-Wire System 4 Circuit "810"



System 3000® Electrical Universal 10-Wire System 4 Circuit "810"



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Electrical Universal 10-Wire System 4 Circuit "810"



System 3000® Electrical
Universal 10-Wire System 4 Circuit "810"

						·
			MODEL NU	IMBER		
			Danie.	Tuinn	Approx.	Delivered
	MODEL	Features PANEL WIDTH	Basic Model	Trim Color	Packaged Weight	Delivered Pricing
		Circuit 1	T4CER.1		1.0#	\$ 42
	 Attaches to wireways of 10 wire powered 	Circuit 2	T4CER.2		1.0#	42
	panels (all except 12" and 18" panels)	Circuit 3	T4CER.3		1.0#	42
	Trovides (wo (duplex) receptacies each					
	rated at 15 amps • Some circuits are isolated ground	Circuit 4	T4CER.4		1.0#	42
HRDPT	circuits (442 - 3 & 4), Isolated ground					
	receptacles are color-coded orange					
4.	Power Retrofit Kit - 10-Wire - 4 Circuit	24"	T4EPR.24		2.0#	\$ 307
	Distributes 10-wire power and allows	30"	T4EPR.30		2.0#	321
	receptacle mounting Non-directional	36"	T4EPR.36		3.0#	331
	 Accomodates two duplex receptacles per 	42"	T4EPR.42		3.0#	340
	side; maximum of four per wireway	48"	T4EPR.48		3.0#	363
entar.	24" wireway accommodates one duplex	54"	T4EPR.54		4.0#	366
HRDPT	receptacle per side • Receptacles are purchased separately	60"	T4EPR.60		4.0#	387
	• Receptacies are purchased separately		1 121 11.00		1.0#	
	Power Pass Through - 4 Circuit	Panel Width 12"	T4EPT.12		2.0#	\$ 145
<i>S</i> in	Provides continuation of power through	Panel Width 18"	T4EPT.18		3.0#	145
	a non-powered panel that is between two	Panel Width 24"	T4EPT.24		4.0#	
	powered panels					158
		Panel Width 30"	T4EPT.30		5.0#	167
	- Danal to nanal connectors are not	Panel Width 36"	T4EPT.36		6.0#	167
HRDPT	required	Panel Width 42"	T4EPT.42		6.0#	167
	Product is UL 1286 listed	Panel Width 48"	T4EPT.48		7.0#	173
		Panel Width 54"	T4EPT.54		7.0#	173
		Panel Width 60"	T4EPT.60		8.0#	173
			A	B		
				U		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Worksurfaces Rectangular



System 3000® Worksurfaces

			MODEL	NUMBE	R										
										Approx.					
	MODEL	D w W	Basic		Surface		Grommet		Grommet	Packaged	Flat Vinyl T-Edge	74P Edge	Postformed Edge	Wood Edge Veneer	
			Model		Finish	Color	Location		Color	Weight	(BN)	(74P)	(PL)	(WV)	
		24 x 18"								23.0#	\$ 354	\$ 373	\$ 442	\$ 1018	
	1-1/4" particlehoard with high-pressure	24 x 24"								23.0#	354	373	442	1018	
	laminate or veneer faces		WR2430							28.0#	385	401	482	1116	
		24 x 36"	WR2436							33.0#	407	430	509	1254	
Figh Variation (DN)	reinforcing bars	24 x 42"	WR2442							37.0#	471	492	586	1373	
Flat Vinyl T-Edge (BN)	 Edges are available in flat vinyl T-edge, 74P edges with vinyl edge banding and 	24 x 48"	WR2448							42.0#	502	525	627	1560	
	elliptical postformed front edges with	24 x 54"	WR2454							46.0#	522	549	658	1746	
	color-matched vinyl edge banding	24 x 60"	WR2460							51.0#	542	567	678	1981	
	 Wood veneer surfaces have veneer faces 	3 24 x 66"	WR2466							56.0#	555	582	692	2097	
	with elliptical profile solid reconstituted	24 x 72"	WR2472							61.0#	564	594	708	2284	
V	wood from edge with all other edges	24 x 78"								66.0#	581	608	726	2499	
3mm PVC Edge (3L)	3	24 x 70								71.0#		629	747	2714	
Postformed Edge (PL)	Cantilovers allow mounting to panels at										599				
Wood Edge (WV)	1" height increments		WR2490							74.0#	606	635	754	2783	
	Worksuriaces are predrined for drawer	24 x 96"	WR2496							76.0#	615	643	769	2852	
WR	suspended pedestals, center drawer and		WR3024							28.0#	385	401	482	1116	
	adjustable keyboard padAll surfaces 66" and longer are provided	30 x 30"	WR3030							34.0#	407	430	509	1222	
	with an additional left-hand cantilever	30 x 36"	WR3036							40.0#	441	462	551	1382	
		30 x 42"	WR3042							46.0#	500	519	619	1531	
	 Worksurfaces with postformed and 	30 x 48"	WR3048							57.0#	536	562	666	1730	
	veneer edges have one 2-1/2" x 6"	30 x 54"	WR3054							62.0#	549	575	686	1937	
	grommet up to 54" wide, 60" - 96" have two grommets	30 x 60"	WR3060						000 l	68.0#	565	595	712	2232	
		30 x 66"	WR3066							72.0#	586	616	735	2419	
	Tedge worksurfaces only		WR3072							79.0#	595	627	741	2603	
	-		WR3078							85.0#	607	637	758	2875	
		30 x 84"	WR3084							89.0#	617	648	776	3154	
		30 x 90"	WR3090							92.0#	630	663	789	3243	
		30 x 96"	WR3096							94.0#	643	676	806	3343	
			A	B	•	0	(3	(3)	G						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

- 74P edge 74P - Postformed edge

Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

• Select trim color for painted surfaces. Refer to the **Product Color Options** page in this price list.

Grommet position on T-edge (BN) only.

N - Grommet : none - no upcharge
L - Grommet : left; add \$61

- Grommet : center; add \$61 - Grommet : right; add \$61

Select edge style.

BN - Flat vinyl T-edge

Select edge color.

- Wood edge, veneer surface

Refer to the Product Color Options page in this price list.

LC

CR

LCR

\$179

GSelect grommet color on T-edge (BN) only. Refer to the **Product Color Options** page in this

- Grommet : left/right; add \$120

- Grommet: left/center; add \$120

- Grommet: center/right; add \$120

- Grommet : left/center/right; add

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Worksurfaces "P" Shaped Peninsula/Piano Peninsula



System 3000® Worksurfaces "P" Shaped Peninsula/Piano Peninsula

			MODEL NU	IMBER									
										Approx.	V		
	MODEL	DxWxL	Basic Model	Dir.	Edge Style	Surface Finish	Trim Color	Edge Color	Grommet Color	Packaged Weight	74P Edge (74P)	Wood Edge Veneer (WV)	
	"P" Shaped Peninsula Worksurfaces	24 x 48 x 60"	WPT244860							65.0#	\$ 1035	\$ 6792	
^	 Peninsula worksurfaces consist of 	24 x 48 x 72"	WPT244872							79.0#	1106	8001	
	1-1/4" particleboard with high-pressure									88.0#	1138	8070	
	laminate or veneer finishesEdge is available with 74P front edges	00 X 10 X 12	W1 100 107 E							30.0%	1100	0010	
	with color-matched vinyl edge banding												
	Wood veneer surfaces have veneer faces	S											
(Left Shown)	with elliptical profile solid reconstituted												
	wood front edge with all other edges												
WPRS	being												
	banded with reconstituted veneerIncludes worksurface supports												
	 Round end is supported by 3" diameter 												
	metal column with adjustable glides												
	· Cantilevers allow mounting to panels at												
	1" height increments												
	Peninsula worksurfaces have one 2-1/2'	"											
	x 6" grommet centered on rear edge												
	 72" worksurfaces contain two steel reinforcing bars 												
	Piano Peninsula Worksurfaces	24 x 48 x 60"								59.0#	\$ 1035	\$ 5160	
	 Peninsula worksurfaces consist of 1-1/4" particleboard with high-pressure 	24 x 48 x 72"	WPP244872							72.0#	1106	6045	
	laminate or veneer finishes	30 x 48 x 72"	WPP304872							82.0#	1138	6148	
	Edge is available with 74P front edges												
	with color-matched vinyl edge banding												
(Left Shown)	 Wood veneer surfaces have veneer faces 	S											
(Lott Offowri)	with elliptical profile solid reconstituted												
WPRS	wood front edge with all other edges												
WPRS	being banded with reconstituted veneer												
	Includes worksurface supports												
	· Round end is supported by 3" diameter												
	metal column with adjustable glides												
	Cantilevers allow mounting to panels at												
	1" height incrementsPeninsula worksurfaces have one 2-1/2"	,,											
	x 6" grommet centered on rear edge												
	 72" worksurfaces contain two steel 												
	reinforcing bars												
	-												
			A	B	•	0	3	•	G				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **DL** Direction left - Direction right
- Direction is determined by the side of the work-
- Select edge style.

 74P 74P edge
- Refer to the **Product Color Options** page in this
- selections.
- Select trim color for painted surfaces.
- Refer to the **Product Color Options** page in this
- Select edge color.

Refer to the **Product Color Options** page in this

Refer to the **Product Color Options** page in this

price list.

price list.

GSelect grommet color.

- **B**Select surface direction.
- surface that adjoins an adjacent worksurface.
- Wood edge, veneer surface

DSelect surface finish.

- Surface finish offerings are based on edge style

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

With specially marked information N/C

SPECIAL SERVICES

Special Carton Marking

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Worksurfaces Square Shoe/Conference End



System 3000® Worksurfaces Square Shoe/Conference End

			MODEL NU	IMBER	l l									
										_				
										Approx.				
	MODEL	DxWxL	Basic Model	Dir.	Style	Surface Finish	Color	Color	Grommet Color	Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Wood Edge Veneer (WV)	
	Square Shoe Worksurfaces	24 x 48 x 60"	WSS244860							71.0#	N/A	\$ 951	\$ 4182	
	Shoe worksurfaces consist of 1-1/4"	24 x 48 x 66"	WSS244866							75.0#	N/A	999	4593	
	particleboard with high-pressure lami- nate or veneer finishes	24 x 48 x 72"	WSS244872							79.0#	N/A	1026	5013	
	Edge is available with 74P front edges	24 x 48 x 84"	WSS244884							87.0#	N/A	1049	5826	
	with color-matched vinyl edge banding	30 x 48 x 66"	WSS304866							89.0#	N/A	1045	4593	
(Left Shown)	 Wood veneer surfaces have veneer faces 	S 30 x 48 x 72"	WSS304872							93.0#	N/A	1063	5013	
	with elliptical profile solid reconstituted wood front edge with all other edges	30 x 48 x 84"	WSS304884							101.0#	N/A	1092	5826	
S	being banded with reconstituted veneer									10.110				
	 Includes worksurface supports 													
	 Cantilevers allow mounting to panels at 													
	1" height incrementsShoe worksurfaces have one 2-1/2" x													
	6" grommet centered on side and rear													
	edges													
	 60" worksurfaces contain two steel 													
	reinforcing bars • All surfaces 66" and longer are provided	4												
	with an additional left-hand cantilever	ı												
	bracket													
		05 540								21.27	* =0.4			
\wedge	Conference End Worksurfaces • Worksurfaces consist of 1-1/4" parti-	25 x 51"	WCE2551							21.0#	\$ 584	\$ 609	\$ 1517	
	cleboard with high-pressure laminate or	31 x 51"	WCE3151							32.0#	607	637	1704	
	veneer faces	31 x 63″	WCE3163							42.0#	630	663	4073	
		37 x 63"	WCE3763							60.0#	864	905	4854	
U	and 74P edgeWood veneer surfaces have veneer faces													
	with elliptical profile solid reconstituted													
	wood front edge with all other edges													
	being banded with reconstituted veneer													
	Worksurfaces include two 3" diameter													
	metal columns with adjustable glides													
			^	_	6	•	6	_	<u> </u>					
			A	₿	Θ	0	3	•	œ					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select surface direction.
- DL Direction left - Direction right
- Direction is determined by the side of the worksurface that adjoins an adjacent worksurface.
- Select edge style.
 - BN Flat vinyl T-edge 74P - 74P edge - Wood edge, veneer surface
- Select surface finish.
- Refer to the **Product Color Options** page in this
- Surface finish offerings are based on edge style selections.
- Select trim color for painted surfaces. Refer to the **Product Color Options** page in this price list.

Select edge color.

Refer to the **Product Color Options** page in this

GSelect grommet color.

Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Worksurfaces "D" Shaped Peninsula



System 3000® Worksurfaces "D" Shaped Peninsula

												^		
			MODEL N	UMBER										
												F		
					o ,	. .				Approx.	F1 .	VC 1751	740.51	
	MODEL	D x W	Basic Model	Edge	Surface	Color	Grommet Location	Edge	Grommet Color	Packaged Weight	Fiat (BN	Vinyl T-Edge	74P Edge (74P)	
	"D" Shaped Peninsula Worksurfaces		WP3048							53.0#	•	726	\$ 760	
	D-shaped worksurfaces end-mount to										φ			
	panels	30 x 60"	WP3060							63.0#		803	841	
	 The round end is supported by a 3" 		WP3072							76.0#		885	931	
		36 x 60"								75.0#		981	1032	
U	glides	36 x 72"	WP3672							89.0#		1066	1118	
	 Surface consists of 1-1/4" particleboard with high-pressure laminate with flat 													
WCDC	vinyl T-edge or 74P edge													
	Not available with laminate postformed													
	edge													
	Includes mounting hardware72" worksurfaces contain two steel													
	reinforcing bars													
	Tollifolding Build													
-	"D" Shaped Peninsula Worksurface	30 v 30"	WSMP3048							54.0#	\$	726	\$ 760	
	Mounts to Another Worksurface	30 x 30"	WSMP3060							64.0#	Ψ	803	841	
	D-shaped worksurfaces side mount to	30 x 30"	WSMP3072							77.0#		885	931	
	worksurfaces at 29"-30" height	30 X 30	W5WP3072							77.0#		883	931	
	 The round end is supported by a 3" 													
	diameter metal column with adjustable													
	glides • Surface consists of 1-1/4" particleboard													
-	with high-pressure laminate with flat													
WCDC	vinyl T-edge or 74P edge													
	 Not available with laminate postformed 													
	edge or wood veneer with wood edge													
	 Does not include wire management grommet 													
	 72" worksurfaces contain two steel 													
	reinforcing bars													
	 Includes mounting hardware 													
					_									
			A	$oldsymbol{\Theta}$	$oldsymbol{\Theta}$	0	(3	(3)	œ					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

- - **74P** 74P edge
- Select surface finish.

price list. Surface finish offerings are based on edge style

- price list.
- Grommet position on T-edge (BN) only.
- N Grommet : none no upcharge
 L Grommet : left; add \$61

- LC Grommet: left/center; add \$120

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 BN Flat vinyl T-edge

Refer to the **Product Color Options** page in this

- Select trim color for painted surfaces. Refer to the **Product Color Options** page in this
- LR Grommet : left/right; add \$120
- Grommet : center; add \$61 - Grommet : right; add \$61

- Grommet: center/right; add \$120

- LCR - Grommet : left/center/right; add \$179
- Select edge color.

Refer to the **Product Color Options** page in this price list.

GSelect grommet color.

Refer to the Product Color Options page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Worksurfaces Dual Curvilinear 90° Corner



System 3000® Worksurfaces Dual Curvilinear 90° Corner

			MODEL NU	MBER					
	MODEL	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	Surface Finish	Trim Color	Edge Color	Grommet Color	Approx. t Packaged 74P Edge Wood Edge Veneer Weight (74P) (WV)
		24 x 48 x 48 x 24"	WDC244224				_		75.0# \$ 2650
\wedge	Dual Curvilinear 90° Corner Worksurface	24 x 48 x 48 x 24"	WDC244824						84.0# 2713 6633
	w/Spring-Assist Mechanism	24 x 48 x 48 x 30"	WDC304830						98.0# 2863 6869
	 Worksurfaces consist of 1-1/4" parti- 								
* *	cleboard with high-pressure laminate or veneer faces								
WC	Laminate edge is available in 74P								
	 Wood veneer surfaces have veneer faces 	}							
	with elliptical profile solid reconstituted								
	wood front edge with all other edges being banded with reconstituted veneer								
	 Variable height adjustment mechanism 								
	adjusts 5-3/4" below and 7" above								
	surfaceTilt adjustment of 9° positive and 15°								
	negative								
	Spring-assist mechanism will lift five								
	pounds of equipment located on the keyboard surface. Higher capacity mech-	-							
	anisms are available as a special order								
	Rear surface remains stationary and								
	front surface provides height and tilt adjustment								
	Mounting hardware is included								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

BN - Flat vinyl T-edge - 74P edge

- Wood edge, veneer surface

A

price list.

3

9 0 3

(3)

Select surface finish.

price list.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

• Select trim color for painted surfaces. Refer to the **Product Color Options** page in this

Select edge color. Refer to the **Product Color Options** page in this price list.

Select grommet color.

Refer to the **Product Color Options** page in this

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

With specially marked information N/C

SPECIAL SERVICES **Special Carton Marking**

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Worksurfaces Diagonal 90° Corner



Approx.

46.0#

51.0#

55.0#

62.0#

64.0#

51.0#

69.0#

69.0#

78.0#

Packaged Flat Vinyl T-Edge

\$ 562

646

601

745

694

601

646

694

745

74P Edge

\$ 592

678

630

787

731

630

678

731

787

Postformed Edge

\$ 704

807

N/A

934

N/A

N/A

807

N/A

934

Wood Edge Veneer

\$ 2742

3716

N/A

4670

N/A

N/A

N/A

3836

4784

System 3000® Worksurfaces Diagonal 90° Corner

			MODEL NU	MBER				
	MODEL	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	Surface Finish	Trim Color	Edge Color	Grommet Color
	Diagonal 90° Corner Worksurfaces	24 x 36 x 36 x 24"	WD243624					
	 Worksurfaces consist of 1-1/4" parti- cleboard with high-pressure laminate or 	24 x 42 x 42 x 24"	WD244224					
	veneer faces	24 x 42 x 42 x 30"	WD244230					
V	 Edges are available in flat vinyl T-edge, 	24 x 48 x 48 x 24"	WD244824					
74P Edge (74P)	elliptical postformed front edges with	24 x 48 x 48 x 30"	WD244830					
	 color-matched vinyl edge banding Wood veneer surfaces have veneer faces 	30 x 42 x 42 x 24"	WD304224					
	with elliptical profile solid reconstituted	30 x 42 x 42 x 30"	WD304230					
	wood front edge with all other edges	30 x 48 x 48 x 24"	WD304824					
v	 being banded with reconstituted veneer Worksurfaces provide a straight front 	30 x 48 x 48 x 30"	WD304830					
Flat Vinyl T-Edge (BN)	edge to access corner work area							
	• 3" diameter grommet standard on vinyl							
VC	T-edge worksurfaces • Corner worksurfaces with 74P, post-							
	formed and wood veneer edges have one							
	2-1/2" x 6" grommet located 12" from							
	rear corner along right rear edge Mounting hardware included, lefthand							
	cantilever provided for rear corner							
	 Worksurface is predrilled to accept 							
	adjustable keyboard pad							
	Cantilevers allow mounting at 1" height increments							
			A	B	$oldsymbol{\Theta}$	O	Ø	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

BN - Flat vinyl T-edge

74P - 74P edge - Postformed edge - Wood edge, veneer surface

Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

• Select trim color for painted surfaces. Refer to the **Product Color Options** page in this price list.

Select edge color.

Refer to the **Product Color Options** page in this

• Select grommet color.

Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Worksurfaces Curvilinear 90° Corner



System 3000® Worksurfaces Curvilinear 90° Corner

			MODEL NU	JMBER					
									Angray
			Basic	Edge	Surface	Trim	Edge	Grommet	Approx. Packaged 74P Edge Wood Edge Veneer
	MODEL	D x W-LEFT x W-RIGHT x D	Model	Style			Color	Grommet Color	Weight (74P) (WV)
	Curvilinear 90° Corner Worksurfaces	24 x 36 x 36 x 24"	WC243624						44.0# \$ 643 \$ 2863
	Worksurfaces consist of 1-1/4" parti- lab and with high processes largingtees.	24 x 42 x 42 x 24"	WC244224						49.0# 686 3889
	cleboard with high-pressure laminate or veneer faces	24 x 42 x 42 x 30"	WC244230						53.0# 686 2917
	 Laminate edge available w/74P edges 	24 x 48 x 48 x 24"	WC244824						60.0# 856 4769
74P Edge (74P)	Wood veneer surfaces have veneer faces	S 24 x 48 x 48 x 30"	WC244830						62.0# 856 3889
	with elliptical profile solid reconstituted wood front edge with all other edges	30 x 36 x 36 x 30"	WC303630						49.0# 643 2974
WC	being banded with reconstituted veneer	30 x 42 x 42 x 24"	WC304224						49.0# 686 2917
	Corner worksurfaces have one 2-1/2"	30 x 42 x 42 x 30"	WC304230						67.0# 735 4048
	x 6" grommet located 12" from rear	30 x 48 x 48 x 24"	WC304824						60.0# 856 3889
	corner along right rear edgeMounting hardware is included. A	30 x 48 x 48 x 30"	WC304830						76.0# 899 4906
	lefthand cantilever is provided for rear								
	corner								
	Worksurface is predrilled to accept								
	adjustable keyboard padCantilevers allow mounting at 1" height								
	increments								
			A	B	Θ	D	(3	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

74P - 74P edge

WV - Wood edge, veneer surface

Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

- Select trim color for painted surfaces. Refer to the Product Color Options page in this
- Select edge color.
 Refer to the **Product Color Options** page in this
- Select grommet color.

price list.

Refer to the **Product Color Options** page in this

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220,

freight prepaid. Freight class 70.

System 3000® Worksurfaces Mobile Teardrop/Mobile Semi-Circle



System 3000® Worksurfaces Mobile Teardrop/Mobile Semi-Circle

			MODEL N	UMBER							
			Basic	Edge		Trim	Surface	Edge	Approx. Packaged	Flat Vinyl T-Edge	74P Edge
	MODEL	D x DIA	Model	Edge Style	Height	Color	Finish	Color	Weight	(BN)	(74P)
	Mobile Teardrop Worksurfaces	24 x 45"	WMTP2445						98.0#	\$ 1213	\$ 1268
	 1-1/2" solid particleboard with high-pressure laminate 	30 x 55"	WMTP3055] 9				132.0#	1215	1277
	 Flat vinyl T-edge or 74P edge 										
	Base consists of three 3" diameter and a support large with adjusted large										
	metal support legs with adjustable chrome-plated glide										
Ą	 Enamel finish on legs 										
WMT	 Connects to end of 24" or 30" Work- Zone[®] worksurface 										
VVIVII	 Wireway option not available 										
	 Pointed end is removed to accommoda 	te									
	corner of two System 3000® panels										
	Mobile Semi-Circle Worksurfaces	24 x 50-1/2"	WMSCP51		9				69.0#	\$ 1451	\$ 1517
	 1-1/2" solid particleboard with high-pressure laminate 	24 x 62-1/2"	WMSCP63		9				88.0#	1474	1554
1	Flat vinyl T-edge or 74P edge										
	Base consists of three 3" diameter										
	metal support legs with adjustable chrome-plated glide										
y a	 Enamel finish on legs 										
₽ 2	 Connects to end of 24" or 30" Work- Zone[®] worksurface 										
WMT	Notched in center for wire management	t									
WWW	 Wireway option not available 										
	 Notch enables surface to wrap around end cap of System 3000® panel 										
	 50-1/2" diameter accommodates two 										
	24" deep WorkZone® worksurfaces separated by a System 3000® panel										
	 62-1/2" diameter accommodates two 										
	30" deep WorkZone® worksurfaces										
	separated by a System 3000® panel										
			A	$oldsymbol{eta}$	$oldsymbol{\Theta}$	0	(3	•			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

selections.

A Select basic model.

Select edge style.

BN - Flat vinyl T-edge **74P** - 74P edge

9 - 29" High

• Select trim color for painted surfaces. Refer to the **Product Color Options** page in this price list.

Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Worksurfaces Quarter Round Transitional



System 3000® Worksurfaces Quarter Round Transitional



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

B

A

 $\mathbf{\Theta}$

0

•

A Select basic model.

Select edge style.

BN - Flat vinyl T-edge

74P - 74P edge

Select trim color for painted surfaces. Refer to the **Product Color Options** page in this price list.

DSelect surface finish. Refer to the Product Color Options page in this

price list. Surface finish offerings are based on edge style selections.

Select edge color.

Refer to the Product Color Options page in this price list.

Edge color offerings are based on edge style selections.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Worksurfaces



System 3000® Worksurfaces

			MODEL	. NUMBER								
			MODEL	NOMBER								
	MODEL	D x W	Basic Model	Edge S Style Fi	urface nish	Trim Edge	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Postformed Edge (PL)	Wood Edge Veneer (WV)	
	Straight Countertops		WCT24				-	\$ 320	\$ 331	\$ 395	\$ 1170	
	 Rectangular worksurfaces consist of 	16 v 20"						350	366	432	1373	
	1- 1/4" particleboard with high-pressure	16 x 36"	WCT36					371	389	462	1527	
	laminate or veneer faces							427				
	 Edges are available in flat vinyl T-edge, 74P edges with vinyl edge banding and 		WCT42						448	536	1676	
	elliptical postformed front edges with							457	478	567	1873	
\$1	color-matched vinyl edge banding	16 x 54"						476	502	599	2127	
CTP	 Wood veneer surfaces have veneer faces 		WCT60					500	519	619	2380	
	with elliptical profile solid reconstituted							506	536	635	2531	
	wood front edge with all other edges	16 x 72"	WCT72				□ 40.0#	518	547	648	2632	
	being banded with reconstituted veneerCountertop extends 4" over the top of	16 x 78"	WCT78				□ 43.0#	534	557	663	2686	
	the panel to comply with 2010 ADA and	16 x 84"	WCT84				□ 43.0#	542	567	678	3189	
	ICCA117.1.											
	Brackets include steel locking clips to											
	prevent dislodgementCountertops accept task light											
	• Countertops accept task light											
	90° Countertops	16 x 24"	W9024				□ 23.0#	\$ 519	\$ 548	\$ 656	\$ 4321	
	 Construction is same as straight coun- 	16 x 30"	W9030				□ 30.0#	664	699	830	4630	
	tertop except it is a two-piece mitered	16 x 36"	W9036					783	820	976	4850	
	surface with 90° right angle											
11												

HOW TO ORDER

WCTP

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

BN - Flat vinyl T-edge - 74P edge 74P - Postformed edge - Wood edge, veneer surface

(3)

 Θ

0 3

Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

OSelect trim color for painted surfaces. Refer to the **Product Color Options** page in this price list.

Select edge color.

Refer to the **Product Color Options** page in this

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

With specially marked information N/C

Shipping

SPECIAL SERVICES **Special Carton Marking**

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Worksurfaces Countertops - ADA Height



System 3000® Worksurfaces Countertops - ADA Height

			MODEL NUI	MBER								
	MODEL	D x W	Basic Model	Edge S Style F	Surface Finish	Trim Edge Color Color	Approx. Packaged	Flat Vinyl T-Edge (BN)	74P Edge	Postformed Edge	Wood Edge Veneer	
	Straight Countertops - ADA Height		WCTWC24				Weight 16.0#	\$ 369	(74P) \$ 385	(PL) \$ 448	(WV) \$ 1221	
	 For use with 32" high panels only. 											
	Per the 2010 ADA and ICC A117.1, KI		WCTWC30				19.0#	397	422	486	1422	
	countertops do not extend more than						22.0#	425	441	511	1574	
	4 inches into a circulation path and		WCTWC42				25.0#	476	501	584	1723	
	meet the requirements for a clear floor		I				28.0#	506	534	619	1927	
VII	space positioned for a parallel approach adjacent to the accessible counter.	16 x 54"	WCTWC54				31.0#	532	551	648	2177	
	Rectangular worksurfaces consist of	16 x 60"	WCTWC60				34.0#	548	569	670	2432	
WCTP	1-1/4" particleboard with high-pressure	16 x 66"	WCTWC66				37.0#	561	584	686	2582	
	laminate or veneer faces	16 x 72"	WCTWC72				40.0#	567	595	700	2678	
	 Edges are available in flat vinyl T-edge, 74P edges with vinyl edge banding and 	16 x 78"	WCTWC78				43.0#	582	607	714	2738	
	elliptical postformed front edges with		WCTWC84			oo loool	46.0#	594	619	731	3237	
	color-matched vinyl edge banding											
	 Wood veneer surfaces have veneer faces 	S										
	with elliptical profile solid reconstituted											
	wood front edge with all other edges being banded with reconstituted veneer											
	Brackets include steel locking clips to											
	prevent dislodgement											
	. •											
	90° Countertops - ADA Height		WCTWC9024				23.0#	\$ 569	\$ 599	\$ 704	\$ 4370	
	 Construction is same as straight countertop except it is a two-piece mitered 		WCTWC9030				30.0#	716	747	884	4679	
	surface with 90° right angle (ADA	16 x 36"	WCTWC9036				37.0#	830	871	1027	4897	
	height)											
V												
WCTP												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

BN - Flat vinyl T-edge - 74P edge 74P - Postformed edge - Wood edge, veneer surface

A

 \mathbf{G}

9 0 3

Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections.

• Select trim color for painted surfaces. Refer to the **Product Color Options** page in this price list.

Select edge color.

Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

WSSP

System 3000® Worksurfaces Worksurface Support Panel

 Adjustable glides provide leveling Select fabric and laminate color



System 3000® Worksurfaces Worksurface Support Panel

			MODEL NUM	BER											
			Basic					Edge	Approx. Packaged	Delivered Pricing Fabric Grade	Delivered Pricing Fabric Grade	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade	Delivered Pricing Pallas Vertical Fabric Grade	Delivered Pricing Pallas Vertical Fabric Grade	
	MODEL	D x H	Model	Dir.	Finish	Color	Color	Color	Weight	1 & C.O.M.	2	PV	PV1	PV2	
	Worksurface Support Panel (Fabric/	24 x 26"	WSSP2426/BN						15.0#	\$ 680	\$ 692	\$ 704	\$ 716	\$ 744	
£	Laminate)	24 x 29"	WSSP2429/BN						16.0#	692	705	714	729	755	
	Available in fabric one side/laminate	30 x 26"	WSSP3026/BN						17.0#	692	705	714	729	755	
	other side with flat vinyl T-edge only Support panel provides additional work- 	30 x 26"	WSSP3029/BN						18.0#	713	722	735	745	776	
	surface support in extensive worksurfac	e													
	loading applications														
	 Mounts to panels and worksurface 														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

(A)

3

Θ

0

(3

(3)

- A Select basic model.
- **B**Select surface direction.
 - **DL** Direction left
 - Direction right
- Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

- OSelect trim color.
- Refer to the **Product Color Options** page in this price list.
- Select fabric color. Refer to ki.com/fabrics
- Select edge color. Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Worksurfaces Worksurface Support Panel



System 3000® Worksurfaces Worksurface Support Panel

			MODEL NUI	MRFR											
			MODEL NO												
	MODEL	D x H	Basic Model	Dir.	Edge Style	Surface Finish	Veneer Color	Trim Color	Edge	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Postformed Edge (PL)	Wood Edge Veneer (WV)	
	Worksurface Support Panel (Laminate		WSSPL2426							15.0#	\$ 473	\$ 496	\$ 592	N/A	
:	Both Sides)	24 x 26"	WSSPL2429							16.0#	476	502	599	N/A	
	Available in laminate both sides Support panel provides additional work	30 x 26"	WSSPL3026							17.0#	476	502	599	N/A	
	 Support panel provides additional work- surface support in extensive worksurfac 	e 30 x 29"	WSSPL3029							18.0#	492	513	615	N/A	
	loading applications														
	Mounts to panel and worksurface Adjustable glides provide leveling														
	Adjustable glides provide leveling														
L		0.4 00"	14/00DV0400		1407					45.0%	NI/A	NI/A	B1/A	Φ 000	
	Worksurface Support Panel (Veneer Both Sides)									15.0#	N/A	N/A	N/A	\$ 882	
	Available in veneer both sides									16.0#	N/A	N/A	N/A	972	
			WSSPV3026							17.0#	N/A	N/A	N/A	951	
	Support panel provides additional work- surface support in extensive worksurface.	e 30 x 29"	WSSPV3029		VVV					18.0#	N/A	N/A	N/A	1063	
	loading applicationsMounts to panel and worksurface														
	Adjustable glides provide leveling														
V															
•			A	<u> </u>	e		(a)	a	(A)						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select surface direction.
- **DL** Direction left DR - Direction right
- Select edge style.
 - Flat vinyl T-edge - 74P edge - Postformed edge - Wood edge, veneer surface
- OSelect surface finish.
- Refer to the **Product Color Options** page in this
- Surface finish offerings are based on edge style selections.
- Select veneer color.

Refer to the **Product Color Options** page in this

Select trim color.

Refer to the **Product Color Options** page in this price list.

GSelect edge color.

Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000 Worksurface Accessories



System 3000 Worksurface Accessories

							▼ · · · · · · · · · · · · · · · · · · ·
				MODEL N	UMBER		
	MODEL	Features	WxHxD		Trim Color	Approx. Packaged Weight	Delivered Pricing
	Grommets - Field Installed • Grommets can be field installed in work-	Inside - 2-3/4", Outside - 3"		WSG		1.0#	\$ 4
	surfaces to provide cable access where						
	needed						
HRDPT	For flat vinyl T-edge surfaces only						
	Worksurface Support Bracket		3 x 4"	WSB.L		1.0#	\$ 29
	 Provides auxiliary support to front edge 		3 x 4"	WSB.R		1.0#	29
5	of worksurface where pedestals or equipment requires additional worksur-						
4	face support						
HRDPT	Return panel must be equal to worksur-						
	face depth	_					
~1	Worksurface Vertical Filler • Steel bracket connects worksurface at		3 x 24"	WSVF.24		3.0#	\$ 57
2000	27" height to 29" heights		3 x 30"	WSVF.30		3.0#	64
50/0/0	 Fills gap between surfaces to prevent 						
\ <u>^</u>	accidental dropping of work tools or paper						
HRDPT	ραροι						
11112111	Worksurface Wire Manager	W - 2", D - 2-1/2"		WWM		1.0#	\$ 67
	 Constructed of easy-to-use, high quality 	,,-					•
	black velcroHarness is fastened to underside of						
	worksurface with pressure sensitive						
*	adhesive						
HRDPT	Shipped assembledBlack only						
	2.do., omy						
				A	B		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000[®] Storage and Accessories Universal Overhead Storage



System 3000® Storage and Accessories Universal Overhead Storage

Unive Mode	iversal Steel Overhead Cabinet - On	WxHxD	MODEL NU Basic												
Unive Mode	iversal Steel Overhead Cabinet - On	WxHxD	Basic												
Modu			Model	Panel Mount	Assembly		Lock Color	Approx. Package Weight		livered cing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
Modu		24 x 16-1/2 x 14-1/2"	PRDS24/3K	PM				32.0≉	# \$	597					
• On		30 x 16-1/2 x 14-1/2"	PRDS30/3K	PM				36.0∜	#	658					
111/2	On-module(PM) overheads mount into	36 x 16-1/2 x 14-1/2"	PRDS36/3K	PM				40.0#	#	667					
	slots in vertical posts. Overheads must be same width as panel mounted to.	42 x 16-1/2 x 14-1/2"	PRDS42/3K	PM				44.0#	#	713					
		48 x 16-1/2 x 14-1/2"	PRDS48/3K	PM				49.0#	#	754					
inc	ncrements	54 x 16-1/2 x 14-1/2"	PRDS54/3K	PM				53.0#	#	864					
	ncludes separate brackets which allow	60 x 16-1/2 x 14-1/2"	PRDS60/3K	PM				57.0#	#	920					
	or on-module mounting Steel bottom and top shelf, end panels														
	and front with powder-coated finish														
	Accepts shelf divider														
	Door stores recessed with plastic trim nandle exposed														
	Double bit lock is included														
• Sh	Shelf depth is 13-1/4"														
Unive	iversal Fabric Overhead Cabinet - On	24 x 16-1/2 x 14-1/2"	PRDF24/3K	PM				32.0∜	#	N/A	\$ 630	\$ 640	\$ 650	\$ 650	\$ 657
Modu		30 x 16-1/2 x 14-1/2"	PRDF30/3K	PM				36.0∌	#	N/A	687	700	709	709	716
	On-module(PM) overheads mount into	36 x 16-1/2 x 14-1/2"	PRDF36/3K	PM				40.0#	#	N/A	705	715	725	725	735
	slots in vertical posts. Overheads must be same width as panel mounted to.	42 x 16-1/2 x 14-1/2"	PRDF42/3K	PM				44.0#	#	N/A	747	758	769	769	781
	Allows for vertical adjustment in 1"	48 x 16-1/2 x 14-1/2"	PRDF48/3K	PM				49.0#	#	N/A	794	810	819	819	828
		54 x 16-1/2 x 14-1/2"	PRDF54/3K	PM				53.0 /	#	N/A	905	922	934	934	940
	ncludes separate brackets which allow or on-module mounting	60 x 16-1/2 x 14-1/2"	PRDF60/3K	PM				57.0 /	#	N/A	969	987	995	995	1011
	Steel bottom and top shelf, end panels														
and	and front with powder-coated finish														
	Accepts shelf divider Door stores recessed with plastic trim														
	nandle exposed														
• Do	Double bit lock is included														
• Sh	Shelf depth is 13-1/4"														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select mounting style.
PM - On module

F - Fully Assembled; add \$179

price list.

- Unassembled

DSelect paint color.

Refer to the **Product Color Options** page in this price list.

Select fabric.

Refer to ki.com/fabrics

Select lock option.

KA - Key alike

- Key standard NLC - No lock core

GSelect lock color.

Refer to the **Product Color Options** page in this

INFORMATION

Lock

Units may be specified with a lock (KA or KS). With key standard (KS), keying is random. With key alike (KA), key numbers can be specified by entering the four character key designation from "L101 through L150".

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

System 3000® Storage and Accessories Universal Overhead Storage



Approx.

Weight

32.0#

36.0#

40.0#

44.0#

48.0#

53.0#

57.0#

Packaged Delivered

Pricing

886

902


960

1020

1168

1250

System 3000® Storage and Accessories Universal Overhead Storage



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect mounting style. PM - On module

CSelect assembly.

F - Fully Assembled; add \$179

- Key standard

Refer to the Product Color Options page in this

NLC - No lock core

Select lock color.

price list.

- Unassembled

OSelect paint color. Refer to the **Product Color Options** page in this

Select laminate color.

Refer to the **Product Color Options** page in this

Select veneer and edge color. Refer to the **Product Color Options** page in this

GSelect lock option.

KA - Key alike

INFORMATION

Lock

Units may be specified with a lock (KA or KS). With key standard (KS), keying is random. With key alike (KA), key numbers can be specified by entering the four character key designation from "L101 through L150".

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

System 3000® Storage and Accessories Universal Overhead Storage



Approx.

34.0#

36.0#

44.0#

49.0#

54.0#

60.0#

64.0#

Packaged Delivered

Pricing

1844

1921


2165

2460

2687

2954

System 3000® Storage and Accessories Universal Overhead Storage



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect mounting style. PM - On module

Select assembly.

F - Fully Assembled; add \$179 - Unassembled

OSelect paint color.

Refer to the **Product Color Options** page in this price list.

Select laminate color.

Refer to the **Product Color Options** page in this

Select veneer and edge color. Refer to the **Product Color Options** page in this

GSelect lock option.

KA - Key alike

- Key standard NLC - No lock core

price list.

Select lock color. Refer to the Product Color Options page in this

INFORMATION

Lock

Units may be specified with a lock (KA or KS). With key standard (KS), keying is random. With key alike (KA), key numbers can be specified by entering the four character key designation from "L101 through L150".

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

System 3000® Storage and Accessories Universal Overhead Storage



System 3000® Storage and Accessories Universal Overhead Storage

			MOD	EL NUMB	BER		
	MODEL	Features W x H x D	Basic Model		Panel	Paint Color	Approx. Packaged Delivered Weight Pricing
	Universal Low Shelf - On Module	24 x 10-1/2 x					14.0# \$ 260
	Accepts shelf dividersIncludes full back	30 x 10-1/2 x					16.0# 270
	 Includes separate brackets which allow 	36 x 10-1/2 x	I				17.0# 284
	for on-module mounting	42 x 10-1/2 x					19.0# 295
	 On-module shelves mount into slots in vertical posts. Shelves must be same 	48 x 10-1/2 x					20.0# 300
7	width as panel mounted to. Does not	54 x 10-1/2 x					22.0# 315
ULSR	require a 12" tile for mounting. Allows	60 x 10-1/2 x	3-1/4" ULSR6	60/3K			24.0# 329
	for vertical adjustment in 1" increments • Shelves are shipped unassembled						
	Universal Regular Shelf - On Module	24 x 16-1/2 x	3-1/4" URSR2	24/3K			19.0# \$ 280
. ****	Accepts shelf dividersIncludes full back	30 x 16-1/2 x	3-1/4" URSR3	30/3K			20.0# 291
	 Includes full back Includes separate brackets which allow 	36 x 16-1/2 x	3-1/4" URSR3	36/3K			22.0# 300
WILL STREET	for on-module mounting	42 x 16-1/2 x	3-1/4" URSR4	12/3K			23.0# 309
Lilling	On-module shelves mount into slots in	48 x 16-1/2 x	3-1/4" URSR4	18/3K			25.0# 323
V	vertical posts. Shelves must be same width as panel mounted to. Allows for	54 x 16-1/2 x	3-1/4" URSR5	54/3K			27.0# 335
URSR	vertical adjustment in 1" increments	60 x 16-1/2 x	3-1/4" URSR6	60/3K			28.0# 350
	Shelves are shipped unassembled						
	P-Series Keys	Lock Core/2 Key Set - Satin Chrome	2.KP20	0522.SC			0.4# \$ 15
HRDPT	Double bit design	Lock Core/2 Key Set - Black	2.KP20	0522			0.4# 15
	 Range of 200 different core/key numbers available 	Master Key	2.KP20	0550			0.2# 11
		Extractor Key	2.KP20	0551			0.2# 11
		Blank Key	2.KP20	0552			0.2# 3
	sets	Cut Key	2.KP20				0.2# 4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select mounting style.
PM - On module

Select paint color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

System 3000[®] Storage and Accessories Universal Overhead Accessories



System 3000® Storage and Accessories Universal Overhead Accessories

						•
			MODEL NUMB	BER		
					Approx.	
			Basic	Trim	Packaged	Delivered
	MODEL	WxHxD	Basic Model	Color	Packaged Weight	Pricing
			31.44.1020.SET		1.0#	\$ 57
	Universal Overhead On-Module Mounting Bracket		01.44.1020.021		1.0#	
2/2	Sold in pairs					
]	 Mounts into slots in vertical posts 					
9 1	Black only					
۹	Universal overhead on module mounting					
﴿]	 Universal overhead on module mounting bracket for use on System 3000[®] 					
4 •/						
\bigvee						
HRDPT						
\sim	Universal Shelf Dividers	7-1/4 x 11-1/2"	NSD		1.0#	\$ 35
	 Steel shelf dividers with powder coat finish 					
	Fits on all shelves and cabinets					
\ \	Fils on an sherves and cabinets					
∫وار						
HRDPT						
451	Wall Track	1-1/4 x 27 x 1"	CWT.27		1.0#	\$ 102
	Double-slotted track accommodates wall	1-1/4 x 66 x 1"	CWT.66		2.0#	201
	mounting of components • No attachment hardware included. See	1-1/4 x 84 x 1"	CWT.84		3.0#	284
	installation guidelines					
	motanation galdonnoo					
Щ						
UDDDT						
HRDPT						
			A	B		
			\mathbf{w}	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000® Storage and Accessories

System 3000® Storage and Accessories

				<u>*</u>	
		MODEL NUMBER			
			Approx.		
		Racio	Packaged	Delivered	
	MODEL	N Basic Model	Weight	Pricing	
_		2" LEDTK.12.SGL.GN		\$ 147	
			1.2#		
	storage cabinets or shelving	7" LEDTK.17.SGL.GN	1.6#	188	
	Task lights are specified by the cabinet	31" LEDTK.31.SGL.GN	2.1#	230	
6	width to which they are attached. See 4	14" LEDTK.44.SGL.GN	2.3#	264	
	"INFORMATION" at bottom of price list				
HRDPT	page for sizing chart.				
TINDI I	Slim profile mounts effortlesly via				
	magnets or screw-in bracket				
	Attachment hardware included				
	Touch and hold dimmability with last-				
	state memory • Silver anodized aluminum body/black				
	plastic end caps				
	9' power supply				
	Includes 2 cord managers				
\wedge		2" LEDTK.12.DCP.GN	1.2#	\$ 192	
	 Attaches to the bottom of overhead 	7" LEDTK.17.DCP.GN	1.6#	240	
	storage cabinets or shelving	31" LEDTK.31.DCP.GN	2.1#	283	
	 Task nonis are specified by the capiner 	14" LEDTK.44.DCP.GN	2.3#	321	
	"INFORMATION" below for sizing chart.	ELDTN.44.DOL.GN	L.Gπ	ULI	
	Slim profile mounts effortlesly via				
HRDPT	magnets or screw-in bracket				
	Attachment hardware included				
	 Touch and hold dimmability with last- 				
	state memory				
	Silver anodized aluminum body/black				
	plastic end caps				
	Daisy chain with Adder units				
	11' power supplyIncludes 2 cord managers				
	Refer to Interlinking Combination table				
	below for optimal performance of daisy				
	chained fixtures				
		(A)			
		-			

HOW TO ORDER HOW TO BUILD A MODEL NUMBER INFORMATION INTERLOCKING SPECIFICATIONS INTERLOCKING SPECIFICATIONS SPECIAL SERVICES INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN) LED TASK LIGHT CABINET WIDTH INTERLINKING COMBINATIONS **Special Carton Marking** A Select basic model. Indicate the following information on order form: (DAISY CHAIN) Cabinet Light Cabinet Width 24" 30" 36" 42" 48" 54" 60" 66" 72" 1. Quantity of each item. With specially marked information N/C 12" or 17" 17" 17" 31" 2. Model number, including options. See "How To # of # of # of Build a Model Number". 3. Any special service required. Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70. Note: • The ☐ indicates that a choice is required. Specifications and prices are subject to change ullet The absence of the \square indicates that no 44" 44" without prior notice. choice is required. ullet Alpha-numeric characters in place of \Box 44" indicate that no other alternatives are avail-

System 3000® Storage and Accessories



System 3000® Storage and Accessories

		MODEL NUMBER		
	MODEL	Basic W Model	Approx. Packaged Weight	Delivered Pricing
	Adder Unit - Overhead LED Task Light	12" LEDTK.12.DCA.GN	1.2#	\$ 95
	Attaches to the bottom of overhead	17" LEDTK.17.DCA.GN	1.6#	109
	storage cabinets or shelvingTask lights are specified by the cabinet	31" LEDTK.31.DCA.GN	2.1#	152
	width to which they are attached. See	44" LEDTK.44.DCA.GN	2.3#	188
	"INFORMATION" below for sizing chart.			
HRDPT	 Slim profile mounts effortlesly via magnets or screw-in bracket 			
	Attachment hardware included			
	 Touch and hold dimmability with last- 			
	state memory			
	 Silver anodized aluminum body/black plastic end caps 			
	 Daisy chain with Starter units 			
	 18' jumper cord and connect to starter 			
	unit			
	Includes 2 cord managersDoes not inlcude power supply; must			
	purchase starter unit with power supply			
	Controlled by the on/off/dimmer of the			
	starter unit • Refer to Interlinking Combination table			
	below for optimal performance of daisy			
	chained fixtures			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

2. Model number, including options. See "How To Build a Model Number".

3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

A

INFORMATION LED TASK LIGHT CABINET WIDTH Cabinet Light Capinet
Width
24"
30"
36"
42"
48"
54"
60"
66"
72" Width 12" or 17" 17" 17" 31" 31" 44" 44" 44" 44"

of

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS

(DAISY CHAIN)

INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN)

# of	# of	# of	# 0
12"	17"	31"	44'
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000[®] Storage and Accessories Balance[®] Overhead Storage

· Door stores above top of cabinet



System 3000® Storage and Accessories Balance® Overhead Storage



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

(A)

(3)

 Θ

0

3

A Select basic model.

price list.

- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this
- Select upper door color. Refer to the **Product Color Options** page in this

• Select lock option.

KA - Key alike - Key standard - No lock core

Select lock color.

Refer to the Product Color Options page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

System 3000® Storage and Accessories Balance® Overhead Storage

 Cabinet is fully assembled · Door stores above top of cabinet



System 3000® Storage and Accessories Balance® Overhead Storage

			MODEL NU	UMBER										
	MODEL	w	Basic Model	Cabinet Paint Color	Fabric Color	1	Lock Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Balance® Overhead Cabinet with Fabric	30"	BLCF30/3K					46.0#	\$ 1342	\$ 1354	\$ 1370	\$ 1370	\$ 1376	
			BLCF36/3K					52.0#	1429	1442	1460	1460	1466	
	On-module overheads mount into slots	42"	BLCF42/3K					58.0#	1501	1518	1533	1533	1540	
	in vertical posts. Overheads must be same width as panel mounted to. Allows	48"	BLCF48/3K					64.0#	1557	1570	1584	1584	1591	
	for vertical adjustment in 1" increments	54"	BLCF54/3K					70.0#	1671	1685	1706	1706	1714	
	 Fabric covered upper door 		BLCF60/3K					78.0#	1736	1750	1773	1773	1780	
DOM	Painted cabinet and lower doorShelf dividers available separately													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect cabinet paint color. Refer to the **Product Color Options** page in this

(3)

Θ

0

(3

Select upper door fabric color. Refer to ki.com/fabrics

DSelect lock option.

KA - Key alike
KS - Key standard

NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

System 3000® Storage and Accessories Balance® Overhead Storage



System 3000® Storage and Accessories Balance® Overhead Storage

	MODEL NUMBER								
	Features W	Basic Model	Cabinet Paint Color	Laminate Color	Laminate Door Edge Color	Lock Option	Lock Color	Approx. Packaged Weight	Delivered Pricing
)" BLCL30/3K						52.0#	\$ 1524
\sim		6" BLCL36/3K						52.0#	1570
	42							58.0#	1674
	48	3" BLCL48/3K						64.0#	1790
		BLCL54/3K						64.0#	1968
	60)" BLCL60/3K						78.0#	2015
ВОН									
Balance® Overhead Cabinet with									
Laminate Upper Door									
On-module overheads mount into									
slots in vertical posts. Overheads must be same width as panel mount-									
ed to. Allows for vertical adjustment									
in 1" increments									
 Laminate covered upper door Painted cabinet and lower door 									
Shelf dividers available separately									
 Cabinet is fully assembled 									
Door stores above top of cabinet									
	Lock Core/2 Key Set - Satin Chrome	2.KP20522.S0						0.4#	\$ 15
HRDPT	Lock Core/2 Key Set - Black	2.KP20522						0.4#	15
P-Series Keys	Master Key	2.KP20550						0.2#	11
Double bit design Dongs of 200 different care/key	Extractor Key	2.KP20551						0.2#	11
 Range of 200 different core/key numbers available 	Blank Key	2.KP20552						0.2#	3
 Must specify lock number(s) request- 	Cut Key	2.KP20557						0.2#	4
ou whom ordering out key or look									
core/key sets									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select cabinet paint color. Refer to the **Product Color Options** page in this
- Select upper door laminate color. Refer to the **Product Color Options** page in this
- Select laminate door edge color. Refer to the **Product Color Options** page in this
- Select lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

System 3000® Storage and Accessories Balance® Overhead Accessories



System 3000® Storage and Accessories Balance® Overhead Accessories

					•	
			MODEL NU	MBER		
		2	Basic	Paint Color	Approx. Packaged Deli	ivered
	MODEL	WxHxD		Color	Weight Pric	
	Balance® Overhead On-Module Mounting Bracket • Sold in pairs • Mounts into slots in vertical posts • Black only		BOA/3K		5.0# \$	210
HRDPT						
	Shelf Dividers Steel shelf dividers with powder coat finish Fits on all shelves and cabinets	7-1/4 x 11-1/2"	NSD		1.0# \$	35
HRDPT						
	Wall Track Double-slotted track accommodates wal mounting of components No attachment hardware included. See installation guidelines	1-1/4 x 27 x 1" 1-1/4 x 66 x 1" 1-1/4 x 84 x 1"	CWT.66		2.0#	102 201 284
HRDPT						
			A	3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect paint color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

System 3000® Accessories Markerboards



System 3000® Accessories Markerboards

			MODEL NUMBER			
IM	NODEL	WxH	Basic Model	Approx. Packaged Weight	Delivered Pricing	
M	Narkerboards	30 x 32"	MB3032	11.0#	\$ 771	
•	White porcelain paint finished board	36 x 32"	MB3632	13.0#	806	
	White porcelain paint finished board surface with white trim Includes 18" magnetic removable tray,	42 x 32"	MB4232	15.0#	898	
1	markers, and an eraser	48 x 32"	MB4832	17.0#	919	
•	Removable tray can be placed anywhere	54 x 32"	MB5432	19.0#	997	
	on the board Includes mounting brackets	60 x 32"	MB6032	21.0#	1050	
	moludes mounting brackets					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

System 3000® Accessories



System 3000® Accessories

			MODEL N	IIIMRER							
	MODEL	В	Basic	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Tackboards	24 x 12" T	TB2412		3.0#	\$ 203	\$ 206	\$ 225	\$ 239	\$ 274	
	 Tackboards are constructed of 3/4" tackable core and covered with fabric 	30 x 12" T	TB3012		3.0#	225	230	238	260	295	
	Includes mounting brackets	36 x 12" T	TB3612		4.0#	242	246	263	285	322	
	 Not available with countertops 	42 x 12" T	TB4212		4.0#	246	256	272	293	331	
			TB4812		5.0#	256	263	278	301	340	
TB		54 x 12" T	TB5412		5.0#	293	301	319	344	391	
			TB6012		6.0#	307	312	329	359	407	
			TB2416		3.0#	206	213	229	243	280	
			TB3016		4.0#	225	230	238	260	295	
		36 x 16" T	TB3616		5.0#	230	233	243	264	303	
			TB4216		5.0#	251	261	276	300	337	
			TB4816		6.0#	264	270	285	309	351	
			TB5416		6.0#	311	321	337	364	420	
		60 x 16" T	TB6016		7.0#	322	327	350	374	428	
			TB2420		4.0#	303	310	319	324	345	
			TB3020		5.0#	324	335	340	353	371	
			TB3620		6.0#	349	357	364	374	394	
		42 x 20" T	TB4220		7.0#	359	366	374	387	406	
			TB4820		8.0#	427	436	448	461	485	
		54 x 20" T	TB5420		9.0#	431	443	456	471	492	
		60 x 20" T	TB6020		10.0#	435	452	461	474	501	
			A	B							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

System 3000® Accessories



System 3000® Accessories

	MODEL NUMBER										
	MODEL	WxH	Basic Model	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Tackboards		TB2430		6.0#	\$ 335	\$ 345	\$ 365	\$ 391	\$ 447	
	 Tackboards are constructed of 3/4" tackable core and covered with fabric 	30 x 30"	TB3030		7.0#	417	426	447	483	549	
	Includes mounting brackets	36 x 30"	TB3630		8.0#	433	447	474	509	582	
	Not available with countertops	42 x 30"	TB4230		10.0#	462	474	501	538	617	
		48 x 30"	TB4830		11.0#	486	501	524	567	650	
TB		54 x 30"	TB5430		12.0#	501	513	541	582	664	
		60 x 30"	TB6030		14.0#	532	547	574	620	707	
		24 x 48"	TB2448		9.0#	426	433	461	496	565	
		30 x 48"	TB3048		11.0#	487	502	534	568	656	
		36 x 48"	TB3648		13.0#	562	577	607	659	744	
		42 x 48"	TB4248		15.0#	575	594	624	672	765	
		48 x 48"	TB4848		17.0#	609	630	662	716	816	
		54 x 48"	TB5448		19.0#	627	643	676	734	833	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A

3

A Select basic model.

BSelect fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

System 3000® Accessories Overhead Tackboard



System 3000® Accessories Overhead Tackboard

			MODEL N	UMBER									
	MODEL	WxH	Basic Model	Trim Color	Mounting	Fabric Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Overhead Tackboard	24 x 12"	PTB02412				3.0#	N/A	\$ 184	\$ 189	\$ 192	\$ 201	\$ 212
	For Universal and Balance® Overheads Management of the Balance® Overheads	30 x 12"	PTB03012				3.0#	N/A	202	205	208	221	231
	 When hanging from Balance® overhead or U-Series™ sliding overhead, specify 	36 x 12"	PTB03612				3.0#	N/A	223	228	230	236	250
	attachment bar BMB (purchase separate	- 42 x 12"	PTB04212				4.0#	N/A	229	233	236	243	261
	ly) and a /YLBM mounting option	48 x 12"	PTB04812				4.0#	N/A	232	236	239	250	265
PTB0	Includes mounting brackets in black only	⁵⁴ x 12"	PTB05412				4.0#	N/A	265	272	278	286	301
		60 x 12"	PTB06012				4.0#	N/A	276	283	285	297	311
		24 x 20"	PTB02420				4.0#	N/A	303	311	320	327	346
		30 x 20"	PTB03020				5.0#	N/A	325	335	340	351	373
		36 x 20"	PTB03620				6.0#	N/A	345	354	364	374	391
		42 x 20"	PTB04220				7.0#	N/A	354	365	376	385	404
		48 x 20"	PTB04820				8.0#	N/A	421	431	438	453	475
		54 x 20"	PTB05420				9.0#	N/A	425	434	443	458	483
		60 x 20"	PTB06020				10.0#	N/A	430	438	452	463	487
6	Tackboard/Tool Rail Attachment Bar	30"	BMB30				3.0#	\$ 52					
	 Attachment bracket that attaches to the bottom of a Balance[®] overhead or 	36"	BMB36				3.0#	52					
	U-Series [™] sliding overhead to accept	42"	BMB42				3.0#	53					
•	overhead tackboard	48"	BMB48				4.0#	62					
BOA	Order same size as overhead cabinet	54"	BMB54				4.0#	63					
	18-gauge steelBlack only	60"	BMB60				4.0#	67					
	,												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

A

B

Θ

0

Select load bar mounting. YLBM - Load bar mounted

NLBM - Not load bar mounted

OSelect fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

System 3000® Accessories Paper Management



System 3000® Accessories
Paper Management

			MODEL NU	UMBER			
					Approx.		
	MODEL	H x W	Basic Model	Trim Color	Packaged Weight	Delive Pricing	
	Tool Rail	4-1/2 x 30"	3PMTR30		4.0#	\$ 1	176
	 Accommodates paper management 	4-1/2 x 36"	3PMTR36		5.0#	1	184
	componentsAttaches to panels, brackets included	4-1/2 x 42"	3PMTR42		6.0#		193
	Field installable	4-1/2 x 48"	3PMTR48		6.0#	2	204
HRDPT	 Painted aluminum construction 	4-1/2 x 54"	3PMTR54		7.0#	2	234
	 Consists of four slots to accept components 	4-1/2 x 60"	3PMTR60		7.0#	2	261
	• 72" rail consists of two 36" rails with	4-1/2 x 72"	3PMTR72		8.0#	2	287
	middle support						
	Plastic Paper Tray Unit	2 x 9-1/2 x 14"	PPLL		1.0#	\$	52
	Plastic constructionAccepts letter and legal-size paper						
	Suspends from Tool Rail						
\\							
HRDPT	Disable Disassal Otanass Halt	0.4/0740.4/0"	DDDO		4.0."	0	
	Plastic Diagonal Storage Unit • Plastic construction	2-1/2 x 7 x 12-1/2"	PPDS		4.0#	\$	52
	 Three slanted partitions per unit with 						
	dividers						
	Suspends from Tool Rail						
W. W.							
HRDPT							
			A	ß			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

System 3000® Accessories Paper Management



System 3000® Accessories
Paper Management

			MODEL NU	JMBER			
	MODEL	НхW	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	
	Accessory Tray Injection-molded plastic Stores stamps, tape dispenser, post-it pads and paper clips	2 x 9 1/2 x 10"	PPAT		6.0#	\$ 43	
HRDPT	pads and paper clips Suspends from Tool Rail						
	Pencil Cup Injection-molded plastic Suspends from Tool Rail	4 x 4 x 3 1/2"	PPPC		0.3#	\$ 43	
HRDPT			A	B			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.



Pedestals - Mobile and Freestanding

				MODEL NUMB	ER								
	MODEL	Features	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Lock Option	Lock Color	Approx. Packagı Weight	d Deliver Pricing	ered ng	
	Pedestal - BFTP Top surface of pedestal has black, four compartment pencil tray and black recessed pull	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBFTP						79.0	\$ 11	111	
S7PDU	 6" box drawer with partition 12" file drawer with partition Anti-tip caster travels with file drawer (counterbalance weight not required) 												
5/1400	Only use 21-5/8" D peds with 30" D desks		45 47 5 (2. 04.04)	OTD WESSELDE						70.0		202	
	Pedestal - BF • One 6" box drawer; one 12" file drawer	Mobile Mobile	15 x 17-5/8 x 21-3/4" 15 x 21-5/8 x 21-3/4"	S7P/1520MBF S7P/1524MBF						79.0 90.0	\$ 90 11	967 111	
	with hanging folder partition • 5th wheel in lieu of counterbalance weight • Only use 21-5/8" D peds with 30" D desks	Mobile	15 x 27-5/8 x 21-3/4"	S7P/1530MBF						93.0			
S7PDU	uosio												
				•	•	Θ	D	9	•				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

ALBT - Aluminum bow tie pull ALMT - Aluminum metric pull ARCN - Arc nickel pull CLSC - Classic (inset pull)

Select unit and drawer color.

Refer to the **Product Color Options** page in this

Select counterbalance weight.

CBW - With Counterbalance

NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

Select lock option.

KA - Key alike - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this

INFORMATION

Height
All dimensions shown include 1/4" allowance for glides in recessed position. Mobile pedestal include 2-5/16" allowance for

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.



Pedestals - Mobile and Freestanding

									Y	
			MODEL NUMBI	ER						
				T						Counter-
						Optional				balance
						Counter-		Approx.		Weight
	Features	W = D = II	Basic	Pull	Unit	balance	Lock Lo		Delivered	add to list
		W x D x H		Option	Color		Option Co		Pricing	price
	Mobile	15 x 17-5/8 x 21-3/4"	S7P/1520MBBB						\$ 1111	N/A
	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBBB						1078	N/A
	Mobile	15 x 27-5/8 x 21-3/4"	S7P/1530MBBB					95.0#	1078	N/A
S7PDU										
Pedestal - BBB										
 Three 6" box drawers 										
5th wheel in lieu of counterbalance										
weight • Only use 21-5/8" D peds with 30" D										
desks										
	Freestanding	15 x 17-5/8 x 22-3/8"	S7P/1520FPBF					□ 53.0#	\$ 1015	\$ 232
	Mobile	15 x 17-5/8 x 24-11/16"	S7P/1520MPBF					□□ 89.0#	1212	N/A
	Freestanding	15 x 21-5/8 x 22-3/8"	S7P/1524FPBF					□ 55.0#	1070	198
	Mobile	15 x 21-5/8 x 24-11/16"	S7P/1524MPBF					□ 90.0#	1154	N/A
	Freestanding	15 x 27-5/8 x 22-3/8"	S7P/1530FPBF					□ 75.0#	1140	113
	Mobile	15 x 27-5/8 x 24-11/16"	S7P/1530MPBF					□□ 95.0#	1226	N/A
S7PDU										
Pedestal - PBF										
• One 3" pencil drawer; one 6" box										
drawer; one 12" file drawer with										
hanging folder partition										
 Mobile units include 5th wheel in lied of counterbalance weight 	u									
Counterbalance weight recommender	ed									
when freestanding unit is not under										
worksurface										
 Only use 21-5/8" D peds with 30" D desks 										
cacou										
			A	B	$oldsymbol{\Theta}$	O	(3)	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select pull option.

ALBT - Aluminum bow tie pull ALMT - Aluminum metric pull ARCN - Arc nickel pull

CLSC - Classic (inset pull)

Select unit and drawer color. Refer to the **Product Color Options** page in this

Select counterbalance weight.

CBW - With Counterbalance

NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

Select lock option.

KA - Key alike - Key standard - No lock core

Select lock color.

Refer to the Product Color Options page in this

INFORMATION

Height All dimensions shown include 1/4" allowance for glides in recessed position. Mobile pedestal include 2-5/16" allowance for

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.



Pedestals - Mobile and Freestanding

										<u> </u>	
			MODEL NUMB	BER							
	Features	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Lock Option	Lock Color	Approx. Packaged Weight	Delivered Pricing	Counter- balance Weight add to list price
_	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FFF						55.0#	\$ 928	\$ 232
	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MFF						93.0#	1029	N/A
	Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FFF						55.0#	975	198
	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MFF						90.0#	1068	N/A
	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FFF						75.0#	1038	113
	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MFF						95.0#	1125	N/A
S7PDU											
Pedestal - FF											
 Two 12" file drawers with hanging folder partitions Counterbalance weight: included in mobile unit; recommended when freestanding unit is not under worksurface Only use 21-5/8" D peds with 30" D desks 											
	Freestanding	15 x 17-5/8 x 25-5/16"					1		57.0#	\$ 975	\$ 232
	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MBBF						93.0#	1120	N/A
			S7P/1524FBBF						60.0#	1029	198
	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MBBF						95.0#	1181	N/A
	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FBBF						80.0#	1162	113
	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MBBF						100.0#	1229	N/A
S7PDU											
Pedestal - BFF											
Two 6" box drawers; one 12" file drawer with hanging folder partition Counterbalance weight: included in mobile unit; recommended when freestanding unit is not under worksurface Only use 21-5/8" D peds with 30" D desks											
			(A)	B	Θ	O	(3	(3			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select pull option.

ALBT - Aluminum bow tie pull ALMT - Aluminum metric pull

ARCN - Arc nickel pull CLSC - Classic (inset pull)

Select unit and drawer color.

Refer to the **Product Color Options** page in this

Select counterbalance weight.

CBW - With Counterbalance

NOCBW - No Counterbalance See pricing column for counterbalance weight

upcharge. Select lock option.

KA - Key alike - Key standard

- No lock core

Select lock color.

Refer to the Product Color Options page in this

INFORMATION

Height
All dimensions shown include 1/4" allowance for glides in recessed position. Mobile pedestal include 2-5/16" allowance for

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.



Pedestals - Mobile and Freestanding

										▼	
			MODEL NUMBE	R							
											Counter-
						Optional					balance
				l		Counter-			Approx.		Weight
	Features	WxDxH	Basic Model	Pull Option	Unit	balance Weight	Lock Option	Lock Color	Packaged Weight	Delivered Pricing	add to list price
	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FBBBB	<u> </u>	_	vveigiit	-	_	59.0#	\$ 1051	\$ 232
	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MBBBB						95.0#	1283	\$ 232 N/A
		15 x 17-5/8 x 27-5/8 15 x 21-5/8 x 25-5/16"	S7P/1524FBBBB						95.0# 66.0#		
	Freestanding									1111	198
	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MBBBB						105.0#	1243	N/A
	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FBBBB						78.0#	1212	113
	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MBBBB						96.0#	1283	N/A
S7PDU											
Pedestal - BBBB											
 Four 6" box drawers 											
Counterbalance weight: included in											
mobile unit; recommended when freestanding unit is not under work-											
surface											
 Only use 21-5/8" D peds with 30" D 											
desks											
	Freestanding	15 x 17-5/8 x 22-3/8"	S7P/1520FPBBB						62.0#	\$ 1125	\$ 232
	Mobile	15 x 17-5/8 x 24-11/16"	S7P/1520MPBBB						91.0#	1351	N/A
H H	Freestanding	15 x 21-5/8 x 22-3/8"	S7P/1524FPBBB						62.0#	1189	198
	Mobile	15 x 21-5/8 x 24-11/16"	S7P/1524MPBBB						102.0#	1322	N/A
	Freestanding	15 x 27-5/8 x 22-3/8"	S7P/1530FPBBB						73.0#	1212	113
	Mobile	15 x 27-5/8 x 24-11/16"	S7P/1530MPBBB						91.0#	1283	N/A
S7PDU											
Pedestal - PBBB											
• One 3" pencil drawer; three 6" box											
drawers											
Counterbalance weight: included in											
mobile unit; recommended when freestanding unit is not under work-											
surface											
Only use 21-5/8" D peds with 30" D											
desks											
				•	6	•	•				
			A	$oldsymbol{\Theta}$	•	O	3	(3)			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select pull option.

ALBT - Aluminum bow tie pull ALMT - Aluminum metric pull ARCN - Arc nickel pull CLSC - Classic (inset pull)

Select unit and drawer color.

Refer to the **Product Color Options** page in this

Select counterbalance weight.

CBW - With Counterbalance

NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

Select lock option.

KA - Key alike - Key standard - No lock core

Select lock color.

Refer to the Product Color Options page in this

INFORMATION

Height
All dimensions shown include 1/4" allowance for glides in recessed position.

Mobile pedestal include 2-5/16" allowance for

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.

Pedestals - Worksurface Supporting



Pedestals - Worksurface Supporting

				MODEL NUMBE	R					
				Danie	D. II	I I mid	Look	Look	Approx.	Dalivana
	MODEL	Features	WxDxH	Basic Model	Pull Option	Unit Color	Lock Option	Lock Color		Delivered Pricing
	Pedestal - FF		15 x 17-5/8 x 27-7/8"	S7P/1520WFF		_				\$ 877
	Two 12" file drawers with hanging folder partitions	r Supporting	15 × 21-5/8 × 27-7/8"	S7P/1524WFF					82.0#	1027
	partitions		15 x 27-5/8 x 27-7/8"	S7P/1530WFF					95.0#	1027
	 Includes four leveling glides 	Supporting	13 X 21-3/0 X 21-1/0	37 F/ 1330WFF					93.0#	1007
0=0011										
S7PDU S7PDU										
	Pedestal - BBF • Two 6" box drawers									\$ 972
	One 12" file drawer with hanging folder		15 x 21-5/8 x 27-7/8"	S7P/1524WBBF					80.0#	1121
	partition	Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WBBF					93.0#	1183
	 Includes four leveling glides 									
S7PDU										
	Pedestal - BBBB	Supporting	15 x 17-5/8 x 27-7/8"	S7P/1520WBBBB					70.0#	\$ 1111
	Four 6" box drawersIncludes four leveling glides	Supporting	15 x 21-5/8 x 27-7/8"	S7P/1524WBBBB					70.0#	1136
	• includes rour leveling glides	Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WBBBB					81.0#	1244
S7PDU										
							_			
				•	•	•	0	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select pull option.

ALBT - Aluminum bow tie pull ALMT - Aluminum metric pull ARCN - Arc nickel pull CLSC - Classic (inset pull) NKBT - Nickel bow tie pull RETN - Retro nickel pull

Select unit and drawer color.

Refer to the **Product Color Options** page in this

OSelect lock option.

KA - Key alike
KS - Key standard NLC - No lock core

Select lock color.

Refer to the **Product Color Options** page in this price list.

INFORMATION

Height All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.

Pedestal Accessories 700 Series®



Pedestal Accessories 700 Series®

						▼		
				MODEL NUMBER				
					Annrov			
				Basic	Approx. Packaged	Delivered		
	MODEL	Features	WxDxH	Model	Weight	Pricing		
	Counterbalance Weight	For 30"D Units	12-1/2 x 1/2 x 12-3/4"	S7P/CBW20	20.0#	\$ 113		
	 For mobile and freestanding units 	For 24"D Units	12-1/2 x 1-1/4 x 16-3/4"	S7P/CBW40	40.0#	198		
	 Included in mobile pedestals; recommended in freestanding units 							
	Factory installed, if specified							
PDACU								
~	Counterbalance Weight	For 20"D Units	7-1/2 x 3/4 x 16"	S7P/CBW36	36.0#	\$ 232		
	Two required for 20" deep units Sold in pairs							
PDACU								
	P-Series Keys	Lock Core/2 Key Set - Satin Chrome		2.KP20522.SC	0.4#	\$ 15		
HRDPT	Double bit design Design of 200 different core/key numbers	Lock Core/2 Key Set - Black		2.KP20522	0.4#	15		
	Range of 200 different core/key numbers available	Master Key		2.KP20550	0.2#	11		
	 Must specify lock number(s) requested 	Extractor Key		2.KP20551	0.2#	11		
	when ordering cut key or lock core/key			2.KP20552	0.2#	3		
	sets	Cut Key		2.KP20557	0.2#	4		
Å	Caster Kit		2-9/16"	S7P/CK	13.0#	\$ 95		
&	 Converts freestanding pedestals to mobile units 							
80	 Adds 2-5/16" to pedestal height 							
PDACU	 Must use with counterbalance weight 							
	(see above)							



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Pedestal Accessories 700 Series®



Pedestal Accessories 700 Series®

			MODEL	NUMBE	R										
	MODEL	WxDxH	Basic Model	Trim Color	Upholstery Color	Approx. Packaged Weight	Delivered Pricing C.O.M.	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Cushioned Seat for Mobile Pedestal	15 x 17 x 1-7/8"	PDCU/17			5.0#	\$ 209	\$ 209	\$ 238	\$ 251	\$ 264	\$ 279	\$ 295	\$ 329	\$ 337
	17"D used with 17-5/8"D (20"D nominal) making pedestal.	15 x 20 x 1-7/8"	PDCU/20			6.0#	228	228	250	269	278	292	308	344	353
	nal) mobile pedestal • 20"D used with 21-5/8"D or 27-5/8"D														
PDCU	(24" or 30"D nominal) mobile pedestal														
	 Adds 2-1/4" to pedestal height Fabric runs side to side 														
	Lip height is 3-1/4"														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color. Refer to the **Product Color Options** page in this price list.

B

A

•

©Select upholstery color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

