




700 SERIES[®] DESKING SYSTEM

PRICE LIST

EFFECTIVE APRIL 2, 2025
800.424.2432

Contents


Refer to KI Terms & Conditions document or visit ki.com.




Contents

Refer to KI Terms & Conditions document or visit ki.com.


700 Series® Desk Product Offering	3
<hr/>	
700 Series Desk Typical5	
<hr/>	
700 Series®	
Product Color Options	7
<hr/>	
700 Series® Desk	
Desk	8
P-Shape and D-Shape Desk	9
Returns	10
P-Shape and D-Shape Returns	11
Corner	12
Bridges	13
Credenzas	14
Overhead Storage	15
Accessories	17
<hr/>	
700 Series® Pedestals	
Mobile and Freestanding	20
Hanging	23
Worksurface Supporting	24
Accessories	25
<hr/>	
700 Series® Credenza	
Credenza Files	26




Desks
Full or Partial Modesty Panel
D W H
24 x 48 x 29
24 x 54 x 29
24 x 60 x 29
24 x 66 x 29
24 x 72 x 29
30 x 48 x 29
30 x 54 x 29
30 x 60 x 29
30 x 66 x 29
30 x 72 x 29
36 x 60 x 29
36 x 66 x 29
36 x 72 x 29




Returns
Full or Partial Modesty Panel
D W H
24 x 24 x 29
24 x 30 x 29
24 x 36 x 29
24 x 42 x 29
24 x 48 x 29
24 x 54 x 29
30 x 48 x 29
30 x 54 x 29
30 x 60 x 29
30 x 66 x 29
30 x 72 x 29
36 x 48 x 29
36 x 54 x 29
36 x 60 x 29
36 x 66 x 29
36 x 72 x 29



D-Shape
D W H
24 x 36 x 29
24 x 42 x 29
24 x 48 x 29
24 x 54 x 29
24 x 60 x 29
24 x 66 x 29
24 x 72 x 29




Credenzas
(Shell)
Full or Partial Modesty Panel
D W H
20 x 62 x 29
24 x 60 x 29
24 x 62 x 29
30 x 48 x 29
30 x 54 x 29
30 x 60 x 29
30 x 66 x 29
30 x 72 x 29
36 x 60 x 29
36 x 66 x 29
36 x 72 x 29



Credenzas
(Top Only)
20 x 60
24 x 60




Worksurfaces P-Shape
D W H
30 x 60 x 29
30 x 66 x 29
30 x 72 x 29
36 x 60 x 29
36 x 66 x 29
36 x 72 x 29



P-Shape
D W H
24 x 54 x 29
24 x 60 x 29
24 x 66 x 29
24 x 72 x 29
30 x 60 x 29
30 x 66 x 29
30 x 72 x 29




Corners
Full or Partial Modesty Panel
D W H
20 x 36 x 29
24 x 36 x 29
24 x 42 x 29
20 x 48 x 29
30 x 42 x 29
30 x 48 x 29
24 x 36 x 29
24 x 42 x 29
24 x 48 x 29
24 x 54 x 29
24 x 60 x 29
24 x 66 x 29
24 x 72 x 29




D-Shape
D W H
30 x 60 x 29
30 x 66 x 29
30 x 72 x 29


36 x 60 x 29
36 x 66 x 29
36 x 72 x 29




Bridges
Full or Partial Modesty Panel
D W H
20 x 36 x 29
24 x 42 x 29
20 x 48 x 29
30 x 42 x 29
30 x 48 x 29
24 x 36 x 29
24 x 42 x 29
24 x 48 x 29
24 x 54 x 29
24 x 60 x 29
24 x 66 x 29
24 x 72 x 29




Storage
Overheads
(Open Storage)
W D H
30 x 14 x 36
36 x 14 x 36
42 x 14 x 36
48 x 14 x 36
54 x 14 x 36
60 x 14 x 36
66 x 14 x 36
72 x 14 x 36



Overheads
(Closed Storage)
W D H
30 x 14 x 36
36 x 14 x 36
42 x 14 x 36
48 x 14 x 36
54 x 14 x 36
60 x 14 x 36



W D H
66 x 14 x 36
72 x 14 x 36



Pedestals
Corner
W H
15" wide x 20" deep
Box/File
Box/Box
Pencil/Box/File
File/File
Box/Box/File

15" wide x 30" deep
Box/File
Box/Box
Pencil/Box/File
File/File
Box/Box/File

Worksurface Supporting
15" wide x 20" deep
File/File
Box/Box/File

15" wide x 24" deep
File/File
Box/Box/File
Pencil/Box/File

15" wide x 30" deep
File/File
Box/Box/File

Accessories
Center Drawer with Lock
Center Drawer
Task Lights
Fully Adjustable Keyboard Tray
Fully Adjustable Keyboard Tray w/
Mouse Surface
Sliding Keyboard Drawer
Sliding Keyboard Drawer w/ Mouse
Surface
CPU Sling
Optional Wrist Rest
Plate Dividers
Grommet Options

15" wide x 30" deep
Box/File
Box/Box
Pencil/Box/File
File/File
Box/Box/File


Worksurface Supporting
15" wide x 20" deep
File/File
Box/Box/File

15" wide x 24" deep
File/File
Box/Box/File
Pencil/Box/File


15" wide x 30" deep
File/File
Box/Box/File

Pedestal Options Depth



When no grommets are specified:



When worksurface or end panel grommets are specified:






Dimensions are nominal. Contact customer service for exact dimensions.


Pedestal Height Options**29" High Worksurfaces****29" High Worksurfaces**

When ordering a desk shell or return with a partial modesty, Box/File hanging pedestals are recommended.

Otherwise pedestals will hang below the partial modesty.

Pedestal Drawer Configurations**Hanging Pedestals****Worksurface Supporting Pedestals 29" H****62" Credenza Shell**

Credenza Shell allows one to four worksurface supporting pedestals, one or two credenza laterals or a combination of both.


60" Credenza Top

Credenza top allows two or more worksurface supporting pedestals, two credenza laterals or a combination of both.

700 Series Desk Typicals




700 Series Desk Typicals




- 30" x 66" Desk with Partial Modesty Panel, 74P Edge
- 700 Series® Worksurface Supporting Pedestal Box/Box/File

Model Number	Price
7D/D3066-74P-P/Color	\$1620
S7P/1520WBBF	\$972
Total Price	\$2592




- 30" x 66" Desk with Full Modesty Panel, 74P Edge
- 700 Series® Worksurface Supporting Pedestal Box/Box/File
- 24" x 48" Right Return with Full Modesty Panel, 74P Edge

Model Number	Price
7D/D3066-74P-F/Color	\$1620
S7P/1520WBBF	\$972
7D/R2448-74P-F/Color	\$1179
Total Price	\$3771




- 30" x 66" Desk with Partial Modesty Panel, 74P Edge
- 700 Series® Worksurface Supporting Pedestal Box/Box/File
- 24" x 42" Bridge with Partial Modesty Panel, 74P Edge
- 30" x 60" D-Shape Worksurface, 74P Edge

Model Number	Price
7D/D3066-74P-P/Color	\$1620
S7P/1520WBBF	\$972
7D/B2442-74P-F/Color	\$1078
7D/DD3060-74P/Color	\$1481
Total Price	\$5151




- 30" x 66" Desk with Full Modesty Panel, 74P Edge
- 700 Series® Worksurface Supporting Pedestal Box/Box/File
- 24" x 42" Right Return with Full Modesty Panel, 74P Edge
- 700 Series Worksurface Supporting Pedestal File/File

Model Number	Price
7D/D3066-74P-F/Color	\$1620
S7P/1520WBBF	\$972
7D/R2442-74P-F/Color	\$1163
S7P/1524WBBF	\$1121
Total Price	\$4876




- 30" x 66" Desk with Full Modesty Panel, 74P Edge
- 700 Series® Worksurface Supporting Pedestal Box/Box/File
- 66" Open Overhead Storage on Desk
- 24" x 48" Right Return with Full Modesty Panel, 74P Edge
- 700 Series® Worksurface Supporting Pedestal File/File

Model Number	Price
7D/D3066-74P-F/Color	\$1620
S7P/1520WBBF	\$972
7D/OSS66/Color	\$834
7D/R2448-74P-F/Color	\$1179
S7P/1524WFF	\$1027
Total Price	\$5632




- 30" x 72" Desk with Partial Modesty Panel, 74P Edge
- 700 Series® Worksurface Supporting Pedestal - Box/Box/File
- 700 Series® Worksurface Supporting Pedestal - File/File
- 72" Closed Overhead Storage, Group 1 Fabric

Model Number	Price
7D/D3072-74P-P/Color	\$1632
S7P/1520WBBF	\$972
S7P/1524WFF	\$1027
7D/OSD72/F/Uph/Color	\$1931
Total Price	\$5562




- 30" x 72" Desk with Full Modesty Panel, 74P Edge
- 700 Series® Worksurface Supporting Pedestal - Box/Box/File
- 72" Closed Overhead Storage on Desk, Steel
- 24" x 60" Right Return with Full Modesty Panel, 74P Edge

Model Number	Price
7D/D3072-74P-F	\$1632
S7P/1520WBBF	\$972
7D/OSD72/S/Color	\$1632
7D/R2460-74P-F	\$1330
Total Price	\$5566



- 24" x 60" Left Return with Full Modesty Panel, 74P Edge
- 60" Closed Overhead Storage on Left Return, Steel
- 24" x 42" Corner Surface with Full Modesty Panel, 74P Edge
- 700 Series Worksurface Supporting Pedestal - Box/Box/File
- 24" x 60" Right Return with Full Modesty Panel, 74P Edge

Model Number	Price
7D/R2460-74P-F/Color	\$1330
7D/OSD60/S/Color	\$1323
7D/CU2442-74P-F/Color	\$1588
S7P/1524WBBF	\$1121
7D/R2460-74P-F/Color	\$1330
Total Price	\$6692



- 24" x 60" Left Return with Full Modesty Panel, 74P Edge
- 60" Closed Overhead Storage on Left Return, Group 1 Fabric
- 30" x 60" P-Shaped Return (right), 74P Edge
- 24" x 42" Corner Surface with Full Modesty Panel, 74P Edge
- 24" x 60" Right Return with Full Modesty Panel, 74P Edge
- 700 Series Worksurface Supporting Pedestal - Box/Box/File
- 60" Open Overhead Storage on Right Return

Model Number	Price
7D/R2460-74P-F/Color	\$1330
7D/OSD60/F/Uph/Color	\$1545
7D/PR3060-74P-R/Color	\$1424
7D/CU2442-74P-F/Color	\$1588
7D/R2460-74P-F/Color	\$1330
S7P/1524WBBF	\$1121
7D/OSS60/Color	\$806
Total Price	\$9144



700 Series® Desk Specifications

The 700 Series® Desk line is a free standing, modular system of desks, returns, bridges, credenzas, corner units and overhead storage components. Designed for flexibility, it can be set up to suit differing customer requirements. It is shipped knock-down and accepts 700 Series® or U-Series® Pedestals.

Worksurfaces

Worksurfaces shall be 1-1/4" thick laminate top with a particle board core. Edge treatments shall be wood edge or 74P edge. All tops shall be pre-drilled for mounting of end panels, modesty panels, wire management channels, return or bridge connectors and hanging or worksurface supporting pedestals.

Desk Shells

Desk shells shall consist of a worksurface top, two end panels, full or partial modesty panel and wire management channel. Desks are available in depths of 24", 30" and 36", and widths of 48", 54", 60", 66" and 72" and shall be 29" high. The 36" deep desk worksurface shall have a 6" overhang. The desk shall accept a variety of hanging or worksurface supporting pedestals.

End Panels

Desk, return, corner, and credenza end panels shall be floor height and feature double-wall construction. The outer panel shall be 20-gauge with double flanges formed on both vertical edges and single flanges formed on the top and bottom. The inner panel shall be 20-gauge with flanges formed on all edges. Two keyhole pads of 16-gauge shall be welded into the top of the end panel to interface with shoulder screws for mounting to the top. The outer and inner panels shall be spot welded together, as well as fastened together at the bottom with the nut inserts that accept the leveling glides. Two 20-gauge channels shall be welded into the 36" deep end panels to provide additional reinforcement. All end panels shall feature prepunched holes through two metal thickness for connecting modesty panels.

Desks, credenzas, P-shape worksurfaces, D-shape worksurfaces and corners shall be 29" high. Returns and bridges shall be available in 29" high. Both interface with the desk or corner unit with 16-gauge connectors that are screwed to the tops.

Modesty Panels

Desk, return, corner, bridge and credenza modesty panels shall span the full width of the unit connecting to the end panels. The modesty panels shall be spaced down from the top by 1-5/8" to allow for the routing of cables. They shall be available in full floor length, for privacy, or partial, which is spaced up off the floor by 8-3/8" for outlet access and increased air circulation. The modesty panels on a 36" deep desk shall be recessed by 6" for visitor knee space. All modesty panels shall be 20-gauge with double flanges formed along the top and bottom. Desk and credenza panels shall have single flanges formed on both vertical edges. Return panels shall have offset flanges formed on one end and a single flange on the other. Bridge panels shall have offset flanges formed on both ends. The vertical flanges of all modesty panels have prepunched holes for connecting to the end panels.

Wire Management

Desks, returns, corners, bridges and credenzas shall be equipped with a wire management channel. This 20-gauge channel shall have the bottom edge hemmed for safety and strength. The wire management channel shall fasten to the underside of the top and run between end panels.

Returns

Returns shall be the same construction as the desk and credenza worksurfaces. Returns consist of a top, end panel, full or partial modesty panel and wire management channel.

They are available in depths of 24" and 30". A 24" deep return is available in widths of 24", 30", 36", 42", 48", 54", 60", 66" and 72" and shall be 29" high. A 30" deep return is available in widths of 36", 42", 48", 54" and 60" and shall be 29" high. One level connector will be included with each return.

Bridges

Bridge worksurfaces shall be the same construction as the desk and credenza worksurfaces. Bridges consist of a top, full or partial modesty panel and wire management channel. They are available in depths of 20" and 24" and widths of 36", 42", 48", 54", 60", 66" and 72" and shall be 29" high. Two level connectors shall be included with 29" high units.

P-Shape Worksurfaces

P-Shape worksurfaces shall be the same construction as the desk and credenza worksurfaces. The worksurfaces shall be available in 30" or 36" depths and 60", 66" and 72" lengths and shall be 29" high. The P-Shape worksurface shall be available for mounting right or left. The worksurface is standard with a supporting T-base and 14-gauge tubular leg. Product is designed to be mounted to adjacent surfaces.

D-Shape Worksurfaces

D-Shape worksurfaces shall be the same construction as the desk and credenza worksurfaces. The worksurfaces shall be available in 30" or 36" depths and 60", 66" and 72" lengths and shall be 29" high. The worksurface is standard with a supporting T-base and 14-gauge tubular leg. Product is designed to be mounted to adjacent surfaces.

D-Shape Returns

D-Shape returns shall be the same construction as the desk and credenza worksurfaces. The returns shall be available in 24", 30" or 36" depths and 36", 42", 48", 54", 60", 66" and 72" lengths and shall be 29" high. The return is standard with a supporting 14-gauge tubular leg and includes a level connector.

P-Shape Returns

P-Shape returns shall be the same construction as the desk and credenza worksurfaces. The worksurfaces shall be available in 30" or 36" depths and 60", 66" and 72" lengths and shall be 29" high. The P-Shape returns shall be available for mounting right or left. The return is standard with a supporting 14-gauge tubular leg and includes a level connector.

Corner Units

Corner units shall accept 29" high returns and

bridges. The corner units shall be 24" deep and 36" or 42" wide and 30" deep and 42" or 48" wide.

The modesty panels shall be 20-gauge and consist of two end panels with one leveling glide each and two side panels with two leveling glides each. The end panel and side panels shall have double flanges formed along the bottom and both vertical edges. A single flange with prepunched holes shall have double flanges formed on the top and bottom and single flanges on the vertical edges. It shall be spaced down from the top by 1-5/8" to allow for the routing of cables.

Credenza Top

Credenza top shall be constructed of 1-1/4" thick particle board available in wood edge or 74P edge. The top shall be available 20" or 24" deep and 60" wide and shall be predrilled to accept up to four

worksurface supporting pedestals.

Credenza Shell

The credenza shell consists of a 1-1/4" particle-board top available with wood edge or 74P edge. The top shall be available in a 20" depth and 62" width and 24" depth and 60" and 62" widths. It is available with either a full or partial modesty panel and end panels of 20-gauge steel. The credenza shall accept up to four hanging or worksurface supporting pedestals.

Overhead Storage

Units shall be standard with an open back allowing for interaction in a group situation. Overhead storage shall be available in an open or closed style. The closed style overhead storage shall have one door on 30", 36", 42", 48", 54" and 60" and two doors on 66" and 72". The door shall have a lock as standard. The closed overhead doors are available in steel or fabric covered steel.

Task Lights

Task lights shall be offered in three levels of efficiency and cost. The standard light shall have a magnetic high-power factor ballast with rapid start, cool white T-8 fluorescent lamp. The energy efficiency model shall have an electronic ballast with rapid start, cool-white T-8 fluorescent lamp. The third model shall have 2-step (hi/low) high-power factor ballast with rapid start, cool-white T-8 fluorescent lamp which shall help reduce glare on computer screens and help reduce eye strain. Task lights shall attach to the underside of the shelf on overhead cabinets. Lights shall be UL Listed and available in black only. They shall be available as 20" wide for use with 30" and 36" wide overhead cabinets, 32" wide for 42" and 48" wide units and 48" wide for 60", 66" and 72" units.

Center Drawer

The center drawer shall mount below a 24" or 30" deep worksurface which has an 18" wide clearance. The drawer pan shall be constructed of 22-gauge steel with a hem along the front edge for safety and strength. A deep rib shall form a pencil tray and provide additional strength and a double flange across the back shall prevent spillage of contents. The drawer sides shall be 20-gauge with a hem along the top edge for safety. The drawer shall run on a pair of full extension, ball-bearing suspensions and shall be available with or without a lock, keyed randomly as standard. Field drilling for installation shall be necessary. The center drawer shall be painted to

match the color of desk.

Key Options

There are various key options available depending on the component model. The key alike option (KA) allows multiple components of a workstation to be keyed alike. The key standard option (KS) allows each component to have its own randomly selected key number shipped with the individual component. The No lock core (NLC) provides more flexibility in keying workstations alike. All locks and keys for the individual components specified with no lock core will be packaged separately from the components. The location of the lock core and corresponding numbered key will be determined upon installation.

Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.



Desk, Enamel and Unit Color		Cherry Storm	TCX	Surface Finish--Grade 1 Standard Laminate	
Black	BL	Cocobala	TCC	Beigewood	LBZ
Blue Grey	GR	Cool Grey	TCG	Belair	LBQ
Bronze Metallic	ZM	Cumberland Walnut	TCJ	Biltmore Cherry	LBT
Cayenne	CY	Dering Forest	TDF	Black	LBK
Champagne Metallic	CM	Designer White	TDR	Brighton Walnut	LBW
Cool Grey	CG	Earthen Clay	TEY	Castle Oak	LCO
Cottonwood	CO	Everglade Shade	TEV	Cherry Storm	LCX
Earthen Clay	EY	Fawn Cypress	TFQ	Classic Linen	LCI
Espresso Metallic	EX	Flannel	TFN	Cocobala	LCC
Everglade Shade	EV	Florence Walnut	TFC	Crisp Linen	LRI
Flannel	FN	Friston Ash	TFH	Designer White	LDR
Glitz Metallic	GZ	Frosty White	THW	Dove Grey	LDG
Hazy Jade	HJ	Hartley Walnut	THJ	Florence Walnut	LFC
Honey Bee	HY	Hazy Jade	THY	Friston Ash	LFH
Light Tone	LG	Honey Bee	TIT	Frosty White	LFW
Mardi Gras	MG	Italian Silver Ash	TKM	Graphite Nebula	LGN
Misty Brown	MY	Kensington Maple	TLG	Grey	LGE
Nemo	NE	Light Tone	TMG	High Rise	LHE
Nordic	ND	Mardi Gras	TMY	Hollyberry	LHY
Poppy Red	PR	Misty Brown	TMT	Island	LID
Purple Haze	PH	Monticello Maple	TMB	Italian Silver Ash	LIT
Rainforest	RQ	Multiplex	TNE	Kensington Maple	LKM
Raw Jasper	RJ	Nemo	TND	Lapis Blue	LLB
Rubber Ducky	RK	Nordic	TPW	Monticello Maple	LMT
Sand	SA	Pinnacle Walnut	TPR	North Sea	LNA
Sky Blue	SK	Poppy Red	TPH	Ocean	LON
Starlight Silver Metallic	SX	Purple Haze	TRQ	Pinnacle Walnut	LPW
Surf's Up	SP	Rainforest	TRW	River Cherry	LRY
Tarragon	TQ	Raleigh Walnut	TRY	Shadow Zephyr	LSR
Twilight Shadow	TI	River Cherry	TRK	Sterling Ash	LAZ
Ultra Blue	UB	Rubber Ducky	TSA	Titanium Evolv	LTV
Warm Grey	WG	Sand	TSK	White Nebula	LWL
Zesty Lime	ZL	Sky Blue	TSG	White Sand	LWN
Solano Walnut		Sterling Ash	TAZ	Windsor Mahogany	LYW
		Surf's Up	TSP	Surface Finish--Grade 2 Standard Laminate	
		Tarragon	TTQ	Akira	LAK
		Twilight Shadow	TTI	Black Alicante	LYB
	MCX	Ultra Blue	TUB	Black Hills Oak	LBH
	MCN	Valley Forge Elm	TVF	Calcutta Marble	LCQ
	MCA	Warm Grey	TWG	Dering Forest	LDF
	MFC	White River Forest	TWR	Fawn Cypress	LFQ
	MMA	Windsor Mahogany	TWY	Ice Mist	LIM
	MMT	Zesty Lime	TZL	Markerboard White	LMK
	MRY			Valley Forge Elm	LVF
		Grommet Color		White River Forest	LWR
		Black grommet	GBL		
		Blue Grey grommet	GGR		
		Cool Grey grommet	GCG		
		Light Tone grommet	GLG		
		Misty Brown grommet	GMY		
		Sand grommet	GSA		
		Warm Grey grommet	GWG		
		Lock Color			
		Black	BLL		
		Satin Chrome	SCL		

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Edge Color for 34S Edge

Cherry Storm on Maple	MCX	Twilight Shadow
Cinnamon on Maple	MCN	Ultra Blue
Cocoa on Maple	MCA	Valley Forge Elm
Florence Walnut on Maple	MFC	Warm Grey
Kensington Maple on Maple	MMA	White River Forest
Monticello Maple on Maple	MMT	Windsor Mahogany
River Cherry on Maple	MRY	Zesty Lime

Edge Color for 74P Edge

Akira	TAK	Black grommet
Beigewood	TBZ	Blue Grey grommet
Belair	TBQ	Cool Grey grommet
Biltmore Cherry	TBT	Light Tone grommet
Black	TBL	Misty Brown grommet
Black Hills Oak	TBH	Sand grommet
Blue Grey	TGR	Warm Grey grommet
Brighton Walnut	TBW	
Castle Oak	TCO	Black
Cayenne	TCY	Satin Chrome

Finish Cards

View color swatches for items listed within this document.

Paints	Wood/Veneer	Molded Edges	Hard Plastics
Plastics/Poly	Laminates	Edge Styles	Glass

Certain options referenced may not be available on GSA Schedule.



MODEL	D x W x H	MODEL NUMBER								Approx. Packaged Weight	74P Edge (74P)	3/8" Wood Band Edge (34S)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
		Basic Model	Edge Style	Modesty Panel	Grommets	Desk Color	Laminate Color	Edge Color	Grommet Color					
7DWSU	24 x 48 x 29"	7D/D2448	<input type="checkbox"/>	91.0#	\$ 1089	\$ 1548	\$ 18	\$ 115						
	24 x 54 x 29"	7D/D2454	<input type="checkbox"/>	97.0#	1262	1801	25	170						
	24 x 60 x 29"	7D/D2460	<input type="checkbox"/>	104.0#	1262	1801	25	170						
	24 x 66 x 29"	7D/D2466	<input type="checkbox"/>	111.0#	1366	1863	25	170						
	24 x 72 x 29"	7D/D2472	<input type="checkbox"/>	118.0#	1414	1947	25	170						
	30 x 48 x 29"	7D/D3048	<input type="checkbox"/>	112.0#	1445	1803	25	170						
	30 x 54 x 29"	7D/D3054	<input type="checkbox"/>	112.0#	1472	1855	25	170						
	30 x 60 x 29"	7D/D3060	<input type="checkbox"/>	127.0#	1510	1874	25	170						
	30 x 66 x 29"	7D/D3066	<input type="checkbox"/>	137.0#	1620	2037	25	170						
	30 x 72 x 29"	7D/D3072	<input type="checkbox"/>	144.0#	1632	2041	25	170						
	36 x 60 x 29"	7D/D3660	<input type="checkbox"/>	148.0#	1669	2100	50	350						
	36 x 66 x 29"	7D/D3666	<input type="checkbox"/>	156.0#	1775	2249	50	350						
	36 x 72 x 29"	7D/D3672	<input type="checkbox"/>	165.0#	1780	2259	50	350						

A **B** **C** **D** **E** **F** **G** **H**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.

- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

7D

B Select edge style.

74P - 74P edge

34S - 3/8" Wood band edge

C Select modesty panel style.

P - Partial

F - Full

D Select grommet option.

NG - No grommet

G - Grommets - left and right; add \$85

E Select desk color.

Refer to the **Product Color Options** page in this price list.

F Select laminate color.

Refer to the **Product Color Options** page in this price list.

G Select edge color.
Refer to the **Product Color Options** page in this price list.

H Select grommet color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Wood Color Variations

High quality wood table edges and surfaces are characterized by distinctive natural colors and grain colors. Due to natural variations of fine woods, it is impossible to exactly match colors and grains with consistency.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

700 Series® Desk

P-Shape and D-Shape Desk



700 Series® Desk

P-Shape and D-Shape Desk

	MODEL	D x W x H	MODEL NUMBER						Approx. Packaged Weight	74P Edge (74P)	3/8" Wood Band Edge (34S)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
			Basic Model	Edge Style	Dir.	Desk Color	Laminate Color	Edge Color						
7DWSU	P-Shape Desk Right Shown	30 x 60 x 29"	7D/PD3060	<input type="checkbox"/>	106.0#	\$ 1561	\$ 1911	\$ 25	\$ 170					
		30 x 66 x 29"	7D/PD3066	<input type="checkbox"/>	115.0#	1625	2086	25	170					
		30 x 72 x 29"	7D/PD3072	<input type="checkbox"/>	121.0#	1666	2119	25	170					
		36 x 60 x 29"	7D/PD3660	<input type="checkbox"/>	121.0#	1914	2144	50	350					
		36 x 66 x 29"	7D/PD3666	<input type="checkbox"/>	128.0#	2039	2431	50	350					
		36 x 72 x 29"	7D/PD3672	<input type="checkbox"/>	138.0#	2042	2431	50	350					
7DWSU	D-Shape Desk Right Shown	30 x 60 x 29"	7D/DD3060	<input type="checkbox"/>	102.0#	\$ 1481	\$ 1776	\$ 25	\$ 170					
		30 x 66 x 29"	7D/DD3066	<input type="checkbox"/>	110.0#	1562	1904	25	170					
		30 x 72 x 29"	7D/DD3072	<input type="checkbox"/>	116.0#	1565	1904	25	170					
		36 x 60 x 29"	7D/DD3660	<input type="checkbox"/>	118.0#	1615	1975	50	350					
		36 x 66 x 29"	7D/DD3666	<input type="checkbox"/>	125.0#	1670	2079	50	350					
		36 x 72 x 29"	7D/DD3672	<input type="checkbox"/>	131.0#	1738	2148	50	350					

A **B** **C** **D** **E** **F**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.

- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select edge style.
74P - 74P edge
34S - 3/8" Wood band edge
- Select direction.
L - Left
R - Right
- Select desk color.
Refer to the **Product Color Options** page in this price list.
- Select laminate color.
Refer to the **Product Color Options** page in this price list.
- Select edge color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Wood Color Variations

High quality wood table edges and surfaces are characterized by distinctive natural colors and grain colors. Due to natural variations of fine woods, it is impossible to exactly match colors and grains with consistency.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



MODEL	D x W x H	MODEL NUMBER								Approx. Packaged Weight	74P Edge (74P)	3/8" Wood Band Edge (34S)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
		Basic Model	Edge Style	Modesty Panel	Grommets	Desk Color	Laminate Color	Edge Color	Grommet Color					
7DWSU	24 x 24 x 29"	7D/R2424	<input type="checkbox"/>	60.0#	\$ 878	\$ 1245	\$ 18	\$ 115						
	24 x 30 x 29"	7D/R2430	<input type="checkbox"/>	66.0#	914	1311	18	115						
	24 x 36 x 29"	7D/R2436	<input type="checkbox"/>	67.0#	1104	1341	18	115						
	24 x 42 x 29"	7D/R2442	<input type="checkbox"/>	73.0#	1163	1479	18	115						
	24 x 48 x 29"	7D/R2448	<input type="checkbox"/>	79.0#	1179	1493	18	115						
	24 x 54 x 29"	7D/R2454	<input type="checkbox"/>	94.0#	1196	1679	25	170						
	24 x 60 x 29"	7D/R2460	<input type="checkbox"/>	99.0#	1330	1712	25	170						
	24 x 66 x 29"	7D/R2466	<input type="checkbox"/>	114.0#	1366	1863	25	170						
	24 x 72 x 29"	7D/R2472	<input type="checkbox"/>	120.0#	1414	1947	25	170						
	30 x 36 x 29"	7D/R3036	<input type="checkbox"/>	73.0#	1183	1495	25	170						
	30 x 42 x 29"	7D/R3042	<input type="checkbox"/>	81.0#	1226	1782	25	170						
	30 x 48 x 29"	7D/R3048	<input type="checkbox"/>	92.0#	1270	1792	25	170						
	30 x 54 x 29"	7D/R3054	<input type="checkbox"/>	112.0#	1276	1802	25	170						
	30 x 60 x 29"	7D/R3060	<input type="checkbox"/>	115.0#	1450	1810	25	170						

A **B** **C** **D** **E** **F** **G** **H**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.

- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

With specially marked information N/C

B Select edge style.

74P - 74P edge

34S - 3/8" Wood band edge

C Select modesty panel style.

P - Partial

F - Full

D Select grommet option.

NG - No grommet

G - Grommets - left and right; add \$85

E Select desk color.

Refer to the **Product Color Options** page in this price list.

F Select laminate color.

Refer to the **Product Color Options** page in this price list.

G Select edge color.
Refer to the **Product Color Options** page in this price list.

H Select grommet color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Wood Color Variations

High quality wood table edges and surfaces are characterized by distinctive natural colors and grain colors. Due to natural variations of fine woods, it is impossible to exactly match colors and grains with consistency.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

700 Series® Desk

P-Shape and D-Shape Returns



700 Series® Desk

P-Shape and D-Shape Returns

MODEL	D x W x H	MODEL NUMBER						Approx. Packaged Weight	74P Edge (74P)	3/8" Wood Band Edge (34S)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
		Basic Model	Edge Style	Dir.	Desk Color	Laminate Color	Edge Color							
7DWSU	P-Shape Return	24 x 54 x 29"	7D/PR2454	<input type="checkbox"/>	82.0#	\$ 1027	\$ 1726	\$ 25	\$ 170					
	• Consists of top, support column and required hardware	24 x 60 x 29"	7D/PR2460	<input type="checkbox"/>	66.0#	1034	1819	25	170					
	• Includes level connector	24 x 66 x 29"	7D/PR2466	<input type="checkbox"/>	74.0#	1113	1947	25	170					
	• Must be specified as either Right or Left	24 x 72 x 29"	7D/PR2472	<input type="checkbox"/>	82.0#	1120	1975	25	170					
	• Available in 29" high only	30 x 60 x 29"	7D/PR3060	<input type="checkbox"/>	85.0#	1424	1782	25	170					
		30 x 66 x 29"	7D/PR3066	<input type="checkbox"/>	94.0#	1459	1913	25	170					
		30 x 72 x 29"	7D/PR3072	<input type="checkbox"/>	100.0#	1497	1955	25	170					
		36 x 60 x 29"	7D/PR3660	<input type="checkbox"/>	100.0#	1593	1819	50	350					
		36 x 66 x 29"	7D/PR3666	<input type="checkbox"/>	107.0#	1834	2225	50	350					
		36 x 72 x 29"	7D/PR3672	<input type="checkbox"/>	114.0#	1835	2225	50	350					
7DWSU	D-Shape Return	24 x 36 x 29"	7D/DR2436	<input type="checkbox"/>	38.0#	\$ 785	\$ 1324	\$ 18	\$ 115					
	• Consists of top, support column and required hardware	24 x 42 x 29"	7D/DR2442	<input type="checkbox"/>	44.0#	811	1393	18	115					
	• Includes level connector	24 x 48 x 29"	7D/DR2448	<input type="checkbox"/>	50.0#	845	1470	18	115					
	• Available in 29" high only	24 x 54 x 29"	7D/DR2454	<input type="checkbox"/>	56.0#	994	1515	25	170					
		24 x 60 x 29"	7D/DR2460	<input type="checkbox"/>	62.0#	1220	1545	25	170					
		24 x 66 x 29"	7D/DR2466	<input type="checkbox"/>	68.0#	1258	1703	25	170					
		24 x 72 x 29"	7D/DR2472	<input type="checkbox"/>	72.0#	1290	1737	25	170					
		30 x 48 x 29"	7D/DR3048	<input type="checkbox"/>	70.0#	1222	1610	25	170					
		30 x 54 x 29"	7D/DR3054	<input type="checkbox"/>	76.0#	1035	1675	25	170					
		30 x 60 x 29"	7D/DR3060	<input type="checkbox"/>	81.0#	1341	1633	25	170					
		30 x 66 x 29"	7D/DR3066	<input type="checkbox"/>	89.0#	1393	1733	25	170					
		30 x 72 x 29"	7D/DR3072	<input type="checkbox"/>	95.0#	1397	1735	25	170					
		36 x 48 x 29"	7D/DR3648	<input type="checkbox"/>	78.0#	1276	1584	35	225					
		36 x 54 x 29"	7D/DR3654	<input type="checkbox"/>	86.0#	1146	1837	50	350					
		36 x 60 x 29"	7D/DR3660	<input type="checkbox"/>	94.0#	1408	1775	50	350					
		36 x 66 x 29"	7D/DR3666	<input type="checkbox"/>	101.0#	1464	1872	50	350					
		36 x 72 x 29"	7D/DR3672	<input type="checkbox"/>	107.0#	1466	1872	50	350					

A **B** **C** **D** **E** **F**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.• The absence of the indicates that no choice is required.• Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select edge style.
74P - 74P edge
34S - 3/8" Wood band edge
- Select direction.
L - Left
R - Right
- Select desk color.
Refer to the **Product Color Options** page in this price list.
- Select laminate color.
Refer to the **Product Color Options** page in this price list.
- Select edge color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Wood Color Variations

High quality wood table edges and surfaces are characterized by distinctive natural colors and grain colors. Due to natural variations of fine woods, it is impossible to exactly match colors and grains with consistency.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

700 Series® Desk

Corner



700 Series® Desk

Corner

MODEL	D x W x H	MODEL NUMBER								Approx. Packaged Weight	74P Edge (74P)	3/8" Wood Band Edge (34S)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
		Basic Model	Edge Style	Modesty Panel	Grommets	Desk Color	Laminate Color	Edge Color	Grommet Color							
7DWSU	Corner	24 x 36 x 29"	7D/CU2436	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	86.0#	\$ 1522	\$ 1811	\$ 18	\$ 115
	• Consists of top, two end panels, two modesty panels and required hardware	24 x 42 x 29"	7D/CU2442	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	103.0#	1588	2025	18	115
	• Full modesty panels extend to floor, partial modesty panels are raised off floor 8-3/8"	30 x 42 x 29"	7D/CU3042	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	193.0#	1609	2040	25	170
	• Wire management access between top and modesty panel	30 x 48 x 29"	7D/CU3048	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	227.0#	1658	2095	25	170
	• Includes end panel grommets for wire pass-through															
	• Includes a center grommet															
	• Available in 29" high only															

A **B** **C** **D** **E** **F** **G** **H**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.

- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.Refer to the **Product Color Options** page in this price list.**B** Select edge style.74P - 74P edge
34S - 3/8" Wood band edge**C** Select modesty panel style.F - Full
P - Partial**D** Select grommet option.G - Grommets - center
Center grommet and end panel grommets included.**E** Select desk color.Refer to the **Product Color Options** page in this price list.**F** Select laminate color.Refer to the **Product Color Options** page in this price list.**G** Select edge color.Refer to the **Product Color Options** page in this price list.**H** Select grommet color.Refer to the **Product Color Options** page in this price list.

INFORMATION

Wood Color Variations

High quality wood table edges and surfaces are characterized by distinctive natural colors and grain colors. Due to natural variations of fine woods, it is impossible to exactly match colors and grains with consistency.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

700 Series® Desk

Bridges



700 Series® Desk

Bridges

MODEL	D x W x H	MODEL NUMBER								Approx. Packaged Weight	74P Edge (74P)	3/8" Wood Band Edge (34S)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
		Basic Model	Edge Style	Modesty Panel	Grommets	Desk Color	Laminate Color	Edge Color	Grommet Color					
7DWSU	Bridges	20 x 36 x 29"	7D/B2036	<input type="checkbox"/>	51.0#	\$ 1017	\$ 1258	\$ 18	\$ 115					
	• Consists of top, modesty panel, wire management channel and required hardware	20 x 42 x 29"	7D/B2042	<input type="checkbox"/>	57.0#	1078	1394	18	115					
	• Includes two level connectors	20 x 48 x 29"	7D/B2048	<input type="checkbox"/>	63.0#	1111	1406	18	115					
	• Full modesty panels extend to the floor, partial modesty panels are raised off floor 8-3/8"	24 x 36 x 29"	7D/B2436	<input type="checkbox"/>	56.0#	1017	1258	18	115					
	• Wire management access between top and modesty panel	24 x 42 x 29"	7D/B2442	<input type="checkbox"/>	63.0#	1078	1394	18	115					
	• Available in 29" height only	24 x 48 x 29"	7D/B2448	<input type="checkbox"/>	70.0#	1111	1406	18	115					
		24 x 54 x 29"	7D/B2454	<input type="checkbox"/>	80.0#	1043	1577	25	170					
		24 x 60 x 29"	7D/B2460	<input type="checkbox"/>	86.0#	1180	1695	25	170					
		24 x 66 x 29"	7D/B2466	<input type="checkbox"/>	92.0#	1313	1813	25	170					
		24 x 72 x 29"	7D/B2472	<input type="checkbox"/>	98.0#	1359	1894	25	170					

A **B** **C** **D** **E** **F** **G** **H**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.
7D

B Select edge style.
74P - 74P edge
34S - 3/8" Wood band edge

C Select modesty panel style.
P - Partial
F - Full

D Select grommet option.
NG - No grommet
G - Grommets - left and right; add \$85

E Select desk color.
Refer to the **Product Color Options** page in this price list.

F Select laminate color.
Refer to the **Product Color Options** page in this price list.

G Select edge color.
Refer to the **Product Color Options** page in this price list.

H Select grommet color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Wood Color Variations

High quality wood table edges and surfaces are characterized by distinctive natural colors and grain colors. Due to natural variations of fine woods, it is impossible to exactly match colors and grains with consistency.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

700 Series® Desk

Credenzas



700 Series® Desk

Credenzas

MODEL	D x W x H	MODEL NUMBER						Approx. Packaged Weight	74P Edge (74P)	3/8" Wood Band Edge (34S)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
		Basic Model	Edge Style	Modesty Panel	Desk Color	Laminate Color	Edge Color						
7DWSU	Credenza Shell • Consists of top, two end panels, modesty panel and required hardware • Full modesty panels extend to floor, partial modesty panels are raised off floor 8-3/8" • Pedestals to be specified separately • 62" allows for bank of four pedestals, two 30" credenza laterals or a combination of both	20 x 62 x 29"	7D/CS2062	<input type="checkbox"/>	106.0#	\$ 1422	\$ 1824	\$ 18	\$ 115				
	24 x 48 x 29"	7D/CS2448	<input type="checkbox"/>	96.0#	1275	1566	18	115					
	24 x 60 x 29"	7D/CS2460	<input type="checkbox"/>	113.0#	1387	1737	25	170					
	24 x 62 x 29"	7D/CS2462	<input type="checkbox"/>	118.0#	1432	1848	25	170					
	24 x 66 x 29"	7D/CS2466	<input type="checkbox"/>	122.0#	1459	1918	25	170					
	24 x 72 x 29"	7D/CS2472	<input type="checkbox"/>	129.0#	1501	1931	25	170					
7TOPU	Credenza Top • Consists of top only, predrilled to accept up to four worksurface supporting pedestals, two 30" credenza laterals or a combination of both	20 x 60"	7D/CT2060	<input type="checkbox"/>	55.0#	\$ 831	\$ 1234	\$ 18	\$ 115				
	24 x 60"	7D/CT2460	<input type="checkbox"/>	63.0#	838	1253	25	170					

A **B** **C** **D** **E** **F**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.

- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.
 7D/CS2062
 7D/CS2448
 7D/CS2460
 7D/CS2462
 7D/CS2466
 7D/CS2472

B Select edge style.
 74P - 74P edge
 34S - 3/8" Wood band edge

C Select modesty panel style.
 F - Full
 P - Partial

D Select desk color.
Refer to the **Product Color Options** page in this price list.

E Select laminate color.
Refer to the **Product Color Options** page in this price list.

F Select edge color.
Refer to the **Product Color Options** page in this price list.

INFORMATION

Wood Color Variations

High quality wood table edges and surfaces are characterized by distinctive natural colors and grain colors. Due to natural variations of fine woods, it is impossible to exactly match colors and grains with consistency.

FINISH INFORMATION

Additional Laminate Offering

KI offers laminates beyond those offered in the standard offering. Laminates that are currently available in the program can be viewed in KI product specification tools. Requests to add laminates to the program can be submitted via the product modification request process. Please note, requests to add laminates to the program must include the laminate manufacturer's name, color/ pattern number, and finish code. Edge options are limited to standard edge colors. If a matching edge is required, this will need to be requested through the product modification request process and may be subject to additional costs. Due to varying manufacturing processes and quality issues with some laminates, some requests may be denied. Extended lead times and minimum order quantities may apply on orders containing special laminates. Contact the product modification team for questions or additional information regarding special laminates and pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



MODEL	W x D x H	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing
		Basic Model	Enamel Color	Assembly	Lock Option	Lock Color		
7DOSU	Open Overhead - Steel	30 x 14 x 36"	7D/OSS30	<input type="checkbox"/>			51.0#	\$ 668
	• For use on rectangular worksurfaces	36 x 14 x 36"	7D/OSS36	<input type="checkbox"/>			55.0#	693
	• Clearance between overhead and worksurfaces is 19" to underside of shelf	42 x 14 x 36"	7D/OSS42	<input type="checkbox"/>			59.0#	724
	• Formed steel wire management in end panels for cord access	48 x 14 x 36"	7D/OSS48	<input type="checkbox"/>			64.0#	751
	• Overhead will accommodate task lights	54 x 14 x 36"	7D/OSS54	<input type="checkbox"/>			64.0#	846
	• Ships unassembled	60 x 14 x 36"	7D/OSS60	<input type="checkbox"/>			75.0#	806
		66 x 14 x 36"	7D/OSS66	<input type="checkbox"/>			78.0#	834
		72 x 14 x 36"	7D/OSS72	<input type="checkbox"/>			80.0#	861
7DOSU	Closed Overhead (one door) - Steel	30 x 14 x 36"	7D/OSD30/S	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	66.0#	\$ 1113
	• For use on rectangular worksurface	36 x 14 x 36"	7D/OSD36/S	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	74.0#	1140
	• Clearance between overhead and worksurfaces is 19" to underside of shelf	42 x 14 x 36"	7D/OSD42/S	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	81.0#	1167
	• Formed steel wire management in end panels for cord access	48 x 14 x 36"	7D/OSD48/S	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	89.0#	1197
	• Doors recede inside overhead on rack and pinion system	54 x 14 x 36"	7D/OSD54/S	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	89.0#	1283
	• Overhead will accommodate task lights	60 x 14 x 36"	7D/OSD60/S	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	105.0#	1323
7DOSU	Closed Overhead (two doors) - Steel	66 x 14 x 36"	7D/OSD66/S	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	117.0#	\$ 1607
	• For use on rectangular worksurfaces	72 x 14 x 36"	7D/OSD72/S	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	123.0#	1632
	• Clearance between overhead and worksurfaces is 19" to underside of shelf							
	• Formed steel wire management in end panels for cord access							
	• Two doors recede inside overhead on rack and pinion system							
	• Overhead will accommodate task lights							

A **B** **C** **D** **E**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select enamel color.
 Refer to the **Product Color Options** page in this price list.
- Select assembly option.
UAS - Unassembled
WAS - Assembled; add \$177
- Select lock option.
KS - Key standard
NLC - No lock core
KA - Key alike
- Select lock color.
 Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
 Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



MODEL	W x D x H	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
		Basic Model	Fabric Color	Enamel Color	Assembly	Lock Option	Lock Color							
7DOSU	Closed Overhead (one door) - Fabric	30 x 14 x 36"	7D/OSD30/F	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	66.0#	\$ 1355	\$ 1397	\$ 1423	\$ 1493	\$ 1559	
	• For use on rectangular worksurface	36 x 14 x 36"	7D/OSD36/F	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	74.0#	1385	1426	1454	1523	1561	
	• Clearance between overhead and worksurfaces is 19" to underside of shelf	42 x 14 x 36"	7D/OSD42/F	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	81.0#	1422	1464	1493	1565	1634	
	• Formed steel wire management in end panels for cord access	48 x 14 x 36"	7D/OSD48/F	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	89.0#	1446	1490	1520	1589	1663	
	• Doors recede inside overhead on rack and pinion system	54 x 14 x 36"	7D/OSD54/F	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	89.0#	1537	1545	1576	1681	1692	
	• Overhead will accommodate task lights	60 x 14 x 36"	7D/OSD60/F	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	105.0#	1545	1570	1599	1702	1750	
7DOSU	Closed Overhead (two doors) - Fabric	66 x 14 x 36"	7D/OSD66/F	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	117.0#	\$ 1874	\$ 1930	\$ 1968	\$ 2063	\$ 2156	
	• For use on rectangular worksurfaces	72 x 14 x 36"	7D/OSD72/F	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	123.0#	1931	1989	2028	2124	2225	
	• Clearance between overhead and worksurfaces is 19" to underside of shelf													
	• Formed steel wire management in end panels for cord access													
	• Two doors recede inside overhead on rack and pinion system													
	• Overhead will accommodate task lights													

A **B** **C** **D** **E** **F**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.

- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select fabric.
Refer to ki.com/fabrics

C Select enamel color.
Refer to the **Product Color Options** page in this price list.

D Select assembly option.

UAS - Unassembled
WAS - Assembled; add \$177

E Select lock option.

KA - Key alike
KS - Key standard
NLC - No lock core

F Select lock color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



MODEL	Features	W x D x H	MODEL NUMBER			Approx. Weight	Packaged Pricing	Delivered Pricing
			Basic Model	Enamel Color	Lock Option			
7DACY	Center Drawer • Mounts beneath any worksurface at least 24" deep • Drawer is made of steel • CDL model includes lock • Hardware included	18 x 20-1/2 x 2-3/4"	7D/18CD	<input type="checkbox"/>			13.0#	\$ 228
		18 x 20-1/2 x 2-3/4"	7D/18CDL	<input type="checkbox"/>	<input type="checkbox"/>		13.0#	284
7DACY	Plate Dividers • Sold in package of three		7D/OSPD	<input type="checkbox"/>			6.0#	\$ 70
HRDPT	P-Series Keys • Double bit design • Range of 200 different core/key numbers available • Must specify lock number(s) requested when ordering cut key or lock core/key sets	Lock Core/2 Key Set - Black Lock Core/2 Key Set - Satin Chrome Master Key Extractor Key Blank Key Cut Key	2.KP20522 2.KP20522.SC 2.KP20550 2.KP20551 2.KP20552 2.KP20557				0.4# 0.4# 0.2# 0.2# 0.2# 0.2#	\$ 15 15 11 11 3 4

A B C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.
• Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.
B Select enamel color.
Refer to the **Product Color Options** page in this price list.

C Select lock option.

KA	- Key alike
KS	- Key standard
NLC	- No lock core

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships knocked down, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



MODEL	W	Basic Model	Approx. Packaged Weight	Delivered Pricing	
HRDPT	12"	LEDTK.12.SGL.GN	1.2#	\$	147
	17"	LEDTK.17.SGL.GN	1.6#		188
	31"	LEDTK.31.SGL.GN	2.1#		230
	44"	LEDTK.44.SGL.GN	2.3#		264
HRDPT	12"	LEDTK.12.DCP.GN	1.2#	\$	192
	17"	LEDTK.17.DCP.GN	1.6#		240
	31"	LEDTK.31.DCP.GN	2.1#		283
	44"	LEDTK.44.DCP.GN	2.3#		321

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION

LED TASK LIGHT CABINET WIDTH
 Cabinet Light
 Width Width
 24" 12" or 17"
 30" 17"
 36" 17"
 42" 31"
 48" 31"
 54" 44"
 60" 44"
 66" 44"
 72" 44"

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS
 (DAISY CHAIN)

# of 12"	# of 17"	# of 31"	# of 44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0
2	0	2	0
2	0	0	1

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS (cont.)
 (DAISY CHAIN)

# of 12"	# of 17"	# of 31"	# of 44"
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES**Special Carton Marking**

With specially marked information N/C

Shipping
 Ships knocked down, FOB Manitowoc, WI 54220,
 freight prepaid. Freight class 70.

Specifications and prices are subject to change
 without prior notice.



MODEL	W	Basic Model	Approx. Packaged Weight	Delivered Pricing			
				12"	17"	31"	44"
HRDPT	Adder Unit - Overhead LED Task Light	LEDTK.12.DCA.GN	1.2#			\$ 95	
	• Attaches to the bottom of overhead storage cabinets or shelving	LEDTK.17.DCA.GN	1.6#			109	
	• Task lights are specified by the cabinet width to which they are attached. See "INFORMATION" below for sizing chart.	LEDTK.31.DCA.GN	2.1#			152	
	• Slim profile mounts effortlessly via magnets or screw-in bracket	LEDTK.44.DCA.GN	2.3#			188	
	• Attachment hardware included						
	• Touch and hold dimmability with last-state memory						
	• Silver anodized aluminum body/black plastic end caps						
	• Daisy chain with Starter units						
	• 18' jumper cord and connect to starter unit						
	• Includes 2 cord managers						
	• Does not include power supply; must purchase starter unit with power supply						
	• Controlled by the on/off/dimmer of the starter unit						
	• Refer to Interlinking Combination table below for optimal performance of daisy chained fixtures						

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model.

INFORMATION

LED TASK LIGHT CABINET WIDTH

Cabinet Light

Width Width

24"	12" or 17"
30"	17"
36"	17"
42"	31"
48"	31"
54"	44"
60"	44"
66"	44"
72"	44"

INTERLOCKING SPECIFICATIONSINTERLINKING COMBINATIONS
(DAISY CHAIN)

# of 12"	# of 17"	# of 31"	# of 44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0
2	0	2	0
2	0	0	1

INTERLOCKING SPECIFICATIONSINTERLINKING COMBINATIONS (cont.)
(DAISY CHAIN)

# of 12"	# of 17"	# of 31"	# of 44"
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES**Special Carton Marking**

With specially marked information N/C

Shipping
 Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.


700 Series® Pedestals

Mobile and Freestanding



700 Series® Pedestals

Mobile and Freestanding

	MODEL	Features	W x D x H	MODEL NUMBER						Approx. Weight	Packed Pricing	Delivered Pricing	Counter-balance Weight add to list price
				Basic Model	Pull Option	Unit Color	Optional Counter-balance Weight	Lock Option	Lock Color				
S7PDU	Pedestal - BFTP 	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBFTP	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		79.0#	\$ 1111	N/A
	• Top surface of pedestal has black, four compartment pencil tray and black recessed pull												
	• 6" box drawer with partition												
	• 12" file drawer with partition												
	• Anti-tip caster travels with file drawer												
	• Counterbalance weight not required												
	• Only use 21-5/8" D peds with 30" D desks												
S7PDU	Pedestal - BF 	Mobile	15 x 17-5/8 x 21-3/4"	S7P/1520MBF	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		79.0#	\$ 967	N/A
	• One 6" box drawer, one 12" file drawer with hanging folder partition	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBF	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		90.0#	1111	N/A
	• 5th wheel in lieu of counterbalance weight	Mobile	15 x 27-5/8 x 21-3/4"	S7P/1530MBF	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		93.0#	1111	N/A
	• Only use 21-5/8" D peds with 30" D desks												
S7PDU	Pedestal - BBB 	Mobile	15 x 17-5/8 x 21-3/4"	S7P/1520MBBB	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		83.0#	\$ 1111	N/A
	• Three 6" box drawers	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBBB	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		92.0#	1078	N/A
	• 5th wheel in lieu of counterbalance weight	Mobile	15 x 27-5/8 x 21-3/4"	S7P/1530MBBB	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		95.0#	1078	N/A
	• Only use 21-5/8" D peds with 30" D desks												
S7PDU	Pedestal - PBF 	Freestanding	15 x 17-5/8 x 22-3/8"	S7P/1520FPBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		53.0#	\$ 1015	\$ 232
	• One 3" pencil drawer; one 6" box drawer; one 12" file drawer with hanging folder partition	Mobile	15 x 17-5/8 x 24-11/16"	S7P/1520MPBF	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		89.0#	1212	N/A
	• Mobile units include 5th wheel in lieu of counterbalance weight	Freestanding	15 x 21-5/8 x 22-3/8"	S7P/1524FPBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		55.0#	1070	198
	• Counterbalance weight recommended when freestanding unit is not under worksurface	Mobile	15 x 21-5/8 x 24-11/16"	S7P/1524MPBF	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		90.0#	1154	N/A
	• Only use 21-5/8" D peds with 30" D desks	Freestanding	15 x 27-5/8 x 22-3/8"	S7P/1530FPBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		75.0#	1140	113
	• A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under	Mobile	15 x 27-5/8 x 24-11/16"	S7P/1530MPBF	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		95.0#	1226	N/A

A Basic model **B** Pull option **C** Unit color **D** Counterbalance weight **E** Lock option **F** Lock color

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.
• Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

F Select lock color.
Refer to the **Product Color Options** page in this price list.

A Select basic model.

B Select pull option.

ALBT - Aluminum bow tie pull
ALMT - Aluminum metric pull
ARCN - Arc nickel pull
CLSC - Classic (inset pull)
CZP - Connection Zone pull

C Select unit and drawer color.
Refer to the **Product Color Options** page in this price list.

D Select counterbalance weight.

CBW - With Counterbalance
NOCBW - No Counterbalance

See pricing column for counterbalance weight upcharge.

E Select lock option.

KA - Key alike
KS - Key standard
NLC - No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Desking Series	Workstation Depth			
	20"	24"	30"	36"
WorkZone	N/A	21 ⁵ / ₈ "	27 ⁵ / ₈ "	N/A
WorkZone	N/A	N/A	17 ⁵ / ₈ "	N/A
700 Series with grommets	N/A	17 ⁵ / ₈ "	21 ⁵ / ₈ "	21 ⁵ / ₈ "
700 Series w/o grommets	17 ⁵ / ₈ "	21 ⁵ / ₈ "	27 ⁵ / ₈ "	27 ⁵ / ₈ "
True	N/A	17 ⁵ / ₈ "	21 ⁵ / ₈ "	N/A

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZone desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position. Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

700 Series® Pedestals

Mobile and Freestanding



700 Series® Pedestals

Mobile and Freestanding

	MODEL	Features	W x D x H	MODEL NUMBER						Approx. Weight	Packed \$	Delivered \$	Pricing	Counter-balance Weight add to list price
				Basic Model	Pull Option	Unit Color	Optional Counter-balance Weight	Lock Option	Lock Color					
S7PDU	Pedestal - FF • Two 12" file drawers with hanging folder partitions • Counterbalance weight: included in mobile unit; recommended when free-standing unit is not under worksurface • Only use 21-5/8" D ped with 30" D desks • A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FFF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	55.0#	\$ 928			\$ 232
		Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MFF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	93.0#		1029		N/A
		Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FFF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	55.0#		975		198
		Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MFF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	90.0#		1068		N/A
		Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FFF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	75.0#		1038		113
		Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MFF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	95.0#		1125		N/A
S7PDU	Pedestal - BBF • Two 6" box drawers; one 12" file drawer with hanging folder partition • Counterbalance weight: included in mobile unit; recommended when free-standing unit is not under worksurface • Only use 21-5/8" D ped with 30" D desks • A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FBBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	57.0#	\$ 975			\$ 232
		Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MBBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	93.0#		1120		N/A
		Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FBBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	60.0#		1029		198
		Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MBBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	95.0#		1181		N/A
		Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FBBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	80.0#		1162		113
		Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MBBF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	100.0#		1229		N/A

A B C D E F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

• The absence of the indicates that no choice is required.

• Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

F Select lock color.
Refer to the **Product Color Options** page in this price list.

A Select basic model.

B Select pull option.

ALBT - Aluminum bow tie pull
ALMT - Aluminum metric pull
ARCN - Arc nickel pull
CLSC - Classic (inset pull)
CZP - Connection Zone pull

C Select unit and drawer color.
Refer to the **Product Color Options** page in this price list.

D Select counterbalance weight.

CBW - With Counterbalance
NOCBW - No Counterbalance

See pricing column for counterbalance weight upcharge.

E Select lock option.

KA - Key alike
KS - Key standard
NLC - No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Desking Series	Workstation Depth			
	20"	24"	30"	36"
WorkZone	N/A	21 ⁵ / ₈ "	27 ⁵ / ₈ "	N/A
WorkZone	N/A	N/A	17 ⁵ / ₈ "	N/A
700 Series with grommets	N/A	17 ⁵ / ₈ "	21 ⁵ / ₈ "	21 ⁵ / ₈ "
700 Series w/o grommets	17 ⁵ / ₈ "	21 ⁵ / ₈ "	27 ⁵ / ₈ "	27 ⁵ / ₈ "
True	N/A	17 ⁵ / ₈ "	21 ⁵ / ₈ "	N/A

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZone desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position. Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select pull option.

ALBT	- Aluminum bow tie pull
ALMT	- Aluminum metric pull
ARCN	- Arc nickel pull
CLSC	- Classic (inset pull)
CPZ	- Connection Zone pull

C Select unit and drawer color.
Refer to the **Product Color Options** page in the price list.

D Select counterbalance weight.

CBW	- With Counterbalance
NOCBW	- No Counterbalance

See pricing column for counterbalance weight upcharge.

E Select lock option.

KA	- Key alike
KS	- Key standard
NLC	- No lock core

F Select lock color.
Refer to the **Product Color Options** page in this price list.

Pedestal Sizing Chart (maximum sizes recommended)				
Desking Series	Workstation Depth			
	20"	24"	30"	36"
WorkZone	N/A	21 ⁵ / ₈ "	27 ⁵ / ₈ "	N/A
WorkZone	N/A	N/A	17 ⁵ / ₈ "	N/A
00 Series with grommets	N/A	17 ⁵ / ₈ "	21 ⁵ / ₈ "	21 ⁵ / ₈ "
00 Series w/o grommets	17 ⁵ / ₈ "	21 ⁵ / ₈ "	27 ⁵ / ₈ "	27 ⁵ / ₈ "
True	N/A	17 ⁵ / ₈ "	21 ⁵ / ₈ "	N/A

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZone task with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.

INFORMATION

night

1 freestanding pedestals include 1/4" allowance for glides in recessed position. Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect
packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

811

Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1,
furniture with freight, **72**

Specifications and prices are subject to change

without prior notice.



MODEL	Features	W x D x H	MODEL NUMBER					Approx. Weight	Packed \$	Delivered \$
			Basic Model	Pull Option	Unit Color	Lock Option	Lock Color			
	Pedestal - BF • One 6" box drawer • One 12" file drawer with hanging folder partition	Hanging 15 x 17-5/8 x 19-3/16" Hanging 15 x 21-5/8 x 19-3/16"	S7P/1520HBF S7P/1524HBF	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	62.0#	\$ 852	
S7PDU								80.0#	886	
	Pedestal - BBB • Three 6" box drawers	Hanging 15 x 17-5/8 x 19-3/16" Hanging 15 x 21-5/8 x 19-3/16"	S7P/1520HBBB S7P/1524HBBB	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	45.0#	\$ 870	
S7PDU								50.0#	877	
	Pedestal - PBF • One 3" pencil drawer • One 6" box drawer • One 12" file drawer with hanging folder partition	Hanging 15 x 17-5/8 x 22-1/8" Hanging 15 x 21-5/8 x 22-1/8"	S7P/1520HPBF S7P/1524HPBF	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	62.0#	\$ 1002	
S7PDU								80.0#	1050	

A **B** **C** **D** **E**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.

- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select pull option.

ALBT	- Aluminum bow tie pull
ALMT	- Aluminum metric pull
ARCN	- Arc nickel pull
CLSC	- Classic (inset pull)
CZP	- Connection Zone pull

C Select unit and drawer color.

Refer to the **Product Color Options** page in this price list.

D Select lock option.

KA	- Key alike
KS	- Key standard
NLC	- No lock core

E Select lock color.

Refer to the **Product Color Options** page in this price list.

Pedestal Sizing Chart (maximum sizes recommended)

Desking Series	Workstation Depth			
	20"	24"	30"	36"
WorkZone	N/A	21 ⁵ / ₈ "	27 ⁵ / ₈ "	N/A
WorkZone	N/A	N/A	17 ⁵ / ₈ "	N/A
700 Series with grommets	N/A	17 ⁵ / ₈ "	21 ⁵ / ₈ "	21 ⁵ / ₈ "
700 Series w/o grommets	17 ⁵ / ₈ "	21 ⁵ / ₈ "	27 ⁵ / ₈ "	27 ⁵ / ₈ "
True	N/A	17 ⁵ / ₈ "	21 ⁵ / ₈ "	N/A

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZone desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



MODEL	Features	W x D x H	MODEL NUMBER					Approx. Weight	Packaged Pricing	Delivered Pricing
			Basic Model	Pull Option	Unit Color	Lock Option	Lock Color			
	Pedestal - FF <ul style="list-style-type: none">Two 12" file drawers with hanging folder partitionsIncludes four leveling glides	Supporting 15 x 17-5/8 x 27-7/8"	S7P/1520WFF	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	59.0#	\$ 877	
		Supporting 15 x 21-5/8 x 27-7/8"	S7P/1524WFF	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	82.0#	1027	
		Supporting 15 x 27-5/8 x 27-7/8"	S7P/1530WFF	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	95.0#	1067	
	Pedestal - BFF <ul style="list-style-type: none">Two 6" box drawersOne 12" file drawer with hanging folder partitionIncludes four leveling glides	Supporting 15 x 17-5/8 x 27-7/8"	S7P/1520WBBF	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	61.0#	\$ 972	
		Supporting 15 x 21-5/8 x 27-7/8"	S7P/1524WBBF	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	80.0#	1121	
		Supporting 15 x 27-5/8 x 27-7/8"	S7P/1530WBBF	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	93.0#	1183	
	Pedestal - BBBB <ul style="list-style-type: none">Four 6" box drawersIncludes four leveling glides	Supporting 15 x 17-5/8 x 27-7/8"	S7P/1520WBBBB	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	70.0#	\$ 1111	
		Supporting 15 x 21-5/8 x 27-7/8"	S7P/1524WBBBB	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	70.0#	1136	
		Supporting 15 x 27-5/8 x 27-7/8"	S7P/1530WBBBB	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	81.0#	1244	

A **B** **C** **D** **E**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.
• Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select pull option.
- Select unit and drawer color.
- Select lock option.
- Select lock color.

ALBT - Aluminum bow tie pull
ALMT - Aluminum metric pull
ARCN - Arc nickel pull
CLSC - Classic (inset pull)
CZP - Connection Zone pull

KA - Key alike
KS - Key standard
NLC - No lock core

Refer to the **Product Color Options** page in this price list.

Pedestal Sizing Chart (maximum sizes recommended)

Desking Series	Workstation Depth			
	20"	24"	30"	36"
WorkZone	N/A	21 ⁵ / ₈ "	27 ⁵ / ₈ "	N/A
WorkZone	N/A	N/A	17 ⁵ / ₈ "	N/A
'00 Series with grommets	N/A	17 ⁵ / ₈ "	21 ⁵ / ₈ "	21 ⁵ / ₈ "
'00 Series w/o grommets	17 ⁵ / ₈ "	21 ⁵ / ₈ "	27 ⁵ / ₈ "	27 ⁵ / ₈ "
True	N/A	17 ⁵ / ₈ "	21 ⁵ / ₈ "	N/A

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZone desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.

INFORMATION

Height

Mobile pedestal include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

Lock

All units include a lock. Keying is random unless otherwise specified.

OPTIONS

Pedestal and Storage Option

Please contact KI Customer Service for other pedestal and storage option. Reference "How to Specify Pedestals" section to determine appropriate height and depth requirements.

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.


Specifications and prices are subject to change without prior notice.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



	MODEL	Features	W x D x H	MODEL NUMBER	Basic Model	Approx. Packaged Weight	Delivered Pricing	
							\$	11
PDACU	 Glide Kit • Adds 1/4" to 1" to pedestal height • 4 per kit • For replacement only • For worksurface supporting pedestals			S7P/GK		1.0#	\$	11
PDACU	 Pencil Tray • For 3" pencil and 6" box drawers • Black finish only • Priced each		12-1/8 x 4 x 1"	S7P/PENTRAY		1.0#	\$	10
PDACU	 6" Partition • For 6" box drawers • Black enamel finish only • Priced each		12-1/8 x 4-5/8"	S7P/D6		1.0#	\$	6
PDACU	 Hanging Folder Partition • For 12" file drawers • Black enamel finish only • Priced each		12-1/8 x 9-5/8"	S7P/D12		1.0#	\$	10
HRDPT	P-Series Keys • Double bit design • Range of 200 different core/key numbers available • Must specify lock number(s) requested when ordering cut key or lock core/key sets	Lock Core/2 Key Set - Black Lock Core/2 Key Set - Satin Chrome Master Key Extractor Key Blank Key Cut Key	2.KP20522 2.KP20522.SC 2.KP20550 2.KP20551 2.KP20552 2.KP20557		0.4# 0.4# 0.2# 0.2# 0.2# 0.2#		\$	15 15 11 11 3 4

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES**Special Carton Marking**

With specially marked information N/C

Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

700 Series® Credenza

Credenza Files



700 Series® Credenza

Credenza Files

	MODEL	W x D	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing	Counter-balance Weight add to list price
			Basic Model	Pull Option	Unit Color	Optional Counter-balance Weight	Lock Option	Lock Color			
S7LTU	27-7/8" Credenza File - FF • Height to match worksurface supporting pedestal, drawer fronts compatible with pedestals • Two 12" file drawers with FBA bars for side-to-side filing • Counterbalance weight is recommended for freestanding units	30 x 18-7/8 x 27-7/8" 36 x 18-7/8 x 27-7/8" 42 x 18-7/8 x 27-7/8"	S7L/30240FF S7L/36240FF S7L/42240FF	□□□□ □□□□ □□□□	□□ □□ □□	□□□□□ □□□□□ □□□□□	□□□ □□□ □□□	□□□ □□□ □□□	120.0# 130.0# 145.0#	\$ 1528 1636 1743	\$ 289 289 289
S7LTU	27-7/8" Credenza File - BBF • Height to match worksurface supporting pedestal, drawer fronts compatible with pedestals • Two 6" box drawers, one 12" file drawer with FBA bars for side-to-side filing • Counterbalance weight is recommended for freestanding units	30 x 18-7/8 x 27-7/8" 36 x 18-7/8 x 27-7/8" 42 x 18-7/8 x 27-7/8"	S7L/30240BBF S7L/36240BBF S7L/42240BBF	□□□□ □□□□ □□□□	□□ □□ □□	□□□□□ □□□□□ □□□□□	□□□ □□□ □□□	□□□ □□□ □□□	135.0# 145.0# 160.0#	\$ 1795 1902 2018	\$ 289 289 289
LTACU	Counterbalance • For 2-high lateral file units or credenza file, 30", 36" or 42" • Recommended when unit is not under workstation • Factory installed, if specified	S7L/CBW60							60.0#	\$ 289	N/A

A **B** **C** **D** **E** **F**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.
• Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

F Select lock color.
Refer to the **Product Color Options** page in this price list.

A Select basic model.
B Select pull option.
C Select unit and drawer color.
D Select counterbalance weight.
E Select lock option.

ALBT - Aluminum bow tie pull
ALMT - Aluminum metric pull
ARCN - Arc nickel pull
CLSC - Classic (inset pull)
CZP - Connection Zone pull

CBW - With Counterbalance
NOCBW - No Counterbalance
See pricing column for counterbalance weight upcharge.

KA - Key alike
KS - Key standard
NLC - No lock core

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2025 Krueger International, Inc. All Rights Reserved.