

# ZEKER<sup>™</sup> MODULAR SEATING

PRICE LIST

EFFECTIVE JANUARY 31, 2025 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering Customer's Own Material (C.O.N	Ordering Customer's Own Material (C.O.M.) Upholstery Information 2					
	-					
Zeker™ Modular Seating						
Technical Specifications	4					
Configurations	7					
Lounge Chair	10					
48" Rectangle	11					
60" Rectangle	12					
72" Rectangle	13					
Corner	14					
Inside Curve	15					
Outside Curve	16					
Extended Outside Curve	17					
Backless	18					
Ganging Kit	19					

## Ordering Customer's Own Material (C.O.M.) Upholstery





## Ordering Customer's Own Material (C.O.M.) Upholstery

### **Specifications Form** January 2023

#### **How to Specify**

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied. RAILROADED FABRIC REQUIRES A PRODUCT MODIFICATION REQUEST DUE TO ADDITIONAL

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.

Diagram A

C.O.M. must be supplied in continuous yardage.

Yardage requirements listed in price list are based on plain goods 54" wide. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. Consult matrix below for additional yardage needed.

C.O.M. INCREASE MATRIX (yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or K.O.M. upholsteries). This table is a general guide.

FABRIC	PLAIN	UNDER 7"	8"-13"	14"-21"	22"-27"	28"-33"	34"-40"	41"-48"
WIDTH	FABRIC	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT
54"	0	20%	25%	30%	45%	55%	70%	80%
51"-53"	15%	25%	30%	35%	50%	60%	80%	90%
48"-50"	20%	30%	35%	40%	55%	65%	85%	95%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

Fabric with double repeat: If using a fabric with a double repeat, please follow this formula: take the total amount of the larger and half of the smaller repeat; add together to find the correct overall repeat. Example: 10" vertical with 14" horizontal would be 14+5=19.

If fabric comes in on multiple rolls, one additional yard per roll needs to be added to the yardage requirement.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

### Production

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. or K.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled as follows:

- 1. Name and address
- Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

#### Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

#### **Treated Materials**

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

#### **Split Orders**

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

#### **Excess Upholstery Material**

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product

#### **Cancelled or Changed Orders**

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order

# Ordering Customer's Own Material (C.O.M.) Upholstery



### C.O.M. SHIPPING LOCATION



Architectural Walls	Panel Systems	
EvokeMN	All Terrain	KF
Genius MN	Balance	
	Universal	MN
Casegoods	Wireworks	MN
AristotleMN	Unite	MN
LikhaMN		
	Residence Hall Furniture	
Classroom Furniture	RoomScape	MN
CogniGB		
Intellect WaveGB	Screens	
Learn2GB	All Terrain	KF
RuckusGB	Connection Zone	BW
	Tributaire	BW
Desking	True/Volition	KF
700 SeriesKP	Genesis	KF
Balance MN	Tattoo	MN
GenesisMN	Universal	BW
TrueKP		
UniversalMN	Seating	
WorkZoneMN	600 Series	BW
	Affina	H
iles & Storage	Altus	GE
700 SeriesGB	Apply	GE
ConnectionBW	Calida	HN
U-SeriesGB	Cogni	GE
TattooBW	Diem	ON
	Doni	GE
ixed Seating	Gladly	VC
ConcertoBW	Grazie	GE
Single PedestalGB	Hub	HN
Jury BaseGB	Impress	ON
LancasterBW	Impress Ultra	ON
SequenceGB	Intellect Wave	GE
UniversityGB	Jessa	HN

111	\/0
Jubilee	
Katera	
Kurv Benches	
Learn2	GB
LimeLite	GB
Lyra	HN
Medical & Laboratory Stools	OM
MyPlace	HN
MyWay	HN
Oath	GB
Opt4	GB
Pilot	
Promenade	BW
Ruckus	GB
Sela	HN
Sift	GB
Signia	OM
Soltice Metal	
Soltice	HN
Sonrisa	HN
Strive	GB
Sway	BW
Tattoo	
Torsion-on-the-Go!	GB
Torsion Air	
Zeker	
Zoetry	
,	

### KI C.O.M. Manufacturing Site Addresses:

<u>BW</u>	
KI Bonduel	
Attn: COM Storage	
204 West South St.	
Bonduel, WI 54107	

Attn: COM Storage 217 Feld Avenue High Point, NC 27263

KI Manitowoc Attn: COM Storage Manitowoc, WI 54220

Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

<u>OM</u> KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761

## Zeker™ Modular S



### **TECHNICAL SPECIFICATIONS**

### Interior Frame Construction

The interior frame is constructed of  $^{23}/_{32}$ " thick hardwood plywood. The back is made from the same  $^{23}/_{32}$ " thick hardwood plywood. All components are CNC-machined (computer numerical control) to maintain accuracy of part dimensions and to ensure that all connection joints are engineered to interlink with other hardwood plywood components. All joints are glued with polyvinyl acetate adhesive and further secured with staples and wood screws.

### Seat Construction

The seat utilizes upholstery webbing that is affixed to the machined frame construction. The seat cushion is 4" thick and consists of high-resilience contract grade 2.5-45 polyurethane foam.

### **Backrest Construction**

The backrest of the lounge unit utilizes a high-resilience contract grade 2.5-45 polyurethane foam that provides a supporting comfortable sit. The outside portion of the unit utilizes the same contract grade 2.5-45 polyurethane foam to maintain a smooth consistent shape around the perimeter. Back foam thickness on the top and sides of the backrest is 2.5" thick.

### **Upholstery**

Upholstery is available in non-contrasting, or contrasting upholstery options on low-back models. Upholstery is only non-contrasting on backless models. A variety of KI ingrades, Pallas and customer ordered materials/KI ordered materials (COM/KOM) have been approved for use on the Zeker product line. All seams are reinforced with a top stitch.

### **Base Options**

Poly feet with adjustable glides.

#### Poly Fee

Poly feet are  $1^{1}/2^{\circ}$  high and contain an adjustable glide. Poly feet are mounted to the lounge frame underside using bolts. Poly feet are Black in color with five feet per half round (ZK092) and inside curve (ZK060), and four feet for the rest of the line. The adjustable-height glide bottom pad is of natural color poly, is impact resistant and threads into the nylon foot with a 1/4-20 threaded stem having 1/4-20

### Ganging

Gangers consist of a hook latch with catch bracket. Ganger assemblies are made from II-gauge steel ( $^{1}/_{8}$ " thick), with a zinc plated finish. Gangers are secured to the underside of any lounge using # I4 x I" wood screws.

### **Power Modules**

### Round Mini-Tap® Power Module with 3-Prong Plug

Certain Zeker modular seating units can be configured with optional Byrne Mini-Tap power modules with 3-prong plug (a self-contained, UL listed single Furniture Power Distribution Unit). One I5-amp, I25 volt AC simplex receptacle with one 2.1-amp, 5 volt DC USB-A port, and one USB-C port (2.0 and 3.0 compatible, no data), provide connection for device charging or direct AC power. Byrne Mini-Tap power module is standard with I20" long, I4 AWG, I5-amp NEMA rated 3-conductor SJT cord with a three-prong grounded plug. Modules are available in black, white, warm grey, and cool grey. Cord is black.

One Byrne round Mini-Tap® power module with 3-prong plug is available on lounge chair, 48" rectangle, 60" rectangle, 72" rectangle, inside curve, outside curve, and extended outside curve units. The round Mini-Tap power module is only available in the front center-facing location on lounge chair, 48" rectangle, inside curve and outside curve units. One round Mini-Tap power module is available in the front left-, right- and center-facing locations on 60" rectangle, 72" rectangle and extended outside curve units. See Zeker Modular Seating - Planning Guide (KI-PG-000043) for configurable power locations.


### Compliance

This product has been tested according to the Business & institutional Furniture Manufacturers Association (BIFMA) voluntary standards known as ANSI/BIFMA X5.4-2020 for Public and Lounge Seating, meeting, or exceeding all applicable testing requirements of the standard.


This product meets third party certification for Indoor Air Quality as certified by SCS Global Services. This product meets all qualifications for Indoor Advantage Gold, the highest standard which conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e3-2019 (Credits 7.6.1, 7.6.2, 7.63) for seating parameters.

### STATEMENT OF LINE

### Zeker Low-Back Modular Seating



### Zeker Backless Modular Seating





Ganging Kit





# Zeker<sup>™</sup> Modular Seating Product Specifications


## Zeker<sup>™</sup> Modular Seating **Product Specifications**

### **DIMENSIONS**

### Zeker Low-Back Modular Seating - Lounge Chair










## Zeker Low-Back Modular Seating - 48" Rectangle, 60" Rectangle, & 72" Rectangle


Model Number	A Overall Depth	B Overall Width	C Overall Height	D Seat Depth	E Seat Height
ZK020	30.50"	48"	29.75"	21.375"	18.50"
ZK030	30.50"	60"	29.75"	21.375"	18.50"
ZK040	30.50"	72"	29.75"	21.375"	18.50"




### Zeker Low-Back Modular Seating - Corner









## Zeker Low-Back Modular Seating - Inside Curve










Product Specifications




### Zeker Low-Back Modular Seating - Outside Curve










## Zeker Low-Back Modular Seating - Extended Outside Curve










## Zeker Backless Modular Seating - 24" Backless



## Zeker Backless Modular Seating - Half Round









# Zeker<sup>™</sup> Modular Seating Configurations

### Typical Configurations

### **Typical Configuration 1**

ltem	Qty	Model
А	4	ZK020
В	2	ZK060
С	2	ZK080
D	2	ZK092
Е	3	CTABLE
F	I	MI8R
G	I	M36R







\*Optional ganger kits are available for connecting units to one another (ordered separately).

### **Typical Configuration 2**

ltem	Qty	Model
А	4	ZK020
В	2	ZK060
С	2	ZK080
D	2	ZK092
Е	2	CTABLE







<sup>\*</sup>Optional ganger kits are available for connecting units to one another (ordered separately).

## **Typical Configuration 3**

ltem	Qty	Model
А	2	ZK040
В	2	ZK092
С	2	CTABLE





\*Optional ganger kits are available for connecting units to one another (ordered separately).

### **Typical Configuration 4**


ltem	Qty	Model				
Α	2	ZK030				
В	I	ZK050				
С	2	ZK090		-	116"	
D	I	TJCZR	4			_
Е	I	TJFXT		(B)	(A)	
			116"	(C)	• (	(E)


<sup>\*</sup>Optional ganger kits are available for connecting units to one another (ordered separately).

# Zeker<sup>™</sup> Modular Seating Configurations

### **Typical Configuration 5**

ltem	Qty	Model
А	2	ZK030
В	ı	ZK050
С	2	ZK090
D	1	M36S







<sup>\*</sup>Optional ganger kits are available for connecting units to one another (ordered separately).

### **Typical Configuration 6**

Item	Qty	Model
А	4	ZK010
В	2	ZK020
С	2	ZK040
D	4	ZK050
Е	2	ZK090







<sup>\*</sup>Optional ganger kits are available for connecting units to one another (ordered separately).

### **Typical Configuration 7**

ltem	Qty	Model
Α	4	ZK060







<sup>\*</sup>Optional ganger kits are available for connecting units to one another (ordered separately).

### **Typical Configuration 8**

ltem	Qty	Model
Α	4	ZK060
В	I	ZK090






<sup>\*</sup>Optional ganger kits are available for connecting units to one another (ordered separately).


1155/16"-

## **Typical Configuration 9**

Zeker<sup>™</sup> Modular Seating Configurations

ltem	Qty	Model
Α	4	ZK020
В	I	ZK060
С	ı	ZK080
D	2	ZK092







<sup>\*</sup>Optional ganger kits are available for connecting units to one another (ordered separately).

### **Typical Configuration 10**

ltem	Qty	Model
А	4	ZK040
В	2	ZK092
С	5	CTABLE





<sup>\*</sup>Optional ganger kits are available for connecting units to one another (ordered separately).



Zeker<sup>™</sup> Modular Seating Lounge Chair

									•											
			MODEL	NUMBER																
	MODEL	Features	Basic Model	Power & Location	Power Color	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
	Zeker Lounge Chair, 24" Width, Low	Non-contrast	ZK010NC					75.0#	\$ 1499	\$ 1662	\$ 1705	\$ 1757	\$ 1791	\$ 1860	\$ 1929	\$ 2020	\$ 2186	\$ 2358	\$ 2530	\$ 2873
	Back, Non-contrast • Fully upholstered with 1.5" black poly																			
	feet																			
	<ul><li>Option for center-facing power</li><li>Ganging kits ordered separately</li></ul>																			
	<ul> <li>Non-contrast C.O.M = 3.5 yds</li> </ul>																			
	<ul> <li>Overall Dimensions: W=24" D=30.5"</li> </ul>																			
Center-facing power shown	H=29.75"																			
ZK010																				
	Zeker Lounge Chair, 24" Width, Low	Contrast	ZK010FC					75.0#	\$ 1550	\$ 1760	\$ 1815	\$ 1881	\$ 1925	\$ 2013	\$ 2102	\$ 2219	\$ 2433	\$ 2653	\$ 2875	\$ 3316
2	Back, Contrast     Fully upholstered with 1.5" black poly																			
	feet																			
1	<ul><li>Option for center-facing power</li><li>Ganging kits ordered separately</li></ul>																			
	<ul> <li>1 = Seat &amp; Base (Fabric Contrast 1)</li> </ul>																			
Center-facing	C.O.M = 3 yds 2 = Back (Fabric Contrast 2) C.O.M = 1.5	5																		
power showr	yds	,																		
ZK010	<ul> <li>Overall Dimensions: W=24" D=30.5" H=29.75"</li> </ul>																			
			A	B	e		а													

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select power & location.

NP - No power
CP - Center-facing power; add \$360

Select power module color.

MBL - Black module

MCG - Cool Grey module MWG - Warm Grey module MWH - White Module

• Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

**E**Select fabric contrast 2. Refer to ki.com/fabrics

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping
Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.

## Zeker<sup>™</sup> Modular Seating 48" Rectangle



Zeker<sup>™</sup> Modular Seating
48" Rectangle

			MODEL I	NUMBER																
	MODEL	Features	Basic Model	Power & Location	Power Color	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
$\overline{}$		Non-contrast	ZK020NC					90.0#	\$ 1999	\$ 2220	\$ 2279	\$ 2348	\$ 2394	\$ 2488	\$ 2582	\$ 2706	\$ 2931	\$ 3164	\$ 3398	\$ 3863
	Non-contrast																			
	<ul> <li>Fully upholstered with 1.5" black poly feet</li> </ul>																			
	Option for center-facing power																			
	<ul> <li>Ganging kits ordered separately</li> <li>Non-contrast C.O.M = 4.75 yds</li> </ul>																			
Center-facing power shown	<ul> <li>Overall Dimensions: W=48" D=30.5"</li> </ul>																			
ZK020	H=29.75"																			
	Zeker Rectangle, 48" Width, Low Back,	Contrast	ZK020FC					90.0#	\$ 2050	\$ 2318	\$ 2389	\$ 2473	\$ 2529	\$ 2642	\$ 2756	\$ 2906	\$ 3178	\$ 3460	\$ 3744	\$ 4307
	Contrast																			
2	<ul> <li>Fully upholstered with 1.5" black poly feet</li> </ul>																			
1	Option for center-facing power																			
	<ul> <li>Ganging kits ordered separately</li> <li>1 = Seat &amp; Base (Fabric Contrast 1)</li> </ul>																			
Center-facing	$C \cap M = 3.75 \text{ yds}$																			
power shown	• 2 = Back (Fabric Contrast 2) C.O.M = 2																			
ZK020	yds • Overall Dimensions: W=48" D=30.5"																			
	H=29.75"																			
	11-20.70																			

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select power & location.

NP - No power
CP - Center-facing power; add \$360

Select power module color. MBL - Black module

MCG - Cool Grey module MWG - Warm Grey module MWH - White Module

• Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

**E**Select fabric contrast 2. Refer to ki.com/fabrics

## SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

Shipping
Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 300.

## Zeker<sup>™</sup> Modular Seating 60" Rectangle



Zeker<sup>™</sup> Modular Seating 60" Rectangle

			MODEL	NUMBER																
	MODEL	Features	Basic Model	Power &		Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	
	Zeker Rectangle, 60" Width, Low Back,	Non-contrast	ZK030NC					110.0#	\$ 2375	\$ 2725	\$ 2817	\$ 2926	\$ 3000	\$ 3147	\$ 3295	\$ 3491	\$ 3846	\$ 4214	\$ 4584	П
	Non-contrast																			
	<ul> <li>Fully upholstered with 1.5" black poly</li> </ul>																			
$\longrightarrow$	feet																			
	<ul> <li>Option for left-, right- or center-facing power</li> </ul>																			
•	Ganging kits ordered separately																			
Left-facing power sho	<ul> <li>Non-contrast C.O.M = 7.5 yds</li> </ul>																			
,,,,,,,	<ul> <li>Overall Dimensions: W=60" D=30.5"</li> </ul>																			
030	H=29.75"																			
00	Zeker Rectangle, 60" Width, Low Back,	Contrast	ZK030FC					110.0#	\$ 2425	\$ 2798	\$ 2896	\$ 3013	\$ 3092	\$ 3249	\$ 3407	\$ 3616	\$ 3995	\$ 4387	\$ 4781	_
	Contrast	Contrast	21100010					110.0#	ψ 2420	Ψ 2730	Ψ 2000	φ σσισ	Ψ 0032	ψ 02-13	ψ 0407	Ψ 0010	ψ 0000	φ 4007	ψ 4701	
	Fully upholstered with 1.5" black poly																			
1	feet																			
•	Option for left-, right- or center-facing																			
1	<ul><li>power</li><li>Ganging kits ordered separately</li></ul>																			
Right-facing power sho	vn • 1 = Seat & Base (Fabric Contrast 1)																			
	C.0.M = 5.5  yds																			
	• 2 = Back (Fabric Contrast 2) C.O.M = 2.5	5																		
30	yds																			
	<ul> <li>Overall Dimensions: W=60" D=30.5" H=29.75"</li> </ul>																			
						_														
			A	$oldsymbol{\mathbf{G}}$	$\mathbf{\Theta}$	O	<b>(3</b>													

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect power & location.

NP - No power
LP - Left-facing - Left-facing power; add \$360 - Right-facing power; add \$360 - Center-facing power; add \$360

Select power module color.

MBL - Black module MCG - Cool Grey module MWG - Warm Grey module MWH - White Module

• Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

Select fabric contrast 2. Refer to ki.com/fabrics

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.

## Zeker<sup>™</sup> Modular Seating 72" Rectangle



Zeker<sup>™</sup> Modular Seating
72" Rectangle

										•											
			MODEL	NUMBER																	
	MODEL	Features	Basic Model	Power & Location	Power Color	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight		Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
	Zeker Rectangle, 72" Width, Low Back,	Non-contrast	ZK040NC					130.0#		\$ 2795	\$ 3156	\$ 3252	\$ 3365	\$ 3441	\$ 3593	\$ 3746	\$ 3948	\$ 4315	\$ 4695	\$ 5078	\$ 5837
	Non-contrast																				
	<ul> <li>Fully upholstered with 1.5" black poly feet</li> </ul>																				
	Option for left-, right- or center-facing																				
	power																				
Right-facing	<ul> <li>Ganging kits ordered separately</li> <li>Non-contrast C.O.M = 7.75 yds</li> </ul>																				
power shown	• Overall Dimensions: W=72" D=30.5"																				
	H=29.75"																				
ZK040																					
	Zeker Rectangle, 72" Width, Low Back,	Contrast	ZK040FC					130.0#		\$ 2845	\$ 3218	\$ 3316	\$ 3433	\$ 3511	\$ 3668	\$ 3827	\$ 4035	\$ 4414	\$ 4807	\$ 5201	\$ 5985
	Contrast																				
2	<ul> <li>Fully upholstered with 1.5" black poly feet</li> </ul>																				
1	Option for left-, right- or center-facing																				
1 1	power																				
Left-facing nower shown	<ul> <li>Ganging kits ordered separately</li> <li>1 = Seat &amp; Base (Fabric Contrast 1)</li> </ul>																				
power snown	C.O.M = 5.5 yds																				
	• 2 = Back (Fabric Contrast 2) C.O.M = 2.5	5																			
ZK040	yds • Overall Dimensions: W=72" D=30.5"																				
	H=29.75"																				

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect power & location.

NP - No power
LP - Left-facing - Left-facing power; add \$360 - Right-facing power; add \$360 - Center-facing power; add \$360

Select power module color.

MBL - Black module MCG - Cool Grey module MWG - Warm Grey module MWH - White Module

• Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

Select fabric contrast 2. Refer to ki.com/fabrics

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 300.



## Zeker<sup>™</sup> Modular Seating

			MODEL N	IIIMDED															
	MODEL	Features		Power &	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
	Zeker Corner, Low Back, Non-contrast Fully upholstered with 1.5" black poly feet Ganging kits ordered separately Non-contrast C.O.M = 5.5 yds Overall Dimensions: W=32" D=32" H=29.75"	Non-contrast	ZK050NC	NP			80.0#	\$ 2040	\$ 2297	\$ 2364	\$ 2445	\$ 2498	\$ 2606	\$ 2715	\$ 2859	\$ 3119	\$ 3389	\$ 3660	\$ 4199
ZK050																			
2 2	Zeker Corner, Low Back, Contrast Fully upholstered with 1.5" black poly feet Ganging kits ordered separately 1 = Seat & Base (Fabric Contrast 1) C.O.M = 3.5 yds 2 = Back (Fabric Contrast 2) C.O.M = 2.5 yds Overall Dimensions: W=32" D=32" H=29.75"		ZK050FC	NP			80.0#	\$ 2090	\$ 2369	\$ 2443	\$ 2531	\$ 2589	\$ 2707	\$ 2826	\$ 2982	\$ 3267	\$ 3561	\$ 3857	\$ 4445
ZK050																			
			A	<b>B</b>	•	O													

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select power & location. NP - No power

Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

• Select fabric contrast 2. Refer to ki.com/fabrics

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.



## Zeker<sup>™</sup> Modular Seating Inside Curve

			MODEL N	NUMBER		Non-Contrast														
	MODEL	Features	Basic Model	Power & Location		or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
	Zeker Inside Curve, Low Back, Non-contrast  Fully upholstered with 1.5" black poly feet	Non-contrast	ZK060NC					90.0#	\$ 242	\$ 2670	\$ 2734	\$ 2811	\$ 2862	\$ 2965	\$ 3069	\$ 3206	\$ 3455	\$ 3712	\$ 3971	\$ 4486
Center-facing	<ul> <li>Option for center-facing power</li> <li>Ganging kits ordered separately</li> <li>Non-contrast C.O.M = 5.25 yds</li> <li>Overall Dimensions: W=51.75" D=30.5"</li> </ul>																			
ZK060	H=29.75"  Zeker Inside Curve, Low Back, Contrast • Fully upholstered with 1.5" black poly		ZK060FC					90.0#	\$ 247	\$ 2755	\$ 2828	\$ 2916	\$ 2975	\$ 3092	\$ 3211	\$ 3368	\$ 3652	\$ 3946	\$ 4242	\$ 4830
2	feet  Option for center-facing power  Ganging kits ordered separately  1 = Seat & Base (Fabric Contrast 1)																			
Center-facing power shown	C.0.M = 3.5  yds																			
50	H=29.75"		<b>A</b>	<b>B</b>	•	0	<b>3</b>													

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select power & location.

NP - No power

CP - Center-facing power; add \$360

Select power module color.

MBL - Black module MCG - Cool Grey module

MWG - Warm Grey module

MWH - White Module

**O**Select non-contrast or fabric contrast 1. Refer to **ki.com/fabrics** 

Select fabric contrast 2. Refer to ki.com/fabrics

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

Shipping
Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 300.

## Zeker<sup>™</sup> Modular Seating Outside Curve



# Zeker<sup>™</sup> Modular Seating Outside Curve

			MODEL N	NUMBER																
			Basic	Power &		Non-Contrast or Fabric	Fabric Contrast	Approx. Packaged	Grade	Grade	Grade	Grade E &	Grade	Grade						
	MODEL	Features	Model	Location	Color	Contrast 1	2	Weight	C.O.M.	С	D	C.O.L.	F	G	Н	1	J	K	L Leather	M Leather
	Zeker Outside Curve, Low Back, Non-contrast  Fully upholstered with 1.5" black poly feet  Option for center-facing power	Non-contrast	ZK070NC					90.0#	\$ 2685	\$ 2894	\$ 2950	\$ 3015	\$ 3059	\$ 3148	\$ 3237	\$ 3354	\$ 3567	\$ 3788	\$ 4010	\$ 4451
Center-facing power show	<ul> <li>Ganging kits ordered separately</li> <li>Non-contrast C.O.M = 4.5 yds</li> <li>Overall Dimensions: W=51.75" D=30.5"</li> </ul>																			
ZK070																				
2	Zeker Outside Curve, Low Back, Contrast Fully upholstered with 1.5" black poly feet Option for center-facing power Ganging kits ordered separately	Contrast	ZK070FC					90.0#	\$ 2735	\$ 2991	\$ 3059	\$ 3139	\$ 3193	\$ 3301	\$ 3410	\$ 3553	\$ 3814	\$ 4084	\$ 4355	\$ 4894
1 1 CO	1 = Seat & Base (Fabric Contrast 1)     C.O.M = 3.75 yds     2 = Back (Fabric Contrast 2) C.O.M = 1.75 yds																			
power shown	<ul> <li>Overall Dimensions: W=51.75" D=30.5"</li> </ul>																			
ZK070	H=29.75"																			
			A	B	•	<b>O</b>	<b>(3</b>													

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select power & location.

NP - No power
CP - Center-facing power; add \$360

Select power module color. MBL - Black module

MCG - Cool Grey module MWG - Warm Grey module MWH - White Module

• Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

**B**Select fabric contrast 2. Refer to ki.com/fabrics

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping
Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 300.

## Zeker<sup>™</sup> Modular Seating Extended Outside Curve



## Zeker<sup>™</sup> Modular Seating Extended Outside Curve

		MODEL I	NUMBER																
	MODEL Features	Basic Model	Power & Location		Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
	Zeker Extended Outside Curve, Low Back, Non-contrast	ZK080NC					130.0#	\$ 3485	\$ 3858	\$ 3956	\$ 4073	\$ 4151	\$ 4308	\$ 4467	\$ 4675	\$ 5054	\$ 5447	\$ 5841	\$ 6625
	Non-contrast																		
	Fully upholstered with 1.5" black poly feet																		
	Option for left-, right- or center-facing																		
	power																		
Left-facing	Ganging kits ordered separately     Non-contrast C.O.M = 8 yds																		
power shown	• Overall Dimensions: W=75.75" D=30.5"																		
	H=29.75"																		
ZK080																			
	Zeker Extended Outside Curve, Low Back, Contrast	ZK080FC					130.0#	\$ 3535	\$ 3920	\$ 4021	\$ 4142	\$ 4222	\$ 4384	\$ 4548	\$ 4763	\$ 5154	\$ 5558	\$ 5965	\$ 6774
	Contrast • Fully upholstered with 1.5" black poly																		
2	feet																		
1	Option for left-, right- or center-facing power																		
1 1	Ganging kits ordered separately																		
Right-facing power shown	<ul> <li>1 = Seat &amp; Base (Fabric Contrast 1)</li> </ul>																		
	C.O.M = 5.75 yds • 2 = Back (Fabric Contrast 2) C.O.M = 2.5																		
ZK080	yds																		
	• Overall Dimensions: W=75.75" D=30.5" H=29.75"																		
		•	<b>3</b>	•	• • • • • • • • • • • • • • • • • • •	<b>3</b>													

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select power & location.

NP - No power

LP - Left-facing p - Left-facing power; add \$360 - Right-facing power; add \$360 - Center-facing power; add \$360

Select power module color.

MBL - Black module MCG - Cool Grey module MWG - Warm Grey module
MWH - White Module

• Select non-contrast or fabric contrast 1. Refer to <u>ki.com/fabrics</u>

Select fabric contrast 2. Refer to ki.com/fabrics

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 300.

Zeker<sup>™</sup> Modular Seating Backless

										•										
		MODEL NUMBER																		
					Non-Contrast or	Approx.						Grade								
	MODEL	Features	Basic Model	Power & Location	Fabric Contrast 1	Packaged Weight	Grade C.O.M.			Grade C	Grade D	E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
	Zeker Backless, 24" Width, Non-contrast	t Non-contrast	ZK090NC	NP		60.0#	\$ 1115			\$ 1243	\$ 1277	\$ 1317	\$ 1344	\$ 1398	\$ 1453	\$ 1524	\$ 1655	\$ 1789	\$ 1925	\$ 2195
	<ul> <li>Fully upholstered with 1.5" black poly feet</li> </ul>																			
	Ganging kits ordered separately																			
	<ul> <li>Non-contrast C.O.M = 2.75 yds</li> </ul>																			
	<ul> <li>Overall Dimensions: W=24" D=30.5" H=18.5"</li> </ul>																			
	11-10.0																			
_																				
ZK090																				
ZK090	Zakov Dooklase Holf Dound Non control	A Non contract	71/00010	ND		00.0#	ф 0100			Ф 0000	ф 041F	ф 0474	ф 0E10	ф 0500	ф 0C71	ф 077F	ф 000F	Ф 01C1	ф <u>2250</u>	ф 07F0
	Zeker Backless, Half Round, Non-contras • Fully upholstered with 1.5" black poly	Non-contrast	ZKU9ZNU	INP		80.0#	\$ 2180			\$ 2366	\$ 2415	\$ 2474	\$ 2513	\$ 2592	\$ 2671	\$ 2775	\$ 2965	\$ 3161	\$ 3358	\$ 3750
	feet																			
	<ul> <li>Ganging kits ordered separately</li> <li>Non-contrast C.O.M = 4 yds</li> </ul>																			
	<ul> <li>Overall Dimensions: W=61" D=32.5"</li> </ul>																			
	H=18.5"																			
ZK092																				
			A	B	•															
			•	•	•															

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select power & location. - No power

© Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

Shipping
Backless, 24"W: Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class

Backless, Half Round: Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight



Zeker<sup>™</sup> Modular Seating Ganging Kit

				<b>—</b>		
		MODEL NUMBER				
			Approx. Packaged			
		Basic	Packaged	Delivered		
	MODEL	Model	Weight	Pricing		
	Zeker Ganging Kit • One ganging kit to be specified for each	ZK901GNG	0.0#	\$ 20		
ZK901	One ganging kit to be specified for each					
	lounge-to-lounge connection					
	lounge-to-lounge connection  Each ganging kit contains two gangers  Basic tools required for assembly					

A

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

