


ALTAMIRA
Colors

STONESOURCE

ALTAMIRA COLORS
WALL CERAMIC TILES




STONESOURCE

STONESOURCE


ALTAMIRA COLORS WALL CERAMIC TILES

LIGHT AC | BR




7x25 cm | 3"x10"
AC (SATIN) | BR
(GLOSSY)

BLACK AC | BR




7x25 cm | 3"x10"
AC (SATIN) | BR
(GLOSSY)

NOX AC | BR




7x25 cm | 3"x10"
AC (SATIN) | BR
(GLOSSY)

BRUT AC | BR



7x25 cm | 3"x10"
AC (SATIN) | BR
(GLOSSY)

VANILLA AC | BR



7x25 cm | 3"x10"
AC (SATIN) |
BR (GLOSSY)

CEREJA BR



7x25 cm | 3"x10"
BR (GLOSSY)

NAVY BR



7x25 cm | 3"x10"
BR (GLOSSY)

LAZULI BR



7x25 cm | 3"x10"
BR (GLOSSY)

ABSINTO BR



7x25 cm | 3"x10"
BR (GLOSSY)

MANGO BR



7x25 cm | 3"x10"
BR (GLOSSY)

LEMON BR



7x25 cm | 3"x10"
BR (GLOSSY)



WALLS



FIRE PROOF




VOC FREE

STONESOURCE

ALTAMIRA COLORS WALL CERAMIC TILES

PRODUCT INFORMATION

| Type / Size | Series | Finish | Rectified | Unit | Work Size (mm) | Thick | Faces | Sq. Ft./ Carton | Pieces/ Carton |
|--|--------|-----------------|-----------|------|----------------|-------|-------|--------------------|-------------------|
|  Wall Tiles 3"x10" | COLORS | Glossy Satin | No | SF | 70x250 | 7 mm | 1 | 5.60 | 30 |

USAGE RECOMMENDATION

| | Target DCOF wet | Suitable |
|--|--------------------|----------|
| Dry & Level – Interior Floor | N/A | |
| Wet & Level – Interior Floor | ≥ 0.42 | |
| Shower Floors (Residential or Light Commercial) | ≥ 0.42 | |
| Exterior Floor Applications (including pool decking & other wet areas with minimal footwear) | ≥ 0.60 | |
| Ramps & Inclines | ≥ 0.65 | |
| Walls/Backsplashes - Interior | N/A | ✓ |
| Countertops | N/A | |
| Facades | N/A | |
| Pool Linings | N/A | |

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3.

QUALITY WARRANTY

QUALITY Standard quality tiles manufactured by Stone Source Ceramic Tiles meet or exceed ISO 13006, NBR 15463 and NBR 13818, ANSI A137.1 standards.

FIRE PROOF Stone Source ceramic and porcelain tiles are NOT flammable, except mesh material of mesh mounted mosaics.

VOC FREE Stone Source ceramic and porcelain tiles are low-emitting materials with zero emission of volatile organic compounds (VOC).

INSTALLATION AND CARE

Min. Grout Joint Recommendation 1/16"

Shade Variation V1 - UNIFORM APPEARANCE

Professional tile installation is recommended. For complete installation instructions consult the TCNA Handbook for Ceramic, Glass, and Stone Tile Installation. Follow the grout manufacturer instructions for the complete removal of grout and construction residue from initial installation.

Stone Source's recommendation for flooring care: sweep or vacuum the surface. Then mop the floor using a mop with water and a neutral cleaner (soap less) or a general household cleaner. Follow it with a clean water rinsed mop and wipe dry the floor to prevent film formation. For wall tiles care, Stone Source recommends using a cloth with water and a neutral cleaner soap less.


PERFORMANCE CHARACTERISTICS

| | ASTM# | Result |
|---------------------|----------------------------|-------------|
| Water Absorption | C373 | ≤ 20 % |
| Breaking Strength | C648 | ≥ 125 lbs |
| DCOF WET | ANSI A137.1 ANSI A326.3 | N/A |
| Scratch Hardness | MOHS | 4 |
| Frost Resistance | C1026 | No |
| Chemical Resistance | C650 | Class A - E |
| Stain Resistance | C1378 | Class A |


STONESOURCE



STONESOURCE



STONESOURCE



SHOWROOMS

ATLANTA
1465 CHATTAHOOCHEE AVE NW
SUITE 400 & 450
ATLANTA, GA 30318
770.336.6512

BOSTON
311 SUMMER ST.
BOSTON, MA 02210
617.671.0900

CHICAGO
205 WEST WACKER DR.
CHICAGO, IL 60606
312.335.9900

DALLAS
1825 MARKET CENTER BLVD.
DALLAS, TX 75207
469.893.4200

EAST HAMPTON
34 PARK PLACE
EAST HAMPTON, NY 11937
631.324.7497

HOUSTON
4900 WOODWAY DR.
HOUSTON, TX 77056
832.608.6370

NASHVILLE
2930 SIDCO DR.
NASHVILLE, TN 37204
615.244.6448

NEW JERSEY
350 STARKE RD.
CARLSTADT, NJ 07072
201.549.7400

NEW YORK
215 PARK AVE. SOUTH
NEW YORK, NY 10003
212.979.6400

WASHINGTON, DC
1129 20TH ST. NW
WASHINGTON, DC 20036
202.265.5900