

FIRENZE
LOMBARDY

STONESOURCE

01.

New sides of an
iconic mineral
texture.

Introduction.

Firenze Lombardy unprecedented point of view on Ceppo di Gré, an Italian stone extracted on Lake Iseo that has defined the architectural identity of twentieth-century Milan. In fact, two interpretations of this iconic mineral texture coexist in the collection. Alongside the Cluster version, more expressive and gritty, the Hidden version brings to light an unexplored side of Ceppo di Gré, refined and versatile.

The aesthetics of Ceppo di Gré thus open up to new application opportunities within residential, commercial and public designs. In addition, in the combined installation, the two souls of Firenze Lombardy are destined to enhance each other, both graphically and chromatically.

Firenze Lombardy is ceramic collection with strong design attitude: divided into 3 complementary technologies, it offers 3 shades for each of the two graphic interpretations, sizes ranging from 30x60 to 120x278 cm and rich set of decorations.



/ AN ICONIC STONE LOOK

Firenze Lombardy offers an unprecedented interpretation of the Italian stone that is the symbol of Milanese architecture, reworked in an accessorised set of design tools.

/ THREE COLOURS IN TWO VERSIONS

A color faithful to the spirit of natural stone, one lighter and one darker: all available in two graphic variants that can be combined precisely by virtue of the perfect chromatic harmony between them.

/ HIDDEN AND CLUSTER: THE TWO HARMONIOUS SIDES OF THE STONE

Two perfectly combinable interpretations of Ceppo di Gré: the decorative expressiveness of Cluster and the refined sobriety of the new Hidden look.

/ WIDE RANGE OF DECORATIVE TILES

A chevron and mosaic for each color and three polychrome mosaics that propose the same geometric pattern with different degrees of zoom.

/ KTECH PROJECT

The collection is divided into 3 different production technologies, with specific thicknesses (6 mm, 9 mm and 20 mm) for various types of applications. For full aesthetic continuity on all surfaces.

/ SLIMTECH THINK ZERO


Large slabs always closer to zero impact, because they are born sustainable and because they offset 100% of the CO2 emissions.

/ NEW SAFETOUCH SURFACE

High non-slip characteristics (R10B) and absence of roughness in single soft, versatile and easy-to-clean surface, which maximises possible uses.

/ EXCLUSIVE ANTIBACTERIAL TECHNOLOGY

Healthy, safe and protected surfaces, because the integrated PROTECT antibacterial technology eliminates up to 99.9% of bacteria®.



02a.



Slimtech Colors

- 01 Hidden Light
- 02 Cluster Light
- 03 Hidden Mid
- 04 Cluster Mid
- 05 Hidden Dark
- 06 Cluster Dark

Material / Laminated
porcelain stoneware

6mm

Formati / Sizes

120x278cm 48"x109^{1/2}"



Stoneware Colors

- 01 Hidden Light
- 02 Cluster Light 03
Hidden Mid
- 04 Cluster Mid
- 05 Hidden Dark
- 06 Cluster Dark

Material / Laminated
porcelain stoneware

9mm

Finishes

- Nat
- Grip

Formati / Sizes

- | | |
|-----------|---------|
| 120x120cm | 48"x48" |
| 60x120cm | 24"x48" |
| 60x60cm | 24"x24" |
| 30x60cm | 12"x24" |

Materials /Extra
thick porcelain
stoneware L2
20mm

Finish Grip L2

Formato / Size
60x120cm

24"x48"

Colors.



02b.



Mosaics

- 01 Mosaico 36
- 02 Mosaico Micro
- 03 Mosaico Macro
- 04 Mosaico Meg

Sizes

30x30 cm 12"x12"

Special sizes

05 Gramm 72

Sizes 49,8x14,5cm

19 1/2" x 5 3/4"

Finishes Nat

Material /Porcelain
stoneware


9mm



The body of the ceramic is enriched by flakes of material that pass through it throughout the thickness, clearly visible on the edge.

Polychrome mosaics create wavy and vaguely three-dimensional geometries. The versions in the range explore the same pattern with three different degrees of zoom.

Decors.



03. The Collection.




03a.

Firenze Lombardy is a collection that does not limit itself to translating the iconic aesthetic of Ceppo di Gré into ceramics. Stone Source's location for design rediscovers an almost unknown side of this stone, perfectly matched to the most characterized version and capable, even alone, of creating refined, authentic mineral atmospheres.

Ⓢ
WALL
Cluster Light 120x278

Ⓢ
FLOOR
Hidden Light 120x120

Hidden and Cluster Light.





In the Hidden version, the typical texture of Ceppo of Gré is just perceptible on the surface, mixed with fine dotting. Inspired by freshly extracted stone, it expresses an extremely versatile elegance. Another important factor in the extraordinary versatility of Firenze Lombardy is the new Safetouch surface, suitable for both indoor and outdoor floors, because it is safe and at the same time, pleasant to the touch.


WALL
Cluster Light 120x278

FLOOR
Hidden Light 120x120



 FLOOR
Hidden Light 120x120

 WALL
Cluster Light



GOLDEN BORG

PUMICE

CLUSTER LIGHT

HIDDEN LIGHT

PIECE ALPI

MOSS

CORTEX



OUTDOOR WALL
Hidden Light 120x278

WALL
Pigmenti Ocean 100x300

WALL
Mosaico Micro

FLOOR
Indoor Cluster Light 120x120
Outdoor Cluster Light 60x120 Grip



Cluster Light



03b.

The Hidden and Cluster versions can be combined by virtue of their impeccable chromatic harmony. Light, Mid and Dark explore three pleasantly neutral degrees of grey, which make it possible to combine Firenze Lombardy with many other collections, from wood effect to colored concrete.

Ⓢ
WALL
Cluster Mid 120x278

Ⓢ
FLOOR
Hidden Mid 120x120

Hidden and Cluster Mid.





WALL
Pigmenti Pumice 100x300

WALL
Cluster Light 120x278

WALL
Mosaico Macro

FLOOR
Hidden Mid 120x120



Hidden Mid 120x120



MASTER BROWN

CLUSTER MID

HIDDEN MID

PIECE MOKA

BASALT

03 EARTH



Mid is the closest colour to that of the stone taken as model for this reworking in the name of design. In the Cluster version, the pebbles are clearly legible and distributed irregularly, according to an alternation of neutral tones, keeping chromatic accents limited.

Cluster Mid 120x120



Ⓢ BACKSPLASH
Mosaico Micro

Ⓢ FLOOR
Cluster Mid 120x120



01 02 03 04 05 06 07 08 09 10 11 12

Firenze Lombardy presents itself as an extensive set of design tools perfectly integrated with each other – thicknesses, colours, sizes and decorations – in the name of full combination between the Hidden version and the Cluster version. In addition, Slimtech's large formats allow technically and aesthetically advanced and qualifying applications, such as the covering of volumes, furnishings and worktops.

- ⬡

FLOOR

Hidden Mid 120x120

Hidden Light 120x120
- ⬡

WALL

Mosaico Meg
- ⬡

WALL

Cluster Dark 120x278
- ⬡

DESK

Cluster Dark 120x278



03c.

The Cluster variant enhances the heterogeneity of stone inclusions that make the Ceppo di Gré so unique. A texture that is full of movement, but well-balanced, naturally decorative ceramic covering, lively mix of lighter and darker tones that preserve chromatic neutrality with rare balance.

WALL
Cluster Dark 60x120

FLOOR
Hidden Dark 120x120

Hidden and Cluster Dark.





φφ — φ£

Firenze Lombardy








£ — £

Firenze Lombardy



Cluster Dark 120x120

Firenze Lombardy is 3-Tech Project collection: the integration of porcelain stoneware, Slimtech laminated stoneware and L2 thick stoneware in single collection gives the entire housing design maximum aesthetic coherence. Combining thicknesses, colors and graphic variations makes it possible to cover spaces from the garden to the kitchen by combining design, performance and – with the exception of outdoor porcelain stoneware – the safety of antibacterial surfaces.





Hidden Dark

Colors


Hidden Light

Cluster Light




Hidden Dark

Cluster Dark



Hidden Mid

Cluster Mid




Slimtech Sizes



LRT

Laminated porcelain stoneware /
thickness: 6mm

PROTECT
ANTIBATTERICO - ANTIMICROBIAL



120x278cm
48"x109 1/2"
Nat
Hidden / Cluster

Finishes

Nat



residenziale
residential



commerciale leggero
light commercial



commerciale intensivo
intensive commercial



Safetouch
Surface technology
Nat



1. Reduced roughness and soft-touch surface.



2. Slip resistance rating - R10.



3. Easy to clean and maintain.



Safetouch
Surface technology
Nat


Stoneware Sizes




LRT

Laminated porcelain stoneware /
thickness: 9mm


PROTECT
ANTIBATTERICO - ANTIMICROBIAL




30x60cm
12"x24"
Nat
Hidden / Cluster



60x60cm
24"x24"
Nat, Grip
Hidden / Cluster



60x120cm
24"x48"
Nat, Grip
Hidden / Cluster



120x120cm
48"x48"
Nat
Hidden / Cluster

⊕ L2 - 20mm
Grip L2
Cluster

Finishes

Nat



residenziale
residential



commerciale leggero
light commercial



commerciale intensivo
intensive commercial



esterno
outdoor




Safetouch
Surface technology
Nat

Special Sizes



Gramm 72*



14,5x49,8cm
5 45/64"x19 1/2"
Nat
Cluster

Made with – disc cutting system without – bevel. Any slight irregularities of the edge or size deviations of up to 1 mm should be regarded as compliant.

Mosaics



Mosaico 36

Disponibile in tutti i colori
All colors available



30x30 cm
12"x12"
Hidden / Cluster

Mosaico
Micro



30x30cm
12"x12"
Mix Cluster

Mosaico
Macro




30x30cm
12"x12"
Mix Cluster

Mosaico
Meg



30x30cm
12"x12"
Mix Cluster



Mosaico Meg / pattern A




Mosaico Meg / pattern C



Mosaico Meg / pattern B



Plain tiles

			Hidden LightCluster LightHidden MidCluster MidHidden DarkCluster Dark						
									
60x120cm 24"x48"		9mm	NAT	LGXSD10	LGXSD40	LGXSD20	LGXSD50	LGXSD00	LGXSD30
			GRIP	LGXSD15	LGXSD45	LGXSD25	LGXSD55	LGXSD05	LGXSD35
60x60cm 24"x24"		9mm	NAT	LGWSD10	LGWSD40	LGWSD20	LGWSD50	LGWSD00	LGWSD30
			GRIP	LGWSD15	LGWSD45	LGWSD25	LGWSD55	LGWSD05	LGWSD35
30x60cm 12"x24"		9mm	NAT	LGVSD10	LGVSD40	LGVSD20	LGVSD50	LGVSD00	LGVSD30
120x120cm 24"x24"		9mm	NAT	LG8SD10	LG8SD15	LG8SD20	LG8SD25	LG8SD00	LG8SD05
60x120cm 24"x48"		20mm	GRIP L2	-	LGXSD61	-	LGXSD62	-	LGXSD60

Special sizes

			Hidden LightCluster LightHidden MidCluster MidHidden DarkCluster Dark						
									
Gramm 72 14,5x49,8cm 5 ⁴⁵ / ₆₄ "x19 ¹ / ₂ "		9mm	NAT	-	LGZSD15	-	LGZSD25	-	LGZSD05

Mosaics

				Hidden Light	Cluster Light	Hidden Mid	Cluster Mid	Hidden Dark	Cluster Dark
									
Mosaico 36		30x30 cm 12"x12"	NAT	LGCSD10	LGCSD15	LGCSD20	LGCSD25	LGCSD30	LGCSD05
									
Mosaico Micro		30x30 cm 12"x12"	NAT	LGCSD50					
Mosaico Macro		30x30 cm 12"x12"	NAT	LGCSD15					
Mosaico Meg		30x30 cm 12"x12"	NAT	LGCSD25					

Slimtech sizes

			Hidden LightCluster LightHidden MidCluster MidHidden DarkCluster Dark						
									
120x278cm 48"x109 ^{1/2} "		6mm	NAT	LS'SS'μ	LS'SS1μ	LS'SS±μ	LS'SS-μ	LS'SSμμ	LS6SS30

thickness: 9mm										
gres porcellanato										
			Hidden Light		Cluster Light		Hidden Mid		Cluster Mid	
Sezione gradino 4cm / 1 9/16"										
Battiscop		7,5x60cm 3 1/8" x 24" rett	GRIP	LGRSD10	LGRSD40	LGRSD20	LGRSD50	LGRSD00	LGRSD30	
Gradino Plus*		35x120cm 13 3/4" x 48" rett	GRIP	LGDS10	LGDS40	LGDS20	LGDS50	LGDS00	LGDS30	
Angolo dx Gradino Plus*		35x120cm 13 3/4" x 48" rett	GRIP	LGDS11	LGDS41	LGDS21	LGDS51	LGDS01	LGDS31	
Angolo sx Gradino Plus*		35x120cm 13 3/4" x 48" rett	GRIP	LGDS12	LGDS42	LGDS22	LGDS52	LGDS02	LGDS32	

thickness: 20mm				L2		
				Cluster Light	Cluster Mid	Cluster Dark
Griglia*		15x60cm 6"x24" rett	GRIP L2	LG1SD10	LG1SD20	LG1SD00
Grigli Angolare sx*		15x60cm 6"x24" rett	GRIP L2	LG1SD12	LG1SD22	LG1SD02
Grigli Angolare dx*		15x60cm 6"x24" rett	GRIP L2	LG1SD11	LG1SD21	LG1SD01
Cost Toro*		30x60cm 12"x24" rett	GRIP L2	LGDSDF1	LGDSDF2	LGDSDF0
Cost Toro Angolare sx*		30x60cm 12"x24" rett	GRIP L2	LGDSDB3	LGDSDB5	LGDSDB1
Cost Toro Angolare dx*		30x60cm 12"x24" rett	GRIP L2	LGDSDB2	LGDSDB4	LGDSDB0
Cost Retta*		30x60cm 12"x24" rett	GRIP L2	LGSDSC1	LGSDSC2	LGSDSC0
Cost Rett Angolare sx*		30x60cm 12"x24" rett	GRIP L2	LGSDSA3	LGSDSA5	LGSDSA1
Cost Rett Angolare dx*		30x60cm 12"x24" rett	GRIP L2	LGSDSA2	LGSDSA4	LGSDSA0
Cost Toro Step*		30x60cm 12"x24" rett	GRIP L2	LGSDSJ1	LGSDSJ2	LGSDSJ0
Cost Rett Step*		30x60cm 12"x24" rett	GRIP L2	LGSDSG1	LGSDSG2	LGSDSG0
Cost Rett con Gocciolatoio*		30x60cm 12"x24" rett	GRIP L2	LGSDSH1	LGSDSH2	LGSDSH0
Cost Toro con Gocciolatoio*		30x60cm 12"x24" rett	GRIP L2	LGSDSY1	LGSDSY2	LGSDSY0

Caratteristiche tecniche / Technical characteristics



Gres porcellanato laminato /Laminated porcelain stoneware SLIMTECH 6mm		Conforme/according to: ISO 13006 G (Gruppo/Group Bla) EN 14411 G (Gruppo/Group Bla) ANSI A137.3 (Gauged porcelain slabs)			
		Metodo di prova /Test method	Requisiti prescritti /Required values	Valori medi /Average values	
	Assorbimento d'acqua /Water absorption	ISO 10545-3	≤ 0,5%	0,1%	
		ASTM C373			
	Resistenza a flessione /Modulus of rupture	ISO 10545-4	≥ 35 N/mm²	50 N/mm²	
		ASTM C1505	≥ 6000 PSI	≥ 6000 PSI	
	Resistenza all'abrasione profonda /Resistance to deep abrasion	ISO 10545-6	≤ 175 mm³	Conforme/conforms	
		ASTM C1243			
	Dilatazione termica lineare /Linear thermal expansion	ISO 10545-8	Requisito non previsto/No provision	α ≤ 7x10 ⁻⁶ °C ⁻¹	
		ASTM C372	Requisito non previsto/No provision	α ≤ 4.4x10 ⁻⁶ °F ⁻¹ / α ≤ 8x10 ⁻⁶ °C ⁻¹	
	Resistenza alle macchie /Stain resistance	ISO 10545-14	Classe/Class 3 Min.	5 Resistente/Resistant	
		ASTM C1378	Come indicato dal produttore /As indicated by manufacturer	A Resistente/Resistant	
	Resistenza all'attacco chimico* /Chemical resistance	ISO 10545-13	Come indicato dal produttore /As indicated by manufacturer	LA—HA Resistente/Resistant	
		ASTM C650	Come indicato dal produttore /As indicated by manufacturer	A Resistente/Resistant	
	Resistenza al gelo /Frost resistance	ISO 10545-12	Nessuna alterazione/No alteration	Resistente/Resistant	
		ASTM C1026	Come indicato dal produttore /As indicated by manufacturer	Resistente/Resistant	
	Resistenza allo scivolamento /Slip resistance	DIN EN 16165 Annex B	—	R10	
		BCR-TORTUS	—	μ >0,40	
		ANSI A326.3	—	ID - DCOF ≥ 0.42 (dry) IW - DCOF ≥ 0.42 (wet)	
	Reazione al fuoco /Fire reaction	EN 13823 EN 9239-1	CPR (UE) 305/2011, 2000/147/CE, UNI EN 13501-1	Classe/Class A1 (wall) Classe/Class A1 _{fl} (floor)	
	Diffusione di fiamma /Flame spread	ASTM E84	—	Classe/Class A	
	Stonalizzazione /Shade variation	ANSI A137.3	Come indicato dal produttore /As indicated by manufacturer	V3 Hidden	V4 Cluster Variazioni sostanziali /Substantial variation

Fuga minima consigliata: vedi Manuale Tecnico Slimtech/minimum suggested joint: refer to Slimtech Technical Manual.
*Ad esclusione dell'acido fluoridrico e derivati/excluding hydrofluoric acid and its derivatives

Caratteristiche tecniche / Technical characteristics



Gres porcellanato / Porcelain stoneware		Conforme / According to: ISO 13006 G (Gruppo/Group Bla) EN 14411 G (Gruppo/Group Bla) ANSI A137.1 Porcelain tiles (P1 Class)			
		Metodo di prova /Test method	Requisiti prescritti /Required values	Valori medi /Average values	
	Assorbimento d'acqua /Water absorption	ISO 10545-3	≤ 0,5%	0,05%	
		ASTM C373			
	Sforzo di rottura S /Breaking strength	ISO 10545-4	≥ 1300 N	1.800 N 9mm 13.600 N 20mm	
		ASTM C648	≥ 250 lbf	400 lbf 9mm 2,800 lbf 20mm	
	Resistenza a flessione /Modulus of rupture	ISO 10545-4	≥ 35 N/mm²	50 N/mm²	
	Resistenza all'abrasione profonda /Resistance to deep abrasion	ISO 10545-6	≤ 175 mm³	145 mm³	
		ASTM C1243			
	Dilatazione termica lineare /Linear thermal expansion	ISO 10545-8	Requisito non previsto/No provision	α ≤ 7x10 ⁻⁶ °C ⁻¹	
		ASTM C372	Requisito non previsto/No provision	α ≤ 4.4x10 ⁻⁶ °F ⁻¹ / α ≤ 8x10 ⁻⁶ °C ⁻¹	
	Resistenza alle macchie /Stain resistance	ISO 10545-14	Classe/Class 3 Min.	5 Resistente/Resistant	
		ASTM C1378	Come indicato dal produttore /As indicated by manufacturer	A Resistente/Resistant	
	Resistenza all'attacco chimico* /Chemical resistance	ISO 10545-13	Come indicato dal produttore /As indicated by manufacturer	LA—HA Resistente/Resistant	
		ASTM C650	Come indicato dal produttore /As indicated by manufacturer	A Resistant	
	Resistenza al gelo /Frost resistance	ISO 10545-12	Nessuna alterazione/No alteration	Resistente/Resistant	
		ASTM C1026	Come indicato dal produttore /As indicated by manufacturer	Resistant	
	Resistenza allo scivolamento /Slip resistance	DIN EN 16165 Annex B	—	R10 (Nat) - R11 (Grip - Grip L2)	
		DIN EN 16165 Annex A	—	A+B (Nat) - A+B+C (Grip - Grip L2)	
		BCR-TORTUS	—	μ >0,40	
		ANSI A326.3	—	ID - DCOF≥0.42 (Dry) - Nat IW - DCOF≥0.42 (Wet) - Nat IW+ *** - Nat EW - (Grip - Grip L2)	
		AS/NZS 4586	—	P3 (Nat) - P4 (Grip - Grip L2)	
		BS EN 16165 - Annex C	—	PTV 36+ WET (Sl.96) (Nat) PTV 36+ WET (Sl.96 - Sl.55) (Grip - Grip L2)	
	Reazione al fuoco /Fire reaction	EN 13823 EN 9239-1	CPR (UE) 305/2011, 2000/147/CE, UNI EN 13501-1	Classe / Class A1 (wall) Classe / Class A1 _{fl} (floor)	
	Diffusione di fiamma /Flame spread	ASTM E84	No provision	Class A	
	Fuga minima consigliata (**) recommended minimum joint (**)	INDOOR	—	2mm	
		OUTDOOR	—	5mm circa/ approx.	
	Stonalizzazione /Shade variation	ANSI A137.1	Come indicato dal produttore /As indicated by manufacturer	V3 Hidden	V4 Cluster Variazioni sostanziali /Substantial variation

(*) ad esclusione dell'acido fluoridrico e derivati / excluding hydrofluoric acid and its derivatives

(**) salvo diversa indicazione dei Codici di Posa Nazionali. La larghezza delle fughe deve comunque essere decisa dalla Direzione Lavori
the width of grout joints must be established by the installation supervisor, unless grout widths are regulated by national laying standards

(***) Ad eccezione delle zone caratterizzate da un maggior rischio di scivolamento (come docce pubbliche, piscine coperte, ecc.) per le quali si consiglia una superficie Grip / With the exception of areas characterized by a higher risk of slipping (such as public showers, indoor swimming pools, etc.) for which a Grip surface is recommended

Imballi / Packing

Articolo	Scatola		Pallet					
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo	120x120	48"x48"	1	1,44	31,8	32	46,08	1.017,6
Fondo	60x120	24"x48"	2	1,44	31,8	36	51,8	1.144,8
Fondo	60x60	24"x24"	4	1,44	31,8	32	46,1	1.017,6
Fondo	30x60	12"x24"	9	1,62	35,0	32	51,8	1.120,0
Mosaico Micro	30x30	12"x12"	5	0,45	9,3	60	27,0	588,0
Mosaico Macro	30x30	12"x12"	5	0,45	9,3	60	27,0	588,0
Mosaico Mega	30x30	12"x12"	5	0,45	9,3	60	27,0	588,0
Mosaico 36	30x30	12"x12"	5	0,45	9,3	60	27,0	558,0
Gramma 72	14,5x49,8	5 ^{3/4} "x19 ^{1/2} "	14	1,01	22,2	32	32,3	710,4
Battiscopa	7,5x60	3 ^{1/8} "x24"	12	7,2 m.l.	11,6	60	432 m.l.	696,6
Gradino plus	35x120	13 ^{3/4} "x48"	2	0,84	34,0	12	10,1	408,o
Angolo gradino plus	35x120	13 ^{3/4} "x48"	1	0,42	17,0	24	10,1	408,0

Articolo	Scatola		Pallet					
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo (20mm)	60x120	24"x48"	1	0,72	32,5	36	25,9	1.170,0
Griglia	15x60	6"x24"	2	0,18	8,0	100	18,0	800,0
Griglia Angolare sx - dx	15x60	6"x24"	2	0,16	7,0	100	15,8	700,0
Costa Toro	30x60	12"x24"	1	0,18	8,1	100	18,0	812,5
Costa Toro Angolare sx - dx	30x60	12"x24"	1	0,14	6,1	100	13,5	610,0
Costa Retta	30x60	12"x24"	1	0,18	8,1	100	18,0	812,5
Costa Retta Angolare sx - dx	30x60	12"x24"	1	0,14	6,1	100	13,5	610,0
Costa Toro Step	30x60	12"x24"	1	0,18	8,0	100	18,0	812,5
Costa Retta Step	30x60	12"x24"	1	o,18	8,0	100	18,0	812,5
Costa Retta con Gocciolatoio	30x60	12"x24"	1	0,18	8,0	100	18,0	812,5
Costa Toro con Gocciolatoio	30x60	12"x24"	1	0,18	8,0	100	18,0	812,5

Articolo	Scatola		Pallet					
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo	120x278	48"x109 ^{1/2} "	1	3,34	47,0	18	60,0	846,0

Certificazioni / Certifications

CERTIFIED ENVIRONMENTAL
MANAGEMENT SYSTEM

CQY

CERTIQUALITY

UNI EN ISO 14001:2015

SISTEMA DI GESTIONE
QUALITÀ CERTIFICATO

CQY

CERTIQUALITY

UNI EN ISO 9001:2015

CE

EN 14411

Marchio CE*

Declare.

USGBC

MEMBER

Leed**

EMAS

GESTIONE
AMBIENTALE
VERIFICATA

reg. n. IT-000239

GREENGUARD

PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL-COATING
UL-2818

GOLD

EPD

PANARIAgroup

*MARCHIO CE Le DOP sono disponibili sul sito internet/DOP are available on the website leaceramiche.com

**LEED Lea Ceramiche, è membro di GBC Italia, organizzazione che promuove sul territorio italiano la realizzazione di edifici nel rispetto dell'ambiente, della salute e del benessere delle persone che ci vivono e lavorano./Lea Ceramiche is a member of the U.S. Green Building Council: this is an organization that promotes buildings that are environmentally responsible, profitable and healthy places to live and work.

***EPD I prodotti Lea Ceramiche possiedono Dichiarazione Ambientale di Prodotto (EPD) specifica di tipo III, certificata da ente terzo indipendente secondo le normative ISO 14025 e EN 15804. Disponibile su richiesta.


Lea Ceramiche products have a type III specific Environmental Product Declaration (EPD). This is certified by an independent third party according to ISO 14025 and EN 15804 standards. Available on request.

80 — 81

Side Stone

Intended use / key



 Alberghi Hotels	 Locali pubblici Public spaces
 Abitazioni Housing	 Aeroporti Airports
 Bar - Ristoranti Bar - Restaurants	 Centri commerciali Malls
 Negozi Shops	 Stazioni Train stations

Uses



 Vialetti Walkways	 Parcheggi Parcking areas
 Parchi pubblici - giardini Public parks - gardens	 Terrazze Terraces
 Camminamenti piscine Pool decks	 Zone industriali Industrial areas
 Stabilimenti balneari Beach resorts	 Aree urbane Urban areas

Intended use / key



	Pos pavimento Floor installation		Pos parete Wall installation	
Situazioni applicative si per interventi di nuova costruzione che di ristrutturazioni con pos in sovrapposizione pavimenti preesistenti. For new buildings and refurbishing, for installation on pre-existing floors.	IN INTERNO Residenziale (cucine, bagni, living, aree comuni condominiali, ed ogni altro ambiente di uso residenziale) Commerciale leggero (uffici, uffici aperti al pubblico, sale d'attesa, negozi, bagni, sale di ristoranti, autosaloni, bar, cinema, ambulatori, cliniche) Commerciale intensivo (aree comuni di centri commerciali, hall di alberghi, mense, fast food, discoteche, ospedali.) Ad esclusione di zone sottoposte al passaggio di carichi pesanti concentrati (ad es. carrelli ruote dure)	IN ESTERNO A condizione che le superfici siano coperte (es. logge, balconi coperti, ecc.) e perfettamente impermeabilizzate. Si consiglia l'utilizzo di formati con lati non superiori 120cm. INTERIORS Residential (kitchens, bathrooms, living rooms, common apartment block areas and any other residential environment) Light Commercial (offices, offices open to the general public, waiting rooms, shops, bathrooms, restaurant dining rooms, bars, car showrooms, cinemas, surgeries/clinics) Intensive commercial. (common areas of shopping centres, hotel halls, canteens, fastfood restaurants, dance clubs, hospitals.) With the exception of areas subject to heavy concentrated loads (e.g. trolleys with hard wheels)	EXTERIORS Upon condition that surfaces are sheltered (e.g. loggias, covered balconies, etc.) and made totally impervious. We recommend the use of sizes that have sides not exceeding 120cm. Situazioni applicative si per interventi di nuova costruzione che di ristrutturazioni con pos in sovrapposizione pavimenti preesistenti. For new buildings and refurbishing, for installation on pre-existing floors.	IN INTERNO Qualunque ambiente residenziale e commerciale. INTERIORS Any residential and commercial environment.

Slimtech special uses / key

	Facciate ventilate* Ventiladed facades		Rivestimenti termici cappotto External wall thermal insulation system
	Rivestimenti vasche piscine Bathtubs and swimming pool cladding		Superfici d rivestire nel settore dell'arredamento For furniture surfaces

Colors



Sizes LR^T

Fondi/Plain Tiles



120x278cm
48"x109^{1/2}"

Colors



Sizes LR^T

Fondi/Plain Tiles



120x120cm
48"x48"
Nat Hidden / Cluster
9mm



60x120cm
24"x48"
Nat, Grip Hidden / Cluster
9mm



60x60cm
24"x24"
Nat, Grip Hidden / Cluster
9mm



30x60cm
12"x24"
Nat Hidden / Cluster
9mm



Fondi/Plain Tiles
L2 20mm
60x120cm
24"x48"
Grip Cluster
No Protect

osaics and Special Sizes

Mosaico 36



30x30cm
12"x12"
Hidden / Cluster 9mm

Disponibile in tutti i
colori / all colors
available

Mosaico Micro



30x30cm
12"x12"
Mix Cluster
9mm

Mosaico Macro



30x30cm
12"x12"
Mix Cluster
9mm

Mosaico Megš



30x30cm
12"x12"
Mix Cluster
9mm

Grammš 72



49,8x14,5cm
19^{1/2}"x5^{3/4}"
Cluster
9mm

