

PALERMO
STONE CONCEPTS

STONESOURCE



SMOKE Natural 12"x24" Rectified



GRAY Natural 12"x24" Rectified



BROWN Natural 24"x24" Rectified



GRAY Quad Natural 24"x24" Rectified



BLACK Natural 32"x32" Rectified



BONE

GRAY

SMOKE


BROWN

BLACK

PALERMO STONE CONCEPTS

COLORED BODY FINE PORCELAIN STONEWARE

BONE



BONE 48"x48" Rectified
Thickness: 10mm
Finish: Natural



BONE 32"x32" Rectified
Thickness: 11mm
Finish: Natural




BONE 12"x24" Rectified
Thickness: 9.5mm
Finish: Natural/Polished/Anti-Slip R11




BONE 24"x24" Rectified
Thickness: 9.5mm
Finish: Natural


SPECIAL PIECES




Bullnose 3.125"x24" Rectified
Finish: Natural



Bullnose 2.75"x36" Rectified
Finish: Natural



Bullnose 3.125"x32" Rectified
Finish: Natural



Bullnose 2.5"x48" Rectified
Finish: Natural



Step Tread 12"x24" Rectified
Finish: Natural

PALERMO STONE CONCEPTS

COLORLED BODY FINE PORCELAIN STONEWARE

BONE

DECORS

Mosaic 12"x12" Rectified

Thickness: 9.5mm - Finish: Natural



BONE

Facet 24"x24" Rectified

Thickness: 9.5mm - Finish: Natural



BONE

Facet Corner 24"x24" Rectified

Thickness: 9.5mm - Finish: Natural



BONE

Facet Frame 24"x24" Rectified

Thickness: 9.5mm - Finish: Natural



BONE

Facet 12"x24" Rectified

Thickness: 9.5mm - Finish: Natural



BONE

Muretto 12"x24" Rectified

Thickness: 9.5mm



COLD



WARM

PALERMO STONE CONCEPTS

COLORED BODY FINE PORCELAIN STONEWARE

GRAY



GRAY 48"x48" Rectified
Thickness: 10mm
Finish: Natural



GRAY 32"x32" Rectified
Thickness: 11mm
Finish: Natural




GRAY 12"x24" Rectified
Thickness: 9.5mm
Finish: Natural/Polished/Anti-Slip R11




GRAY 24"x24" Rectified
Thickness: 9.5mm
Finish: Natural


SPECIAL PIECES




Bullnose
3.125"x24" Rectified
Finish: Natural



Bullnose
2.75"x36" Rectified
Finish: Natural



Bullnose
3.125"x32" Rectified
Finish: Natural



Bullnose
2.5"x48" Rectified
Finish: Natural



Step Tread
12"x24" Rectified
Finish: Natural

PALERMO STONE CONCEPTS

COLORED BODY FINE PORCELAIN STONEWARE

GRAY


DECORS

Mosaic 12"x12" Rectified
Thickness: 9.5mm - Finish: Natural



GRAY

Quad 24"x24" Rectified
Thickness: 9.5mm - Finish: Natural



GRAY

Quad 12"x24" Rectified
Thickness: 9.5mm - Finish: Natural



GRAY

Muretto 12"x24" Rectified
Thickness: 9.5mm



COLD



WARM

SMOKE



SMOKE 48"x48" Rectified
Thickness: 10mm
Finish: Natural



SMOKE 32"x32" Rectified
Thickness: 11mm
Finish: Natural




SMOKE 12"x24" Rectified
Thickness: 9.5mm
Finish: Natural/Polished/Anti-Slip R11




SMOKE 24"x24" Rectified
Thickness: 9.5mm
Finish: Natural


SPECIAL PIECES




Bullnose
3.125"x24" Rectified
Finish: Natural



Bullnose
2.75"x36" Rectified
Finish: Natural



Bullnose
3.125"x32" Rectified
Finish: Natural



Bullnose
2.5"x48" Rectified
Finish: Natural




Step Tread
12"x24" Rectified
Finish: Natural

SMOKE

DECORS

Mosaic 12"x12" Rectified
Thickness: 9.5mm - Finish: Natural



SMOKE

Facet 24"x24" Rectified
Thickness: 9.5mm - Finish: Natural



SMOKE

Facet Corner 24"x24" Rectified
Thickness: 9.5mm - Finish: Natural



SMOKE

Facet Frame 24"x24" Rectified
Thickness: 9.5mm - Finish: Natural



SMOKE

Facet 12"x24" Rectified
Thickness: 9.5mm - Finish: Natural



SMOKE

Muretto 12"x24" Rectified
Thickness: 9.5mm



COLD



WARM

PALERMO STONE CONCEPTS

COLORED BODY FINE PORCELAIN STONEWARE

BROWN



BROWN 32"x32" Rectified
Thickness: 11mm
Finish: Natural




BROWN 24"x24" Rectified
Thickness: 9.5mm
Finish: Natural




BROWN 12"x24" Rectified
Thickness: 9.5mm
Finish: Natural/Polished/Anti-Slip R11


SPECIAL PIECES



Bullnose 3.125"x24" Rectified
Finish: Natural



Bullnose 2.75"x36" Rectified
Finish: Natural



Bullnose 3.125"x32" Rectified
Finish: Natural



Step Tread 12"x24" Rectified
Finish: Natural

PALERMO STONE CONCEPTS

COLORED BODY FINE PORCELAIN STONEWARE

BROWN


DECORS

Mosaic 12"x12" Rectified
Thickness: 9.5mm - Finish: Natural




BROWN

Quad 24"x24" Rectified
Thickness: 9.5mm - Finish: Natural



BROWN

Quad 12"x24" Rectified
Thickness: 9.5mm - Finish: Natural



BROWN

Muretto 12"x24" Rectified
Thickness: 9.5mm



COLD



WARM

PALERMO STONE CONCEPTS

COLORLED BODY FINE PORCELAIN STONEWARE

BLACK



BLACK 32"x32" Rectified
Thickness: 11mm
Finish: Natural




BLACK 24"x24" Rectified
Thickness: 9.5mm
Finish: Natural




BLACK 12"x24" Rectified
Thickness: 9.5mm
Finish: Natural/Polished/Anti-Slip R11


SPECIAL PIECES



Bullnose
3.125"x24" Rectified
Finish: Natural



Bullnose
2.75"x36" Rectified
Finish: Natural



Bullnose
3.125"x32" Rectified
Finish: Natural



Step Tread
12"x24" Rectified
Finish: Natural

PALERMO STONE CONCEPTS

COLORED BODY FINE PORCELAIN STONEWARE

BLACK

DECORS

Mosaic 12"x12" Rectified
Thickness: 9.5mm - Finish: Natural




BLACK

Quad 24"x24" Rectified
Thickness: 9.5mm - Finish: Natural



BLACK

Quad 12"x24" Rectified
Thickness: 9.5mm - Finish: Natural



BLACK

Muretto 12"x24" Rectified
Thickness: 9.5mm



COLD



WARM

PALERMO STONE **CONCEPTS**

COLORED BODY FINE PORCELAIN STONEWARE

TECHNICAL CHARACTERISTICS

Classification in accordance with CEN/ISO Standards B1a EN 14411 - ISO 13006

TECHNICAL CHARACTERISTIC	NORM	REQUIRED VALUE	AVERAGE VALUE
Length and Width	ISO 10545-2	± 0.6% (± 2.00mm)	Compliant
Thickness		± 5% (± 0.5mm)	Compliant
Warpages of Edges		± 0.5% (± 1.5mm)	Compliant
Wedging		± 0.5% (± 2.00mm)	Compliant
Flatness		± 0.5% (± 2.00mm)	Compliant
Water Absorption	ISO 10545-3	≤ 0.5%	Compliant
	ASTM C373	≤ 0.5%	Compliant
Bending Strength	ISO 10545-4	≥ 35 N/mm²	Compliant
	ASTM C648	250 LBS or greater	Compliant
Linear Thermal Expansion between 20° and 100° C	ISO 10545-8	According to builders specifications	7 x 10 ⁻⁶ C ⁻¹
Thermal Shock Resistance	ISO 10545-9	Available on request	Resistant
Frost Resistance	ISO 10545-12	Available on request	Resistant
	ASTM C1026	-	Compliant
Resistance to Chemical Attack	ISO 10545-13	According to builders specifications	Resistant
	ASTM C650		Compliant
Stain Resistance	ISO 10545-14	Min. Class 3	Compliant
Colors Resistance to Light	DIN 51094	No Alteration	Compliant
Slippage Resistance	DIN 51130	9 ≤ R ≤ 13	Natural: R10 Polished: N/A Anti-Slip: R11 Grip: R11
D.C.O.F.	ANSI A 137.1-2012 (BOT 3000)	≥ 0.42 Wet	Natural R10: 0.44 Wet Polished: N/A Anti-Slip R11: 0.69 Wet Grip R11: 0.69 Wet



STONESOURCE