

PALERMO
LUX STONE

STONESOURCE
























The stylistic research of this collection deliberately goes beyond the classic patterns of use of marble-effect surfaces, to dress residential and commercial spaces with an eclectic and luxurious style. A complete and fascinating project for eight elegant and contemporary versions, declined in numerous sizes and finishes which complete the range with a full set of decorations and mosaics.

TECHNICAL INFORMATION

<p>6</p> <p>Colors</p>	<p>White</p> 	<p>Statuario</p> 	<p>Pearl</p> 	<p>Marfil</p> 	<p>Grey</p> 	<p>Nero</p> 
<p>5</p> <p>Sizes</p>	<p>120×280 48"×110"</p> 	<p>120×120 48"×48"</p> 	<p>60×120 24"×48"</p> 	<p>80×80 31½"×31½"</p> 	<p>60×60 24"×24"</p> 	
<p>2</p> <p>Surfaces</p>	<p>Natural</p>		<p>Polished</p>			
<p>i</p>	<p>Marble Look</p>	<p>Wall Tiles</p>	<p>Floor Tiles</p>	<p>Fine porcelain stoneware</p>	<p>Digital</p>	<p>technology</p>

Graphic representation between the rectified tiles is contained within the tolerances provided by the standard. For a correct alignment it is recommended to use a 2 mm joint.

| WHITE

FINE PORCELAIN
STONEWARE

DIGITAL TECHNOLOGY




120x120 - 48"x48"
02587A | White Pol/Ret



60x120 - 24"x48"
02628A | Abbey Road A
Ret


60x120 - 24"x48"
02629A | Abbey Road B
Ret



60x120 - 24"x48"
02582A | White Nat/Ret **02576A** |
White Pol/Ret



60x120 - 24"x48"
02599A | Mix Art Pol/Ret (Mix 2
Different Decors)




60x60 - 24"x24"
02569A | White Nat/Ret **02563A** |
White Pol/Ret



34x36 - 13 3/8"x14 1/8"
02615 | Hexagon
White Pol




31x35 - 12 1/4"x13 3/4"
02622 | Net White
Pol



30x30 - 12"x12"
02632 | Mosaico Cold
Pol



30x30 - 12"x12"
02645 | Cube White
Nat



28x32,5 - 11"x12 3/4"
02634 |
Arrows Cold Glossy



7,5x30 - 3"x12"
02642 | Brick .
White Nat/Ret

| PEARL

FINE PORCELAIN
STONEWARE




60x120 - 24"x48"
02584A | Pearl Nat/Ret **02578A** |
Pearl Pol/Ret



60x120 - 24"x48"
02626A | Warm Pol/Ret (Mix 2
Different Decors)



60x60 - 24"x24"
02572A | Pearl Nat/Ret **02565A** |
Pearl Pol/Ret




60x120 - 24"x48"
02599A | Mix Art Glossy /Ret
(Mix 2 Different Decors)



34x36 - 13 3/8"x14 1/8"
02617 | Hexagon
Pearl Pol



31x35 - 12 1/4"x13 3/4"
02624 | Net Pearl
Pol



30x30 - 12"x12"
02631 | Mosaico
Warm Pol



28x32,5 - 11"x12 3/4"
02633 | Arrows
Warm Pol

| GREY



120x120 - 48"x48"
02588A | Grey Pol/Ret



60x120 - 24"x48"
02585A | Grey Nat/Ret
02579A | Grey Pol/Ret




60x60 - 24"x24"
02573A | Grey Nat/Ret
02566A | Grey Pol/Ret




60x120 - 24"x48"
02626A | Warm Pol/Ret (Mix 2 Different Decors)



7.5x30 - 3"x12"
02644 | Brick Grey Nat/Ret



60x120 - 24"x48"
02599A | Mix Art Pol/Ret (Mix 2 Different Decors)




30x30 - 12"x12"
02631 | Mosaico Warm Pol



30x30 - 12"x12"
02647 | Cube Grey Nat



34x36 - 13³/₈"x14¹/₈"
02618 | Hexagon Grey Nat



31x35 - 12¹/₄"x13³/₄"
02625 | Majestic Net Grey Pol



28x32,5 - 11"x12³/₄"
02633 | Majestic Arrows Warm Pol

| STATUARIO



120x120 - 48"x48"
05304 | Statuario Pol/Ret




60x120 - 24"x48"
02627A | Cold Pol/Ret (Mix 2 Different Decors)



60x120 - 24"x48"
02656A | Statuario Nat/Ret
02651A | Statuario Pol/Ret



60x120 - 24"x48"
02599A | Mix Art Pol/Ret (Mix 2 Different Decors)



60x60 - 24"x24"
02655A | Statuario Nat/Ret
02652A | Statuario Pol/Ret



34x36 - 13³/₈"x14¹/₈"
02660 | Hexagon Statuario Pol



31x35 - 12¹/₄"x13³/₄"
02661 | Net Statuario Pol

| MARFIL



60x120 - 24"x48"
02665A | Marfil Nat/Ret
02662A | Marfil Pol/Ret




60x120 - 24"x48"
02626A | Warm Pol/Ret (Mix 2 Different Decors)



80x80 - 31 1/2"x31 1/2" **03687** |
 Marfil Pol/Ret



60x120 - 24"x48"
02599A | Mix Art Pol/Ret (Mix 2 Different Decors)



60x60 - 24"x24"
02666A | Marfil Nat/Ret
02663A | Marfil Pol/Ret



34x36 - 13 3/8"x14 1/8"
02676 | Hexagon
 Pol



31x35 - 12 1/4"x13 3/4"
02677 |
 Net Marfil Pol

| NERO



60x120 - 24"x48"
02580A | Nero Nat/Ret
02574A | Nero Pol/Ret




7,5x30 - 3"x12"
02643 | Brick
 Nero Nat/Ret

60x60 - 24"x24"
02567A | Nero Nat/Ret
02561A | Nero Pol/Ret




60x120 - 24"x48"
02628A | Abbey Road A
 Ret

60x120 - 24"x48"
***02629A** | Abbey
 Road B Ret




34x36 - 13 3/8"x14 1/8"
02613 | Hexagon
 Nero Pol



31x35 - 12 1/4"x13 3/4"
02619 | Net
 Nero Pol



30x30 - 12"x12"
02632 | Mosaico
 Cold Pol



30x30 - 12"x12"
02631 | Mosaico
 Warm Pol




28x32,5 - 11"x12 3/4"
02634 | Arrows Cold Pol




30x30 - 12"x12"
02646 | Cube Nero Nat

INSTALLATION SOLUTIONS




1 ABBEY ROAD A E B 60x120 - 24"x48"




2 ABBEY ROAD A 60x120 - 24"x48" 60

INSTALLATION SOLUTIONS




3 MAJESTIC ABBEY ROAD B - WHITE NAT/RET 60x120 - 24"x48"




4 MAJESTIC ABBEY ROAD A - WHITE NAT/RET 60x120 - 24"x48"


SPECIAL PIECES



BATTISCOPIA 8x60 -
3 1/8" x 24"
 NAT/RET - POL/RET



BATTISCOPIA 6,5x120 -
2 1/2" x 48"
 NAT/RET - POL/RET



GRADINO COSTA RETTA 33x120 - 13" x 48"
 OBTAINED BY CUTTING AND GLUING) NAT/RET - GLOSSY/RET

TECHNICAL CHARACTERISTICS

FINE PORCELAIN

CLASSIFICATION IN ACCORDANCE WITH EN 14411 BI_A - ISO 13006

TECHNICAL CHARACTERISTIC	NORM	VALUE REQUIRED	MEAN VALUE	NORM	MEAN VALUE
LENGHT AND WIDTH		±0,6% (±2,00 MM)			
THICKNESS / STÄRKE /		±5% (±0,5 MM)			
WARPAGES OF EDGES	ISO 10545.2	±0,5% (±1,5 MM)	CONFORME IN ACCORDANCE ERFÜLLT CONFORME	ASTM C-499 ASTM C-485 ASTM C-502	IN ACCORDANCE
WEDGING		±0,5% (±2,00 MM)			
FLATNESS /		±0,5% (±2,00 MM)			
WATER ABSORPTION	ISO 10545.3	≤ 0,5%	CONFORME IN ACCORDANCE ERFÜLLT CONFORME	ASTM C-373	IN ACCORDANCE
BENDING STRENGTH	ISO 10545.4	MODULUS OF RUPTURE (AVERAGE): R ≥ 35N/MM² BREAKING STRENGTH FOR THICKNESS ≥ 7,5 MM S ≥ 1300 N	CONFORME IN ACCORDANCE ERFÜLLT CONFORME	ASTM C-648 250 LBS OR GREATER	IN ACCORDANCE
LINEAR THERMAL EXPANSION BETWEEN 20° AND 100° C	ISO 10545.8	SECONDO I DATI DEL COSTRUTTORE ACCORDING TO BUILDER'S SPECIFICATIONS LAUT ANGABEN DES HERSTELLERS SELON LES ELEMENTS DU CONSTRUCTEUR	≈ 7X10 ⁻⁶ C ⁻¹		
THERMAL SHOCK RESISTANCE	ISO 10545.9	REQUEST	RESISTANT		
FROST RESISTANCE	ISO 10545.12	RICHIESTA REQUEST BITTE DEMANDE	RESISTENTE RESISTANT WIDERSTEHEND RÉSISTANT	ASTM C-1026	IN ACCORDANCE
RESISTANCE TO CHEMICAL ATTACK	ISO 10545.13	ACCORDING TO BUILDER'S SPECIFICATIONS	RESISTENTE RESISTANT WIDERSTEHEND RÉSISTANT	ASTM C-650	IN ACCORDANCE
COLOURS RESISTANCE TO LIGHT	DIN 51094	NESSUNA ALTERAZIONE NO ALTERATION KEINE VERÄNDERUNG AUCUNE ALTERNATION	CONFORME IN ACCORDANCE ERFÜLLT CONFORME		
STAIN RESISTANCE	ISO 10545.14	» CLASSE 3 METODO DI PROVA DISPONIBILE TEST METHOD AVAILABLE VERFÜGBARE PRÜFMETHODE METHODE D'ESSAI DISPONIBLE	CONFORME IN ACCORDANCE ERFÜLLT CONFORME		
SLIPPAGE RESISTANCE	DIN 51130 *	9 ≤ R ≤ 13	NATURALE R9 LEVIGATO	ASTM C-1028 * COF ≥ 0,6 DRY ≥ 0,6 WET	NATURALE LEVIGATO
	DIN 51097 *	A,B,C	NATURALE A LEVIGATO	ANSI * 137.1-2012 DCOF > 0,42 WET	NATURALE > 0,4 2 LEVIGATO
PENDULUM SLIP TEST	BS EN 7976-2*	> 36 DRY > 36 WET	NATURALE LEVIGATO	AS 4586: 2013 CLASS	NATURALE LEVIGATO

