

SIENNA
BLUESTONE


STONESOURCE

GRIS

ONE STONE / Many Finishing

The range comprises a large number of **sizes** and **thicknesses**, to express the striking beauty of Pierre Bleue in the most widely varying architectural contexts, always meeting technical demands with exquisite looks. Versatility, performance and eclecticism are even further enhanced by the 80x80 cm size in the 20 mm thickness, specifically created for **outdoor** use, available in the Noble and Ancienne finishes, and the Opus and Petit Opus multi-size combinations, comprising different sizes mixed and boxed together for variegated, extremely natural installation layouts. **Opus** is presented in Noble Brecciato version with Velouté semi-polished finish with a size assortment of 60x80, 60x60, 20x80, 20x60, 20x30 and 20x20 cm; **Petit Opus** is created in the Ancienne Brecciato surface and features the 20x30 and 20x20 cm sizes. Unique Bleu: a **perfect, tasteful combination** of the features needed for **complex contemporary architectural design schemes**, which combine to express different aesthetic styles with a **strong personality and unique character**.

ANTHRACITE





GRIS

Gris Noble Lapp. Velouté Rett. 80x80 - 31¹/₂" x 31¹/₂"

Gris Roullée Nat. Rett. 60x120 - 23⁵/₈" x 47¹/₄"



GRIS

Gris Renversée Nat. Rett. 60x120 - 23^{5/8} x 47^{1/4}"

Gris Noble Nat. Rett. 60x120 - 23^{5/8} x 47^{1/4}" Gris

Roullée Nat. Rett. 60x120 - 23^{5/8} x 47^{1/4}"



GRIS

Anthracite Noble Nat. Rett. 60x120 - 23^{5/8}"x47^{1/4}" Gris
Roullée Nat. Rett. 60x120 - 23^{5/8}"x47^{1/4}" Anthracite
Renversée Nat. Rett. 60x120 - 23^{5/8}"x47^{1/4}" Gris
Renversée Nat. Rett. 60x120 - 23^{5/8}"x47^{1/4}"

ANTHRACITE

Anthracite Noble Nat. Rett. 80x80 - 31 1/2" x 31 1/2"
Anthracite Petit Opus Ancienne Brecciato





ANTHRACITE

Anthracite Noble Nat. Rett. 60x120 - 23^{5/8}" x 47^{1/4}"
Anthracite Roullée Nat. Rett. 60x120 - 23^{5/8}" x 47^{1/4}"



ANTHRACITE

Anthracite Petit Opus Ancienne Brecciato
Anthracite Roullée Nat. Rett. 60x120 - 23^{5/8}"x47^{1/4}"
Anthracite Noble Nat. Rett. 60x120 - 23^{5/8}"x47^{1/4}"

Anthracite
NOBLE
Gris

Anthracite
ANCIENNE
Gris

Anthracite
ROULÉE
Gris


Anthracite
RENVERSÉ
E
Gris

Anthracite
BRECCIATO
Gris



COLORI/FORMATI

COLOURS / SIZES - COULEURS / FORMATS - FARBEN / FORMATE - COLORES / TAMAÑOS - ЦВЕТА / ФОРМАТЫ



120x120 - 47^{1/4}"x47^{1/4}" **Noble**
Naturale Rettificato EHJ9
Anthracite
9 patterns

●T59



60x120 - 23^{5/8}"x47^{1/4}"
Noble Naturale Rettificato EHFJ
Anthracite
EHFH Gris
18 patterns

●T31

●T31

Ancienne Naturale Rettificato
EHFZ Anthracite
EHFY Gris
18 patterns

●T31

●T31

Roullée Naturale Rettificato
EHGC Anthracite
EHGA Gris
9 patterns


●T37

●T37

Renversée Naturale Rettificato
EHFQ Anthracite
EHFP Gris
14 patterns

●T37

●T37



60x60 - 23^{5/8}"x23^{5/8}"
Noble Naturale Rettificato EHFT
Anthracite
EHFS Gris
36 patterns


●T17

●T17

Ancienne Naturale Rettificato
EHG2 Anthracite
EHG1 Gris
36 patterns

●T17

●T17



80x80 - 31^{1/2}"x31^{1/2}"
Noble Naturale Rettificato
EHFM Anthracite
EHFL Gris
Up to 18 patterns

●T25

●T25

Noble Lappato Velouté Rett.
EHLN Anthracite
EHLM Gris
Up to 18 patterns

●T39

●T39

Ancienne Naturale Rett.
EHG5 Anthracite
EHG4 Gris
18 patterns

●T25

●T25



40x80 - 15^{3/4}"x31^{1/2}"
Noble Naturale Rettificato
EHFW Anthracite
EHFV Gris
Up to 36 patterns

●T23

●T23

Noble Lappato Velouté Rett.
EHLR Anthracite
EHLQ Gris
Up to 36 patterns


●T35

●T35

Ancienne Naturale Rett.
EHGM Anthracite
EHGL Gris
36 patterns

●T23


●T23



80x80 - 31^{1/2}"x31^{1/2}"
Noble Brecciato Lappato Velouté
EHSZ Anthracite
EHSY Gris
Up to 18 patterns

●T89

●T89




80x80 - 31^{1/2}"x31^{1/2}" **Ancienne**
Naturale Rettificato
EHGJ Anthracite
EHGH Gris
18 patterns

●T72

●T72

PETIT OPUS

1 pz./pcs 20x30 - 7^{7/8}"x11^{13/16}" 1
pz./pcs 20x20 - 7^{7/8}"x7^{7/8}"



Ancienne Brecciato Naturale
EHUV Anthracite
EHUU Gris

●T104


●T104

DECORI

DECORS - DECORS - DEKORE - DECORADOS - ДЕКОРЫ


MOSAICO 5X5*

Tessere - Chip 4,8x4,8 - 1 7/8" x 1 7/8"




30x30 - 1 13/16" x 1 13/16"

EHRH Gris Noble Nat. ●A86




30x30 - 1 13/16" x 1 13/16"

EHRL Gris Ancienne Nat. ●A86



30x30 - 1 13/16" x 1 13/16"

EHRJ Anthracite Noble Nat. ●A86



30x30 - 1 13/16" x 1 13/16"

EHRM Anthracite Ancienne Nat. ●A86

* On fibre mesh backing

PEZZI SPECIALI

TRIMS - PIÈCES SPÉCIALES - FORMTEILE - PIEZAS ESPECIALES - СПЕЦИАЛЬНЫЕ ИЗДЕЛИЯ

	Dimensione Size	Gris Noble	Gris Ancienne	Anthracite Noble	Anthracite Ancienne	Fascia di prezzo Price band
Battiscopa - Skirting	Nat. Rett. 7x60 - 2 3/4" x 23 5/8" Pcs. Box 15 - LM x Box 9,00	EHRH	EHRV	EHRT	EHRW	●A11
	Nat. Rett. 4,6x80 - 1 13/16" x 31 1/2" Pcs. Box 12 - LM x Box 9,60	EHRJ	EHS1	EHRZ	EHS2	●A16
Gradino - Stair Tread	Nat. Rett. 33x120 - 12 15/16" x 47 1/4" Pcs. Box 2 - LM x Box 2,40	EHS4	EHS7	EHS5	EHS8	●A82
Gradone - Step	Nat. Rett. 33x120x3,2x3,2 12 15/16" x 47 1/4" x 1 1/4" x 1 1/4" Pcs. Box 2 - LM x Box 2,40	EHSA	EHSE	EHSC	EHSF	●A98
Angolare Dx Sx Corner Tile Right Left	Nat. Rett. 33x120x3,2x3,2 12 15/16" x 47 1/4" x 1 1/4" x 1 1/4" Pcs. Box 1 - LM x Box 1,20	Dx - Right EHSJ	Dx - Right EHSK	Dx - Right EHSL	Dx - Right EHSM	●A104
		Sx - Left EHSN	Sx - Left EHSO	Sx - Left EHSQ	Sx - Left EHSR	

PEZZI SPECIALI 20MM SU RICHIESTA - 20mm trims available on request - Pièces spéciales 20mm (sur demande)

Formteile 20mm auf anfrage erhältlich - Piezas especiales 20mm disponibles bajo pedido - Специальные изделия 20mm по запросу

Porcelain Tiles

ISO 13006 Annex G - UNI EN 14411 Annex G - Bla GL

ANSI A137.1 - CLASS P1

CARATTERISTICHE TECNICHE

Technical Features - Caracteristiques Techniques - Technische Eigenschaften
Technical Features - Caracteristicas Tecnicas - Технические Характеристики



ASSORBIMENTO D'ACQUA

Water absorption - Absorption d'eau - Wasseraufnahme
Absorción de agua - Поглощение воды

NORMA

Standard - Norme
Norm - Norma - Norma

VALORI

Value - Valeur
Vorgabe - Valor - Средние

UNI EN ISO 10545/3
ASTM C373

CONFORME
COMPLIANT



RESISTENZA ALLA FLESSIONE

Modulus of rupture - Resistance a la flexion - Biegefestigkeit
Resistencia a la flexion - Прочность на изгиб

SPESSORE

UNI EN ISO 10545/4

9,5 mm

20MM
≥ 45 N/mm²
≥ 45 N/mm²



FORZA DI ROTTURA

Breaking strength - Résistance à la rupture - Bruchlast - Resistencia a la rotura - Разрывное усилие

UNI EN ISO 10545/4

ASTM C648

> 2000 N
> 12000 N

> 400 lbf
> 2500 lbf



RESISTENZA AL GELO

Frost resistance - Résistance au gel - Frostbeständigkeit
Resistencia a las heladas - Морозостойкость

UNI EN ISO 10545/12

ASTM C1026

CONFORME

UNAFFECTED



RESISTENZA CHIMICA

AD ALTE E BASSE CONCENTRAZIONI DI ACIDI E BASI

Chemical resistance to high and low acid and basic concentrations
Résistance chimique aux hautes et basses concentrations d'acides et de bases
Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen
Resistencia química con concentraciones altas y bajas de ácidos y bases
Химическая стойкость к высоким и низким концентрациям кислот и щелочей

UNI EN ISO 10545/13

ASTM C-650

A - LA - HA

UNAFFECTED



RESISTENZA ALLE MACCHIE

Stain resistance - Résistance aux taches - Fleckenbeständigkeit
Resistencia a las manchas - Стойкость к образованию пятен

UNI EN ISO 10545/14

ASTM C1378

5

Class A



COEFFICIENTE DI ATTRITO

Slip resistance
Coefficient de glissement Rutschfestigkeit
Barfußbereich Coeficiente de atrito medio
Кoeffициент трения

NATURALE

DIN EN 16165 Annex B

DIN EN 16165 Annex A

ANSI A326.3:2017 DCOF

B.C.R.A. D.M. N. 236 14/6/89

AS 4586-2013 Anexo A

BS 7976-2: 2002 BSEN13 036-4:2011 Pendulum testers

UNE 41901:2017 EX DB SUA (actual)

R10

B (A+B)

WET ≥ 0,50

> 0,4
0

P2

< 36 Moderate Slip potential

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

Per maggiori chiarimenti sui dati tecnici e sulla garanzia consultare il catalogo generale in vigore. - For further information on technical specifications, please consult our up-dated general catalogue. - Pour toutes informations supplémentaires sur les données techniques et sur les garanties, veuillez consulter le catalogue général en vigueur. - Für weitere Informationen über technische Daten und Garantie beziehen sie sich bitte auf den aktuellen Gesamtkatalog. - Para ultteriores informaciones sobre los datos técnicos y la garantía, vease el catalogo general en vigor. - Более подробную информацию о технических данных и гарантии смотрите в действующем сводном катал.



PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/CGG UL 2818



放射性水平A类



25% 20MM
15% 9,5 mm
valori medi - average values



Formato Size	Spessore Thickness	Pz. x Mq. Pieces x Sqm	Pz. x Scat. Pieces x Box	Mq. x Scat. Sqm x Box	Peso x Scat. Weight x Box	Scat. x Pal. Boxes x Pal.	Mq. x Pal. Sqm x Pal.	Peso x Pal. Weight x Pal.
Format	Epaisseur	Pcs / M ²	Pcs / Bte	M ² / Bte	Poids / Bte	Bte / Pal.	M ² / Pal.	Poids / Pal.
Tamaño	Stärke	Stk. x Qm	Stk. x Krt.	Qm x Krt.	Gewicht x Krt.	Krt. x Pal.	Qm x Pal.	Gewicht x Pal.
Формат	Espesor	Pzs x Mc.	Pzs x Caja	Mc. x Caja	Peso x Caja	Cajas x Pal.	Mc. x Pal.	Peso x Pal.
cm	Толщина	Шт x Кв.М.	Шт x Кор.	Кв.М. x Кор.	Вес x Кор.	Кор. x Подд.	Кв.М x Подд.	Вес x Подд.
	mm				Kg			Kg
120x120 Naturale	9,5	0,69	1	1,440	31,68	36	51,84	1140
60x120 Naturale	9,5	1,39	2	1,440	31,68	36	51,84	1140
80x80 Naturale - Lappato Veloutè - Brecciato	9,5	1,56	2	1,280	28,16	42	53,76	1183
40x80 Naturale - Lappato Veloutè	9,5	3,13	3	0,960	21,12	28	26,88	591
60x60 Naturale	9,5	2,78	3	1,080	23,76	40	43,20	950
PETIT OPUS Naturale	9,5	-	12	0,600	13,20	54	32,40	713
30x30 Mosaico 5X5 Naturale	9,5	11,11	5	0,450	8,73	60	27,00	524
80x80 Naturale 20MM	20	1,56	1	0,640	29,44	45	28,80	1325

