

SIENNA  
CLASSIC STONES EVO

STONESOURCE

# STATUARIO

---



**Statuario**, used in art for classical works, is one of the most prized marbles as the design of its vein patterns makes the texture harmonious and elegant.

---



**FLOOR & BACK WALL**  
STATUARIO Lappato

**COUNTER**  
STATUARIO Seminato Di Tessere

**RIGHT WALL**  
STATUARIO Battuto Di Lisetelli





**FLOOR**  
STATUARIO Doghe Lappato

**COUNTER**  
STATUARIO Lappato

**WALL**  
STATUARIO Trama Lappato



**FLOOR**  
*STATUARIO Doghe*



**WALL**  
*STATUARIO Trama Lappato*





**FLOOR**

*STATUARIO Seminato Di Tessere Lappato*



**LEFT WALL**  
*STATUARIO Lappato*



**FLOOR**  
*STATUARIO Seminato Di Tessere Lappato*



**RIGHT WALL**  
*STATUARIO Doghe Lappato*






**FLOOR**  
*STATUARIO Battuto Di Listelli Lappato*

**WALL**  
*STATUARIO Lappato*





STATUARIO Lappato

# ONICE

---



**Onice** is a kaleidoscopic surface of shades of grey, from the palest to the darkest, which interweave in a warm, irresistible embrace, for effects vibrant with light.

---





**WALL**  
ONICE Lappato

## FOSSIL BROWN

---



**Fossil Brown** evokes the beauty of a marble, with strong, striking colours. The random alternation of pale and dark fossils produces patterning with very high aesthetic and visual impact.

---





FLOOR  
FOSSIL BROWN Lappato



# QUARZO

---



**Quarzo** is inspired by one of the loveliest, most ancient materials. The almost ivory background color is pierced by warm, golden yellow vein patterns of varying intensity, which create evocative images of great beauty as they flow across the surface.

---



**WALL**  
QUARZO Lappato

**FLOOR**  
QUARZO Seminato Di Tessere Lappato





**FLOOR**  
*QUARZO Seminato Di Tessere*



**FLOOR**  
QUARZO Intrecci Lappato



## CALACATTA GOLD

---



**Calacatta Gold** is inspired by one of the most highly prized Carrara marbles, used over the centuries in the most luxurious ornamental projects, since its gilded vein patterns create elegant, sumptuous surfaces.

---

# MARFIL

---



**Marfil** is inspired by the finest of all Spanish marbles. The uniform surface is interrupted by the delicate, subtle, almost imperceptible vein patterns, which blend into the contrasts in the predominant warm beige color.

---





**WALL**  
MARFIL Doghe Lappato

**FLOOR**  
MARFIL Lappato



FLOOR  
MARFIL Lappato






**FLOOR**  
MARFIL Lappato

# SIENNA CLASSIC STONES EVO

**STATUARIO**



**CALACATTA GOLD**



**MARFIL**



**ONICE**



**FOSSIL BROWN**



**QUARZO**



# SIENNA CLASSIC STONES EVO

## STATUARIO



**48"x110" Rectified**  
*Thickness: 6.5mm*  
*Finish: Lappato*



**48"x95" Rectified**  
*Thickness: 6.5mm*  
*Finish: Lappato*



**48"x48" Rectified**  
*Thickness: 6.5mm*  
*Finish: Lappato*



**36"x71" Rectified**  
*Thickness: 10.5mm*  
*Finish: Lappato*



**36"x36" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*



**24"x48" Rectified**  
*Thickness: 10mm*  
*Finish: Natural/Lappato*



**12"x24" Rectified**  
*Thickness: 10mm*  
*Finish: Natural/Lappato*




**3"x12" Rectified**  
*Thickness: 10mm*  
*Finish: Natural*

# SIENNA CLASSIC STONES EVO

## ONICE



**48"x110" Rectified**  
*Thickness: 6.5mm*  
*Finish: Lappato*



**36"x36" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*



**24"x48" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*



**12"x24" Rectified**  
*Thickness: 10mm*  
*Finish: Natural/Lappato*



**3"x12" Rectified**  
*Thickness: 10mm*  
*Finish: Natural*



# SIENNA CLASSIC STONES EVO


## FOSSIL BROWN



**48"x110" Rectified**  
*Thickness: 6.5mm*  
*Finish: Lappato*



**36"x36" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*



**24"x48" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*



**12"x24" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*



**3"x12" Rectified**  
*Thickness: 10mm*  
*Finish: Natural*

# SIENNA CLASSIC STONES EVO

## QUARZO



**48"x110" Rectified**  
*Thickness: 6.5mm*  
*Finish: Lappato*




**48"x95" Rectified**  
*Thickness: 6.5mm*  
*Finish: Lappato*



**48"x48" Rectified**  
*Thickness: 6.5mm*  
*Finish: Lappato*



**36"x71" Rectified**  
*Thickness: 10.5mm*  
*Finish: Lappato*



**36"x36" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*



**24"x48" Rectified**  
*Thickness: 10mm*  
*Finish: Natural/Lappato*



**12"x24" Rectified**  
*Thickness: 10mm*  
*Finish: Natural/Lappato*



**3"x12" Rectified**  
*Thickness: 10mm*  
*Finish: Natural*



# SIENNA CLASSIC STONES EVO


## CALACATTA GOLD



**48"x110" Rectified**  
*Thickness: 6.5mm*  
*Finish: Lappato*



**36"x71" Rectified**  
*Thickness: 10.5mm*  
*Finish: Lappato*



**36"x36" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*



**24"x48" Rectified**  
*Thickness: 10mm*  
*Finish: Natural/Lappato*



**12"x24" Rectified**  
*Thickness: 10mm*  
*Finish: Natural/Lappato*




**3"x12" Rectified**  
*Thickness: 10mm*  
*Finish: Natural*

# SIENNA CLASSIC STONES EVO

MARFIL



**36"x36" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*



**24"x48" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*

# SIENNA CLASSIC STONES EVO

## BOOKMATCH

Bookmatch A/B 48"x110" Rectified

Thickness: 6.5mm - Finish: Lappato



STATUARIO



CALACATTA GOLD



# SIENNA CLASSIC STONES EVO

## DECORS

Trama 13"x11"

Thickness: 10mm



## STATUARIO

Finish: Natural/Lappato

# SIENNA CLASSIC STONES EVO

## DECORS

Intrecci 12"x12"

Thickness: 10mm



**STATUARIO**

Finish: Natural/Lappato



**ONICE**

Finish: Lappato



**FOSSIL BROWN**

Finish: Lappato



**QUARZO**

Finish: Natural/Lappato



**CALACATTA GOLD**

Finish: Natural/Lappato



**MARFIL**

Finish: Lappato

Mosaic 12"x12" (1"x1" Pcs)

Thickness: 10mm - Finish: Natural/Lappato



**STATUARIO**

Finish: Natural/Lappato



**ONICE**

Finish: Natural/Lappato



**FOSSIL BROWN**

Finish: Lappato



**QUARZO**

Finish: Lappato



**CALACATTA GOLD**

Finish: Natural/Lappato



**MARFIL**

Finish: Lappato

# SIENNA CLASSIC STONES EVO

## DECORS

Mosaic 12"x12" (2"x2" Pcs)

Thickness: 10mm




**STATUARIO**

*Finish: Natural/Lappato*



**ONICE**

*Finish: Lappato*



**FOSSIL BROWN**

*Finish: Lappato*



**QUARZO**

*Finish: Natural/Lappato*



**CALACATTA GOLD**

*Finish: Natural/Lappato*




**MARFIL**

*Finish: Lappato*



# SIENNA CLASSIC STONES EVO

## SPECIAL PIECES



**Bullnose 3"x24" Rectified**


*Finish: Natural*

**STATUARIO**

*Finish: Lappato*

**STATUARIO  
ONICE**

**QUARZO  
CALACATTA  
GOLD MARFIL**




**Bullnose 2"x36" Rectified**

*Finish: Lappato*

**STATUARIO  
ONICE**


**FOSSIL BROWN  
QUARZO  
CALACATTA GOLD  
MARFIL**



**Bullnose 6"x6" Rectified**

*Finish: Natural*

**STATUARIO  
QUARZO  
CALACATTA GOLD**



**Double-Bullnose 6"x6" Rectified**

*Finish: Natural*

**STATUARIO  
QUARZO  
CALACATTA GOLD**



**Step 13"x48"x1.25"x1.25" Rectified**

*Finish: Natural*

**STATUARIO  
FRAPPUCCINO  
BRECCIA  
CALACATTA RENIOR  
ONICE**

**QUARZO  
CALACATTA  
GOLD MARFIL**

*Finish: Lappato*

**STATUARIO  
ONICE**

**FOSSIL BROWN  
QUARZO  
CALACATTA GOLD  
MARFIL**



**Corner Tile 13"x48"x1.25"x1.25" Rectified**

*Finish: Natural*

**STATUARIO  
FOSSIL  
BROWNQUARZO  
CALACATTA  
GOLD**

*Finish: Lappato*

**STATUARIO  
NICE**

**FOSSIL BROWN  
QUARZO  
CALACATTA GOLD  
MARFIL**

SIENNA  
**CLASSIC  
DESIGN  
STONES  
EVO**

3 BACKGROUND VARIATIONS.

**BATTUTO DI LISTELLI**



**SEMINATO DI TESSERE**



**DOGHE**



# SIENNA **CLASSIC DESIGN STONES EVO**

## STATUARIO




**DOGHE 48"x110" Rectified**  
*Thickness: 6.5mm*  
*Finish: Lappato*



**BATTUTO DI LISTELLI 24"x48" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*



**SEMINATO DI TESSERE 24"x48" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*



**DOGHE 24"x48" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*

DOGHE

BATTUTO DI LISTELLI

SEMINATO DI TESSERE





# SIENNA **CLASSIC DESIGN STONES EVO**


## QUARZO



**DOGHE 48"x110" Rectified**  
*Thickness: 6.5mm*  
*Finish: Lappato*



**BATTUTO DI LISTELLI 24"x48" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*



**SEMINATO DI TESSERE 24"x48" Rectified**  
*Thickness: 10mm*  
*Finish: Lappato*

DOGHE

BATTUTO DI LISTELLI

SEMINATO DI TESSERE



# SIENNA **CLASSIC STONES EVO** + *SIENNA* **CLASSIC DESIGN STONES EVO**

## PACKAGING

| ITEM                           | CM          | THICKNESS | PCS/SQM | PCS/BOX | SQM/BOX | KG/BOX | BOX/PAL   | SQM/PAL   | KG/PAL    |
|--------------------------------|-------------|-----------|---------|---------|---------|--------|-----------|-----------|-----------|
| 48"x95" Natural/Lappato        | 120x240     | 6.5mm     | 0.35    | 1       | 2.880   | 46.00  | see below | see below | see below |
| 48"x48" Natural/Lappato        | 120x120     | 6.5mm     | 0.69    | 2       | 2.880   | 45.90  | 20        | 57.60     | 918       |
| 36"x36" Natural                | 90x90       | 10mm      | 1.23    | 2       | 1.620   | 36.00  | 24        | 38.88     | 864       |
| 36"x36" Lappato                | 89x89       | 10mm      | 1.26    | 2       | 1.580   | 36.00  | 24        | 37.92     | 864       |
| 24"x48" Natural                | 60x120      | 10mm      | 1.39    | 2       | 1.440   | 36.20  | 36        | 51.84     | 1303      |
| 24"x48" Lappato                | 59x118.2    | 10mm      | 1.43    | 2       | 1.395   | 35.00  | 36        | 50.22     | 1260      |
| 12"x24" Natural                | 30x60       | 10mm      | 5.56    | 6       | 1.080   | 24.00  | 40        | 43.20     | 960       |
| 12"x24" Lappato                | 29.4x59     | 10mm      | 5.77    | 6       | 1.041   | 24.30  | 40        | 41.64     | 972       |
| 3"x12" Natural                 | 7.5x30      | 10mm      | 44.44   | 36      | 0.810   | 18.38  | 56        | 45.36     | 1029      |
| Trama 13"x11" Natural          | 31.9x28.3   | 10mm      | 11.08   | 5       | 0.450   | 10.40  | -         | -         | -         |
| Trama 12"x10.5" Lappato        | 30.6x26.6   | 10mm      | 12.29   | 5       | 0.410   | 10.40  | -         | -         | -         |
| Mosaic 12"x12" (2"x2") Natural | 30x30       | 10mm      | 11.11   | 5       | 0.450   | 10.50  | -         | -         | -         |
| Mosaic 12"x12" (2"x2") Lappato | 29.4x29.4   | 10mm      | 11.57   | 5       | 0.432   | 10.50  | -         | -         | -         |
| Mosaic 12"x12" (1"x1") Natural | 30x30       | 10mm      | 11.11   | 5       | 0.450   | 10.42  | 60        | 27.00     | 625       |
| Mosaic 12"x12" (1"x1") Lappato | 29.4x29.4   | 10mm      | 11.57   | 5       | 0.432   | 10.94  | -         | -         | -         |
| Intrecci 12"x12" Natural       | 30x30       | 10mm      | 11.11   | 5       | 0.450   | 10.50  | -         | -         | -         |
| Intrecci 12"x12" Lappato       | 29.64x29.64 | 10mm      | 11.38   | 5       | 0.440   | 10.50  | -         | -         | -         |

## PACKAGING - SLABS 48"x95"

| ITEM    | SIZE (CM)   | # OF SLABS | SQM/PACK | KG OF PACKAGING | KG OF PACKAGING + SLABS |
|---------|-------------|------------|----------|-----------------|-------------------------|
| Crate   | 136x266x41h | 20         | 57.60    | 99              | 1020                    |
| A-Frame | 75x250x160  | 40         | 115.20   | 163             | 2000                    |

SIENNA

CLASSIC STONES EVO + SIENNA

CLASSIC DESIGN STONES EVO

TECHNICAL CHARACTERISTICS

DRY - PRESSED CERAMIC TILES ISO 13006 ANNEX G - Bla GL

| TECHNICAL CHARACTERISTICS                                                   | STANDARD                                                                                       | VALUES               |         |
|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------|---------|
| Flatness                                                                    | UNIS EN ISO 10545-2                                                                            | ± 0.26% / ± 1.5 mm   |         |
|                                                                             | ASTM C485<br>CALIBRATED ± 0,75% (MAX ± 0,09 in)                                                | -                    |         |
|                                                                             | ASTM C485<br>RECTIFIED ± 0,40%<br>(MAX ± 0,05 IN-SIZE ≤ 60 cm)<br>(MAX ± 0,07 IN-SIZE > 60 cm) | ± 0.25%              |         |
| Water Absorption                                                            | UNI EN ISO 10545-3 (≤ 0,5 %)                                                                   | Compliant            |         |
|                                                                             | ASTM C373                                                                                      | Compliant            |         |
| Modulus of Rupture                                                          | UNI EN ISO 10545-4                                                                             | ≥ 50 N/mm²           |         |
| Breaking Strength                                                           | UNI EN ISO 10545-4                                                                             | ≥ 2000 N             |         |
|                                                                             | ASTM C648                                                                                      | 250 lbs              |         |
| Frost Resistance                                                            | UNI EN ISO 10545-12                                                                            | Compliant            |         |
|                                                                             | ASTM C1026                                                                                     | Unaffected           |         |
| Chemical Resistance<br><i>to high and low acid and basic concentrations</i> | UNI EN ISO 10545-13                                                                            | GA - GLA - GHA       |         |
|                                                                             | ASTM C650                                                                                      | Unaffected           |         |
| Stain Resistance                                                            | UNI EN ISO 10545-14                                                                            | 5                    |         |
|                                                                             | CTI 81-7D                                                                                      | No Evident Variation |         |
| Slip Resistance                                                             |                                                                                                | Natural              | Lappato |
|                                                                             | ANSI A137.1 (BOT 3000)                                                                         | ≥ 0.42 Wet           | -       |
|                                                                             | DIN 51130                                                                                      | R9                   | -       |
|                                                                             | DIN 51097                                                                                      | A                    | -       |
|                                                                             | B.C.R.A.                                                                                       | ≥ 0.40               | -       |

The color of the tiles printed in this catalog may differ from actual tiles. Tile color reproductions in this brochure are representative only.  
Slight tone and shade variations are inherent in porcelain tiles. Before selecting a color, we recommend that you contact a CTL representative before selecting.

min 7.5%

RECYCLEC CONTENT





STONESOURCE