

SIENNA
ESSENTIAL BRICK

STONESOURCE



BIANCO

GRIGIO


SABBIA

BLU

VERDE

NERO

BRICK



2"x10"

Deco Arco 3D
2"x10"

NUANCE & DECO

Sienna Essential Brick

Harmonic balances

Sienna Essential Brick is a collection of glazed bricks in 2"x10" format available in 6 harmonious colors ranging from neutral shades to light up in intensity of green and blue, up to an expressive and refined black. Creative compositions with artisanal charm come from the combination of bricks with the 3D decoration, characterized by relief lines that further enhance the brightness of the surface.

DECO ARCO 3D



Deco Arco 3D Grigio 2"x10"
Sabbia 2"x10"



Nero 2"x10"
Deco Arco 3D Nero 2"x10"



Blu 2"x10"
Bianco 2"x10"
Deco Arco 3D Bianco 2"x10"



Blu 2"x10"
Sabbia 2"x10"





Verde 2"x10"
Sabbia 2"x10"





Deco Arco 3D Verde 2"x10"
Verde 2"x10"
Deco Arco 3D Blu 2"x10"
Deco Arco 3D Bianco 2"x10"

Sienna Essential Brick

SIZES AND DECORS




2"x10"
Deco Arco 3D Bianco



2"x10"
Deco Arco 3D Grigio



2"x10"
Deco Arco 3D Sabbia



2"x10"
Deco Arco 3D Blu



2"x10"
Deco Arco 3D Verde



2"x10"
Deco Arco 3D Nero



2"x10"
Bianco



2"x10"
Grigio



2"x10"
Sabbia



2"x10"
Blu




2"x10"
Verde




2"x10"
Nero


LAYING SUGGESTIONS




1




2




5




6




3



4



7



8

Recommended joint 2 mm thickness

Combined laying of base tiles (bricks) and decorations is possible with the same color or with different colors. The catalog showcases some examples, but maximum design freedom is granted to create environments by mixing bases (bricks), decorations, and colors according to personal preference.

MADE IN USA

Porcelain Tiles
ISO 13006 ANNEX G - UNI EN 14411 ANNEX G - BIA GL
ANSI A137.1 - CLASS P1

TECHNICAL FEATURES CARATTERISTICHE TECNICHE		STANDARD NORMA	VALUE VALORI
	WATER ABSORPTION	UNI EN ISO 10545/3	CONFORME
	ASSORBIMENTO D'ACQUA	ASTM C373	COMPLIANT
	MODULUS OF RUPTURE	UNI EN ISO 10545/4	⩾ 35 N/mm ²
	RESISTENZA ALLA FLESSIONE		
	BREAKING STRENGTH FORZA DI ROTTURA	UNI EN ISO 10545/4 ASTM C648	⩾ 1300 N ⩾ 250 lbf
	FROST RESISTANCE	UNI EN ISO 10545/12	CONFORME
	RESISTENZA AL GELO	ASTM C1026	UNAFFECTED
	CHEMICAL RESISTANCE TO HIGH AND LOW ACID AND BASIC CONCENTRATIONS RESISTENZA CHIMICA AD ALTE E BASSE CONCENTRAZIONI DI ACIDI E BASI	UNI EN ISO 10545/13 ASTM C-650	A - LA - HA UNAFFECTED
	STAIN RESISTANCE	UNI EN ISO 10545/14	5
	RESISTENZA ALLE MACCHIE	ASTM C1378	Class A
			SHADE VARIATION  V3 High

PACKING AND
WEIGHT

Size Formato	Thickness Spessore mm	Pieces x Box Pz. x Scat.	Sq. F. x Box Piedi Q. x Scat.	Weight x Box Peso x Scat. Lbs	Boxes x Pal. Scat. x Pal.	Sq. F. x Pal. Piedi Q. x Pal.	Weight x Pal. Peso x Pal. Lbs
2 ³ / ₈ "x9 ⁷ / ₁₆ " - 6x24 cm	10	36	5.72	25.70	95	543.4	2441.5
2 ³ / ₈ "x9 ⁷ / ₁₆ " - 6x24 cm Deco Arco 3D	10	36	5.72	25.70	95	543.4	2441.5

Sizes listed in brochure are nominal.
Photos are for representation purposes only, actual colors may vary.



STONESOURCE