


SIENNA
SUPERNOVA

STONESOURCE





Paonazzetto



Paonazzetto | Ambra Paonazzetto | Resin

Calacatta Regale



Calacatta Regale | Ambra Calacatta Regale | Resin



Calacatta Regale **Soft** Rett. 120x120 - 47^{1/4}"x47^{1/4}"
Ambra Calacatta Regale **Polished** Rett. 120x278 - 47^{1/4}"x109^{7/16}"
Resin **Polished** Rett. 120x278 - 47^{1/4}"x109^{7/16}"



Calacatta Regale **Soft** Rett. 120x120 - 47^{1/4}"x47^{1/4}"




Ambra Calacatta Regale **Polished** Rett. 120x278 - 47^{1/4}"x109^{7/16}"
 Calacatta Regale Rett. 120x278 - 47^{1/4}"x109^{7/16}"
 Resin **Polished** Rett. 120x278 - 47^{1/4}"x109^{7/16}"



Calacatta Regale Polished Rett. 120x278 - 47^{1/4}"x109^{7/16}"
Ambra Calacatta Regale Polished Rett. 120x278 - 47^{1/4}"x109^{7/16}"



Bianco Siena



Bianco Siena | Ambra Bianco Siena | Resin



Moon Grey



Moon Grey | Ambra Moon Grey | Resin



Moon Grey Polished Rett. 120x278 - 47^{1/4}"x109^{7/16}"
Ambra Moon Grey Polished Rett. 120x278 - 47^{1/4}"x109^{7/16}"
Resin Polished Rett. 120x278 - 47^{1/4}"x109^{7/16}"




Ambra Moon Grey Polished Rett. 120x278 - 47^{1/4}"x109^{7/16}"
Moon Grey Polished Rett. 120x278 - 47^{1/4}"x109^{7/16}"



Moon Grey Polished Rett. 120x278 - 47^{1/4}"x109^{7/16}"
Ambra Moon Grey Polished Rett. 120x278 - 47^{1/4}"x109^{7/16}"
Resin Polished Rett. 120x278 - 47^{1/4}"x109^{7/16}"



Sahara Noir



Sahara Noir | Ambra Sahara Noir | Resin




Sahara Noir Polished Rett. 120x278 - 47 1/4" x 109 7/16"



▼ 6,5 mm ▲



Polished Rett.
120x278 - 47^{1/4}"x109^{7/16}"
EKRG Paonazzetto ● **T116**
EKRJ Calacatta Regale ● **T116**
EKRH Bianco Siena ● **T116**
EKRK Moon Grey ● **T116**
EKRL Sahara Noir ● **T116**
Up to 7 patterns



Polished Rett.
120x120 - 47^{1/4}"x47^{1/4}"
ELDV Paonazzetto ● **T110**
ELDW Calacatta Regale ● **T110**
ELDX Moon Grey ● **T110**
Up to 10 patterns

Soft Rett.
120x120 - 47^{1/4}"x47^{1/4}"
ELDR Paonazzetto ● **T74**
ELDS Calacatta Regale ● **T74**
ELDT Moon Grey ● **T74**
Up to 10 patterns

▼ 10,5 mm ▲



Polished Rett.
90x180 - 35^{7/16}"x70^{7/8}"


EL8V Bianco Siena ● **T93**
Up to 10 patterns ● **T93**

▼ 9,5 mm ▲



Polished Rett.
90x90 - 35^{7/16}"x35^{7/16}"

EL7S Bianco Siena ● **T77**
EL7U Moon Grey ● **T77**
Up to 10 patterns ● **T77**
● **T77**



Polished Rett.
60x120 - 23^{5/8}"x47^{1/4}"
EKSQ Paonazzetto

EKSS Calacatta Regale ● **T74**
EKSR Bianco Siena ● **T74**
EKST Moon Grey ● **T74**
EKSU Sahara Noir ● **T74**
Up to 21 patterns



Soft Rett.
60x120 - 23^{5/8}"x47^{1/4}"
EKS5 Paonazzetto ● **T31**
EKS7 Calacatta Regale ● **T31**
EKS6 Bianco Siena ● **T31**
EKS8 Moon Grey ● **T31**
EKS9 Sahara Noir ● **T31**
Up to 21 patterns



Polished Rett.
30x60 - 11^{13/16}"x23^{5/8}"
EKSW Paonazzetto ● **T42**
EKSY Calacatta Regale ● **T42**
EKSX Bianco Siena ● **T42**
EKSZ Moon Grey ● **T42**
EKT0 Sahara Noir ● **T42**
Up to 84 patterns


Soft Rett.
30x60 - 11^{13/16}"x23^{5/8}"
EKSC Paonazzetto ● **T14**
EKSE Calacatta Regale ● **T14**
EKSD Bianco Siena ● **T14**
EKSF Moon Grey ● **T14**
EKSG Sahara Noir ● **T14**
Up to 84 patterns



The **Soft finish** combines excellent anti-slip performances with a ceramic surface that's silky to the touch.

MOSAICO 3x3*

Tessera - Chip 2,8x2,8 - 1 1/8"x1 1/8"



30x30 - 11 13/16"x11 13/16"

EL63 Paonazzetto Polished ● A100

30x30 - 11 13/16"x11 13/16"

EL5X Paonazzetto Soft ● A96



30x30 - 11 13/16"x11 13/16"

EL65 Calacatta Regale Polished ● A100

30x30 - 11 13/16"x11 13/16"

EL5Z Calacatta Regale Soft ● A96



30x30 - 11 13/16"x11 13/16"

EL64 Bianco Siena Polished ● A100

30x30 - 11 13/16"x11 13/16"

EL5Y Bianco Siena Soft ● A96




30x30 - 11 13/16"x11 13/16"

EL66 Moon Grey Polished ● A100

30x30 - 11 13/16"x11 13/16"

EL60 Moon Grey Soft ● A96



30x30 - 11 13/16"x11 13/16"

EL67 Sahara Noir Polished ● A100

30x30 - 11 13/16"x11 13/16"

EL61 Sahara Noir Soft ● A96

MOSAICO ARROWS



3/8"x3 5/16"

30x30 - 11 13/16"x11 13/16"

EL97 Paonazzetto Polished ● A103

30x30 - 11 13/16"x11 13/16"

EL91 Paonazzetto Soft ● A101



30x30 - 11 13/16"x11 13/16"

EL99 Calacatta Regale Polished ● A103

30x30 - 11 13/16"x11 13/16"

EL93 Calacatta Regale Soft ● A101



30x30 - 11 13/16"x11 13/16"

EL98 Bianco Siena Polished ● A103

30x30 - 11 13/16"x11 13/16"

EL92 Bianco Siena Soft ● A101




30x30 - 11 13/16"x11 13/16"

EL9A Moon Grey Polished ● A103

30x30 - 11 13/16"x11 13/16"

EL94 Moon Grey Soft ● A101



30x30 - 11 13/16"x11 13/16"

EL9C Sahara Noir Polished ● A103

30x30 - 11 13/16"x11 13/16"

EL95 Sahara Noir Soft ● A101

*Su rete in fibra | On fibre mesh backing | Sur filet en fibre de verre | Auf Glasfasernetz | Sobre malla de fibra

	Dimensione Size	 Paonazzetto	 Calacatta Regale	 Bianco Siena	 Moon Grey	 Sahara Noir	Fascia di prezzo Price band
 Battiscopa - Skirting	Soft Rett. 7x60 - 2 3/4"x23 5/8" Pcs. Box. 15 - LM x Box 9,00	EL69	EL6C	EL6A	EL6D	EL6E	● A11
	Polished Rett. 7x60 - 2 3/4"x23 5/8" Pcs. Box. 15 - LM x Box 9,00	EL6G	EL6J	EL6H	EL6K	EL6L	● A15
	Polished Rett. 4,6x90 - 1 13/16"x35 7/16" Pcs. Box. 8 - LM x Box 7,20			EL80	EL82		● A20
 Gradone - Step	Soft Rett. 33x120x3,2x3,2 12 15/16"x4 7/16"x1 1/4"x1 1/4" Pcs. Box 2 - LM x Box 2,40	EL6N	EL6Q	EL6P	EL6R	EL6S	● A98
	Polished Rett. 33x120x3,2x3,2 12 15/16"x4 7/16"x1 1/4"x1 1/4" Pcs. Box 2 - LM x Box 2,40	EL6U	EL6W	EL6V	EL6X	EL6Y	● A101
 Angolare Dx Sx Corner Tile Dx Sx	Soft Rett. 33x120x3,2x3,2 12 15/16"x4 7/16"x1 1/4"x1 1/4" Pcs. Box 1 - LM x Box 1,20	DX EL70	DX EL72	DX EL71	DX EL73	DX EL74	● A104
		SX EL76	SX EL78	SX EL77	SX EL79	SX EL7A	● A104
	Polished Rett. 33x120x3,2x3,2 12 15/16"x4 7/16"x1 1/4"x1 1/4" Pcs. Box 1 - LM x Box 1,20	DX EL7D	DX EL7F	DX EL7E	DX EL7G	DX EL7H	● A106
		SX EL7K	SX EL7M	SX EL7L	SX EL7N	SX EL7P	● A106

Sienna Supernova

Dry - Pressed Ceramic Tiles ISO 13006 Annex G - UNI EN 14411 Annex G - Bla GL

CARATTERISTICHE TECNICHE	NORMA	VALORI
Technical Features - Caracteristiques Techniquesa - Technische Eigenschaften Technische Eigenschaften - Características Técnicas - Технические Характеристики	Standard - Norme Norm - Norma - Норма	Value - Valeur Vorgabe - Valor - Средние
 ASSORBIMENTO D’ACQUA (VALORE MEDIO IN %) Water absorption (Average value expressed in %) - Absorption d’eau (Valeur moyenne en %) Wasseraufnahme (Durchschnittswert in %) - Absorción de agua (Valor medio en %) - Поглощение воды	UNI EN ISO 10545/3 ASTM C373	CONFORME COMPLIANT
 RESISTENZA ALLA FLESSIONE Modulus of rupture - Resistance a la flexion - Biegefestigkeit Resistencia a la flexon - Прочность на изгиб	SPESSORE UNI EN ISO 10545/4	6,5 mm ≥ 35 N/mm² 9,5/10,5 mm ≥ 45 N/mm²
FORZA DI ROTTURA Breaking strength - Résistance à la rupture - Bruchlast Resistencia a la rotura - Разрывное усилие	UNI EN ISO 10545/4 ASTM C648	≥ 700 N 250 Lbs 400 Lbs
 RESISTENZA AL GELO Frost resistance - Résistance au gel - Frostbeständigkeit Resistencia a las heladas - Морозостойкость	UNI EN ISO 10545/12 ASTM C1026	CONFORME UNAFFECTED
 RESISTENZA CHIMICA AD ALTE E BASSE CONCENTRAZIONI DI ACIDI E BASI Chemical resistance to high and low acid and basic concentrations Résistance chimique aux hautes et basses concentrations d’acides et de bases Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen Resistencia química con concentraciones altas y bajas de ácidos y bases Химическая стойкость к высоким и низким концентрациям кислот и щелочей	UNI EN ISO 10545/13 ASTM C-650	A - LA - HA UNAFFECTED
 RESISTENZA ALLE MACCHIE Stain resistance - Résistance aux taches - Fleckenbeständigkeit Resistencia a las manchas - Стойкость к образованию пятен	UNI EN ISO 10545/14	5
 COEFFICIENTE DI ATTRITO Slip resistance Coefficient de glissement Rutschfestigkeit Barfußbereich Coeficiente de atrito medio Козэффициент трения	DIN EN 16165 Annex B DIN EN 16165 Annex A ANSI A326.3:2017 DCOF B.C.R.A. D.M. N. 236 14/6/89 AS 4586-2013 Anexo A BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers UNE 41901:2017 EX DB SUA (actual)	Soft Polished R10 B (A+B) WET ≥ 0,50 ≥ 0,40 P3 > 36 Low Slip potential 2 - - - - - - -

Per maggiori chiarimenti sui dati tecnici e sulla garanzia consultare il catalogo generale in vigore. - For further information on technical specifications, please consult our up-dated general catalogue.- Pour toutes informations supplémentaires sur les donnees techniques et sur les garanties, veuillez consulter le catalogue general en vigueur. - Für weitere Informationen über technische Daten und Garantie beziehen sie sich bitte auf den aktuellen Gesamtkatalog. - Para ultteriores informaciones sobre los datos tecnicos y la garantia, vease el catalogo general en vigor. - Более подробную информацию о технических данных и гарантии смотрите в действующем сводном катал.



PRODUCT CERTIFIED
FOR LOW CHEMICAL
EMISSIONS:
UL.COM/GG
UL 2818



放射性水平A类



12% 9,5 mm / 10,5 mm
0% 6,5 mm





SHADE
VARIATION



V3 High

Formato Size Format Format Tamaño Формат cm	Spessore Thickness Épaisseur Stärke Espesor Толщина mm	Pz. x Mq. Pieces x Sqm Pcs / M² Stk. x Qm Pzs x Mc. Шт x Кв.М.	Pz. x Scat. Pieces x Box Pcs / Bte Stk. x Krt. Pzs x Caja Шт x Кор.	Mq. x Scat. Sqm x Box M² / Bte Qm x Krt. Mc. x Caja Кв.М. x Кор.	Peso x Scat. Weight x Box Poids / Bte Gewicht x Krt. Peso x Caja Вес x Кор. Kg	Scat. x Pal. Boxes x Pal. Bte / Pal. Krt. x Pal. Cajas x Pal. Кор. x Подд.	Mq. x Pal. Sqm x Pal. M² / Pal. Qm x Pal. Mc. x Pal. Кв.М x Подд.	Peso x Pal. Weight x Pal. Poids / Pal. Gewicht x Pal. Peso x Pal. Вес x Подд Kg
120x278 Full Lappato - Resin	6,5	0,30	1	3,336	50,04	vedi sotto - see below		
120x278 Dec.Ambra Full Lappato	6,5	0,30	1	3,336	50,04			
120x120 Silktech - Full Lappato	6,5	0,69	2	2,880	43,20	20	57,60	864
90x180 Full Lappato	10,5	0,62	2	3,240	77,76	18	58,32	1400
90x90 Full Lappato	9,5	1,23	2	1,620	35,64	24	38,88	855
60x120 Silktech - Full Lappato - Resin	9,5	1,39	2	1,440	31,68	36	51,84	1140
30x60 Silktech - Full Lappato	9,5	5,56	6	1,080	23,76	48	51,84	1140
60x120 Dec.Ambra Full Lappato	9,5	1,39	2	1,440	31,68	36	51,84	1140
30x30 Mosaico 3X3 Silktech - Full Lappato	9,5	11,11	5	0,450	8,73	60	27,00	524
30x30 Mosaico Arrows Silktech - Full Lappato	9,5	13,03	5	0,384	8,45	60	23,04	507

Slabs 120x278

Articolo Item Reference Artikel Articulo Артикула	Dimensione (cm) Size (cm) Format (cm) Format (cm) Tamaño (cm) Формат (cm)	Nr. Lastre No. of Slabs Nbre Dalles Anz. Platten Nº de Placas Кол. Плит	Mq. x Imballo sqm per Pack M² / Emballage qm pro Verpackung M² por embalaje Кв.м. x упаковки	Peso Imballo (Kg) Weight of Packaging (kg) Poids Emballage (kg) Gewicht Verpackung (kg) Peso embalaje (kg) Вес упаковки (кг)	Peso Imballo+Lastre (Kg) Weight of Packaging + Slabs (kg) Poids Emballage+Dalles (kg) Gewicht Verpackung+Platten (kg) Peso embalaje + placas (kg) Вес упаковки + плит (кг)
 Cassa - Crate - Caisse Kiste - Caja - Ящик	140x291x41h	18	60,05	147	1047,72
 Cavalletto - A-Frame - Chevalet de transport - Transportgestell Caballetе - Подставка	75x290x160h	40	133,44	180	2181,60



STONESOURCE